

1. Effective (Isotropic) Radiated Power Output Data

1.1 B7_5MHz_EIRP

1.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	22.02	-0.50	21.52	<=33.01	Pass
			13	22.56	-0.50	22.06	<=33.01	Pass
			24	22.20	-0.50	21.70	<=33.01	Pass
		12	0	21.61	-0.50	21.11	<=33.01	Pass
			6	21.58	-0.50	21.08	<=33.01	Pass
			13	21.67	-0.50	21.17	<=33.01	Pass
		25	0	21.55	-0.50	21.05	<=33.01	Pass
	2535	1	0	21.57	-0.50	21.07	<=33.01	Pass
			13	21.77	-0.50	21.27	<=33.01	Pass
			24	21.15	-0.50	20.65	<=33.01	Pass
		12	0	21.71	-0.50	21.21	<=33.01	Pass
			6	21.74	-0.50	21.24	<=33.01	Pass
			13	21.49	-0.50	20.99	<=33.01	Pass
		25	0	21.59	-0.50	21.09	<=33.01	Pass
	2567.5	1	0	20.51	-0.50	20.01	<=33.01	Pass
			13	20.53	-0.50	20.03	<=33.01	Pass
			24	19.78	-0.50	19.28	<=33.01	Pass
		12	0	20.53	-0.50	20.03	<=33.01	Pass
			6	20.46	-0.50	19.96	<=33.01	Pass
			13	20.13	-0.50	19.63	<=33.01	Pass
		25	0	20.30	-0.50	19.80	<=33.01	Pass
16QAM	2502.5	1	0	20.99	-0.50	20.49	<=33.01	Pass
			13	20.95	-0.50	20.45	<=33.01	Pass
			24	20.91	-0.50	20.41	<=33.01	Pass
		12	0	20.78	-0.50	20.28	<=33.01	Pass
			6	20.76	-0.50	20.26	<=33.01	Pass
			13	20.76	-0.50	20.26	<=33.01	Pass
		25	0	20.83	-0.50	20.33	<=33.01	Pass
	2535	1	0	21.46	-0.50	20.96	<=33.01	Pass
			13	21.49	-0.50	20.99	<=33.01	Pass
			24	21.22	-0.50	20.72	<=33.01	Pass
		12	0	20.65	-0.50	20.15	<=33.01	Pass
			6	20.63	-0.50	20.13	<=33.01	Pass
			13	20.67	-0.50	20.17	<=33.01	Pass
		25	0	20.73	-0.50	20.23	<=33.01	Pass
	2567.5	1	0	20.17	-0.50	19.67	<=33.01	Pass
			13	20.24	-0.50	19.74	<=33.01	Pass
			24	19.55	-0.50	19.05	<=33.01	Pass
		12	0	20.22	-0.50	19.72	<=33.01	Pass
			6	20.18	-0.50	19.68	<=33.01	Pass
			13	19.88	-0.50	19.38	<=33.01	Pass
		25	0	20.08	-0.50	19.58	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.2 B7_10MHz_EIRP

1.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	20.99	-0.50	20.49	<=33.01	Pass
			25	21.78	-0.50	21.28	<=33.01	Pass
			49	22.49	-0.50	21.99	<=33.01	Pass
		25	0	21.43	-0.50	20.93	<=33.01	Pass
			13	21.61	-0.50	21.11	<=33.01	Pass
			25	21.59	-0.50	21.09	<=33.01	Pass
		50	0	21.72	-0.50	21.22	<=33.01	Pass
	2535	1	0	22.54	-0.50	22.04	<=33.01	Pass
			25	22.48	-0.50	21.98	<=33.01	Pass
			49	22.23	-0.50	21.73	<=33.01	Pass
		25	0	21.55	-0.50	21.05	<=33.01	Pass
			13	21.61	-0.50	21.11	<=33.01	Pass
			25	21.62	-0.50	21.12	<=33.01	Pass
		50	0	21.60	-0.50	21.10	<=33.01	Pass
	2565	1	0	22.60	-0.50	22.10	<=33.01	Pass
			25	22.56	-0.50	22.06	<=33.01	Pass
			49	22.28	-0.50	21.78	<=33.01	Pass
		25	0	21.60	-0.50	21.10	<=33.01	Pass
			13	21.60	-0.50	21.10	<=33.01	Pass
			25	21.61	-0.50	21.11	<=33.01	Pass
		50	0	21.74	-0.50	21.24	<=33.01	Pass
16QAM	2505	1	0	21.24	-0.50	20.74	<=33.01	Pass
			25	22.02	-0.50	21.52	<=33.01	Pass
			49	21.95	-0.50	21.45	<=33.01	Pass
		25	0	20.78	-0.50	20.28	<=33.01	Pass
			13	20.76	-0.50	20.26	<=33.01	Pass
			25	20.85	-0.50	20.35	<=33.01	Pass
		50	0	20.77	-0.50	20.27	<=33.01	Pass
	2535	1	0	22.22	-0.50	21.72	<=33.01	Pass
			25	22.50	-0.50	22.00	<=33.01	Pass
			49	22.57	-0.50	22.07	<=33.01	Pass
		25	0	20.77	-0.50	20.27	<=33.01	Pass
			13	20.97	-0.50	20.47	<=33.01	Pass
			25	20.82	-0.50	20.32	<=33.01	Pass
		50	0	20.93	-0.50	20.43	<=33.01	Pass
	2565	1	0	22.29	-0.50	21.79	<=33.01	Pass
			25	22.04	-0.50	21.54	<=33.01	Pass
			49	21.47	-0.50	20.97	<=33.01	Pass
		25	0	20.83	-0.50	20.33	<=33.01	Pass
			13	20.77	-0.50	20.27	<=33.01	Pass
			25	20.88	-0.50	20.38	<=33.01	Pass
		50	0	20.89	-0.50	20.39	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.3 B7_15MHz_EIRP

1.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	21.84	-0.50	21.34	<=33.01	Pass
			38	22.65	-0.50	22.15	<=33.01	Pass
			74	22.60	-0.50	22.10	<=33.01	Pass
		36	0	21.74	-0.50	21.24	<=33.01	Pass
			18	21.60	-0.50	21.10	<=33.01	Pass
			39	21.58	-0.50	21.08	<=33.01	Pass
		75	0	21.68	-0.50	21.18	<=33.01	Pass
	2535	1	0	22.21	-0.50	21.71	<=33.01	Pass
			38	21.57	-0.50	21.07	<=33.01	Pass
			74	21.01	-0.50	20.51	<=33.01	Pass
		36	0	21.73	-0.50	21.23	<=33.01	Pass
			18	21.60	-0.50	21.10	<=33.01	Pass
			39	21.32	-0.50	20.82	<=33.01	Pass
		75	0	21.60	-0.50	21.10	<=33.01	Pass
	2562.5	1	0	21.31	-0.50	20.81	<=33.01	Pass
			38	20.95	-0.50	20.45	<=33.01	Pass
			74	19.78	-0.50	19.28	<=33.01	Pass
		36	0	21.28	-0.50	20.78	<=33.01	Pass
			18	20.95	-0.50	20.45	<=33.01	Pass
			39	20.41	-0.50	19.91	<=33.01	Pass
		75	0	20.83	-0.50	20.33	<=33.01	Pass
16QAM	2507.5	1	0	21.94	-0.50	21.44	<=33.01	Pass
			38	21.96	-0.50	21.46	<=33.01	Pass
			74	21.97	-0.50	21.47	<=33.01	Pass
		36	0	21.01	-0.50	20.51	<=33.01	Pass
			18	21.00	-0.50	20.50	<=33.01	Pass
			39	20.92	-0.50	20.42	<=33.01	Pass
		75	0	20.91	-0.50	20.41	<=33.01	Pass
	2535	1	0	22.09	-0.50	21.59	<=33.01	Pass
			38	21.51	-0.50	21.01	<=33.01	Pass
			74	21.00	-0.50	20.50	<=33.01	Pass
		36	0	20.98	-0.50	20.48	<=33.01	Pass
			18	20.90	-0.50	20.40	<=33.01	Pass
			39	20.86	-0.50	20.36	<=33.01	Pass
		75	0	20.92	-0.50	20.42	<=33.01	Pass
	2562.5	1	0	21.31	-0.50	20.81	<=33.01	Pass
			38	20.93	-0.50	20.43	<=33.01	Pass
			74	19.83	-0.50	19.33	<=33.01	Pass
		36	0	20.94	-0.50	20.44	<=33.01	Pass
			18	20.67	-0.50	20.17	<=33.01	Pass
			39	20.14	-0.50	19.64	<=33.01	Pass
		75	0	20.57	-0.50	20.07	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.4 B7_20MHz_EIRP

1.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	21.94	-0.50	21.44	<=33.01	Pass
			50	22.36	-0.50	21.86	<=33.01	Pass
			99	22.38	-0.50	21.88	<=33.01	Pass
		50	0	21.36	-0.50	20.86	<=33.01	Pass
			25	21.39	-0.50	20.89	<=33.01	Pass
			50	21.34	-0.50	20.84	<=33.01	Pass
		100	0	21.34	-0.50	20.84	<=33.01	Pass
	2535	1	0	21.85	-0.50	21.35	<=33.01	Pass
			50	20.97	-0.50	20.47	<=33.01	Pass
			99	21.12	-0.50	20.62	<=33.01	Pass
		50	0	21.26	-0.50	20.76	<=33.01	Pass
			25	20.97	-0.50	20.47	<=33.01	Pass
			50	20.89	-0.50	20.39	<=33.01	Pass
		100	0	21.03	-0.50	20.53	<=33.01	Pass
	2560	1	0	20.66	-0.50	20.16	<=33.01	Pass
			50	20.59	-0.50	20.09	<=33.01	Pass
			99	19.65	-0.50	19.15	<=33.01	Pass
		50	0	20.69	-0.50	20.19	<=33.01	Pass
			25	20.54	-0.50	20.04	<=33.01	Pass
			50	20.09	-0.50	19.59	<=33.01	Pass
		100	0	20.36	-0.50	19.86	<=33.01	Pass
16QAM	2510	1	0	21.26	-0.50	20.76	<=33.01	Pass
			50	21.14	-0.50	20.64	<=33.01	Pass
			99	21.24	-0.50	20.74	<=33.01	Pass
		50	0	20.55	-0.50	20.05	<=33.01	Pass
			25	20.48	-0.50	19.98	<=33.01	Pass
			50	20.55	-0.50	20.05	<=33.01	Pass
		100	0	20.45	-0.50	19.95	<=33.01	Pass
	2535	1	0	21.72	-0.50	21.22	<=33.01	Pass
			50	20.93	-0.50	20.43	<=33.01	Pass
			99	21.12	-0.50	20.62	<=33.01	Pass
		50	0	20.64	-0.50	20.14	<=33.01	Pass
			25	20.59	-0.50	20.09	<=33.01	Pass
			50	20.54	-0.50	20.04	<=33.01	Pass
		100	0	20.46	-0.50	19.96	<=33.01	Pass
	2560	1	0	21.38	-0.50	20.88	<=33.01	Pass
			50	21.54	-0.50	21.04	<=33.01	Pass
			99	20.69	-0.50	20.19	<=33.01	Pass
		50	0	20.54	-0.50	20.04	<=33.01	Pass
			25	20.40	-0.50	19.90	<=33.01	Pass
			50	20.27	-0.50	19.77	<=33.01	Pass
		100	0	20.41	-0.50	19.91	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 B7_5MHz

2.1.1 Test Result

Band: 7 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2502.5	25	0	20	3.27	3.95	0.00	-2.5 to 2.5	Pass
					3.85	2.50	0.00	-2.5 to 2.5	Pass
					4.43	-0.10	0.00	-2.5 to 2.5	Pass
				-30	3.85	-1.06	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-3.59	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-4.86	-0.00	-2.5 to 2.5	Pass
				0	3.85	-7.97	-0.00	-2.5 to 2.5	Pass
				10	3.85	-9.01	-0.00	-2.5 to 2.5	Pass
				30	3.85	-9.24	-0.00	-2.5 to 2.5	Pass
				40	3.85	-13.45	-0.01	-2.5 to 2.5	Pass
				50	3.85	-14.71	-0.01	-2.5 to 2.5	Pass
	2535	25	0	20	3.27	-42.23	-0.02	-2.5 to 2.5	Pass
					3.85	-47.79	-0.02	-2.5 to 2.5	Pass
					4.43	-51.24	-0.02	-2.5 to 2.5	Pass
				-30	3.85	-24.98	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-21.73	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-24.39	-0.01	-2.5 to 2.5	Pass
				0	3.85	-30.34	-0.01	-2.5 to 2.5	Pass
				10	3.85	-33.55	-0.01	-2.5 to 2.5	Pass
				30	3.85	-40.03	-0.02	-2.5 to 2.5	Pass
				40	3.85	-43.13	-0.02	-2.5 to 2.5	Pass
				50	3.85	-48.67	-0.02	-2.5 to 2.5	Pass
	2567.5	25	0	20	3.27	-22.67	-0.01	-2.5 to 2.5	Pass
					3.85	-29.03	-0.01	-2.5 to 2.5	Pass
					4.43	-38.14	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-47.78	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-18.10	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-28.57	-0.01	-2.5 to 2.5	Pass
				0	3.85	-37.95	-0.01	-2.5 to 2.5	Pass
				10	3.85	-47.69	-0.02	-2.5 to 2.5	Pass
				30	3.85	-18.73	-0.01	-2.5 to 2.5	Pass
				40	3.85	-28.45	-0.01	-2.5 to 2.5	Pass
16QAM	2502.5	25	0	20	3.27	-51.78	-0.02	-2.5 to 2.5	Pass
					3.85	-18.31	-0.01	-2.5 to 2.5	Pass
					4.43	-18.94	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-20.57	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-22.93	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-24.36	-0.01	-2.5 to 2.5	Pass
				0	3.85	-26.48	-0.01	-2.5 to 2.5	Pass
				10	3.85	-29.78	-0.01	-2.5 to 2.5	Pass
				30	3.85	-29.64	-0.01	-2.5 to 2.5	Pass
				40	3.85	-31.76	-0.01	-2.5 to 2.5	Pass
				50	3.85	-34.88	-0.01	-2.5 to 2.5	Pass
	2535	25	0	20	3.27	-34.72	-0.01	-2.5 to 2.5	Pass
					3.85	-39.70	-0.02	-2.5 to 2.5	Pass

					4.43	-24.15	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-9.08	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-12.45	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-14.56	-0.01	-2.5 to 2.5	Pass
				0	3.85	-17.75	-0.01	-2.5 to 2.5	Pass
				10	3.85	-19.38	-0.01	-2.5 to 2.5	Pass
				30	3.85	-22.29	-0.01	-2.5 to 2.5	Pass
				40	3.85	-24.88	-0.01	-2.5 to 2.5	Pass
				50	3.85	-29.80	-0.01	-2.5 to 2.5	Pass
	2567.5	25	0	20	3.27	-33.63	-0.01	-2.5 to 2.5	Pass
					3.85	-40.90	-0.02	-2.5 to 2.5	Pass
					4.43	-47.76	-0.02	-2.5 to 2.5	Pass
				-30	3.85	-19.68	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-27.87	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-34.29	-0.01	-2.5 to 2.5	Pass
				0	3.85	-40.87	-0.02	-2.5 to 2.5	Pass
				10	3.85	-42.39	-0.02	-2.5 to 2.5	Pass
				30	3.85	-19.03	-0.01	-2.5 to 2.5	Pass
				40	3.85	-26.45	-0.01	-2.5 to 2.5	Pass
				50	3.85	-35.33	-0.01	-2.5 to 2.5	Pass

2.2 B7_10MHz

2.2.1 Test Result

Band: 7 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2505	50	0	20	3.27	-22.20	-0.01	-2.5 to 2.5	Pass
					3.85	-28.85	-0.01	-2.5 to 2.5	Pass
					4.43	-35.86	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-43.53	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-40.53	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-22.70	-0.01	-2.5 to 2.5	Pass
				0	3.85	-31.09	-0.01	-2.5 to 2.5	Pass
				10	3.85	-39.61	-0.02	-2.5 to 2.5	Pass
				30	3.85	-31.20	-0.01	-2.5 to 2.5	Pass
				40	3.85	1.93	0.00	-2.5 to 2.5	Pass
				50	3.85	-8.63	-0.00	-2.5 to 2.5	Pass
	2535	50	0	20	3.27	-7.81	-0.00	-2.5 to 2.5	Pass
					3.85	-10.27	-0.00	-2.5 to 2.5	Pass
					4.43	-9.40	-0.00	-2.5 to 2.5	Pass
				-30	3.85	-10.67	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-11.69	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-12.37	-0.00	-2.5 to 2.5	Pass
				0	3.85	-13.62	-0.01	-2.5 to 2.5	Pass
				10	3.85	-13.83	-0.01	-2.5 to 2.5	Pass
				30	3.85	-13.90	-0.01	-2.5 to 2.5	Pass
				40	3.85	-14.98	-0.01	-2.5 to 2.5	Pass
				50	3.85	-16.08	-0.01	-2.5 to 2.5	Pass
	2565	50	0	20	3.27	-10.46	-0.00	-2.5 to 2.5	Pass
					3.85	-16.21	-0.01	-2.5 to 2.5	Pass
					4.43	-18.93	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-23.82	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-28.34	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-32.42	-0.01	-2.5 to 2.5	Pass
				0	3.85	-37.12	-0.01	-2.5 to 2.5	Pass
				10	3.85	8.11	0.00	-2.5 to 2.5	Pass
				30	3.85	4.96	0.00	-2.5 to 2.5	Pass
				40	3.85	-0.60	-0.00	-2.5 to 2.5	Pass
				50	3.85	-3.63	-0.00	-2.5 to 2.5	Pass
16QAM	2505	50	0	20	3.27	-38.09	-0.02	-2.5 to 2.5	Pass
					3.85	-39.98	-0.02	-2.5 to 2.5	Pass
					4.43	-42.04	-0.02	-2.5 to 2.5	Pass
				-30	3.85	-43.36	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-44.93	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-46.92	-0.02	-2.5 to 2.5	Pass
				0	3.85	-46.82	-0.02	-2.5 to 2.5	Pass
				10	3.85	-12.63	-0.01	-2.5 to 2.5	Pass
				30	3.85	-13.82	-0.01	-2.5 to 2.5	Pass
				40	3.85	-15.56	-0.01	-2.5 to 2.5	Pass
				50	3.85	-16.26	-0.01	-2.5 to 2.5	Pass
	2535	50	0	20	3.27	23.20	0.01	-2.5 to 2.5	Pass
					3.85	-17.25	-0.01	-2.5 to 2.5	Pass
					4.43	-18.77	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-19.57	-0.01	-2.5 to 2.5	Pass
				-20	3.85	26.46	0.01	-2.5 to 2.5	Pass

				-10	3.85	27.82	0.01	-2.5 to 2.5	Pass
				0	3.85	29.70	0.01	-2.5 to 2.5	Pass
				10	3.85	31.66	0.01	-2.5 to 2.5	Pass
				30	3.85	33.19	0.01	-2.5 to 2.5	Pass
				40	3.85	34.70	0.01	-2.5 to 2.5	Pass
				50	3.85	35.33	0.01	-2.5 to 2.5	Pass
	2565	50	0	20	3.27	-20.01	-0.01	-2.5 to 2.5	Pass
					3.85	-22.40	-0.01	-2.5 to 2.5	Pass
					4.43	-23.15	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-27.08	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-27.52	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-30.37	-0.01	-2.5 to 2.5	Pass
				0	3.85	-31.84	-0.01	-2.5 to 2.5	Pass
				10	3.85	-33.86	-0.01	-2.5 to 2.5	Pass
				30	3.85	-36.89	-0.01	-2.5 to 2.5	Pass
				40	3.85	-37.79	-0.01	-2.5 to 2.5	Pass
				50	3.85	-39.18	-0.02	-2.5 to 2.5	Pass

2.3 B7_15MHz

2.3.1 Test Result

Band: 7 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2507.5	75	0	20	3.27	10.44	0.00	-2.5 to 2.5	Pass
					3.85	8.00	0.00	-2.5 to 2.5	Pass
					4.43	3.86	0.00	-2.5 to 2.5	Pass
				-30	3.85	2.16	0.00	-2.5 to 2.5	Pass
				-20	3.85	-0.89	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-4.16	-0.00	-2.5 to 2.5	Pass
				0	3.85	-7.91	-0.00	-2.5 to 2.5	Pass
				10	3.85	-10.16	-0.00	-2.5 to 2.5	Pass
				30	3.85	-12.93	-0.01	-2.5 to 2.5	Pass
				40	3.85	-15.64	-0.01	-2.5 to 2.5	Pass
				50	3.85	-18.70	-0.01	-2.5 to 2.5	Pass
	2535	75	0	20	3.27	-43.47	-0.02	-2.5 to 2.5	Pass
					3.85	-16.54	-0.01	-2.5 to 2.5	Pass
					4.43	-25.96	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-37.01	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-33.46	-0.01	-2.5 to 2.5	Pass
				-10	3.85	6.09	0.00	-2.5 to 2.5	Pass
				0	3.85	-6.12	-0.00	-2.5 to 2.5	Pass
				10	3.85	-18.38	-0.01	-2.5 to 2.5	Pass
				30	3.85	-28.00	-0.01	-2.5 to 2.5	Pass
				40	3.85	-39.80	-0.02	-2.5 to 2.5	Pass
				50	3.85	-14.62	-0.01	-2.5 to 2.5	Pass
	2562.5	75	0	20	3.27	-33.40	-0.01	-2.5 to 2.5	Pass
					3.85	-35.16	-0.01	-2.5 to 2.5	Pass
					4.43	-26.48	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-25.82	-0.01	-2.5 to 2.5	Pass
				-20	3.85	0.37	0.00	-2.5 to 2.5	Pass
				-10	3.85	-18.28	-0.01	-2.5 to 2.5	Pass
				0	3.85	-33.49	-0.01	-2.5 to 2.5	Pass
				10	3.85	-17.28	-0.01	-2.5 to 2.5	Pass
				30	3.85	-33.82	-0.01	-2.5 to 2.5	Pass
				40	3.85	-16.22	-0.01	-2.5 to 2.5	Pass
				50	3.85	-33.59	-0.01	-2.5 to 2.5	Pass
16QAM	2507.5	75	0	20	3.27	-34.03	-0.01	-2.5 to 2.5	Pass
					3.85	-39.87	-0.02	-2.5 to 2.5	Pass
					4.43	-18.12	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-11.20	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-15.49	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-18.71	-0.01	-2.5 to 2.5	Pass
				0	3.85	-23.32	-0.01	-2.5 to 2.5	Pass
				10	3.85	-27.97	-0.01	-2.5 to 2.5	Pass
				30	3.85	-33.43	-0.01	-2.5 to 2.5	Pass
				40	3.85	-37.58	-0.01	-2.5 to 2.5	Pass
				50	3.85	-41.47	-0.02	-2.5 to 2.5	Pass
	2535	75	0	20	3.27	-35.92	-0.01	-2.5 to 2.5	Pass
					3.85	-6.98	-0.00	-2.5 to 2.5	Pass
					4.43	-16.75	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-25.58	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-33.50	-0.01	-2.5 to 2.5	Pass

				-10	3.85	-41.24	-0.02	-2.5 to 2.5	Pass
				0	3.85	-46.08	-0.02	-2.5 to 2.5	Pass
				10	3.85	-19.87	-0.01	-2.5 to 2.5	Pass
				30	3.85	-27.41	-0.01	-2.5 to 2.5	Pass
				40	3.85	-34.15	-0.01	-2.5 to 2.5	Pass
				50	3.85	-43.49	-0.02	-2.5 to 2.5	Pass
	2562.5	75	0	20	3.27	-13.65	-0.01	-2.5 to 2.5	Pass
					3.85	-25.75	-0.01	-2.5 to 2.5	Pass
					4.43	-37.36	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-21.89	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-21.80	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-33.96	-0.01	-2.5 to 2.5	Pass
				0	3.85	-41.23	-0.02	-2.5 to 2.5	Pass
				10	3.85	-45.95	-0.02	-2.5 to 2.5	Pass
				30	3.85	-3.59	-0.00	-2.5 to 2.5	Pass
				40	3.85	-14.16	-0.01	-2.5 to 2.5	Pass
				50	3.85	-26.95	-0.01	-2.5 to 2.5	Pass

2.4 B7_20MHz

2.4.1 Test Result

Band: 7 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2510	100	0	20	3.27	-15.78	-0.01	-2.5 to 2.5	Pass
					3.85	-23.79	-0.01	-2.5 to 2.5	Pass
					4.43	-32.32	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-39.84	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-48.71	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-22.77	-0.01	-2.5 to 2.5	Pass
				0	3.85	-32.74	-0.01	-2.5 to 2.5	Pass
				10	3.85	-44.39	-0.02	-2.5 to 2.5	Pass
				30	3.85	-6.51	-0.00	-2.5 to 2.5	Pass
				40	3.85	-19.44	-0.01	-2.5 to 2.5	Pass
				50	3.85	-31.96	-0.01	-2.5 to 2.5	Pass
	2535	100	0	20	3.27	-21.56	-0.01	-2.5 to 2.5	Pass
					3.85	-34.26	-0.01	-2.5 to 2.5	Pass
					4.43	-46.33	-0.02	-2.5 to 2.5	Pass
				-30	3.85	-40.67	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-1.10	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-26.08	-0.01	-2.5 to 2.5	Pass
				0	3.85	-43.03	-0.02	-2.5 to 2.5	Pass
				10	3.85	-36.46	-0.01	-2.5 to 2.5	Pass
				30	3.85	2.32	0.00	-2.5 to 2.5	Pass
				40	3.85	-21.43	-0.01	-2.5 to 2.5	Pass
				50	3.85	-39.87	-0.02	-2.5 to 2.5	Pass
	2560	100	0	20	3.27	-12.55	-0.00	-2.5 to 2.5	Pass
					3.85	-30.84	-0.01	-2.5 to 2.5	Pass
					4.43	-48.68	-0.02	-2.5 to 2.5	Pass
				-30	3.85	-17.80	-0.01	-2.5 to 2.5	Pass
				-20	3.85	1.50	0.00	-2.5 to 2.5	Pass
				-10	3.85	2.53	0.00	-2.5 to 2.5	Pass
				0	3.85	0.63	0.00	-2.5 to 2.5	Pass
				10	3.85	0.11	0.00	-2.5 to 2.5	Pass
				30	3.85	1.02	0.00	-2.5 to 2.5	Pass
				40	3.85	0.46	0.00	-2.5 to 2.5	Pass
				50	3.85	1.13	0.00	-2.5 to 2.5	Pass
16QAM	2510	100	0	20	3.27	-20.50	-0.01	-2.5 to 2.5	Pass
					3.85	-29.53	-0.01	-2.5 to 2.5	Pass
					4.43	-35.31	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-42.69	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-40.51	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-16.74	-0.01	-2.5 to 2.5	Pass
				0	3.85	-24.73	-0.01	-2.5 to 2.5	Pass
				10	3.85	-31.23	-0.01	-2.5 to 2.5	Pass
				30	3.85	-38.42	-0.02	-2.5 to 2.5	Pass
				40	3.85	-45.15	-0.02	-2.5 to 2.5	Pass
				50	3.85	9.68	0.00	-2.5 to 2.5	Pass
	2535	100	0	20	3.27	-0.30	-0.00	-2.5 to 2.5	Pass
					3.85	-17.87	-0.01	-2.5 to 2.5	Pass
					4.43	-33.25	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-46.88	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-23.60	-0.01	-2.5 to 2.5	Pass

				-10	3.85	-36.66	-0.01	-2.5 to 2.5	Pass
				0	3.85	-20.17	-0.01	-2.5 to 2.5	Pass
				10	3.85	-24.22	-0.01	-2.5 to 2.5	Pass
				30	3.85	-39.17	-0.02	-2.5 to 2.5	Pass
				40	3.85	9.31	0.00	-2.5 to 2.5	Pass
				50	3.85	-1.60	-0.00	-2.5 to 2.5	Pass
	2560	100	0	20	3.27	-0.73	-0.00	-2.5 to 2.5	Pass
					3.85	0.56	0.00	-2.5 to 2.5	Pass
					4.43	0.56	0.00	-2.5 to 2.5	Pass
				-30	3.85	0.39	0.00	-2.5 to 2.5	Pass
				-20	3.85	0.06	0.00	-2.5 to 2.5	Pass
				-10	3.85	-0.40	-0.00	-2.5 to 2.5	Pass
				0	3.85	-0.46	-0.00	-2.5 to 2.5	Pass
				10	3.85	-0.56	-0.00	-2.5 to 2.5	Pass
				30	3.85	0.57	0.00	-2.5 to 2.5	Pass
				40	3.85	0.63	0.00	-2.5 to 2.5	Pass
				50	3.85	0.36	0.00	-2.5 to 2.5	Pass


4. 99% & 26dB Bandwidth

4.1 Band7_OBW


4.1.1 Test Result

Band: 7 / NTN						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	2502.5	25	0	4.595	Pass
		2535	25	0	4.564	Pass
		2567.5	25	0	4.568	Pass
	16QAM	2502.5	25	0	4.574	Pass
		2535	25	0	4.608	Pass
		2567.5	25	0	4.605	Pass
10	QPSK	2505	50	0	9.073	Pass
		2535	50	0	9.058	Pass
		2565	50	0	9.068	Pass
	16QAM	2505	50	0	9.073	Pass
		2535	50	0	9.052	Pass
		2565	50	0	9.111	Pass
15	QPSK	2507.5	75	0	13.633	Pass
		2535	75	0	13.599	Pass
		2562.5	75	0	13.607	Pass
	16QAM	2507.5	75	0	13.583	Pass
		2535	75	0	13.637	Pass
		2562.5	75	0	13.607	Pass
20	QPSK	2510	100	0	18.115	Pass
		2535	100	0	18.170	Pass
		2560	100	0	18.025	Pass
	16QAM	2510	100	0	18.106	Pass
		2535	100	0	18.233	Pass
		2560	100	0	18.026	Pass


4.1.2 Test Graph




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_50_0_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_75_0_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_100_0_NTNV




4.2 Band7_XDB


4.2.1 Test Result

Band: 7 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	2502.5	25	0	5.633	Pass
		2535	25	0	5.497	Pass
		2567.5	25	0	5.496	Pass
	16QAM	2502.5	25	0	5.667	Pass
		2535	25	0	5.753	Pass
		2567.5	25	0	5.341	Pass
10	QPSK	2505	50	0	10.311	Pass
		2535	50	0	10.349	Pass
		2565	50	0	10.269	Pass
	16QAM	2505	50	0	10.263	Pass
		2535	50	0	10.397	Pass
		2565	50	0	10.333	Pass
15	QPSK	2507.5	75	0	16.023	Pass
		2535	75	0	15.187	Pass
		2562.5	75	0	15.935	Pass
	16QAM	2507.5	75	0	15.183	Pass
		2535	75	0	15.446	Pass
		2562.5	75	0	15.366	Pass
20	QPSK	2510	100	0	20.171	Pass
		2535	100	0	20.084	Pass
		2560	100	0	19.881	Pass
	16QAM	2510	100	0	20.458	Pass
		2535	100	0	20.180	Pass
		2560	100	0	19.766	Pass


4.2.2 Test Graph




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_50_0_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_75_0_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_100_0_NTNV




5. Peak-Average Ratio

5.1 B7_5MHz


5.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	25	0	5.36	<=13	Pass
	2535	25	0	5.27	<=13	Pass
	2567.5	25	0	5.32	<=13	Pass
16QAM	2502.5	25	0	5.99	<=13	Pass
	2535	25	0	5.92	<=13	Pass
	2567.5	25	0	5.83	<=13	Pass


5.1.2 Test Graph




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV



Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV



Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




5.2 B7_10MHz


5.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	50	0	6.09	<=13	Pass
	2535	50	0	6.01	<=13	Pass
	2565	50	0	6.04	<=13	Pass
16QAM	2505	50	0	6.78	<=13	Pass
	2535	50	0	6.80	<=13	Pass
	2565	50	0	6.66	<=13	Pass


5.2.2 Test Graph




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_50_0_NTNV



Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV



Band7_10MHz_16QAM_HCH_2565MHz_RB_50_0_NTNV




5.3 B7_15MHz


5.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	75	0	6.76	<=13	Pass
	2535	75	0	6.70	<=13	Pass
	2562.5	75	0	6.71	<=13	Pass
16QAM	2507.5	75	0	7.26	<=13	Pass
	2535	75	0	7.26	<=13	Pass
	2562.5	75	0	7.21	<=13	Pass


5.3.2 Test Graph




Band7 15MHz QPSK HCH 2562.5MHz RB 75 0 NTNV




Band7 15MHz 16QAM LCH 2507.5MHz RB 75 0 NTNV



Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV



Band7_15MHz_16QAM_HCH_2562.5MHz_RB_75_0_NTNV




5.4 B7_20MHz


5.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	100	0	7.16	<=13	Pass
	2535	100	0	7.19	<=13	Pass
	2560	100	0	7.16	<=13	Pass
16QAM	2510	100	0	7.55	<=13	Pass
	2535	100	0	7.52	<=13	Pass
	2560	100	0	7.53	<=13	Pass


5.4.2 Test Graph




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_100_0_NTNV




6. Spurious Emission

6.1 B7_5MHz


6.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2502.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2567.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	2502.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2567.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass


6.1.2 Test Graph




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_24_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_1_0_NTNV



Band7_5MHz_16QAM_HCH_2567.5MHz_RB_1_24_NTNV



Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




6.2 B7_10MHz


6.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


6.2.2 Test Graph




Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV



Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV



Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV



Band7_10MHz_QPSK_HCH_2565MHz_RB_1_49_NTNV

