











































<Single RU>

In-Band Emissions

Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20MIMO	Ant1	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant1	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant1	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant1	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant2	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant1	7115	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant2	7115	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
11BE20MIMO	Ant1	5955	26Tone	RU0	See test graph	See test graph	PASS




			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant1	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant1	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant1	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant2	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant1	7115	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant2	7115	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS




Test Graphs








11AX20MIMO_Ant2_5955_26Tone_RU0







Date: 27.FEB.2025 03:44:12



11AX20MIMO_Ant2_5955_52Tone_RU37






Date: 27.FEB.2025 03:49:59



























11AX20MIMO_Ant2_7095_26Tone_RU8



Date: 27.FEB.2025 04:17:25


11AX20MIMO_Ant2_7095_52Tone_RU40



Date: 27.FEB.2025 04:18:43




11AX20MIMO_Ant2_7095_106Tone_RU54



Date: 27.FEB.2025 04:19:52


11AX20MIMO_Ant1_7115_26Tone_RU8



Date: 27.FEB.2025 04:20:52




11AX20MIMO_Ant1_7115_52Tone_RU40






Date: 27.FEB.2025 04:21:58



11AX20MIMO_Ant1_7115_106Tone_RU54





Date: 27.FEB.2025 04:23:25













11BE20MIMO_Ant2_5955_106Tone_RU53



Date: 27.FEB.2025 03:15:46


11BE20MIMO_Ant1_6435_26Tone_RU0



Date: 27.FEB.2025 03:16:57




11BE20MIMO_Ant1_6435_52Tone_RU37





Date: 27.FEB.2025 03:20:29

11BE20MIMO_Ant1_6435_106Tone_RU53




Date: 27.FEB.2025 03:22:02






11BE20MIMO_Ant2_6435_106Tone_RU53





Date: 27.FEB.2025 03:22:30

11BE20MIMO_Ant1_6535_26Tone_RU0




Date: 27.FEB.2025 03:23:53






11BE20MIMO_Ant2_6535_26Tone_RU0




Date: 27.FEB.2025 03:24:11

11BE20MIMO_Ant2_6535_52Tone_RU37




Date: 27.FEB.2025 03:25:17






11BE20MIMO_Ant1_7095_52Tone_RU40





Date: 27.FEB.2025 03:30:01

11BE20MIMO_Ant1_7095_106Tone_RU54




Date: 27.FEB.2025 03:31:07






11BE20MIMO_Ant2_7095_106Tone_RU54






Date: 27.FEB.2025 03:31:35


11BE20MIMO_Ant1_7115_26Tone_RU8



Date: 27.FEB.2025 03:38:25









Maximum conducted output power

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant1	5955	26Tone	RU0	-8.5	-9.56	99.63	0.02	-9.54	≤23.20	0.80	-8.74	≤24.00	PASS
			52Tone	RU37	-5.5	-6.58	99.63	0.02	-6.56	≤23.20	0.80	-5.76	≤24.00	PASS
			106Tone	RU53	-2.5	-3.59	99.63	0.02	-3.57	≤23.20	0.80	-2.77	≤24.00	PASS
	Ant2	5955	26Tone	RU0	-10	-9.26	99.63	0.02	-9.24	≤22.70	1.30	-7.94	≤24.00	PASS
			52Tone	RU37	-7	-6.51	99.63	0.02	-6.49	≤22.70	1.30	-5.19	≤24.00	PASS
			106Tone	RU53	-4	-3.48	99.63	0.02	-3.46	≤22.70	1.30	-2.16	≤24.00	PASS
	total	5955	26Tone	RU0	---	---	---	---	-6.38	≤22.70	1.30	-5.08	≤24.00	PASS
			52Tone	RU37	---	---	---	---	-3.51	≤22.70	1.30	-2.21	≤24.00	PASS
			106Tone	RU53	---	---	---	---	-0.50	≤22.70	1.30	0.80	≤24.00	PASS
	Ant1	6435	26Tone	RU0	-8.5	-9.30	99.63	0.02	-9.28	≤23.20	0.80	-8.48	≤24.00	PASS
			52Tone	RU37	-5.5	-6.25	99.63	0.02	-6.23	≤23.20	0.80	-5.43	≤24.00	PASS
			106Tone	RU53	-2.5	-3.11	99.63	0.02	-3.09	≤23.20	0.80	-2.29	≤24.00	PASS
	Ant2	6435	26Tone	RU0	-10	-9.02	99.63	0.02	-9.00	≤22.70	1.30	-7.70	≤24.00	PASS
			52Tone	RU37	-7	-6.64	99.63	0.02	-6.62	≤22.70	1.30	-5.32	≤24.00	PASS
			106Tone	RU53	-4	-3.50	99.63	0.02	-3.48	≤22.70	1.30	-2.18	≤24.00	PASS
	total	6435	26Tone	RU0	---	---	---	---	-6.13	≤22.70	1.30	-4.83	≤24.00	PASS
			52Tone	RU37	---	---	---	---	-3.41	≤22.70	1.30	-2.11	≤24.00	PASS
			106Tone	RU53	---	---	---	---	-0.27	≤22.70	1.30	1.03	≤24.00	PASS
	Ant1	6535	26Tone	RU0	-9.5	-9.44	99.63	0.02	-9.42	≤22.90	1.10	-8.32	≤24.00	PASS
			52Tone	RU37	-6.5	-6.75	99.63	0.02	-6.73	≤22.90	1.10	-5.63	≤24.00	PASS
			106Tone	RU53	-3.5	-3.71	99.63	0.02	-3.69	≤22.90	1.10	-2.59	≤24.00	PASS
	Ant2	6535	26Tone	RU0	-9.5	-9.54	99.63	0.02	-9.52	≤22.60	1.40	-8.12	≤24.00	PASS
			52Tone	RU37	-6.5	-6.86	99.63	0.02	-6.84	≤22.60	1.40	-5.44	≤24.00	PASS
			106Tone	RU53	-3.5	-3.71	99.63	0.02	-3.69	≤22.60	1.40	-2.29	≤24.00	PASS
	total	6535	26Tone	RU0	---	---	---	---	-6.46	≤22.60	1.40	-5.06	≤24.00	PASS
			52Tone	RU37	---	---	---	---	-3.77	≤22.60	1.40	-2.37	≤24.00	PASS
			106Tone	RU53	---	---	---	---	-0.68	≤22.60	1.40	0.72	≤24.00	PASS
	Ant1	7095	26Tone	RU8	-8.5	-9.43	99.63	0.02	-9.41	≤23.60	0.40	-9.01	≤24.00	PASS
			52Tone	RU40	-5.5	-6.58	99.63	0.02	-6.56	≤23.60	0.40	-6.16	≤24.00	PASS
			106Tone	RU54	-2.5	-3.46	99.63	0.02	-3.44	≤23.60	0.40	-3.04	≤24.00	PASS
	Ant2	7095	26Tone	RU8	-10.5	-9.38	99.63	0.02	-9.36	≤23.00	1.00	-8.36	≤24.00	PASS
			52Tone	RU40	-7.5	-6.62	99.63	0.02	-6.60	≤23.00	1.00	-5.60	≤24.00	PASS



	total	7095	106Tone	RU54	-4.5	-3.45	99.63	0.02	-3.43	≤23.00	1.00	-2.43	≤24.00	PASS
			26Tone	RU8	---	---	---	---	-6.37	≤23.00	1.00	-5.37	≤24.00	PASS
			52Tone	RU40	---	---	---	---	-3.57	≤23.00	1.00	-2.57	≤24.00	PASS
			106Tone	RU54	---	---	---	---	-0.42	≤23.00	1.00	0.58	≤24.00	PASS
	Ant1	7115	26Tone	RU8	-21	-22.3	99.63	0.02	-22.28	≤23.60	0.40	-21.88	≤24.00	PASS
			52Tone	RU40	-17	-17.44	99.63	0.02	-17.42	≤23.60	0.40	-17.02	≤24.00	PASS
			106Tone	RU54	-14.5	-15.52	99.63	0.02	-15.50	≤23.60	0.40	-15.10	≤24.00	PASS
	Ant2	7115	26Tone	RU8	-22.5	-21.89	99.63	0.02	-21.87	≤23.00	1.00	-20.87	≤24.00	PASS
			52Tone	RU40	-19	-17.15	99.63	0.02	-17.13	≤23.00	1.00	-16.13	≤24.00	PASS
			106Tone	RU54	-16.5	-15.53	99.63	0.02	-15.51	≤23.00	1.00	-14.51	≤24.00	PASS
	total	7115	26Tone	RU8	---	---	---	---	-19.06	≤23.00	1.00	-18.06	≤24.00	PASS
			52Tone	RU40	---	---	---	---	-14.26	≤23.00	1.00	-13.26	≤24.00	PASS
			106Tone	RU54	---	---	---	---	-12.49	≤23.00	1.00	-11.49	≤24.00	PASS
11BE20MIMO	Ant1	5955	26Tone	RU0	-8.5	-9.49	99.82	0.01	-9.48	≤23.20	0.80	-8.68	≤24.00	PASS
			52Tone	RU37	-5.5	-6.66	99.82	0.01	-6.65	≤23.20	0.80	-5.85	≤24.00	PASS
			106Tone	RU53	-2.5	-3.60	99.82	0.01	-3.59	≤23.20	0.80	-2.79	≤24.00	PASS
	Ant2	5955	26Tone	RU0	-10	-9.27	99.63	0.02	-9.25	≤22.70	1.30	-7.95	≤24.00	PASS
			52Tone	RU37	-7	-6.46	99.63	0.02	-6.44	≤22.70	1.30	-5.14	≤24.00	PASS
			106Tone	RU53	-4	-3.52	99.63	0.02	-3.50	≤22.70	1.30	-2.20	≤24.00	PASS
	total	5955	26Tone	RU0	---	---	---	---	-6.35	≤22.70	1.30	-5.05	≤24.00	PASS
			52Tone	RU37	---	---	---	---	-3.53	≤22.70	1.30	-2.23	≤24.00	PASS
			106Tone	RU53	---	---	---	---	-0.53	≤22.70	1.30	0.77	≤24.00	PASS
	Ant1	6435	26Tone	RU0	-8.5	-9.31	99.82	0.01	-9.30	≤23.20	0.80	-8.50	≤24.00	PASS
			52Tone	RU37	-5.5	-6.19	99.82	0.01	-6.18	≤23.20	0.80	-5.38	≤24.00	PASS
			106Tone	RU53	-2.5	-3.19	99.82	0.01	-3.18	≤23.20	0.80	-2.38	≤24.00	PASS
	Ant2	6435	26Tone	RU0	-10	-9.09	99.63	0.02	-9.07	≤22.70	1.30	-7.77	≤24.00	PASS
			52Tone	RU37	-7	-6.57	99.63	0.02	-6.55	≤22.70	1.30	-5.25	≤24.00	PASS
			106Tone	RU53	-4	-3.53	99.63	0.02	-3.51	≤22.70	1.30	-2.21	≤24.00	PASS
	total	6435	26Tone	RU0	---	---	---	---	-6.17	≤22.70	1.30	-4.87	≤24.00	PASS
			52Tone	RU37	---	---	---	---	-3.35	≤22.70	1.30	-2.05	≤24.00	PASS
			106Tone	RU53	---	---	---	---	-0.33	≤22.70	1.30	0.97	≤24.00	PASS
	Ant1	6535	26Tone	RU0	-9.5	-9.48	99.82	0.01	-9.47	≤22.90	1.10	-8.37	≤24.00	PASS
			52Tone	RU37	-6.5	-6.70	99.82	0.01	-6.69	≤22.90	1.10	-5.59	≤24.00	PASS
			106Tone	RU53	-3.5	-3.71	99.82	0.01	-3.70	≤22.90	1.10	-2.60	≤24.00	PASS
	Ant2	6535	26Tone	RU0	-9.5	-9.57	99.63	0.02	-9.55	≤22.60	1.40	-8.15	≤24.00	PASS
			52Tone	RU37	-6.5	-6.87	99.63	0.02	-6.85	≤22.60	1.40	-5.45	≤24.00	PASS
			106Tone	RU53	-3.5	-3.77	99.63	0.02	-3.75	≤22.60	1.40	-2.35	≤24.00	PASS
	total	6535	26Tone	RU0	---	---	---	---	-6.50	≤22.60	1.40	-5.10	≤24.00	PASS
			52Tone	RU37	---	---	---	---	-3.76	≤22.60	1.40	-2.36	≤24.00	PASS



	Ant1	7095	106Tone	RU53	---	---	---	---	-0.71	≤22.60	1.40	0.69	≤24.00	PASS
			26Tone	RU8	-8.5	-9.40	99.82	0.01	-9.39	≤23.60	0.40	-8.99	≤24.00	PASS
			52Tone	RU40	-5.5	-6.60	99.82	0.01	-6.59	≤23.60	0.40	-6.19	≤24.00	PASS
			106Tone	RU54	-2.5	-3.59	99.82	0.01	-3.58	≤23.60	0.40	-3.18	≤24.00	PASS
	Ant2	7095	26Tone	RU8	-10.5	-9.44	99.63	0.02	-9.42	≤23.00	1.00	-8.42	≤24.00	PASS
			52Tone	RU40	-7.5	-6.51	99.63	0.02	-6.49	≤23.00	1.00	-5.49	≤24.00	PASS
			106Tone	RU54	-4.5	-3.44	99.63	0.02	-3.42	≤23.00	1.00	-2.42	≤24.00	PASS
	total	7095	26Tone	RU8	---	---	---	---	-6.39	≤23.00	1.00	-5.39	≤24.00	PASS
			52Tone	RU40	---	---	---	---	-3.53	≤23.00	1.00	-2.53	≤24.00	PASS
			106Tone	RU54	---	---	---	---	-0.49	≤23.00	1.00	0.51	≤24.00	PASS
	Ant1	7115	26Tone	RU8	-21	-22.39	99.82	0.01	-22.38	≤23.60	0.40	-21.98	≤24.00	PASS
			52Tone	RU40	-17	-17.41	99.82	0.01	-17.40	≤23.60	0.40	-17.00	≤24.00	PASS
			106Tone	RU54	-14.5	-15.66	99.82	0.01	-15.65	≤23.60	0.40	-15.25	≤24.00	PASS
	Ant2	7115	26Tone	RU8	-22.5	-21.96	99.63	0.02	-21.94	≤23.00	1.00	-20.94	≤24.00	PASS
			52Tone	RU40	-19	-17.17	99.63	0.02	-17.15	≤23.00	1.00	-16.15	≤24.00	PASS
			106Tone	RU54	-16.5	-15.65	99.63	0.02	-15.63	≤23.00	1.00	-14.63	≤24.00	PASS
	total	7115	26Tone	RU8	---	---	---	---	-19.14	≤23.00	1.00	-18.14	≤24.00	PASS
			52Tone	RU40	---	---	---	---	-14.26	≤23.00	1.00	-13.26	≤24.00	PASS
			106Tone	RU54	---	---	---	---	-12.63	≤23.00	1.00	-11.63	≤24.00	PASS



Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5955	26Tone	RU0	-12.28	≤-1.80	0.80	-11.48	≤-1.00	PASS
			52Tone	RU37	-12.27	≤-1.80	0.80	-11.47	≤-1.00	PASS
			106Tone	RU53	-12.29	≤-1.80	0.80	-11.49	≤-1.00	PASS
	Ant2	5955	26Tone	RU0	-12.28	≤-2.30	1.30	-10.98	≤-1.00	PASS
			52Tone	RU37	-12.58	≤-2.30	1.30	-11.28	≤-1.00	PASS
			106Tone	RU53	-12.60	≤-2.30	1.30	-11.30	≤-1.00	PASS
	total	5955	26Tone	RU0	-9.27	≤-5.06	4.06	-5.21	≤-1.00	PASS
			52Tone	RU37	-9.41	≤-5.06	4.06	-5.35	≤-1.00	PASS
			106Tone	RU53	-9.43	≤-5.06	4.06	-5.37	≤-1.00	PASS
	Ant1	6435	26Tone	RU0	-12.12	≤-1.80	0.80	-11.32	≤-1.00	PASS
			52Tone	RU37	-12.04	≤-1.80	0.80	-11.24	≤-1.00	PASS
			106Tone	RU53	-12.11	≤-1.80	0.80	-11.31	≤-1.00	PASS
	Ant2	6435	26Tone	RU0	-12.30	≤-2.30	1.30	-11.00	≤-1.00	PASS
			52Tone	RU37	-12.95	≤-2.30	1.30	-11.65	≤-1.00	PASS
			106Tone	RU53	-12.91	≤-2.30	1.30	-11.61	≤-1.00	PASS
	total	6435	26Tone	RU0	-9.20	≤-5.06	4.06	-5.14	≤-1.00	PASS
			52Tone	RU37	-9.46	≤-5.06	4.06	-5.40	≤-1.00	PASS
			106Tone	RU53	-9.48	≤-5.06	4.06	-5.42	≤-1.00	PASS
	Ant1	6535	26Tone	RU0	-12.16	≤-2.10	1.10	-11.06	≤-1.00	PASS
			52Tone	RU37	-12.55	≤-2.10	1.10	-11.45	≤-1.00	PASS
			106Tone	RU53	-12.62	≤-2.10	1.10	-11.52	≤-1.00	PASS
	Ant2	6535	26Tone	RU0	-12.75	≤-2.40	1.40	-11.35	≤-1.00	PASS
			52Tone	RU37	-13.13	≤-2.40	1.40	-11.73	≤-1.00	PASS
			106Tone	RU53	-13.19	≤-2.40	1.40	-11.79	≤-1.00	PASS
	total	6535	26Tone	RU0	-9.43	≤-5.26	4.26	-5.17	≤-1.00	PASS
			52Tone	RU37	-9.82	≤-5.26	4.26	-5.56	≤-1.00	PASS
			106Tone	RU53	-9.89	≤-5.26	4.26	-5.63	≤-1.00	PASS
	Ant1	7095	26Tone	RU8	-13.35	≤-1.40	0.40	-12.95	≤-1.00	PASS
			52Tone	RU40	-13.61	≤-1.40	0.40	-13.21	≤-1.00	PASS
			106Tone	RU54	-13.76	≤-1.40	0.40	-13.36	≤-1.00	PASS
	Ant2	7095	26Tone	RU8	-13.81	≤-2.00	1.00	-12.81	≤-1.00	PASS
			52Tone	RU40	-13.95	≤-2.00	1.00	-12.95	≤-1.00	PASS
			106Tone	RU54	-14.05	≤-2.00	1.00	-13.05	≤-1.00	PASS



	total	7095	26Tone	RU8	-10.56	≤ -4.72	3.72	-6.84	≤ -1.00	PASS
			52Tone	RU40	-10.77	≤ -4.72	3.72	-7.05	≤ -1.00	PASS
			106Tone	RU54	-10.89	≤ -4.72	3.72	-7.17	≤ -1.00	PASS
	Ant1	7115	26Tone	RU8	-25.16	≤ -1.40	0.40	-24.76	≤ -1.00	PASS
			52Tone	RU40	-24.80	≤ -1.40	0.40	-24.40	≤ -1.00	PASS
			106Tone	RU54	-25.22	≤ -1.40	0.40	-24.82	≤ -1.00	PASS
	Ant2	7115	26Tone	RU8	-24.73	≤ -2.00	1.00	-23.73	≤ -1.00	PASS
			52Tone	RU40	-23.32	≤ -2.00	1.00	-22.32	≤ -1.00	PASS
			106Tone	RU54	-24.33	≤ -2.00	1.00	-23.33	≤ -1.00	PASS
	total	7115	26Tone	RU8	-21.93	≤ -4.72	3.72	-18.21	≤ -1.00	PASS
			52Tone	RU40	-20.99	≤ -4.72	3.72	-17.27	≤ -1.00	PASS
			106Tone	RU54	-21.74	≤ -4.72	3.72	-18.02	≤ -1.00	PASS
11BE20MIMO	Ant1	5955	26Tone	RU0	-12.21	≤ -1.80	0.80	-11.41	≤ -1.00	PASS
			52Tone	RU37	-12.19	≤ -1.80	0.80	-11.39	≤ -1.00	PASS
			106Tone	RU53	-12.25	≤ -1.80	0.80	-11.45	≤ -1.00	PASS
	Ant2	5955	26Tone	RU0	-12.27	≤ -2.30	1.30	-10.97	≤ -1.00	PASS
			52Tone	RU37	-12.56	≤ -2.30	1.30	-11.26	≤ -1.00	PASS
			106Tone	RU53	-12.64	≤ -2.30	1.30	-11.34	≤ -1.00	PASS
	total	5955	26Tone	RU0	-9.23	≤ -5.06	4.06	-5.17	≤ -1.00	PASS
			52Tone	RU37	-9.36	≤ -5.06	4.06	-5.30	≤ -1.00	PASS
			106Tone	RU53	-9.43	≤ -5.06	4.06	-5.37	≤ -1.00	PASS
	Ant1	6435	26Tone	RU0	-12.17	≤ -1.80	0.80	-11.37	≤ -1.00	PASS
			52Tone	RU37	-12.11	≤ -1.80	0.80	-11.31	≤ -1.00	PASS
			106Tone	RU53	-12.12	≤ -1.80	0.80	-11.32	≤ -1.00	PASS
	Ant2	6435	26Tone	RU0	-12.33	≤ -2.30	1.30	-11.03	≤ -1.00	PASS
			52Tone	RU37	-12.92	≤ -2.30	1.30	-11.62	≤ -1.00	PASS
			106Tone	RU53	-13.01	≤ -2.30	1.30	-11.71	≤ -1.00	PASS
	total	6435	26Tone	RU0	-9.24	≤ -5.06	4.06	-5.18	≤ -1.00	PASS
			52Tone	RU37	-9.49	≤ -5.06	4.06	-5.43	≤ -1.00	PASS
			106Tone	RU53	-9.53	≤ -5.06	4.06	-5.47	≤ -1.00	PASS
	Ant1	6535	26Tone	RU0	-12.28	≤ -2.10	1.10	-11.18	≤ -1.00	PASS
			52Tone	RU37	-12.54	≤ -2.10	1.10	-11.44	≤ -1.00	PASS
			106Tone	RU53	-12.62	≤ -2.10	1.10	-11.52	≤ -1.00	PASS
	Ant2	6535	26Tone	RU0	-12.74	≤ -2.40	1.40	-11.34	≤ -1.00	PASS
			52Tone	RU37	-13.13	≤ -2.40	1.40	-11.73	≤ -1.00	PASS
			106Tone	RU53	-13.21	≤ -2.40	1.40	-11.81	≤ -1.00	PASS
	total	6535	26Tone	RU0	-9.49	≤ -5.26	4.26	-5.23	≤ -1.00	PASS
			52Tone	RU37	-9.81	≤ -5.26	4.26	-5.55	≤ -1.00	PASS
			106Tone	RU53	-9.89	≤ -5.26	4.26	-5.63	≤ -1.00	PASS






	Ant1	7095	26Tone	RU8	-13.42	≤ -1.40	0.40	-13.02	≤ -1.00	PASS
			52Tone	RU40	-13.73	≤ -1.40	0.40	-13.33	≤ -1.00	PASS
			106Tone	RU54	-13.82	≤ -1.40	0.40	-13.42	≤ -1.00	PASS
	Ant2	7095	26Tone	RU8	-13.88	≤ -2.00	1.00	-12.88	≤ -1.00	PASS
			52Tone	RU40	-14.02	≤ -2.00	1.00	-13.02	≤ -1.00	PASS
			106Tone	RU54	-14.05	≤ -2.00	1.00	-13.05	≤ -1.00	PASS
	total	7095	26Tone	RU8	-10.63	≤ -4.72	3.72	-6.91	≤ -1.00	PASS
			52Tone	RU40	-10.86	≤ -4.72	3.72	-7.14	≤ -1.00	PASS
			106Tone	RU54	-10.92	≤ -4.72	3.72	-7.20	≤ -1.00	PASS
	Ant1	7115	26Tone	RU8	-25.23	≤ -1.40	0.40	-24.83	≤ -1.00	PASS
			52Tone	RU40	-24.94	≤ -1.40	0.40	-24.54	≤ -1.00	PASS
			106Tone	RU54	-25.37	≤ -1.40	0.40	-24.97	≤ -1.00	PASS
	Ant2	7115	26Tone	RU8	-24.90	≤ -2.00	1.00	-23.90	≤ -1.00	PASS
			52Tone	RU40	-23.39	≤ -2.00	1.00	-22.39	≤ -1.00	PASS
			106Tone	RU54	-23.86	≤ -2.00	1.00	-22.86	≤ -1.00	PASS
	total	7115	26Tone	RU8	-22.05	≤ -4.72	3.72	-18.33	≤ -1.00	PASS
			52Tone	RU40	-21.09	≤ -4.72	3.72	-17.37	≤ -1.00	PASS
			106Tone	RU54	-21.54	≤ -4.72	3.72	-17.82	≤ -1.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs




















































































































<MRU>

Maximum conducted output power

Test Result

Test Mode	Antenna	Channel	MRU Size	MRU Index	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20MIMO	Ant1	5955	Small RU 52+26	1	-5	-6.64	98.91	0.05	-6.59	≤23.20	0.80	-5.79	≤24.00	PASS
			Small RU 106+26	1	-2.5	-3.56	99.54	0.02	-3.54	≤23.20	0.80	-2.74	≤24.00	PASS
	Ant2	5955	Small RU 52+26	1	-7	-6.87	99.56	0.02	-6.85	≤22.70	1.30	-5.55	≤24.00	PASS
			Small RU 106+26	1	-4.5	-3.94	99.54	0.02	-3.92	≤22.70	1.30	-2.62	≤24.00	PASS
	total	5955	Small RU 52+26	1	---	---	---	---	-3.71	≤22.70	1.30	-2.41	≤24.00	PASS
			Small RU 106+26	1	---	---	---	---	-0.72	≤22.70	1.30	0.58	≤24.00	PASS
	Ant1	6435	Small RU 52+26	1	-5	-6.08	99.78	0.01	-6.07	≤23.20	0.80	-5.27	≤24.00	PASS
			Small RU 106+26	1	-2.5	-3.17	99.54	0.02	-3.15	≤23.20	0.80	-2.35	≤24.00	PASS
	Ant2	6435	Small RU 52+26	1	-7	-6.74	99.56	0.02	-6.72	≤22.70	1.30	-5.42	≤24.00	PASS
			Small RU 106+26	1	-4.5	-3.99	98.85	0.05	-3.94	≤22.70	1.30	-2.64	≤24.00	PASS
	total	6435	Small RU 52+26	1	---	---	---	---	-3.37	≤22.70	1.30	-2.07	≤24.00	PASS
			Small RU 106+26	1	---	---	---	---	-0.52	≤22.70	1.30	0.78	≤24.00	PASS
	Ant1	6535	Small RU 52+26	1	-6	-6.40	99.56	0.02	-6.38	≤22.90	1.10	-5.28	≤24.00	PASS
			Small RU 106+26	1	-3.5	-3.69	99.77	0.01	-3.68	≤22.90	1.10	-2.58	≤24.00	PASS
	Ant2	6535	Small RU 52+26	1	-6	-6.51	99.56	0.02	-6.49	≤22.60	1.40	-5.09	≤24.00	PASS
			Small RU 106+26	1	-3.5	-3.61	99.54	0.02	-3.59	≤22.60	1.40	-2.19	≤24.00	PASS
	total	6535	Small RU 52+26	1	---	---	---	---	-3.42	≤22.60	1.40	-2.02	≤24.00	PASS
			Small RU 106+26	1	---	---	---	---	-0.62	≤22.60	1.40	0.78	≤24.00	PASS
	Ant1	7095	Small RU 52+26	3	-5.5	-6.71	99.56	0.02	-6.69	≤23.60	0.40	-6.29	≤24.00	PASS
			Small RU 106+26	2	-2.5	-3.48	98.85	0.05	-3.43	≤23.60	0.40	-3.03	≤24.00	PASS
	Ant2	7095	Small RU 52+26	3	-7	-6.27	99.56	0.02	-6.25	≤23.00	1.00	-5.25	≤24.00	PASS
			Small RU 106+26	2	-4.5	-3.46	99.54	0.02	-3.44	≤23.00	1.00	-2.44	≤24.00	PASS
	total	7095	Small RU 52+26	3	---	---	---	---	-3.45	≤23.00	1.00	-2.45	≤24.00	PASS
			Small RU 106+26	2	---	---	---	---	-0.42	≤23.00	1.00	0.58	≤24.00	PASS
	Ant1	7115	Small RU 52+26	3	-17	-17.66	99.56	0.02	-17.64	≤23.60	0.40	-17.24	≤24.00	PASS
			Small RU 106+26	2	-15.5	-16.64	99.54	0.02	-16.62	≤23.60	0.40	-16.22	≤24.00	PASS
	Ant2	7115	Small RU 52+26	3	-19	-17.40	99.56	0.02	-17.38	≤23.00	1.00	-16.38	≤24.00	PASS
			Small RU 106+26	2	-17.5	-16.99	99.54	0.02	-16.97	≤23.00	1.00	-15.97	≤24.00	PASS
	total	7115	Small RU 52+26	3	---	---	---	---	-14.50	≤23.00	1.00	-13.50	≤24.00	PASS
			Small RU 106+26	2	---	---	---	---	-13.78	≤23.00	1.00	-12.78	≤24.00	PASS



11BE80MIMO	Ant1	5985	Large RU 484+242	4	2	0.15	98.23	0.08	0.23	≤23.20	0.80	1.03	≤24.00	PASS
			Puncturing 20M	4	2	0.46	99.63	0.02	0.48	≤23.20	0.80	1.28	≤24.00	PASS
	Ant2	5985	Large RU 484+242	4	-0.5	0.53	98.23	0.08	0.61	≤22.70	1.30	1.91	≤24.00	PASS
			Puncturing 20M	4	-0.5	0.84	99.82	0.01	0.85	≤22.70	1.30	2.15	≤24.00	PASS
	total	5985	Large RU 484+242	4	---	---	---	---	3.47	≤22.70	1.30	4.77	≤24.00	PASS
			Puncturing 20M	4	---	---	---	---	3.68	≤22.70	1.30	4.98	≤24.00	PASS
	Ant1	7025	Large RU 484+242	1	2	-0.04	95.65	0.19	0.15	≤23.60	0.40	0.55	≤24.00	PASS
			Puncturing 20M	1	2	0.27	99.82	0.01	0.28	≤23.60	0.40	0.68	≤24.00	PASS
	Ant2	7025	Large RU 484+242	1	-0.5	0.60	94.83	0.23	0.83	≤23.00	1.00	1.83	≤24.00	PASS
			Puncturing 20M	1	-0.5	1.13	99.82	0.01	1.14	≤23.00	1.00	2.14	≤24.00	PASS
	total	7025	Large RU 484+242	1	---	---	---	---	3.65	≤23.00	1.00	4.65	≤24.00	PASS
			Puncturing 20M	1	---	---	---	---	3.74	≤23.00	1.00	4.74	≤24.00	PASS
11BE160MIMO	Ant1	6025	Large RU 996+484	4	1.5	0.75	97.87	0.09	0.84	≤23.20	0.80	1.64	≤24.00	PASS
			Puncturing 40M	4	1.5	0.80	99.82	0.01	0.81	≤23.20	0.80	1.61	≤24.00	PASS
			Puncturing 20M	8	1.5	0.73	99.63	0.02	0.75	≤23.20	0.80	1.55	≤24.00	PASS
	Ant2	6025	Large RU 996+484	4	-1	1.23	98.94	0.05	1.28	≤22.70	1.30	2.58	≤24.00	PASS
			Puncturing 40M	4	-1	1.26	99.63	0.02	1.28	≤22.70	1.30	2.58	≤24.00	PASS
			Puncturing 20M	8	-1	1.18	99.63	0.02	1.20	≤22.70	1.30	2.50	≤24.00	PASS
	total	6025	Large RU 996+484	4	---	---	---	---	4.08	≤22.70	1.30	5.38	≤24.00	PASS
			Puncturing 40M	4	---	---	---	---	4.06	≤22.70	1.30	5.36	≤24.00	PASS
			Puncturing 20M	8	---	---	---	---	3.99	≤22.70	1.30	5.29	≤24.00	PASS
	Ant1	6985	Large RU 996+484	1	2	-0.09	94.85	0.23	0.14	≤23.60	0.40	0.54	≤24.00	PASS
			Puncturing 40M	1	2	0.13	99.82	0.01	0.14	≤23.60	0.40	0.54	≤24.00	PASS
			Puncturing 20M	1	2	0.08	99.63	0.02	0.10	≤23.60	0.40	0.50	≤24.00	PASS
	Ant2	6985	Large RU 996+484	1	-1	1.16	97.87	0.09	1.25	≤23.00	1.00	2.25	≤24.00	PASS
			Puncturing 40M	1	-1	1.34	99.63	0.02	1.36	≤23.00	1.00	2.36	≤24.00	PASS
			Puncturing 20M	1	-1	1.30	99.63	0.02	1.32	≤23.00	1.00	2.32	≤24.00	PASS
	total	6985	Large RU	1	---	---	---	---	3.74	≤23.00	1.00	4.74	≤24.00	PASS



11BE320MIMO			996+484											
			Puncturing 40M	1	---	---	---	---	3.80	≤23.00	1.00	4.80	≤24.00	PASS
			Puncturing 20M	1	---	---	---	---	3.76	≤23.00	1.00	4.76	≤24.00	PASS
	Ant1	6105	Large RU 996*2+484	6	1.5	0.00	92.06	0.36	0.36	≤23.20	0.80	1.16	≤24.00	PASS
			Large RU 996*3	4	1.5	0.29	98.00	0.09	0.38	≤23.20	0.80	1.18	≤24.00	PASS
			Large RU 996*3+484	8	1.5	0.12	95.56	0.20	0.32	≤23.20	0.80	1.12	≤24.00	PASS
			Puncturing 80M+40M	6	1.5	0.54	99.63	0.02	0.56	≤23.20	0.80	1.36	≤24.00	PASS
			Puncturing 80M	4	1.5	0.41	99.63	0.02	0.43	≤23.20	0.80	1.23	≤24.00	PASS
			Puncturing 40M	8	1.5	0.47	99.82	0.01	0.48	≤23.20	0.80	1.28	≤24.00	PASS
	Ant2	6105	Large RU 996*2+484	6	-1	1.22	98.31	0.07	1.29	≤22.70	1.30	2.59	≤24.00	PASS
			Large RU 996*3	4	-1	0.90	96.00	0.18	1.08	≤22.70	1.30	2.38	≤24.00	PASS
			Large RU 996*3+484	8	-1	1.26	97.73	0.10	1.36	≤22.70	1.30	2.66	≤24.00	PASS
			Puncturing 80M+40M	6	-1	1.40	99.82	0.01	1.41	≤22.70	1.30	2.71	≤24.00	PASS
			Puncturing 80M	4	-1	1.21	99.63	0.02	1.23	≤22.70	1.30	2.53	≤24.00	PASS
			Puncturing 40M	8	-1	1.30	99.63	0.02	1.32	≤22.70	1.30	2.62	≤24.00	PASS
	total	6105	Large RU 996*2+484	6	---	---	---	---	3.86	≤22.70	1.30	5.16	≤24.00	PASS
			Large RU 996*3	4	---	---	---	---	3.75	≤22.70	1.30	5.05	≤24.00	PASS
			Large RU 996*3+484	8	---	---	---	---	3.88	≤22.70	1.30	5.18	≤24.00	PASS
			Puncturing 80M+40M	6	---	---	---	---	4.02	≤22.70	1.30	5.32	≤24.00	PASS
			Puncturing 80M	4	---	---	---	---	3.86	≤22.70	1.30	5.16	≤24.00	PASS
			Puncturing 40M	8	---	---	---	---	3.93	≤22.70	1.30	5.23	≤24.00	PASS
	Ant1	6905	Large RU 996*2+484	7	2	0.14	96.61	0.15	0.29	≤22.90	1.10	1.39	≤24.00	PASS
			Large RU 996*3	1	2	0.23	96.00	0.18	0.41	≤22.90	1.10	1.51	≤24.00	PASS
			Large RU 996*3+484	1	2	0.32	95.56	0.20	0.52	≤22.90	1.10	1.62	≤24.00	PASS
			Puncturing 80M+40M	7	2	0.30	99.63	0.02	0.32	≤22.90	1.10	1.42	≤24.00	PASS
			Puncturing 80M	1	2	0.31	99.63	0.02	0.33	≤22.90	1.10	1.43	≤24.00	PASS
			Puncturing 40M	1	2	0.46	99.63	0.02	0.48	≤22.90	1.10	1.58	≤24.00	PASS



	Ant2	6905	Large RU 996*2+484	7	0	0.37	96.61	0.15	0.52	≤22.60	1.40	1.92	≤24.00	PASS
			Large RU 996*3	1	0	0.50	96.00	0.18	0.68	≤22.60	1.40	2.08	≤24.00	PASS
			Large RU 996*3+484	1	0	0.51	95.56	0.20	0.71	≤22.60	1.40	2.11	≤24.00	PASS
			Puncturing 80M+40M	7	0	0.47	99.63	0.02	0.49	≤22.60	1.40	1.89	≤24.00	PASS
			Puncturing 80M	1	0	0.53	99.82	0.01	0.54	≤22.60	1.40	1.94	≤24.00	PASS
			Puncturing 40M	1	0	0.70	99.82	0.01	0.71	≤22.60	1.40	2.11	≤24.00	PASS
	total	6905	Large RU 996*2+484	7	---	---	---	---	3.42	≤22.60	1.40	4.82	≤24.00	PASS
			Large RU 996*3	1	---	---	---	---	3.56	≤22.60	1.40	4.96	≤24.00	PASS
			Large RU 996*3+484	1	---	---	---	---	3.63	≤22.60	1.40	5.03	≤24.00	PASS
			Puncturing 80M+40M	7	---	---	---	---	3.42	≤22.60	1.40	4.82	≤24.00	PASS
			Puncturing 80M	1	---	---	---	---	3.45	≤22.60	1.40	4.85	≤24.00	PASS
			Puncturing 40M	1	---	---	---	---	3.61	≤22.60	1.40	5.01	≤24.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.



Maximum power spectral density

Test Result

Test Mode	Antenna	Channel	MRU Size	MRU Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant1	5955	Small RU 52+26	1	-14.10	≤-1.80	0.80	-13.30	≤-1.00	PASS
			Small RU 106+26	1	-13.16	≤-1.80	0.80	-12.36	≤-1.00	PASS
	Ant2	5955	Small RU 52+26	1	-14.72	≤-2.30	1.30	-13.42	≤-1.00	PASS
			Small RU 106+26	1	-14.14	≤-2.30	1.30	-12.84	≤-1.00	PASS
	total	5955	Small RU 52+26	1	-11.39	≤-5.06	4.06	-7.33	≤-1.00	PASS
			Small RU 106+26	1	-10.61	≤-5.06	4.06	-6.55	≤-1.00	PASS
	Ant1	6435	Small RU 52+26	1	-13.85	≤-1.80	0.80	-13.05	≤-1.00	PASS
			Small RU 106+26	1	-13.06	≤-1.80	0.80	-12.26	≤-1.00	PASS
	Ant2	6435	Small RU 52+26	1	-14.93	≤-2.30	1.30	-13.63	≤-1.00	PASS
			Small RU 106+26	1	-14.36	≤-2.30	1.30	-13.06	≤-1.00	PASS
	total	6435	Small RU 52+26	1	-11.35	≤-5.06	4.06	-7.29	≤-1.00	PASS
			Small RU 106+26	1	-10.65	≤-5.06	4.06	-6.59	≤-1.00	PASS
	Ant1	6535	Small RU 52+26	1	-14.09	≤-2.10	1.10	-12.99	≤-1.00	PASS
			Small RU 106+26	1	-13.60	≤-2.10	1.10	-12.50	≤-1.00	PASS
	Ant2	6535	Small RU 52+26	1	-14.66	≤-2.40	1.40	-13.26	≤-1.00	PASS
			Small RU 106+26	1	-14.12	≤-2.40	1.40	-12.72	≤-1.00	PASS
	total	6535	Small RU 52+26	1	-11.36	≤-5.26	4.26	-7.10	≤-1.00	PASS
			Small RU 106+26	1	-10.84	≤-5.26	4.26	-6.58	≤-1.00	PASS
	Ant1	7095	Small RU 52+26	3	-15.63	≤-1.40	0.40	-15.23	≤-1.00	PASS
			Small RU 106+26	2	-14.77	≤-1.40	0.40	-14.37	≤-1.00	PASS
	Ant2	7095	Small RU 52+26	3	-15.48	≤-2.00	1.00	-14.48	≤-1.00	PASS
			Small RU 106+26	2	-15.02	≤-2.00	1.00	-14.02	≤-1.00	PASS
	total	7095	Small RU 52+26	3	-12.54	≤-4.72	3.72	-8.82	≤-1.00	PASS
			Small RU 106+26	2	-11.88	≤-4.72	3.72	-8.16	≤-1.00	PASS
	Ant1	7115	Small RU 52+26	3	-26.84	≤-1.40	0.40	-26.44	≤-1.00	PASS
			Small RU 106+26	2	-26.72	≤-1.40	0.40	-26.32	≤-1.00	PASS
	Ant2	7115	Small RU 52+26	3	-25.41	≤-2.00	1.00	-24.41	≤-1.00	PASS
			Small RU 106+26	2	-27.23	≤-2.00	1.00	-26.23	≤-1.00	PASS
	total	7115	Small RU 52+26	3	-23.06	≤-4.72	3.72	-19.34	≤-1.00	PASS
			Small RU 106+26	2	-23.96	≤-4.72	3.72	-20.24	≤-1.00	PASS
11BE80MIMO	Ant1	5985	Large RU 484+242	4	-17.05	≤-1.80	0.80	-16.25	≤-1.00	PASS
			Puncturing 20M	4	-16.80	≤-1.80	0.80	-16.00	≤-1.00	PASS
	Ant2	5985	Large RU 484+242	4	-17.58	≤-2.30	1.30	-16.28	≤-1.00	PASS



	total	5985	Puncturing 20M	4	-17.40	≤-2.30	1.30	-16.10	≤-1.00	PASS
			Large RU 484+242	4	-14.30	≤-5.06	4.06	-10.24	≤-1.00	PASS
	Ant1	7025	Puncturing 20M	4	-14.08	≤-5.06	4.06	-10.02	≤-1.00	PASS
			Large RU 484+242	1	-17.82	≤-1.40	0.40	-17.42	≤-1.00	PASS
	Ant2	7025	Puncturing 20M	1	-17.93	≤-1.40	0.40	-17.53	≤-1.00	PASS
			Large RU 484+242	1	-18.35	≤-2.00	1.00	-17.35	≤-1.00	PASS
	total	7025	Puncturing 20M	1	-17.94	≤-2.00	1.00	-16.94	≤-1.00	PASS
			Large RU 484+242	1	-15.07	≤-4.72	3.72	-11.35	≤-1.00	PASS
11BE160MIMO	Ant1	6025	Large RU 996+484	4	-18.73	≤-1.80	0.80	-17.93	≤-1.00	PASS
			Puncturing 40M	4	-18.79	≤-1.80	0.80	-17.99	≤-1.00	PASS
			Puncturing 20M	8	-19.36	≤-1.80	0.80	-18.56	≤-1.00	PASS
	Ant2	6025	Large RU 996+484	4	-19.23	≤-2.30	1.30	-17.93	≤-1.00	PASS
			Puncturing 40M	4	-19.20	≤-2.30	1.30	-17.90	≤-1.00	PASS
			Puncturing 20M	8	-19.81	≤-2.30	1.30	-18.51	≤-1.00	PASS
	total	6025	Large RU 996+484	4	-15.96	≤-5.06	4.06	-11.90	≤-1.00	PASS
			Puncturing 40M	4	-15.98	≤-5.06	4.06	-11.92	≤-1.00	PASS
			Puncturing 20M	8	-16.57	≤-5.06	4.06	-12.51	≤-1.00	PASS
	Ant1	6985	Large RU 996+484	1	-19.04	≤-1.40	0.40	-18.64	≤-1.00	PASS
			Puncturing 40M	1	-19.22	≤-1.40	0.40	-18.82	≤-1.00	PASS
			Puncturing 20M	1	-19.85	≤-1.40	0.40	-19.45	≤-1.00	PASS
	Ant2	6985	Large RU 996+484	1	-18.90	≤-2.00	1.00	-17.90	≤-1.00	PASS
			Puncturing 40M	1	-18.89	≤-2.00	1.00	-17.89	≤-1.00	PASS
			Puncturing 20M	1	-19.56	≤-2.00	1.00	-18.56	≤-1.00	PASS
	total	6985	Large RU 996+484	1	-15.96	≤-4.72	3.72	-12.24	≤-1.00	PASS
			Puncturing 40M	1	-16.04	≤-4.72	3.72	-12.32	≤-1.00	PASS
			Puncturing 20M	1	-16.69	≤-4.72	3.72	-12.97	≤-1.00	PASS
11BE320MIMO	Ant1	6105	Large RU 996*2+484	6	-21.58	≤-1.80	0.80	-20.78	≤-1.00	PASS
			Large RU 996*3	4	-22.82	≤-1.80	0.80	-22.02	≤-1.00	PASS
			Large RU 996*3+484	8	-23.24	≤-1.80	0.80	-22.44	≤-1.00	PASS
			Puncturing 80M+40M	6	-21.87	≤-1.80	0.80	-21.07	≤-1.00	PASS
			Puncturing 80M	4	-22.85	≤-1.80	0.80	-22.05	≤-1.00	PASS
			Puncturing 40M	8	-23.39	≤-1.80	0.80	-22.59	≤-1.00	PASS
	Ant2	6105	Large RU 996*2+484	6	-22.13	≤-2.30	1.30	-20.83	≤-1.00	PASS
			Large RU 996*3	4	-23.09	≤-2.30	1.30	-21.79	≤-1.00	PASS
			Large RU 996*3+484	8	-23.75	≤-2.30	1.30	-22.45	≤-1.00	PASS
			Puncturing 80M+40M	6	-22.11	≤-2.30	1.30	-20.81	≤-1.00	PASS
			Puncturing 80M	4	-23.18	≤-2.30	1.30	-21.88	≤-1.00	PASS
			Puncturing 40M	8	-23.73	≤-2.30	1.30	-22.43	≤-1.00	PASS



	total	6105	Large RU 996*2+484	6	-18.84	≤-5.06	4.06	-14.78	≤-1.00	PASS
			Large RU 996*3	4	-19.94	≤-5.06	4.06	-15.88	≤-1.00	PASS
			Large RU 996*3+484	8	-20.48	≤-5.06	4.06	-16.42	≤-1.00	PASS
			Puncturing 80M+40M	6	-18.98	≤-5.06	4.06	-14.92	≤-1.00	PASS
			Puncturing 80M	4	-20.00	≤-5.06	4.06	-15.94	≤-1.00	PASS
			Puncturing 40M	8	-20.55	≤-5.06	4.06	-16.49	≤-1.00	PASS
	Ant1	6905	Large RU 996*2+484	7	-22.02	≤-2.10	1.10	-20.92	≤-1.00	PASS
			Large RU 996*3	1	-22.91	≤-2.10	1.10	-21.81	≤-1.00	PASS
			Large RU 996*3+484	1	-23.55	≤-2.10	1.10	-22.45	≤-1.00	PASS
			Puncturing 80M+40M	7	-21.88	≤-2.10	1.10	-20.78	≤-1.00	PASS
			Puncturing 80M	1	-22.82	≤-2.10	1.10	-21.72	≤-1.00	PASS
			Puncturing 40M	1	-23.37	≤-2.10	1.10	-22.27	≤-1.00	PASS
	Ant2	6905	Large RU 996*2+484	7	-22.57	≤-2.40	1.40	-21.17	≤-1.00	PASS
			Large RU 996*3	1	-23.34	≤-2.40	1.40	-21.94	≤-1.00	PASS
			Large RU 996*3+484	1	-23.88	≤-2.40	1.40	-22.48	≤-1.00	PASS
			Puncturing 80M+40M	7	-22.47	≤-2.40	1.40	-21.07	≤-1.00	PASS
			Puncturing 80M	1	-23.27	≤-2.40	1.40	-21.87	≤-1.00	PASS
			Puncturing 40M	1	-23.71	≤-2.40	1.40	-22.31	≤-1.00	PASS
	total	6905	Large RU 996*2+484	7	-19.28	≤-5.26	4.26	-15.02	≤-1.00	PASS
			Large RU 996*3	1	-20.11	≤-5.26	4.26	-15.85	≤-1.00	PASS
			Large RU 996*3+484	1	-20.70	≤-5.26	4.26	-16.44	≤-1.00	PASS
			Puncturing 80M+40M	7	-19.15	≤-5.26	4.26	-14.89	≤-1.00	PASS
			Puncturing 80M	1	-20.03	≤-5.26	4.26	-15.77	≤-1.00	PASS
			Puncturing 40M	1	-20.53	≤-5.26	4.26	-16.27	≤-1.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.



Test Graphs

