


Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5790.625	56.03	35.81	91.84	122.30	-30.46	peak
2	5807.500	54.73	35.80	90.53	122.30	-31.77	peak
3	5856.875	21.75	35.78	57.53	110.37	-52.84	peak
4	5894.375	22.27	35.77	58.04	90.96	-32.92	peak
5	5928.750	21.86	35.76	57.62	68.30	-10.68	peak
6	5948.750	22.09	35.75	57.84	68.30	-10.46	peak

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5800.000	58.49	35.81	94.30	122.30	-28.00	peak
2	5840.000	21.31	35.79	57.10	122.30	-65.20	peak
3	5891.250	21.79	35.78	57.57	93.27	-35.70	peak
4	5930.000	21.91	35.76	57.67	68.30	-10.63	peak
5	5953.125	22.42	35.75	58.17	68.30	-10.13	peak
6	5995.000	22.39	35.73	58.12	68.30	-10.18	peak

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5636.688	22.33	35.87	58.20	68.30	-10.10	peak
2	5692.500	21.80	35.85	57.65	99.75	-42.10	peak
3	5750.688	53.02	35.83	88.85	122.30	-33.45	peak
4	5798.188	52.15	35.81	87.96	122.30	-34.34	peak
5	5876.563	23.34	35.78	59.12	104.14	-45.02	peak
6	5920.500	21.54	35.76	57.30	71.63	-14.33	peak

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal




No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5616.500	21.63	35.88	57.51	68.30	-10.79	peak
2	5696.063	22.07	35.85	57.92	102.39	-44.47	peak
3	5751.875	58.47	35.83	94.30	122.30	-28.00	peak
4	5794.625	57.03	35.81	92.84	122.30	-29.46	peak
5	5886.063	22.72	35.77	58.49	97.11	-38.62	peak
6	6008.375	24.12	35.77	59.89	68.30	-8.41	peak

5.9 TEST RESULTS - ABOVE 1000 MHz (HARMONIC)

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5180 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10360.000	44.69	6.22	50.91	68.30	-17.39	peak
2	10360.000	35.64	6.22	41.86	54.00	-12.14	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5180 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10360.000	45.13	6.22	51.35	68.30	-16.95	peak
2	10360.000	36.18	6.22	42.40	54.00	-11.60	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5200 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10400.000	44.39	6.35	50.74	68.30	-17.56	peak
2	10400.000	34.08	6.35	40.43	54.00	-13.57	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5200 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10400.000	45.14	6.35	51.49	68.30	-16.81	peak
2	10400.000	36.58	6.35	42.93	54.00	-11.07	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5240 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10480.000	45.18	6.61	51.79	68.30	-16.51	peak
2	10480.000	36.22	6.61	42.83	54.00	-11.17	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5240 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10480.000	45.08	6.61	51.69	68.30	-16.61	peak
2	10480.000	36.02	6.61	42.63	54.00	-11.37	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5260 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10520.000	44.39	6.74	51.13	68.30	-17.17	peak
2	10520.000	35.41	6.74	42.15	54.00	-11.85	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5260 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10600.000	44.85	7.00	51.85	68.30	-16.45	peak
2	10600.000	35.17	7.00	42.17	54.00	-11.83	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5300 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10600.000	45.04	7.00	52.04	68.30	-16.26	peak
2	10600.000	36.18	7.00	43.18	54.00	-10.82	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5300 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10600.000	44.31	7.00	51.31	68.30	-16.99	peak
2	10600.000	35.29	7.00	42.29	54.00	-11.71	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5320 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	44.35	7.13	51.48	68.30	-16.82	peak
2	10640.000	35.04	7.13	42.17	54.00	-11.83	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5320 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	44.69	7.13	51.82	68.30	-16.48	peak
2	10640.000	35.13	7.13	42.26	54.00	-11.74	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5500 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	44.18	8.32	52.50	68.30	-15.80	peak
2	11000.000	35.67	8.32	43.99	54.00	-10.01	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5500 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	44.35	8.32	52.67	68.30	-15.63	peak
2	11000.000	35.39	8.32	43.71	54.00	-10.29	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5600 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11200.000	45.28	8.21	53.49	68.30	-14.81	peak
2	11200.000	36.66	8.21	44.87	54.00	-9.13	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5600 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11200.000	43.08	8.21	51.29	68.30	-17.01	peak
2	11200.000	34.19	8.21	42.40	54.00	-11.60	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5700 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	44.64	8.10	52.74	68.30	-15.56	peak
2	11400.000	35.76	8.10	43.86	54.00	-10.14	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5700 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	43.78	8.10	51.88	68.30	-16.42	peak
2	11400.000	34.54	8.10	42.64	54.00	-11.36	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX N (HT20) Mode 5180 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10360.000	43.28	6.22	49.50	68.30	-18.80	peak
2	10360.000	32.33	6.22	38.55	54.00	-15.45	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX N (HT20) Mode 5180 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10360.000	43.58	6.22	49.80	68.30	-18.50	peak
2	10360.000	32.39	6.22	38.61	54.00	-15.39	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX N (HT20) Mode 5200 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10400.000	43.39	6.35	49.74	68.30	-18.56	peak
2	10400.000	32.18	6.35	38.53	54.00	-15.47	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX N (HT20) Mode 5200 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10400.000	42.71	6.35	49.06	68.30	-19.24	peak
2	10400.000	31.54	6.35	37.89	54.00	-16.11	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX N (HT20) Mode 5240 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10480.000	43.14	6.61	49.75	68.30	-18.55	peak
2	10480.000	31.55	6.61	38.16	54.00	-15.84	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX N (HT20) Mode 5240 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10480.000	43.08	6.61	49.69	68.30	-18.61	peak
2	10480.000	31.87	6.61	38.48	54.00	-15.52	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX N (HT20) Mode 5260 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10520.000	42.58	6.74	49.32	68.30	-18.98	peak
2	10520.000	31.04	6.74	37.78	54.00	-16.22	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX N (HT20) Mode 5260 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10520.000	42.38	6.74	49.12	68.30	-19.18	peak
2	10520.000	31.09	6.74	37.83	54.00	-16.17	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX N (HT20) Mode 5300 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10600.000	45.12	7.00	52.12	68.30	-16.18	peak
2	10600.000	34.39	7.00	41.39	54.00	-12.61	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX N (HT20) Mode 5300 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10600.000	41.87	7.00	48.87	68.30	-19.43	peak
2	10600.000	30.54	7.00	37.54	54.00	-16.46	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX N (HT20) Mode 5320 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	44.39	7.13	51.52	68.30	-16.78	peak
2	10640.000	33.18	7.13	40.31	54.00	-13.69	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX N (HT20) Mode 5320 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10640.000	44.14	7.13	51.27	68.30	-17.03	peak
2	10640.000	32.97	7.13	40.10	54.00	-13.90	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT20) Mode 5500 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	43.28	8.32	51.60	68.30	-16.70	peak
2	11000.000	32.01	8.32	40.33	54.00	-13.67	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT20) Mode 5500 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11000.000	42.69	8.32	51.01	68.30	-17.29	peak
2	11000.000	31.47	8.32	39.79	54.00	-14.21	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT20) Mode 5600 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11200.000	44.38	8.21	52.59	68.30	-15.71	peak
2	11200.000	33.41	8.21	41.62	54.00	-12.38	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT20) Mode 5600 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11200.000	43.64	8.21	51.85	68.30	-16.45	peak
2	11200.000	32.27	8.21	40.48	54.00	-13.52	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT20) Mode 5700 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	43.97	8.10	52.07	68.30	-16.23	peak
2	11400.000	32.74	8.10	40.84	54.00	-13.16	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT20) Mode 5700 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	43.43	8.10	51.53	68.30	-16.77	peak
2	11400.000	33.54	8.10	41.64	54.00	-12.36	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX N (HT40) Mode 5190 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10380.000	43.31	6.28	49.59	68.30	-18.71	peak
2	10380.000	31.09	6.28	37.37	54.00	-16.63	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX N (HT40) Mode 5190 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10380.000	43.44	6.28	49.72	68.30	-18.58	peak
2	10380.000	31.82	6.28	38.10	54.00	-15.90	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX N (HT40) Mode 5230 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10460.000	44.82	6.55	51.37	68.30	-16.93	peak
2	10460.000	33.41	6.55	39.96	54.00	-14.04	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX N (HT40) Mode 5230 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10460.000	43.54	6.55	50.09	68.30	-18.21	peak
2	10460.000	32.78	6.55	39.33	54.00	-14.67	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX N (HT40) Mode 5270 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10540.000	43.92	6.80	50.72	68.30	-17.58	peak
2	10540.000	32.87	6.80	39.67	54.00	-14.33	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX N (HT40) Mode 5270 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10540.000	44.68	6.80	51.48	68.30	-16.82	peak
2	10540.000	33.47	6.80	40.27	54.00	-13.73	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX N (HT40) Mode 5310 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	44.28	7.07	51.35	68.30	-16.95	peak
2	10620.000	32.75	7.07	39.82	54.00	-14.18	AVG

Orthogonal Axis	X
Test Mode	UNII-2A_TX N (HT40) Mode 5310 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10620.000	44.18	7.07	51.25	68.30	-17.05	peak
2	10620.000	32.64	7.07	39.71	54.00	-14.29	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT40) Mode 5510 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	41.75	8.30	50.05	68.30	-18.25	peak
2	11020.000	30.42	8.30	38.72	54.00	-15.28	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT40) Mode 5510 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11020.000	42.88	8.30	51.18	68.30	-17.12	peak
2	11020.000	31.39	8.30	39.69	54.00	-14.31	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT40) Mode 5590 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11180.000	42.66	8.23	50.89	68.30	-17.41	peak
2	11180.000	31.43	8.23	39.66	54.00	-14.34	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT40) Mode 5590 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11180.000	42.44	8.23	50.67	68.30	-17.63	peak
2	11180.000	31.09	8.23	39.32	54.00	-14.68	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT40) Mode 5670 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	43.66	8.14	51.80	68.30	-16.50	peak
2	11340.000	32.41	8.14	40.55	54.00	-13.45	AVG

Orthogonal Axis	X
Test Mode	UNII-2C_TX N (HT40) Mode 5670 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11340.000	44.28	8.14	52.42	68.30	-15.88	peak
2	11340.000	33.14	8.14	41.28	54.00	-12.72	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5745 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	44.68	8.06	52.74	68.30	-15.56	peak
2	11490.000	35.29	8.06	43.35	54.00	-10.65	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5745 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	44.16	8.06	52.22	68.30	-16.08	peak
2	11490.000	35.27	8.06	43.33	54.00	-10.67	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5785 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	43.55	8.00	51.55	68.30	-16.75	peak
2	11570.000	34.19	8.00	42.19	54.00	-11.81	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5785 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	43.64	8.00	51.64	68.30	-16.66	peak
2	11570.000	34.18	8.00	42.18	54.00	-11.82	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5825 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	44.88	7.97	52.85	68.30	-15.45	peak
2	11650.000	35.34	7.97	43.31	54.00	-10.69	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5825 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	44.74	7.97	52.71	68.30	-15.59	peak
2	11650.000	35.05	7.97	43.02	54.00	-10.98	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5745 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	44.18	8.06	52.24	68.30	-16.06	peak
2	11490.000	33.02	8.06	41.08	54.00	-12.92	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5745 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11490.000	43.55	8.06	51.61	68.30	-16.69	peak
2	11490.000	32.87	8.06	40.93	54.00	-13.07	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5785 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	43.74	8.00	51.74	68.30	-16.56	peak
2	11570.000	32.85	8.00	40.85	54.00	-13.15	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5785 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11570.000	44.28	8.00	52.28	68.30	-16.02	peak
2	11570.000	31.79	8.00	39.79	54.00	-14.21	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5825 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	43.34	7.97	51.31	68.30	-16.99	peak
2	11650.000	32.19	7.97	40.16	54.00	-13.84	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5825 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11650.000	44.58	7.97	52.55	68.30	-15.75	peak
2	11650.000	33.19	7.97	41.16	54.00	-12.84	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5755 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	44.13	8.04	52.17	68.30	-16.13	peak
2	11510.000	33.58	8.04	41.62	54.00	-12.38	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5755 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	43.21	8.04	51.25	68.30	-17.05	peak
2	11510.000	31.99	8.04	40.03	54.00	-13.97	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5795 MHz


Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	42.51	8.01	50.52	68.30	-17.78	peak
2	11590.000	30.69	8.01	38.70	54.00	-15.30	AVG

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5795 MHz


Horizontal



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11590.000	41.88	8.01	49.89	68.30	-18.41	peak
2	11590.000	30.04	8.01	38.05	54.00	-15.95	AVG

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz

Vertical



No.	Frequency (MHz)	Reading (dBuV/m)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10360.000	43.55	6.22	49.77	68.30	-18.53	peak
2	10360.000	31.87	6.22	38.09	54.00	-15.91	AVG