

n48


n48,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	45.953	45.907

n48,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n48,50MHz Bandwidth,DFT-s-QPSK (99% BW)



n48


n48,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	57.918	57.703

n48,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n48,60MHz Bandwidth,DFT-s-QPSK (99% BW)



n48


n48,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	64.237	64.171

n48,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n48,70MHz Bandwidth,DFT-s-QPSK (99% BW)



n48

n48,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	77.276	77.104

n48,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n48,80MHz Bandwidth,DFT-s-QPSK (99% BW)



n48


n48,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	86.779	86.508

n48,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n48,90MHz Bandwidth,DFT-s-QPSK (99% BW)



n48

n48,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	96.470	96.033

n48,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n48,100MHz Bandwidth,DFT-s-QPSK (99% BW)




n66

n66,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.519	4.485

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n66


n66,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	8.985	8.983

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n66


n66,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	13.485	13.446

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,15MHz Bandwidth,DFT-s-QPSK (99% BW)



n66


n66,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	18.038	17.996

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n66


n66,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	23.042	22.984

n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,25MHz Bandwidth,DFT-s-QPSK (99% BW)




n66

n66,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	28.730	28.636

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,30MHz Bandwidth,DFT-s-QPSK (99% BW)



n66

n66,35MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	32.238	32.141

n66,35MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,35MHz Bandwidth,DFT-s-QPSK (99% BW)



n66

n66,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	38.946	38.796

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,40MHz Bandwidth,DFT-s-QPSK (99% BW)



n66

n66,45MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	43.217	43.004

n66,45MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,45MHz Bandwidth,DFT-s-QPSK (99% BW)




n70


n70,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	4.517	4.488

n70,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n70,5MHz Bandwidth,DFT-s-QPSK (99% BW)




n70


n70,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	9.002	8.981

n70,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n70,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n70


n70,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	13.505	13.439

n70,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n70,15MHz Bandwidth,DFT-s-QPSK (99% BW)



n71

n71,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.513	4.489

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n71

n71,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	8.994	8.959

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n71

n71,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	13.478	13.413

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,15MHz Bandwidth,DFT-s-QPSK (99% BW)



n71


n71,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	17.985	17.942

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n71

n71,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	22.983	22.958

n71,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,25MHz Bandwidth,DFT-s-QPSK (99% BW)



n71

n71,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	28.707	28.637

n71,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,30MHz Bandwidth,DFT-s-QPSK (99% BW)



n71

n71,35MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	32.196	32.480

n71,35MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,35MHz Bandwidth,DFT-s-QPSK (99% BW)




n41

n41,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	8.648	8.604

n41,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	12.952	12.984

n41,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,15MHz Bandwidth,DFT-s-QPSK (99% BW)



n41


n41,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	18.012	18.031

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	23.046	23.031

n41,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,25MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	26.920	26.941

n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,30MHz Bandwidth,DFT-s-QPSK (99% BW)



n41


n41,35MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	32.263	32.286

n41,35MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,35MHz Bandwidth,DFT-s-QPSK (99% BW)



n41


n41,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	36.011	36.023

n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,40MHz Bandwidth,DFT-s-QPSK (99% BW)



n41


n41,45MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	38.903	38.956

n41,45MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,45MHz Bandwidth,DFT-s-QPSK (99% BW)



n41


n41,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	45.980	45.974

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	58.065	57.818

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	64.363	64.211

n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,70MHz Bandwidth,DFT-s-QPSK (99% BW)



n41


n41,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	77.605	77.394

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	87.046	86.872

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	96.715	96.207

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,100MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	8.605	8.601

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	12.945	12.917

n77L,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.026	17.990

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	22.961	22.989

n77L,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,25MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	26.905	26.807

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	35.991	35.923

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,40MHz Bandwidth,DFT-s-QPSK (99% BW)



n77L


n77L,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	45.974	45.901

n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,50MHz Bandwidth,DFT-s-QPSK (99% BW)



n77L


n77L,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	57.945	57.695

n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	64.342	64.184

n77L,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,70MHz Bandwidth,DFT-s-QPSK (99% BW)



n77L


n77L,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.548	77.335

n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	87.033	86.860

n77L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	96.668	96.495

n77L,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,100MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H

n77H,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	8.624	8.601

n77H,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	12.941	12.924

n77H,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,15MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H


n77H,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	18.028	18.007

n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	22.976	23.017

n77H,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,25MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	26.926	26.854

n77H,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,30MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H

n77H,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	36.000	35.898

n77H,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,40MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H


n77H,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	45.948	45.838

n77H,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,50MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H


n77H,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	57.974	57.861

n77H,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,60MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H


n77H,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	64.361	64.327

n77H,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,70MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H


n77H,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	77.790	77.479

n77H,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,80MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H


n77H,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	87.197	86.962

n77H,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,90MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H

n77H,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	96.866	96.376

n77H,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,100MHz Bandwidth,DFT-s-QPSK (99% BW)



Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.626$ kHz, $k = 2$.

A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

Measurement Results from UT09a:

n12

n12,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
707.5	4.930	4.885

n12,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n12,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n12

n12,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
707.5	9.530	9.560

n12,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n12,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n12

n12,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
707.5	14.296	14.341

n12,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n12,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



Reference Measurement Results from basic model:

n5

n5,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.930	4.915

n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n5

n5,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.560	9.590

n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n5


n5,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	14.251	14.341

n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n5

n5,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	19.121	19.181

n5,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n5


n5,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	24.201	24.201

n5,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25

n25,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	4.945	4.885

n25,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25

n25,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	9.590	9.560

n25,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25

n25,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	14.296	14.251

n25,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25


n25,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	19.121	19.181

n25,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25


n25,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	24.201	24.201

n25,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25

n25,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	30.030	29.940

n25,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25

n25,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	33.570	33.570

n25,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25

n25,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	41.240	41.240

n25,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25

n25,45MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	45.580	45.580

n25,45MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,45MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n30

n30,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2310	4.930	4.885

n30,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n30,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n30

n30,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2310	9.590	9.590

n30,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n30,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n48

n48,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	9.471	9.351

n48,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	13.846	13.891

n48,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n48

n48,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	19.361	19.121

n48,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	28.412	28.501

n48,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	38.240	38.480

n48,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	48.400	48.400

n48,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	60.420	60.780

n48,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	66.920	67.130

n48,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n48

n48,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	82.240	82.240

n48,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48

n48,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	91.980	92.250

n48,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n48

n48,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	101.600	101.600

n48,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66

n66,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.945	4.900

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66

n66,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	9.590	9.590

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66


n66,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	14.341	14.296

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66


n66,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	19.181	19.241

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66

n66,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	24.201	24.276

n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66

n66,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	30.120	30.120

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66

n66,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	33.670	33.780

n66,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66

n66,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	41.240	41.120

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66

n66,45MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	45.450	45.580

n66,45MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,45MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n70

n70,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	4.915	4.915

n70,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n70,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n70


n70,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	9.560	9.590

n70,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n70,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n70


n70,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	14.251	14.251

n70,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n70,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71

n71,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.885	4.945

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71


n71,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	9.560	9.560

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71

n71,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	14.206	14.251

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71

n71,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	19.181	19.181

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n71


n71,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	24.201	24.201

n71,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71

n71,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	30.030	30.030

n71,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71

n71,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	33.670	33.780

n71,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41

n41,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	9.560	9.590

n41,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41

n41,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	13.981	13.981

n41,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41


n41,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	19.301	19.241

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	24.276	24.201

n41,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	28.232	28.322

n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41


n41,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	33.780	33.460

n41,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41


n41,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	38.480	38.480

n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41


n41,45MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	41.400	41.540

n41,45MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,45MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41


n41,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	48.550	48.550

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	60.780	60.780

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	67.340	67.340

n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41


n41,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	82.480	82.240

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	91.980	92.250

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	101.600	101.600

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L

n77L,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	9.381	9.321

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	13.846	13.801

n77L,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	19.301	19.241

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	24.276	24.276

n77L,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L

n77L,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	28.412	28.232

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)

