



NR TEST REPORT

No. 25T04Z100757-005

for

TCL Communication Ltd.

GSM/UMTS/LTE/NR Mobile phone

Model Name: T951P

FCC ID: 2ACCJH188

with

Hardware Version: 05

Software Version: 9ESH

Issued Date: 2025-06-27

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL-Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: cttl_terminals@caict.ac.cn, website: www.caict.ac.cn



No.25T04Z100757-005

REPORT HISTORY

Report Number	Revision	Description	Issue Date
25T04Z100757-005	Rev.0	1 st edition	2025-06-27

Note: the latest revision of the test report supersedes all previous version.

CONTENTS

1. TEST LABORATORY	4
1.1. INTRODUCTION & ACCREDITATION.....	4
1.2. TESTING LOCATION	4
1.3. TESTING ENVIRONMENT	4
1.4. PROJECT DATA	4
1.5. SIGNATURE	4
2. CLIENT INFORMATION	5
2.1. APPLICANT INFORMATION	5
2.2. MANUFACTURER INFORMATION	5
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	6
3.1. ABOUT EUT	6
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	6
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	6
4. REFERENCE DOCUMENTS.....	7
4.1. DOCUMENTS SUPPLIED BY APPLICANT	7
4.2. REFERENCE DOCUMENTS FOR TESTING.....	7
5. SUMMARY OF TEST RESULT	8
6. TEST EQUIPMENTS UTILIZED	12
ANNEX A: MEASUREMENT RESULTS.....	14
A.1 OUTPUT POWER	14
A.2 EMISSION LIMIT	258
A.3 FREQUENCY STABILITY	271
A.4 OCCUPIED BANDWIDTH.....	277
A.5 EMISSION BANDWIDTH.....	434
A.6 BAND EDGE COMPLIANCE	591
A.7 CONDUCTED SPURIOUS EMISSION	646
A.8 PEAK-TO-AVERAGE POWER RATIO	654
ANNEX B: ACCREDITATION CERTIFICATE.....	656

1. Test Laboratory

1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2017 accredited test laboratory under American Association for Laboratory Accreditation (A2LA) with lab code 7049.01, and is also an FCC accredited test laboratory (CN1349), and ISED accredited test laboratory (CAB identifier:CN0066). The detail accreditation scope can be found on A2LA website.

1.2. Testing Location

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing,
P. R. China 100191

Location 2: CTTL (BDA)

Address: No.18A, Kangding Street, Beijing Economic-Technology
Development Area, Beijing, P. R. China 100176

1.3. Testing Environment

Normal Temperature: 15-35℃


Relative Humidity: 20-75%

1.4. Project Data

Testing Start Date: 2025-04-10


Testing End Date: 2025-06-23

1.5. Signature




Wang Xing

(Prepared this test report)



Zhou Yu

(Reviewed this test report)



Zhao Hui Lin

(Approved this test report)

2. Client Information

2.1. Applicant Information

Company Name: TCL Communication Ltd.
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science
Park, Shatin, NT, Hong Kong
Contact: Ting Wang
Email: ting.wang.hz@tcl.com
Telephone: +86 752 2639091
Fax: +86 755 36612000-81722

2.2. Manufacturer Information

Company Name: TCL Communication Ltd.
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science
Park, Shatin, NT, Hong Kong
Contact: Ting Wang
Email: ting.wang.hz@tcl.com
Telephone: +86 752 2639091
Fax: +86 755 36612000-81722

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	GSM/UMTS/LTE/NR Mobile phone
Model Name	T951P
FCC ID	2ACCJH188
Antenna	Integral
Output power	20.87dBm maximum EIRP measured for NR Band 2
Extreme Voltage	3.6VDC to 4.4VDC (nominal: 3.85VDC)
Extreme Temperature	-20°C to +65°C

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version	Date of receipt
UT05a	356448870204014/	05	9ESH	2025-04-10
	356448870204022			
UT11a	356448870204287/	05	9ESH	2025-04-25
	356448870204345			
UT26a	356448870204493/	05	9ESH	2025-05-13
	356448870204600			

UT26a was used for emission limit test and UT05a, UT11a were used for other testing cases.

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery
AE1	
Model	TLp050D7
Manufacturer	VEKEN
Capacitance	rate 5000mAh, Typ 5200mAh

*AE ID: is used to identify the test sample in the lab internally.

4. Reference Documents

4.1. Documents supplied by applicant

EUT parameters are supplied by the customer, which are the bases of testing. CAICT is not responsible for the accuracy of customer supplied technical information that may affect the test results (for example, antenna gain and loss of customer supplied cable).

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-23 Edition
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-23 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-23 Edition
FCC Part 96	CITIZENS BROADBAND RADIO SERVICE	10-1-23 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01
KDB 940660 D01	CERTIFICATION AND TEST PROCEDURES FOR CITIZENS BROADBAND RADIO SERVICE DEVICES AUTHORIZED UNDER PART 96	v03

5. Summary of Test Result

n2

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

n5

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	22.913	P
2	Emission Limit	2.1051/22.917	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	22.917	P
6	Band Edge Compliance	22.917	P
7	Conducted Spurious Emission	22.917	P

n7

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n12

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n41 (38)

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n48

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	96.41	P
2	Emission Limit	96.41	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	96.41	P
6	Band Edge Compliance	96.41	P
7	Conducted Spurious Emission	96.41	P
8	Peak-to-Average Power Ratio	96.41	P

n66

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n71

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n78L(3450-3550MHz)

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	NA	NA
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

All the test results are based on normal power.

Measurement uncertainty is not taken into account when stating conformity with a specified requirement.

NR n41 and n78L are tested by power class 3.

NR n41 overlaps the entire frequency range of NR n38. Therefore, test data provided in this report covers n38 as well as n41.

Explanation of worst-case configuration

The test results provided in this report represent the worst case configuration.

For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

For all the NSA combinations and SA mode of the same NR band, output powers are pretested under the maximum bandwidth and mid channel so that the modes with the maximum output power values are chosen out, which are n2, n5, n7, n12, n41, n48, n66, n71, n78L SA mode. Only the results of the modes chosen by the max values are presented in the report. Then all the conducted test cases under the modes chosen out are performed.

The conducted output powers are tested in both DFT-s-OFDM and CP-OFDM under the maximum bandwidth and mid channel. For the other configurations of bandwidths and channels, only the DFT-s-OFDM output powers are tested.

6. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
Radio Communication Test Station	MT8000A	6262093285	Anritsu	2025-12-03	1 year
Radio Communication Analyzer	MT8821C	6201763159	Anritsu	2025-07-28	1 year
Signal&Spectrum Analyzer	FSW	104038	R&S	2025-07-02	1 year
PXA Signal Analyzer	N9030B	MY57142378	Keysight	2026-02-20	1 year
Climate chamber	SH-241	92004642	ESPEC	2025-10-29	1 year
Spectrum Analyzer	ESW44	103144	R&S	2026-01-05	1 year
Antenna	VULB9163	9163-01223	Schwarzbeck	2025-09-19	1 year
Antenna	9117	167	Schwarzbeck	2026-10-15	3 year
Antenna	LB-7180-NF	2030013000041	A-INFO	2025-10-23	1 year
Antenna	3115	00119024	ETS-Lindgren	2025-10-23	1 year
Antenna	LB-180400-25-C-KF	J211060826	A-INFO	2025-08-29	1 year
Antenna	3116	2663	ETS-Lindgren	2026-03-03	1 year
Radio Communication Analyzer	MT8821C	62724459649	Anritsu	2026-07-06	2 years
Radio Communication Analyzer	MT8000A	6272466183	Anritsu	2026-07-06	2 years

Note: Only the latest Cal Due Dates of equipment are listed above and all equipment is in valid calibration period when used.

Test Item	Test Software	Software Vendor
Emission Limit	ELEKTRA 5.00.2	R&S

7. Measurement Uncertainty

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.26. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. Measurement uncertainty is not taken into account when stating conformity with a specified requirement.

Test item		Measurement uncertainty
Output Power(dB)		1.91
Emission Limit(dB)		3.10
Frequency Stability	FE(ppm)	0.224
	FLFH(kHz)	126.63
Occupied Bandwidth(%)		0.45
Emission Bandwidth(%)		0.44
Band Edge Compliance(dB)		1.52
Conducted Spurious Emission(dB)		3.56(0-20GHz)
		5.31(20-40GHz)
Peak-to-Average Power Ratio(dB)		2.26

Annex A: Measurement Results

A.1 Output Power

A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

A.1.2 Conducted

A.1.2.1 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

The results below include a correction factor for cable loss that is provided by the customer.

A.1.2.2 Measurement Result

n2

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	22.89
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.32
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.38
n2	5	15	1852.5	DFT	QPSK	Inner_Full	22.89
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	21.81
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	21.86
n2	5	15	1852.5	DFT	QPSK	Outer_Full	21.94
n2	5	15	1852.5	DFT	16QAM	Inner_Full	21.91
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.10
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.15
n2	5	15	1852.5	DFT	16QAM	Outer_Full	20.97
n2	5	15	1852.5	DFT	64QAM	Inner_Full	20.39
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.33
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.39
n2	5	15	1852.5	DFT	64QAM	Outer_Full	20.46
n2	5	15	1852.5	DFT	256QAM	Inner_Full	18.52
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.48
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.46
n2	5	15	1852.5	DFT	256QAM	Outer_Full	18.52
n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	23.20
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.65

n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.74
n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	22.75
n2	5	15	1880	DFT	QPSK	Inner_Full	23.23
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	22.12
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	22.15
n2	5	15	1880	DFT	QPSK	Outer_Full	22.21
n2	5	15	1880	DFT	16QAM	Inner_Full	22.27
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.44
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	21.45
n2	5	15	1880	DFT	16QAM	Outer_Full	21.26
n2	5	15	1880	DFT	64QAM	Inner_Full	20.67
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.65
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.71
n2	5	15	1880	DFT	64QAM	Outer_Full	20.73
n2	5	15	1880	DFT	256QAM	Inner_Full	18.82
n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	18.67
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	18.74
n2	5	15	1880	DFT	256QAM	Outer_Full	18.80
n2	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.34
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.85
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.79
n2	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	22.83
n2	5	15	1907.5	DFT	QPSK	Inner_Full	23.37
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.33
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.30
n2	5	15	1907.5	DFT	QPSK	Outer_Full	22.40
n2	5	15	1907.5	DFT	16QAM	Inner_Full	22.42
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.60
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.59
n2	5	15	1907.5	DFT	16QAM	Outer_Full	21.42
n2	5	15	1907.5	DFT	64QAM	Inner_Full	20.89
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.84
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.79
n2	5	15	1907.5	DFT	64QAM	Outer_Full	20.89
n2	5	15	1907.5	DFT	256QAM	Inner_Full	19.05
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.97
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.88
n2	5	15	1907.5	DFT	256QAM	Outer_Full	18.95
n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	22.96
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.59

n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.42
n2	10	15	1855	DFT	QPSK	Inner_Full	22.97
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.93
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.06
n2	10	15	1855	DFT	QPSK	Outer_Full	21.98
n2	10	15	1855	DFT	16QAM	Inner_Full	22.06
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.23
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.35
n2	10	15	1855	DFT	16QAM	Outer_Full	20.96
n2	10	15	1855	DFT	64QAM	Inner_Full	20.53
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.50
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.58
n2	10	15	1855	DFT	64QAM	Outer_Full	20.50
n2	10	15	1855	DFT	256QAM	Inner_Full	18.47
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.51
n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.50
n2	10	15	1855	DFT	256QAM	Outer_Full	18.51
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	23.12
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.74
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.67
n2	10	15	1880	DFT	QPSK	Inner_Full	23.16
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.12
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.22
n2	10	15	1880	DFT	QPSK	Outer_Full	22.19
n2	10	15	1880	DFT	16QAM	Inner_Full	22.21
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	21.46
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	21.52
n2	10	15	1880	DFT	16QAM	Outer_Full	21.17
n2	10	15	1880	DFT	64QAM	Inner_Full	20.76
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	20.65
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	20.77
n2	10	15	1880	DFT	64QAM	Outer_Full	20.69
n2	10	15	1880	DFT	256QAM	Inner_Full	18.72
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	18.67
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	18.78
n2	10	15	1880	DFT	256QAM	Outer_Full	18.74
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	23.38
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.96
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	22.91

n2	10	15	1905	DFT	QPSK	Inner_Full	23.43
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.45
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.31
n2	10	15	1905	DFT	QPSK	Outer_Full	22.41
n2	10	15	1905	DFT	16QAM	Inner_Full	22.51
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.77
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.66
n2	10	15	1905	DFT	16QAM	Outer_Full	21.39
n2	10	15	1905	DFT	64QAM	Inner_Full	20.96
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.99
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.85
n2	10	15	1905	DFT	64QAM	Outer_Full	20.92
n2	10	15	1905	DFT	256QAM	Inner_Full	19.01
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	19.05
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	18.86
n2	10	15	1905	DFT	256QAM	Outer_Full	19.02
n2	15	15	1857.5	DFT	$\pi/2$ BPSK	Inner_Full	22.95
n2	15	15	1857.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.40
n2	15	15	1857.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.63
n2	15	15	1857.5	DFT	$\pi/2$ BPSK	Outer_Full	22.54
n2	15	15	1857.5	DFT	QPSK	Inner_Full	23.00
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	21.90
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.13
n2	15	15	1857.5	DFT	QPSK	Outer_Full	22.05
n2	15	15	1857.5	DFT	16QAM	Inner_Full	22.01
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.22
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.45
n2	15	15	1857.5	DFT	16QAM	Outer_Full	21.01
n2	15	15	1857.5	DFT	64QAM	Inner_Full	20.49
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.42
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.67
n2	15	15	1857.5	DFT	64QAM	Outer_Full	20.61
n2	15	15	1857.5	DFT	256QAM	Inner_Full	18.48
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.46
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.57
n2	15	15	1857.5	DFT	256QAM	Outer_Full	18.52
n2	15	15	1880	DFT	$\pi/2$ BPSK	Inner_Full	23.17
n2	15	15	1880	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.70
n2	15	15	1880	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.85
n2	15	15	1880	DFT	$\pi/2$ BPSK	Outer_Full	22.67
n2	15	15	1880	DFT	QPSK	Inner_Full	23.23

n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.17
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.33
n2	15	15	1880	DFT	QPSK	Outer_Full	22.24
n2	15	15	1880	DFT	16QAM	Inner_Full	22.21
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.50
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.63
n2	15	15	1880	DFT	16QAM	Outer_Full	21.19
n2	15	15	1880	DFT	64QAM	Inner_Full	20.73
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	20.70
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.86
n2	15	15	1880	DFT	64QAM	Outer_Full	20.79
n2	15	15	1880	DFT	256QAM	Inner_Full	18.70
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	18.68
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	18.85
n2	15	15	1880	DFT	256QAM	Outer_Full	18.76
n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	23.40
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.93
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.81
n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	22.89
n2	15	15	1902.5	DFT	QPSK	Inner_Full	23.41
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.42
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.31
n2	15	15	1902.5	DFT	QPSK	Outer_Full	22.38
n2	15	15	1902.5	DFT	16QAM	Inner_Full	22.39
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.73
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.62
n2	15	15	1902.5	DFT	16QAM	Outer_Full	21.45
n2	15	15	1902.5	DFT	64QAM	Inner_Full	20.93
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	20.94
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.78
n2	15	15	1902.5	DFT	64QAM	Outer_Full	21.01
n2	15	15	1902.5	DFT	256QAM	Inner_Full	18.99
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	19.04
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	18.86
n2	15	15	1902.5	DFT	256QAM	Outer_Full	19.03
n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.00
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.40
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.65
n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.54
n2	20	15	1860	DFT	QPSK	Inner_Full	23.03
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	21.85

n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.16
n2	20	15	1860	DFT	QPSK	Outer_Full	22.05
n2	20	15	1860	DFT	16QAM	Inner_Full	22.04
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.20
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.46
n2	20	15	1860	DFT	16QAM	Outer_Full	21.06
n2	20	15	1860	DFT	64QAM	Inner_Full	20.53
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.42
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.74
n2	20	15	1860	DFT	64QAM	Outer_Full	20.59
n2	20	15	1860	DFT	256QAM	Inner_Full	18.53
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.48
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.67
n2	20	15	1860	DFT	256QAM	Outer_Full	18.53
n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	23.20
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.66
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.89
n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	22.79
n2	20	15	1880	DFT	QPSK	Inner_Full	23.22
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.18
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.39
n2	20	15	1880	DFT	QPSK	Outer_Full	22.32
n2	20	15	1880	DFT	16QAM	Inner_Full	22.21
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	21.51
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	21.73
n2	20	15	1880	DFT	16QAM	Outer_Full	21.31
n2	20	15	1880	DFT	64QAM	Inner_Full	20.77
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	20.71
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	20.93
n2	20	15	1880	DFT	64QAM	Outer_Full	20.83
n2	20	15	1880	DFT	256QAM	Inner_Full	18.75
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	18.67
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	18.96
n2	20	15	1880	DFT	256QAM	Outer_Full	18.83
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	23.49
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.92
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	22.93
n2	20	15	1900	DFT	QPSK	Inner_Full	23.44
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.42
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.28

n2	20	15	1900	DFT	QPSK	Outer_Full	22.51
n2	20	15	1900	DFT	16QAM	Inner_Full	22.47
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.72
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.62
n2	20	15	1900	DFT	16QAM	Outer_Full	21.52
n2	20	15	1900	DFT	64QAM	Inner_Full	21.04
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.92
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.85
n2	20	15	1900	DFT	64QAM	Outer_Full	21.03
n2	20	15	1900	DFT	256QAM	Inner_Full	19.12
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	18.99
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	18.89
n2	20	15	1900	DFT	256QAM	Outer_Full	19.14
n2	25	15	1862.5	DFT	pi/2 BPSK	Inner_Full	23.15
n2	25	15	1862.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.41
n2	25	15	1862.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.78
n2	25	15	1862.5	DFT	pi/2 BPSK	Outer_Full	22.62
n2	25	15	1862.5	DFT	QPSK	Inner_Full	23.22
n2	25	15	1862.5	DFT	QPSK	Edge_1RB_Left	21.88
n2	25	15	1862.5	DFT	QPSK	Edge_1RB_Right	22.19
n2	25	15	1862.5	DFT	QPSK	Outer_Full	22.18
n2	25	15	1862.5	DFT	16QAM	Inner_Full	22.18
n2	25	15	1862.5	DFT	16QAM	Edge_1RB_Left	21.20
n2	25	15	1862.5	DFT	16QAM	Edge_1RB_Right	21.54
n2	25	15	1862.5	DFT	16QAM	Outer_Full	21.15
n2	25	15	1862.5	DFT	64QAM	Inner_Full	20.72
n2	25	15	1862.5	DFT	64QAM	Edge_1RB_Left	20.41
n2	25	15	1862.5	DFT	64QAM	Edge_1RB_Right	20.77
n2	25	15	1862.5	DFT	64QAM	Outer_Full	20.66
n2	25	15	1862.5	DFT	256QAM	Inner_Full	18.60
n2	25	15	1862.5	DFT	256QAM	Edge_1RB_Left	18.32
n2	25	15	1862.5	DFT	256QAM	Edge_1RB_Right	18.64
n2	25	15	1862.5	DFT	256QAM	Outer_Full	18.56
n2	25	15	1880	DFT	pi/2 BPSK	Inner_Full	23.35
n2	25	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.72
n2	25	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.96
n2	25	15	1880	DFT	pi/2 BPSK	Outer_Full	22.90
n2	25	15	1880	DFT	QPSK	Inner_Full	23.39
n2	25	15	1880	DFT	QPSK	Edge_1RB_Left	22.18
n2	25	15	1880	DFT	QPSK	Edge_1RB_Right	22.44
n2	25	15	1880	DFT	QPSK	Outer_Full	22.40

n2	25	15	1880	DFT	16QAM	Inner_Full	22.39
n2	25	15	1880	DFT	16QAM	Edge_1RB_Left	21.52
n2	25	15	1880	DFT	16QAM	Edge_1RB_Right	21.74
n2	25	15	1880	DFT	16QAM	Outer_Full	21.48
n2	25	15	1880	DFT	64QAM	Inner_Full	20.94
n2	25	15	1880	DFT	64QAM	Edge_1RB_Left	20.71
n2	25	15	1880	DFT	64QAM	Edge_1RB_Right	20.99
n2	25	15	1880	DFT	64QAM	Outer_Full	20.99
n2	25	15	1880	DFT	256QAM	Inner_Full	18.86
n2	25	15	1880	DFT	256QAM	Edge_1RB_Left	18.59
n2	25	15	1880	DFT	256QAM	Edge_1RB_Right	19.01
n2	25	15	1880	DFT	256QAM	Outer_Full	18.96
n2	25	15	1897.5	DFT	pi/2 BPSK	Inner_Full	23.60
n2	25	15	1897.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
n2	25	15	1897.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.86
n2	25	15	1897.5	DFT	pi/2 BPSK	Outer_Full	22.93
n2	25	15	1897.5	DFT	QPSK	Inner_Full	23.67
n2	25	15	1897.5	DFT	QPSK	Edge_1RB_Left	22.28
n2	25	15	1897.5	DFT	QPSK	Edge_1RB_Right	22.35
n2	25	15	1897.5	DFT	QPSK	Outer_Full	22.56
n2	25	15	1897.5	DFT	16QAM	Inner_Full	22.67
n2	25	15	1897.5	DFT	16QAM	Edge_1RB_Left	21.58
n2	25	15	1897.5	DFT	16QAM	Edge_1RB_Right	21.66
n2	25	15	1897.5	DFT	16QAM	Outer_Full	21.56
n2	25	15	1897.5	DFT	64QAM	Inner_Full	21.22
n2	25	15	1897.5	DFT	64QAM	Edge_1RB_Left	20.86
n2	25	15	1897.5	DFT	64QAM	Edge_1RB_Right	20.88
n2	25	15	1897.5	DFT	64QAM	Outer_Full	21.05
n2	25	15	1897.5	DFT	256QAM	Inner_Full	19.17
n2	25	15	1897.5	DFT	256QAM	Edge_1RB_Left	18.79
n2	25	15	1897.5	DFT	256QAM	Edge_1RB_Right	18.82
n2	25	15	1897.5	DFT	256QAM	Outer_Full	19.08
n2	30	15	1865	DFT	pi/2 BPSK	Inner_Full	23.30
n2	30	15	1865	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
n2	30	15	1865	DFT	pi/2 BPSK	Edge_1RB_Right	22.86
n2	30	15	1865	DFT	pi/2 BPSK	Outer_Full	22.74
n2	30	15	1865	DFT	QPSK	Inner_Full	23.34
n2	30	15	1865	DFT	QPSK	Edge_1RB_Left	21.99
n2	30	15	1865	DFT	QPSK	Edge_1RB_Right	22.35
n2	30	15	1865	DFT	QPSK	Outer_Full	22.28
n2	30	15	1865	DFT	16QAM	Inner_Full	22.35

n2	30	15	1865	DFT	16QAM	Edge_1RB_Left	21.33
n2	30	15	1865	DFT	16QAM	Edge_1RB_Right	21.66
n2	30	15	1865	DFT	16QAM	Outer_Full	21.26
n2	30	15	1865	DFT	64QAM	Inner_Full	20.84
n2	30	15	1865	DFT	64QAM	Edge_1RB_Left	20.55
n2	30	15	1865	DFT	64QAM	Edge_1RB_Right	20.89
n2	30	15	1865	DFT	64QAM	Outer_Full	20.79
n2	30	15	1865	DFT	256QAM	Inner_Full	18.68
n2	30	15	1865	DFT	256QAM	Edge_1RB_Left	18.47
n2	30	15	1865	DFT	256QAM	Edge_1RB_Right	18.77
n2	30	15	1865	DFT	256QAM	Outer_Full	18.72
n2	30	15	1880	DFT	pi/2 BPSK	Inner_Full	23.31
n2	30	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.77
n2	30	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	23.05
n2	30	15	1880	DFT	pi/2 BPSK	Outer_Full	22.91
n2	30	15	1880	DFT	QPSK	Inner_Full	23.35
n2	30	15	1880	DFT	QPSK	Edge_1RB_Left	22.28
n2	30	15	1880	DFT	QPSK	Edge_1RB_Right	22.52
n2	30	15	1880	DFT	QPSK	Outer_Full	22.37
n2	30	15	1880	DFT	16QAM	Inner_Full	22.40
n2	30	15	1880	DFT	16QAM	Edge_1RB_Left	21.58
n2	30	15	1880	DFT	16QAM	Edge_1RB_Right	21.88
n2	30	15	1880	DFT	16QAM	Outer_Full	21.45
n2	30	15	1880	DFT	64QAM	Inner_Full	20.91
n2	30	15	1880	DFT	64QAM	Edge_1RB_Left	20.79
n2	30	15	1880	DFT	64QAM	Edge_1RB_Right	21.05
n2	30	15	1880	DFT	64QAM	Outer_Full	20.97
n2	30	15	1880	DFT	256QAM	Inner_Full	18.76
n2	30	15	1880	DFT	256QAM	Edge_1RB_Left	18.58
n2	30	15	1880	DFT	256QAM	Edge_1RB_Right	19.05
n2	30	15	1880	DFT	256QAM	Outer_Full	18.84
n2	30	15	1895	DFT	pi/2 BPSK	Inner_Full	23.55
n2	30	15	1895	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n2	30	15	1895	DFT	pi/2 BPSK	Edge_1RB_Right	22.90
n2	30	15	1895	DFT	pi/2 BPSK	Outer_Full	22.96
n2	30	15	1895	DFT	QPSK	Inner_Full	23.65
n2	30	15	1895	DFT	QPSK	Edge_1RB_Left	22.33
n2	30	15	1895	DFT	QPSK	Edge_1RB_Right	22.42
n2	30	15	1895	DFT	QPSK	Outer_Full	22.57
n2	30	15	1895	DFT	16QAM	Inner_Full	22.69
n2	30	15	1895	DFT	16QAM	Edge_1RB_Left	21.51

n2	30	15	1895	DFT	16QAM	Edge_1RB_Right	21.74
n2	30	15	1895	DFT	16QAM	Outer_Full	21.56
n2	30	15	1895	DFT	64QAM	Inner_Full	21.17
n2	30	15	1895	DFT	64QAM	Edge_1RB_Left	20.91
n2	30	15	1895	DFT	64QAM	Edge_1RB_Right	20.92
n2	30	15	1895	DFT	64QAM	Outer_Full	21.09
n2	30	15	1895	DFT	256QAM	Inner_Full	19.12
n2	30	15	1895	DFT	256QAM	Edge_1RB_Left	18.79
n2	30	15	1895	DFT	256QAM	Edge_1RB_Right	18.88
n2	30	15	1895	DFT	256QAM	Outer_Full	19.04
n2	35	15	1867.5	DFT	pi/2 BPSK	Inner_Full	23.30
n2	35	15	1867.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.42
n2	35	15	1867.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.81
n2	35	15	1867.5	DFT	pi/2 BPSK	Outer_Full	22.63
n2	35	15	1867.5	DFT	QPSK	Inner_Full	23.32
n2	35	15	1867.5	DFT	QPSK	Edge_1RB_Left	21.91
n2	35	15	1867.5	DFT	QPSK	Edge_1RB_Right	22.27
n2	35	15	1867.5	DFT	QPSK	Outer_Full	22.20
n2	35	15	1867.5	DFT	16QAM	Inner_Full	22.33
n2	35	15	1867.5	DFT	16QAM	Edge_1RB_Left	21.20
n2	35	15	1867.5	DFT	16QAM	Edge_1RB_Right	21.54
n2	35	15	1867.5	DFT	16QAM	Outer_Full	21.20
n2	35	15	1867.5	DFT	64QAM	Inner_Full	20.75
n2	35	15	1867.5	DFT	64QAM	Edge_1RB_Left	20.40
n2	35	15	1867.5	DFT	64QAM	Edge_1RB_Right	20.74
n2	35	15	1867.5	DFT	64QAM	Outer_Full	20.69
n2	35	15	1867.5	DFT	256QAM	Inner_Full	18.66
n2	35	15	1867.5	DFT	256QAM	Edge_1RB_Left	18.36
n2	35	15	1867.5	DFT	256QAM	Edge_1RB_Right	18.69
n2	35	15	1867.5	DFT	256QAM	Outer_Full	18.60
n2	35	15	1880	DFT	pi/2 BPSK	Inner_Full	23.30
n2	35	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.65
n2	35	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	23.04
n2	35	15	1880	DFT	pi/2 BPSK	Outer_Full	22.89
n2	35	15	1880	DFT	QPSK	Inner_Full	23.34
n2	35	15	1880	DFT	QPSK	Edge_1RB_Left	22.14
n2	35	15	1880	DFT	QPSK	Edge_1RB_Right	22.53
n2	35	15	1880	DFT	QPSK	Outer_Full	22.40
n2	35	15	1880	DFT	16QAM	Inner_Full	22.38
n2	35	15	1880	DFT	16QAM	Edge_1RB_Left	21.44
n2	35	15	1880	DFT	16QAM	Edge_1RB_Right	21.84

n2	35	15	1880	DFT	16QAM	Outer_Full	21.44
n2	35	15	1880	DFT	64QAM	Inner_Full	20.90
n2	35	15	1880	DFT	64QAM	Edge_1RB_Left	20.65
n2	35	15	1880	DFT	64QAM	Edge_1RB_Right	21.05
n2	35	15	1880	DFT	64QAM	Outer_Full	20.93
n2	35	15	1880	DFT	256QAM	Inner_Full	18.79
n2	35	15	1880	DFT	256QAM	Edge_1RB_Left	18.48
n2	35	15	1880	DFT	256QAM	Edge_1RB_Right	19.01
n2	35	15	1880	DFT	256QAM	Outer_Full	18.83
n2	35	15	1892.5	DFT	pi/2 BPSK	Inner_Full	23.45
n2	35	15	1892.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.75
n2	35	15	1892.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.83
n2	35	15	1892.5	DFT	pi/2 BPSK	Outer_Full	22.81
n2	35	15	1892.5	DFT	QPSK	Inner_Full	23.49
n2	35	15	1892.5	DFT	QPSK	Edge_1RB_Left	22.19
n2	35	15	1892.5	DFT	QPSK	Edge_1RB_Right	22.29
n2	35	15	1892.5	DFT	QPSK	Outer_Full	22.41
n2	35	15	1892.5	DFT	16QAM	Inner_Full	22.49
n2	35	15	1892.5	DFT	16QAM	Edge_1RB_Left	21.55
n2	35	15	1892.5	DFT	16QAM	Edge_1RB_Right	21.61
n2	35	15	1892.5	DFT	16QAM	Outer_Full	21.42
n2	35	15	1892.5	DFT	64QAM	Inner_Full	20.99
n2	35	15	1892.5	DFT	64QAM	Edge_1RB_Left	20.78
n2	35	15	1892.5	DFT	64QAM	Edge_1RB_Right	20.81
n2	35	15	1892.5	DFT	64QAM	Outer_Full	20.88
n2	35	15	1892.5	DFT	256QAM	Inner_Full	18.99
n2	35	15	1892.5	DFT	256QAM	Edge_1RB_Left	18.64
n2	35	15	1892.5	DFT	256QAM	Edge_1RB_Right	18.82
n2	35	15	1892.5	DFT	256QAM	Outer_Full	18.93
n2	40	15	1870	DFT	pi/2 BPSK	Inner_Full	23.25
n2	40	15	1870	DFT	pi/2 BPSK	Edge_1RB_Left	22.40
n2	40	15	1870	DFT	pi/2 BPSK	Edge_1RB_Right	22.90
n2	40	15	1870	DFT	pi/2 BPSK	Outer_Full	22.61
n2	40	15	1870	DFT	QPSK	Inner_Full	23.30
n2	40	15	1870	DFT	QPSK	Edge_1RB_Left	21.92
n2	40	15	1870	DFT	QPSK	Edge_1RB_Right	22.34
n2	40	15	1870	DFT	QPSK	Outer_Full	22.17
n2	40	15	1870	DFT	16QAM	Inner_Full	22.37
n2	40	15	1870	DFT	16QAM	Edge_1RB_Left	21.23
n2	40	15	1870	DFT	16QAM	Edge_1RB_Right	21.66
n2	40	15	1870	DFT	16QAM	Outer_Full	21.16

n2	40	15	1870	DFT	64QAM	Inner_Full	20.83
n2	40	15	1870	DFT	64QAM	Edge_1RB_Left	20.37
n2	40	15	1870	DFT	64QAM	Edge_1RB_Right	20.86
n2	40	15	1870	DFT	64QAM	Outer_Full	20.62
n2	40	15	1870	DFT	256QAM	Inner_Full	18.69
n2	40	15	1870	DFT	256QAM	Edge_1RB_Left	18.38
n2	40	15	1870	DFT	256QAM	Edge_1RB_Right	18.86
n2	40	15	1870	DFT	256QAM	Outer_Full	18.62
n2	40	15	1880	DFT	pi/2 BPSK	Inner_Full	23.29
n2	40	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.50
n2	40	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.99
n2	40	15	1880	DFT	pi/2 BPSK	Outer_Full	22.80
n2	40	15	1880	DFT	QPSK	Inner_Full	23.30
n2	40	15	1880	DFT	QPSK	Edge_1RB_Left	22.01
n2	40	15	1880	DFT	QPSK	Edge_1RB_Right	22.49
n2	40	15	1880	DFT	QPSK	Outer_Full	22.30
n2	40	15	1880	DFT	16QAM	Inner_Full	22.32
n2	40	15	1880	DFT	16QAM	Edge_1RB_Left	21.31
n2	40	15	1880	DFT	16QAM	Edge_1RB_Right	21.51
n2	40	15	1880	DFT	16QAM	Outer_Full	21.33
n2	40	15	1880	DFT	64QAM	Inner_Full	20.82
n2	40	15	1880	DFT	64QAM	Edge_1RB_Left	20.53
n2	40	15	1880	DFT	64QAM	Edge_1RB_Right	21.01
n2	40	15	1880	DFT	64QAM	Outer_Full	20.85
n2	40	15	1880	DFT	256QAM	Inner_Full	18.76
n2	40	15	1880	DFT	256QAM	Edge_1RB_Left	18.34
n2	40	15	1880	DFT	256QAM	Edge_1RB_Right	18.99
n2	40	15	1880	DFT	256QAM	Outer_Full	18.77
n2	40	15	1880	CP	QPSK	Inner_Full	21.79
n2	40	15	1880	CP	QPSK	Edge_1RB_Left	20.04
n2	40	15	1880	CP	QPSK	Edge_1RB_Right	20.51
n2	40	15	1880	CP	QPSK	Outer_Full	20.38
n2	40	15	1880	CP	16QAM	Inner_Full	21.28
n2	40	15	1880	CP	16QAM	Edge_1RB_Left	20.33
n2	40	15	1880	CP	16QAM	Edge_1RB_Right	20.76
n2	40	15	1880	CP	16QAM	Outer_Full	20.37
n2	40	15	1880	CP	64QAM	Inner_Full	19.79
n2	40	15	1880	CP	64QAM	Edge_1RB_Left	19.49
n2	40	15	1880	CP	64QAM	Edge_1RB_Right	19.94
n2	40	15	1880	CP	64QAM	Outer_Full	19.83
n2	40	15	1880	CP	256QAM	Inner_Full	16.78

n2	40	15	1880	CP	256QAM	Edge_1RB_Left	16.67
n2	40	15	1880	CP	256QAM	Edge_1RB_Right	17.21
n2	40	15	1880	CP	256QAM	Outer_Full	16.80
n2	40	15	1890	DFT	pi/2 BPSK	Inner_Full	23.43
n2	40	15	1890	DFT	pi/2 BPSK	Edge_1RB_Left	22.69
n2	40	15	1890	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n2	40	15	1890	DFT	pi/2 BPSK	Outer_Full	22.81
n2	40	15	1890	DFT	QPSK	Inner_Full	23.47
n2	40	15	1890	DFT	QPSK	Edge_1RB_Left	22.17
n2	40	15	1890	DFT	QPSK	Edge_1RB_Right	22.33
n2	40	15	1890	DFT	QPSK	Outer_Full	22.38
n2	40	15	1890	DFT	16QAM	Inner_Full	22.49
n2	40	15	1890	DFT	16QAM	Edge_1RB_Left	21.52
n2	40	15	1890	DFT	16QAM	Edge_1RB_Right	21.59
n2	40	15	1890	DFT	16QAM	Outer_Full	21.39
n2	40	15	1890	DFT	64QAM	Inner_Full	20.99
n2	40	15	1890	DFT	64QAM	Edge_1RB_Left	20.76
n2	40	15	1890	DFT	64QAM	Edge_1RB_Right	20.83
n2	40	15	1890	DFT	64QAM	Outer_Full	20.88
n2	40	15	1890	DFT	256QAM	Inner_Full	18.94
n2	40	15	1890	DFT	256QAM	Edge_1RB_Left	18.56
n2	40	15	1890	DFT	256QAM	Edge_1RB_Right	18.76
n2	40	15	1890	DFT	256QAM	Outer_Full	18.87

n5

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	23.59
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.94
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.01
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.08
n5	5	15	826.5	DFT	QPSK	Inner_Full	23.53
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	22.50
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	22.54
n5	5	15	826.5	DFT	QPSK	Outer_Full	22.52
n5	5	15	826.5	DFT	16QAM	Inner_Full	22.57
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	21.90
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	21.81
n5	5	15	826.5	DFT	16QAM	Outer_Full	21.57
n5	5	15	826.5	DFT	64QAM	Inner_Full	21.07
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.00
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.95
n5	5	15	826.5	DFT	64QAM	Outer_Full	21.16
n5	5	15	826.5	DFT	256QAM	Inner_Full	19.07
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.06
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	18.98
n5	5	15	826.5	DFT	256QAM	Outer_Full	19.10
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.63
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.01
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.20
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.18
n5	5	15	836.5	DFT	QPSK	Inner_Full	23.61
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	22.55
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	22.70
n5	5	15	836.5	DFT	QPSK	Outer_Full	22.72
n5	5	15	836.5	DFT	16QAM	Inner_Full	22.70
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.05
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.07
n5	5	15	836.5	DFT	16QAM	Outer_Full	21.93
n5	5	15	836.5	DFT	64QAM	Inner_Full	21.27
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.23
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.25
n5	5	15	836.5	DFT	64QAM	Outer_Full	21.27
n5	5	15	836.5	DFT	256QAM	Inner_Full	19.25
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.20
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.29

n5	5	15	836.5	DFT	256QAM	Outer_Full	19.19
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	23.80
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.22
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.28
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.34
n5	5	15	846.5	DFT	QPSK	Inner_Full	23.80
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	22.72
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	22.80
n5	5	15	846.5	DFT	QPSK	Outer_Full	22.87
n5	5	15	846.5	DFT	16QAM	Inner_Full	22.83
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.13
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.22
n5	5	15	846.5	DFT	16QAM	Outer_Full	21.99
n5	5	15	846.5	DFT	64QAM	Inner_Full	21.40
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.33
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.38
n5	5	15	846.5	DFT	64QAM	Outer_Full	21.51
n5	5	15	846.5	DFT	256QAM	Inner_Full	19.45
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	19.31
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	19.39
n5	5	15	846.5	DFT	256QAM	Outer_Full	19.47
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	23.45
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	22.93
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	23.06
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	23.12
n5	10	15	829	DFT	QPSK	Inner_Full	23.54
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	22.51
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	22.58
n5	10	15	829	DFT	QPSK	Outer_Full	22.58
n5	10	15	829	DFT	16QAM	Inner_Full	22.56
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	21.91
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	22.03
n5	10	15	829	DFT	16QAM	Outer_Full	21.66
n5	10	15	829	DFT	64QAM	Inner_Full	21.12
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.97
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	21.13
n5	10	15	829	DFT	64QAM	Outer_Full	21.13
n5	10	15	829	DFT	256QAM	Inner_Full	18.98
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	19.04
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	19.20
n5	10	15	829	DFT	256QAM	Outer_Full	19.10

n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.58
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.10
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.27
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.10
n5	10	15	836.5	DFT	QPSK	Inner_Full	23.64
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	22.61
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	22.76
n5	10	15	836.5	DFT	QPSK	Outer_Full	22.73
n5	10	15	836.5	DFT	16QAM	Inner_Full	22.76
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.02
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.16
n5	10	15	836.5	DFT	16QAM	Outer_Full	21.72
n5	10	15	836.5	DFT	64QAM	Inner_Full	21.24
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.15
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.30
n5	10	15	836.5	DFT	64QAM	Outer_Full	21.24
n5	10	15	836.5	DFT	256QAM	Inner_Full	19.12
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.16
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	19.34
n5	10	15	836.5	DFT	256QAM	Outer_Full	19.20
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	23.66
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.10
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.26
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.25
n5	10	15	844	DFT	QPSK	Inner_Full	23.67
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	22.62
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	22.82
n5	10	15	844	DFT	QPSK	Outer_Full	22.79
n5	10	15	844	DFT	16QAM	Inner_Full	22.72
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	21.99
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	22.17
n5	10	15	844	DFT	16QAM	Outer_Full	21.80
n5	10	15	844	DFT	64QAM	Inner_Full	21.43
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	21.18
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	21.28
n5	10	15	844	DFT	64QAM	Outer_Full	21.36
n5	10	15	844	DFT	256QAM	Inner_Full	19.24
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	19.17
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	19.33
n5	10	15	844	DFT	256QAM	Outer_Full	19.30
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	23.52

n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.94
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.19
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.17
n5	15	15	831.5	DFT	QPSK	Inner_Full	23.61
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	22.47
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	22.71
n5	15	15	831.5	DFT	QPSK	Outer_Full	22.64
n5	15	15	831.5	DFT	16QAM	Inner_Full	22.64
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	21.91
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.07
n5	15	15	831.5	DFT	16QAM	Outer_Full	21.68
n5	15	15	831.5	DFT	64QAM	Inner_Full	21.17
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.03
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.25
n5	15	15	831.5	DFT	64QAM	Outer_Full	21.25
n5	15	15	831.5	DFT	256QAM	Inner_Full	19.07
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.05
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.30
n5	15	15	831.5	DFT	256QAM	Outer_Full	19.15
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.60
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.10
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.30
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.28
n5	15	15	836.5	DFT	QPSK	Inner_Full	23.73
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	22.59
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	22.81
n5	15	15	836.5	DFT	QPSK	Outer_Full	22.81
n5	15	15	836.5	DFT	16QAM	Inner_Full	22.79
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	21.93
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.23
n5	15	15	836.5	DFT	16QAM	Outer_Full	21.75
n5	15	15	836.5	DFT	64QAM	Inner_Full	21.30
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.07
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.39
n5	15	15	836.5	DFT	64QAM	Outer_Full	21.32
n5	15	15	836.5	DFT	256QAM	Inner_Full	19.21
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.06
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.34
n5	15	15	836.5	DFT	256QAM	Outer_Full	19.18
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.70
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.04

n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.32
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.19
n5	15	15	841.5	DFT	QPSK	Inner_Full	23.75
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	22.57
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	22.79
n5	15	15	841.5	DFT	QPSK	Outer_Full	22.72
n5	15	15	841.5	DFT	16QAM	Inner_Full	22.77
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.03
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.23
n5	15	15	841.5	DFT	16QAM	Outer_Full	21.80
n5	15	15	841.5	DFT	64QAM	Inner_Full	21.39
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.16
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.35
n5	15	15	841.5	DFT	64QAM	Outer_Full	21.28
n5	15	15	841.5	DFT	256QAM	Inner_Full	19.24
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.17
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	19.42
n5	15	15	841.5	DFT	256QAM	Outer_Full	19.21
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	23.59
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.23
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.25
n5	20	15	834	DFT	QPSK	Inner_Full	23.72
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	22.46
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	22.72
n5	20	15	834	DFT	QPSK	Outer_Full	22.70
n5	20	15	834	DFT	16QAM	Inner_Full	22.65
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	21.87
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	22.00
n5	20	15	834	DFT	16QAM	Outer_Full	21.75
n5	20	15	834	DFT	64QAM	Inner_Full	21.23
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	20.99
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	21.31
n5	20	15	834	DFT	64QAM	Outer_Full	21.30
n5	20	15	834	DFT	256QAM	Inner_Full	19.19
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	18.99
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	19.32
n5	20	15	834	DFT	256QAM	Outer_Full	19.19
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.72
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.03
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.36

n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.28
n5	20	15	836.5	DFT	QPSK	Inner_Full	23.84
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	22.57
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	22.85
n5	20	15	836.5	DFT	QPSK	Outer_Full	22.75
n5	20	15	836.5	DFT	16QAM	Inner_Full	22.80
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	21.92
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	22.26
n5	20	15	836.5	DFT	16QAM	Outer_Full	21.74
n5	20	15	836.5	DFT	64QAM	Inner_Full	21.31
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.04
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	21.43
n5	20	15	836.5	DFT	64QAM	Outer_Full	21.25
n5	20	15	836.5	DFT	256QAM	Inner_Full	19.26
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.06
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	19.38
n5	20	15	836.5	DFT	256QAM	Outer_Full	19.20
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	23.66
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	23.03
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.30
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.13
n5	20	15	839	DFT	QPSK	Inner_Full	23.80
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	22.54
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	22.84
n5	20	15	839	DFT	QPSK	Outer_Full	22.65
n5	20	15	839	DFT	16QAM	Inner_Full	22.70
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	21.86
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	22.28
n5	20	15	839	DFT	16QAM	Outer_Full	21.73
n5	20	15	839	DFT	64QAM	Inner_Full	21.34
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	21.01
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	21.40
n5	20	15	839	DFT	64QAM	Outer_Full	21.17
n5	20	15	839	DFT	256QAM	Inner_Full	19.21
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	19.01
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	19.41
n5	20	15	839	DFT	256QAM	Outer_Full	19.18
n5	25	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.71
n5	25	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.07
n5	25	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.33
n5	25	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.22

n5	25	15	836.5	DFT	QPSK	Inner_Full	23.74
n5	25	15	836.5	DFT	QPSK	Edge_1RB_Left	22.58
n5	25	15	836.5	DFT	QPSK	Edge_1RB_Right	22.89
n5	25	15	836.5	DFT	QPSK	Outer_Full	22.70
n5	25	15	836.5	DFT	16QAM	Inner_Full	22.72
n5	25	15	836.5	DFT	16QAM	Edge_1RB_Left	21.88
n5	25	15	836.5	DFT	16QAM	Edge_1RB_Right	22.13
n5	25	15	836.5	DFT	16QAM	Outer_Full	21.70
n5	25	15	836.5	DFT	64QAM	Inner_Full	21.22
n5	25	15	836.5	DFT	64QAM	Edge_1RB_Left	21.06
n5	25	15	836.5	DFT	64QAM	Edge_1RB_Right	21.24
n5	25	15	836.5	DFT	64QAM	Outer_Full	21.12
n5	25	15	836.5	DFT	256QAM	Inner_Full	19.13
n5	25	15	836.5	DFT	256QAM	Edge_1RB_Left	19.07
n5	25	15	836.5	DFT	256QAM	Edge_1RB_Right	19.31
n5	25	15	836.5	DFT	256QAM	Outer_Full	19.19
n5	25	15	836.5	CP	QPSK	Inner_Full	22.25
n5	25	15	836.5	CP	QPSK	Edge_1RB_Left	20.57
n5	25	15	836.5	CP	QPSK	Edge_1RB_Right	20.69
n5	25	15	836.5	CP	QPSK	Outer_Full	20.69
n5	25	15	836.5	CP	16QAM	Inner_Full	21.75
n5	25	15	836.5	CP	16QAM	Edge_1RB_Left	20.77
n5	25	15	836.5	CP	16QAM	Edge_1RB_Right	20.98
n5	25	15	836.5	CP	16QAM	Outer_Full	20.66
n5	25	15	836.5	CP	64QAM	Inner_Full	20.21
n5	25	15	836.5	CP	64QAM	Edge_1RB_Left	19.95
n5	25	15	836.5	CP	64QAM	Edge_1RB_Right	20.17
n5	25	15	836.5	CP	64QAM	Outer_Full	20.19
n5	25	15	836.5	CP	256QAM	Inner_Full	17.23
n5	25	15	836.5	CP	256QAM	Edge_1RB_Left	17.33
n5	25	15	836.5	CP	256QAM	Edge_1RB_Right	17.40
n5	25	15	836.5	CP	256QAM	Outer_Full	17.26

n7

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	22.89
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.51
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	22.70
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.87
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	22.05
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	22.12
n7	5	15	2502.5	DFT	QPSK	Outer_Full	22.20
n7	5	15	2502.5	DFT	16QAM	Inner_Full	22.25
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	21.45
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	21.52
n7	5	15	2502.5	DFT	16QAM	Outer_Full	21.30
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.73
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	20.55
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	20.64
n7	5	15	2502.5	DFT	64QAM	Outer_Full	20.78
n7	5	15	2502.5	DFT	256QAM	Inner_Full	18.71
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	18.58
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	18.74
n7	5	15	2502.5	DFT	256QAM	Outer_Full	18.70
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	23.20
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.55
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.67
n7	5	15	2535	DFT	QPSK	Inner_Full	23.24
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	22.16
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	22.04
n7	5	15	2535	DFT	QPSK	Outer_Full	22.16
n7	5	15	2535	DFT	16QAM	Inner_Full	22.25
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.47
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.38
n7	5	15	2535	DFT	16QAM	Outer_Full	21.23
n7	5	15	2535	DFT	64QAM	Inner_Full	20.69
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.70
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.57
n7	5	15	2535	DFT	64QAM	Outer_Full	20.78
n7	5	15	2535	DFT	256QAM	Inner_Full	18.65
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.58
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.50

n7	5	15	2535	DFT	256QAM	Outer_Full	18.63
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	22.73
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.35
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	22.43
n7	5	15	2567.5	DFT	QPSK	Inner_Full	22.69
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	21.82
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	21.88
n7	5	15	2567.5	DFT	QPSK	Outer_Full	21.95
n7	5	15	2567.5	DFT	16QAM	Inner_Full	21.96
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	21.14
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	21.19
n7	5	15	2567.5	DFT	16QAM	Outer_Full	20.99
n7	5	15	2567.5	DFT	64QAM	Inner_Full	20.42
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	20.40
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	20.42
n7	5	15	2567.5	DFT	64QAM	Outer_Full	20.51
n7	5	15	2567.5	DFT	256QAM	Inner_Full	18.43
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	18.27
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	18.39
n7	5	15	2567.5	DFT	256QAM	Outer_Full	18.41
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.83
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	22.59
n7	10	15	2505	DFT	QPSK	Inner_Full	22.89
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	22.00
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	22.11
n7	10	15	2505	DFT	QPSK	Outer_Full	22.14
n7	10	15	2505	DFT	16QAM	Inner_Full	22.27
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	21.44
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	21.46
n7	10	15	2505	DFT	16QAM	Outer_Full	21.15
n7	10	15	2505	DFT	64QAM	Inner_Full	20.70
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	20.55
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	20.61
n7	10	15	2505	DFT	64QAM	Outer_Full	20.64
n7	10	15	2505	DFT	256QAM	Inner_Full	18.55
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	18.56
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	18.63
n7	10	15	2505	DFT	256QAM	Outer_Full	18.58

n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	23.16
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.71
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.63
n7	10	15	2535	DFT	QPSK	Inner_Full	23.28
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	22.30
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	22.07
n7	10	15	2535	DFT	QPSK	Outer_Full	22.17
n7	10	15	2535	DFT	16QAM	Inner_Full	22.26
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	21.53
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	21.41
n7	10	15	2535	DFT	16QAM	Outer_Full	21.16
n7	10	15	2535	DFT	64QAM	Inner_Full	20.76
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.77
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	20.59
n7	10	15	2535	DFT	64QAM	Outer_Full	20.69
n7	10	15	2535	DFT	256QAM	Inner_Full	18.58
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.63
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	18.50
n7	10	15	2535	DFT	256QAM	Outer_Full	18.61
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	22.68
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	22.32
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	22.40
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	22.33
n7	10	15	2565	DFT	QPSK	Inner_Full	22.73
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.77
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	21.88
n7	10	15	2565	DFT	QPSK	Outer_Full	21.82
n7	10	15	2565	DFT	16QAM	Inner_Full	21.93
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	21.13
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	21.17
n7	10	15	2565	DFT	16QAM	Outer_Full	20.88
n7	10	15	2565	DFT	64QAM	Inner_Full	20.45
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	20.31
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	20.40
n7	10	15	2565	DFT	64QAM	Outer_Full	20.44
n7	10	15	2565	DFT	256QAM	Inner_Full	18.29
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	18.26
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	18.36
n7	10	15	2565	DFT	256QAM	Outer_Full	18.34
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.90

n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.52
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.75
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	22.67
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.95
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	22.07
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	22.27
n7	15	15	2507.5	DFT	QPSK	Outer_Full	22.25
n7	15	15	2507.5	DFT	16QAM	Inner_Full	22.25
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	21.48
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	21.57
n7	15	15	2507.5	DFT	16QAM	Outer_Full	21.24
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.72
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.59
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.76
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.76
n7	15	15	2507.5	DFT	256QAM	Inner_Full	18.64
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	18.62
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	18.74
n7	15	15	2507.5	DFT	256QAM	Outer_Full	18.66
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	23.18
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.82
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	22.68
n7	15	15	2535	DFT	QPSK	Inner_Full	23.28
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	22.29
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	22.05
n7	15	15	2535	DFT	QPSK	Outer_Full	22.21
n7	15	15	2535	DFT	16QAM	Inner_Full	22.24
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	21.61
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	21.42
n7	15	15	2535	DFT	16QAM	Outer_Full	21.17
n7	15	15	2535	DFT	64QAM	Inner_Full	20.75
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	20.87
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.57
n7	15	15	2535	DFT	64QAM	Outer_Full	20.77
n7	15	15	2535	DFT	256QAM	Inner_Full	18.62
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	18.71
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.58
n7	15	15	2535	DFT	256QAM	Outer_Full	18.65
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.88
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.54

n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	22.49
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.90
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	22.02
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	22.02
n7	15	15	2562.5	DFT	QPSK	Outer_Full	22.04
n7	15	15	2562.5	DFT	16QAM	Inner_Full	22.04
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	21.34
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	21.35
n7	15	15	2562.5	DFT	16QAM	Outer_Full	21.01
n7	15	15	2562.5	DFT	64QAM	Inner_Full	20.56
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	20.51
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	20.59
n7	15	15	2562.5	DFT	64QAM	Outer_Full	20.60
n7	15	15	2562.5	DFT	256QAM	Inner_Full	18.43
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	18.53
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	18.51
n7	15	15	2562.5	DFT	256QAM	Outer_Full	18.50
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	23.07
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	22.62
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	22.94
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	22.73
n7	20	15	2510	DFT	QPSK	Inner_Full	23.12
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	22.12
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	22.40
n7	20	15	2510	DFT	QPSK	Outer_Full	22.27
n7	20	15	2510	DFT	16QAM	Inner_Full	22.35
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	21.54
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	21.74
n7	20	15	2510	DFT	16QAM	Outer_Full	21.31
n7	20	15	2510	DFT	64QAM	Inner_Full	20.83
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	20.64
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	20.98
n7	20	15	2510	DFT	64QAM	Outer_Full	20.76
n7	20	15	2510	DFT	256QAM	Inner_Full	18.74
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.66
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.85
n7	20	15	2510	DFT	256QAM	Outer_Full	18.72
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	23.23
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.85
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.52

n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	22.74
n7	20	15	2535	DFT	QPSK	Inner_Full	23.33
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	22.37
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	22.05
n7	20	15	2535	DFT	QPSK	Outer_Full	22.29
n7	20	15	2535	DFT	16QAM	Inner_Full	22.21
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	21.66
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	21.39
n7	20	15	2535	DFT	16QAM	Outer_Full	21.28
n7	20	15	2535	DFT	64QAM	Inner_Full	20.72
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	20.90
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.54
n7	20	15	2535	DFT	64QAM	Outer_Full	20.77
n7	20	15	2535	DFT	256QAM	Inner_Full	18.61
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	18.77
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	18.53
n7	20	15	2535	DFT	256QAM	Outer_Full	18.72
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	22.95
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	22.49
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	22.42
n7	20	15	2560	DFT	QPSK	Inner_Full	22.99
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	22.00
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	22.00
n7	20	15	2560	DFT	QPSK	Outer_Full	22.02
n7	20	15	2560	DFT	16QAM	Inner_Full	21.99
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	21.34
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	21.33
n7	20	15	2560	DFT	16QAM	Outer_Full	21.04
n7	20	15	2560	DFT	64QAM	Inner_Full	20.50
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	20.52
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	20.59
n7	20	15	2560	DFT	64QAM	Outer_Full	20.51
n7	20	15	2560	DFT	256QAM	Inner_Full	18.45
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	18.51
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	18.47
n7	20	15	2560	DFT	256QAM	Outer_Full	18.47
n7	25	15	2512.5	DFT	pi/2 BPSK	Inner_Full	23.09
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.61
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.99
n7	25	15	2512.5	DFT	pi/2 BPSK	Outer_Full	22.75

n7	25	15	2512.5	DFT	QPSK	Inner_Full	23.18
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Left	22.09
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Right	22.48
n7	25	15	2512.5	DFT	QPSK	Outer_Full	22.33
n7	25	15	2512.5	DFT	16QAM	Inner_Full	22.41
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Left	21.54
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Right	21.82
n7	25	15	2512.5	DFT	16QAM	Outer_Full	21.35
n7	25	15	2512.5	DFT	64QAM	Inner_Full	20.91
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Left	20.63
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Right	21.05
n7	25	15	2512.5	DFT	64QAM	Outer_Full	20.85
n7	25	15	2512.5	DFT	256QAM	Inner_Full	18.81
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Left	18.65
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Right	18.93
n7	25	15	2512.5	DFT	256QAM	Outer_Full	18.80
n7	25	15	2535	DFT	$\pi/2$ BPSK	Inner_Full	23.26
n7	25	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.88
n7	25	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.51
n7	25	15	2535	DFT	$\pi/2$ BPSK	Outer_Full	22.73
n7	25	15	2535	DFT	QPSK	Inner_Full	23.40
n7	25	15	2535	DFT	QPSK	Edge_1RB_Left	22.36
n7	25	15	2535	DFT	QPSK	Edge_1RB_Right	21.99
n7	25	15	2535	DFT	QPSK	Outer_Full	22.25
n7	25	15	2535	DFT	16QAM	Inner_Full	22.27
n7	25	15	2535	DFT	16QAM	Edge_1RB_Left	21.69
n7	25	15	2535	DFT	16QAM	Edge_1RB_Right	21.38
n7	25	15	2535	DFT	16QAM	Outer_Full	21.27
n7	25	15	2535	DFT	64QAM	Inner_Full	20.77
n7	25	15	2535	DFT	64QAM	Edge_1RB_Left	20.94
n7	25	15	2535	DFT	64QAM	Edge_1RB_Right	20.53
n7	25	15	2535	DFT	64QAM	Outer_Full	20.81
n7	25	15	2535	DFT	256QAM	Inner_Full	18.67
n7	25	15	2535	DFT	256QAM	Edge_1RB_Left	18.81
n7	25	15	2535	DFT	256QAM	Edge_1RB_Right	18.54
n7	25	15	2535	DFT	256QAM	Outer_Full	18.77
n7	25	15	2557.5	DFT	$\pi/2$ BPSK	Inner_Full	23.03
n7	25	15	2557.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.50
n7	25	15	2557.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.46
n7	25	15	2557.5	DFT	$\pi/2$ BPSK	Outer_Full	22.40
n7	25	15	2557.5	DFT	QPSK	Inner_Full	23.11

n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Left	21.99
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Right	21.92
n7	25	15	2557.5	DFT	QPSK	Outer_Full	21.98
n7	25	15	2557.5	DFT	16QAM	Inner_Full	22.04
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Left	21.37
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Right	21.27
n7	25	15	2557.5	DFT	16QAM	Outer_Full	20.98
n7	25	15	2557.5	DFT	64QAM	Inner_Full	20.59
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Left	20.53
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Right	20.49
n7	25	15	2557.5	DFT	64QAM	Outer_Full	20.46
n7	25	15	2557.5	DFT	256QAM	Inner_Full	18.44
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Left	18.50
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Right	18.42
n7	25	15	2557.5	DFT	256QAM	Outer_Full	18.46
n7	30	15	2515	DFT	pi/2 BPSK	Inner_Full	23.08
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
n7	30	15	2515	DFT	pi/2 BPSK	Outer_Full	22.74
n7	30	15	2515	DFT	QPSK	Inner_Full	23.17
n7	30	15	2515	DFT	QPSK	Edge_1RB_Left	22.09
n7	30	15	2515	DFT	QPSK	Edge_1RB_Right	22.28
n7	30	15	2515	DFT	QPSK	Outer_Full	22.29
n7	30	15	2515	DFT	16QAM	Inner_Full	22.39
n7	30	15	2515	DFT	16QAM	Edge_1RB_Left	21.49
n7	30	15	2515	DFT	16QAM	Edge_1RB_Right	21.60
n7	30	15	2515	DFT	16QAM	Outer_Full	21.33
n7	30	15	2515	DFT	64QAM	Inner_Full	20.91
n7	30	15	2515	DFT	64QAM	Edge_1RB_Left	20.60
n7	30	15	2515	DFT	64QAM	Edge_1RB_Right	20.86
n7	30	15	2515	DFT	64QAM	Outer_Full	20.80
n7	30	15	2515	DFT	256QAM	Inner_Full	18.77
n7	30	15	2515	DFT	256QAM	Edge_1RB_Left	18.63
n7	30	15	2515	DFT	256QAM	Edge_1RB_Right	18.72
n7	30	15	2515	DFT	256QAM	Outer_Full	18.78
n7	30	15	2535	DFT	pi/2 BPSK	Inner_Full	23.28
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.89
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.53
n7	30	15	2535	DFT	pi/2 BPSK	Outer_Full	22.75
n7	30	15	2535	DFT	QPSK	Inner_Full	23.42
n7	30	15	2535	DFT	QPSK	Edge_1RB_Left	22.36

n7	30	15	2535	DFT	QPSK	Edge_1RB_Right	22.05
n7	30	15	2535	DFT	QPSK	Outer_Full	22.28
n7	30	15	2535	DFT	16QAM	Inner_Full	22.25
n7	30	15	2535	DFT	16QAM	Edge_1RB_Left	21.69
n7	30	15	2535	DFT	16QAM	Edge_1RB_Right	21.16
n7	30	15	2535	DFT	16QAM	Outer_Full	21.24
n7	30	15	2535	DFT	64QAM	Inner_Full	20.78
n7	30	15	2535	DFT	64QAM	Edge_1RB_Left	20.99
n7	30	15	2535	DFT	64QAM	Edge_1RB_Right	20.54
n7	30	15	2535	DFT	64QAM	Outer_Full	20.81
n7	30	15	2535	DFT	256QAM	Inner_Full	18.66
n7	30	15	2535	DFT	256QAM	Edge_1RB_Left	18.73
n7	30	15	2535	DFT	256QAM	Edge_1RB_Right	18.54
n7	30	15	2535	DFT	256QAM	Outer_Full	18.75
n7	30	15	2555	DFT	pi/2 BPSK	Inner_Full	23.05
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Right	22.45
n7	30	15	2555	DFT	pi/2 BPSK	Outer_Full	22.45
n7	30	15	2555	DFT	QPSK	Inner_Full	23.20
n7	30	15	2555	DFT	QPSK	Edge_1RB_Left	22.00
n7	30	15	2555	DFT	QPSK	Edge_1RB_Right	21.93
n7	30	15	2555	DFT	QPSK	Outer_Full	22.03
n7	30	15	2555	DFT	16QAM	Inner_Full	22.05
n7	30	15	2555	DFT	16QAM	Edge_1RB_Left	21.35
n7	30	15	2555	DFT	16QAM	Edge_1RB_Right	21.25
n7	30	15	2555	DFT	16QAM	Outer_Full	21.01
n7	30	15	2555	DFT	64QAM	Inner_Full	20.60
n7	30	15	2555	DFT	64QAM	Edge_1RB_Left	20.63
n7	30	15	2555	DFT	64QAM	Edge_1RB_Right	20.52
n7	30	15	2555	DFT	64QAM	Outer_Full	20.53
n7	30	15	2555	DFT	256QAM	Inner_Full	18.48
n7	30	15	2555	DFT	256QAM	Edge_1RB_Left	18.48
n7	30	15	2555	DFT	256QAM	Edge_1RB_Right	18.39
n7	30	15	2555	DFT	256QAM	Outer_Full	18.49
n7	35	15	2517.5	DFT	pi/2 BPSK	Inner_Full	23.16
n7	35	15	2517.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
n7	35	15	2517.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.71
n7	35	15	2517.5	DFT	pi/2 BPSK	Outer_Full	22.74
n7	35	15	2517.5	DFT	QPSK	Inner_Full	23.23
n7	35	15	2517.5	DFT	QPSK	Edge_1RB_Left	22.08
n7	35	15	2517.5	DFT	QPSK	Edge_1RB_Right	22.19

n7	35	15	2517.5	DFT	QPSK	Outer_Full	22.31
n7	35	15	2517.5	DFT	16QAM	Inner_Full	22.45
n7	35	15	2517.5	DFT	16QAM	Edge_1RB_Left	21.47
n7	35	15	2517.5	DFT	16QAM	Edge_1RB_Right	21.52
n7	35	15	2517.5	DFT	16QAM	Outer_Full	21.32
n7	35	15	2517.5	DFT	64QAM	Inner_Full	20.95
n7	35	15	2517.5	DFT	64QAM	Edge_1RB_Left	20.58
n7	35	15	2517.5	DFT	64QAM	Edge_1RB_Right	20.76
n7	35	15	2517.5	DFT	64QAM	Outer_Full	20.82
n7	35	15	2517.5	DFT	256QAM	Inner_Full	18.84
n7	35	15	2517.5	DFT	256QAM	Edge_1RB_Left	18.61
n7	35	15	2517.5	DFT	256QAM	Edge_1RB_Right	18.61
n7	35	15	2517.5	DFT	256QAM	Outer_Full	18.79
n7	35	15	2535	DFT	pi/2 BPSK	Inner_Full	23.31
n7	35	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.82
n7	35	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n7	35	15	2535	DFT	pi/2 BPSK	Outer_Full	22.77
n7	35	15	2535	DFT	QPSK	Inner_Full	23.41
n7	35	15	2535	DFT	QPSK	Edge_1RB_Left	22.33
n7	35	15	2535	DFT	QPSK	Edge_1RB_Right	22.00
n7	35	15	2535	DFT	QPSK	Outer_Full	22.30
n7	35	15	2535	DFT	16QAM	Inner_Full	22.30
n7	35	15	2535	DFT	16QAM	Edge_1RB_Left	21.66
n7	35	15	2535	DFT	16QAM	Edge_1RB_Right	21.35
n7	35	15	2535	DFT	16QAM	Outer_Full	21.27
n7	35	15	2535	DFT	64QAM	Inner_Full	20.78
n7	35	15	2535	DFT	64QAM	Edge_1RB_Left	20.91
n7	35	15	2535	DFT	64QAM	Edge_1RB_Right	20.53
n7	35	15	2535	DFT	64QAM	Outer_Full	20.82
n7	35	15	2535	DFT	256QAM	Inner_Full	18.64
n7	35	15	2535	DFT	256QAM	Edge_1RB_Left	18.75
n7	35	15	2535	DFT	256QAM	Edge_1RB_Right	18.51
n7	35	15	2535	DFT	256QAM	Outer_Full	18.77
n7	35	15	2552.5	DFT	pi/2 BPSK	Inner_Full	23.22
n7	35	15	2552.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.68
n7	35	15	2552.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
n7	35	15	2552.5	DFT	pi/2 BPSK	Outer_Full	22.56
n7	35	15	2552.5	DFT	QPSK	Inner_Full	23.31
n7	35	15	2552.5	DFT	QPSK	Edge_1RB_Left	22.16
n7	35	15	2552.5	DFT	QPSK	Edge_1RB_Right	22.04
n7	35	15	2552.5	DFT	QPSK	Outer_Full	22.13

n7	35	15	2552.5	DFT	16QAM	Inner_Full	22.20
n7	35	15	2552.5	DFT	16QAM	Edge_1RB_Left	21.49
n7	35	15	2552.5	DFT	16QAM	Edge_1RB_Right	21.12
n7	35	15	2552.5	DFT	16QAM	Outer_Full	21.10
n7	35	15	2552.5	DFT	64QAM	Inner_Full	20.69
n7	35	15	2552.5	DFT	64QAM	Edge_1RB_Left	20.76
n7	35	15	2552.5	DFT	64QAM	Edge_1RB_Right	20.58
n7	35	15	2552.5	DFT	64QAM	Outer_Full	20.56
n7	35	15	2552.5	DFT	256QAM	Inner_Full	18.62
n7	35	15	2552.5	DFT	256QAM	Edge_1RB_Left	18.62
n7	35	15	2552.5	DFT	256QAM	Edge_1RB_Right	18.50
n7	35	15	2552.5	DFT	256QAM	Outer_Full	18.62
n7	40	15	2520	DFT	pi/2 BPSK	Inner_Full	23.23
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Left	22.61
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Right	22.60
n7	40	15	2520	DFT	pi/2 BPSK	Outer_Full	22.75
n7	40	15	2520	DFT	QPSK	Inner_Full	23.32
n7	40	15	2520	DFT	QPSK	Edge_1RB_Left	22.10
n7	40	15	2520	DFT	QPSK	Edge_1RB_Right	22.12
n7	40	15	2520	DFT	QPSK	Outer_Full	22.31
n7	40	15	2520	DFT	16QAM	Inner_Full	22.48
n7	40	15	2520	DFT	16QAM	Edge_1RB_Left	21.53
n7	40	15	2520	DFT	16QAM	Edge_1RB_Right	21.47
n7	40	15	2520	DFT	16QAM	Outer_Full	21.32
n7	40	15	2520	DFT	64QAM	Inner_Full	20.97
n7	40	15	2520	DFT	64QAM	Edge_1RB_Left	20.60
n7	40	15	2520	DFT	64QAM	Edge_1RB_Right	20.63
n7	40	15	2520	DFT	64QAM	Outer_Full	20.84
n7	40	15	2520	DFT	256QAM	Inner_Full	18.74
n7	40	15	2520	DFT	256QAM	Edge_1RB_Left	18.46
n7	40	15	2520	DFT	256QAM	Edge_1RB_Right	18.41
n7	40	15	2520	DFT	256QAM	Outer_Full	18.68
n7	40	15	2535	DFT	pi/2 BPSK	Inner_Full	23.23
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.70
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.40
n7	40	15	2535	DFT	pi/2 BPSK	Outer_Full	22.71
n7	40	15	2535	DFT	QPSK	Inner_Full	23.33
n7	40	15	2535	DFT	QPSK	Edge_1RB_Left	22.22
n7	40	15	2535	DFT	QPSK	Edge_1RB_Right	21.92
n7	40	15	2535	DFT	QPSK	Outer_Full	22.23
n7	40	15	2535	DFT	16QAM	Inner_Full	22.22

n7	40	15	2535	DFT	16QAM	Edge_1RB_Left	21.52
n7	40	15	2535	DFT	16QAM	Edge_1RB_Right	21.27
n7	40	15	2535	DFT	16QAM	Outer_Full	21.25
n7	40	15	2535	DFT	64QAM	Inner_Full	20.73
n7	40	15	2535	DFT	64QAM	Edge_1RB_Left	20.77
n7	40	15	2535	DFT	64QAM	Edge_1RB_Right	20.45
n7	40	15	2535	DFT	64QAM	Outer_Full	20.75
n7	40	15	2535	DFT	256QAM	Inner_Full	18.67
n7	40	15	2535	DFT	256QAM	Edge_1RB_Left	18.65
n7	40	15	2535	DFT	256QAM	Edge_1RB_Right	18.45
n7	40	15	2535	DFT	256QAM	Outer_Full	18.74
n7	40	15	2550	DFT	pi/2 BPSK	Inner_Full	23.20
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Left	22.74
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Right	22.49
n7	40	15	2550	DFT	pi/2 BPSK	Outer_Full	22.51
n7	40	15	2550	DFT	QPSK	Inner_Full	23.26
n7	40	15	2550	DFT	QPSK	Edge_1RB_Left	22.27
n7	40	15	2550	DFT	QPSK	Edge_1RB_Right	21.98
n7	40	15	2550	DFT	QPSK	Outer_Full	22.05
n7	40	15	2550	DFT	16QAM	Inner_Full	22.12
n7	40	15	2550	DFT	16QAM	Edge_1RB_Left	21.58
n7	40	15	2550	DFT	16QAM	Edge_1RB_Right	21.33
n7	40	15	2550	DFT	16QAM	Outer_Full	21.06
n7	40	15	2550	DFT	64QAM	Inner_Full	20.57
n7	40	15	2550	DFT	64QAM	Edge_1RB_Left	20.82
n7	40	15	2550	DFT	64QAM	Edge_1RB_Right	20.53
n7	40	15	2550	DFT	64QAM	Outer_Full	20.53
n7	40	15	2550	DFT	256QAM	Inner_Full	18.53
n7	40	15	2550	DFT	256QAM	Edge_1RB_Left	18.65
n7	40	15	2550	DFT	256QAM	Edge_1RB_Right	18.46
n7	40	15	2550	DFT	256QAM	Outer_Full	18.52
n7	50	15	2525	DFT	pi/2 BPSK	Inner_Full	23.19
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Left	22.47
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
n7	50	15	2525	DFT	pi/2 BPSK	Outer_Full	22.72
n7	50	15	2525	DFT	QPSK	Inner_Full	23.29
n7	50	15	2525	DFT	QPSK	Edge_1RB_Left	21.98
n7	50	15	2525	DFT	QPSK	Edge_1RB_Right	21.94
n7	50	15	2525	DFT	QPSK	Outer_Full	22.28
n7	50	15	2525	DFT	16QAM	Inner_Full	22.40
n7	50	15	2525	DFT	16QAM	Edge_1RB_Left	21.16

n7	50	15	2525	DFT	16QAM	Edge_1RB_Right	21.30
n7	50	15	2525	DFT	16QAM	Outer_Full	21.30
n7	50	15	2525	DFT	64QAM	Inner_Full	20.90
n7	50	15	2525	DFT	64QAM	Edge_1RB_Left	20.51
n7	50	15	2525	DFT	64QAM	Edge_1RB_Right	20.47
n7	50	15	2525	DFT	64QAM	Outer_Full	20.81
n7	50	15	2525	DFT	256QAM	Inner_Full	18.79
n7	50	15	2525	DFT	256QAM	Edge_1RB_Left	18.53
n7	50	15	2525	DFT	256QAM	Edge_1RB_Right	18.46
n7	50	15	2525	DFT	256QAM	Outer_Full	18.75
n7	50	15	2535	DFT	pi/2 BPSK	Inner_Full	23.29
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.41
n7	50	15	2535	DFT	pi/2 BPSK	Outer_Full	22.78
n7	50	15	2535	DFT	QPSK	Inner_Full	23.35
n7	50	15	2535	DFT	QPSK	Edge_1RB_Left	22.08
n7	50	15	2535	DFT	QPSK	Edge_1RB_Right	21.91
n7	50	15	2535	DFT	QPSK	Outer_Full	22.32
n7	50	15	2535	DFT	16QAM	Inner_Full	22.24
n7	50	15	2535	DFT	16QAM	Edge_1RB_Left	21.45
n7	50	15	2535	DFT	16QAM	Edge_1RB_Right	21.23
n7	50	15	2535	DFT	16QAM	Outer_Full	21.35
n7	50	15	2535	DFT	64QAM	Inner_Full	20.76
n7	50	15	2535	DFT	64QAM	Edge_1RB_Left	20.58
n7	50	15	2535	DFT	64QAM	Edge_1RB_Right	20.43
n7	50	15	2535	DFT	64QAM	Outer_Full	20.85
n7	50	15	2535	DFT	256QAM	Inner_Full	18.73
n7	50	15	2535	DFT	256QAM	Edge_1RB_Left	18.57
n7	50	15	2535	DFT	256QAM	Edge_1RB_Right	18.38
n7	50	15	2535	DFT	256QAM	Outer_Full	18.86
n7	50	15	2535	CP	QPSK	Inner_Full	21.70
n7	50	15	2535	CP	QPSK	Edge_1RB_Left	20.10
n7	50	15	2535	CP	QPSK	Edge_1RB_Right	19.88
n7	50	15	2535	CP	QPSK	Outer_Full	20.37
n7	50	15	2535	CP	16QAM	Inner_Full	21.26
n7	50	15	2535	CP	16QAM	Edge_1RB_Left	20.34
n7	50	15	2535	CP	16QAM	Edge_1RB_Right	20.11
n7	50	15	2535	CP	16QAM	Outer_Full	20.36
n7	50	15	2535	CP	64QAM	Inner_Full	19.75
n7	50	15	2535	CP	64QAM	Edge_1RB_Left	19.54
n7	50	15	2535	CP	64QAM	Edge_1RB_Right	19.33

n7	50	15	2535	CP	64QAM	Outer_Full	19.90
n7	50	15	2535	CP	256QAM	Inner_Full	16.77
n7	50	15	2535	CP	256QAM	Edge_1RB_Left	16.88
n7	50	15	2535	CP	256QAM	Edge_1RB_Right	16.63
n7	50	15	2535	CP	256QAM	Outer_Full	16.94
n7	50	15	2545	DFT	pi/2 BPSK	Inner_Full	23.17
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Left	22.81
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Right	22.40
n7	50	15	2545	DFT	pi/2 BPSK	Outer_Full	22.57
n7	50	15	2545	DFT	QPSK	Inner_Full	23.27
n7	50	15	2545	DFT	QPSK	Edge_1RB_Left	22.33
n7	50	15	2545	DFT	QPSK	Edge_1RB_Right	21.90
n7	50	15	2545	DFT	QPSK	Outer_Full	22.09
n7	50	15	2545	DFT	16QAM	Inner_Full	22.13
n7	50	15	2545	DFT	16QAM	Edge_1RB_Left	21.66
n7	50	15	2545	DFT	16QAM	Edge_1RB_Right	21.24
n7	50	15	2545	DFT	16QAM	Outer_Full	21.11
n7	50	15	2545	DFT	64QAM	Inner_Full	20.62
n7	50	15	2545	DFT	64QAM	Edge_1RB_Left	20.94
n7	50	15	2545	DFT	64QAM	Edge_1RB_Right	20.48
n7	50	15	2545	DFT	64QAM	Outer_Full	20.64
n7	50	15	2545	DFT	256QAM	Inner_Full	18.56
n7	50	15	2545	DFT	256QAM	Edge_1RB_Left	18.76
n7	50	15	2545	DFT	256QAM	Edge_1RB_Right	18.39
n7	50	15	2545	DFT	256QAM	Outer_Full	18.63

n12

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n12	5	15	701.5	DFT	pi/2 BPSK	Inner_Full	23.69
n12	5	15	701.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.21
n12	5	15	701.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.10
n12	5	15	701.5	DFT	pi/2 BPSK	Outer_Full	23.23
n12	5	15	701.5	DFT	QPSK	Inner_Full	23.70
n12	5	15	701.5	DFT	QPSK	Edge_1RB_Left	22.70
n12	5	15	701.5	DFT	QPSK	Edge_1RB_Right	22.51
n12	5	15	701.5	DFT	QPSK	Outer_Full	22.68
n12	5	15	701.5	DFT	16QAM	Inner_Full	22.71
n12	5	15	701.5	DFT	16QAM	Edge_1RB_Left	22.03
n12	5	15	701.5	DFT	16QAM	Edge_1RB_Right	21.80
n12	5	15	701.5	DFT	16QAM	Outer_Full	21.78
n12	5	15	701.5	DFT	64QAM	Inner_Full	21.15
n12	5	15	701.5	DFT	64QAM	Edge_1RB_Left	21.24
n12	5	15	701.5	DFT	64QAM	Edge_1RB_Right	21.01
n12	5	15	701.5	DFT	64QAM	Outer_Full	21.19
n12	5	15	701.5	DFT	256QAM	Inner_Full	19.13
n12	5	15	701.5	DFT	256QAM	Edge_1RB_Left	19.14
n12	5	15	701.5	DFT	256QAM	Edge_1RB_Right	18.99
n12	5	15	701.5	DFT	256QAM	Outer_Full	19.09
n12	5	15	707.5	DFT	pi/2 BPSK	Inner_Full	23.51
n12	5	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.12
n12	5	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.94
n12	5	15	707.5	DFT	pi/2 BPSK	Outer_Full	23.09
n12	5	15	707.5	DFT	QPSK	Inner_Full	23.58
n12	5	15	707.5	DFT	QPSK	Edge_1RB_Left	22.50
n12	5	15	707.5	DFT	QPSK	Edge_1RB_Right	22.35
n12	5	15	707.5	DFT	QPSK	Outer_Full	22.48
n12	5	15	707.5	DFT	16QAM	Inner_Full	22.50
n12	5	15	707.5	DFT	16QAM	Edge_1RB_Left	21.85
n12	5	15	707.5	DFT	16QAM	Edge_1RB_Right	21.67
n12	5	15	707.5	DFT	16QAM	Outer_Full	21.48
n12	5	15	707.5	DFT	64QAM	Inner_Full	20.97
n12	5	15	707.5	DFT	64QAM	Edge_1RB_Left	21.00
n12	5	15	707.5	DFT	64QAM	Edge_1RB_Right	20.84
n12	5	15	707.5	DFT	64QAM	Outer_Full	21.07
n12	5	15	707.5	DFT	256QAM	Inner_Full	18.97
n12	5	15	707.5	DFT	256QAM	Edge_1RB_Left	18.96
n12	5	15	707.5	DFT	256QAM	Edge_1RB_Right	18.79

n12	5	15	707.5	DFT	256QAM	Outer_Full	18.97
n12	5	15	713.5	DFT	pi/2 BPSK	Inner_Full	23.26
n12	5	15	713.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.80
n12	5	15	713.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.63
n12	5	15	713.5	DFT	pi/2 BPSK	Outer_Full	22.80
n12	5	15	713.5	DFT	QPSK	Inner_Full	23.20
n12	5	15	713.5	DFT	QPSK	Edge_1RB_Left	22.20
n12	5	15	713.5	DFT	QPSK	Edge_1RB_Right	22.19
n12	5	15	713.5	DFT	QPSK	Outer_Full	22.22
n12	5	15	713.5	DFT	16QAM	Inner_Full	22.30
n12	5	15	713.5	DFT	16QAM	Edge_1RB_Left	21.54
n12	5	15	713.5	DFT	16QAM	Edge_1RB_Right	21.58
n12	5	15	713.5	DFT	16QAM	Outer_Full	21.38
n12	5	15	713.5	DFT	64QAM	Inner_Full	20.84
n12	5	15	713.5	DFT	64QAM	Edge_1RB_Left	20.73
n12	5	15	713.5	DFT	64QAM	Edge_1RB_Right	20.75
n12	5	15	713.5	DFT	64QAM	Outer_Full	20.84
n12	5	15	713.5	DFT	256QAM	Inner_Full	18.76
n12	5	15	713.5	DFT	256QAM	Edge_1RB_Left	18.72
n12	5	15	713.5	DFT	256QAM	Edge_1RB_Right	18.78
n12	5	15	713.5	DFT	256QAM	Outer_Full	18.63
n12	10	15	704	DFT	pi/2 BPSK	Inner_Full	23.55
n12	10	15	704	DFT	pi/2 BPSK	Edge_1RB_Left	23.27
n12	10	15	704	DFT	pi/2 BPSK	Edge_1RB_Right	22.89
n12	10	15	704	DFT	pi/2 BPSK	Outer_Full	23.06
n12	10	15	704	DFT	QPSK	Inner_Full	23.59
n12	10	15	704	DFT	QPSK	Edge_1RB_Left	22.67
n12	10	15	704	DFT	QPSK	Edge_1RB_Right	22.32
n12	10	15	704	DFT	QPSK	Outer_Full	22.45
n12	10	15	704	DFT	16QAM	Inner_Full	22.64
n12	10	15	704	DFT	16QAM	Edge_1RB_Left	22.00
n12	10	15	704	DFT	16QAM	Edge_1RB_Right	21.64
n12	10	15	704	DFT	16QAM	Outer_Full	21.42
n12	10	15	704	DFT	64QAM	Inner_Full	21.09
n12	10	15	704	DFT	64QAM	Edge_1RB_Left	21.18
n12	10	15	704	DFT	64QAM	Edge_1RB_Right	20.87
n12	10	15	704	DFT	64QAM	Outer_Full	20.96
n12	10	15	704	DFT	256QAM	Inner_Full	18.91
n12	10	15	704	DFT	256QAM	Edge_1RB_Left	19.18
n12	10	15	704	DFT	256QAM	Edge_1RB_Right	18.76
n12	10	15	704	DFT	256QAM	Outer_Full	18.89

n12	10	15	707.5	DFT	pi/2 BPSK	Inner_Full	23.50
n12	10	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.22
n12	10	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.84
n12	10	15	707.5	DFT	pi/2 BPSK	Outer_Full	23.10
n12	10	15	707.5	DFT	QPSK	Inner_Full	23.59
n12	10	15	707.5	DFT	QPSK	Edge_1RB_Left	22.57
n12	10	15	707.5	DFT	QPSK	Edge_1RB_Right	22.27
n12	10	15	707.5	DFT	QPSK	Outer_Full	22.46
n12	10	15	707.5	DFT	16QAM	Inner_Full	22.46
n12	10	15	707.5	DFT	16QAM	Edge_1RB_Left	21.88
n12	10	15	707.5	DFT	16QAM	Edge_1RB_Right	21.67
n12	10	15	707.5	DFT	16QAM	Outer_Full	21.50
n12	10	15	707.5	DFT	64QAM	Inner_Full	21.06
n12	10	15	707.5	DFT	64QAM	Edge_1RB_Left	21.11
n12	10	15	707.5	DFT	64QAM	Edge_1RB_Right	20.78
n12	10	15	707.5	DFT	64QAM	Outer_Full	21.00
n12	10	15	707.5	DFT	256QAM	Inner_Full	18.90
n12	10	15	707.5	DFT	256QAM	Edge_1RB_Left	19.04
n12	10	15	707.5	DFT	256QAM	Edge_1RB_Right	18.80
n12	10	15	707.5	DFT	256QAM	Outer_Full	18.93
n12	10	15	711	DFT	pi/2 BPSK	Inner_Full	23.29
n12	10	15	711	DFT	pi/2 BPSK	Edge_1RB_Left	22.99
n12	10	15	711	DFT	pi/2 BPSK	Edge_1RB_Right	22.72
n12	10	15	711	DFT	pi/2 BPSK	Outer_Full	22.85
n12	10	15	711	DFT	QPSK	Inner_Full	23.38
n12	10	15	711	DFT	QPSK	Edge_1RB_Left	22.45
n12	10	15	711	DFT	QPSK	Edge_1RB_Right	22.24
n12	10	15	711	DFT	QPSK	Outer_Full	22.34
n12	10	15	711	DFT	16QAM	Inner_Full	22.48
n12	10	15	711	DFT	16QAM	Edge_1RB_Left	21.73
n12	10	15	711	DFT	16QAM	Edge_1RB_Right	21.61
n12	10	15	711	DFT	16QAM	Outer_Full	21.31
n12	10	15	711	DFT	64QAM	Inner_Full	20.83
n12	10	15	711	DFT	64QAM	Edge_1RB_Left	20.95
n12	10	15	711	DFT	64QAM	Edge_1RB_Right	20.74
n12	10	15	711	DFT	64QAM	Outer_Full	20.82
n12	10	15	711	DFT	256QAM	Inner_Full	18.72
n12	10	15	711	DFT	256QAM	Edge_1RB_Left	18.85
n12	10	15	711	DFT	256QAM	Edge_1RB_Right	18.73
n12	10	15	711	DFT	256QAM	Outer_Full	18.77
n12	15	15	706.5	DFT	pi/2 BPSK	Inner_Full	23.58

n12	15	15	706.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.31
n12	15	15	706.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n12	15	15	706.5	DFT	pi/2 BPSK	Outer_Full	23.16
n12	15	15	706.5	DFT	QPSK	Inner_Full	23.62
n12	15	15	706.5	DFT	QPSK	Edge_1RB_Left	22.72
n12	15	15	706.5	DFT	QPSK	Edge_1RB_Right	22.22
n12	15	15	706.5	DFT	QPSK	Outer_Full	22.57
n12	15	15	706.5	DFT	16QAM	Inner_Full	22.56
n12	15	15	706.5	DFT	16QAM	Edge_1RB_Left	22.13
n12	15	15	706.5	DFT	16QAM	Edge_1RB_Right	21.64
n12	15	15	706.5	DFT	16QAM	Outer_Full	21.54
n12	15	15	706.5	DFT	64QAM	Inner_Full	21.09
n12	15	15	706.5	DFT	64QAM	Edge_1RB_Left	21.25
n12	15	15	706.5	DFT	64QAM	Edge_1RB_Right	20.85
n12	15	15	706.5	DFT	64QAM	Outer_Full	21.07
n12	15	15	706.5	DFT	256QAM	Inner_Full	18.97
n12	15	15	706.5	DFT	256QAM	Edge_1RB_Left	19.20
n12	15	15	706.5	DFT	256QAM	Edge_1RB_Right	18.80
n12	15	15	706.5	DFT	256QAM	Outer_Full	18.94
n12	15	15	707.5	DFT	pi/2 BPSK	Inner_Full	23.51
n12	15	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.26
n12	15	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
n12	15	15	707.5	DFT	pi/2 BPSK	Outer_Full	23.06
n12	15	15	707.5	DFT	QPSK	Inner_Full	23.57
n12	15	15	707.5	DFT	QPSK	Edge_1RB_Left	22.62
n12	15	15	707.5	DFT	QPSK	Edge_1RB_Right	22.15
n12	15	15	707.5	DFT	QPSK	Outer_Full	22.45
n12	15	15	707.5	DFT	16QAM	Inner_Full	22.49
n12	15	15	707.5	DFT	16QAM	Edge_1RB_Left	21.97
n12	15	15	707.5	DFT	16QAM	Edge_1RB_Right	21.73
n12	15	15	707.5	DFT	16QAM	Outer_Full	21.42
n12	15	15	707.5	DFT	64QAM	Inner_Full	20.99
n12	15	15	707.5	DFT	64QAM	Edge_1RB_Left	21.16
n12	15	15	707.5	DFT	64QAM	Edge_1RB_Right	20.67
n12	15	15	707.5	DFT	64QAM	Outer_Full	20.98
n12	15	15	707.5	DFT	256QAM	Inner_Full	18.90
n12	15	15	707.5	DFT	256QAM	Edge_1RB_Left	19.11
n12	15	15	707.5	DFT	256QAM	Edge_1RB_Right	18.72
n12	15	15	707.5	DFT	256QAM	Outer_Full	18.88
n12	15	15	707.5	CP	QPSK	Inner_Full	21.89
n12	15	15	707.5	CP	QPSK	Edge_1RB_Left	20.65

n12	15	15	707.5	CP	QPSK	Edge_1RB_Right	20.14
n12	15	15	707.5	CP	QPSK	Outer_Full	20.45
n12	15	15	707.5	CP	16QAM	Inner_Full	21.53
n12	15	15	707.5	CP	16QAM	Edge_1RB_Left	20.88
n12	15	15	707.5	CP	16QAM	Edge_1RB_Right	20.37
n12	15	15	707.5	CP	16QAM	Outer_Full	20.45
n12	15	15	707.5	CP	64QAM	Inner_Full	19.99
n12	15	15	707.5	CP	64QAM	Edge_1RB_Left	20.05
n12	15	15	707.5	CP	64QAM	Edge_1RB_Right	19.55
n12	15	15	707.5	CP	64QAM	Outer_Full	19.96
n12	15	15	707.5	CP	256QAM	Inner_Full	16.95
n12	15	15	707.5	CP	256QAM	Edge_1RB_Left	17.40
n12	15	15	707.5	CP	256QAM	Edge_1RB_Right	16.88
n12	15	15	707.5	CP	256QAM	Outer_Full	16.91
n12	15	15	708.5	DFT	$\pi/2$ BPSK	Inner_Full	23.47
n12	15	15	708.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.21
n12	15	15	708.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.79
n12	15	15	708.5	DFT	$\pi/2$ BPSK	Outer_Full	23.07
n12	15	15	708.5	DFT	QPSK	Inner_Full	23.52
n12	15	15	708.5	DFT	QPSK	Edge_1RB_Left	22.58
n12	15	15	708.5	DFT	QPSK	Edge_1RB_Right	22.23
n12	15	15	708.5	DFT	QPSK	Outer_Full	22.44
n12	15	15	708.5	DFT	16QAM	Inner_Full	22.46
n12	15	15	708.5	DFT	16QAM	Edge_1RB_Left	21.95
n12	15	15	708.5	DFT	16QAM	Edge_1RB_Right	21.62
n12	15	15	708.5	DFT	16QAM	Outer_Full	21.44
n12	15	15	708.5	DFT	64QAM	Inner_Full	20.95
n12	15	15	708.5	DFT	64QAM	Edge_1RB_Left	21.11
n12	15	15	708.5	DFT	64QAM	Edge_1RB_Right	20.76
n12	15	15	708.5	DFT	64QAM	Outer_Full	21.00
n12	15	15	708.5	DFT	256QAM	Inner_Full	18.85
n12	15	15	708.5	DFT	256QAM	Edge_1RB_Left	19.06
n12	15	15	708.5	DFT	256QAM	Edge_1RB_Right	18.76
n12	15	15	708.5	DFT	256QAM	Outer_Full	18.85

n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	23.12
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.39
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.69
n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	22.67
n41	10	30	2501.01	DFT	QPSK	Inner_Full	23.13
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	21.81
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	22.33
n41	10	30	2501.01	DFT	QPSK	Outer_Full	22.15
n41	10	30	2501.01	DFT	16QAM	Inner_Full	22.19
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	21.00
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	21.31
n41	10	30	2501.01	DFT	16QAM	Outer_Full	21.26
n41	10	30	2501.01	DFT	64QAM	Inner_Full	20.77
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	20.12
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	20.43
n41	10	30	2501.01	DFT	64QAM	Outer_Full	20.82
n41	10	30	2501.01	DFT	256QAM	Inner_Full	18.93
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	18.55
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	18.87
n41	10	30	2501.01	DFT	256QAM	Outer_Full	18.73
n41	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.21
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n41	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.82
n41	10	30	2592.99	DFT	QPSK	Inner_Full	23.30
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.45
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.88
n41	10	30	2592.99	DFT	QPSK	Outer_Full	22.36
n41	10	30	2592.99	DFT	16QAM	Inner_Full	22.46
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.57
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.19
n41	10	30	2592.99	DFT	16QAM	Outer_Full	21.33
n41	10	30	2592.99	DFT	64QAM	Inner_Full	20.87
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.71
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.31
n41	10	30	2592.99	DFT	64QAM	Outer_Full	20.86
n41	10	30	2592.99	DFT	256QAM	Inner_Full	19.03
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.05
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.67

n41	10	30	2592.99	DFT	256QAM	Outer_Full	18.89
n41	10	30	2685	DFT	pi/2 BPSK	Inner_Full	23.36
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	22.92
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	23.32
n41	10	30	2685	DFT	pi/2 BPSK	Outer_Full	23.26
n41	10	30	2685	DFT	QPSK	Inner_Full	23.44
n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	22.46
n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	22.84
n41	10	30	2685	DFT	QPSK	Outer_Full	22.73
n41	10	30	2685	DFT	16QAM	Inner_Full	22.97
n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	21.75
n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	21.91
n41	10	30	2685	DFT	16QAM	Outer_Full	21.89
n41	10	30	2685	DFT	64QAM	Inner_Full	21.47
n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	20.51
n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	20.83
n41	10	30	2685	DFT	64QAM	Outer_Full	21.51
n41	10	30	2685	DFT	256QAM	Inner_Full	19.61
n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	19.08
n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	19.53
n41	10	30	2685	DFT	256QAM	Outer_Full	19.43
n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	23.12
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.47
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.00
n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	22.74
n41	15	30	2503.5	DFT	QPSK	Inner_Full	23.09
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	21.85
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	22.34
n41	15	30	2503.5	DFT	QPSK	Outer_Full	22.29
n41	15	30	2503.5	DFT	16QAM	Inner_Full	22.33
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	20.95
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	21.63
n41	15	30	2503.5	DFT	16QAM	Outer_Full	21.29
n41	15	30	2503.5	DFT	64QAM	Inner_Full	20.90
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	20.15
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	20.71
n41	15	30	2503.5	DFT	64QAM	Outer_Full	20.84
n41	15	30	2503.5	DFT	256QAM	Inner_Full	18.91
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	18.67
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	19.14
n41	15	30	2503.5	DFT	256QAM	Outer_Full	18.84

n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.23
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.98
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.37
n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.74
n41	15	30	2592.99	DFT	QPSK	Inner_Full	23.19
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.36
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.74
n41	15	30	2592.99	DFT	QPSK	Outer_Full	22.32
n41	15	30	2592.99	DFT	16QAM	Inner_Full	22.35
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.48
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.03
n41	15	30	2592.99	DFT	16QAM	Outer_Full	21.33
n41	15	30	2592.99	DFT	64QAM	Inner_Full	20.92
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.70
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.19
n41	15	30	2592.99	DFT	64QAM	Outer_Full	20.87
n41	15	30	2592.99	DFT	256QAM	Inner_Full	18.90
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.18
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.57
n41	15	30	2592.99	DFT	256QAM	Outer_Full	18.80
n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	23.37
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	23.57
n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	23.21
n41	15	30	2682.48	DFT	QPSK	Inner_Full	23.36
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	22.03
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	22.87
n41	15	30	2682.48	DFT	QPSK	Outer_Full	22.76
n41	15	30	2682.48	DFT	16QAM	Inner_Full	22.83
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	21.25
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	21.95
n41	15	30	2682.48	DFT	16QAM	Outer_Full	21.78
n41	15	30	2682.48	DFT	64QAM	Inner_Full	21.40
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	20.33
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	21.04
n41	15	30	2682.48	DFT	64QAM	Outer_Full	21.42
n41	15	30	2682.48	DFT	256QAM	Inner_Full	19.40
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	18.84
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	19.74
n41	15	30	2682.48	DFT	256QAM	Outer_Full	19.42
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	23.24

n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.45
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.07
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	22.73
n41	20	30	2506.02	DFT	QPSK	Inner_Full	23.15
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	21.80
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.61
n41	20	30	2506.02	DFT	QPSK	Outer_Full	22.23
n41	20	30	2506.02	DFT	16QAM	Inner_Full	22.33
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	21.03
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	21.75
n41	20	30	2506.02	DFT	16QAM	Outer_Full	21.29
n41	20	30	2506.02	DFT	64QAM	Inner_Full	20.89
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	20.04
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	20.77
n41	20	30	2506.02	DFT	64QAM	Outer_Full	20.84
n41	20	30	2506.02	DFT	256QAM	Inner_Full	18.85
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	18.51
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	19.22
n41	20	30	2506.02	DFT	256QAM	Outer_Full	18.87
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.38
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.92
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.29
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.76
n41	20	30	2592.99	DFT	QPSK	Inner_Full	23.40
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.34
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.70
n41	20	30	2592.99	DFT	QPSK	Outer_Full	22.31
n41	20	30	2592.99	DFT	16QAM	Inner_Full	22.41
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.54
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.93
n41	20	30	2592.99	DFT	16QAM	Outer_Full	21.31
n41	20	30	2592.99	DFT	64QAM	Inner_Full	20.93
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.72
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.11
n41	20	30	2592.99	DFT	64QAM	Outer_Full	20.75
n41	20	30	2592.99	DFT	256QAM	Inner_Full	18.93
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.15
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.44
n41	20	30	2592.99	DFT	256QAM	Outer_Full	18.84
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	23.29
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.42

n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.45
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	23.02
n41	20	30	2679.99	DFT	QPSK	Inner_Full	23.32
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	21.76
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.80
n41	20	30	2679.99	DFT	QPSK	Outer_Full	22.52
n41	20	30	2679.99	DFT	16QAM	Inner_Full	22.68
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	21.02
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.13
n41	20	30	2679.99	DFT	16QAM	Outer_Full	21.58
n41	20	30	2679.99	DFT	64QAM	Inner_Full	21.24
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	20.06
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	21.01
n41	20	30	2679.99	DFT	64QAM	Outer_Full	21.17
n41	20	30	2679.99	DFT	256QAM	Inner_Full	19.21
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	18.57
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	19.70
n41	20	30	2679.99	DFT	256QAM	Outer_Full	19.25
n41	25	30	2508.51	DFT	pi/2 BPSK	Inner_Full	23.29
n41	25	30	2508.51	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
n41	25	30	2508.51	DFT	pi/2 BPSK	Edge_1RB_Right	23.22
n41	25	30	2508.51	DFT	pi/2 BPSK	Outer_Full	22.90
n41	25	30	2508.51	DFT	QPSK	Inner_Full	23.33
n41	25	30	2508.51	DFT	QPSK	Edge_1RB_Left	21.85
n41	25	30	2508.51	DFT	QPSK	Edge_1RB_Right	22.78
n41	25	30	2508.51	DFT	QPSK	Outer_Full	22.46
n41	25	30	2508.51	DFT	16QAM	Inner_Full	22.38
n41	25	30	2508.51	DFT	16QAM	Edge_1RB_Left	20.99
n41	25	30	2508.51	DFT	16QAM	Edge_1RB_Right	21.90
n41	25	30	2508.51	DFT	16QAM	Outer_Full	21.48
n41	25	30	2508.51	DFT	64QAM	Inner_Full	21.05
n41	25	30	2508.51	DFT	64QAM	Edge_1RB_Left	20.15
n41	25	30	2508.51	DFT	64QAM	Edge_1RB_Right	20.89
n41	25	30	2508.51	DFT	64QAM	Outer_Full	21.04
n41	25	30	2508.51	DFT	256QAM	Inner_Full	18.93
n41	25	30	2508.51	DFT	256QAM	Edge_1RB_Left	18.58
n41	25	30	2508.51	DFT	256QAM	Edge_1RB_Right	19.35
n41	25	30	2508.51	DFT	256QAM	Outer_Full	19.08
n41	25	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.23
n41	25	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.78
n41	25	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.07

n41	25	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.72
n41	25	30	2592.99	DFT	QPSK	Inner_Full	23.23
n41	25	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.27
n41	25	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.51
n41	25	30	2592.99	DFT	QPSK	Outer_Full	22.23
n41	25	30	2592.99	DFT	16QAM	Inner_Full	22.26
n41	25	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.51
n41	25	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.70
n41	25	30	2592.99	DFT	16QAM	Outer_Full	21.24
n41	25	30	2592.99	DFT	64QAM	Inner_Full	20.86
n41	25	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.63
n41	25	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.91
n41	25	30	2592.99	DFT	64QAM	Outer_Full	20.76
n41	25	30	2592.99	DFT	256QAM	Inner_Full	18.88
n41	25	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.08
n41	25	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.28
n41	25	30	2592.99	DFT	256QAM	Outer_Full	18.80
n41	25	30	2677.5	DFT	pi/2 BPSK	Inner_Full	23.24
n41	25	30	2677.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.24
n41	25	30	2677.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.32
n41	25	30	2677.5	DFT	pi/2 BPSK	Outer_Full	22.84
n41	25	30	2677.5	DFT	QPSK	Inner_Full	23.25
n41	25	30	2677.5	DFT	QPSK	Edge_1RB_Left	21.81
n41	25	30	2677.5	DFT	QPSK	Edge_1RB_Right	22.69
n41	25	30	2677.5	DFT	QPSK	Outer_Full	22.42
n41	25	30	2677.5	DFT	16QAM	Inner_Full	22.31
n41	25	30	2677.5	DFT	16QAM	Edge_1RB_Left	21.06
n41	25	30	2677.5	DFT	16QAM	Edge_1RB_Right	21.90
n41	25	30	2677.5	DFT	16QAM	Outer_Full	21.41
n41	25	30	2677.5	DFT	64QAM	Inner_Full	21.00
n41	25	30	2677.5	DFT	64QAM	Edge_1RB_Left	19.92
n41	25	30	2677.5	DFT	64QAM	Edge_1RB_Right	20.92
n41	25	30	2677.5	DFT	64QAM	Outer_Full	20.98
n41	25	30	2677.5	DFT	256QAM	Inner_Full	18.97
n41	25	30	2677.5	DFT	256QAM	Edge_1RB_Left	18.45
n41	25	30	2677.5	DFT	256QAM	Edge_1RB_Right	19.57
n41	25	30	2677.5	DFT	256QAM	Outer_Full	19.03
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	23.42
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.46
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	23.33
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	22.97

n41	30	30	2511	DFT	QPSK	Inner_Full	23.49
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.10
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.79
n41	30	30	2511	DFT	QPSK	Outer_Full	22.55
n41	30	30	2511	DFT	16QAM	Inner_Full	22.50
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	21.02
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	21.89
n41	30	30	2511	DFT	16QAM	Outer_Full	21.57
n41	30	30	2511	DFT	64QAM	Inner_Full	21.10
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	20.20
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.09
n41	30	30	2511	DFT	64QAM	Outer_Full	21.14
n41	30	30	2511	DFT	256QAM	Inner_Full	19.16
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	18.71
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	19.57
n41	30	30	2511	DFT	256QAM	Outer_Full	19.14
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	23.31
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.89
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.05
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	22.77
n41	30	30	2592.99	DFT	QPSK	Inner_Full	23.34
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.30
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.54
n41	30	30	2592.99	DFT	QPSK	Outer_Full	22.29
n41	30	30	2592.99	DFT	16QAM	Inner_Full	22.34
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.53
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.76
n41	30	30	2592.99	DFT	16QAM	Outer_Full	21.26
n41	30	30	2592.99	DFT	64QAM	Inner_Full	20.94
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.74
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.92
n41	30	30	2592.99	DFT	64QAM	Outer_Full	20.78
n41	30	30	2592.99	DFT	256QAM	Inner_Full	18.84
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.11
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.31
n41	30	30	2592.99	DFT	256QAM	Outer_Full	18.82
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Inner_Full	23.18
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.42
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.48
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Outer_Full	22.89
n41	30	30	2674.98	DFT	QPSK	Inner_Full	23.24

n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	21.86
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	22.85
n41	30	30	2674.98	DFT	QPSK	Outer_Full	22.46
n41	30	30	2674.98	DFT	16QAM	Inner_Full	22.25
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	21.32
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	21.91
n41	30	30	2674.98	DFT	16QAM	Outer_Full	21.47
n41	30	30	2674.98	DFT	64QAM	Inner_Full	20.92
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	20.13
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	21.07
n41	30	30	2674.98	DFT	64QAM	Outer_Full	21.02
n41	30	30	2674.98	DFT	256QAM	Inner_Full	18.92
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	18.70
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	19.80
n41	30	30	2674.98	DFT	256QAM	Outer_Full	19.07
n41	35	30	2513.52	DFT	pi/2 BPSK	Inner_Full	23.55
n41	35	30	2513.52	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n41	35	30	2513.52	DFT	pi/2 BPSK	Edge_1RB_Right	23.31
n41	35	30	2513.52	DFT	pi/2 BPSK	Outer_Full	23.09
n41	35	30	2513.52	DFT	QPSK	Inner_Full	23.60
n41	35	30	2513.52	DFT	QPSK	Edge_1RB_Left	21.89
n41	35	30	2513.52	DFT	QPSK	Edge_1RB_Right	22.79
n41	35	30	2513.52	DFT	QPSK	Outer_Full	22.71
n41	35	30	2513.52	DFT	16QAM	Inner_Full	22.64
n41	35	30	2513.52	DFT	16QAM	Edge_1RB_Left	21.34
n41	35	30	2513.52	DFT	16QAM	Edge_1RB_Right	22.18
n41	35	30	2513.52	DFT	16QAM	Outer_Full	21.75
n41	35	30	2513.52	DFT	64QAM	Inner_Full	21.23
n41	35	30	2513.52	DFT	64QAM	Edge_1RB_Left	20.19
n41	35	30	2513.52	DFT	64QAM	Edge_1RB_Right	21.13
n41	35	30	2513.52	DFT	64QAM	Outer_Full	21.23
n41	35	30	2513.52	DFT	256QAM	Inner_Full	19.24
n41	35	30	2513.52	DFT	256QAM	Edge_1RB_Left	18.73
n41	35	30	2513.52	DFT	256QAM	Edge_1RB_Right	19.56
n41	35	30	2513.52	DFT	256QAM	Outer_Full	19.32
n41	35	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.27
n41	35	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.76
n41	35	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.00
n41	35	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.72
n41	35	30	2592.99	DFT	QPSK	Inner_Full	23.31
n41	35	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.23

n41	35	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.46
n41	35	30	2592.99	DFT	QPSK	Outer_Full	22.23
n41	35	30	2592.99	DFT	16QAM	Inner_Full	22.29
n41	35	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.38
n41	35	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.69
n41	35	30	2592.99	DFT	16QAM	Outer_Full	21.31
n41	35	30	2592.99	DFT	64QAM	Inner_Full	20.82
n41	35	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.61
n41	35	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.83
n41	35	30	2592.99	DFT	64QAM	Outer_Full	20.75
n41	35	30	2592.99	DFT	256QAM	Inner_Full	18.82
n41	35	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.05
n41	35	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.17
n41	35	30	2592.99	DFT	256QAM	Outer_Full	18.80
n41	35	30	2672.49	DFT	$\pi/2$ BPSK	Inner_Full	23.10
n41	35	30	2672.49	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.69
n41	35	30	2672.49	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.58
n41	35	30	2672.49	DFT	$\pi/2$ BPSK	Outer_Full	22.82
n41	35	30	2672.49	DFT	QPSK	Inner_Full	23.12
n41	35	30	2672.49	DFT	QPSK	Edge_1RB_Left	22.08
n41	35	30	2672.49	DFT	QPSK	Edge_1RB_Right	23.01
n41	35	30	2672.49	DFT	QPSK	Outer_Full	22.35
n41	35	30	2672.49	DFT	16QAM	Inner_Full	22.19
n41	35	30	2672.49	DFT	16QAM	Edge_1RB_Left	21.28
n41	35	30	2672.49	DFT	16QAM	Edge_1RB_Right	22.02
n41	35	30	2672.49	DFT	16QAM	Outer_Full	21.48
n41	35	30	2672.49	DFT	64QAM	Inner_Full	20.78
n41	35	30	2672.49	DFT	64QAM	Edge_1RB_Left	20.47
n41	35	30	2672.49	DFT	64QAM	Edge_1RB_Right	21.05
n41	35	30	2672.49	DFT	64QAM	Outer_Full	20.93
n41	35	30	2672.49	DFT	256QAM	Inner_Full	18.82
n41	35	30	2672.49	DFT	256QAM	Edge_1RB_Left	18.84
n41	35	30	2672.49	DFT	256QAM	Edge_1RB_Right	19.70
n41	35	30	2672.49	DFT	256QAM	Outer_Full	19.03
n41	40	30	2516.01	DFT	$\pi/2$ BPSK	Inner_Full	23.53
n41	40	30	2516.01	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.52
n41	40	30	2516.01	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.23
n41	40	30	2516.01	DFT	$\pi/2$ BPSK	Outer_Full	22.99
n41	40	30	2516.01	DFT	QPSK	Inner_Full	23.56
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.81
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	22.59

n41	40	30	2516.01	DFT	QPSK	Outer_Full	22.57
n41	40	30	2516.01	DFT	16QAM	Inner_Full	22.64
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.06
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.80
n41	40	30	2516.01	DFT	16QAM	Outer_Full	21.67
n41	40	30	2516.01	DFT	64QAM	Inner_Full	21.18
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	20.15
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	20.95
n41	40	30	2516.01	DFT	64QAM	Outer_Full	21.13
n41	40	30	2516.01	DFT	256QAM	Inner_Full	19.21
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	18.63
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	19.37
n41	40	30	2516.01	DFT	256QAM	Outer_Full	19.20
n41	40	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	23.30
n41	40	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.76
n41	40	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	21.97
n41	40	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	22.69
n41	40	30	2592.99	DFT	QPSK	Inner_Full	23.30
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.17
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.40
n41	40	30	2592.99	DFT	QPSK	Outer_Full	22.20
n41	40	30	2592.99	DFT	16QAM	Inner_Full	22.35
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.35
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.58
n41	40	30	2592.99	DFT	16QAM	Outer_Full	21.28
n41	40	30	2592.99	DFT	64QAM	Inner_Full	20.87
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.50
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.84
n41	40	30	2592.99	DFT	64QAM	Outer_Full	20.74
n41	40	30	2592.99	DFT	256QAM	Inner_Full	18.90
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.84
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.14
n41	40	30	2592.99	DFT	256QAM	Outer_Full	18.74
n41	40	30	2670	DFT	$\pi/2$ BPSK	Inner_Full	22.99
n41	40	30	2670	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.80
n41	40	30	2670	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.42
n41	40	30	2670	DFT	$\pi/2$ BPSK	Outer_Full	22.75
n41	40	30	2670	DFT	QPSK	Inner_Full	22.97
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	22.43
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.78
n41	40	30	2670	DFT	QPSK	Outer_Full	22.32

n41	40	30	2670	DFT	16QAM	Inner_Full	22.06
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	21.52
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.13
n41	40	30	2670	DFT	16QAM	Outer_Full	21.40
n41	40	30	2670	DFT	64QAM	Inner_Full	20.66
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	20.67
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	20.98
n41	40	30	2670	DFT	64QAM	Outer_Full	20.91
n41	40	30	2670	DFT	256QAM	Inner_Full	18.64
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	19.05
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	19.66
n41	40	30	2670	DFT	256QAM	Outer_Full	19.00
n41	45	30	2518.5	DFT	pi/2 BPSK	Inner_Full	23.62
n41	45	30	2518.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.37
n41	45	30	2518.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.19
n41	45	30	2518.5	DFT	pi/2 BPSK	Outer_Full	23.10
n41	45	30	2518.5	DFT	QPSK	Inner_Full	23.62
n41	45	30	2518.5	DFT	QPSK	Edge_1RB_Left	21.83
n41	45	30	2518.5	DFT	QPSK	Edge_1RB_Right	22.57
n41	45	30	2518.5	DFT	QPSK	Outer_Full	22.68
n41	45	30	2518.5	DFT	16QAM	Inner_Full	22.75
n41	45	30	2518.5	DFT	16QAM	Edge_1RB_Left	21.00
n41	45	30	2518.5	DFT	16QAM	Edge_1RB_Right	21.83
n41	45	30	2518.5	DFT	16QAM	Outer_Full	21.74
n41	45	30	2518.5	DFT	64QAM	Inner_Full	21.29
n41	45	30	2518.5	DFT	64QAM	Edge_1RB_Left	20.08
n41	45	30	2518.5	DFT	64QAM	Edge_1RB_Right	20.97
n41	45	30	2518.5	DFT	64QAM	Outer_Full	21.21
n41	45	30	2518.5	DFT	256QAM	Inner_Full	19.31
n41	45	30	2518.5	DFT	256QAM	Edge_1RB_Left	18.61
n41	45	30	2518.5	DFT	256QAM	Edge_1RB_Right	19.40
n41	45	30	2518.5	DFT	256QAM	Outer_Full	19.28
n41	45	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.27
n41	45	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.63
n41	45	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.85
n41	45	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.71
n41	45	30	2592.99	DFT	QPSK	Inner_Full	23.34
n41	45	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.04
n41	45	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.28
n41	45	30	2592.99	DFT	QPSK	Outer_Full	22.19
n41	45	30	2592.99	DFT	16QAM	Inner_Full	22.41

n41	45	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.24
n41	45	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.54
n41	45	30	2592.99	DFT	16QAM	Outer_Full	21.27
n41	45	30	2592.99	DFT	64QAM	Inner_Full	20.88
n41	45	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.50
n41	45	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.79
n41	45	30	2592.99	DFT	64QAM	Outer_Full	20.73
n41	45	30	2592.99	DFT	256QAM	Inner_Full	18.87
n41	45	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.87
n41	45	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.17
n41	45	30	2592.99	DFT	256QAM	Outer_Full	18.77
n41	45	30	2667.48	DFT	pi/2 BPSK	Inner_Full	22.98
n41	45	30	2667.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.80
n41	45	30	2667.48	DFT	pi/2 BPSK	Edge_1RB_Right	23.40
n41	45	30	2667.48	DFT	pi/2 BPSK	Outer_Full	22.83
n41	45	30	2667.48	DFT	QPSK	Inner_Full	23.00
n41	45	30	2667.48	DFT	QPSK	Edge_1RB_Left	22.40
n41	45	30	2667.48	DFT	QPSK	Edge_1RB_Right	22.92
n41	45	30	2667.48	DFT	QPSK	Outer_Full	22.35
n41	45	30	2667.48	DFT	16QAM	Inner_Full	22.06
n41	45	30	2667.48	DFT	16QAM	Edge_1RB_Left	21.45
n41	45	30	2667.48	DFT	16QAM	Edge_1RB_Right	21.94
n41	45	30	2667.48	DFT	16QAM	Outer_Full	21.46
n41	45	30	2667.48	DFT	64QAM	Inner_Full	20.64
n41	45	30	2667.48	DFT	64QAM	Edge_1RB_Left	20.60
n41	45	30	2667.48	DFT	64QAM	Edge_1RB_Right	21.01
n41	45	30	2667.48	DFT	64QAM	Outer_Full	20.98
n41	45	30	2667.48	DFT	256QAM	Inner_Full	18.67
n41	45	30	2667.48	DFT	256QAM	Edge_1RB_Left	19.00
n41	45	30	2667.48	DFT	256QAM	Edge_1RB_Right	19.62
n41	45	30	2667.48	DFT	256QAM	Outer_Full	19.03
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	23.72
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.50
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.18
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	23.15
n41	50	30	2521.02	DFT	QPSK	Inner_Full	23.81
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	21.83
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.59
n41	50	30	2521.02	DFT	QPSK	Outer_Full	22.70
n41	50	30	2521.02	DFT	16QAM	Inner_Full	22.82
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	21.00

n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	21.80
n41	50	30	2521.02	DFT	16QAM	Outer_Full	21.79
n41	50	30	2521.02	DFT	64QAM	Inner_Full	21.36
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	20.11
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.01
n41	50	30	2521.02	DFT	64QAM	Outer_Full	21.29
n41	50	30	2521.02	DFT	256QAM	Inner_Full	19.42
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	18.61
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	19.44
n41	50	30	2521.02	DFT	256QAM	Outer_Full	19.35
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.27
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.71
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.86
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.66
n41	50	30	2592.99	DFT	QPSK	Inner_Full	23.36
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.19
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.32
n41	50	30	2592.99	DFT	QPSK	Outer_Full	22.13
n41	50	30	2592.99	DFT	16QAM	Inner_Full	22.30
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.46
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.52
n41	50	30	2592.99	DFT	16QAM	Outer_Full	21.15
n41	50	30	2592.99	DFT	64QAM	Inner_Full	20.82
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.45
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.72
n41	50	30	2592.99	DFT	64QAM	Outer_Full	20.68
n41	50	30	2592.99	DFT	256QAM	Inner_Full	18.82
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.87
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.03
n41	50	30	2592.99	DFT	256QAM	Outer_Full	18.72
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	23.14
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.70
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.57
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	22.94
n41	50	30	2664.99	DFT	QPSK	Inner_Full	23.15
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	22.12
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	22.78
n41	50	30	2664.99	DFT	QPSK	Outer_Full	22.48
n41	50	30	2664.99	DFT	16QAM	Inner_Full	22.20
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	21.37
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.17

n41	50	30	2664.99	DFT	16QAM	Outer_Full	21.59
n41	50	30	2664.99	DFT	64QAM	Inner_Full	20.81
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	20.59
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	21.00
n41	50	30	2664.99	DFT	64QAM	Outer_Full	21.12
n41	50	30	2664.99	DFT	256QAM	Inner_Full	18.82
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	18.91
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	19.73
n41	50	30	2664.99	DFT	256QAM	Outer_Full	19.23
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	23.63
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	23.02
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	23.09
n41	60	30	2526	DFT	QPSK	Inner_Full	23.68
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	22.01
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.44
n41	60	30	2526	DFT	QPSK	Outer_Full	22.62
n41	60	30	2526	DFT	16QAM	Inner_Full	22.73
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	20.96
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.66
n41	60	30	2526	DFT	16QAM	Outer_Full	21.66
n41	60	30	2526	DFT	64QAM	Inner_Full	21.33
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	20.16
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	20.83
n41	60	30	2526	DFT	64QAM	Outer_Full	21.15
n41	60	30	2526	DFT	256QAM	Inner_Full	19.32
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	18.58
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	19.23
n41	60	30	2526	DFT	256QAM	Outer_Full	19.23
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.14
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.78
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.86
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.55
n41	60	30	2592.99	DFT	QPSK	Inner_Full	23.18
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.19
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.34
n41	60	30	2592.99	DFT	QPSK	Outer_Full	22.05
n41	60	30	2592.99	DFT	16QAM	Inner_Full	22.23
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.34
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.61
n41	60	30	2592.99	DFT	16QAM	Outer_Full	21.06

n41	60	30	2592.99	DFT	64QAM	Inner_Full	20.77
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.53
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.74
n41	60	30	2592.99	DFT	64QAM	Outer_Full	20.58
n41	60	30	2592.99	DFT	256QAM	Inner_Full	18.74
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.96
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.12
n41	60	30	2592.99	DFT	256QAM	Outer_Full	18.64
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	23.13
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.12
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.36
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	22.78
n41	60	30	2659.98	DFT	QPSK	Inner_Full	23.18
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.56
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.73
n41	60	30	2659.98	DFT	QPSK	Outer_Full	22.38
n41	60	30	2659.98	DFT	16QAM	Inner_Full	22.20
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	20.80
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.20
n41	60	30	2659.98	DFT	16QAM	Outer_Full	21.47
n41	60	30	2659.98	DFT	64QAM	Inner_Full	20.82
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	20.07
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	21.03
n41	60	30	2659.98	DFT	64QAM	Outer_Full	20.94
n41	60	30	2659.98	DFT	256QAM	Inner_Full	18.85
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	18.33
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	19.67
n41	60	30	2659.98	DFT	256QAM	Outer_Full	19.04
n41	70	30	2531.01	DFT	pi/2 BPSK	Inner_Full	23.68
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.45
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n41	70	30	2531.01	DFT	pi/2 BPSK	Outer_Full	23.16
n41	70	30	2531.01	DFT	QPSK	Inner_Full	23.77
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Left	21.78
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Right	22.29
n41	70	30	2531.01	DFT	QPSK	Outer_Full	22.62
n41	70	30	2531.01	DFT	16QAM	Inner_Full	22.83
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Left	21.02
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Right	21.34
n41	70	30	2531.01	DFT	16QAM	Outer_Full	21.70
n41	70	30	2531.01	DFT	64QAM	Inner_Full	21.36

n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Left	20.10
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Right	20.47
n41	70	30	2531.01	DFT	64QAM	Outer_Full	21.21
n41	70	30	2531.01	DFT	256QAM	Inner_Full	19.43
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Left	18.61
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Right	18.87
n41	70	30	2531.01	DFT	256QAM	Outer_Full	19.29
n41	70	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.08
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.77
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.93
n41	70	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.54
n41	70	30	2592.99	DFT	QPSK	Inner_Full	23.15
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.39
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.54
n41	70	30	2592.99	DFT	QPSK	Outer_Full	22.04
n41	70	30	2592.99	DFT	16QAM	Inner_Full	22.23
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.43
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.90
n41	70	30	2592.99	DFT	16QAM	Outer_Full	21.02
n41	70	30	2592.99	DFT	64QAM	Inner_Full	20.68
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.61
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.85
n41	70	30	2592.99	DFT	64QAM	Outer_Full	20.54
n41	70	30	2592.99	DFT	256QAM	Inner_Full	18.75
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.00
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.19
n41	70	30	2592.99	DFT	256QAM	Outer_Full	18.53
n41	70	30	2655	DFT	pi/2 BPSK	Inner_Full	23.09
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Left	21.85
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Right	23.16
n41	70	30	2655	DFT	pi/2 BPSK	Outer_Full	22.51
n41	70	30	2655	DFT	QPSK	Inner_Full	23.07
n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	21.26
n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	22.52
n41	70	30	2655	DFT	QPSK	Outer_Full	22.05
n41	70	30	2655	DFT	16QAM	Inner_Full	22.17
n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	20.51
n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	21.70
n41	70	30	2655	DFT	16QAM	Outer_Full	21.21
n41	70	30	2655	DFT	64QAM	Inner_Full	20.75
n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	19.68

n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	20.76
n41	70	30	2655	DFT	64QAM	Outer_Full	20.70
n41	70	30	2655	DFT	256QAM	Inner_Full	18.79
n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	17.99
n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	19.42
n41	70	30	2655	DFT	256QAM	Outer_Full	18.77
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	23.66
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.48
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.63
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	23.09
n41	80	30	2536.02	DFT	QPSK	Inner_Full	23.74
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.90
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.06
n41	80	30	2536.02	DFT	QPSK	Outer_Full	22.57
n41	80	30	2536.02	DFT	16QAM	Inner_Full	22.80
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	21.22
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	21.26
n41	80	30	2536.02	DFT	16QAM	Outer_Full	21.58
n41	80	30	2536.02	DFT	64QAM	Inner_Full	21.30
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	20.14
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	20.51
n41	80	30	2536.02	DFT	64QAM	Outer_Full	21.15
n41	80	30	2536.02	DFT	256QAM	Inner_Full	19.40
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	18.59
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	18.85
n41	80	30	2536.02	DFT	256QAM	Outer_Full	19.23
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.09
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.93
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.17
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.49
n41	80	30	2592.99	DFT	QPSK	Inner_Full	23.13
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.37
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.58
n41	80	30	2592.99	DFT	QPSK	Outer_Full	22.00
n41	80	30	2592.99	DFT	16QAM	Inner_Full	22.18
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.77
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.92
n41	80	30	2592.99	DFT	16QAM	Outer_Full	21.02
n41	80	30	2592.99	DFT	64QAM	Inner_Full	20.67
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.74
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.04

n41	80	30	2592.99	DFT	64QAM	Outer_Full	20.50
n41	80	30	2592.99	DFT	256QAM	Inner_Full	18.71
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.16
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.36
n41	80	30	2592.99	DFT	256QAM	Outer_Full	18.53
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	23.06
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.86
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.25
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	22.45
n41	80	30	2649.99	DFT	QPSK	Inner_Full	23.05
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	21.27
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	22.60
n41	80	30	2649.99	DFT	QPSK	Outer_Full	21.97
n41	80	30	2649.99	DFT	16QAM	Inner_Full	22.16
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	20.45
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	21.81
n41	80	30	2649.99	DFT	16QAM	Outer_Full	21.14
n41	80	30	2649.99	DFT	64QAM	Inner_Full	20.77
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	19.70
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	20.87
n41	80	30	2649.99	DFT	64QAM	Outer_Full	20.61
n41	80	30	2649.99	DFT	256QAM	Inner_Full	18.79
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	18.07
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	19.46
n41	80	30	2649.99	DFT	256QAM	Outer_Full	18.67
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	23.74
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.49
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.91
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	23.17
n41	90	30	2541	DFT	QPSK	Inner_Full	23.74
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.82
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.47
n41	90	30	2541	DFT	QPSK	Outer_Full	22.68
n41	90	30	2541	DFT	16QAM	Inner_Full	22.83
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	20.96
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	21.77
n41	90	30	2541	DFT	16QAM	Outer_Full	21.72
n41	90	30	2541	DFT	64QAM	Inner_Full	21.33
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	20.10
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	20.72
n41	90	30	2541	DFT	64QAM	Outer_Full	21.24

n41	90	30	2541	DFT	256QAM	Inner_Full	19.40
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	18.56
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	19.09
n41	90	30	2541	DFT	256QAM	Outer_Full	19.27
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.08
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.96
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.40
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.47
n41	90	30	2592.99	DFT	QPSK	Inner_Full	23.07
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.41
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.98
n41	90	30	2592.99	DFT	QPSK	Outer_Full	21.99
n41	90	30	2592.99	DFT	16QAM	Inner_Full	22.11
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.56
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.03
n41	90	30	2592.99	DFT	16QAM	Outer_Full	20.98
n41	90	30	2592.99	DFT	64QAM	Inner_Full	20.59
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.79
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.22
n41	90	30	2592.99	DFT	64QAM	Outer_Full	20.48
n41	90	30	2592.99	DFT	256QAM	Inner_Full	18.64
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.26
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.58
n41	90	30	2592.99	DFT	256QAM	Outer_Full	18.55
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	22.97
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.23
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	22.39
n41	90	30	2644.98	DFT	QPSK	Inner_Full	23.02
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	21.55
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	22.60
n41	90	30	2644.98	DFT	QPSK	Outer_Full	22.04
n41	90	30	2644.98	DFT	16QAM	Inner_Full	22.14
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	21.01
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	21.80
n41	90	30	2644.98	DFT	16QAM	Outer_Full	21.16
n41	90	30	2644.98	DFT	64QAM	Inner_Full	20.70
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	20.03
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	20.80
n41	90	30	2644.98	DFT	64QAM	Outer_Full	20.61
n41	90	30	2644.98	DFT	256QAM	Inner_Full	18.72

n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	18.33
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	19.48
n41	90	30	2644.98	DFT	256QAM	Outer_Full	18.67
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	23.51
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.45
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	23.08
n41	100	30	2546.01	DFT	QPSK	Inner_Full	23.51
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.75
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	21.85
n41	100	30	2546.01	DFT	QPSK	Outer_Full	22.55
n41	100	30	2546.01	DFT	16QAM	Inner_Full	22.57
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.01
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	21.25
n41	100	30	2546.01	DFT	16QAM	Outer_Full	21.64
n41	100	30	2546.01	DFT	64QAM	Inner_Full	21.14
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	20.15
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	20.42
n41	100	30	2546.01	DFT	64QAM	Outer_Full	21.15
n41	100	30	2546.01	DFT	256QAM	Inner_Full	19.18
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	18.51
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	18.71
n41	100	30	2546.01	DFT	256QAM	Outer_Full	19.21
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.05
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.08
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.66
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.46
n41	100	30	2592.99	DFT	QPSK	Inner_Full	22.99
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.42
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.06
n41	100	30	2592.99	DFT	QPSK	Outer_Full	21.98
n41	100	30	2592.99	DFT	16QAM	Inner_Full	22.07
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.64
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.30
n41	100	30	2592.99	DFT	16QAM	Outer_Full	20.97
n41	100	30	2592.99	DFT	64QAM	Inner_Full	20.58
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.86
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.54
n41	100	30	2592.99	DFT	64QAM	Outer_Full	20.47
n41	100	30	2592.99	DFT	256QAM	Inner_Full	18.58
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.22

n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.88
n41	100	30	2592.99	DFT	256QAM	Outer_Full	18.48
n41	100	30	2592.99	CP	QPSK	Inner_Full	21.42
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	20.55
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	20.25
n41	100	30	2592.99	CP	QPSK	Outer_Full	19.92
n41	100	30	2592.99	CP	16QAM	Inner_Full	21.04
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	20.51
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	20.18
n41	100	30	2592.99	CP	16QAM	Outer_Full	19.92
n41	100	30	2592.99	CP	64QAM	Inner_Full	19.53
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	19.69
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	19.50
n41	100	30	2592.99	CP	64QAM	Outer_Full	19.46
n41	100	30	2592.99	CP	256QAM	Inner_Full	16.67
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	17.31
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	17.03
n41	100	30	2592.99	CP	256QAM	Outer_Full	16.52
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	22.80
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	22.63
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	23.17
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	22.38
n41	100	30	2640	DFT	QPSK	Inner_Full	22.87
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	22.05
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	22.55
n41	100	30	2640	DFT	QPSK	Outer_Full	22.01
n41	100	30	2640	DFT	16QAM	Inner_Full	21.92
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	21.33
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	21.72
n41	100	30	2640	DFT	16QAM	Outer_Full	21.01
n41	100	30	2640	DFT	64QAM	Inner_Full	20.51
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	20.49
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	20.82
n41	100	30	2640	DFT	64QAM	Outer_Full	20.50
n41	100	30	2640	DFT	256QAM	Inner_Full	18.50
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	18.88
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	19.48
n41	100	30	2640	DFT	256QAM	Outer_Full	18.54

n48

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n48	10	30	3555	DFT	pi/2 BPSK	Inner_Full	22.54
n48	10	30	3555	DFT	pi/2 BPSK	Edge_1RB_Left	21.85
n48	10	30	3555	DFT	pi/2 BPSK	Edge_1RB_Right	22.26
n48	10	30	3555	DFT	pi/2 BPSK	Outer_Full	22.12
n48	10	30	3555	DFT	QPSK	Inner_Full	22.63
n48	10	30	3555	DFT	QPSK	Edge_1RB_Left	21.28
n48	10	30	3555	DFT	QPSK	Edge_1RB_Right	21.75
n48	10	30	3555	DFT	QPSK	Outer_Full	21.59
n48	10	30	3555	DFT	16QAM	Inner_Full	21.61
n48	10	30	3555	DFT	16QAM	Edge_1RB_Left	20.34
n48	10	30	3555	DFT	16QAM	Edge_1RB_Right	20.85
n48	10	30	3555	DFT	16QAM	Outer_Full	20.72
n48	10	30	3555	DFT	64QAM	Inner_Full	20.10
n48	10	30	3555	DFT	64QAM	Edge_1RB_Left	19.45
n48	10	30	3555	DFT	64QAM	Edge_1RB_Right	19.97
n48	10	30	3555	DFT	64QAM	Outer_Full	20.17
n48	10	30	3555	DFT	256QAM	Inner_Full	18.23
n48	10	30	3555	DFT	256QAM	Edge_1RB_Left	17.85
n48	10	30	3555	DFT	256QAM	Edge_1RB_Right	18.37
n48	10	30	3555	DFT	256QAM	Outer_Full	18.12
n48	10	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.52
n48	10	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.88
n48	10	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.25
n48	10	30	3624.99	DFT	pi/2 BPSK	Outer_Full	23.14
n48	10	30	3624.99	DFT	QPSK	Inner_Full	23.65
n48	10	30	3624.99	DFT	QPSK	Edge_1RB_Left	22.16
n48	10	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.78
n48	10	30	3624.99	DFT	QPSK	Outer_Full	22.70
n48	10	30	3624.99	DFT	16QAM	Inner_Full	22.81
n48	10	30	3624.99	DFT	16QAM	Edge_1RB_Left	21.45
n48	10	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.83
n48	10	30	3624.99	DFT	16QAM	Outer_Full	21.72
n48	10	30	3624.99	DFT	64QAM	Inner_Full	21.20
n48	10	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.66
n48	10	30	3624.99	DFT	64QAM	Edge_1RB_Right	21.03
n48	10	30	3624.99	DFT	64QAM	Outer_Full	21.35
n48	10	30	3624.99	DFT	256QAM	Inner_Full	19.38
n48	10	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.92
n48	10	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.41

n48	10	30	3624.99	DFT	256QAM	Outer_Full	19.18
n48	10	30	3694.98	DFT	pi/2 BPSK	Inner_Full	23.44
n48	10	30	3694.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.16
n48	10	30	3694.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.71
n48	10	30	3694.98	DFT	pi/2 BPSK	Outer_Full	23.00
n48	10	30	3694.98	DFT	QPSK	Inner_Full	23.46
n48	10	30	3694.98	DFT	QPSK	Edge_1RB_Left	22.66
n48	10	30	3694.98	DFT	QPSK	Edge_1RB_Right	22.26
n48	10	30	3694.98	DFT	QPSK	Outer_Full	22.48
n48	10	30	3694.98	DFT	16QAM	Inner_Full	22.50
n48	10	30	3694.98	DFT	16QAM	Edge_1RB_Left	21.86
n48	10	30	3694.98	DFT	16QAM	Edge_1RB_Right	21.35
n48	10	30	3694.98	DFT	16QAM	Outer_Full	21.57
n48	10	30	3694.98	DFT	64QAM	Inner_Full	20.96
n48	10	30	3694.98	DFT	64QAM	Edge_1RB_Left	20.98
n48	10	30	3694.98	DFT	64QAM	Edge_1RB_Right	20.54
n48	10	30	3694.98	DFT	64QAM	Outer_Full	21.15
n48	10	30	3694.98	DFT	256QAM	Inner_Full	19.03
n48	10	30	3694.98	DFT	256QAM	Edge_1RB_Left	19.31
n48	10	30	3694.98	DFT	256QAM	Edge_1RB_Right	18.83
n48	10	30	3694.98	DFT	256QAM	Outer_Full	19.04
n48	15	30	3557.52	DFT	pi/2 BPSK	Inner_Full	22.78
n48	15	30	3557.52	DFT	pi/2 BPSK	Edge_1RB_Left	21.80
n48	15	30	3557.52	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
n48	15	30	3557.52	DFT	pi/2 BPSK	Outer_Full	22.21
n48	15	30	3557.52	DFT	QPSK	Inner_Full	22.76
n48	15	30	3557.52	DFT	QPSK	Edge_1RB_Left	21.32
n48	15	30	3557.52	DFT	QPSK	Edge_1RB_Right	21.90
n48	15	30	3557.52	DFT	QPSK	Outer_Full	21.70
n48	15	30	3557.52	DFT	16QAM	Inner_Full	21.77
n48	15	30	3557.52	DFT	16QAM	Edge_1RB_Left	20.56
n48	15	30	3557.52	DFT	16QAM	Edge_1RB_Right	21.11
n48	15	30	3557.52	DFT	16QAM	Outer_Full	20.66
n48	15	30	3557.52	DFT	64QAM	Inner_Full	20.36
n48	15	30	3557.52	DFT	64QAM	Edge_1RB_Left	19.55
n48	15	30	3557.52	DFT	64QAM	Edge_1RB_Right	20.14
n48	15	30	3557.52	DFT	64QAM	Outer_Full	20.22
n48	15	30	3557.52	DFT	256QAM	Inner_Full	18.29
n48	15	30	3557.52	DFT	256QAM	Edge_1RB_Left	17.91
n48	15	30	3557.52	DFT	256QAM	Edge_1RB_Right	18.47
n48	15	30	3557.52	DFT	256QAM	Outer_Full	18.19

n48	15	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.58
n48	15	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.67
n48	15	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.18
n48	15	30	3624.99	DFT	pi/2 BPSK	Outer_Full	23.06
n48	15	30	3624.99	DFT	QPSK	Inner_Full	23.55
n48	15	30	3624.99	DFT	QPSK	Edge_1RB_Left	22.17
n48	15	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.68
n48	15	30	3624.99	DFT	QPSK	Outer_Full	22.59
n48	15	30	3624.99	DFT	16QAM	Inner_Full	22.60
n48	15	30	3624.99	DFT	16QAM	Edge_1RB_Left	21.34
n48	15	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.96
n48	15	30	3624.99	DFT	16QAM	Outer_Full	21.55
n48	15	30	3624.99	DFT	64QAM	Inner_Full	21.23
n48	15	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.53
n48	15	30	3624.99	DFT	64QAM	Edge_1RB_Right	21.01
n48	15	30	3624.99	DFT	64QAM	Outer_Full	21.05
n48	15	30	3624.99	DFT	256QAM	Inner_Full	19.19
n48	15	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.83
n48	15	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.39
n48	15	30	3624.99	DFT	256QAM	Outer_Full	19.16
n48	15	30	3692.49	DFT	pi/2 BPSK	Inner_Full	23.54
n48	15	30	3692.49	DFT	pi/2 BPSK	Edge_1RB_Left	23.29
n48	15	30	3692.49	DFT	pi/2 BPSK	Edge_1RB_Right	22.68
n48	15	30	3692.49	DFT	pi/2 BPSK	Outer_Full	23.08
n48	15	30	3692.49	DFT	QPSK	Inner_Full	23.59
n48	15	30	3692.49	DFT	QPSK	Edge_1RB_Left	22.85
n48	15	30	3692.49	DFT	QPSK	Edge_1RB_Right	22.21
n48	15	30	3692.49	DFT	QPSK	Outer_Full	22.58
n48	15	30	3692.49	DFT	16QAM	Inner_Full	22.62
n48	15	30	3692.49	DFT	16QAM	Edge_1RB_Left	22.04
n48	15	30	3692.49	DFT	16QAM	Edge_1RB_Right	21.48
n48	15	30	3692.49	DFT	16QAM	Outer_Full	21.54
n48	15	30	3692.49	DFT	64QAM	Inner_Full	21.14
n48	15	30	3692.49	DFT	64QAM	Edge_1RB_Left	21.18
n48	15	30	3692.49	DFT	64QAM	Edge_1RB_Right	20.57
n48	15	30	3692.49	DFT	64QAM	Outer_Full	21.07
n48	15	30	3692.49	DFT	256QAM	Inner_Full	19.13
n48	15	30	3692.49	DFT	256QAM	Edge_1RB_Left	19.49
n48	15	30	3692.49	DFT	256QAM	Edge_1RB_Right	18.84
n48	15	30	3692.49	DFT	256QAM	Outer_Full	19.13
n48	20	30	3560.01	DFT	pi/2 BPSK	Inner_Full	22.85

n48	20	30	3560.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.83
n48	20	30	3560.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.20
n48	20	30	3560.01	DFT	pi/2 BPSK	Outer_Full	22.29
n48	20	30	3560.01	DFT	QPSK	Inner_Full	22.87
n48	20	30	3560.01	DFT	QPSK	Edge_1RB_Left	21.36
n48	20	30	3560.01	DFT	QPSK	Edge_1RB_Right	21.72
n48	20	30	3560.01	DFT	QPSK	Outer_Full	21.81
n48	20	30	3560.01	DFT	16QAM	Inner_Full	21.88
n48	20	30	3560.01	DFT	16QAM	Edge_1RB_Left	20.39
n48	20	30	3560.01	DFT	16QAM	Edge_1RB_Right	20.97
n48	20	30	3560.01	DFT	16QAM	Outer_Full	20.77
n48	20	30	3560.01	DFT	64QAM	Inner_Full	20.36
n48	20	30	3560.01	DFT	64QAM	Edge_1RB_Left	19.54
n48	20	30	3560.01	DFT	64QAM	Edge_1RB_Right	19.91
n48	20	30	3560.01	DFT	64QAM	Outer_Full	20.26
n48	20	30	3560.01	DFT	256QAM	Inner_Full	18.40
n48	20	30	3560.01	DFT	256QAM	Edge_1RB_Left	17.92
n48	20	30	3560.01	DFT	256QAM	Edge_1RB_Right	18.36
n48	20	30	3560.01	DFT	256QAM	Outer_Full	18.26
n48	20	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.62
n48	20	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n48	20	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.14
n48	20	30	3624.99	DFT	pi/2 BPSK	Outer_Full	23.09
n48	20	30	3624.99	DFT	QPSK	Inner_Full	23.67
n48	20	30	3624.99	DFT	QPSK	Edge_1RB_Left	22.11
n48	20	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.64
n48	20	30	3624.99	DFT	QPSK	Outer_Full	22.59
n48	20	30	3624.99	DFT	16QAM	Inner_Full	22.68
n48	20	30	3624.99	DFT	16QAM	Edge_1RB_Left	21.31
n48	20	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.76
n48	20	30	3624.99	DFT	16QAM	Outer_Full	21.57
n48	20	30	3624.99	DFT	64QAM	Inner_Full	21.15
n48	20	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.33
n48	20	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.88
n48	20	30	3624.99	DFT	64QAM	Outer_Full	21.03
n48	20	30	3624.99	DFT	256QAM	Inner_Full	19.13
n48	20	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.73
n48	20	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.32
n48	20	30	3624.99	DFT	256QAM	Outer_Full	19.08
n48	20	30	3690	DFT	pi/2 BPSK	Inner_Full	23.68
n48	20	30	3690	DFT	pi/2 BPSK	Edge_1RB_Left	23.48

n48	20	30	3690	DFT	pi/2 BPSK	Edge_1RB_Right	22.59
n48	20	30	3690	DFT	pi/2 BPSK	Outer_Full	23.16
n48	20	30	3690	DFT	QPSK	Inner_Full	23.71
n48	20	30	3690	DFT	QPSK	Edge_1RB_Left	23.02
n48	20	30	3690	DFT	QPSK	Edge_1RB_Right	22.13
n48	20	30	3690	DFT	QPSK	Outer_Full	22.65
n48	20	30	3690	DFT	16QAM	Inner_Full	22.68
n48	20	30	3690	DFT	16QAM	Edge_1RB_Left	22.15
n48	20	30	3690	DFT	16QAM	Edge_1RB_Right	21.42
n48	20	30	3690	DFT	16QAM	Outer_Full	21.63
n48	20	30	3690	DFT	64QAM	Inner_Full	21.20
n48	20	30	3690	DFT	64QAM	Edge_1RB_Left	21.38
n48	20	30	3690	DFT	64QAM	Edge_1RB_Right	20.52
n48	20	30	3690	DFT	64QAM	Outer_Full	21.13
n48	20	30	3690	DFT	256QAM	Inner_Full	19.13
n48	20	30	3690	DFT	256QAM	Edge_1RB_Left	19.60
n48	20	30	3690	DFT	256QAM	Edge_1RB_Right	18.75
n48	20	30	3690	DFT	256QAM	Outer_Full	19.18
n48	30	30	3565.02	DFT	pi/2 BPSK	Inner_Full	22.79
n48	30	30	3565.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.74
n48	30	30	3565.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.73
n48	30	30	3565.02	DFT	pi/2 BPSK	Outer_Full	22.15
n48	30	30	3565.02	DFT	QPSK	Inner_Full	22.80
n48	30	30	3565.02	DFT	QPSK	Edge_1RB_Left	21.23
n48	30	30	3565.02	DFT	QPSK	Edge_1RB_Right	21.18
n48	30	30	3565.02	DFT	QPSK	Outer_Full	21.63
n48	30	30	3565.02	DFT	16QAM	Inner_Full	21.79
n48	30	30	3565.02	DFT	16QAM	Edge_1RB_Left	20.36
n48	30	30	3565.02	DFT	16QAM	Edge_1RB_Right	20.34
n48	30	30	3565.02	DFT	16QAM	Outer_Full	20.66
n48	30	30	3565.02	DFT	64QAM	Inner_Full	20.26
n48	30	30	3565.02	DFT	64QAM	Edge_1RB_Left	19.42
n48	30	30	3565.02	DFT	64QAM	Edge_1RB_Right	19.39
n48	30	30	3565.02	DFT	64QAM	Outer_Full	20.16
n48	30	30	3565.02	DFT	256QAM	Inner_Full	18.34
n48	30	30	3565.02	DFT	256QAM	Edge_1RB_Left	17.81
n48	30	30	3565.02	DFT	256QAM	Edge_1RB_Right	17.89
n48	30	30	3565.02	DFT	256QAM	Outer_Full	18.18
n48	30	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.54
n48	30	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n48	30	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.68

n48	30	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.93
n48	30	30	3624.99	DFT	QPSK	Inner_Full	23.58
n48	30	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.88
n48	30	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.16
n48	30	30	3624.99	DFT	QPSK	Outer_Full	22.45
n48	30	30	3624.99	DFT	16QAM	Inner_Full	22.56
n48	30	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.96
n48	30	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.34
n48	30	30	3624.99	DFT	16QAM	Outer_Full	21.42
n48	30	30	3624.99	DFT	64QAM	Inner_Full	21.05
n48	30	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.08
n48	30	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.50
n48	30	30	3624.99	DFT	64QAM	Outer_Full	20.98
n48	30	30	3624.99	DFT	256QAM	Inner_Full	19.07
n48	30	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.34
n48	30	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.85
n48	30	30	3624.99	DFT	256QAM	Outer_Full	18.94
n48	30	30	3684.99	DFT	pi/2 BPSK	Inner_Full	23.98
n48	30	30	3684.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.48
n48	30	30	3684.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.60
n48	30	30	3684.99	DFT	pi/2 BPSK	Outer_Full	23.38
n48	30	30	3684.99	DFT	QPSK	Inner_Full	23.94
n48	30	30	3684.99	DFT	QPSK	Edge_1RB_Left	22.97
n48	30	30	3684.99	DFT	QPSK	Edge_1RB_Right	22.14
n48	30	30	3684.99	DFT	QPSK	Outer_Full	22.94
n48	30	30	3684.99	DFT	16QAM	Inner_Full	23.00
n48	30	30	3684.99	DFT	16QAM	Edge_1RB_Left	22.21
n48	30	30	3684.99	DFT	16QAM	Edge_1RB_Right	21.49
n48	30	30	3684.99	DFT	16QAM	Outer_Full	21.89
n48	30	30	3684.99	DFT	64QAM	Inner_Full	21.46
n48	30	30	3684.99	DFT	64QAM	Edge_1RB_Left	21.38
n48	30	30	3684.99	DFT	64QAM	Edge_1RB_Right	20.48
n48	30	30	3684.99	DFT	64QAM	Outer_Full	21.50
n48	30	30	3684.99	DFT	256QAM	Inner_Full	19.53
n48	30	30	3684.99	DFT	256QAM	Edge_1RB_Left	19.69
n48	30	30	3684.99	DFT	256QAM	Edge_1RB_Right	18.78
n48	30	30	3684.99	DFT	256QAM	Outer_Full	19.46
n48	40	30	3570	DFT	pi/2 BPSK	Inner_Full	22.69
n48	40	30	3570	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n48	40	30	3570	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
n48	40	30	3570	DFT	pi/2 BPSK	Outer_Full	22.08

n48	40	30	3570	DFT	QPSK	Inner_Full	22.71
n48	40	30	3570	DFT	QPSK	Edge_1RB_Left	21.30
n48	40	30	3570	DFT	QPSK	Edge_1RB_Right	21.46
n48	40	30	3570	DFT	QPSK	Outer_Full	21.61
n48	40	30	3570	DFT	16QAM	Inner_Full	21.72
n48	40	30	3570	DFT	16QAM	Edge_1RB_Left	20.48
n48	40	30	3570	DFT	16QAM	Edge_1RB_Right	20.69
n48	40	30	3570	DFT	16QAM	Outer_Full	20.65
n48	40	30	3570	DFT	64QAM	Inner_Full	20.27
n48	40	30	3570	DFT	64QAM	Edge_1RB_Left	19.41
n48	40	30	3570	DFT	64QAM	Edge_1RB_Right	19.68
n48	40	30	3570	DFT	64QAM	Outer_Full	20.20
n48	40	30	3570	DFT	256QAM	Inner_Full	18.22
n48	40	30	3570	DFT	256QAM	Edge_1RB_Left	17.81
n48	40	30	3570	DFT	256QAM	Edge_1RB_Right	18.09
n48	40	30	3570	DFT	256QAM	Outer_Full	18.15
n48	40	30	3624.99	DFT	$\pi/2$ BPSK	Inner_Full	23.44
n48	40	30	3624.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.19
n48	40	30	3624.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.29
n48	40	30	3624.99	DFT	$\pi/2$ BPSK	Outer_Full	22.82
n48	40	30	3624.99	DFT	QPSK	Inner_Full	23.41
n48	40	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.74
n48	40	30	3624.99	DFT	QPSK	Edge_1RB_Right	21.78
n48	40	30	3624.99	DFT	QPSK	Outer_Full	22.32
n48	40	30	3624.99	DFT	16QAM	Inner_Full	22.48
n48	40	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.76
n48	40	30	3624.99	DFT	16QAM	Edge_1RB_Right	20.96
n48	40	30	3624.99	DFT	16QAM	Outer_Full	21.34
n48	40	30	3624.99	DFT	64QAM	Inner_Full	20.98
n48	40	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.93
n48	40	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.11
n48	40	30	3624.99	DFT	64QAM	Outer_Full	20.85
n48	40	30	3624.99	DFT	256QAM	Inner_Full	19.01
n48	40	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.32
n48	40	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.48
n48	40	30	3624.99	DFT	256QAM	Outer_Full	18.79
n48	40	30	3679.98	DFT	$\pi/2$ BPSK	Inner_Full	23.96
n48	40	30	3679.98	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.60
n48	40	30	3679.98	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.47
n48	40	30	3679.98	DFT	$\pi/2$ BPSK	Outer_Full	23.27
n48	40	30	3679.98	DFT	QPSK	Inner_Full	23.98

n48	40	30	3679.98	DFT	QPSK	Edge_1RB_Left	22.15
n48	40	30	3679.98	DFT	QPSK	Edge_1RB_Right	22.00
n48	40	30	3679.98	DFT	QPSK	Outer_Full	22.75
n48	40	30	3679.98	DFT	16QAM	Inner_Full	23.00
n48	40	30	3679.98	DFT	16QAM	Edge_1RB_Left	21.30
n48	40	30	3679.98	DFT	16QAM	Edge_1RB_Right	21.19
n48	40	30	3679.98	DFT	16QAM	Outer_Full	21.78
n48	40	30	3679.98	DFT	64QAM	Inner_Full	21.57
n48	40	30	3679.98	DFT	64QAM	Edge_1RB_Left	20.48
n48	40	30	3679.98	DFT	64QAM	Edge_1RB_Right	20.36
n48	40	30	3679.98	DFT	64QAM	Outer_Full	21.28
n48	40	30	3679.98	DFT	256QAM	Inner_Full	19.51
n48	40	30	3679.98	DFT	256QAM	Edge_1RB_Left	18.79
n48	40	30	3679.98	DFT	256QAM	Edge_1RB_Right	18.66
n48	40	30	3679.98	DFT	256QAM	Outer_Full	19.28
n48	50	30	3575.01	DFT	pi/2 BPSK	Inner_Full	22.53
n48	50	30	3575.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.66
n48	50	30	3575.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.06
n48	50	30	3575.01	DFT	pi/2 BPSK	Outer_Full	22.01
n48	50	30	3575.01	DFT	QPSK	Inner_Full	22.53
n48	50	30	3575.01	DFT	QPSK	Edge_1RB_Left	21.17
n48	50	30	3575.01	DFT	QPSK	Edge_1RB_Right	21.56
n48	50	30	3575.01	DFT	QPSK	Outer_Full	21.51
n48	50	30	3575.01	DFT	16QAM	Inner_Full	21.47
n48	50	30	3575.01	DFT	16QAM	Edge_1RB_Left	20.26
n48	50	30	3575.01	DFT	16QAM	Edge_1RB_Right	20.81
n48	50	30	3575.01	DFT	16QAM	Outer_Full	20.52
n48	50	30	3575.01	DFT	64QAM	Inner_Full	20.07
n48	50	30	3575.01	DFT	64QAM	Edge_1RB_Left	19.38
n48	50	30	3575.01	DFT	64QAM	Edge_1RB_Right	19.89
n48	50	30	3575.01	DFT	64QAM	Outer_Full	20.02
n48	50	30	3575.01	DFT	256QAM	Inner_Full	18.08
n48	50	30	3575.01	DFT	256QAM	Edge_1RB_Left	17.74
n48	50	30	3575.01	DFT	256QAM	Edge_1RB_Right	18.25
n48	50	30	3575.01	DFT	256QAM	Outer_Full	18.05
n48	50	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.44
n48	50	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.10
n48	50	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.11
n48	50	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.69
n48	50	30	3624.99	DFT	QPSK	Inner_Full	23.44
n48	50	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.59

n48	50	30	3624.99	DFT	QPSK	Edge_1RB_Right	21.58
n48	50	30	3624.99	DFT	QPSK	Outer_Full	22.20
n48	50	30	3624.99	DFT	16QAM	Inner_Full	22.41
n48	50	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.78
n48	50	30	3624.99	DFT	16QAM	Edge_1RB_Right	20.94
n48	50	30	3624.99	DFT	16QAM	Outer_Full	21.21
n48	50	30	3624.99	DFT	64QAM	Inner_Full	20.98
n48	50	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.97
n48	50	30	3624.99	DFT	64QAM	Edge_1RB_Right	19.95
n48	50	30	3624.99	DFT	64QAM	Outer_Full	20.73
n48	50	30	3624.99	DFT	256QAM	Inner_Full	18.97
n48	50	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.24
n48	50	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.28
n48	50	30	3624.99	DFT	256QAM	Outer_Full	18.79
n48	50	30	3675	DFT	$\pi/2$ BPSK	Inner_Full	23.93
n48	50	30	3675	DFT	$\pi/2$ BPSK	Edge_1RB_Left	21.94
n48	50	30	3675	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.33
n48	50	30	3675	DFT	$\pi/2$ BPSK	Outer_Full	23.06
n48	50	30	3675	DFT	QPSK	Inner_Full	23.91
n48	50	30	3675	DFT	QPSK	Edge_1RB_Left	21.51
n48	50	30	3675	DFT	QPSK	Edge_1RB_Right	21.91
n48	50	30	3675	DFT	QPSK	Outer_Full	22.57
n48	50	30	3675	DFT	16QAM	Inner_Full	22.84
n48	50	30	3675	DFT	16QAM	Edge_1RB_Left	20.66
n48	50	30	3675	DFT	16QAM	Edge_1RB_Right	21.07
n48	50	30	3675	DFT	16QAM	Outer_Full	21.58
n48	50	30	3675	DFT	64QAM	Inner_Full	21.40
n48	50	30	3675	DFT	64QAM	Edge_1RB_Left	19.81
n48	50	30	3675	DFT	64QAM	Edge_1RB_Right	20.17
n48	50	30	3675	DFT	64QAM	Outer_Full	21.07
n48	50	30	3675	DFT	256QAM	Inner_Full	19.43
n48	50	30	3675	DFT	256QAM	Edge_1RB_Left	18.15
n48	50	30	3675	DFT	256QAM	Edge_1RB_Right	18.53
n48	50	30	3675	DFT	256QAM	Outer_Full	19.12
n48	60	30	3580.02	DFT	$\pi/2$ BPSK	Inner_Full	22.43
n48	60	30	3580.02	DFT	$\pi/2$ BPSK	Edge_1RB_Left	21.63
n48	60	30	3580.02	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.16
n48	60	30	3580.02	DFT	$\pi/2$ BPSK	Outer_Full	22.07
n48	60	30	3580.02	DFT	QPSK	Inner_Full	22.47
n48	60	30	3580.02	DFT	QPSK	Edge_1RB_Left	21.20
n48	60	30	3580.02	DFT	QPSK	Edge_1RB_Right	21.64

n48	60	30	3580.02	DFT	QPSK	Outer_Full	21.63
n48	60	30	3580.02	DFT	16QAM	Inner_Full	21.49
n48	60	30	3580.02	DFT	16QAM	Edge_1RB_Left	20.41
n48	60	30	3580.02	DFT	16QAM	Edge_1RB_Right	20.92
n48	60	30	3580.02	DFT	16QAM	Outer_Full	20.59
n48	60	30	3580.02	DFT	64QAM	Inner_Full	20.02
n48	60	30	3580.02	DFT	64QAM	Edge_1RB_Left	19.38
n48	60	30	3580.02	DFT	64QAM	Edge_1RB_Right	19.99
n48	60	30	3580.02	DFT	64QAM	Outer_Full	20.09
n48	60	30	3580.02	DFT	256QAM	Inner_Full	17.99
n48	60	30	3580.02	DFT	256QAM	Edge_1RB_Left	17.75
n48	60	30	3580.02	DFT	256QAM	Edge_1RB_Right	18.33
n48	60	30	3580.02	DFT	256QAM	Outer_Full	18.11
n48	60	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.31
n48	60	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n48	60	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.15
n48	60	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.58
n48	60	30	3624.99	DFT	QPSK	Inner_Full	23.35
n48	60	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.54
n48	60	30	3624.99	DFT	QPSK	Edge_1RB_Right	21.67
n48	60	30	3624.99	DFT	QPSK	Outer_Full	22.10
n48	60	30	3624.99	DFT	16QAM	Inner_Full	22.33
n48	60	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.67
n48	60	30	3624.99	DFT	16QAM	Edge_1RB_Right	20.99
n48	60	30	3624.99	DFT	16QAM	Outer_Full	21.08
n48	60	30	3624.99	DFT	64QAM	Inner_Full	20.92
n48	60	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.78
n48	60	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.05
n48	60	30	3624.99	DFT	64QAM	Outer_Full	20.61
n48	60	30	3624.99	DFT	256QAM	Inner_Full	18.82
n48	60	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.11
n48	60	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.38
n48	60	30	3624.99	DFT	256QAM	Outer_Full	18.62
n48	60	30	3669.99	DFT	pi/2 BPSK	Inner_Full	23.71
n48	60	30	3669.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n48	60	30	3669.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.44
n48	60	30	3669.99	DFT	pi/2 BPSK	Outer_Full	22.93
n48	60	30	3669.99	DFT	QPSK	Inner_Full	23.72
n48	60	30	3669.99	DFT	QPSK	Edge_1RB_Left	21.82
n48	60	30	3669.99	DFT	QPSK	Edge_1RB_Right	21.98
n48	60	30	3669.99	DFT	QPSK	Outer_Full	22.40

n48	60	30	3669.99	DFT	16QAM	Inner_Full	22.73
n48	60	30	3669.99	DFT	16QAM	Edge_1RB_Left	20.93
n48	60	30	3669.99	DFT	16QAM	Edge_1RB_Right	21.17
n48	60	30	3669.99	DFT	16QAM	Outer_Full	21.40
n48	60	30	3669.99	DFT	64QAM	Inner_Full	21.28
n48	60	30	3669.99	DFT	64QAM	Edge_1RB_Left	20.10
n48	60	30	3669.99	DFT	64QAM	Edge_1RB_Right	20.40
n48	60	30	3669.99	DFT	64QAM	Outer_Full	20.94
n48	60	30	3669.99	DFT	256QAM	Inner_Full	19.31
n48	60	30	3669.99	DFT	256QAM	Edge_1RB_Left	18.45
n48	60	30	3669.99	DFT	256QAM	Edge_1RB_Right	18.62
n48	60	30	3669.99	DFT	256QAM	Outer_Full	18.95
n48	70	30	3585	DFT	pi/2 BPSK	Inner_Full	22.45
n48	70	30	3585	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n48	70	30	3585	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
n48	70	30	3585	DFT	pi/2 BPSK	Outer_Full	22.08
n48	70	30	3585	DFT	QPSK	Inner_Full	22.49
n48	70	30	3585	DFT	QPSK	Edge_1RB_Left	21.19
n48	70	30	3585	DFT	QPSK	Edge_1RB_Right	22.01
n48	70	30	3585	DFT	QPSK	Outer_Full	21.59
n48	70	30	3585	DFT	16QAM	Inner_Full	21.52
n48	70	30	3585	DFT	16QAM	Edge_1RB_Left	20.52
n48	70	30	3585	DFT	16QAM	Edge_1RB_Right	21.12
n48	70	30	3585	DFT	16QAM	Outer_Full	20.61
n48	70	30	3585	DFT	64QAM	Inner_Full	20.00
n48	70	30	3585	DFT	64QAM	Edge_1RB_Left	19.40
n48	70	30	3585	DFT	64QAM	Edge_1RB_Right	20.33
n48	70	30	3585	DFT	64QAM	Outer_Full	20.13
n48	70	30	3585	DFT	256QAM	Inner_Full	18.06
n48	70	30	3585	DFT	256QAM	Edge_1RB_Left	17.83
n48	70	30	3585	DFT	256QAM	Edge_1RB_Right	18.68
n48	70	30	3585	DFT	256QAM	Outer_Full	18.17
n48	70	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.35
n48	70	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n48	70	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n48	70	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.58
n48	70	30	3624.99	DFT	QPSK	Inner_Full	23.33
n48	70	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.49
n48	70	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.04
n48	70	30	3624.99	DFT	QPSK	Outer_Full	22.09
n48	70	30	3624.99	DFT	16QAM	Inner_Full	22.38

n48	70	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.60
n48	70	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.28
n48	70	30	3624.99	DFT	16QAM	Outer_Full	21.10
n48	70	30	3624.99	DFT	64QAM	Inner_Full	20.86
n48	70	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.72
n48	70	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.43
n48	70	30	3624.99	DFT	64QAM	Outer_Full	20.64
n48	70	30	3624.99	DFT	256QAM	Inner_Full	18.93
n48	70	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.14
n48	70	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.72
n48	70	30	3624.99	DFT	256QAM	Outer_Full	18.62
n48	70	30	3664.98	DFT	pi/2 BPSK	Inner_Full	23.53
n48	70	30	3664.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.01
n48	70	30	3664.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n48	70	30	3664.98	DFT	pi/2 BPSK	Outer_Full	23.06
n48	70	30	3664.98	DFT	QPSK	Inner_Full	23.56
n48	70	30	3664.98	DFT	QPSK	Edge_1RB_Left	22.52
n48	70	30	3664.98	DFT	QPSK	Edge_1RB_Right	22.04
n48	70	30	3664.98	DFT	QPSK	Outer_Full	22.50
n48	70	30	3664.98	DFT	16QAM	Inner_Full	22.62
n48	70	30	3664.98	DFT	16QAM	Edge_1RB_Left	21.81
n48	70	30	3664.98	DFT	16QAM	Edge_1RB_Right	21.28
n48	70	30	3664.98	DFT	16QAM	Outer_Full	21.57
n48	70	30	3664.98	DFT	64QAM	Inner_Full	21.11
n48	70	30	3664.98	DFT	64QAM	Edge_1RB_Left	20.86
n48	70	30	3664.98	DFT	64QAM	Edge_1RB_Right	20.45
n48	70	30	3664.98	DFT	64QAM	Outer_Full	21.04
n48	70	30	3664.98	DFT	256QAM	Inner_Full	19.14
n48	70	30	3664.98	DFT	256QAM	Edge_1RB_Left	19.19
n48	70	30	3664.98	DFT	256QAM	Edge_1RB_Right	18.70
n48	70	30	3664.98	DFT	256QAM	Outer_Full	19.10
n48	80	30	3590.01	DFT	pi/2 BPSK	Inner_Full	22.60
n48	80	30	3590.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.78
n48	80	30	3590.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.09
n48	80	30	3590.01	DFT	pi/2 BPSK	Outer_Full	22.25
n48	80	30	3590.01	DFT	QPSK	Inner_Full	22.62
n48	80	30	3590.01	DFT	QPSK	Edge_1RB_Left	21.27
n48	80	30	3590.01	DFT	QPSK	Edge_1RB_Right	22.61
n48	80	30	3590.01	DFT	QPSK	Outer_Full	21.74
n48	80	30	3590.01	DFT	16QAM	Inner_Full	21.65
n48	80	30	3590.01	DFT	16QAM	Edge_1RB_Left	20.55

n48	80	30	3590.01	DFT	16QAM	Edge_1RB_Right	21.76
n48	80	30	3590.01	DFT	16QAM	Outer_Full	20.77
n48	80	30	3590.01	DFT	64QAM	Inner_Full	20.21
n48	80	30	3590.01	DFT	64QAM	Edge_1RB_Left	19.46
n48	80	30	3590.01	DFT	64QAM	Edge_1RB_Right	20.92
n48	80	30	3590.01	DFT	64QAM	Outer_Full	20.29
n48	80	30	3590.01	DFT	256QAM	Inner_Full	18.17
n48	80	30	3590.01	DFT	256QAM	Edge_1RB_Left	17.96
n48	80	30	3590.01	DFT	256QAM	Edge_1RB_Right	19.31
n48	80	30	3590.01	DFT	256QAM	Outer_Full	18.34
n48	80	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.24
n48	80	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.74
n48	80	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.01
n48	80	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.57
n48	80	30	3624.99	DFT	QPSK	Inner_Full	23.28
n48	80	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.33
n48	80	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.53
n48	80	30	3624.99	DFT	QPSK	Outer_Full	22.09
n48	80	30	3624.99	DFT	16QAM	Inner_Full	22.32
n48	80	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.37
n48	80	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.85
n48	80	30	3624.99	DFT	16QAM	Outer_Full	21.08
n48	80	30	3624.99	DFT	64QAM	Inner_Full	20.84
n48	80	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.49
n48	80	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.88
n48	80	30	3624.99	DFT	64QAM	Outer_Full	20.63
n48	80	30	3624.99	DFT	256QAM	Inner_Full	18.80
n48	80	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.94
n48	80	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.23
n48	80	30	3624.99	DFT	256QAM	Outer_Full	18.64
n48	80	30	3660	DFT	pi/2 BPSK	Inner_Full	23.40
n48	80	30	3660	DFT	pi/2 BPSK	Edge_1RB_Left	22.69
n48	80	30	3660	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n48	80	30	3660	DFT	pi/2 BPSK	Outer_Full	23.00
n48	80	30	3660	DFT	QPSK	Inner_Full	23.43
n48	80	30	3660	DFT	QPSK	Edge_1RB_Left	22.21
n48	80	30	3660	DFT	QPSK	Edge_1RB_Right	22.04
n48	80	30	3660	DFT	QPSK	Outer_Full	22.50
n48	80	30	3660	DFT	16QAM	Inner_Full	22.44
n48	80	30	3660	DFT	16QAM	Edge_1RB_Left	21.34
n48	80	30	3660	DFT	16QAM	Edge_1RB_Right	21.27

n48	80	30	3660	DFT	16QAM	Outer_Full	21.49
n48	80	30	3660	DFT	64QAM	Inner_Full	20.93
n48	80	30	3660	DFT	64QAM	Edge_1RB_Left	20.51
n48	80	30	3660	DFT	64QAM	Edge_1RB_Right	20.36
n48	80	30	3660	DFT	64QAM	Outer_Full	20.95
n48	80	30	3660	DFT	256QAM	Inner_Full	18.99
n48	80	30	3660	DFT	256QAM	Edge_1RB_Left	18.79
n48	80	30	3660	DFT	256QAM	Edge_1RB_Right	18.70
n48	80	30	3660	DFT	256QAM	Outer_Full	19.05
n48	90	30	3595.02	DFT	pi/2 BPSK	Inner_Full	22.51
n48	90	30	3595.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.72
n48	90	30	3595.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.50
n48	90	30	3595.02	DFT	pi/2 BPSK	Outer_Full	22.29
n48	90	30	3595.02	DFT	QPSK	Inner_Full	22.57
n48	90	30	3595.02	DFT	QPSK	Edge_1RB_Left	21.21
n48	90	30	3595.02	DFT	QPSK	Edge_1RB_Right	22.03
n48	90	30	3595.02	DFT	QPSK	Outer_Full	21.80
n48	90	30	3595.02	DFT	16QAM	Inner_Full	21.60
n48	90	30	3595.02	DFT	16QAM	Edge_1RB_Left	20.37
n48	90	30	3595.02	DFT	16QAM	Edge_1RB_Right	21.19
n48	90	30	3595.02	DFT	16QAM	Outer_Full	20.85
n48	90	30	3595.02	DFT	64QAM	Inner_Full	20.11
n48	90	30	3595.02	DFT	64QAM	Edge_1RB_Left	19.49
n48	90	30	3595.02	DFT	64QAM	Edge_1RB_Right	20.27
n48	90	30	3595.02	DFT	64QAM	Outer_Full	20.31
n48	90	30	3595.02	DFT	256QAM	Inner_Full	18.13
n48	90	30	3595.02	DFT	256QAM	Edge_1RB_Left	17.82
n48	90	30	3595.02	DFT	256QAM	Edge_1RB_Right	18.68
n48	90	30	3595.02	DFT	256QAM	Outer_Full	18.34
n48	90	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.24
n48	90	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.66
n48	90	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.30
n48	90	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.58
n48	90	30	3624.99	DFT	QPSK	Inner_Full	23.28
n48	90	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.24
n48	90	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.90
n48	90	30	3624.99	DFT	QPSK	Outer_Full	22.08
n48	90	30	3624.99	DFT	16QAM	Inner_Full	22.30
n48	90	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.30
n48	90	30	3624.99	DFT	16QAM	Edge_1RB_Right	22.03
n48	90	30	3624.99	DFT	16QAM	Outer_Full	21.10

n48	90	30	3624.99	DFT	64QAM	Inner_Full	20.78
n48	90	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.34
n48	90	30	3624.99	DFT	64QAM	Edge_1RB_Right	21.21
n48	90	30	3624.99	DFT	64QAM	Outer_Full	20.61
n48	90	30	3624.99	DFT	256QAM	Inner_Full	18.85
n48	90	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.79
n48	90	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.60
n48	90	30	3624.99	DFT	256QAM	Outer_Full	18.65
n48	90	30	3654.99	DFT	pi/2 BPSK	Inner_Full	23.40
n48	90	30	3654.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n48	90	30	3654.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.49
n48	90	30	3654.99	DFT	pi/2 BPSK	Outer_Full	23.01
n48	90	30	3654.99	DFT	QPSK	Inner_Full	23.41
n48	90	30	3654.99	DFT	QPSK	Edge_1RB_Left	21.76
n48	90	30	3654.99	DFT	QPSK	Edge_1RB_Right	22.06
n48	90	30	3654.99	DFT	QPSK	Outer_Full	22.52
n48	90	30	3654.99	DFT	16QAM	Inner_Full	22.43
n48	90	30	3654.99	DFT	16QAM	Edge_1RB_Left	20.80
n48	90	30	3654.99	DFT	16QAM	Edge_1RB_Right	21.33
n48	90	30	3654.99	DFT	16QAM	Outer_Full	21.57
n48	90	30	3654.99	DFT	64QAM	Inner_Full	20.93
n48	90	30	3654.99	DFT	64QAM	Edge_1RB_Left	19.95
n48	90	30	3654.99	DFT	64QAM	Edge_1RB_Right	20.39
n48	90	30	3654.99	DFT	64QAM	Outer_Full	21.04
n48	90	30	3654.99	DFT	256QAM	Inner_Full	18.93
n48	90	30	3654.99	DFT	256QAM	Edge_1RB_Left	18.35
n48	90	30	3654.99	DFT	256QAM	Edge_1RB_Right	18.66
n48	90	30	3654.99	DFT	256QAM	Outer_Full	19.05
n48	100	30	3600	DFT	pi/2 BPSK	Inner_Full	22.70
n48	100	30	3600	DFT	pi/2 BPSK	Edge_1RB_Left	21.69
n48	100	30	3600	DFT	pi/2 BPSK	Edge_1RB_Right	22.11
n48	100	30	3600	DFT	pi/2 BPSK	Outer_Full	22.32
n48	100	30	3600	DFT	QPSK	Inner_Full	22.72
n48	100	30	3600	DFT	QPSK	Edge_1RB_Left	21.17
n48	100	30	3600	DFT	QPSK	Edge_1RB_Right	21.59
n48	100	30	3600	DFT	QPSK	Outer_Full	21.82
n48	100	30	3600	DFT	16QAM	Inner_Full	21.77
n48	100	30	3600	DFT	16QAM	Edge_1RB_Left	20.50
n48	100	30	3600	DFT	16QAM	Edge_1RB_Right	20.82
n48	100	30	3600	DFT	16QAM	Outer_Full	20.86
n48	100	30	3600	DFT	64QAM	Inner_Full	20.23

n48	100	30	3600	DFT	64QAM	Edge_1RB_Left	19.34
n48	100	30	3600	DFT	64QAM	Edge_1RB_Right	19.95
n48	100	30	3600	DFT	64QAM	Outer_Full	20.37
n48	100	30	3600	DFT	256QAM	Inner_Full	18.28
n48	100	30	3600	DFT	256QAM	Edge_1RB_Left	17.83
n48	100	30	3600	DFT	256QAM	Edge_1RB_Right	18.25
n48	100	30	3600	DFT	256QAM	Outer_Full	18.38
n48	100	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.28
n48	100	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
n48	100	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.55
n48	100	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.62
n48	100	30	3624.99	DFT	QPSK	Inner_Full	23.27
n48	100	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.27
n48	100	30	3624.99	DFT	QPSK	Edge_1RB_Right	23.04
n48	100	30	3624.99	DFT	QPSK	Outer_Full	22.14
n48	100	30	3624.99	DFT	16QAM	Inner_Full	22.29
n48	100	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.55
n48	100	30	3624.99	DFT	16QAM	Edge_1RB_Right	22.31
n48	100	30	3624.99	DFT	16QAM	Outer_Full	21.21
n48	100	30	3624.99	DFT	64QAM	Inner_Full	20.81
n48	100	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.39
n48	100	30	3624.99	DFT	64QAM	Edge_1RB_Right	21.39
n48	100	30	3624.99	DFT	64QAM	Outer_Full	20.69
n48	100	30	3624.99	DFT	256QAM	Inner_Full	18.85
n48	100	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.89
n48	100	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.70
n48	100	30	3624.99	DFT	256QAM	Outer_Full	18.70
n48	100	30	3624.99	CP	QPSK	Inner_Full	21.68
n48	100	30	3624.99	CP	QPSK	Edge_1RB_Left	19.29
n48	100	30	3624.99	CP	QPSK	Edge_1RB_Right	21.16
n48	100	30	3624.99	CP	QPSK	Outer_Full	20.17
n48	100	30	3624.99	CP	16QAM	Inner_Full	21.27
n48	100	30	3624.99	CP	16QAM	Edge_1RB_Left	19.16
n48	100	30	3624.99	CP	16QAM	Edge_1RB_Right	20.90
n48	100	30	3624.99	CP	16QAM	Outer_Full	20.13
n48	100	30	3624.99	CP	64QAM	Inner_Full	19.77
n48	100	30	3624.99	CP	64QAM	Edge_1RB_Left	18.53
n48	100	30	3624.99	CP	64QAM	Edge_1RB_Right	20.29
n48	100	30	3624.99	CP	64QAM	Outer_Full	19.69
n48	100	30	3624.99	CP	256QAM	Inner_Full	16.79
n48	100	30	3624.99	CP	256QAM	Edge_1RB_Left	15.83

n48	100	30	3624.99	CP	256QAM	Edge_1RB_Right	17.76
n48	100	30	3624.99	CP	256QAM	Outer_Full	16.67
n48	100	30	3649.98	DFT	pi/2 BPSK	Inner_Full	23.31
n48	100	30	3649.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.13
n48	100	30	3649.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.46
n48	100	30	3649.98	DFT	pi/2 BPSK	Outer_Full	22.90
n48	100	30	3649.98	DFT	QPSK	Inner_Full	23.33
n48	100	30	3649.98	DFT	QPSK	Edge_1RB_Left	21.56
n48	100	30	3649.98	DFT	QPSK	Edge_1RB_Right	21.97
n48	100	30	3649.98	DFT	QPSK	Outer_Full	22.42
n48	100	30	3649.98	DFT	16QAM	Inner_Full	22.36
n48	100	30	3649.98	DFT	16QAM	Edge_1RB_Left	20.76
n48	100	30	3649.98	DFT	16QAM	Edge_1RB_Right	21.16
n48	100	30	3649.98	DFT	16QAM	Outer_Full	21.40
n48	100	30	3649.98	DFT	64QAM	Inner_Full	20.88
n48	100	30	3649.98	DFT	64QAM	Edge_1RB_Left	19.89
n48	100	30	3649.98	DFT	64QAM	Edge_1RB_Right	20.27
n48	100	30	3649.98	DFT	64QAM	Outer_Full	20.93
n48	100	30	3649.98	DFT	256QAM	Inner_Full	18.87
n48	100	30	3649.98	DFT	256QAM	Edge_1RB_Left	18.36
n48	100	30	3649.98	DFT	256QAM	Edge_1RB_Right	18.60
n48	100	30	3649.98	DFT	256QAM	Outer_Full	18.95

n66

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.49
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.87
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.98
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.97
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.41
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.36
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.42
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.47
n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.49
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.66
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.78
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.51
n66	5	15	1712.5	DFT	64QAM	Inner_Full	20.94
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.91
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	21.03
n66	5	15	1712.5	DFT	64QAM	Outer_Full	21.02
n66	5	15	1712.5	DFT	256QAM	Inner_Full	19.05
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.89
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	19.04
n66	5	15	1712.5	DFT	256QAM	Outer_Full	19.02
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.42
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.95
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.90
n66	5	15	1745	DFT	QPSK	Inner_Full	23.40
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	22.44
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	22.31
n66	5	15	1745	DFT	QPSK	Outer_Full	22.44
n66	5	15	1745	DFT	16QAM	Inner_Full	22.48
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	21.74
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	21.63
n66	5	15	1745	DFT	16QAM	Outer_Full	21.49
n66	5	15	1745	DFT	64QAM	Inner_Full	20.90
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.98
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	20.83
n66	5	15	1745	DFT	64QAM	Outer_Full	20.99
n66	5	15	1745	DFT	256QAM	Inner_Full	18.93
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	18.96
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	18.81

n66	5	15	1745	DFT	256QAM	Outer_Full	18.89
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.16
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.68
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.61
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.71
n66	5	15	1777.5	DFT	QPSK	Inner_Full	23.17
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.17
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	22.06
n66	5	15	1777.5	DFT	QPSK	Outer_Full	22.22
n66	5	15	1777.5	DFT	16QAM	Inner_Full	22.24
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	21.47
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	21.40
n66	5	15	1777.5	DFT	16QAM	Outer_Full	21.28
n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.68
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.70
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.59
n66	5	15	1777.5	DFT	64QAM	Outer_Full	20.71
n66	5	15	1777.5	DFT	256QAM	Inner_Full	18.81
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.74
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.62
n66	5	15	1777.5	DFT	256QAM	Outer_Full	18.74
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.54
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	23.01
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	23.15
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	23.08
n66	10	15	1715	DFT	QPSK	Inner_Full	23.58
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.48
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.69
n66	10	15	1715	DFT	QPSK	Outer_Full	22.59
n66	10	15	1715	DFT	16QAM	Inner_Full	22.69
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.79
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	21.98
n66	10	15	1715	DFT	16QAM	Outer_Full	21.58
n66	10	15	1715	DFT	64QAM	Inner_Full	21.12
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	21.01
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	21.18
n66	10	15	1715	DFT	64QAM	Outer_Full	21.07
n66	10	15	1715	DFT	256QAM	Inner_Full	19.07
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.99
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	19.22
n66	10	15	1715	DFT	256QAM	Outer_Full	19.10

n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	23.35
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.03
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.81
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.88
n66	10	15	1745	DFT	QPSK	Inner_Full	23.36
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	22.52
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	22.26
n66	10	15	1745	DFT	QPSK	Outer_Full	22.42
n66	10	15	1745	DFT	16QAM	Inner_Full	22.48
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	21.87
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	21.57
n66	10	15	1745	DFT	16QAM	Outer_Full	21.41
n66	10	15	1745	DFT	64QAM	Inner_Full	20.93
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	21.07
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	20.80
n66	10	15	1745	DFT	64QAM	Outer_Full	20.93
n66	10	15	1745	DFT	256QAM	Inner_Full	18.87
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	19.05
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	18.76
n66	10	15	1745	DFT	256QAM	Outer_Full	18.85
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.23
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	22.85
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	22.59
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	22.72
n66	10	15	1775	DFT	QPSK	Inner_Full	23.24
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	22.35
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	22.07
n66	10	15	1775	DFT	QPSK	Outer_Full	22.24
n66	10	15	1775	DFT	16QAM	Inner_Full	22.34
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.66
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	21.40
n66	10	15	1775	DFT	16QAM	Outer_Full	21.28
n66	10	15	1775	DFT	64QAM	Inner_Full	20.80
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.86
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.62
n66	10	15	1775	DFT	64QAM	Outer_Full	20.80
n66	10	15	1775	DFT	256QAM	Inner_Full	18.81
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	18.84
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.64
n66	10	15	1775	DFT	256QAM	Outer_Full	18.78
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.57

n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.97
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.27
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.13
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.59
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.47
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.70
n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.68
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.63
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	21.81
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	22.08
n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.62
n66	15	15	1717.5	DFT	64QAM	Inner_Full	21.11
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	21.04
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	21.24
n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.19
n66	15	15	1717.5	DFT	256QAM	Inner_Full	19.14
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.97
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	19.27
n66	15	15	1717.5	DFT	256QAM	Outer_Full	19.17
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.38
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.11
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.80
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	22.93
n66	15	15	1745	DFT	QPSK	Inner_Full	23.43
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.61
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.26
n66	15	15	1745	DFT	QPSK	Outer_Full	22.49
n66	15	15	1745	DFT	16QAM	Inner_Full	22.46
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.93
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	21.62
n66	15	15	1745	DFT	16QAM	Outer_Full	21.41
n66	15	15	1745	DFT	64QAM	Inner_Full	20.94
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.16
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	20.81
n66	15	15	1745	DFT	64QAM	Outer_Full	20.98
n66	15	15	1745	DFT	256QAM	Inner_Full	18.90
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	19.11
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	18.73
n66	15	15	1745	DFT	256QAM	Outer_Full	18.92
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.24
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.75

n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.62
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.77
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.28
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.25
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.06
n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.27
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.29
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.57
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	21.42
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.27
n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.75
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.79
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.62
n66	15	15	1772.5	DFT	64QAM	Outer_Full	20.80
n66	15	15	1772.5	DFT	256QAM	Inner_Full	18.76
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.74
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.58
n66	15	15	1772.5	DFT	256QAM	Outer_Full	18.78
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.62
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.95
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	23.18
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.17
n66	20	15	1720	DFT	QPSK	Inner_Full	23.63
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.43
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.67
n66	20	15	1720	DFT	QPSK	Outer_Full	22.63
n66	20	15	1720	DFT	16QAM	Inner_Full	22.67
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.74
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	22.01
n66	20	15	1720	DFT	16QAM	Outer_Full	21.64
n66	20	15	1720	DFT	64QAM	Inner_Full	21.15
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.99
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	21.17
n66	20	15	1720	DFT	64QAM	Outer_Full	21.12
n66	20	15	1720	DFT	256QAM	Inner_Full	19.17
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.92
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	19.22
n66	20	15	1720	DFT	256QAM	Outer_Full	19.16
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.38
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.15
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.73

n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	22.98
n66	20	15	1745	DFT	QPSK	Inner_Full	23.47
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.59
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.23
n66	20	15	1745	DFT	QPSK	Outer_Full	22.45
n66	20	15	1745	DFT	16QAM	Inner_Full	22.48
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.97
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.57
n66	20	15	1745	DFT	16QAM	Outer_Full	21.51
n66	20	15	1745	DFT	64QAM	Inner_Full	20.96
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.16
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	20.75
n66	20	15	1745	DFT	64QAM	Outer_Full	20.98
n66	20	15	1745	DFT	256QAM	Inner_Full	18.93
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	19.15
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	18.69
n66	20	15	1745	DFT	256QAM	Outer_Full	18.92
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.28
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	22.70
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.79
n66	20	15	1770	DFT	QPSK	Inner_Full	23.30
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	22.17
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	22.08
n66	20	15	1770	DFT	QPSK	Outer_Full	22.31
n66	20	15	1770	DFT	16QAM	Inner_Full	22.31
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	21.49
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	21.37
n66	20	15	1770	DFT	16QAM	Outer_Full	21.35
n66	20	15	1770	DFT	64QAM	Inner_Full	20.81
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	20.70
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.57
n66	20	15	1770	DFT	64QAM	Outer_Full	20.82
n66	20	15	1770	DFT	256QAM	Inner_Full	18.80
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.64
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.58
n66	20	15	1770	DFT	256QAM	Outer_Full	18.86
n66	25	15	1722.5	DFT	pi/2 BPSK	Inner_Full	23.68
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.85
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.07
n66	25	15	1722.5	DFT	pi/2 BPSK	Outer_Full	23.11

n66	25	15	1722.5	DFT	QPSK	Inner_Full	23.72
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Left	22.27
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Right	22.57
n66	25	15	1722.5	DFT	QPSK	Outer_Full	22.60
n66	25	15	1722.5	DFT	16QAM	Inner_Full	22.73
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Left	21.67
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Right	21.85
n66	25	15	1722.5	DFT	16QAM	Outer_Full	21.62
n66	25	15	1722.5	DFT	64QAM	Inner_Full	21.19
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Left	20.86
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Right	21.03
n66	25	15	1722.5	DFT	64QAM	Outer_Full	21.12
n66	25	15	1722.5	DFT	256QAM	Inner_Full	19.29
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Left	18.89
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Right	19.13
n66	25	15	1722.5	DFT	256QAM	Outer_Full	19.23
n66	25	15	1745	DFT	$\pi/2$ BPSK	Inner_Full	23.48
n66	25	15	1745	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.14
n66	25	15	1745	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.71
n66	25	15	1745	DFT	$\pi/2$ BPSK	Outer_Full	23.04
n66	25	15	1745	DFT	QPSK	Inner_Full	23.49
n66	25	15	1745	DFT	QPSK	Edge_1RB_Left	22.63
n66	25	15	1745	DFT	QPSK	Edge_1RB_Right	22.20
n66	25	15	1745	DFT	QPSK	Outer_Full	22.53
n66	25	15	1745	DFT	16QAM	Inner_Full	22.48
n66	25	15	1745	DFT	16QAM	Edge_1RB_Left	21.99
n66	25	15	1745	DFT	16QAM	Edge_1RB_Right	21.51
n66	25	15	1745	DFT	16QAM	Outer_Full	21.54
n66	25	15	1745	DFT	64QAM	Inner_Full	21.04
n66	25	15	1745	DFT	64QAM	Edge_1RB_Left	21.16
n66	25	15	1745	DFT	64QAM	Edge_1RB_Right	20.76
n66	25	15	1745	DFT	64QAM	Outer_Full	21.07
n66	25	15	1745	DFT	256QAM	Inner_Full	19.05
n66	25	15	1745	DFT	256QAM	Edge_1RB_Left	19.20
n66	25	15	1745	DFT	256QAM	Edge_1RB_Right	18.65
n66	25	15	1745	DFT	256QAM	Outer_Full	19.05
n66	25	15	1767.5	DFT	$\pi/2$ BPSK	Inner_Full	23.33
n66	25	15	1767.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.70
n66	25	15	1767.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.57
n66	25	15	1767.5	DFT	$\pi/2$ BPSK	Outer_Full	22.80
n66	25	15	1767.5	DFT	QPSK	Inner_Full	23.40

n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Left	22.15
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Right	22.06
n66	25	15	1767.5	DFT	QPSK	Outer_Full	22.33
n66	25	15	1767.5	DFT	16QAM	Inner_Full	22.40
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Left	21.52
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Right	21.35
n66	25	15	1767.5	DFT	16QAM	Outer_Full	21.34
n66	25	15	1767.5	DFT	64QAM	Inner_Full	20.95
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Left	20.69
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Right	20.57
n66	25	15	1767.5	DFT	64QAM	Outer_Full	20.87
n66	25	15	1767.5	DFT	256QAM	Inner_Full	18.95
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Left	18.66
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Right	18.64
n66	25	15	1767.5	DFT	256QAM	Outer_Full	18.93
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.76
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	22.96
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	23.08
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	23.15
n66	30	15	1725	DFT	QPSK	Inner_Full	23.81
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	22.38
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	22.51
n66	30	15	1725	DFT	QPSK	Outer_Full	22.67
n66	30	15	1725	DFT	16QAM	Inner_Full	22.85
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	21.75
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	21.64
n66	30	15	1725	DFT	16QAM	Outer_Full	21.70
n66	30	15	1725	DFT	64QAM	Inner_Full	21.34
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	20.95
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	21.09
n66	30	15	1725	DFT	64QAM	Outer_Full	21.21
n66	30	15	1725	DFT	256QAM	Inner_Full	19.35
n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	18.99
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	19.08
n66	30	15	1725	DFT	256QAM	Outer_Full	19.29
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	23.46
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.20
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.72
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	23.03
n66	30	15	1745	DFT	QPSK	Inner_Full	23.51
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	22.71

n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	22.22
n66	30	15	1745	DFT	QPSK	Outer_Full	22.50
n66	30	15	1745	DFT	16QAM	Inner_Full	22.47
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	22.04
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.31
n66	30	15	1745	DFT	16QAM	Outer_Full	21.50
n66	30	15	1745	DFT	64QAM	Inner_Full	21.01
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	21.24
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	20.69
n66	30	15	1745	DFT	64QAM	Outer_Full	20.94
n66	30	15	1745	DFT	256QAM	Inner_Full	18.99
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	19.25
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	18.72
n66	30	15	1745	DFT	256QAM	Outer_Full	19.00
n66	30	15	1765	DFT	$\pi/2$ BPSK	Inner_Full	23.32
n66	30	15	1765	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.76
n66	30	15	1765	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.62
n66	30	15	1765	DFT	$\pi/2$ BPSK	Outer_Full	22.78
n66	30	15	1765	DFT	QPSK	Inner_Full	23.39
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	22.25
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	22.08
n66	30	15	1765	DFT	QPSK	Outer_Full	22.35
n66	30	15	1765	DFT	16QAM	Inner_Full	22.39
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	21.54
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	21.43
n66	30	15	1765	DFT	16QAM	Outer_Full	21.35
n66	30	15	1765	DFT	64QAM	Inner_Full	20.92
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	20.76
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	20.61
n66	30	15	1765	DFT	64QAM	Outer_Full	20.88
n66	30	15	1765	DFT	256QAM	Inner_Full	18.88
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	18.75
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	18.66
n66	30	15	1765	DFT	256QAM	Outer_Full	18.85
n66	35	15	1727.5	DFT	$\pi/2$ BPSK	Inner_Full	23.68
n66	35	15	1727.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.86
n66	35	15	1727.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.84
n66	35	15	1727.5	DFT	$\pi/2$ BPSK	Outer_Full	23.06
n66	35	15	1727.5	DFT	QPSK	Inner_Full	23.75
n66	35	15	1727.5	DFT	QPSK	Edge_1RB_Left	22.35
n66	35	15	1727.5	DFT	QPSK	Edge_1RB_Right	22.32

n66	35	15	1727.5	DFT	QPSK	Outer_Full	22.62
n66	35	15	1727.5	DFT	16QAM	Inner_Full	22.75
n66	35	15	1727.5	DFT	16QAM	Edge_1RB_Left	21.68
n66	35	15	1727.5	DFT	16QAM	Edge_1RB_Right	21.64
n66	35	15	1727.5	DFT	16QAM	Outer_Full	21.63
n66	35	15	1727.5	DFT	64QAM	Inner_Full	21.25
n66	35	15	1727.5	DFT	64QAM	Edge_1RB_Left	20.90
n66	35	15	1727.5	DFT	64QAM	Edge_1RB_Right	20.88
n66	35	15	1727.5	DFT	64QAM	Outer_Full	21.10
n66	35	15	1727.5	DFT	256QAM	Inner_Full	19.27
n66	35	15	1727.5	DFT	256QAM	Edge_1RB_Left	18.96
n66	35	15	1727.5	DFT	256QAM	Edge_1RB_Right	18.84
n66	35	15	1727.5	DFT	256QAM	Outer_Full	19.20
n66	35	15	1745	DFT	pi/2 BPSK	Inner_Full	23.42
n66	35	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.15
n66	35	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.73
n66	35	15	1745	DFT	pi/2 BPSK	Outer_Full	23.00
n66	35	15	1745	DFT	QPSK	Inner_Full	23.48
n66	35	15	1745	DFT	QPSK	Edge_1RB_Left	22.60
n66	35	15	1745	DFT	QPSK	Edge_1RB_Right	22.17
n66	35	15	1745	DFT	QPSK	Outer_Full	22.48
n66	35	15	1745	DFT	16QAM	Inner_Full	22.49
n66	35	15	1745	DFT	16QAM	Edge_1RB_Left	21.84
n66	35	15	1745	DFT	16QAM	Edge_1RB_Right	21.53
n66	35	15	1745	DFT	16QAM	Outer_Full	21.51
n66	35	15	1745	DFT	64QAM	Inner_Full	20.98
n66	35	15	1745	DFT	64QAM	Edge_1RB_Left	21.15
n66	35	15	1745	DFT	64QAM	Edge_1RB_Right	20.71
n66	35	15	1745	DFT	64QAM	Outer_Full	20.98
n66	35	15	1745	DFT	256QAM	Inner_Full	18.99
n66	35	15	1745	DFT	256QAM	Edge_1RB_Left	19.25
n66	35	15	1745	DFT	256QAM	Edge_1RB_Right	18.73
n66	35	15	1745	DFT	256QAM	Outer_Full	19.00
n66	35	15	1762.5	DFT	pi/2 BPSK	Inner_Full	23.18
n66	35	15	1762.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.71
n66	35	15	1762.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.49
n66	35	15	1762.5	DFT	pi/2 BPSK	Outer_Full	22.64
n66	35	15	1762.5	DFT	QPSK	Inner_Full	23.25
n66	35	15	1762.5	DFT	QPSK	Edge_1RB_Left	22.17
n66	35	15	1762.5	DFT	QPSK	Edge_1RB_Right	21.98
n66	35	15	1762.5	DFT	QPSK	Outer_Full	22.21

n66	35	15	1762.5	DFT	16QAM	Inner_Full	22.31
n66	35	15	1762.5	DFT	16QAM	Edge_1RB_Left	21.27
n66	35	15	1762.5	DFT	16QAM	Edge_1RB_Right	21.32
n66	35	15	1762.5	DFT	16QAM	Outer_Full	21.22
n66	35	15	1762.5	DFT	64QAM	Inner_Full	20.78
n66	35	15	1762.5	DFT	64QAM	Edge_1RB_Left	20.75
n66	35	15	1762.5	DFT	64QAM	Edge_1RB_Right	20.55
n66	35	15	1762.5	DFT	64QAM	Outer_Full	20.70
n66	35	15	1762.5	DFT	256QAM	Inner_Full	18.75
n66	35	15	1762.5	DFT	256QAM	Edge_1RB_Left	18.73
n66	35	15	1762.5	DFT	256QAM	Edge_1RB_Right	18.59
n66	35	15	1762.5	DFT	256QAM	Outer_Full	18.75
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.60
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	22.80
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	22.60
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.94
n66	40	15	1730	DFT	QPSK	Inner_Full	23.66
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	22.27
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	22.15
n66	40	15	1730	DFT	QPSK	Outer_Full	22.50
n66	40	15	1730	DFT	16QAM	Inner_Full	22.68
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	21.60
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	21.47
n66	40	15	1730	DFT	16QAM	Outer_Full	21.50
n66	40	15	1730	DFT	64QAM	Inner_Full	21.17
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	20.86
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	20.64
n66	40	15	1730	DFT	64QAM	Outer_Full	20.97
n66	40	15	1730	DFT	256QAM	Inner_Full	19.22
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	18.84
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	18.71
n66	40	15	1730	DFT	256QAM	Outer_Full	19.07
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.40
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.12
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.71
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.94
n66	40	15	1745	DFT	QPSK	Inner_Full	23.41
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	22.61
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	22.18
n66	40	15	1745	DFT	QPSK	Outer_Full	22.47
n66	40	15	1745	DFT	16QAM	Inner_Full	22.42

n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	22.00
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	21.25
n66	40	15	1745	DFT	16QAM	Outer_Full	21.47
n66	40	15	1745	DFT	64QAM	Inner_Full	20.92
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	21.15
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	20.72
n66	40	15	1745	DFT	64QAM	Outer_Full	20.97
n66	40	15	1745	DFT	256QAM	Inner_Full	18.93
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	19.24
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	18.74
n66	40	15	1745	DFT	256QAM	Outer_Full	18.99
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.21
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	22.91
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	22.61
n66	40	15	1760	DFT	QPSK	Inner_Full	23.29
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	22.36
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	22.03
n66	40	15	1760	DFT	QPSK	Outer_Full	22.21
n66	40	15	1760	DFT	16QAM	Inner_Full	22.30
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	21.71
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	21.35
n66	40	15	1760	DFT	16QAM	Outer_Full	21.22
n66	40	15	1760	DFT	64QAM	Inner_Full	20.80
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	20.96
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	20.54
n66	40	15	1760	DFT	64QAM	Outer_Full	20.66
n66	40	15	1760	DFT	256QAM	Inner_Full	18.72
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	18.93
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	18.58
n66	40	15	1760	DFT	256QAM	Outer_Full	18.76
n66	45	15	1732.5	DFT	pi/2 BPSK	Inner_Full	23.54
n66	45	15	1732.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.68
n66	45	15	1732.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n66	45	15	1732.5	DFT	pi/2 BPSK	Outer_Full	22.92
n66	45	15	1732.5	DFT	QPSK	Inner_Full	23.59
n66	45	15	1732.5	DFT	QPSK	Edge_1RB_Left	22.23
n66	45	15	1732.5	DFT	QPSK	Edge_1RB_Right	22.08
n66	45	15	1732.5	DFT	QPSK	Outer_Full	22.46
n66	45	15	1732.5	DFT	16QAM	Inner_Full	22.63
n66	45	15	1732.5	DFT	16QAM	Edge_1RB_Left	21.59

n66	45	15	1732.5	DFT	16QAM	Edge_1RB_Right	21.37
n66	45	15	1732.5	DFT	16QAM	Outer_Full	21.48
n66	45	15	1732.5	DFT	64QAM	Inner_Full	21.12
n66	45	15	1732.5	DFT	64QAM	Edge_1RB_Left	20.81
n66	45	15	1732.5	DFT	64QAM	Edge_1RB_Right	20.64
n66	45	15	1732.5	DFT	64QAM	Outer_Full	21.00
n66	45	15	1732.5	DFT	256QAM	Inner_Full	19.18
n66	45	15	1732.5	DFT	256QAM	Edge_1RB_Left	18.80
n66	45	15	1732.5	DFT	256QAM	Edge_1RB_Right	18.56
n66	45	15	1732.5	DFT	256QAM	Outer_Full	19.05
n66	45	15	1745	DFT	pi/2 BPSK	Inner_Full	23.42
n66	45	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.09
n66	45	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.71
n66	45	15	1745	DFT	pi/2 BPSK	Outer_Full	22.97
n66	45	15	1745	DFT	QPSK	Inner_Full	23.45
n66	45	15	1745	DFT	QPSK	Edge_1RB_Left	22.54
n66	45	15	1745	DFT	QPSK	Edge_1RB_Right	22.18
n66	45	15	1745	DFT	QPSK	Outer_Full	22.46
n66	45	15	1745	DFT	16QAM	Inner_Full	22.47
n66	45	15	1745	DFT	16QAM	Edge_1RB_Left	21.78
n66	45	15	1745	DFT	16QAM	Edge_1RB_Right	21.35
n66	45	15	1745	DFT	16QAM	Outer_Full	21.46
n66	45	15	1745	DFT	64QAM	Inner_Full	20.97
n66	45	15	1745	DFT	64QAM	Edge_1RB_Left	21.10
n66	45	15	1745	DFT	64QAM	Edge_1RB_Right	20.72
n66	45	15	1745	DFT	64QAM	Outer_Full	21.00
n66	45	15	1745	DFT	256QAM	Inner_Full	18.96
n66	45	15	1745	DFT	256QAM	Edge_1RB_Left	19.22
n66	45	15	1745	DFT	256QAM	Edge_1RB_Right	18.72
n66	45	15	1745	DFT	256QAM	Outer_Full	19.01
n66	45	15	1745	CP	QPSK	Inner_Full	21.90
n66	45	15	1745	CP	QPSK	Edge_1RB_Left	20.59
n66	45	15	1745	CP	QPSK	Edge_1RB_Right	20.23
n66	45	15	1745	CP	QPSK	Outer_Full	20.43
n66	45	15	1745	CP	16QAM	Inner_Full	21.45
n66	45	15	1745	CP	16QAM	Edge_1RB_Left	20.86
n66	45	15	1745	CP	16QAM	Edge_1RB_Right	20.49
n66	45	15	1745	CP	16QAM	Outer_Full	20.45
n66	45	15	1745	CP	64QAM	Inner_Full	19.98
n66	45	15	1745	CP	64QAM	Edge_1RB_Left	20.05
n66	45	15	1745	CP	64QAM	Edge_1RB_Right	19.64

n66	45	15	1745	CP	64QAM	Outer_Full	19.96
n66	45	15	1745	CP	256QAM	Inner_Full	16.99
n66	45	15	1745	CP	256QAM	Edge_1RB_Left	17.43
n66	45	15	1745	CP	256QAM	Edge_1RB_Right	16.96
n66	45	15	1745	CP	256QAM	Outer_Full	17.01
n66	45	15	1757.5	DFT	pi/2 BPSK	Inner_Full	23.29
n66	45	15	1757.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.00
n66	45	15	1757.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n66	45	15	1757.5	DFT	pi/2 BPSK	Outer_Full	22.72
n66	45	15	1757.5	DFT	QPSK	Inner_Full	23.30
n66	45	15	1757.5	DFT	QPSK	Edge_1RB_Left	22.51
n66	45	15	1757.5	DFT	QPSK	Edge_1RB_Right	22.01
n66	45	15	1757.5	DFT	QPSK	Outer_Full	22.27
n66	45	15	1757.5	DFT	16QAM	Inner_Full	22.35
n66	45	15	1757.5	DFT	16QAM	Edge_1RB_Left	21.84
n66	45	15	1757.5	DFT	16QAM	Edge_1RB_Right	21.33
n66	45	15	1757.5	DFT	16QAM	Outer_Full	21.28
n66	45	15	1757.5	DFT	64QAM	Inner_Full	20.83
n66	45	15	1757.5	DFT	64QAM	Edge_1RB_Left	21.03
n66	45	15	1757.5	DFT	64QAM	Edge_1RB_Right	20.57
n66	45	15	1757.5	DFT	64QAM	Outer_Full	20.77
n66	45	15	1757.5	DFT	256QAM	Inner_Full	18.85
n66	45	15	1757.5	DFT	256QAM	Edge_1RB_Left	19.04
n66	45	15	1757.5	DFT	256QAM	Edge_1RB_Right	18.61
n66	45	15	1757.5	DFT	256QAM	Outer_Full	18.76

n71

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	23.32
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.92
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.93
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	23.03
n71	5	15	665.5	DFT	QPSK	Inner_Full	23.34
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	22.43
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	22.44
n71	5	15	665.5	DFT	QPSK	Outer_Full	22.58
n71	5	15	665.5	DFT	16QAM	Inner_Full	22.59
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	21.82
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	21.77
n71	5	15	665.5	DFT	16QAM	Outer_Full	21.72
n71	5	15	665.5	DFT	64QAM	Inner_Full	21.05
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	21.01
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	20.98
n71	5	15	665.5	DFT	64QAM	Outer_Full	21.07
n71	5	15	665.5	DFT	256QAM	Inner_Full	19.05
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	18.94
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	18.92
n71	5	15	665.5	DFT	256QAM	Outer_Full	18.96
n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.16
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.69
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.71
n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.70
n71	5	15	680.5	DFT	QPSK	Inner_Full	23.17
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	22.20
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	22.18
n71	5	15	680.5	DFT	QPSK	Outer_Full	22.26
n71	5	15	680.5	DFT	16QAM	Inner_Full	22.30
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	21.49
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	21.49
n71	5	15	680.5	DFT	16QAM	Outer_Full	21.34
n71	5	15	680.5	DFT	64QAM	Inner_Full	20.71
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	20.72
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	20.74
n71	5	15	680.5	DFT	64QAM	Outer_Full	20.80
n71	5	15	680.5	DFT	256QAM	Inner_Full	18.69
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	18.59
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	18.63

n71	5	15	680.5	DFT	256QAM	Outer_Full	18.65
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	23.35
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.87
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	23.01
n71	5	15	695.5	DFT	QPSK	Inner_Full	23.31
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	22.37
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	22.43
n71	5	15	695.5	DFT	QPSK	Outer_Full	22.54
n71	5	15	695.5	DFT	16QAM	Inner_Full	22.55
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	21.73
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	21.81
n71	5	15	695.5	DFT	16QAM	Outer_Full	21.55
n71	5	15	695.5	DFT	64QAM	Inner_Full	21.02
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	20.91
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	21.02
n71	5	15	695.5	DFT	64QAM	Outer_Full	21.09
n71	5	15	695.5	DFT	256QAM	Inner_Full	18.95
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	18.86
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	19.03
n71	5	15	695.5	DFT	256QAM	Outer_Full	18.96
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	23.30
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	22.92
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	22.82
n71	10	15	668	DFT	QPSK	Inner_Full	23.34
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	22.57
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	22.31
n71	10	15	668	DFT	QPSK	Outer_Full	22.41
n71	10	15	668	DFT	16QAM	Inner_Full	22.64
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	21.81
n71	10	15	668	DFT	16QAM	Edge_1RB_Right	21.56
n71	10	15	668	DFT	16QAM	Outer_Full	21.36
n71	10	15	668	DFT	64QAM	Inner_Full	20.97
n71	10	15	668	DFT	64QAM	Edge_1RB_Left	21.05
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	20.90
n71	10	15	668	DFT	64QAM	Outer_Full	20.84
n71	10	15	668	DFT	256QAM	Inner_Full	18.82
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	18.91
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	18.66
n71	10	15	668	DFT	256QAM	Outer_Full	18.75

n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.07
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.68
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.71
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.62
n71	10	15	680.5	DFT	QPSK	Inner_Full	23.15
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	22.13
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	22.27
n71	10	15	680.5	DFT	QPSK	Outer_Full	22.23
n71	10	15	680.5	DFT	16QAM	Inner_Full	22.37
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	21.45
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	21.51
n71	10	15	680.5	DFT	16QAM	Outer_Full	21.17
n71	10	15	680.5	DFT	64QAM	Inner_Full	20.74
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	20.70
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	20.74
n71	10	15	680.5	DFT	64QAM	Outer_Full	20.60
n71	10	15	680.5	DFT	256QAM	Inner_Full	18.57
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	18.56
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	18.62
n71	10	15	680.5	DFT	256QAM	Outer_Full	18.57
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	23.21
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	22.73
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	22.86
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	22.77
n71	10	15	693	DFT	QPSK	Inner_Full	23.22
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	22.20
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	22.38
n71	10	15	693	DFT	QPSK	Outer_Full	22.29
n71	10	15	693	DFT	16QAM	Inner_Full	22.48
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	21.49
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	21.79
n71	10	15	693	DFT	16QAM	Outer_Full	21.31
n71	10	15	693	DFT	64QAM	Inner_Full	20.91
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	20.79
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	20.95
n71	10	15	693	DFT	64QAM	Outer_Full	20.84
n71	10	15	693	DFT	256QAM	Inner_Full	18.69
n71	10	15	693	DFT	256QAM	Edge_1RB_Left	18.61
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	18.93
n71	10	15	693	DFT	256QAM	Outer_Full	18.75
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	23.24

n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.89
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.71
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	22.82
n71	15	15	670.5	DFT	QPSK	Inner_Full	23.29
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	22.38
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	22.15
n71	15	15	670.5	DFT	QPSK	Outer_Full	22.39
n71	15	15	670.5	DFT	16QAM	Inner_Full	22.42
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	21.75
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	21.50
n71	15	15	670.5	DFT	16QAM	Outer_Full	21.36
n71	15	15	670.5	DFT	64QAM	Inner_Full	20.96
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	20.97
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	20.67
n71	15	15	670.5	DFT	64QAM	Outer_Full	20.76
n71	15	15	670.5	DFT	256QAM	Inner_Full	18.81
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	18.86
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	18.62
n71	15	15	670.5	DFT	256QAM	Outer_Full	18.72
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.06
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.73
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.71
n71	15	15	680.5	DFT	QPSK	Inner_Full	23.17
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	22.21
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	22.23
n71	15	15	680.5	DFT	QPSK	Outer_Full	22.24
n71	15	15	680.5	DFT	16QAM	Inner_Full	22.23
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	21.49
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	21.54
n71	15	15	680.5	DFT	16QAM	Outer_Full	21.19
n71	15	15	680.5	DFT	64QAM	Inner_Full	20.72
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	20.82
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	20.78
n71	15	15	680.5	DFT	64QAM	Outer_Full	20.73
n71	15	15	680.5	DFT	256QAM	Inner_Full	18.58
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	18.61
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	18.65
n71	15	15	680.5	DFT	256QAM	Outer_Full	18.62
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	23.16
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72

n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.90
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	22.85
n71	15	15	690.5	DFT	QPSK	Inner_Full	23.19
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	22.20
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	22.39
n71	15	15	690.5	DFT	QPSK	Outer_Full	22.34
n71	15	15	690.5	DFT	16QAM	Inner_Full	22.37
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	21.47
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	21.83
n71	15	15	690.5	DFT	16QAM	Outer_Full	21.30
n71	15	15	690.5	DFT	64QAM	Inner_Full	20.87
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	20.74
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	20.94
n71	15	15	690.5	DFT	64QAM	Outer_Full	20.88
n71	15	15	690.5	DFT	256QAM	Inner_Full	18.74
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	18.62
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	18.97
n71	15	15	690.5	DFT	256QAM	Outer_Full	18.75
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	23.25
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	22.83
n71	20	15	673	DFT	QPSK	Inner_Full	23.29
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	22.35
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	22.20
n71	20	15	673	DFT	QPSK	Outer_Full	22.32
n71	20	15	673	DFT	16QAM	Inner_Full	22.29
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	21.77
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	21.52
n71	20	15	673	DFT	16QAM	Outer_Full	21.28
n71	20	15	673	DFT	64QAM	Inner_Full	20.84
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	20.94
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	20.75
n71	20	15	673	DFT	64QAM	Outer_Full	20.82
n71	20	15	673	DFT	256QAM	Inner_Full	18.77
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	18.83
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	18.62
n71	20	15	673	DFT	256QAM	Outer_Full	18.75
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.16
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.78

n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.72
n71	20	15	680.5	DFT	QPSK	Inner_Full	23.27
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	22.34
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	22.28
n71	20	15	680.5	DFT	QPSK	Outer_Full	22.22
n71	20	15	680.5	DFT	16QAM	Inner_Full	22.29
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	21.63
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	21.60
n71	20	15	680.5	DFT	16QAM	Outer_Full	21.20
n71	20	15	680.5	DFT	64QAM	Inner_Full	20.73
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	20.91
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	20.78
n71	20	15	680.5	DFT	64QAM	Outer_Full	20.63
n71	20	15	680.5	DFT	256QAM	Inner_Full	18.62
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	18.70
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	18.67
n71	20	15	680.5	DFT	256QAM	Outer_Full	18.66
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	23.26
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	22.72
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	22.93
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	22.84
n71	20	15	688	DFT	QPSK	Inner_Full	23.22
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	22.23
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	22.44
n71	20	15	688	DFT	QPSK	Outer_Full	22.38
n71	20	15	688	DFT	16QAM	Inner_Full	22.35
n71	20	15	688	DFT	16QAM	Edge_1RB_Left	21.51
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	21.85
n71	20	15	688	DFT	16QAM	Outer_Full	21.40
n71	20	15	688	DFT	64QAM	Inner_Full	20.89
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	20.77
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	20.97
n71	20	15	688	DFT	64QAM	Outer_Full	20.92
n71	20	15	688	DFT	256QAM	Inner_Full	18.78
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	18.66
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	19.01
n71	20	15	688	DFT	256QAM	Outer_Full	18.83
n71	25	15	675.5	DFT	pi/2 BPSK	Inner_Full	23.36
n71	25	15	675.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n71	25	15	675.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.75
n71	25	15	675.5	DFT	pi/2 BPSK	Outer_Full	22.86

n71	25	15	675.5	DFT	QPSK	Inner_Full	23.39
n71	25	15	675.5	DFT	QPSK	Edge_1RB_Left	22.36
n71	25	15	675.5	DFT	QPSK	Edge_1RB_Right	22.26
n71	25	15	675.5	DFT	QPSK	Outer_Full	22.33
n71	25	15	675.5	DFT	16QAM	Inner_Full	22.36
n71	25	15	675.5	DFT	16QAM	Edge_1RB_Left	21.77
n71	25	15	675.5	DFT	16QAM	Edge_1RB_Right	21.52
n71	25	15	675.5	DFT	16QAM	Outer_Full	21.30
n71	25	15	675.5	DFT	64QAM	Inner_Full	20.87
n71	25	15	675.5	DFT	64QAM	Edge_1RB_Left	20.95
n71	25	15	675.5	DFT	64QAM	Edge_1RB_Right	20.82
n71	25	15	675.5	DFT	64QAM	Outer_Full	20.85
n71	25	15	675.5	DFT	256QAM	Inner_Full	18.80
n71	25	15	675.5	DFT	256QAM	Edge_1RB_Left	18.86
n71	25	15	675.5	DFT	256QAM	Edge_1RB_Right	18.62
n71	25	15	675.5	DFT	256QAM	Outer_Full	18.81
n71	25	15	680.5	DFT	$\pi/2$ BPSK	Inner_Full	23.19
n71	25	15	680.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.83
n71	25	15	680.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.72
n71	25	15	680.5	DFT	$\pi/2$ BPSK	Outer_Full	22.71
n71	25	15	680.5	DFT	QPSK	Inner_Full	23.20
n71	25	15	680.5	DFT	QPSK	Edge_1RB_Left	22.26
n71	25	15	680.5	DFT	QPSK	Edge_1RB_Right	22.40
n71	25	15	680.5	DFT	QPSK	Outer_Full	22.23
n71	25	15	680.5	DFT	16QAM	Inner_Full	22.23
n71	25	15	680.5	DFT	16QAM	Edge_1RB_Left	21.41
n71	25	15	680.5	DFT	16QAM	Edge_1RB_Right	21.62
n71	25	15	680.5	DFT	16QAM	Outer_Full	21.28
n71	25	15	680.5	DFT	64QAM	Inner_Full	20.73
n71	25	15	680.5	DFT	64QAM	Edge_1RB_Left	20.84
n71	25	15	680.5	DFT	64QAM	Edge_1RB_Right	20.79
n71	25	15	680.5	DFT	64QAM	Outer_Full	20.74
n71	25	15	680.5	DFT	256QAM	Inner_Full	18.63
n71	25	15	680.5	DFT	256QAM	Edge_1RB_Left	18.78
n71	25	15	680.5	DFT	256QAM	Edge_1RB_Right	18.71
n71	25	15	680.5	DFT	256QAM	Outer_Full	18.70
n71	25	15	685.5	DFT	$\pi/2$ BPSK	Inner_Full	23.24
n71	25	15	685.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.71
n71	25	15	685.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.87
n71	25	15	685.5	DFT	$\pi/2$ BPSK	Outer_Full	22.70
n71	25	15	685.5	DFT	QPSK	Inner_Full	23.25

n71	25	15	685.5	DFT	QPSK	Edge_1RB_Left	22.21
n71	25	15	685.5	DFT	QPSK	Edge_1RB_Right	22.36
n71	25	15	685.5	DFT	QPSK	Outer_Full	22.24
n71	25	15	685.5	DFT	16QAM	Inner_Full	22.29
n71	25	15	685.5	DFT	16QAM	Edge_1RB_Left	21.48
n71	25	15	685.5	DFT	16QAM	Edge_1RB_Right	21.86
n71	25	15	685.5	DFT	16QAM	Outer_Full	21.25
n71	25	15	685.5	DFT	64QAM	Inner_Full	20.83
n71	25	15	685.5	DFT	64QAM	Edge_1RB_Left	20.77
n71	25	15	685.5	DFT	64QAM	Edge_1RB_Right	20.95
n71	25	15	685.5	DFT	64QAM	Outer_Full	20.77
n71	25	15	685.5	DFT	256QAM	Inner_Full	18.73
n71	25	15	685.5	DFT	256QAM	Edge_1RB_Left	18.59
n71	25	15	685.5	DFT	256QAM	Edge_1RB_Right	18.92
n71	25	15	685.5	DFT	256QAM	Outer_Full	18.75
n71	30	15	678	DFT	pi/2 BPSK	Inner_Full	23.25
n71	30	15	678	DFT	pi/2 BPSK	Edge_1RB_Left	22.92
n71	30	15	678	DFT	pi/2 BPSK	Edge_1RB_Right	22.80
n71	30	15	678	DFT	pi/2 BPSK	Outer_Full	22.84
n71	30	15	678	DFT	QPSK	Inner_Full	23.24
n71	30	15	678	DFT	QPSK	Edge_1RB_Left	22.44
n71	30	15	678	DFT	QPSK	Edge_1RB_Right	22.25
n71	30	15	678	DFT	QPSK	Outer_Full	22.35
n71	30	15	678	DFT	16QAM	Inner_Full	22.22
n71	30	15	678	DFT	16QAM	Edge_1RB_Left	21.82
n71	30	15	678	DFT	16QAM	Edge_1RB_Right	21.72
n71	30	15	678	DFT	16QAM	Outer_Full	21.33
n71	30	15	678	DFT	64QAM	Inner_Full	20.77
n71	30	15	678	DFT	64QAM	Edge_1RB_Left	21.00
n71	30	15	678	DFT	64QAM	Edge_1RB_Right	20.78
n71	30	15	678	DFT	64QAM	Outer_Full	20.76
n71	30	15	678	DFT	256QAM	Inner_Full	18.70
n71	30	15	678	DFT	256QAM	Edge_1RB_Left	18.85
n71	30	15	678	DFT	256QAM	Edge_1RB_Right	18.78
n71	30	15	678	DFT	256QAM	Outer_Full	18.76
n71	30	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.19
n71	30	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.89
n71	30	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.87
n71	30	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.75
n71	30	15	680.5	DFT	QPSK	Inner_Full	23.26
n71	30	15	680.5	DFT	QPSK	Edge_1RB_Left	22.39

n71	30	15	680.5	DFT	QPSK	Edge_1RB_Right	22.35
n71	30	15	680.5	DFT	QPSK	Outer_Full	22.28
n71	30	15	680.5	DFT	16QAM	Inner_Full	22.21
n71	30	15	680.5	DFT	16QAM	Edge_1RB_Left	21.74
n71	30	15	680.5	DFT	16QAM	Edge_1RB_Right	21.73
n71	30	15	680.5	DFT	16QAM	Outer_Full	21.28
n71	30	15	680.5	DFT	64QAM	Inner_Full	20.74
n71	30	15	680.5	DFT	64QAM	Edge_1RB_Left	20.93
n71	30	15	680.5	DFT	64QAM	Edge_1RB_Right	20.91
n71	30	15	680.5	DFT	64QAM	Outer_Full	20.78
n71	30	15	680.5	DFT	256QAM	Inner_Full	18.63
n71	30	15	680.5	DFT	256QAM	Edge_1RB_Left	18.85
n71	30	15	680.5	DFT	256QAM	Edge_1RB_Right	18.87
n71	30	15	680.5	DFT	256QAM	Outer_Full	18.78
n71	30	15	683	DFT	$\pi/2$ BPSK	Inner_Full	23.15
n71	30	15	683	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.83
n71	30	15	683	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.90
n71	30	15	683	DFT	$\pi/2$ BPSK	Outer_Full	22.74
n71	30	15	683	DFT	QPSK	Inner_Full	23.25
n71	30	15	683	DFT	QPSK	Edge_1RB_Left	22.30
n71	30	15	683	DFT	QPSK	Edge_1RB_Right	22.36
n71	30	15	683	DFT	QPSK	Outer_Full	22.27
n71	30	15	683	DFT	16QAM	Inner_Full	22.23
n71	30	15	683	DFT	16QAM	Edge_1RB_Left	21.60
n71	30	15	683	DFT	16QAM	Edge_1RB_Right	21.63
n71	30	15	683	DFT	16QAM	Outer_Full	21.25
n71	30	15	683	DFT	64QAM	Inner_Full	20.73
n71	30	15	683	DFT	64QAM	Edge_1RB_Left	20.86
n71	30	15	683	DFT	64QAM	Edge_1RB_Right	20.96
n71	30	15	683	DFT	64QAM	Outer_Full	20.75
n71	30	15	683	DFT	256QAM	Inner_Full	18.62
n71	30	15	683	DFT	256QAM	Edge_1RB_Left	18.75
n71	30	15	683	DFT	256QAM	Edge_1RB_Right	18.98
n71	30	15	683	DFT	256QAM	Outer_Full	18.75
n71	35	15	680.5	DFT	$\pi/2$ BPSK	Inner_Full	23.08
n71	35	15	680.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.74
n71	35	15	680.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.75
n71	35	15	680.5	DFT	$\pi/2$ BPSK	Outer_Full	22.63
n71	35	15	680.5	DFT	QPSK	Inner_Full	23.12
n71	35	15	680.5	DFT	QPSK	Edge_1RB_Left	22.27
n71	35	15	680.5	DFT	QPSK	Edge_1RB_Right	22.28

n71	35	15	680.5	DFT	QPSK	Outer_Full	22.17
n71	35	15	680.5	DFT	16QAM	Inner_Full	22.14
n71	35	15	680.5	DFT	16QAM	Edge_1RB_Left	21.67
n71	35	15	680.5	DFT	16QAM	Edge_1RB_Right	21.74
n71	35	15	680.5	DFT	16QAM	Outer_Full	21.21
n71	35	15	680.5	DFT	64QAM	Inner_Full	20.61
n71	35	15	680.5	DFT	64QAM	Edge_1RB_Left	20.90
n71	35	15	680.5	DFT	64QAM	Edge_1RB_Right	20.86
n71	35	15	680.5	DFT	64QAM	Outer_Full	20.67
n71	35	15	680.5	DFT	256QAM	Inner_Full	18.56
n71	35	15	680.5	DFT	256QAM	Edge_1RB_Left	18.77
n71	35	15	680.5	DFT	256QAM	Edge_1RB_Right	18.81
n71	35	15	680.5	DFT	256QAM	Outer_Full	18.64
n71	35	15	680.5	CP	QPSK	Inner_Full	21.66
n71	35	15	680.5	CP	QPSK	Edge_1RB_Left	20.26
n71	35	15	680.5	CP	QPSK	Edge_1RB_Right	20.20
n71	35	15	680.5	CP	QPSK	Outer_Full	20.18
n71	35	15	680.5	CP	16QAM	Inner_Full	21.18
n71	35	15	680.5	CP	16QAM	Edge_1RB_Left	20.61
n71	35	15	680.5	CP	16QAM	Edge_1RB_Right	20.50
n71	35	15	680.5	CP	16QAM	Outer_Full	20.16
n71	35	15	680.5	CP	64QAM	Inner_Full	19.68
n71	35	15	680.5	CP	64QAM	Edge_1RB_Left	19.78
n71	35	15	680.5	CP	64QAM	Edge_1RB_Right	19.67
n71	35	15	680.5	CP	64QAM	Outer_Full	19.70
n71	35	15	680.5	CP	256QAM	Inner_Full	16.61
n71	35	15	680.5	CP	256QAM	Edge_1RB_Left	17.13
n71	35	15	680.5	CP	256QAM	Edge_1RB_Right	17.00
n71	35	15	680.5	CP	256QAM	Outer_Full	16.76

n78L

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	22.62
n78L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.11
n78L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.15
n78L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	22.17
n78L	10	30	3455.01	DFT	QPSK	Inner_Full	22.62
n78L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	21.70
n78L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	21.67
n78L	10	30	3455.01	DFT	QPSK	Outer_Full	21.64
n78L	10	30	3455.01	DFT	16QAM	Inner_Full	21.69
n78L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	20.77
n78L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	20.96
n78L	10	30	3455.01	DFT	16QAM	Outer_Full	20.71
n78L	10	30	3455.01	DFT	64QAM	Inner_Full	20.15
n78L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	19.95
n78L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	19.98
n78L	10	30	3455.01	DFT	64QAM	Outer_Full	20.26
n78L	10	30	3455.01	DFT	256QAM	Inner_Full	18.33
n78L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	18.26
n78L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	18.29
n78L	10	30	3455.01	DFT	256QAM	Outer_Full	18.24
n78L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.84
n78L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.35
n78L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.44
n78L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.45
n78L	10	30	3500.01	DFT	QPSK	Inner_Full	23.89
n78L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.90
n78L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.92
n78L	10	30	3500.01	DFT	QPSK	Outer_Full	22.90
n78L	10	30	3500.01	DFT	16QAM	Inner_Full	23.08
n78L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.02
n78L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.06
n78L	10	30	3500.01	DFT	16QAM	Outer_Full	22.02
n78L	10	30	3500.01	DFT	64QAM	Inner_Full	21.40
n78L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.21
n78L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.23
n78L	10	30	3500.01	DFT	64QAM	Outer_Full	21.54
n78L	10	30	3500.01	DFT	256QAM	Inner_Full	19.54
n78L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.48
n78L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.54

n78L	10	30	3500.01	DFT	256QAM	Outer_Full	19.46
n78L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	23.01
n78L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
n78L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n78L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	22.53
n78L	10	30	3544.98	DFT	QPSK	Inner_Full	22.96
n78L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	22.11
n78L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	21.99
n78L	10	30	3544.98	DFT	QPSK	Outer_Full	21.92
n78L	10	30	3544.98	DFT	16QAM	Inner_Full	22.07
n78L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	21.37
n78L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	21.07
n78L	10	30	3544.98	DFT	16QAM	Outer_Full	21.11
n78L	10	30	3544.98	DFT	64QAM	Inner_Full	20.55
n78L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	20.28
n78L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	20.18
n78L	10	30	3544.98	DFT	64QAM	Outer_Full	20.59
n78L	10	30	3544.98	DFT	256QAM	Inner_Full	18.72
n78L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	18.74
n78L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	18.60
n78L	10	30	3544.98	DFT	256QAM	Outer_Full	18.64
n78L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	22.69
n78L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.14
n78L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n78L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	22.20
n78L	15	30	3457.5	DFT	QPSK	Inner_Full	22.61
n78L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	21.75
n78L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	21.80
n78L	15	30	3457.5	DFT	QPSK	Outer_Full	21.72
n78L	15	30	3457.5	DFT	16QAM	Inner_Full	21.69
n78L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	20.99
n78L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	20.97
n78L	15	30	3457.5	DFT	16QAM	Outer_Full	20.73
n78L	15	30	3457.5	DFT	64QAM	Inner_Full	20.25
n78L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	20.02
n78L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	20.07
n78L	15	30	3457.5	DFT	64QAM	Outer_Full	20.21
n78L	15	30	3457.5	DFT	256QAM	Inner_Full	18.25
n78L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	18.36
n78L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	18.50
n78L	15	30	3457.5	DFT	256QAM	Outer_Full	18.28

n78L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.87
n78L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.27
n78L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.33
n78L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.38
n78L	15	30	3500.01	DFT	QPSK	Inner_Full	23.93
n78L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.81
n78L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.97
n78L	15	30	3500.01	DFT	QPSK	Outer_Full	22.88
n78L	15	30	3500.01	DFT	16QAM	Inner_Full	22.94
n78L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.08
n78L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.15
n78L	15	30	3500.01	DFT	16QAM	Outer_Full	21.91
n78L	15	30	3500.01	DFT	64QAM	Inner_Full	21.57
n78L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.17
n78L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.08
n78L	15	30	3500.01	DFT	64QAM	Outer_Full	21.41
n78L	15	30	3500.01	DFT	256QAM	Inner_Full	19.52
n78L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.45
n78L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.55
n78L	15	30	3500.01	DFT	256QAM	Outer_Full	19.52
n78L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	23.03
n78L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	22.77
n78L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
n78L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	22.56
n78L	15	30	3542.49	DFT	QPSK	Inner_Full	23.01
n78L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	22.24
n78L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	21.90
n78L	15	30	3542.49	DFT	QPSK	Outer_Full	22.07
n78L	15	30	3542.49	DFT	16QAM	Inner_Full	22.01
n78L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	21.47
n78L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	21.03
n78L	15	30	3542.49	DFT	16QAM	Outer_Full	21.07
n78L	15	30	3542.49	DFT	64QAM	Inner_Full	20.61
n78L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	20.58
n78L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	20.17
n78L	15	30	3542.49	DFT	64QAM	Outer_Full	20.52
n78L	15	30	3542.49	DFT	256QAM	Inner_Full	18.50
n78L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	18.94
n78L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	18.55
n78L	15	30	3542.49	DFT	256QAM	Outer_Full	18.62
n78L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	22.79

n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.16
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.50
n78L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	22.35
n78L	20	30	3460.02	DFT	QPSK	Inner_Full	22.78
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	21.71
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.05
n78L	20	30	3460.02	DFT	QPSK	Outer_Full	21.80
n78L	20	30	3460.02	DFT	16QAM	Inner_Full	21.74
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	20.85
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.18
n78L	20	30	3460.02	DFT	16QAM	Outer_Full	20.83
n78L	20	30	3460.02	DFT	64QAM	Inner_Full	20.31
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	20.06
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	20.33
n78L	20	30	3460.02	DFT	64QAM	Outer_Full	20.36
n78L	20	30	3460.02	DFT	256QAM	Inner_Full	18.36
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	18.40
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	18.67
n78L	20	30	3460.02	DFT	256QAM	Outer_Full	18.42
n78L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.91
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.18
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.32
n78L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.39
n78L	20	30	3500.01	DFT	QPSK	Inner_Full	23.95
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.73
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.82
n78L	20	30	3500.01	DFT	QPSK	Outer_Full	22.89
n78L	20	30	3500.01	DFT	16QAM	Inner_Full	22.87
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.89
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.00
n78L	20	30	3500.01	DFT	16QAM	Outer_Full	21.91
n78L	20	30	3500.01	DFT	64QAM	Inner_Full	21.44
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.95
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.09
n78L	20	30	3500.01	DFT	64QAM	Outer_Full	21.34
n78L	20	30	3500.01	DFT	256QAM	Inner_Full	19.49
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.35
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.45
n78L	20	30	3500.01	DFT	256QAM	Outer_Full	19.44
n78L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	23.11
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	23.02

n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	22.32
n78L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	22.65
n78L	20	30	3540	DFT	QPSK	Inner_Full	23.16
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.52
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Right	21.91
n78L	20	30	3540	DFT	QPSK	Outer_Full	22.20
n78L	20	30	3540	DFT	16QAM	Inner_Full	22.10
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Left	21.65
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Right	21.01
n78L	20	30	3540	DFT	16QAM	Outer_Full	21.13
n78L	20	30	3540	DFT	64QAM	Inner_Full	20.60
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Left	20.75
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Right	20.05
n78L	20	30	3540	DFT	64QAM	Outer_Full	20.67
n78L	20	30	3540	DFT	256QAM	Inner_Full	18.67
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Left	19.19
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Right	18.51
n78L	20	30	3540	DFT	256QAM	Outer_Full	18.63
n78L	25	30	3462.51	DFT	pi/2 BPSK	Inner_Full	22.89
n78L	25	30	3462.51	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n78L	25	30	3462.51	DFT	pi/2 BPSK	Edge_1RB_Right	22.72
n78L	25	30	3462.51	DFT	pi/2 BPSK	Outer_Full	22.48
n78L	25	30	3462.51	DFT	QPSK	Inner_Full	22.91
n78L	25	30	3462.51	DFT	QPSK	Edge_1RB_Left	21.73
n78L	25	30	3462.51	DFT	QPSK	Edge_1RB_Right	22.22
n78L	25	30	3462.51	DFT	QPSK	Outer_Full	21.94
n78L	25	30	3462.51	DFT	16QAM	Inner_Full	21.95
n78L	25	30	3462.51	DFT	16QAM	Edge_1RB_Left	20.85
n78L	25	30	3462.51	DFT	16QAM	Edge_1RB_Right	21.30
n78L	25	30	3462.51	DFT	16QAM	Outer_Full	20.99
n78L	25	30	3462.51	DFT	64QAM	Inner_Full	20.48
n78L	25	30	3462.51	DFT	64QAM	Edge_1RB_Left	19.97
n78L	25	30	3462.51	DFT	64QAM	Edge_1RB_Right	20.50
n78L	25	30	3462.51	DFT	64QAM	Outer_Full	20.45
n78L	25	30	3462.51	DFT	256QAM	Inner_Full	18.50
n78L	25	30	3462.51	DFT	256QAM	Edge_1RB_Left	18.37
n78L	25	30	3462.51	DFT	256QAM	Edge_1RB_Right	18.80
n78L	25	30	3462.51	DFT	256QAM	Outer_Full	18.52
n78L	25	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.97
n78L	25	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.12
n78L	25	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.32

n78L	25	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.47
n78L	25	30	3500.01	DFT	QPSK	Inner_Full	23.97
n78L	25	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.69
n78L	25	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.79
n78L	25	30	3500.01	DFT	QPSK	Outer_Full	22.95
n78L	25	30	3500.01	DFT	16QAM	Inner_Full	22.93
n78L	25	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.81
n78L	25	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.97
n78L	25	30	3500.01	DFT	16QAM	Outer_Full	21.91
n78L	25	30	3500.01	DFT	64QAM	Inner_Full	21.54
n78L	25	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.85
n78L	25	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.10
n78L	25	30	3500.01	DFT	64QAM	Outer_Full	21.41
n78L	25	30	3500.01	DFT	256QAM	Inner_Full	19.51
n78L	25	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.28
n78L	25	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.43
n78L	25	30	3500.01	DFT	256QAM	Outer_Full	19.48
n78L	25	30	3537.48	DFT	pi/2 BPSK	Inner_Full	23.25
n78L	25	30	3537.48	DFT	pi/2 BPSK	Edge_1RB_Left	23.09
n78L	25	30	3537.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.34
n78L	25	30	3537.48	DFT	pi/2 BPSK	Outer_Full	22.81
n78L	25	30	3537.48	DFT	QPSK	Inner_Full	23.27
n78L	25	30	3537.48	DFT	QPSK	Edge_1RB_Left	22.68
n78L	25	30	3537.48	DFT	QPSK	Edge_1RB_Right	21.85
n78L	25	30	3537.48	DFT	QPSK	Outer_Full	22.31
n78L	25	30	3537.48	DFT	16QAM	Inner_Full	22.26
n78L	25	30	3537.48	DFT	16QAM	Edge_1RB_Left	21.80
n78L	25	30	3537.48	DFT	16QAM	Edge_1RB_Right	21.00
n78L	25	30	3537.48	DFT	16QAM	Outer_Full	21.30
n78L	25	30	3537.48	DFT	64QAM	Inner_Full	20.83
n78L	25	30	3537.48	DFT	64QAM	Edge_1RB_Left	20.90
n78L	25	30	3537.48	DFT	64QAM	Edge_1RB_Right	20.07
n78L	25	30	3537.48	DFT	64QAM	Outer_Full	20.81
n78L	25	30	3537.48	DFT	256QAM	Inner_Full	18.77
n78L	25	30	3537.48	DFT	256QAM	Edge_1RB_Left	19.32
n78L	25	30	3537.48	DFT	256QAM	Edge_1RB_Right	18.49
n78L	25	30	3537.48	DFT	256QAM	Outer_Full	18.85
n78L	30	30	3465	DFT	pi/2 BPSK	Inner_Full	22.87
n78L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Left	22.06
n78L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Right	22.80
n78L	30	30	3465	DFT	pi/2 BPSK	Outer_Full	22.40

n78L	30	30	3465	DFT	QPSK	Inner_Full	22.81
n78L	30	30	3465	DFT	QPSK	Edge_1RB_Left	21.63
n78L	30	30	3465	DFT	QPSK	Edge_1RB_Right	22.35
n78L	30	30	3465	DFT	QPSK	Outer_Full	21.93
n78L	30	30	3465	DFT	16QAM	Inner_Full	21.87
n78L	30	30	3465	DFT	16QAM	Edge_1RB_Left	20.79
n78L	30	30	3465	DFT	16QAM	Edge_1RB_Right	21.48
n78L	30	30	3465	DFT	16QAM	Outer_Full	20.90
n78L	30	30	3465	DFT	64QAM	Inner_Full	20.33
n78L	30	30	3465	DFT	64QAM	Edge_1RB_Left	19.89
n78L	30	30	3465	DFT	64QAM	Edge_1RB_Right	20.57
n78L	30	30	3465	DFT	64QAM	Outer_Full	20.45
n78L	30	30	3465	DFT	256QAM	Inner_Full	18.41
n78L	30	30	3465	DFT	256QAM	Edge_1RB_Left	18.33
n78L	30	30	3465	DFT	256QAM	Edge_1RB_Right	18.99
n78L	30	30	3465	DFT	256QAM	Outer_Full	18.50
n78L	30	30	3500.01	DFT	$\pi/2$ BPSK	Inner_Full	23.93
n78L	30	30	3500.01	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.09
n78L	30	30	3500.01	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.28
n78L	30	30	3500.01	DFT	$\pi/2$ BPSK	Outer_Full	23.42
n78L	30	30	3500.01	DFT	QPSK	Inner_Full	23.96
n78L	30	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.62
n78L	30	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.87
n78L	30	30	3500.01	DFT	QPSK	Outer_Full	22.96
n78L	30	30	3500.01	DFT	16QAM	Inner_Full	22.95
n78L	30	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.94
n78L	30	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.14
n78L	30	30	3500.01	DFT	16QAM	Outer_Full	21.89
n78L	30	30	3500.01	DFT	64QAM	Inner_Full	21.53
n78L	30	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.87
n78L	30	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.12
n78L	30	30	3500.01	DFT	64QAM	Outer_Full	21.48
n78L	30	30	3500.01	DFT	256QAM	Inner_Full	19.53
n78L	30	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.26
n78L	30	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.51
n78L	30	30	3500.01	DFT	256QAM	Outer_Full	19.49
n78L	30	30	3534.99	DFT	$\pi/2$ BPSK	Inner_Full	23.54
n78L	30	30	3534.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.29
n78L	30	30	3534.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.50
n78L	30	30	3534.99	DFT	$\pi/2$ BPSK	Outer_Full	23.03
n78L	30	30	3534.99	DFT	QPSK	Inner_Full	23.56

n78L	30	30	3534.99	DFT	QPSK	Edge_1RB_Left	22.80
n78L	30	30	3534.99	DFT	QPSK	Edge_1RB_Right	22.04
n78L	30	30	3534.99	DFT	QPSK	Outer_Full	22.50
n78L	30	30	3534.99	DFT	16QAM	Inner_Full	22.57
n78L	30	30	3534.99	DFT	16QAM	Edge_1RB_Left	22.08
n78L	30	30	3534.99	DFT	16QAM	Edge_1RB_Right	21.14
n78L	30	30	3534.99	DFT	16QAM	Outer_Full	21.50
n78L	30	30	3534.99	DFT	64QAM	Inner_Full	21.10
n78L	30	30	3534.99	DFT	64QAM	Edge_1RB_Left	21.08
n78L	30	30	3534.99	DFT	64QAM	Edge_1RB_Right	20.26
n78L	30	30	3534.99	DFT	64QAM	Outer_Full	21.06
n78L	30	30	3534.99	DFT	256QAM	Inner_Full	19.07
n78L	30	30	3534.99	DFT	256QAM	Edge_1RB_Left	19.49
n78L	30	30	3534.99	DFT	256QAM	Edge_1RB_Right	18.61
n78L	30	30	3534.99	DFT	256QAM	Outer_Full	19.07
n78L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	23.09
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.03
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.20
n78L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	22.64
n78L	40	30	3470.01	DFT	QPSK	Inner_Full	23.09
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	21.70
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.75
n78L	40	30	3470.01	DFT	QPSK	Outer_Full	22.15
n78L	40	30	3470.01	DFT	16QAM	Inner_Full	22.07
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	20.89
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.91
n78L	40	30	3470.01	DFT	16QAM	Outer_Full	21.17
n78L	40	30	3470.01	DFT	64QAM	Inner_Full	20.60
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	19.99
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	20.99
n78L	40	30	3470.01	DFT	64QAM	Outer_Full	20.66
n78L	40	30	3470.01	DFT	256QAM	Inner_Full	18.63
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	18.27
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	19.38
n78L	40	30	3470.01	DFT	256QAM	Outer_Full	18.68
n78L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.94
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.87
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.29
n78L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.34
n78L	40	30	3500.01	DFT	QPSK	Inner_Full	23.96
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.42

n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.83
n78L	40	30	3500.01	DFT	QPSK	Outer_Full	22.88
n78L	40	30	3500.01	DFT	16QAM	Inner_Full	22.97
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.59
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.99
n78L	40	30	3500.01	DFT	16QAM	Outer_Full	21.88
n78L	40	30	3500.01	DFT	64QAM	Inner_Full	21.48
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.61
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.06
n78L	40	30	3500.01	DFT	64QAM	Outer_Full	21.39
n78L	40	30	3500.01	DFT	256QAM	Inner_Full	19.52
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.07
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.44
n78L	40	30	3500.01	DFT	256QAM	Outer_Full	19.42
n78L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	23.68
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.23
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
n78L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	23.09
n78L	40	30	3529.98	DFT	QPSK	Inner_Full	23.67
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.79
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	21.93
n78L	40	30	3529.98	DFT	QPSK	Outer_Full	22.55
n78L	40	30	3529.98	DFT	16QAM	Inner_Full	22.66
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	21.95
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.08
n78L	40	30	3529.98	DFT	16QAM	Outer_Full	21.59
n78L	40	30	3529.98	DFT	64QAM	Inner_Full	21.23
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	21.05
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	20.14
n78L	40	30	3529.98	DFT	64QAM	Outer_Full	21.08
n78L	40	30	3529.98	DFT	256QAM	Inner_Full	19.26
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	19.40
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	18.58
n78L	40	30	3529.98	DFT	256QAM	Outer_Full	19.13
n78L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	23.25
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.32
n78L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	22.76
n78L	50	30	3475.02	DFT	QPSK	Inner_Full	23.26
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	21.57
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	22.81

n78L	50	30	3475.02	DFT	QPSK	Outer_Full	22.24
n78L	50	30	3475.02	DFT	16QAM	Inner_Full	22.14
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	20.72
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.97
n78L	50	30	3475.02	DFT	16QAM	Outer_Full	21.26
n78L	50	30	3475.02	DFT	64QAM	Inner_Full	20.78
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	19.78
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.19
n78L	50	30	3475.02	DFT	64QAM	Outer_Full	20.75
n78L	50	30	3475.02	DFT	256QAM	Inner_Full	18.79
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	18.22
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	19.43
n78L	50	30	3475.02	DFT	256QAM	Outer_Full	18.79
n78L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.96
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.21
n78L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.30
n78L	50	30	3500.01	DFT	QPSK	Inner_Full	23.94
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.20
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.80
n78L	50	30	3500.01	DFT	QPSK	Outer_Full	22.82
n78L	50	30	3500.01	DFT	16QAM	Inner_Full	22.88
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.34
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.07
n78L	50	30	3500.01	DFT	16QAM	Outer_Full	21.83
n78L	50	30	3500.01	DFT	64QAM	Inner_Full	21.52
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.48
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.98
n78L	50	30	3500.01	DFT	64QAM	Outer_Full	21.32
n78L	50	30	3500.01	DFT	256QAM	Inner_Full	19.47
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.85
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.43
n78L	50	30	3500.01	DFT	256QAM	Outer_Full	19.40
n78L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	23.69
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	23.28
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n78L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	23.09
n78L	50	30	3525	DFT	QPSK	Inner_Full	23.70
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Left	22.80
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.83
n78L	50	30	3525	DFT	QPSK	Outer_Full	22.61

n78L	50	30	3525	DFT	16QAM	Inner_Full	22.70
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Left	21.94
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.12
n78L	50	30	3525	DFT	16QAM	Outer_Full	21.60
n78L	50	30	3525	DFT	64QAM	Inner_Full	21.26
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.11
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Right	19.97
n78L	50	30	3525	DFT	64QAM	Outer_Full	21.16
n78L	50	30	3525	DFT	256QAM	Inner_Full	19.24
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Left	19.44
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Right	18.41
n78L	50	30	3525	DFT	256QAM	Outer_Full	19.13
n78L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	23.42
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	23.27
n78L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	22.87
n78L	60	30	3480	DFT	QPSK	Inner_Full	23.43
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Left	21.57
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Right	22.81
n78L	60	30	3480	DFT	QPSK	Outer_Full	22.39
n78L	60	30	3480	DFT	16QAM	Inner_Full	22.45
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Left	20.76
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Right	22.03
n78L	60	30	3480	DFT	16QAM	Outer_Full	21.37
n78L	60	30	3480	DFT	64QAM	Inner_Full	20.96
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Left	19.87
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.10
n78L	60	30	3480	DFT	64QAM	Outer_Full	20.93
n78L	60	30	3480	DFT	256QAM	Inner_Full	19.00
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Left	18.21
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Right	19.45
n78L	60	30	3480	DFT	256QAM	Outer_Full	18.96
n78L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.82
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.45
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.15
n78L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.19
n78L	60	30	3500.01	DFT	QPSK	Inner_Full	23.85
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.95
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.66
n78L	60	30	3500.01	DFT	QPSK	Outer_Full	22.73
n78L	60	30	3500.01	DFT	16QAM	Inner_Full	22.86

n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.31
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.87
n78L	60	30	3500.01	DFT	16QAM	Outer_Full	21.71
n78L	60	30	3500.01	DFT	64QAM	Inner_Full	21.39
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.29
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.85
n78L	60	30	3500.01	DFT	64QAM	Outer_Full	21.20
n78L	60	30	3500.01	DFT	256QAM	Inner_Full	19.40
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.63
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.30
n78L	60	30	3500.01	DFT	256QAM	Outer_Full	19.26
n78L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	23.75
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.10
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.35
n78L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	23.14
n78L	60	30	3519.99	DFT	QPSK	Inner_Full	23.77
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.71
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.92
n78L	60	30	3519.99	DFT	QPSK	Outer_Full	22.62
n78L	60	30	3519.99	DFT	16QAM	Inner_Full	22.76
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.82
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.03
n78L	60	30	3519.99	DFT	16QAM	Outer_Full	21.64
n78L	60	30	3519.99	DFT	64QAM	Inner_Full	21.33
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	20.93
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	20.13
n78L	60	30	3519.99	DFT	64QAM	Outer_Full	21.15
n78L	60	30	3519.99	DFT	256QAM	Inner_Full	19.34
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	19.36
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	18.54
n78L	60	30	3519.99	DFT	256QAM	Outer_Full	19.17
n78L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	23.36
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.12
n78L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	22.80
n78L	70	30	3485.01	DFT	QPSK	Inner_Full	23.36
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	21.55
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	22.63
n78L	70	30	3485.01	DFT	QPSK	Outer_Full	22.27
n78L	70	30	3485.01	DFT	16QAM	Inner_Full	22.38
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	20.75

n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.79
n78L	70	30	3485.01	DFT	16QAM	Outer_Full	21.29
n78L	70	30	3485.01	DFT	64QAM	Inner_Full	20.90
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	19.85
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	20.91
n78L	70	30	3485.01	DFT	64QAM	Outer_Full	20.82
n78L	70	30	3485.01	DFT	256QAM	Inner_Full	18.98
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	18.26
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	19.23
n78L	70	30	3485.01	DFT	256QAM	Outer_Full	18.86
n78L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.75
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.26
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n78L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.11
n78L	70	30	3500.01	DFT	QPSK	Inner_Full	23.77
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.76
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.37
n78L	70	30	3500.01	DFT	QPSK	Outer_Full	22.61
n78L	70	30	3500.01	DFT	16QAM	Inner_Full	22.74
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.97
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.52
n78L	70	30	3500.01	DFT	16QAM	Outer_Full	21.60
n78L	70	30	3500.01	DFT	64QAM	Inner_Full	21.28
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.04
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.64
n78L	70	30	3500.01	DFT	64QAM	Outer_Full	21.12
n78L	70	30	3500.01	DFT	256QAM	Inner_Full	19.34
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.45
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.99
n78L	70	30	3500.01	DFT	256QAM	Outer_Full	19.12
n78L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	23.82
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.82
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.38
n78L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	23.16
n78L	70	30	3514.98	DFT	QPSK	Inner_Full	23.84
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	22.31
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	21.92
n78L	70	30	3514.98	DFT	QPSK	Outer_Full	22.66
n78L	70	30	3514.98	DFT	16QAM	Inner_Full	22.82
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	21.45
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	21.06

n78L	70	30	3514.98	DFT	16QAM	Outer_Full	21.65
n78L	70	30	3514.98	DFT	64QAM	Inner_Full	21.35
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	20.55
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	20.13
n78L	70	30	3514.98	DFT	64QAM	Outer_Full	21.17
n78L	70	30	3514.98	DFT	256QAM	Inner_Full	19.39
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	18.92
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	18.57
n78L	70	30	3514.98	DFT	256QAM	Outer_Full	19.19
n78L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	23.60
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.06
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.01
n78L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	22.92
n78L	80	30	3490.02	DFT	QPSK	Inner_Full	23.61
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	21.60
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	22.61
n78L	80	30	3490.02	DFT	QPSK	Outer_Full	22.40
n78L	80	30	3490.02	DFT	16QAM	Inner_Full	22.60
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	20.66
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.75
n78L	80	30	3490.02	DFT	16QAM	Outer_Full	21.40
n78L	80	30	3490.02	DFT	64QAM	Inner_Full	21.11
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	19.88
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	20.81
n78L	80	30	3490.02	DFT	64QAM	Outer_Full	20.96
n78L	80	30	3490.02	DFT	256QAM	Inner_Full	19.12
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	18.26
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	19.20
n78L	80	30	3490.02	DFT	256QAM	Outer_Full	18.93
n78L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.75
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.59
n78L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.06
n78L	80	30	3500.01	DFT	QPSK	Inner_Full	23.76
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.73
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.16
n78L	80	30	3500.01	DFT	QPSK	Outer_Full	22.55
n78L	80	30	3500.01	DFT	16QAM	Inner_Full	22.76
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.82
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.41
n78L	80	30	3500.01	DFT	16QAM	Outer_Full	21.56

n78L	80	30	3500.01	DFT	64QAM	Inner_Full	21.27
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	19.94
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.35
n78L	80	30	3500.01	DFT	64QAM	Outer_Full	21.03
n78L	80	30	3500.01	DFT	256QAM	Inner_Full	19.29
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.33
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.76
n78L	80	30	3500.01	DFT	256QAM	Outer_Full	19.08
n78L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	23.81
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	22.35
n78L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	23.06
n78L	80	30	3510	DFT	QPSK	Inner_Full	23.78
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Left	22.00
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Right	21.86
n78L	80	30	3510	DFT	QPSK	Outer_Full	22.55
n78L	80	30	3510	DFT	16QAM	Inner_Full	22.75
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.28
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Right	21.10
n78L	80	30	3510	DFT	16QAM	Outer_Full	21.55
n78L	80	30	3510	DFT	64QAM	Inner_Full	21.31
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Left	20.30
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Right	20.10
n78L	80	30	3510	DFT	64QAM	Outer_Full	21.06
n78L	80	30	3510	DFT	256QAM	Inner_Full	19.33
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Left	18.63
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Right	18.53
n78L	80	30	3510	DFT	256QAM	Outer_Full	19.07
n78L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	23.60
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	22.03
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n78L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	22.88
n78L	90	30	3495	DFT	QPSK	Inner_Full	23.57
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Left	21.63
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Right	22.01
n78L	90	30	3495	DFT	QPSK	Outer_Full	22.37
n78L	90	30	3495	DFT	16QAM	Inner_Full	22.60
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Left	20.93
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.16
n78L	90	30	3495	DFT	16QAM	Outer_Full	21.37
n78L	90	30	3495	DFT	64QAM	Inner_Full	21.10

n78L	90	30	3495	DFT	64QAM	Edge_1RB_Left	19.88
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Right	20.27
n78L	90	30	3495	DFT	64QAM	Outer_Full	20.90
n78L	90	30	3495	DFT	256QAM	Inner_Full	19.18
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Left	18.22
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Right	18.61
n78L	90	30	3495	DFT	256QAM	Outer_Full	18.91
n78L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.73
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.37
n78L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	22.97
n78L	90	30	3500.01	DFT	QPSK	Inner_Full	23.73
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.53
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.83
n78L	90	30	3500.01	DFT	QPSK	Outer_Full	22.47
n78L	90	30	3500.01	DFT	16QAM	Inner_Full	22.72
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.83
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.01
n78L	90	30	3500.01	DFT	16QAM	Outer_Full	21.47
n78L	90	30	3500.01	DFT	64QAM	Inner_Full	21.26
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	19.85
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.09
n78L	90	30	3500.01	DFT	64QAM	Outer_Full	20.98
n78L	90	30	3500.01	DFT	256QAM	Inner_Full	19.28
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.15
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.48
n78L	90	30	3500.01	DFT	256QAM	Outer_Full	19.00
n78L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	23.85
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.11
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.34
n78L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	23.08
n78L	90	30	3504.99	DFT	QPSK	Inner_Full	23.85
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.68
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	21.84
n78L	90	30	3504.99	DFT	QPSK	Outer_Full	22.54
n78L	90	30	3504.99	DFT	16QAM	Inner_Full	22.86
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	20.83
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	20.86
n78L	90	30	3504.99	DFT	16QAM	Outer_Full	21.55
n78L	90	30	3504.99	DFT	64QAM	Inner_Full	21.36
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	19.93

n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	20.05
n78L	90	30	3504.99	DFT	64QAM	Outer_Full	21.06
n78L	90	30	3504.99	DFT	256QAM	Inner_Full	19.40
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	18.30
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	18.52
n78L	90	30	3504.99	DFT	256QAM	Outer_Full	19.10
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.70
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.28
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	22.92
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	23.69
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.52
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.78
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	22.37
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	22.69
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.75
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.03
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	21.39
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	21.23
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	19.89
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.05
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	20.89
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	19.25
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.27
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.48
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	18.98
n78L	100	30	3500.01	CP	QPSK	Inner_Full	22.10
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	19.52
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	19.76
n78L	100	30	3500.01	CP	QPSK	Outer_Full	20.36
n78L	100	30	3500.01	CP	16QAM	Inner_Full	21.66
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	19.63
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	19.98
n78L	100	30	3500.01	CP	16QAM	Outer_Full	20.35
n78L	100	30	3500.01	CP	64QAM	Inner_Full	20.14
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	18.74
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	19.16
n78L	100	30	3500.01	CP	64QAM	Outer_Full	19.89
n78L	100	30	3500.01	CP	256QAM	Inner_Full	17.22
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	16.26
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	16.49



No.25T04Z100757-005

n78L	100	30	3500.01	CP	256QAM	Outer_Full	16.84
------	-----	----	---------	----	--------	------------	-------

A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

NR n2: Part 24.232(c) specifies "Mobile and portable stations are limited to 2 watts EIRP".

NR n5:Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts".

NR n7: 27.50(h)(2) specifies " Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power".

NR n12: Part 27.50(c)(10) specifies "Portable stations(hand-held devices) in the 600 MHz uplink band and the 698–746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP".

NR n41: 27.50(h)(2) specifies " *Mobile and other user stations*. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power".

NR n48: 96.11 (b) specifies " Mobile stations are limited to 23dBm/10megahertz ".

NR Band 66: Rule Part 27.50(c) specifies "Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP".

NR Band 71: Part 27.50(c)(10) specifies "Portable stations(hand-held devices) in the 600 MHz uplink band and the 698–746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP".

NR Band 78L: Rule Part 27.50(k)(3) specifies "Mobile devices are limited to 1Watt (30 dBm) EIRP. Mobile devices operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.".

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = P_{\text{Mea}} + G_T$$

Where

ERP or EIRP	effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as P_{Mea} , e.g., dBm or dBW)
P_{Mea}	measured transmitter output power or PSD, in dBm or dBW
G_T	gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

Note: The antenna gain information was provided by the client. The laboratory is not responsible for identifying its authenticity during the test.

n2-EIRP

Limits: ≤33dBm(2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	Radiated POWER(dBm) GT = -2.8dBi
n2	5	15	1853	DFT	pi/2 BPSK	Inner_Full	22.89	20.09
n2	5	15	1853	DFT	pi/2 BPSK	Edge_1RB_Left	22.32	19.52
n2	5	15	1853	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	19.59
n2	5	15	1853	DFT	pi/2 BPSK	Outer_Full	22.38	19.58
n2	5	15	1853	DFT	QPSK	Inner_Full	22.89	20.09
n2	5	15	1853	DFT	QPSK	Edge_1RB_Left	21.81	19.01
n2	5	15	1853	DFT	QPSK	Edge_1RB_Right	21.86	19.06
n2	5	15	1853	DFT	QPSK	Outer_Full	21.94	19.14
n2	5	15	1853	DFT	16QAM	Inner_Full	21.91	19.11
n2	5	15	1853	DFT	16QAM	Edge_1RB_Left	21.1	18.30
n2	5	15	1853	DFT	16QAM	Edge_1RB_Right	21.15	18.35
n2	5	15	1853	DFT	16QAM	Outer_Full	20.97	18.17
n2	5	15	1853	DFT	64QAM	Inner_Full	20.39	17.59
n2	5	15	1853	DFT	64QAM	Edge_1RB_Left	20.33	17.53
n2	5	15	1853	DFT	64QAM	Edge_1RB_Right	20.39	17.59
n2	5	15	1853	DFT	64QAM	Outer_Full	20.46	17.66
n2	5	15	1853	DFT	256QAM	Inner_Full	18.52	15.72
n2	5	15	1853	DFT	256QAM	Edge_1RB_Left	18.48	15.68
n2	5	15	1853	DFT	256QAM	Edge_1RB_Right	18.46	15.66
n2	5	15	1853	DFT	256QAM	Outer_Full	18.52	15.72
n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	23.2	20.40
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	19.85
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.74	19.94
n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	22.75	19.95
n2	5	15	1880	DFT	QPSK	Inner_Full	23.23	20.43
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	22.12	19.32
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	22.15	19.35
n2	5	15	1880	DFT	QPSK	Outer_Full	22.21	19.41
n2	5	15	1880	DFT	16QAM	Inner_Full	22.27	19.47
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.44	18.64
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	21.45	18.65
n2	5	15	1880	DFT	16QAM	Outer_Full	21.26	18.46
n2	5	15	1880	DFT	64QAM	Inner_Full	20.67	17.87
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.65	17.85
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.71	17.91
n2	5	15	1880	DFT	64QAM	Outer_Full	20.73	17.93
n2	5	15	1880	DFT	256QAM	Inner_Full	18.82	16.02

n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	18.67	15.87
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	18.74	15.94
n2	5	15	1880	DFT	256QAM	Outer_Full	18.8	16.00
n2	5	15	1908	DFT	pi/2 BPSK	Inner_Full	23.34	20.54
n2	5	15	1908	DFT	pi/2 BPSK	Edge_1RB_Left	22.85	20.05
n2	5	15	1908	DFT	pi/2 BPSK	Edge_1RB_Right	22.79	19.99
n2	5	15	1908	DFT	pi/2 BPSK	Outer_Full	22.83	20.03
n2	5	15	1908	DFT	QPSK	Inner_Full	23.37	20.57
n2	5	15	1908	DFT	QPSK	Edge_1RB_Left	22.33	19.53
n2	5	15	1908	DFT	QPSK	Edge_1RB_Right	22.3	19.50
n2	5	15	1908	DFT	QPSK	Outer_Full	22.4	19.60
n2	5	15	1908	DFT	16QAM	Inner_Full	22.42	19.62
n2	5	15	1908	DFT	16QAM	Edge_1RB_Left	21.6	18.80
n2	5	15	1908	DFT	16QAM	Edge_1RB_Right	21.59	18.79
n2	5	15	1908	DFT	16QAM	Outer_Full	21.42	18.62
n2	5	15	1908	DFT	64QAM	Inner_Full	20.89	18.09
n2	5	15	1908	DFT	64QAM	Edge_1RB_Left	20.84	18.04
n2	5	15	1908	DFT	64QAM	Edge_1RB_Right	20.79	17.99
n2	5	15	1908	DFT	64QAM	Outer_Full	20.89	18.09
n2	5	15	1908	DFT	256QAM	Inner_Full	19.05	16.25
n2	5	15	1908	DFT	256QAM	Edge_1RB_Left	18.97	16.17
n2	5	15	1908	DFT	256QAM	Edge_1RB_Right	18.88	16.08
n2	5	15	1908	DFT	256QAM	Outer_Full	18.95	16.15
n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	22.96	20.16
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	19.64
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.59	19.79
n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.42	19.62
n2	10	15	1855	DFT	QPSK	Inner_Full	22.97	20.17
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.93	19.13
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.06	19.26
n2	10	15	1855	DFT	QPSK	Outer_Full	21.98	19.18
n2	10	15	1855	DFT	16QAM	Inner_Full	22.06	19.26
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.23	18.43
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.35	18.55
n2	10	15	1855	DFT	16QAM	Outer_Full	20.96	18.16
n2	10	15	1855	DFT	64QAM	Inner_Full	20.53	17.73
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.5	17.70
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.58	17.78
n2	10	15	1855	DFT	64QAM	Outer_Full	20.5	17.70
n2	10	15	1855	DFT	256QAM	Inner_Full	18.47	15.67
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.51	15.71

n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.5	15.70
n2	10	15	1855	DFT	256QAM	Outer_Full	18.51	15.71
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	23.12	20.32
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	19.84
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.74	19.94
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.67	19.87
n2	10	15	1880	DFT	QPSK	Inner_Full	23.16	20.36
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.12	19.32
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.22	19.42
n2	10	15	1880	DFT	QPSK	Outer_Full	22.19	19.39
n2	10	15	1880	DFT	16QAM	Inner_Full	22.21	19.41
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	21.46	18.66
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	21.52	18.72
n2	10	15	1880	DFT	16QAM	Outer_Full	21.17	18.37
n2	10	15	1880	DFT	64QAM	Inner_Full	20.76	17.96
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	20.65	17.85
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	20.77	17.97
n2	10	15	1880	DFT	64QAM	Outer_Full	20.69	17.89
n2	10	15	1880	DFT	256QAM	Inner_Full	18.72	15.92
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	18.67	15.87
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	18.78	15.98
n2	10	15	1880	DFT	256QAM	Outer_Full	18.74	15.94
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	23.38	20.58
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.96	20.16
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	20.02
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	22.91	20.11
n2	10	15	1905	DFT	QPSK	Inner_Full	23.43	20.63
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.45	19.65
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.31	19.51
n2	10	15	1905	DFT	QPSK	Outer_Full	22.41	19.61
n2	10	15	1905	DFT	16QAM	Inner_Full	22.51	19.71
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.77	18.97
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.66	18.86
n2	10	15	1905	DFT	16QAM	Outer_Full	21.39	18.59
n2	10	15	1905	DFT	64QAM	Inner_Full	20.96	18.16
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.99	18.19
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.85	18.05
n2	10	15	1905	DFT	64QAM	Outer_Full	20.92	18.12
n2	10	15	1905	DFT	256QAM	Inner_Full	19.01	16.21
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	19.05	16.25
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	18.86	16.06

n2	10	15	1905	DFT	256QAM	Outer_Full	19.02	16.22
n2	15	15	1858	DFT	pi/2 BPSK	Inner_Full	22.95	20.15
n2	15	15	1858	DFT	pi/2 BPSK	Edge_1RB_Left	22.4	19.60
n2	15	15	1858	DFT	pi/2 BPSK	Edge_1RB_Right	22.63	19.83
n2	15	15	1858	DFT	pi/2 BPSK	Outer_Full	22.54	19.74
n2	15	15	1858	DFT	QPSK	Inner_Full	23	20.20
n2	15	15	1858	DFT	QPSK	Edge_1RB_Left	21.9	19.10
n2	15	15	1858	DFT	QPSK	Edge_1RB_Right	22.13	19.33
n2	15	15	1858	DFT	QPSK	Outer_Full	22.05	19.25
n2	15	15	1858	DFT	16QAM	Inner_Full	22.01	19.21
n2	15	15	1858	DFT	16QAM	Edge_1RB_Left	21.22	18.42
n2	15	15	1858	DFT	16QAM	Edge_1RB_Right	21.45	18.65
n2	15	15	1858	DFT	16QAM	Outer_Full	21.01	18.21
n2	15	15	1858	DFT	64QAM	Inner_Full	20.49	17.69
n2	15	15	1858	DFT	64QAM	Edge_1RB_Left	20.42	17.62
n2	15	15	1858	DFT	64QAM	Edge_1RB_Right	20.67	17.87
n2	15	15	1858	DFT	64QAM	Outer_Full	20.61	17.81
n2	15	15	1858	DFT	256QAM	Inner_Full	18.48	15.68
n2	15	15	1858	DFT	256QAM	Edge_1RB_Left	18.46	15.66
n2	15	15	1858	DFT	256QAM	Edge_1RB_Right	18.57	15.77
n2	15	15	1858	DFT	256QAM	Outer_Full	18.52	15.72
n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	23.17	20.37
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.7	19.90
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.85	20.05
n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	22.67	19.87
n2	15	15	1880	DFT	QPSK	Inner_Full	23.23	20.43
n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.17	19.37
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.33	19.53
n2	15	15	1880	DFT	QPSK	Outer_Full	22.24	19.44
n2	15	15	1880	DFT	16QAM	Inner_Full	22.21	19.41
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.5	18.70
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.63	18.83
n2	15	15	1880	DFT	16QAM	Outer_Full	21.19	18.39
n2	15	15	1880	DFT	64QAM	Inner_Full	20.73	17.93
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	20.7	17.90
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.86	18.06
n2	15	15	1880	DFT	64QAM	Outer_Full	20.79	17.99
n2	15	15	1880	DFT	256QAM	Inner_Full	18.7	15.90
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	18.68	15.88
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	18.85	16.05
n2	15	15	1880	DFT	256QAM	Outer_Full	18.76	15.96

n2	15	15	1903	DFT	pi/2 BPSK	Inner_Full	23.4	20.60
n2	15	15	1903	DFT	pi/2 BPSK	Edge_1RB_Left	22.93	20.13
n2	15	15	1903	DFT	pi/2 BPSK	Edge_1RB_Right	22.81	20.01
n2	15	15	1903	DFT	pi/2 BPSK	Outer_Full	22.89	20.09
n2	15	15	1903	DFT	QPSK	Inner_Full	23.41	20.61
n2	15	15	1903	DFT	QPSK	Edge_1RB_Left	22.42	19.62
n2	15	15	1903	DFT	QPSK	Edge_1RB_Right	22.31	19.51
n2	15	15	1903	DFT	QPSK	Outer_Full	22.38	19.58
n2	15	15	1903	DFT	16QAM	Inner_Full	22.39	19.59
n2	15	15	1903	DFT	16QAM	Edge_1RB_Left	21.73	18.93
n2	15	15	1903	DFT	16QAM	Edge_1RB_Right	21.62	18.82
n2	15	15	1903	DFT	16QAM	Outer_Full	21.45	18.65
n2	15	15	1903	DFT	64QAM	Inner_Full	20.93	18.13
n2	15	15	1903	DFT	64QAM	Edge_1RB_Left	20.94	18.14
n2	15	15	1903	DFT	64QAM	Edge_1RB_Right	20.78	17.98
n2	15	15	1903	DFT	64QAM	Outer_Full	21.01	18.21
n2	15	15	1903	DFT	256QAM	Inner_Full	18.99	16.19
n2	15	15	1903	DFT	256QAM	Edge_1RB_Left	19.04	16.24
n2	15	15	1903	DFT	256QAM	Edge_1RB_Right	18.86	16.06
n2	15	15	1903	DFT	256QAM	Outer_Full	19.03	16.23
n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23	20.20
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.4	19.60
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.65	19.85
n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.54	19.74
n2	20	15	1860	DFT	QPSK	Inner_Full	23.03	20.23
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	21.85	19.05
n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.16	19.36
n2	20	15	1860	DFT	QPSK	Outer_Full	22.05	19.25
n2	20	15	1860	DFT	16QAM	Inner_Full	22.04	19.24
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.2	18.40
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.46	18.66
n2	20	15	1860	DFT	16QAM	Outer_Full	21.06	18.26
n2	20	15	1860	DFT	64QAM	Inner_Full	20.53	17.73
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.42	17.62
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.74	17.94
n2	20	15	1860	DFT	64QAM	Outer_Full	20.59	17.79
n2	20	15	1860	DFT	256QAM	Inner_Full	18.53	15.73
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.48	15.68
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.67	15.87
n2	20	15	1860	DFT	256QAM	Outer_Full	18.53	15.73
n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	23.2	20.40

n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.66	19.86
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.89	20.09
n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	22.79	19.99
n2	20	15	1880	DFT	QPSK	Inner_Full	23.22	20.42
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.18	19.38
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.39	19.59
n2	20	15	1880	DFT	QPSK	Outer_Full	22.32	19.52
n2	20	15	1880	DFT	16QAM	Inner_Full	22.21	19.41
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	21.51	18.71
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	21.73	18.93
n2	20	15	1880	DFT	16QAM	Outer_Full	21.31	18.51
n2	20	15	1880	DFT	64QAM	Inner_Full	20.77	17.97
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	20.71	17.91
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	20.93	18.13
n2	20	15	1880	DFT	64QAM	Outer_Full	20.83	18.03
n2	20	15	1880	DFT	256QAM	Inner_Full	18.75	15.95
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	18.67	15.87
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	18.96	16.16
n2	20	15	1880	DFT	256QAM	Outer_Full	18.83	16.03
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	23.49	20.69
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.92	20.12
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	20.02
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	22.93	20.13
n2	20	15	1900	DFT	QPSK	Inner_Full	23.44	20.64
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.42	19.62
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.28	19.48
n2	20	15	1900	DFT	QPSK	Outer_Full	22.51	19.71
n2	20	15	1900	DFT	16QAM	Inner_Full	22.47	19.67
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.72	18.92
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.62	18.82
n2	20	15	1900	DFT	16QAM	Outer_Full	21.52	18.72
n2	20	15	1900	DFT	64QAM	Inner_Full	21.04	18.24
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.92	18.12
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.85	18.05
n2	20	15	1900	DFT	64QAM	Outer_Full	21.03	18.23
n2	20	15	1900	DFT	256QAM	Inner_Full	19.12	16.32
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	18.99	16.19
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	18.89	16.09
n2	20	15	1900	DFT	256QAM	Outer_Full	19.14	16.34
n2	25	15	1863	DFT	pi/2 BPSK	Inner_Full	23.15	20.35
n2	25	15	1863	DFT	pi/2 BPSK	Edge_1RB_Left	22.41	19.61

n2	25	15	1863	DFT	pi/2 BPSK	Edge_1RB_Right	22.78	19.98
n2	25	15	1863	DFT	pi/2 BPSK	Outer_Full	22.62	19.82
n2	25	15	1863	DFT	QPSK	Inner_Full	23.22	20.42
n2	25	15	1863	DFT	QPSK	Edge_1RB_Left	21.88	19.08
n2	25	15	1863	DFT	QPSK	Edge_1RB_Right	22.19	19.39
n2	25	15	1863	DFT	QPSK	Outer_Full	22.18	19.38
n2	25	15	1863	DFT	16QAM	Inner_Full	22.18	19.38
n2	25	15	1863	DFT	16QAM	Edge_1RB_Left	21.2	18.40
n2	25	15	1863	DFT	16QAM	Edge_1RB_Right	21.54	18.74
n2	25	15	1863	DFT	16QAM	Outer_Full	21.15	18.35
n2	25	15	1863	DFT	64QAM	Inner_Full	20.72	17.92
n2	25	15	1863	DFT	64QAM	Edge_1RB_Left	20.41	17.61
n2	25	15	1863	DFT	64QAM	Edge_1RB_Right	20.77	17.97
n2	25	15	1863	DFT	64QAM	Outer_Full	20.66	17.86
n2	25	15	1863	DFT	256QAM	Inner_Full	18.6	15.80
n2	25	15	1863	DFT	256QAM	Edge_1RB_Left	18.32	15.52
n2	25	15	1863	DFT	256QAM	Edge_1RB_Right	18.64	15.84
n2	25	15	1863	DFT	256QAM	Outer_Full	18.56	15.76
n2	25	15	1880	DFT	pi/2 BPSK	Inner_Full	23.35	20.55
n2	25	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	19.92
n2	25	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.96	20.16
n2	25	15	1880	DFT	pi/2 BPSK	Outer_Full	22.9	20.10
n2	25	15	1880	DFT	QPSK	Inner_Full	23.39	20.59
n2	25	15	1880	DFT	QPSK	Edge_1RB_Left	22.18	19.38
n2	25	15	1880	DFT	QPSK	Edge_1RB_Right	22.44	19.64
n2	25	15	1880	DFT	QPSK	Outer_Full	22.4	19.60
n2	25	15	1880	DFT	16QAM	Inner_Full	22.39	19.59
n2	25	15	1880	DFT	16QAM	Edge_1RB_Left	21.52	18.72
n2	25	15	1880	DFT	16QAM	Edge_1RB_Right	21.74	18.94
n2	25	15	1880	DFT	16QAM	Outer_Full	21.48	18.68
n2	25	15	1880	DFT	64QAM	Inner_Full	20.94	18.14
n2	25	15	1880	DFT	64QAM	Edge_1RB_Left	20.71	17.91
n2	25	15	1880	DFT	64QAM	Edge_1RB_Right	20.99	18.19
n2	25	15	1880	DFT	64QAM	Outer_Full	20.99	18.19
n2	25	15	1880	DFT	256QAM	Inner_Full	18.86	16.06
n2	25	15	1880	DFT	256QAM	Edge_1RB_Left	18.59	15.79
n2	25	15	1880	DFT	256QAM	Edge_1RB_Right	19.01	16.21
n2	25	15	1880	DFT	256QAM	Outer_Full	18.96	16.16
n2	25	15	1898	DFT	pi/2 BPSK	Inner_Full	23.6	20.80
n2	25	15	1898	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	20.03
n2	25	15	1898	DFT	pi/2 BPSK	Edge_1RB_Right	22.86	20.06

n2	25	15	1898	DFT	pi/2 BPSK	Outer_Full	22.93	20.13
n2	25	15	1898	DFT	QPSK	Inner_Full	23.67	20.87
n2	25	15	1898	DFT	QPSK	Edge_1RB_Left	22.28	19.48
n2	25	15	1898	DFT	QPSK	Edge_1RB_Right	22.35	19.55
n2	25	15	1898	DFT	QPSK	Outer_Full	22.56	19.76
n2	25	15	1898	DFT	16QAM	Inner_Full	22.67	19.87
n2	25	15	1898	DFT	16QAM	Edge_1RB_Left	21.58	18.78
n2	25	15	1898	DFT	16QAM	Edge_1RB_Right	21.66	18.86
n2	25	15	1898	DFT	16QAM	Outer_Full	21.56	18.76
n2	25	15	1898	DFT	64QAM	Inner_Full	21.22	18.42
n2	25	15	1898	DFT	64QAM	Edge_1RB_Left	20.86	18.06
n2	25	15	1898	DFT	64QAM	Edge_1RB_Right	20.88	18.08
n2	25	15	1898	DFT	64QAM	Outer_Full	21.05	18.25
n2	25	15	1898	DFT	256QAM	Inner_Full	19.17	16.37
n2	25	15	1898	DFT	256QAM	Edge_1RB_Left	18.79	15.99
n2	25	15	1898	DFT	256QAM	Edge_1RB_Right	18.82	16.02
n2	25	15	1898	DFT	256QAM	Outer_Full	19.08	16.28
n2	30	15	1865	DFT	pi/2 BPSK	Inner_Full	23.3	20.50
n2	30	15	1865	DFT	pi/2 BPSK	Edge_1RB_Left	22.53	19.73
n2	30	15	1865	DFT	pi/2 BPSK	Edge_1RB_Right	22.86	20.06
n2	30	15	1865	DFT	pi/2 BPSK	Outer_Full	22.74	19.94
n2	30	15	1865	DFT	QPSK	Inner_Full	23.34	20.54
n2	30	15	1865	DFT	QPSK	Edge_1RB_Left	21.99	19.19
n2	30	15	1865	DFT	QPSK	Edge_1RB_Right	22.35	19.55
n2	30	15	1865	DFT	QPSK	Outer_Full	22.28	19.48
n2	30	15	1865	DFT	16QAM	Inner_Full	22.35	19.55
n2	30	15	1865	DFT	16QAM	Edge_1RB_Left	21.33	18.53
n2	30	15	1865	DFT	16QAM	Edge_1RB_Right	21.66	18.86
n2	30	15	1865	DFT	16QAM	Outer_Full	21.26	18.46
n2	30	15	1865	DFT	64QAM	Inner_Full	20.84	18.04
n2	30	15	1865	DFT	64QAM	Edge_1RB_Left	20.55	17.75
n2	30	15	1865	DFT	64QAM	Edge_1RB_Right	20.89	18.09
n2	30	15	1865	DFT	64QAM	Outer_Full	20.79	17.99
n2	30	15	1865	DFT	256QAM	Inner_Full	18.68	15.88
n2	30	15	1865	DFT	256QAM	Edge_1RB_Left	18.47	15.67
n2	30	15	1865	DFT	256QAM	Edge_1RB_Right	18.77	15.97
n2	30	15	1865	DFT	256QAM	Outer_Full	18.72	15.92
n2	30	15	1880	DFT	pi/2 BPSK	Inner_Full	23.31	20.51
n2	30	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.77	19.97
n2	30	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	23.05	20.25
n2	30	15	1880	DFT	pi/2 BPSK	Outer_Full	22.91	20.11

n2	30	15	1880	DFT	QPSK	Inner_Full	23.35	20.55
n2	30	15	1880	DFT	QPSK	Edge_1RB_Left	22.28	19.48
n2	30	15	1880	DFT	QPSK	Edge_1RB_Right	22.52	19.72
n2	30	15	1880	DFT	QPSK	Outer_Full	22.37	19.57
n2	30	15	1880	DFT	16QAM	Inner_Full	22.4	19.60
n2	30	15	1880	DFT	16QAM	Edge_1RB_Left	21.58	18.78
n2	30	15	1880	DFT	16QAM	Edge_1RB_Right	21.88	19.08
n2	30	15	1880	DFT	16QAM	Outer_Full	21.45	18.65
n2	30	15	1880	DFT	64QAM	Inner_Full	20.91	18.11
n2	30	15	1880	DFT	64QAM	Edge_1RB_Left	20.79	17.99
n2	30	15	1880	DFT	64QAM	Edge_1RB_Right	21.05	18.25
n2	30	15	1880	DFT	64QAM	Outer_Full	20.97	18.17
n2	30	15	1880	DFT	256QAM	Inner_Full	18.76	15.96
n2	30	15	1880	DFT	256QAM	Edge_1RB_Left	18.58	15.78
n2	30	15	1880	DFT	256QAM	Edge_1RB_Right	19.05	16.25
n2	30	15	1880	DFT	256QAM	Outer_Full	18.84	16.04
n2	30	15	1895	DFT	pi/2 BPSK	Inner_Full	23.55	20.75
n2	30	15	1895	DFT	pi/2 BPSK	Edge_1RB_Left	22.86	20.06
n2	30	15	1895	DFT	pi/2 BPSK	Edge_1RB_Right	22.9	20.10
n2	30	15	1895	DFT	pi/2 BPSK	Outer_Full	22.96	20.16
n2	30	15	1895	DFT	QPSK	Inner_Full	23.65	20.85
n2	30	15	1895	DFT	QPSK	Edge_1RB_Left	22.33	19.53
n2	30	15	1895	DFT	QPSK	Edge_1RB_Right	22.42	19.62
n2	30	15	1895	DFT	QPSK	Outer_Full	22.57	19.77
n2	30	15	1895	DFT	16QAM	Inner_Full	22.69	19.89
n2	30	15	1895	DFT	16QAM	Edge_1RB_Left	21.51	18.71
n2	30	15	1895	DFT	16QAM	Edge_1RB_Right	21.74	18.94
n2	30	15	1895	DFT	16QAM	Outer_Full	21.56	18.76
n2	30	15	1895	DFT	64QAM	Inner_Full	21.17	18.37
n2	30	15	1895	DFT	64QAM	Edge_1RB_Left	20.91	18.11
n2	30	15	1895	DFT	64QAM	Edge_1RB_Right	20.92	18.12
n2	30	15	1895	DFT	64QAM	Outer_Full	21.09	18.29
n2	30	15	1895	DFT	256QAM	Inner_Full	19.12	16.32
n2	30	15	1895	DFT	256QAM	Edge_1RB_Left	18.79	15.99
n2	30	15	1895	DFT	256QAM	Edge_1RB_Right	18.88	16.08
n2	30	15	1895	DFT	256QAM	Outer_Full	19.04	16.24
n2	35	15	1868	DFT	pi/2 BPSK	Inner_Full	23.3	20.50
n2	35	15	1868	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	19.62
n2	35	15	1868	DFT	pi/2 BPSK	Edge_1RB_Right	22.81	20.01
n2	35	15	1868	DFT	pi/2 BPSK	Outer_Full	22.63	19.83
n2	35	15	1868	DFT	QPSK	Inner_Full	23.32	20.52

n2	35	15	1868	DFT	QPSK	Edge_1RB_Left	21.91	19.11
n2	35	15	1868	DFT	QPSK	Edge_1RB_Right	22.27	19.47
n2	35	15	1868	DFT	QPSK	Outer_Full	22.2	19.40
n2	35	15	1868	DFT	16QAM	Inner_Full	22.33	19.53
n2	35	15	1868	DFT	16QAM	Edge_1RB_Left	21.2	18.40
n2	35	15	1868	DFT	16QAM	Edge_1RB_Right	21.54	18.74
n2	35	15	1868	DFT	16QAM	Outer_Full	21.2	18.40
n2	35	15	1868	DFT	64QAM	Inner_Full	20.75	17.95
n2	35	15	1868	DFT	64QAM	Edge_1RB_Left	20.4	17.60
n2	35	15	1868	DFT	64QAM	Edge_1RB_Right	20.74	17.94
n2	35	15	1868	DFT	64QAM	Outer_Full	20.69	17.89
n2	35	15	1868	DFT	256QAM	Inner_Full	18.66	15.86
n2	35	15	1868	DFT	256QAM	Edge_1RB_Left	18.36	15.56
n2	35	15	1868	DFT	256QAM	Edge_1RB_Right	18.69	15.89
n2	35	15	1868	DFT	256QAM	Outer_Full	18.6	15.80
n2	35	15	1880	DFT	pi/2 BPSK	Inner_Full	23.3	20.50
n2	35	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	19.85
n2	35	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	23.04	20.24
n2	35	15	1880	DFT	pi/2 BPSK	Outer_Full	22.89	20.09
n2	35	15	1880	DFT	QPSK	Inner_Full	23.34	20.54
n2	35	15	1880	DFT	QPSK	Edge_1RB_Left	22.14	19.34
n2	35	15	1880	DFT	QPSK	Edge_1RB_Right	22.53	19.73
n2	35	15	1880	DFT	QPSK	Outer_Full	22.4	19.60
n2	35	15	1880	DFT	16QAM	Inner_Full	22.38	19.58
n2	35	15	1880	DFT	16QAM	Edge_1RB_Left	21.44	18.64
n2	35	15	1880	DFT	16QAM	Edge_1RB_Right	21.84	19.04
n2	35	15	1880	DFT	16QAM	Outer_Full	21.44	18.64
n2	35	15	1880	DFT	64QAM	Inner_Full	20.9	18.10
n2	35	15	1880	DFT	64QAM	Edge_1RB_Left	20.65	17.85
n2	35	15	1880	DFT	64QAM	Edge_1RB_Right	21.05	18.25
n2	35	15	1880	DFT	64QAM	Outer_Full	20.93	18.13
n2	35	15	1880	DFT	256QAM	Inner_Full	18.79	15.99
n2	35	15	1880	DFT	256QAM	Edge_1RB_Left	18.48	15.68
n2	35	15	1880	DFT	256QAM	Edge_1RB_Right	19.01	16.21
n2	35	15	1880	DFT	256QAM	Outer_Full	18.83	16.03
n2	35	15	1893	DFT	pi/2 BPSK	Inner_Full	23.45	20.65
n2	35	15	1893	DFT	pi/2 BPSK	Edge_1RB_Left	22.75	19.95
n2	35	15	1893	DFT	pi/2 BPSK	Edge_1RB_Right	22.83	20.03
n2	35	15	1893	DFT	pi/2 BPSK	Outer_Full	22.81	20.01
n2	35	15	1893	DFT	QPSK	Inner_Full	23.49	20.69
n2	35	15	1893	DFT	QPSK	Edge_1RB_Left	22.19	19.39

n2	35	15	1893	DFT	QPSK	Edge_1RB_Right	22.29	19.49
n2	35	15	1893	DFT	QPSK	Outer_Full	22.41	19.61
n2	35	15	1893	DFT	16QAM	Inner_Full	22.49	19.69
n2	35	15	1893	DFT	16QAM	Edge_1RB_Left	21.55	18.75
n2	35	15	1893	DFT	16QAM	Edge_1RB_Right	21.61	18.81
n2	35	15	1893	DFT	16QAM	Outer_Full	21.42	18.62
n2	35	15	1893	DFT	64QAM	Inner_Full	20.99	18.19
n2	35	15	1893	DFT	64QAM	Edge_1RB_Left	20.78	17.98
n2	35	15	1893	DFT	64QAM	Edge_1RB_Right	20.81	18.01
n2	35	15	1893	DFT	64QAM	Outer_Full	20.88	18.08
n2	35	15	1893	DFT	256QAM	Inner_Full	18.99	16.19
n2	35	15	1893	DFT	256QAM	Edge_1RB_Left	18.64	15.84
n2	35	15	1893	DFT	256QAM	Edge_1RB_Right	18.82	16.02
n2	35	15	1893	DFT	256QAM	Outer_Full	18.93	16.13
n2	40	15	1870	DFT	pi/2 BPSK	Inner_Full	23.25	20.45
n2	40	15	1870	DFT	pi/2 BPSK	Edge_1RB_Left	22.4	19.60
n2	40	15	1870	DFT	pi/2 BPSK	Edge_1RB_Right	22.9	20.10
n2	40	15	1870	DFT	pi/2 BPSK	Outer_Full	22.61	19.81
n2	40	15	1870	DFT	QPSK	Inner_Full	23.3	20.50
n2	40	15	1870	DFT	QPSK	Edge_1RB_Left	21.92	19.12
n2	40	15	1870	DFT	QPSK	Edge_1RB_Right	22.34	19.54
n2	40	15	1870	DFT	QPSK	Outer_Full	22.17	19.37
n2	40	15	1870	DFT	16QAM	Inner_Full	22.37	19.57
n2	40	15	1870	DFT	16QAM	Edge_1RB_Left	21.23	18.43
n2	40	15	1870	DFT	16QAM	Edge_1RB_Right	21.66	18.86
n2	40	15	1870	DFT	16QAM	Outer_Full	21.16	18.36
n2	40	15	1870	DFT	64QAM	Inner_Full	20.83	18.03
n2	40	15	1870	DFT	64QAM	Edge_1RB_Left	20.37	17.57
n2	40	15	1870	DFT	64QAM	Edge_1RB_Right	20.86	18.06
n2	40	15	1870	DFT	64QAM	Outer_Full	20.62	17.82
n2	40	15	1870	DFT	256QAM	Inner_Full	18.69	15.89
n2	40	15	1870	DFT	256QAM	Edge_1RB_Left	18.38	15.58
n2	40	15	1870	DFT	256QAM	Edge_1RB_Right	18.86	16.06
n2	40	15	1870	DFT	256QAM	Outer_Full	18.62	15.82
n2	40	15	1880	DFT	pi/2 BPSK	Inner_Full	23.29	20.49
n2	40	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.5	19.70
n2	40	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.99	20.19
n2	40	15	1880	DFT	pi/2 BPSK	Outer_Full	22.8	20.00
n2	40	15	1880	DFT	QPSK	Inner_Full	23.3	20.50
n2	40	15	1880	DFT	QPSK	Edge_1RB_Left	22.01	19.21
n2	40	15	1880	DFT	QPSK	Edge_1RB_Right	22.49	19.69

n2	40	15	1880	DFT	QPSK	Outer_Full	22.3	19.50
n2	40	15	1880	DFT	16QAM	Inner_Full	22.32	19.52
n2	40	15	1880	DFT	16QAM	Edge_1RB_Left	21.31	18.51
n2	40	15	1880	DFT	16QAM	Edge_1RB_Right	21.51	18.71
n2	40	15	1880	DFT	16QAM	Outer_Full	21.33	18.53
n2	40	15	1880	DFT	64QAM	Inner_Full	20.82	18.02
n2	40	15	1880	DFT	64QAM	Edge_1RB_Left	20.53	17.73
n2	40	15	1880	DFT	64QAM	Edge_1RB_Right	21.01	18.21
n2	40	15	1880	DFT	64QAM	Outer_Full	20.85	18.05
n2	40	15	1880	DFT	256QAM	Inner_Full	18.76	15.96
n2	40	15	1880	DFT	256QAM	Edge_1RB_Left	18.34	15.54
n2	40	15	1880	DFT	256QAM	Edge_1RB_Right	18.99	16.19
n2	40	15	1880	DFT	256QAM	Outer_Full	18.77	15.97
n2	40	15	1880	CP	QPSK	Inner_Full	21.79	18.99
n2	40	15	1880	CP	QPSK	Edge_1RB_Left	20.04	17.24
n2	40	15	1880	CP	QPSK	Edge_1RB_Right	20.51	17.71
n2	40	15	1880	CP	QPSK	Outer_Full	20.38	17.58
n2	40	15	1880	CP	16QAM	Inner_Full	21.28	18.48
n2	40	15	1880	CP	16QAM	Edge_1RB_Left	20.33	17.53
n2	40	15	1880	CP	16QAM	Edge_1RB_Right	20.76	17.96
n2	40	15	1880	CP	16QAM	Outer_Full	20.37	17.57
n2	40	15	1880	CP	64QAM	Inner_Full	19.79	16.99
n2	40	15	1880	CP	64QAM	Edge_1RB_Left	19.49	16.69
n2	40	15	1880	CP	64QAM	Edge_1RB_Right	19.94	17.14
n2	40	15	1880	CP	64QAM	Outer_Full	19.83	17.03
n2	40	15	1880	CP	256QAM	Inner_Full	16.78	13.98
n2	40	15	1880	CP	256QAM	Edge_1RB_Left	16.67	13.87
n2	40	15	1880	CP	256QAM	Edge_1RB_Right	17.21	14.41
n2	40	15	1880	CP	256QAM	Outer_Full	16.8	14.00
n2	40	15	1890	DFT	pi/2 BPSK	Inner_Full	23.43	20.63
n2	40	15	1890	DFT	pi/2 BPSK	Edge_1RB_Left	22.69	19.89
n2	40	15	1890	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	20.02
n2	40	15	1890	DFT	pi/2 BPSK	Outer_Full	22.81	20.01
n2	40	15	1890	DFT	QPSK	Inner_Full	23.47	20.67
n2	40	15	1890	DFT	QPSK	Edge_1RB_Left	22.17	19.37
n2	40	15	1890	DFT	QPSK	Edge_1RB_Right	22.33	19.53
n2	40	15	1890	DFT	QPSK	Outer_Full	22.38	19.58
n2	40	15	1890	DFT	16QAM	Inner_Full	22.49	19.69
n2	40	15	1890	DFT	16QAM	Edge_1RB_Left	21.52	18.72
n2	40	15	1890	DFT	16QAM	Edge_1RB_Right	21.59	18.79
n2	40	15	1890	DFT	16QAM	Outer_Full	21.39	18.59



n2	40	15	1890	DFT	64QAM	Inner_Full	20.99	18.19
n2	40	15	1890	DFT	64QAM	Edge_1RB_Left	20.76	17.96
n2	40	15	1890	DFT	64QAM	Edge_1RB_Right	20.83	18.03
n2	40	15	1890	DFT	64QAM	Outer_Full	20.88	18.08
n2	40	15	1890	DFT	256QAM	Inner_Full	18.94	16.14
n2	40	15	1890	DFT	256QAM	Edge_1RB_Left	18.56	15.76
n2	40	15	1890	DFT	256QAM	Edge_1RB_Right	18.76	15.96
n2	40	15	1890	DFT	256QAM	Outer_Full	18.87	16.07

n5-ERP

Limits: ≤38.45dBm(7W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	Radiated POWER(dBm) GT = -4.1dBi
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	23.59	17.34
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.94	16.69
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.01	16.76
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.08	16.83
n5	5	15	826.5	DFT	QPSK	Inner_Full	23.53	17.28
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	22.5	16.25
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	22.54	16.29
n5	5	15	826.5	DFT	QPSK	Outer_Full	22.52	16.27
n5	5	15	826.5	DFT	16QAM	Inner_Full	22.57	16.32
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	21.9	15.65
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	21.81	15.56
n5	5	15	826.5	DFT	16QAM	Outer_Full	21.57	15.32
n5	5	15	826.5	DFT	64QAM	Inner_Full	21.07	14.82
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21	14.75
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.95	14.70
n5	5	15	826.5	DFT	64QAM	Outer_Full	21.16	14.91
n5	5	15	826.5	DFT	256QAM	Inner_Full	19.07	12.82
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.06	12.81
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	18.98	12.73
n5	5	15	826.5	DFT	256QAM	Outer_Full	19.1	12.85
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.63	17.38
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.01	16.76
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.2	16.95
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.18	16.93
n5	5	15	836.5	DFT	QPSK	Inner_Full	23.61	17.36
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	22.55	16.30
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	22.7	16.45
n5	5	15	836.5	DFT	QPSK	Outer_Full	22.72	16.47
n5	5	15	836.5	DFT	16QAM	Inner_Full	22.7	16.45
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.05	15.80
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.07	15.82
n5	5	15	836.5	DFT	16QAM	Outer_Full	21.93	15.68
n5	5	15	836.5	DFT	64QAM	Inner_Full	21.27	15.02
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.23	14.98
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.25	15.00
n5	5	15	836.5	DFT	64QAM	Outer_Full	21.27	15.02
n5	5	15	836.5	DFT	256QAM	Inner_Full	19.25	13.00

n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.2	12.95
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.29	13.04
n5	5	15	836.5	DFT	256QAM	Outer_Full	19.19	12.94
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	23.8	17.55
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.22	16.97
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.28	17.03
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.34	17.09
n5	5	15	846.5	DFT	QPSK	Inner_Full	23.8	17.55
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	22.72	16.47
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	22.8	16.55
n5	5	15	846.5	DFT	QPSK	Outer_Full	22.87	16.62
n5	5	15	846.5	DFT	16QAM	Inner_Full	22.83	16.58
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.13	15.88
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.22	15.97
n5	5	15	846.5	DFT	16QAM	Outer_Full	21.99	15.74
n5	5	15	846.5	DFT	64QAM	Inner_Full	21.4	15.15
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.33	15.08
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.38	15.13
n5	5	15	846.5	DFT	64QAM	Outer_Full	21.51	15.26
n5	5	15	846.5	DFT	256QAM	Inner_Full	19.45	13.20
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	19.31	13.06
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	19.39	13.14
n5	5	15	846.5	DFT	256QAM	Outer_Full	19.47	13.22
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	23.45	17.20
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	22.93	16.68
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	23.06	16.81
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	23.12	16.87
n5	10	15	829	DFT	QPSK	Inner_Full	23.54	17.29
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	22.51	16.26
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	22.58	16.33
n5	10	15	829	DFT	QPSK	Outer_Full	22.58	16.33
n5	10	15	829	DFT	16QAM	Inner_Full	22.56	16.31
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	21.91	15.66
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	22.03	15.78
n5	10	15	829	DFT	16QAM	Outer_Full	21.66	15.41
n5	10	15	829	DFT	64QAM	Inner_Full	21.12	14.87
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.97	14.72
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	21.13	14.88
n5	10	15	829	DFT	64QAM	Outer_Full	21.13	14.88
n5	10	15	829	DFT	256QAM	Inner_Full	18.98	12.73
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	19.04	12.79

n5	10	15	829	DFT	256QAM	Edge_1RB_Right	19.2	12.95
n5	10	15	829	DFT	256QAM	Outer_Full	19.1	12.85
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.58	17.33
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.1	16.85
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.27	17.02
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.1	16.85
n5	10	15	836.5	DFT	QPSK	Inner_Full	23.64	17.39
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	22.61	16.36
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	22.76	16.51
n5	10	15	836.5	DFT	QPSK	Outer_Full	22.73	16.48
n5	10	15	836.5	DFT	16QAM	Inner_Full	22.76	16.51
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.02	15.77
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.16	15.91
n5	10	15	836.5	DFT	16QAM	Outer_Full	21.72	15.47
n5	10	15	836.5	DFT	64QAM	Inner_Full	21.24	14.99
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.15	14.90
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.3	15.05
n5	10	15	836.5	DFT	64QAM	Outer_Full	21.24	14.99
n5	10	15	836.5	DFT	256QAM	Inner_Full	19.12	12.87
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.16	12.91
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	19.34	13.09
n5	10	15	836.5	DFT	256QAM	Outer_Full	19.2	12.95
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	23.66	17.41
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.1	16.85
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.26	17.01
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.25	17.00
n5	10	15	844	DFT	QPSK	Inner_Full	23.67	17.42
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	22.62	16.37
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	22.82	16.57
n5	10	15	844	DFT	QPSK	Outer_Full	22.79	16.54
n5	10	15	844	DFT	16QAM	Inner_Full	22.72	16.47
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	21.99	15.74
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	22.17	15.92
n5	10	15	844	DFT	16QAM	Outer_Full	21.8	15.55
n5	10	15	844	DFT	64QAM	Inner_Full	21.43	15.18
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	21.18	14.93
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	21.28	15.03
n5	10	15	844	DFT	64QAM	Outer_Full	21.36	15.11
n5	10	15	844	DFT	256QAM	Inner_Full	19.24	12.99
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	19.17	12.92
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	19.33	13.08

n5	10	15	844	DFT	256QAM	Outer_Full	19.3	13.05
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	23.52	17.27
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.94	16.69
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.19	16.94
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.17	16.92
n5	15	15	831.5	DFT	QPSK	Inner_Full	23.61	17.36
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	22.47	16.22
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	22.71	16.46
n5	15	15	831.5	DFT	QPSK	Outer_Full	22.64	16.39
n5	15	15	831.5	DFT	16QAM	Inner_Full	22.64	16.39
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	21.91	15.66
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.07	15.82
n5	15	15	831.5	DFT	16QAM	Outer_Full	21.68	15.43
n5	15	15	831.5	DFT	64QAM	Inner_Full	21.17	14.92
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.03	14.78
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.25	15.00
n5	15	15	831.5	DFT	64QAM	Outer_Full	21.25	15.00
n5	15	15	831.5	DFT	256QAM	Inner_Full	19.07	12.82
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.05	12.80
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.3	13.05
n5	15	15	831.5	DFT	256QAM	Outer_Full	19.15	12.90
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.6	17.35
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.1	16.85
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.3	17.05
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.28	17.03
n5	15	15	836.5	DFT	QPSK	Inner_Full	23.73	17.48
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	22.59	16.34
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	22.81	16.56
n5	15	15	836.5	DFT	QPSK	Outer_Full	22.81	16.56
n5	15	15	836.5	DFT	16QAM	Inner_Full	22.79	16.54
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	21.93	15.68
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.23	15.98
n5	15	15	836.5	DFT	16QAM	Outer_Full	21.75	15.50
n5	15	15	836.5	DFT	64QAM	Inner_Full	21.3	15.05
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.07	14.82
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.39	15.14
n5	15	15	836.5	DFT	64QAM	Outer_Full	21.32	15.07
n5	15	15	836.5	DFT	256QAM	Inner_Full	19.21	12.96
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.06	12.81
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.34	13.09
n5	15	15	836.5	DFT	256QAM	Outer_Full	19.18	12.93

n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	23.7	17.45
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.04	16.79
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	17.07
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.19	16.94
n5	15	15	841.5	DFT	QPSK	Inner_Full	23.75	17.50
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	22.57	16.32
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	22.79	16.54
n5	15	15	841.5	DFT	QPSK	Outer_Full	22.72	16.47
n5	15	15	841.5	DFT	16QAM	Inner_Full	22.77	16.52
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.03	15.78
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.23	15.98
n5	15	15	841.5	DFT	16QAM	Outer_Full	21.8	15.55
n5	15	15	841.5	DFT	64QAM	Inner_Full	21.39	15.14
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.16	14.91
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.35	15.10
n5	15	15	841.5	DFT	64QAM	Outer_Full	21.28	15.03
n5	15	15	841.5	DFT	256QAM	Inner_Full	19.24	12.99
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.17	12.92
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	19.42	13.17
n5	15	15	841.5	DFT	256QAM	Outer_Full	19.21	12.96
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	23.59	17.34
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.88	16.63
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.23	16.98
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.25	17.00
n5	20	15	834	DFT	QPSK	Inner_Full	23.72	17.47
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	22.46	16.21
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	22.72	16.47
n5	20	15	834	DFT	QPSK	Outer_Full	22.7	16.45
n5	20	15	834	DFT	16QAM	Inner_Full	22.65	16.40
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	21.87	15.62
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	22	15.75
n5	20	15	834	DFT	16QAM	Outer_Full	21.75	15.50
n5	20	15	834	DFT	64QAM	Inner_Full	21.23	14.98
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	20.99	14.74
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	21.31	15.06
n5	20	15	834	DFT	64QAM	Outer_Full	21.3	15.05
n5	20	15	834	DFT	256QAM	Inner_Full	19.19	12.94
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	18.99	12.74
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	19.32	13.07
n5	20	15	834	DFT	256QAM	Outer_Full	19.19	12.94
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.72	17.47

n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.03	16.78
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.36	17.11
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.28	17.03
n5	20	15	836.5	DFT	QPSK	Inner_Full	23.84	17.59
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	22.57	16.32
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	22.85	16.60
n5	20	15	836.5	DFT	QPSK	Outer_Full	22.75	16.50
n5	20	15	836.5	DFT	16QAM	Inner_Full	22.8	16.55
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	21.92	15.67
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	22.26	16.01
n5	20	15	836.5	DFT	16QAM	Outer_Full	21.74	15.49
n5	20	15	836.5	DFT	64QAM	Inner_Full	21.31	15.06
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.04	14.79
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	21.43	15.18
n5	20	15	836.5	DFT	64QAM	Outer_Full	21.25	15.00
n5	20	15	836.5	DFT	256QAM	Inner_Full	19.26	13.01
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.06	12.81
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	19.38	13.13
n5	20	15	836.5	DFT	256QAM	Outer_Full	19.2	12.95
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	23.66	17.41
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	23.03	16.78
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.3	17.05
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.13	16.88
n5	20	15	839	DFT	QPSK	Inner_Full	23.8	17.55
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	22.54	16.29
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	22.84	16.59
n5	20	15	839	DFT	QPSK	Outer_Full	22.65	16.40
n5	20	15	839	DFT	16QAM	Inner_Full	22.7	16.45
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	21.86	15.61
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	22.28	16.03
n5	20	15	839	DFT	16QAM	Outer_Full	21.73	15.48
n5	20	15	839	DFT	64QAM	Inner_Full	21.34	15.09
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	21.01	14.76
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	21.4	15.15
n5	20	15	839	DFT	64QAM	Outer_Full	21.17	14.92
n5	20	15	839	DFT	256QAM	Inner_Full	19.21	12.96
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	19.01	12.76
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	19.41	13.16
n5	20	15	839	DFT	256QAM	Outer_Full	19.18	12.93
n5	25	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.71	17.46
n5	25	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.07	16.82

n5	25	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.33	17.08
n5	25	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.22	16.97
n5	25	15	836.5	DFT	QPSK	Inner_Full	23.74	17.49
n5	25	15	836.5	DFT	QPSK	Edge_1RB_Left	22.58	16.33
n5	25	15	836.5	DFT	QPSK	Edge_1RB_Right	22.89	16.64
n5	25	15	836.5	DFT	QPSK	Outer_Full	22.7	16.45
n5	25	15	836.5	DFT	16QAM	Inner_Full	22.72	16.47
n5	25	15	836.5	DFT	16QAM	Edge_1RB_Left	21.88	15.63
n5	25	15	836.5	DFT	16QAM	Edge_1RB_Right	22.13	15.88
n5	25	15	836.5	DFT	16QAM	Outer_Full	21.7	15.45
n5	25	15	836.5	DFT	64QAM	Inner_Full	21.22	14.97
n5	25	15	836.5	DFT	64QAM	Edge_1RB_Left	21.06	14.81
n5	25	15	836.5	DFT	64QAM	Edge_1RB_Right	21.24	14.99
n5	25	15	836.5	DFT	64QAM	Outer_Full	21.12	14.87
n5	25	15	836.5	DFT	256QAM	Inner_Full	19.13	12.88
n5	25	15	836.5	DFT	256QAM	Edge_1RB_Left	19.07	12.82
n5	25	15	836.5	DFT	256QAM	Edge_1RB_Right	19.31	13.06
n5	25	15	836.5	DFT	256QAM	Outer_Full	19.19	12.94
n5	25	15	836.5	CP	QPSK	Inner_Full	22.25	16.00
n5	25	15	836.5	CP	QPSK	Edge_1RB_Left	20.57	14.32
n5	25	15	836.5	CP	QPSK	Edge_1RB_Right	20.69	14.44
n5	25	15	836.5	CP	QPSK	Outer_Full	20.69	14.44
n5	25	15	836.5	CP	16QAM	Inner_Full	21.75	15.50
n5	25	15	836.5	CP	16QAM	Edge_1RB_Left	20.77	14.52
n5	25	15	836.5	CP	16QAM	Edge_1RB_Right	20.98	14.73
n5	25	15	836.5	CP	16QAM	Outer_Full	20.66	14.41
n5	25	15	836.5	CP	64QAM	Inner_Full	20.21	13.96
n5	25	15	836.5	CP	64QAM	Edge_1RB_Left	19.95	13.70
n5	25	15	836.5	CP	64QAM	Edge_1RB_Right	20.17	13.92
n5	25	15	836.5	CP	64QAM	Outer_Full	20.19	13.94
n5	25	15	836.5	CP	256QAM	Inner_Full	17.23	10.98
n5	25	15	836.5	CP	256QAM	Edge_1RB_Left	17.33	11.08
n5	25	15	836.5	CP	256QAM	Edge_1RB_Right	17.4	11.15
n5	25	15	836.5	CP	256QAM	Outer_Full	17.26	11.01

n7-EIRP

Limits: ≤33dBm(2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiatedd POWER(dBm) GT = -3.9dBi
n7	5	15	2503	DFT	pi/2 BPSK	Inner_Full	22.89	18.99
n7	5	15	2503	DFT	pi/2 BPSK	Edge_1RB_Left	22.51	18.61
n7	5	15	2503	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	18.68
n7	5	15	2503	DFT	pi/2 BPSK	Outer_Full	22.7	18.8
n7	5	15	2503	DFT	QPSK	Inner_Full	22.87	18.97
n7	5	15	2503	DFT	QPSK	Edge_1RB_Left	22.05	18.15
n7	5	15	2503	DFT	QPSK	Edge_1RB_Right	22.12	18.22
n7	5	15	2503	DFT	QPSK	Outer_Full	22.2	18.3
n7	5	15	2503	DFT	16QAM	Inner_Full	22.25	18.35
n7	5	15	2503	DFT	16QAM	Edge_1RB_Left	21.45	17.55
n7	5	15	2503	DFT	16QAM	Edge_1RB_Right	21.52	17.62
n7	5	15	2503	DFT	16QAM	Outer_Full	21.3	17.4
n7	5	15	2503	DFT	64QAM	Inner_Full	20.73	16.83
n7	5	15	2503	DFT	64QAM	Edge_1RB_Left	20.55	16.65
n7	5	15	2503	DFT	64QAM	Edge_1RB_Right	20.64	16.74
n7	5	15	2503	DFT	64QAM	Outer_Full	20.78	16.88
n7	5	15	2503	DFT	256QAM	Inner_Full	18.71	14.81
n7	5	15	2503	DFT	256QAM	Edge_1RB_Left	18.58	14.68
n7	5	15	2503	DFT	256QAM	Edge_1RB_Right	18.74	14.84
n7	5	15	2503	DFT	256QAM	Outer_Full	18.7	14.8
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	23.2	19.3
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	18.74
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.55	18.65
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.67	18.77
n7	5	15	2535	DFT	QPSK	Inner_Full	23.24	19.34
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	22.16	18.26
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	22.04	18.14
n7	5	15	2535	DFT	QPSK	Outer_Full	22.16	18.26
n7	5	15	2535	DFT	16QAM	Inner_Full	22.25	18.35
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.47	17.57
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.38	17.48
n7	5	15	2535	DFT	16QAM	Outer_Full	21.23	17.33
n7	5	15	2535	DFT	64QAM	Inner_Full	20.69	16.79
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.7	16.8
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.57	16.67
n7	5	15	2535	DFT	64QAM	Outer_Full	20.78	16.88
n7	5	15	2535	DFT	256QAM	Inner_Full	18.65	14.75

n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.58	14.68
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.5	14.6
n7	5	15	2535	DFT	256QAM	Outer_Full	18.63	14.73
n7	5	15	2568	DFT	pi/2 BPSK	Inner_Full	22.73	18.83
n7	5	15	2568	DFT	pi/2 BPSK	Edge_1RB_Left	22.35	18.45
n7	5	15	2568	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	18.49
n7	5	15	2568	DFT	pi/2 BPSK	Outer_Full	22.43	18.53
n7	5	15	2568	DFT	QPSK	Inner_Full	22.69	18.79
n7	5	15	2568	DFT	QPSK	Edge_1RB_Left	21.82	17.92
n7	5	15	2568	DFT	QPSK	Edge_1RB_Right	21.88	17.98
n7	5	15	2568	DFT	QPSK	Outer_Full	21.95	18.05
n7	5	15	2568	DFT	16QAM	Inner_Full	21.96	18.06
n7	5	15	2568	DFT	16QAM	Edge_1RB_Left	21.14	17.24
n7	5	15	2568	DFT	16QAM	Edge_1RB_Right	21.19	17.29
n7	5	15	2568	DFT	16QAM	Outer_Full	20.99	17.09
n7	5	15	2568	DFT	64QAM	Inner_Full	20.42	16.52
n7	5	15	2568	DFT	64QAM	Edge_1RB_Left	20.4	16.5
n7	5	15	2568	DFT	64QAM	Edge_1RB_Right	20.42	16.52
n7	5	15	2568	DFT	64QAM	Outer_Full	20.51	16.61
n7	5	15	2568	DFT	256QAM	Inner_Full	18.43	14.53
n7	5	15	2568	DFT	256QAM	Edge_1RB_Left	18.27	14.37
n7	5	15	2568	DFT	256QAM	Edge_1RB_Right	18.39	14.49
n7	5	15	2568	DFT	256QAM	Outer_Full	18.41	14.51
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.83	18.93
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	18.58
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	18.68
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	22.59	18.69
n7	10	15	2505	DFT	QPSK	Inner_Full	22.89	18.99
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	22	18.1
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	22.11	18.21
n7	10	15	2505	DFT	QPSK	Outer_Full	22.14	18.24
n7	10	15	2505	DFT	16QAM	Inner_Full	22.27	18.37
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	21.44	17.54
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	21.46	17.56
n7	10	15	2505	DFT	16QAM	Outer_Full	21.15	17.25
n7	10	15	2505	DFT	64QAM	Inner_Full	20.7	16.8
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	20.55	16.65
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	20.61	16.71
n7	10	15	2505	DFT	64QAM	Outer_Full	20.64	16.74
n7	10	15	2505	DFT	256QAM	Inner_Full	18.55	14.65
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	18.56	14.66

n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	18.63	14.73
n7	10	15	2505	DFT	256QAM	Outer_Full	18.58	14.68
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	23.16	19.26
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.71	18.81
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	18.68
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.63	18.73
n7	10	15	2535	DFT	QPSK	Inner_Full	23.28	19.38
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	22.3	18.4
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	22.07	18.17
n7	10	15	2535	DFT	QPSK	Outer_Full	22.17	18.27
n7	10	15	2535	DFT	16QAM	Inner_Full	22.26	18.36
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	21.53	17.63
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	21.41	17.51
n7	10	15	2535	DFT	16QAM	Outer_Full	21.16	17.26
n7	10	15	2535	DFT	64QAM	Inner_Full	20.76	16.86
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.77	16.87
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	20.59	16.69
n7	10	15	2535	DFT	64QAM	Outer_Full	20.69	16.79
n7	10	15	2535	DFT	256QAM	Inner_Full	18.58	14.68
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.63	14.73
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	18.5	14.6
n7	10	15	2535	DFT	256QAM	Outer_Full	18.61	14.71
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	22.68	18.78
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	22.32	18.42
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	22.4	18.5
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	22.33	18.43
n7	10	15	2565	DFT	QPSK	Inner_Full	22.73	18.83
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.77	17.87
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	21.88	17.98
n7	10	15	2565	DFT	QPSK	Outer_Full	21.82	17.92
n7	10	15	2565	DFT	16QAM	Inner_Full	21.93	18.03
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	21.13	17.23
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	21.17	17.27
n7	10	15	2565	DFT	16QAM	Outer_Full	20.88	16.98
n7	10	15	2565	DFT	64QAM	Inner_Full	20.45	16.55
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	20.31	16.41
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	20.4	16.5
n7	10	15	2565	DFT	64QAM	Outer_Full	20.44	16.54
n7	10	15	2565	DFT	256QAM	Inner_Full	18.29	14.39
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	18.26	14.36
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	18.36	14.46

n7	10	15	2565	DFT	256QAM	Outer_Full	18.34	14.44
n7	15	15	2508	DFT	pi/2 BPSK	Inner_Full	22.9	19
n7	15	15	2508	DFT	pi/2 BPSK	Edge_1RB_Left	22.52	18.62
n7	15	15	2508	DFT	pi/2 BPSK	Edge_1RB_Right	22.75	18.85
n7	15	15	2508	DFT	pi/2 BPSK	Outer_Full	22.67	18.77
n7	15	15	2508	DFT	QPSK	Inner_Full	22.95	19.05
n7	15	15	2508	DFT	QPSK	Edge_1RB_Left	22.07	18.17
n7	15	15	2508	DFT	QPSK	Edge_1RB_Right	22.27	18.37
n7	15	15	2508	DFT	QPSK	Outer_Full	22.25	18.35
n7	15	15	2508	DFT	16QAM	Inner_Full	22.25	18.35
n7	15	15	2508	DFT	16QAM	Edge_1RB_Left	21.48	17.58
n7	15	15	2508	DFT	16QAM	Edge_1RB_Right	21.57	17.67
n7	15	15	2508	DFT	16QAM	Outer_Full	21.24	17.34
n7	15	15	2508	DFT	64QAM	Inner_Full	20.72	16.82
n7	15	15	2508	DFT	64QAM	Edge_1RB_Left	20.59	16.69
n7	15	15	2508	DFT	64QAM	Edge_1RB_Right	20.76	16.86
n7	15	15	2508	DFT	64QAM	Outer_Full	20.76	16.86
n7	15	15	2508	DFT	256QAM	Inner_Full	18.64	14.74
n7	15	15	2508	DFT	256QAM	Edge_1RB_Left	18.62	14.72
n7	15	15	2508	DFT	256QAM	Edge_1RB_Right	18.74	14.84
n7	15	15	2508	DFT	256QAM	Outer_Full	18.66	14.76
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	23.18	19.28
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.82	18.92
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	18.68
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	22.68	18.78
n7	15	15	2535	DFT	QPSK	Inner_Full	23.28	19.38
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	22.29	18.39
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	22.05	18.15
n7	15	15	2535	DFT	QPSK	Outer_Full	22.21	18.31
n7	15	15	2535	DFT	16QAM	Inner_Full	22.24	18.34
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	21.61	17.71
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	21.42	17.52
n7	15	15	2535	DFT	16QAM	Outer_Full	21.17	17.27
n7	15	15	2535	DFT	64QAM	Inner_Full	20.75	16.85
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	20.87	16.97
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.57	16.67
n7	15	15	2535	DFT	64QAM	Outer_Full	20.77	16.87
n7	15	15	2535	DFT	256QAM	Inner_Full	18.62	14.72
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	18.71	14.81
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.58	14.68
n7	15	15	2535	DFT	256QAM	Outer_Full	18.65	14.75

n7	15	15	2563	DFT	pi/2 BPSK	Inner_Full	22.88	18.98
n7	15	15	2563	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	18.64
n7	15	15	2563	DFT	pi/2 BPSK	Edge_1RB_Right	22.56	18.66
n7	15	15	2563	DFT	pi/2 BPSK	Outer_Full	22.49	18.59
n7	15	15	2563	DFT	QPSK	Inner_Full	22.9	19
n7	15	15	2563	DFT	QPSK	Edge_1RB_Left	22.02	18.12
n7	15	15	2563	DFT	QPSK	Edge_1RB_Right	22.02	18.12
n7	15	15	2563	DFT	QPSK	Outer_Full	22.04	18.14
n7	15	15	2563	DFT	16QAM	Inner_Full	22.04	18.14
n7	15	15	2563	DFT	16QAM	Edge_1RB_Left	21.34	17.44
n7	15	15	2563	DFT	16QAM	Edge_1RB_Right	21.35	17.45
n7	15	15	2563	DFT	16QAM	Outer_Full	21.01	17.11
n7	15	15	2563	DFT	64QAM	Inner_Full	20.56	16.66
n7	15	15	2563	DFT	64QAM	Edge_1RB_Left	20.51	16.61
n7	15	15	2563	DFT	64QAM	Edge_1RB_Right	20.59	16.69
n7	15	15	2563	DFT	64QAM	Outer_Full	20.6	16.7
n7	15	15	2563	DFT	256QAM	Inner_Full	18.43	14.53
n7	15	15	2563	DFT	256QAM	Edge_1RB_Left	18.53	14.63
n7	15	15	2563	DFT	256QAM	Edge_1RB_Right	18.51	14.61
n7	15	15	2563	DFT	256QAM	Outer_Full	18.5	14.6
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	23.07	19.17
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	22.62	18.72
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	22.94	19.04
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	22.73	18.83
n7	20	15	2510	DFT	QPSK	Inner_Full	23.12	19.22
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	22.12	18.22
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	22.4	18.5
n7	20	15	2510	DFT	QPSK	Outer_Full	22.27	18.37
n7	20	15	2510	DFT	16QAM	Inner_Full	22.35	18.45
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	21.54	17.64
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	21.74	17.84
n7	20	15	2510	DFT	16QAM	Outer_Full	21.31	17.41
n7	20	15	2510	DFT	64QAM	Inner_Full	20.83	16.93
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	20.64	16.74
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	20.98	17.08
n7	20	15	2510	DFT	64QAM	Outer_Full	20.76	16.86
n7	20	15	2510	DFT	256QAM	Inner_Full	18.74	14.84
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.66	14.76
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.85	14.95
n7	20	15	2510	DFT	256QAM	Outer_Full	18.72	14.82
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	23.23	19.33

n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.85	18.95
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	18.62
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	22.74	18.84
n7	20	15	2535	DFT	QPSK	Inner_Full	23.33	19.43
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	22.37	18.47
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	22.05	18.15
n7	20	15	2535	DFT	QPSK	Outer_Full	22.29	18.39
n7	20	15	2535	DFT	16QAM	Inner_Full	22.21	18.31
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	21.66	17.76
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	21.39	17.49
n7	20	15	2535	DFT	16QAM	Outer_Full	21.28	17.38
n7	20	15	2535	DFT	64QAM	Inner_Full	20.72	16.82
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	20.9	17
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.54	16.64
n7	20	15	2535	DFT	64QAM	Outer_Full	20.77	16.87
n7	20	15	2535	DFT	256QAM	Inner_Full	18.61	14.71
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	18.77	14.87
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	18.53	14.63
n7	20	15	2535	DFT	256QAM	Outer_Full	18.72	14.82
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	22.95	19.05
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	18.58
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	22.49	18.59
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	22.42	18.52
n7	20	15	2560	DFT	QPSK	Inner_Full	22.99	19.09
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	22	18.1
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	22	18.1
n7	20	15	2560	DFT	QPSK	Outer_Full	22.02	18.12
n7	20	15	2560	DFT	16QAM	Inner_Full	21.99	18.09
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	21.34	17.44
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	21.33	17.43
n7	20	15	2560	DFT	16QAM	Outer_Full	21.04	17.14
n7	20	15	2560	DFT	64QAM	Inner_Full	20.5	16.6
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	20.52	16.62
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	20.59	16.69
n7	20	15	2560	DFT	64QAM	Outer_Full	20.51	16.61
n7	20	15	2560	DFT	256QAM	Inner_Full	18.45	14.55
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	18.51	14.61
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	18.47	14.57
n7	20	15	2560	DFT	256QAM	Outer_Full	18.47	14.57
n7	25	15	2513	DFT	pi/2 BPSK	Inner_Full	23.09	19.19
n7	25	15	2513	DFT	pi/2 BPSK	Edge_1RB_Left	22.61	18.71

n7	25	15	2513	DFT	pi/2 BPSK	Edge_1RB_Right	22.99	19.09
n7	25	15	2513	DFT	pi/2 BPSK	Outer_Full	22.75	18.85
n7	25	15	2513	DFT	QPSK	Inner_Full	23.18	19.28
n7	25	15	2513	DFT	QPSK	Edge_1RB_Left	22.09	18.19
n7	25	15	2513	DFT	QPSK	Edge_1RB_Right	22.48	18.58
n7	25	15	2513	DFT	QPSK	Outer_Full	22.33	18.43
n7	25	15	2513	DFT	16QAM	Inner_Full	22.41	18.51
n7	25	15	2513	DFT	16QAM	Edge_1RB_Left	21.54	17.64
n7	25	15	2513	DFT	16QAM	Edge_1RB_Right	21.82	17.92
n7	25	15	2513	DFT	16QAM	Outer_Full	21.35	17.45
n7	25	15	2513	DFT	64QAM	Inner_Full	20.91	17.01
n7	25	15	2513	DFT	64QAM	Edge_1RB_Left	20.63	16.73
n7	25	15	2513	DFT	64QAM	Edge_1RB_Right	21.05	17.15
n7	25	15	2513	DFT	64QAM	Outer_Full	20.85	16.95
n7	25	15	2513	DFT	256QAM	Inner_Full	18.81	14.91
n7	25	15	2513	DFT	256QAM	Edge_1RB_Left	18.65	14.75
n7	25	15	2513	DFT	256QAM	Edge_1RB_Right	18.93	15.03
n7	25	15	2513	DFT	256QAM	Outer_Full	18.8	14.9
n7	25	15	2535	DFT	pi/2 BPSK	Inner_Full	23.26	19.36
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.88	18.98
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	18.61
n7	25	15	2535	DFT	pi/2 BPSK	Outer_Full	22.73	18.83
n7	25	15	2535	DFT	QPSK	Inner_Full	23.4	19.5
n7	25	15	2535	DFT	QPSK	Edge_1RB_Left	22.36	18.46
n7	25	15	2535	DFT	QPSK	Edge_1RB_Right	21.99	18.09
n7	25	15	2535	DFT	QPSK	Outer_Full	22.25	18.35
n7	25	15	2535	DFT	16QAM	Inner_Full	22.27	18.37
n7	25	15	2535	DFT	16QAM	Edge_1RB_Left	21.69	17.79
n7	25	15	2535	DFT	16QAM	Edge_1RB_Right	21.38	17.48
n7	25	15	2535	DFT	16QAM	Outer_Full	21.27	17.37
n7	25	15	2535	DFT	64QAM	Inner_Full	20.77	16.87
n7	25	15	2535	DFT	64QAM	Edge_1RB_Left	20.94	17.04
n7	25	15	2535	DFT	64QAM	Edge_1RB_Right	20.53	16.63
n7	25	15	2535	DFT	64QAM	Outer_Full	20.81	16.91
n7	25	15	2535	DFT	256QAM	Inner_Full	18.67	14.77
n7	25	15	2535	DFT	256QAM	Edge_1RB_Left	18.81	14.91
n7	25	15	2535	DFT	256QAM	Edge_1RB_Right	18.54	14.64
n7	25	15	2535	DFT	256QAM	Outer_Full	18.77	14.87
n7	25	15	2558	DFT	pi/2 BPSK	Inner_Full	23.03	19.13
n7	25	15	2558	DFT	pi/2 BPSK	Edge_1RB_Left	22.5	18.6
n7	25	15	2558	DFT	pi/2 BPSK	Edge_1RB_Right	22.46	18.56

n7	25	15	2558	DFT	pi/2 BPSK	Outer_Full	22.4	18.5
n7	25	15	2558	DFT	QPSK	Inner_Full	23.11	19.21
n7	25	15	2558	DFT	QPSK	Edge_1RB_Left	21.99	18.09
n7	25	15	2558	DFT	QPSK	Edge_1RB_Right	21.92	18.02
n7	25	15	2558	DFT	QPSK	Outer_Full	21.98	18.08
n7	25	15	2558	DFT	16QAM	Inner_Full	22.04	18.14
n7	25	15	2558	DFT	16QAM	Edge_1RB_Left	21.37	17.47
n7	25	15	2558	DFT	16QAM	Edge_1RB_Right	21.27	17.37
n7	25	15	2558	DFT	16QAM	Outer_Full	20.98	17.08
n7	25	15	2558	DFT	64QAM	Inner_Full	20.59	16.69
n7	25	15	2558	DFT	64QAM	Edge_1RB_Left	20.53	16.63
n7	25	15	2558	DFT	64QAM	Edge_1RB_Right	20.49	16.59
n7	25	15	2558	DFT	64QAM	Outer_Full	20.46	16.56
n7	25	15	2558	DFT	256QAM	Inner_Full	18.44	14.54
n7	25	15	2558	DFT	256QAM	Edge_1RB_Left	18.5	14.6
n7	25	15	2558	DFT	256QAM	Edge_1RB_Right	18.42	14.52
n7	25	15	2558	DFT	256QAM	Outer_Full	18.46	14.56
n7	30	15	2515	DFT	pi/2 BPSK	Inner_Full	23.08	19.18
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	18.66
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	18.86
n7	30	15	2515	DFT	pi/2 BPSK	Outer_Full	22.74	18.84
n7	30	15	2515	DFT	QPSK	Inner_Full	23.17	19.27
n7	30	15	2515	DFT	QPSK	Edge_1RB_Left	22.09	18.19
n7	30	15	2515	DFT	QPSK	Edge_1RB_Right	22.28	18.38
n7	30	15	2515	DFT	QPSK	Outer_Full	22.29	18.39
n7	30	15	2515	DFT	16QAM	Inner_Full	22.39	18.49
n7	30	15	2515	DFT	16QAM	Edge_1RB_Left	21.49	17.59
n7	30	15	2515	DFT	16QAM	Edge_1RB_Right	21.6	17.7
n7	30	15	2515	DFT	16QAM	Outer_Full	21.33	17.43
n7	30	15	2515	DFT	64QAM	Inner_Full	20.91	17.01
n7	30	15	2515	DFT	64QAM	Edge_1RB_Left	20.6	16.7
n7	30	15	2515	DFT	64QAM	Edge_1RB_Right	20.86	16.96
n7	30	15	2515	DFT	64QAM	Outer_Full	20.8	16.9
n7	30	15	2515	DFT	256QAM	Inner_Full	18.77	14.87
n7	30	15	2515	DFT	256QAM	Edge_1RB_Left	18.63	14.73
n7	30	15	2515	DFT	256QAM	Edge_1RB_Right	18.72	14.82
n7	30	15	2515	DFT	256QAM	Outer_Full	18.78	14.88
n7	30	15	2535	DFT	pi/2 BPSK	Inner_Full	23.28	19.38
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.89	18.99
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.53	18.63
n7	30	15	2535	DFT	pi/2 BPSK	Outer_Full	22.75	18.85

n7	30	15	2535	DFT	QPSK	Inner_Full	23.42	19.52
n7	30	15	2535	DFT	QPSK	Edge_1RB_Left	22.36	18.46
n7	30	15	2535	DFT	QPSK	Edge_1RB_Right	22.05	18.15
n7	30	15	2535	DFT	QPSK	Outer_Full	22.28	18.38
n7	30	15	2535	DFT	16QAM	Inner_Full	22.25	18.35
n7	30	15	2535	DFT	16QAM	Edge_1RB_Left	21.69	17.79
n7	30	15	2535	DFT	16QAM	Edge_1RB_Right	21.16	17.26
n7	30	15	2535	DFT	16QAM	Outer_Full	21.24	17.34
n7	30	15	2535	DFT	64QAM	Inner_Full	20.78	16.88
n7	30	15	2535	DFT	64QAM	Edge_1RB_Left	20.99	17.09
n7	30	15	2535	DFT	64QAM	Edge_1RB_Right	20.54	16.64
n7	30	15	2535	DFT	64QAM	Outer_Full	20.81	16.91
n7	30	15	2535	DFT	256QAM	Inner_Full	18.66	14.76
n7	30	15	2535	DFT	256QAM	Edge_1RB_Left	18.73	14.83
n7	30	15	2535	DFT	256QAM	Edge_1RB_Right	18.54	14.64
n7	30	15	2535	DFT	256QAM	Outer_Full	18.75	14.85
n7	30	15	2555	DFT	pi/2 BPSK	Inner_Full	23.05	19.15
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Left	22.53	18.63
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Right	22.45	18.55
n7	30	15	2555	DFT	pi/2 BPSK	Outer_Full	22.45	18.55
n7	30	15	2555	DFT	QPSK	Inner_Full	23.2	19.3
n7	30	15	2555	DFT	QPSK	Edge_1RB_Left	22	18.1
n7	30	15	2555	DFT	QPSK	Edge_1RB_Right	21.93	18.03
n7	30	15	2555	DFT	QPSK	Outer_Full	22.03	18.13
n7	30	15	2555	DFT	16QAM	Inner_Full	22.05	18.15
n7	30	15	2555	DFT	16QAM	Edge_1RB_Left	21.35	17.45
n7	30	15	2555	DFT	16QAM	Edge_1RB_Right	21.25	17.35
n7	30	15	2555	DFT	16QAM	Outer_Full	21.01	17.11
n7	30	15	2555	DFT	64QAM	Inner_Full	20.6	16.7
n7	30	15	2555	DFT	64QAM	Edge_1RB_Left	20.63	16.73
n7	30	15	2555	DFT	64QAM	Edge_1RB_Right	20.52	16.62
n7	30	15	2555	DFT	64QAM	Outer_Full	20.53	16.63
n7	30	15	2555	DFT	256QAM	Inner_Full	18.48	14.58
n7	30	15	2555	DFT	256QAM	Edge_1RB_Left	18.48	14.58
n7	30	15	2555	DFT	256QAM	Edge_1RB_Right	18.39	14.49
n7	30	15	2555	DFT	256QAM	Outer_Full	18.49	14.59
n7	35	15	2518	DFT	pi/2 BPSK	Inner_Full	23.16	19.26
n7	35	15	2518	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	18.67
n7	35	15	2518	DFT	pi/2 BPSK	Edge_1RB_Right	22.71	18.81
n7	35	15	2518	DFT	pi/2 BPSK	Outer_Full	22.74	18.84
n7	35	15	2518	DFT	QPSK	Inner_Full	23.23	19.33

n7	35	15	2518	DFT	QPSK	Edge_1RB_Left	22.08	18.18
n7	35	15	2518	DFT	QPSK	Edge_1RB_Right	22.19	18.29
n7	35	15	2518	DFT	QPSK	Outer_Full	22.31	18.41
n7	35	15	2518	DFT	16QAM	Inner_Full	22.45	18.55
n7	35	15	2518	DFT	16QAM	Edge_1RB_Left	21.47	17.57
n7	35	15	2518	DFT	16QAM	Edge_1RB_Right	21.52	17.62
n7	35	15	2518	DFT	16QAM	Outer_Full	21.32	17.42
n7	35	15	2518	DFT	64QAM	Inner_Full	20.95	17.05
n7	35	15	2518	DFT	64QAM	Edge_1RB_Left	20.58	16.68
n7	35	15	2518	DFT	64QAM	Edge_1RB_Right	20.76	16.86
n7	35	15	2518	DFT	64QAM	Outer_Full	20.82	16.92
n7	35	15	2518	DFT	256QAM	Inner_Full	18.84	14.94
n7	35	15	2518	DFT	256QAM	Edge_1RB_Left	18.61	14.71
n7	35	15	2518	DFT	256QAM	Edge_1RB_Right	18.61	14.71
n7	35	15	2518	DFT	256QAM	Outer_Full	18.79	14.89
n7	35	15	2535	DFT	pi/2 BPSK	Inner_Full	23.31	19.41
n7	35	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.82	18.92
n7	35	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	18.61
n7	35	15	2535	DFT	pi/2 BPSK	Outer_Full	22.77	18.87
n7	35	15	2535	DFT	QPSK	Inner_Full	23.41	19.51
n7	35	15	2535	DFT	QPSK	Edge_1RB_Left	22.33	18.43
n7	35	15	2535	DFT	QPSK	Edge_1RB_Right	22	18.1
n7	35	15	2535	DFT	QPSK	Outer_Full	22.3	18.4
n7	35	15	2535	DFT	16QAM	Inner_Full	22.3	18.4
n7	35	15	2535	DFT	16QAM	Edge_1RB_Left	21.66	17.76
n7	35	15	2535	DFT	16QAM	Edge_1RB_Right	21.35	17.45
n7	35	15	2535	DFT	16QAM	Outer_Full	21.27	17.37
n7	35	15	2535	DFT	64QAM	Inner_Full	20.78	16.88
n7	35	15	2535	DFT	64QAM	Edge_1RB_Left	20.91	17.01
n7	35	15	2535	DFT	64QAM	Edge_1RB_Right	20.53	16.63
n7	35	15	2535	DFT	64QAM	Outer_Full	20.82	16.92
n7	35	15	2535	DFT	256QAM	Inner_Full	18.64	14.74
n7	35	15	2535	DFT	256QAM	Edge_1RB_Left	18.75	14.85
n7	35	15	2535	DFT	256QAM	Edge_1RB_Right	18.51	14.61
n7	35	15	2535	DFT	256QAM	Outer_Full	18.77	14.87
n7	35	15	2553	DFT	pi/2 BPSK	Inner_Full	23.22	19.32
n7	35	15	2553	DFT	pi/2 BPSK	Edge_1RB_Left	22.68	18.78
n7	35	15	2553	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	18.57
n7	35	15	2553	DFT	pi/2 BPSK	Outer_Full	22.56	18.66
n7	35	15	2553	DFT	QPSK	Inner_Full	23.31	19.41
n7	35	15	2553	DFT	QPSK	Edge_1RB_Left	22.16	18.26

n7	35	15	2553	DFT	QPSK	Edge_1RB_Right	22.04	18.14
n7	35	15	2553	DFT	QPSK	Outer_Full	22.13	18.23
n7	35	15	2553	DFT	16QAM	Inner_Full	22.2	18.3
n7	35	15	2553	DFT	16QAM	Edge_1RB_Left	21.49	17.59
n7	35	15	2553	DFT	16QAM	Edge_1RB_Right	21.12	17.22
n7	35	15	2553	DFT	16QAM	Outer_Full	21.1	17.2
n7	35	15	2553	DFT	64QAM	Inner_Full	20.69	16.79
n7	35	15	2553	DFT	64QAM	Edge_1RB_Left	20.76	16.86
n7	35	15	2553	DFT	64QAM	Edge_1RB_Right	20.58	16.68
n7	35	15	2553	DFT	64QAM	Outer_Full	20.56	16.66
n7	35	15	2553	DFT	256QAM	Inner_Full	18.62	14.72
n7	35	15	2553	DFT	256QAM	Edge_1RB_Left	18.62	14.72
n7	35	15	2553	DFT	256QAM	Edge_1RB_Right	18.5	14.6
n7	35	15	2553	DFT	256QAM	Outer_Full	18.62	14.72
n7	40	15	2520	DFT	pi/2 BPSK	Inner_Full	23.23	19.33
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Left	22.61	18.71
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Right	22.6	18.7
n7	40	15	2520	DFT	pi/2 BPSK	Outer_Full	22.75	18.85
n7	40	15	2520	DFT	QPSK	Inner_Full	23.32	19.42
n7	40	15	2520	DFT	QPSK	Edge_1RB_Left	22.1	18.2
n7	40	15	2520	DFT	QPSK	Edge_1RB_Right	22.12	18.22
n7	40	15	2520	DFT	QPSK	Outer_Full	22.31	18.41
n7	40	15	2520	DFT	16QAM	Inner_Full	22.48	18.58
n7	40	15	2520	DFT	16QAM	Edge_1RB_Left	21.53	17.63
n7	40	15	2520	DFT	16QAM	Edge_1RB_Right	21.47	17.57
n7	40	15	2520	DFT	16QAM	Outer_Full	21.32	17.42
n7	40	15	2520	DFT	64QAM	Inner_Full	20.97	17.07
n7	40	15	2520	DFT	64QAM	Edge_1RB_Left	20.6	16.7
n7	40	15	2520	DFT	64QAM	Edge_1RB_Right	20.63	16.73
n7	40	15	2520	DFT	64QAM	Outer_Full	20.84	16.94
n7	40	15	2520	DFT	256QAM	Inner_Full	18.74	14.84
n7	40	15	2520	DFT	256QAM	Edge_1RB_Left	18.46	14.56
n7	40	15	2520	DFT	256QAM	Edge_1RB_Right	18.41	14.51
n7	40	15	2520	DFT	256QAM	Outer_Full	18.68	14.78
n7	40	15	2535	DFT	pi/2 BPSK	Inner_Full	23.23	19.33
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.7	18.8
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.4	18.5
n7	40	15	2535	DFT	pi/2 BPSK	Outer_Full	22.71	18.81
n7	40	15	2535	DFT	QPSK	Inner_Full	23.33	19.43
n7	40	15	2535	DFT	QPSK	Edge_1RB_Left	22.22	18.32
n7	40	15	2535	DFT	QPSK	Edge_1RB_Right	21.92	18.02

n7	40	15	2535	DFT	QPSK	Outer_Full	22.23	18.33
n7	40	15	2535	DFT	16QAM	Inner_Full	22.22	18.32
n7	40	15	2535	DFT	16QAM	Edge_1RB_Left	21.52	17.62
n7	40	15	2535	DFT	16QAM	Edge_1RB_Right	21.27	17.37
n7	40	15	2535	DFT	16QAM	Outer_Full	21.25	17.35
n7	40	15	2535	DFT	64QAM	Inner_Full	20.73	16.83
n7	40	15	2535	DFT	64QAM	Edge_1RB_Left	20.77	16.87
n7	40	15	2535	DFT	64QAM	Edge_1RB_Right	20.45	16.55
n7	40	15	2535	DFT	64QAM	Outer_Full	20.75	16.85
n7	40	15	2535	DFT	256QAM	Inner_Full	18.67	14.77
n7	40	15	2535	DFT	256QAM	Edge_1RB_Left	18.65	14.75
n7	40	15	2535	DFT	256QAM	Edge_1RB_Right	18.45	14.55
n7	40	15	2535	DFT	256QAM	Outer_Full	18.74	14.84
n7	40	15	2550	DFT	pi/2 BPSK	Inner_Full	23.2	19.3
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Left	22.74	18.84
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Right	22.49	18.59
n7	40	15	2550	DFT	pi/2 BPSK	Outer_Full	22.51	18.61
n7	40	15	2550	DFT	QPSK	Inner_Full	23.26	19.36
n7	40	15	2550	DFT	QPSK	Edge_1RB_Left	22.27	18.37
n7	40	15	2550	DFT	QPSK	Edge_1RB_Right	21.98	18.08
n7	40	15	2550	DFT	QPSK	Outer_Full	22.05	18.15
n7	40	15	2550	DFT	16QAM	Inner_Full	22.12	18.22
n7	40	15	2550	DFT	16QAM	Edge_1RB_Left	21.58	17.68
n7	40	15	2550	DFT	16QAM	Edge_1RB_Right	21.33	17.43
n7	40	15	2550	DFT	16QAM	Outer_Full	21.06	17.16
n7	40	15	2550	DFT	64QAM	Inner_Full	20.57	16.67
n7	40	15	2550	DFT	64QAM	Edge_1RB_Left	20.82	16.92
n7	40	15	2550	DFT	64QAM	Edge_1RB_Right	20.53	16.63
n7	40	15	2550	DFT	64QAM	Outer_Full	20.53	16.63
n7	40	15	2550	DFT	256QAM	Inner_Full	18.53	14.63
n7	40	15	2550	DFT	256QAM	Edge_1RB_Left	18.65	14.75
n7	40	15	2550	DFT	256QAM	Edge_1RB_Right	18.46	14.56
n7	40	15	2550	DFT	256QAM	Outer_Full	18.52	14.62
n7	50	15	2525	DFT	pi/2 BPSK	Inner_Full	23.19	19.29
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Left	22.47	18.57
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	18.58
n7	50	15	2525	DFT	pi/2 BPSK	Outer_Full	22.72	18.82
n7	50	15	2525	DFT	QPSK	Inner_Full	23.29	19.39
n7	50	15	2525	DFT	QPSK	Edge_1RB_Left	21.98	18.08
n7	50	15	2525	DFT	QPSK	Edge_1RB_Right	21.94	18.04
n7	50	15	2525	DFT	QPSK	Outer_Full	22.28	18.38

n7	50	15	2525	DFT	16QAM	Inner_Full	22.4	18.5
n7	50	15	2525	DFT	16QAM	Edge_1RB_Left	21.16	17.26
n7	50	15	2525	DFT	16QAM	Edge_1RB_Right	21.3	17.4
n7	50	15	2525	DFT	16QAM	Outer_Full	21.3	17.4
n7	50	15	2525	DFT	64QAM	Inner_Full	20.9	17
n7	50	15	2525	DFT	64QAM	Edge_1RB_Left	20.51	16.61
n7	50	15	2525	DFT	64QAM	Edge_1RB_Right	20.47	16.57
n7	50	15	2525	DFT	64QAM	Outer_Full	20.81	16.91
n7	50	15	2525	DFT	256QAM	Inner_Full	18.79	14.89
n7	50	15	2525	DFT	256QAM	Edge_1RB_Left	18.53	14.63
n7	50	15	2525	DFT	256QAM	Edge_1RB_Right	18.46	14.56
n7	50	15	2525	DFT	256QAM	Outer_Full	18.75	14.85
n7	50	15	2535	DFT	pi/2 BPSK	Inner_Full	23.29	19.39
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.53	18.63
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.41	18.51
n7	50	15	2535	DFT	pi/2 BPSK	Outer_Full	22.78	18.88
n7	50	15	2535	DFT	QPSK	Inner_Full	23.35	19.45
n7	50	15	2535	DFT	QPSK	Edge_1RB_Left	22.08	18.18
n7	50	15	2535	DFT	QPSK	Edge_1RB_Right	21.91	18.01
n7	50	15	2535	DFT	QPSK	Outer_Full	22.32	18.42
n7	50	15	2535	DFT	16QAM	Inner_Full	22.24	18.34
n7	50	15	2535	DFT	16QAM	Edge_1RB_Left	21.45	17.55
n7	50	15	2535	DFT	16QAM	Edge_1RB_Right	21.23	17.33
n7	50	15	2535	DFT	16QAM	Outer_Full	21.35	17.45
n7	50	15	2535	DFT	64QAM	Inner_Full	20.76	16.86
n7	50	15	2535	DFT	64QAM	Edge_1RB_Left	20.58	16.68
n7	50	15	2535	DFT	64QAM	Edge_1RB_Right	20.43	16.53
n7	50	15	2535	DFT	64QAM	Outer_Full	20.85	16.95
n7	50	15	2535	DFT	256QAM	Inner_Full	18.73	14.83
n7	50	15	2535	DFT	256QAM	Edge_1RB_Left	18.57	14.67
n7	50	15	2535	DFT	256QAM	Edge_1RB_Right	18.38	14.48
n7	50	15	2535	DFT	256QAM	Outer_Full	18.86	14.96
n7	50	15	2535	CP	QPSK	Inner_Full	21.7	17.8
n7	50	15	2535	CP	QPSK	Edge_1RB_Left	20.1	16.2
n7	50	15	2535	CP	QPSK	Edge_1RB_Right	19.88	15.98
n7	50	15	2535	CP	QPSK	Outer_Full	20.37	16.47
n7	50	15	2535	CP	16QAM	Inner_Full	21.26	17.36
n7	50	15	2535	CP	16QAM	Edge_1RB_Left	20.34	16.44
n7	50	15	2535	CP	16QAM	Edge_1RB_Right	20.11	16.21
n7	50	15	2535	CP	16QAM	Outer_Full	20.36	16.46
n7	50	15	2535	CP	64QAM	Inner_Full	19.75	15.85

n7	50	15	2535	CP	64QAM	Edge_1RB_Left	19.54	15.64
n7	50	15	2535	CP	64QAM	Edge_1RB_Right	19.33	15.43
n7	50	15	2535	CP	64QAM	Outer_Full	19.9	16
n7	50	15	2535	CP	256QAM	Inner_Full	16.77	12.87
n7	50	15	2535	CP	256QAM	Edge_1RB_Left	16.88	12.98
n7	50	15	2535	CP	256QAM	Edge_1RB_Right	16.63	12.73
n7	50	15	2535	CP	256QAM	Outer_Full	16.94	13.04
n7	50	15	2545	DFT	pi/2 BPSK	Inner_Full	23.17	19.27
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Left	22.81	18.91
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Right	22.4	18.5
n7	50	15	2545	DFT	pi/2 BPSK	Outer_Full	22.57	18.67
n7	50	15	2545	DFT	QPSK	Inner_Full	23.27	19.37
n7	50	15	2545	DFT	QPSK	Edge_1RB_Left	22.33	18.43
n7	50	15	2545	DFT	QPSK	Edge_1RB_Right	21.9	18
n7	50	15	2545	DFT	QPSK	Outer_Full	22.09	18.19
n7	50	15	2545	DFT	16QAM	Inner_Full	22.13	18.23
n7	50	15	2545	DFT	16QAM	Edge_1RB_Left	21.66	17.76
n7	50	15	2545	DFT	16QAM	Edge_1RB_Right	21.24	17.34
n7	50	15	2545	DFT	16QAM	Outer_Full	21.11	17.21
n7	50	15	2545	DFT	64QAM	Inner_Full	20.62	16.72
n7	50	15	2545	DFT	64QAM	Edge_1RB_Left	20.94	17.04
n7	50	15	2545	DFT	64QAM	Edge_1RB_Right	20.48	16.58
n7	50	15	2545	DFT	64QAM	Outer_Full	20.64	16.74
n7	50	15	2545	DFT	256QAM	Inner_Full	18.56	14.66
n7	50	15	2545	DFT	256QAM	Edge_1RB_Left	18.76	14.86
n7	50	15	2545	DFT	256QAM	Edge_1RB_Right	18.39	14.49
n7	50	15	2545	DFT	256QAM	Outer_Full	18.63	14.73

NR n12 -ERP

Limits: ≤34.77dBm (3W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiated POWER(dBm) GT = -3.8dBi
n12	5	15	701.5	DFT	pi/2 BPSK	Inner_Full	23.69	17.74
n12	5	15	701.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.21	17.26
n12	5	15	701.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.1	17.15
n12	5	15	701.5	DFT	pi/2 BPSK	Outer_Full	23.23	17.28
n12	5	15	701.5	DFT	QPSK	Inner_Full	23.7	17.75
n12	5	15	701.5	DFT	QPSK	Edge_1RB_Left	22.7	16.75
n12	5	15	701.5	DFT	QPSK	Edge_1RB_Right	22.51	16.56
n12	5	15	701.5	DFT	QPSK	Outer_Full	22.68	16.73
n12	5	15	701.5	DFT	16QAM	Inner_Full	22.71	16.76
n12	5	15	701.5	DFT	16QAM	Edge_1RB_Left	22.03	16.08
n12	5	15	701.5	DFT	16QAM	Edge_1RB_Right	21.8	15.85
n12	5	15	701.5	DFT	16QAM	Outer_Full	21.78	15.83
n12	5	15	701.5	DFT	64QAM	Inner_Full	21.15	15.20
n12	5	15	701.5	DFT	64QAM	Edge_1RB_Left	21.24	15.29
n12	5	15	701.5	DFT	64QAM	Edge_1RB_Right	21.01	15.06
n12	5	15	701.5	DFT	64QAM	Outer_Full	21.19	15.24
n12	5	15	701.5	DFT	256QAM	Inner_Full	19.13	13.18
n12	5	15	701.5	DFT	256QAM	Edge_1RB_Left	19.14	13.19
n12	5	15	701.5	DFT	256QAM	Edge_1RB_Right	18.99	13.04
n12	5	15	701.5	DFT	256QAM	Outer_Full	19.09	13.14
n12	5	15	707.5	DFT	pi/2 BPSK	Inner_Full	23.51	17.56
n12	5	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.12	17.17
n12	5	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.94	16.99
n12	5	15	707.5	DFT	pi/2 BPSK	Outer_Full	23.09	17.14
n12	5	15	707.5	DFT	QPSK	Inner_Full	23.58	17.63
n12	5	15	707.5	DFT	QPSK	Edge_1RB_Left	22.5	16.55
n12	5	15	707.5	DFT	QPSK	Edge_1RB_Right	22.35	16.40
n12	5	15	707.5	DFT	QPSK	Outer_Full	22.48	16.53
n12	5	15	707.5	DFT	16QAM	Inner_Full	22.5	16.55
n12	5	15	707.5	DFT	16QAM	Edge_1RB_Left	21.85	15.90
n12	5	15	707.5	DFT	16QAM	Edge_1RB_Right	21.67	15.72
n12	5	15	707.5	DFT	16QAM	Outer_Full	21.48	15.53
n12	5	15	707.5	DFT	64QAM	Inner_Full	20.97	15.02
n12	5	15	707.5	DFT	64QAM	Edge_1RB_Left	21	15.05
n12	5	15	707.5	DFT	64QAM	Edge_1RB_Right	20.84	14.89
n12	5	15	707.5	DFT	64QAM	Outer_Full	21.07	15.12
n12	5	15	707.5	DFT	256QAM	Inner_Full	18.97	13.02

n12	5	15	707.5	DFT	256QAM	Edge_1RB_Left	18.96	13.01
n12	5	15	707.5	DFT	256QAM	Edge_1RB_Right	18.79	12.84
n12	5	15	707.5	DFT	256QAM	Outer_Full	18.97	13.02
n12	5	15	713.5	DFT	pi/2 BPSK	Inner_Full	23.26	17.31
n12	5	15	713.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.8	16.85
n12	5	15	713.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.63	16.68
n12	5	15	713.5	DFT	pi/2 BPSK	Outer_Full	22.8	16.85
n12	5	15	713.5	DFT	QPSK	Inner_Full	23.2	17.25
n12	5	15	713.5	DFT	QPSK	Edge_1RB_Left	22.2	16.25
n12	5	15	713.5	DFT	QPSK	Edge_1RB_Right	22.19	16.24
n12	5	15	713.5	DFT	QPSK	Outer_Full	22.22	16.27
n12	5	15	713.5	DFT	16QAM	Inner_Full	22.3	16.35
n12	5	15	713.5	DFT	16QAM	Edge_1RB_Left	21.54	15.59
n12	5	15	713.5	DFT	16QAM	Edge_1RB_Right	21.58	15.63
n12	5	15	713.5	DFT	16QAM	Outer_Full	21.38	15.43
n12	5	15	713.5	DFT	64QAM	Inner_Full	20.84	14.89
n12	5	15	713.5	DFT	64QAM	Edge_1RB_Left	20.73	14.78
n12	5	15	713.5	DFT	64QAM	Edge_1RB_Right	20.75	14.80
n12	5	15	713.5	DFT	64QAM	Outer_Full	20.84	14.89
n12	5	15	713.5	DFT	256QAM	Inner_Full	18.76	12.81
n12	5	15	713.5	DFT	256QAM	Edge_1RB_Left	18.72	12.77
n12	5	15	713.5	DFT	256QAM	Edge_1RB_Right	18.78	12.83
n12	5	15	713.5	DFT	256QAM	Outer_Full	18.63	12.68
n12	10	15	704	DFT	pi/2 BPSK	Inner_Full	23.55	17.60
n12	10	15	704	DFT	pi/2 BPSK	Edge_1RB_Left	23.27	17.32
n12	10	15	704	DFT	pi/2 BPSK	Edge_1RB_Right	22.89	16.94
n12	10	15	704	DFT	pi/2 BPSK	Outer_Full	23.06	17.11
n12	10	15	704	DFT	QPSK	Inner_Full	23.59	17.64
n12	10	15	704	DFT	QPSK	Edge_1RB_Left	22.67	16.72
n12	10	15	704	DFT	QPSK	Edge_1RB_Right	22.32	16.37
n12	10	15	704	DFT	QPSK	Outer_Full	22.45	16.50
n12	10	15	704	DFT	16QAM	Inner_Full	22.64	16.69
n12	10	15	704	DFT	16QAM	Edge_1RB_Left	22	16.05
n12	10	15	704	DFT	16QAM	Edge_1RB_Right	21.64	15.69
n12	10	15	704	DFT	16QAM	Outer_Full	21.42	15.47
n12	10	15	704	DFT	64QAM	Inner_Full	21.09	15.14
n12	10	15	704	DFT	64QAM	Edge_1RB_Left	21.18	15.23
n12	10	15	704	DFT	64QAM	Edge_1RB_Right	20.87	14.92
n12	10	15	704	DFT	64QAM	Outer_Full	20.96	15.01
n12	10	15	704	DFT	256QAM	Inner_Full	18.91	12.96
n12	10	15	704	DFT	256QAM	Edge_1RB_Left	19.18	13.23

n12	10	15	704	DFT	256QAM	Edge_1RB_Right	18.76	12.81
n12	10	15	704	DFT	256QAM	Outer_Full	18.89	12.94
n12	10	15	707.5	DFT	pi/2 BPSK	Inner_Full	23.5	17.55
n12	10	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.22	17.27
n12	10	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.84	16.89
n12	10	15	707.5	DFT	pi/2 BPSK	Outer_Full	23.1	17.15
n12	10	15	707.5	DFT	QPSK	Inner_Full	23.59	17.64
n12	10	15	707.5	DFT	QPSK	Edge_1RB_Left	22.57	16.62
n12	10	15	707.5	DFT	QPSK	Edge_1RB_Right	22.27	16.32
n12	10	15	707.5	DFT	QPSK	Outer_Full	22.46	16.51
n12	10	15	707.5	DFT	16QAM	Inner_Full	22.46	16.51
n12	10	15	707.5	DFT	16QAM	Edge_1RB_Left	21.88	15.93
n12	10	15	707.5	DFT	16QAM	Edge_1RB_Right	21.67	15.72
n12	10	15	707.5	DFT	16QAM	Outer_Full	21.5	15.55
n12	10	15	707.5	DFT	64QAM	Inner_Full	21.06	15.11
n12	10	15	707.5	DFT	64QAM	Edge_1RB_Left	21.11	15.16
n12	10	15	707.5	DFT	64QAM	Edge_1RB_Right	20.78	14.83
n12	10	15	707.5	DFT	64QAM	Outer_Full	21	15.05
n12	10	15	707.5	DFT	256QAM	Inner_Full	18.9	12.95
n12	10	15	707.5	DFT	256QAM	Edge_1RB_Left	19.04	13.09
n12	10	15	707.5	DFT	256QAM	Edge_1RB_Right	18.8	12.85
n12	10	15	707.5	DFT	256QAM	Outer_Full	18.93	12.98
n12	10	15	711	DFT	pi/2 BPSK	Inner_Full	23.29	17.34
n12	10	15	711	DFT	pi/2 BPSK	Edge_1RB_Left	22.99	17.04
n12	10	15	711	DFT	pi/2 BPSK	Edge_1RB_Right	22.72	16.77
n12	10	15	711	DFT	pi/2 BPSK	Outer_Full	22.85	16.90
n12	10	15	711	DFT	QPSK	Inner_Full	23.38	17.43
n12	10	15	711	DFT	QPSK	Edge_1RB_Left	22.45	16.50
n12	10	15	711	DFT	QPSK	Edge_1RB_Right	22.24	16.29
n12	10	15	711	DFT	QPSK	Outer_Full	22.34	16.39
n12	10	15	711	DFT	16QAM	Inner_Full	22.48	16.53
n12	10	15	711	DFT	16QAM	Edge_1RB_Left	21.73	15.78
n12	10	15	711	DFT	16QAM	Edge_1RB_Right	21.61	15.66
n12	10	15	711	DFT	16QAM	Outer_Full	21.31	15.36
n12	10	15	711	DFT	64QAM	Inner_Full	20.83	14.88
n12	10	15	711	DFT	64QAM	Edge_1RB_Left	20.95	15.00
n12	10	15	711	DFT	64QAM	Edge_1RB_Right	20.74	14.79
n12	10	15	711	DFT	64QAM	Outer_Full	20.82	14.87
n12	10	15	711	DFT	256QAM	Inner_Full	18.72	12.77
n12	10	15	711	DFT	256QAM	Edge_1RB_Left	18.85	12.90
n12	10	15	711	DFT	256QAM	Edge_1RB_Right	18.73	12.78

n12	10	15	711	DFT	256QAM	Outer_Full	18.77	12.82
n12	15	15	706.5	DFT	pi/2 BPSK	Inner_Full	23.58	17.63
n12	15	15	706.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.31	17.36
n12	15	15	706.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	16.87
n12	15	15	706.5	DFT	pi/2 BPSK	Outer_Full	23.16	17.21
n12	15	15	706.5	DFT	QPSK	Inner_Full	23.62	17.67
n12	15	15	706.5	DFT	QPSK	Edge_1RB_Left	22.72	16.77
n12	15	15	706.5	DFT	QPSK	Edge_1RB_Right	22.22	16.27
n12	15	15	706.5	DFT	QPSK	Outer_Full	22.57	16.62
n12	15	15	706.5	DFT	16QAM	Inner_Full	22.56	16.61
n12	15	15	706.5	DFT	16QAM	Edge_1RB_Left	22.13	16.18
n12	15	15	706.5	DFT	16QAM	Edge_1RB_Right	21.64	15.69
n12	15	15	706.5	DFT	16QAM	Outer_Full	21.54	15.59
n12	15	15	706.5	DFT	64QAM	Inner_Full	21.09	15.14
n12	15	15	706.5	DFT	64QAM	Edge_1RB_Left	21.25	15.30
n12	15	15	706.5	DFT	64QAM	Edge_1RB_Right	20.85	14.90
n12	15	15	706.5	DFT	64QAM	Outer_Full	21.07	15.12
n12	15	15	706.5	DFT	256QAM	Inner_Full	18.97	13.02
n12	15	15	706.5	DFT	256QAM	Edge_1RB_Left	19.2	13.25
n12	15	15	706.5	DFT	256QAM	Edge_1RB_Right	18.8	12.85
n12	15	15	706.5	DFT	256QAM	Outer_Full	18.94	12.99
n12	15	15	707.5	DFT	pi/2 BPSK	Inner_Full	23.51	17.56
n12	15	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.26	17.31
n12	15	15	707.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	16.81
n12	15	15	707.5	DFT	pi/2 BPSK	Outer_Full	23.06	17.11
n12	15	15	707.5	DFT	QPSK	Inner_Full	23.57	17.62
n12	15	15	707.5	DFT	QPSK	Edge_1RB_Left	22.62	16.67
n12	15	15	707.5	DFT	QPSK	Edge_1RB_Right	22.15	16.20
n12	15	15	707.5	DFT	QPSK	Outer_Full	22.45	16.50
n12	15	15	707.5	DFT	16QAM	Inner_Full	22.49	16.54
n12	15	15	707.5	DFT	16QAM	Edge_1RB_Left	21.97	16.02
n12	15	15	707.5	DFT	16QAM	Edge_1RB_Right	21.73	15.78
n12	15	15	707.5	DFT	16QAM	Outer_Full	21.42	15.47
n12	15	15	707.5	DFT	64QAM	Inner_Full	20.99	15.04
n12	15	15	707.5	DFT	64QAM	Edge_1RB_Left	21.16	15.21
n12	15	15	707.5	DFT	64QAM	Edge_1RB_Right	20.67	14.72
n12	15	15	707.5	DFT	64QAM	Outer_Full	20.98	15.03
n12	15	15	707.5	DFT	256QAM	Inner_Full	18.9	12.95
n12	15	15	707.5	DFT	256QAM	Edge_1RB_Left	19.11	13.16
n12	15	15	707.5	DFT	256QAM	Edge_1RB_Right	18.72	12.77
n12	15	15	707.5	DFT	256QAM	Outer_Full	18.88	12.93

n12	15	15	707.5	CP	QPSK	Inner_Full	21.89	15.94
n12	15	15	707.5	CP	QPSK	Edge_1RB_Left	20.65	14.70
n12	15	15	707.5	CP	QPSK	Edge_1RB_Right	20.14	14.19
n12	15	15	707.5	CP	QPSK	Outer_Full	20.45	14.50
n12	15	15	707.5	CP	16QAM	Inner_Full	21.53	15.58
n12	15	15	707.5	CP	16QAM	Edge_1RB_Left	20.88	14.93
n12	15	15	707.5	CP	16QAM	Edge_1RB_Right	20.37	14.42
n12	15	15	707.5	CP	16QAM	Outer_Full	20.45	14.50
n12	15	15	707.5	CP	64QAM	Inner_Full	19.99	14.04
n12	15	15	707.5	CP	64QAM	Edge_1RB_Left	20.05	14.10
n12	15	15	707.5	CP	64QAM	Edge_1RB_Right	19.55	13.60
n12	15	15	707.5	CP	64QAM	Outer_Full	19.96	14.01
n12	15	15	707.5	CP	256QAM	Inner_Full	16.95	11.00
n12	15	15	707.5	CP	256QAM	Edge_1RB_Left	17.4	11.45
n12	15	15	707.5	CP	256QAM	Edge_1RB_Right	16.88	10.93
n12	15	15	707.5	CP	256QAM	Outer_Full	16.91	10.96
n12	15	15	708.5	DFT	pi/2 BPSK	Inner_Full	23.47	17.52
n12	15	15	708.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.21	17.26
n12	15	15	708.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.79	16.84
n12	15	15	708.5	DFT	pi/2 BPSK	Outer_Full	23.07	17.12
n12	15	15	708.5	DFT	QPSK	Inner_Full	23.52	17.57
n12	15	15	708.5	DFT	QPSK	Edge_1RB_Left	22.58	16.63
n12	15	15	708.5	DFT	QPSK	Edge_1RB_Right	22.23	16.28
n12	15	15	708.5	DFT	QPSK	Outer_Full	22.44	16.49
n12	15	15	708.5	DFT	16QAM	Inner_Full	22.46	16.51
n12	15	15	708.5	DFT	16QAM	Edge_1RB_Left	21.95	16.00
n12	15	15	708.5	DFT	16QAM	Edge_1RB_Right	21.62	15.67
n12	15	15	708.5	DFT	16QAM	Outer_Full	21.44	15.49
n12	15	15	708.5	DFT	64QAM	Inner_Full	20.95	15.00
n12	15	15	708.5	DFT	64QAM	Edge_1RB_Left	21.11	15.16
n12	15	15	708.5	DFT	64QAM	Edge_1RB_Right	20.76	14.81
n12	15	15	708.5	DFT	64QAM	Outer_Full	21	15.05
n12	15	15	708.5	DFT	256QAM	Inner_Full	18.85	12.90
n12	15	15	708.5	DFT	256QAM	Edge_1RB_Left	19.06	13.11
n12	15	15	708.5	DFT	256QAM	Edge_1RB_Right	18.76	12.81
n12	15	15	708.5	DFT	256QAM	Outer_Full	18.85	12.90

n41-EIRP

Limits: ≤33dBm(2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiated POWER(dBm) GT = -3.9dBi
n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	23.12	19.22
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.39	18.49
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.69	18.79
n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	22.67	18.77
n41	10	30	2501.01	DFT	QPSK	Inner_Full	23.13	19.23
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	21.81	17.91
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	22.33	18.43
n41	10	30	2501.01	DFT	QPSK	Outer_Full	22.15	18.25
n41	10	30	2501.01	DFT	16QAM	Inner_Full	22.19	18.29
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	21	17.1
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	21.31	17.41
n41	10	30	2501.01	DFT	16QAM	Outer_Full	21.26	17.36
n41	10	30	2501.01	DFT	64QAM	Inner_Full	20.77	16.87
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	20.12	16.22
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	20.43	16.53
n41	10	30	2501.01	DFT	64QAM	Outer_Full	20.82	16.92
n41	10	30	2501.01	DFT	256QAM	Inner_Full	18.93	15.03
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	18.55	14.65
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	18.87	14.97
n41	10	30	2501.01	DFT	256QAM	Outer_Full	18.73	14.83
n41	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.21	19.31
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.86	18.96
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	18.64
n41	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.82	18.92
n41	10	30	2592.99	DFT	QPSK	Inner_Full	23.3	19.4
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.45	18.55
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.88	17.98
n41	10	30	2592.99	DFT	QPSK	Outer_Full	22.36	18.46
n41	10	30	2592.99	DFT	16QAM	Inner_Full	22.46	18.56
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.57	17.67
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.19	17.29
n41	10	30	2592.99	DFT	16QAM	Outer_Full	21.33	17.43
n41	10	30	2592.99	DFT	64QAM	Inner_Full	20.87	16.97
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.71	16.81
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.31	16.41
n41	10	30	2592.99	DFT	64QAM	Outer_Full	20.86	16.96
n41	10	30	2592.99	DFT	256QAM	Inner_Full	19.03	15.13

n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.05	15.15
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.67	14.77
n41	10	30	2592.99	DFT	256QAM	Outer_Full	18.89	14.99
n41	10	30	2685	DFT	pi/2 BPSK	Inner_Full	23.36	19.46
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	22.92	19.02
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	19.42
n41	10	30	2685	DFT	pi/2 BPSK	Outer_Full	23.26	19.36
n41	10	30	2685	DFT	QPSK	Inner_Full	23.44	19.54
n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	22.46	18.56
n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	22.84	18.94
n41	10	30	2685	DFT	QPSK	Outer_Full	22.73	18.83
n41	10	30	2685	DFT	16QAM	Inner_Full	22.97	19.07
n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	21.75	17.85
n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	21.91	18.01
n41	10	30	2685	DFT	16QAM	Outer_Full	21.89	17.99
n41	10	30	2685	DFT	64QAM	Inner_Full	21.47	17.57
n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	20.51	16.61
n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	20.83	16.93
n41	10	30	2685	DFT	64QAM	Outer_Full	21.51	17.61
n41	10	30	2685	DFT	256QAM	Inner_Full	19.61	15.71
n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	19.08	15.18
n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	19.53	15.63
n41	10	30	2685	DFT	256QAM	Outer_Full	19.43	15.53
n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	23.12	19.22
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.47	18.57
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	23	19.1
n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	22.74	18.84
n41	15	30	2503.5	DFT	QPSK	Inner_Full	23.09	19.19
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	21.85	17.95
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	22.34	18.44
n41	15	30	2503.5	DFT	QPSK	Outer_Full	22.29	18.39
n41	15	30	2503.5	DFT	16QAM	Inner_Full	22.33	18.43
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	20.95	17.05
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	21.63	17.73
n41	15	30	2503.5	DFT	16QAM	Outer_Full	21.29	17.39
n41	15	30	2503.5	DFT	64QAM	Inner_Full	20.9	17
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	20.15	16.25
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	20.71	16.81
n41	15	30	2503.5	DFT	64QAM	Outer_Full	20.84	16.94
n41	15	30	2503.5	DFT	256QAM	Inner_Full	18.91	15.01
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	18.67	14.77

n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	19.14	15.24
n41	15	30	2503.5	DFT	256QAM	Outer_Full	18.84	14.94
n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.23	19.33
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.98	19.08
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.37	18.47
n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.74	18.84
n41	15	30	2592.99	DFT	QPSK	Inner_Full	23.19	19.29
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.36	18.46
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.74	17.84
n41	15	30	2592.99	DFT	QPSK	Outer_Full	22.32	18.42
n41	15	30	2592.99	DFT	16QAM	Inner_Full	22.35	18.45
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.48	17.58
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.03	17.13
n41	15	30	2592.99	DFT	16QAM	Outer_Full	21.33	17.43
n41	15	30	2592.99	DFT	64QAM	Inner_Full	20.92	17.02
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.7	16.8
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.19	16.29
n41	15	30	2592.99	DFT	64QAM	Outer_Full	20.87	16.97
n41	15	30	2592.99	DFT	256QAM	Inner_Full	18.9	15
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.18	15.28
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.57	14.67
n41	15	30	2592.99	DFT	256QAM	Outer_Full	18.8	14.9
n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	23.37	19.47
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	18.66
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	23.57	19.67
n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	23.21	19.31
n41	15	30	2682.48	DFT	QPSK	Inner_Full	23.36	19.46
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	22.03	18.13
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	22.87	18.97
n41	15	30	2682.48	DFT	QPSK	Outer_Full	22.76	18.86
n41	15	30	2682.48	DFT	16QAM	Inner_Full	22.83	18.93
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	21.25	17.35
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	21.95	18.05
n41	15	30	2682.48	DFT	16QAM	Outer_Full	21.78	17.88
n41	15	30	2682.48	DFT	64QAM	Inner_Full	21.4	17.5
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	20.33	16.43
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	21.04	17.14
n41	15	30	2682.48	DFT	64QAM	Outer_Full	21.42	17.52
n41	15	30	2682.48	DFT	256QAM	Inner_Full	19.4	15.5
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	18.84	14.94
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	19.74	15.84

n41	15	30	2682.48	DFT	256QAM	Outer_Full	19.42	15.52
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	23.24	19.34
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	18.55
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.07	19.17
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	22.73	18.83
n41	20	30	2506.02	DFT	QPSK	Inner_Full	23.15	19.25
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	21.8	17.9
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.61	18.71
n41	20	30	2506.02	DFT	QPSK	Outer_Full	22.23	18.33
n41	20	30	2506.02	DFT	16QAM	Inner_Full	22.33	18.43
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	21.03	17.13
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	21.75	17.85
n41	20	30	2506.02	DFT	16QAM	Outer_Full	21.29	17.39
n41	20	30	2506.02	DFT	64QAM	Inner_Full	20.89	16.99
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	20.04	16.14
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	20.77	16.87
n41	20	30	2506.02	DFT	64QAM	Outer_Full	20.84	16.94
n41	20	30	2506.02	DFT	256QAM	Inner_Full	18.85	14.95
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	18.51	14.61
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	19.22	15.32
n41	20	30	2506.02	DFT	256QAM	Outer_Full	18.87	14.97
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.38	19.48
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.92	19.02
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	18.39
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.76	18.86
n41	20	30	2592.99	DFT	QPSK	Inner_Full	23.4	19.5
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.34	18.44
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.7	17.8
n41	20	30	2592.99	DFT	QPSK	Outer_Full	22.31	18.41
n41	20	30	2592.99	DFT	16QAM	Inner_Full	22.41	18.51
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.54	17.64
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.93	17.03
n41	20	30	2592.99	DFT	16QAM	Outer_Full	21.31	17.41
n41	20	30	2592.99	DFT	64QAM	Inner_Full	20.93	17.03
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.72	16.82
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.11	16.21
n41	20	30	2592.99	DFT	64QAM	Outer_Full	20.75	16.85
n41	20	30	2592.99	DFT	256QAM	Inner_Full	18.93	15.03
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.15	15.25
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.44	14.54
n41	20	30	2592.99	DFT	256QAM	Outer_Full	18.84	14.94

n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	23.29	19.39
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	18.52
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.45	19.55
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	23.02	19.12
n41	20	30	2679.99	DFT	QPSK	Inner_Full	23.32	19.42
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	21.76	17.86
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.8	18.9
n41	20	30	2679.99	DFT	QPSK	Outer_Full	22.52	18.62
n41	20	30	2679.99	DFT	16QAM	Inner_Full	22.68	18.78
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	21.02	17.12
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.13	18.23
n41	20	30	2679.99	DFT	16QAM	Outer_Full	21.58	17.68
n41	20	30	2679.99	DFT	64QAM	Inner_Full	21.24	17.34
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	20.06	16.16
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	21.01	17.11
n41	20	30	2679.99	DFT	64QAM	Outer_Full	21.17	17.27
n41	20	30	2679.99	DFT	256QAM	Inner_Full	19.21	15.31
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	18.57	14.67
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	19.7	15.8
n41	20	30	2679.99	DFT	256QAM	Outer_Full	19.25	15.35
n41	25	30	2508.51	DFT	pi/2 BPSK	Inner_Full	23.29	19.39
n41	25	30	2508.51	DFT	pi/2 BPSK	Edge_1RB_Left	22.53	18.63
n41	25	30	2508.51	DFT	pi/2 BPSK	Edge_1RB_Right	23.22	19.32
n41	25	30	2508.51	DFT	pi/2 BPSK	Outer_Full	22.9	19
n41	25	30	2508.51	DFT	QPSK	Inner_Full	23.33	19.43
n41	25	30	2508.51	DFT	QPSK	Edge_1RB_Left	21.85	17.95
n41	25	30	2508.51	DFT	QPSK	Edge_1RB_Right	22.78	18.88
n41	25	30	2508.51	DFT	QPSK	Outer_Full	22.46	18.56
n41	25	30	2508.51	DFT	16QAM	Inner_Full	22.38	18.48
n41	25	30	2508.51	DFT	16QAM	Edge_1RB_Left	20.99	17.09
n41	25	30	2508.51	DFT	16QAM	Edge_1RB_Right	21.9	18
n41	25	30	2508.51	DFT	16QAM	Outer_Full	21.48	17.58
n41	25	30	2508.51	DFT	64QAM	Inner_Full	21.05	17.15
n41	25	30	2508.51	DFT	64QAM	Edge_1RB_Left	20.15	16.25
n41	25	30	2508.51	DFT	64QAM	Edge_1RB_Right	20.89	16.99
n41	25	30	2508.51	DFT	64QAM	Outer_Full	21.04	17.14
n41	25	30	2508.51	DFT	256QAM	Inner_Full	18.93	15.03
n41	25	30	2508.51	DFT	256QAM	Edge_1RB_Left	18.58	14.68
n41	25	30	2508.51	DFT	256QAM	Edge_1RB_Right	19.35	15.45
n41	25	30	2508.51	DFT	256QAM	Outer_Full	19.08	15.18
n41	25	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.23	19.33

n41	25	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.78	18.88
n41	25	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.07	18.17
n41	25	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.72	18.82
n41	25	30	2592.99	DFT	QPSK	Inner_Full	23.23	19.33
n41	25	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.27	18.37
n41	25	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.51	17.61
n41	25	30	2592.99	DFT	QPSK	Outer_Full	22.23	18.33
n41	25	30	2592.99	DFT	16QAM	Inner_Full	22.26	18.36
n41	25	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.51	17.61
n41	25	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.7	16.8
n41	25	30	2592.99	DFT	16QAM	Outer_Full	21.24	17.34
n41	25	30	2592.99	DFT	64QAM	Inner_Full	20.86	16.96
n41	25	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.63	16.73
n41	25	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.91	16.01
n41	25	30	2592.99	DFT	64QAM	Outer_Full	20.76	16.86
n41	25	30	2592.99	DFT	256QAM	Inner_Full	18.88	14.98
n41	25	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.08	15.18
n41	25	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.28	14.38
n41	25	30	2592.99	DFT	256QAM	Outer_Full	18.8	14.9
n41	25	30	2677.5	DFT	pi/2 BPSK	Inner_Full	23.24	19.34
n41	25	30	2677.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.24	18.34
n41	25	30	2677.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	19.42
n41	25	30	2677.5	DFT	pi/2 BPSK	Outer_Full	22.84	18.94
n41	25	30	2677.5	DFT	QPSK	Inner_Full	23.25	19.35
n41	25	30	2677.5	DFT	QPSK	Edge_1RB_Left	21.81	17.91
n41	25	30	2677.5	DFT	QPSK	Edge_1RB_Right	22.69	18.79
n41	25	30	2677.5	DFT	QPSK	Outer_Full	22.42	18.52
n41	25	30	2677.5	DFT	16QAM	Inner_Full	22.31	18.41
n41	25	30	2677.5	DFT	16QAM	Edge_1RB_Left	21.06	17.16
n41	25	30	2677.5	DFT	16QAM	Edge_1RB_Right	21.9	18
n41	25	30	2677.5	DFT	16QAM	Outer_Full	21.41	17.51
n41	25	30	2677.5	DFT	64QAM	Inner_Full	21	17.1
n41	25	30	2677.5	DFT	64QAM	Edge_1RB_Left	19.92	16.02
n41	25	30	2677.5	DFT	64QAM	Edge_1RB_Right	20.92	17.02
n41	25	30	2677.5	DFT	64QAM	Outer_Full	20.98	17.08
n41	25	30	2677.5	DFT	256QAM	Inner_Full	18.97	15.07
n41	25	30	2677.5	DFT	256QAM	Edge_1RB_Left	18.45	14.55
n41	25	30	2677.5	DFT	256QAM	Edge_1RB_Right	19.57	15.67
n41	25	30	2677.5	DFT	256QAM	Outer_Full	19.03	15.13
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	23.42	19.52
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	18.56

n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	23.33	19.43
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	22.97	19.07
n41	30	30	2511	DFT	QPSK	Inner_Full	23.49	19.59
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.1	18.2
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.79	18.89
n41	30	30	2511	DFT	QPSK	Outer_Full	22.55	18.65
n41	30	30	2511	DFT	16QAM	Inner_Full	22.5	18.6
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	21.02	17.12
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	21.89	17.99
n41	30	30	2511	DFT	16QAM	Outer_Full	21.57	17.67
n41	30	30	2511	DFT	64QAM	Inner_Full	21.1	17.2
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	20.2	16.3
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.09	17.19
n41	30	30	2511	DFT	64QAM	Outer_Full	21.14	17.24
n41	30	30	2511	DFT	256QAM	Inner_Full	19.16	15.26
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	18.71	14.81
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	19.57	15.67
n41	30	30	2511	DFT	256QAM	Outer_Full	19.14	15.24
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.31	19.41
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.89	18.99
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.05	18.15
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.77	18.87
n41	30	30	2592.99	DFT	QPSK	Inner_Full	23.34	19.44
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.3	18.4
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.54	17.64
n41	30	30	2592.99	DFT	QPSK	Outer_Full	22.29	18.39
n41	30	30	2592.99	DFT	16QAM	Inner_Full	22.34	18.44
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.53	17.63
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.76	16.86
n41	30	30	2592.99	DFT	16QAM	Outer_Full	21.26	17.36
n41	30	30	2592.99	DFT	64QAM	Inner_Full	20.94	17.04
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.74	16.84
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.92	16.02
n41	30	30	2592.99	DFT	64QAM	Outer_Full	20.78	16.88
n41	30	30	2592.99	DFT	256QAM	Inner_Full	18.84	14.94
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.11	15.21
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.31	14.41
n41	30	30	2592.99	DFT	256QAM	Outer_Full	18.82	14.92
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	23.18	19.28
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	18.52
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.48	19.58

n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	22.89	18.99
n41	30	30	2674.98	DFT	QPSK	Inner_Full	23.24	19.34
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	21.86	17.96
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	22.85	18.95
n41	30	30	2674.98	DFT	QPSK	Outer_Full	22.46	18.56
n41	30	30	2674.98	DFT	16QAM	Inner_Full	22.25	18.35
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	21.32	17.42
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	21.91	18.01
n41	30	30	2674.98	DFT	16QAM	Outer_Full	21.47	17.57
n41	30	30	2674.98	DFT	64QAM	Inner_Full	20.92	17.02
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	20.13	16.23
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	21.07	17.17
n41	30	30	2674.98	DFT	64QAM	Outer_Full	21.02	17.12
n41	30	30	2674.98	DFT	256QAM	Inner_Full	18.92	15.02
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	18.7	14.8
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	19.8	15.9
n41	30	30	2674.98	DFT	256QAM	Outer_Full	19.07	15.17
n41	35	30	2513.52	DFT	pi/2 BPSK	Inner_Full	23.55	19.65
n41	35	30	2513.52	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	18.58
n41	35	30	2513.52	DFT	pi/2 BPSK	Edge_1RB_Right	23.31	19.41
n41	35	30	2513.52	DFT	pi/2 BPSK	Outer_Full	23.09	19.19
n41	35	30	2513.52	DFT	QPSK	Inner_Full	23.6	19.7
n41	35	30	2513.52	DFT	QPSK	Edge_1RB_Left	21.89	17.99
n41	35	30	2513.52	DFT	QPSK	Edge_1RB_Right	22.79	18.89
n41	35	30	2513.52	DFT	QPSK	Outer_Full	22.71	18.81
n41	35	30	2513.52	DFT	16QAM	Inner_Full	22.64	18.74
n41	35	30	2513.52	DFT	16QAM	Edge_1RB_Left	21.34	17.44
n41	35	30	2513.52	DFT	16QAM	Edge_1RB_Right	22.18	18.28
n41	35	30	2513.52	DFT	16QAM	Outer_Full	21.75	17.85
n41	35	30	2513.52	DFT	64QAM	Inner_Full	21.23	17.33
n41	35	30	2513.52	DFT	64QAM	Edge_1RB_Left	20.19	16.29
n41	35	30	2513.52	DFT	64QAM	Edge_1RB_Right	21.13	17.23
n41	35	30	2513.52	DFT	64QAM	Outer_Full	21.23	17.33
n41	35	30	2513.52	DFT	256QAM	Inner_Full	19.24	15.34
n41	35	30	2513.52	DFT	256QAM	Edge_1RB_Left	18.73	14.83
n41	35	30	2513.52	DFT	256QAM	Edge_1RB_Right	19.56	15.66
n41	35	30	2513.52	DFT	256QAM	Outer_Full	19.32	15.42
n41	35	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.27	19.37
n41	35	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.76	18.86
n41	35	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22	18.1
n41	35	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.72	18.82

n41	35	30	2592.99	DFT	QPSK	Inner_Full	23.31	19.41
n41	35	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.23	18.33
n41	35	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.46	17.56
n41	35	30	2592.99	DFT	QPSK	Outer_Full	22.23	18.33
n41	35	30	2592.99	DFT	16QAM	Inner_Full	22.29	18.39
n41	35	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.38	17.48
n41	35	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.69	16.79
n41	35	30	2592.99	DFT	16QAM	Outer_Full	21.31	17.41
n41	35	30	2592.99	DFT	64QAM	Inner_Full	20.82	16.92
n41	35	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.61	16.71
n41	35	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.83	15.93
n41	35	30	2592.99	DFT	64QAM	Outer_Full	20.75	16.85
n41	35	30	2592.99	DFT	256QAM	Inner_Full	18.82	14.92
n41	35	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.05	15.15
n41	35	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.17	14.27
n41	35	30	2592.99	DFT	256QAM	Outer_Full	18.8	14.9
n41	35	30	2672.49	DFT	pi/2 BPSK	Inner_Full	23.1	19.2
n41	35	30	2672.49	DFT	pi/2 BPSK	Edge_1RB_Left	22.69	18.79
n41	35	30	2672.49	DFT	pi/2 BPSK	Edge_1RB_Right	23.58	19.68
n41	35	30	2672.49	DFT	pi/2 BPSK	Outer_Full	22.82	18.92
n41	35	30	2672.49	DFT	QPSK	Inner_Full	23.12	19.22
n41	35	30	2672.49	DFT	QPSK	Edge_1RB_Left	22.08	18.18
n41	35	30	2672.49	DFT	QPSK	Edge_1RB_Right	23.01	19.11
n41	35	30	2672.49	DFT	QPSK	Outer_Full	22.35	18.45
n41	35	30	2672.49	DFT	16QAM	Inner_Full	22.19	18.29
n41	35	30	2672.49	DFT	16QAM	Edge_1RB_Left	21.28	17.38
n41	35	30	2672.49	DFT	16QAM	Edge_1RB_Right	22.02	18.12
n41	35	30	2672.49	DFT	16QAM	Outer_Full	21.48	17.58
n41	35	30	2672.49	DFT	64QAM	Inner_Full	20.78	16.88
n41	35	30	2672.49	DFT	64QAM	Edge_1RB_Left	20.47	16.57
n41	35	30	2672.49	DFT	64QAM	Edge_1RB_Right	21.05	17.15
n41	35	30	2672.49	DFT	64QAM	Outer_Full	20.93	17.03
n41	35	30	2672.49	DFT	256QAM	Inner_Full	18.82	14.92
n41	35	30	2672.49	DFT	256QAM	Edge_1RB_Left	18.84	14.94
n41	35	30	2672.49	DFT	256QAM	Edge_1RB_Right	19.7	15.8
n41	35	30	2672.49	DFT	256QAM	Outer_Full	19.03	15.13
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	23.53	19.63
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.52	18.62
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.23	19.33
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	22.99	19.09
n41	40	30	2516.01	DFT	QPSK	Inner_Full	23.56	19.66

n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.81	17.91
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	22.59	18.69
n41	40	30	2516.01	DFT	QPSK	Outer_Full	22.57	18.67
n41	40	30	2516.01	DFT	16QAM	Inner_Full	22.64	18.74
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.06	17.16
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	21.8	17.9
n41	40	30	2516.01	DFT	16QAM	Outer_Full	21.67	17.77
n41	40	30	2516.01	DFT	64QAM	Inner_Full	21.18	17.28
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	20.15	16.25
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	20.95	17.05
n41	40	30	2516.01	DFT	64QAM	Outer_Full	21.13	17.23
n41	40	30	2516.01	DFT	256QAM	Inner_Full	19.21	15.31
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	18.63	14.73
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	19.37	15.47
n41	40	30	2516.01	DFT	256QAM	Outer_Full	19.2	15.3
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.3	19.4
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.76	18.86
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.97	18.07
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.69	18.79
n41	40	30	2592.99	DFT	QPSK	Inner_Full	23.3	19.4
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.17	18.27
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.4	17.5
n41	40	30	2592.99	DFT	QPSK	Outer_Full	22.2	18.3
n41	40	30	2592.99	DFT	16QAM	Inner_Full	22.35	18.45
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.35	17.45
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.58	16.68
n41	40	30	2592.99	DFT	16QAM	Outer_Full	21.28	17.38
n41	40	30	2592.99	DFT	64QAM	Inner_Full	20.87	16.97
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.5	16.6
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.84	15.94
n41	40	30	2592.99	DFT	64QAM	Outer_Full	20.74	16.84
n41	40	30	2592.99	DFT	256QAM	Inner_Full	18.9	15
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.84	14.94
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.14	14.24
n41	40	30	2592.99	DFT	256QAM	Outer_Full	18.74	14.84
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	22.99	19.09
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.8	18.9
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	23.42	19.52
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	22.75	18.85
n41	40	30	2670	DFT	QPSK	Inner_Full	22.97	19.07
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	22.43	18.53

n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.78	18.88
n41	40	30	2670	DFT	QPSK	Outer_Full	22.32	18.42
n41	40	30	2670	DFT	16QAM	Inner_Full	22.06	18.16
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	21.52	17.62
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.13	18.23
n41	40	30	2670	DFT	16QAM	Outer_Full	21.4	17.5
n41	40	30	2670	DFT	64QAM	Inner_Full	20.66	16.76
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	20.67	16.77
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	20.98	17.08
n41	40	30	2670	DFT	64QAM	Outer_Full	20.91	17.01
n41	40	30	2670	DFT	256QAM	Inner_Full	18.64	14.74
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	19.05	15.15
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	19.66	15.76
n41	40	30	2670	DFT	256QAM	Outer_Full	19	15.1
n41	45	30	2518.5	DFT	pi/2 BPSK	Inner_Full	23.62	19.72
n41	45	30	2518.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.37	18.47
n41	45	30	2518.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.19	19.29
n41	45	30	2518.5	DFT	pi/2 BPSK	Outer_Full	23.1	19.2
n41	45	30	2518.5	DFT	QPSK	Inner_Full	23.62	19.72
n41	45	30	2518.5	DFT	QPSK	Edge_1RB_Left	21.83	17.93
n41	45	30	2518.5	DFT	QPSK	Edge_1RB_Right	22.57	18.67
n41	45	30	2518.5	DFT	QPSK	Outer_Full	22.68	18.78
n41	45	30	2518.5	DFT	16QAM	Inner_Full	22.75	18.85
n41	45	30	2518.5	DFT	16QAM	Edge_1RB_Left	21	17.1
n41	45	30	2518.5	DFT	16QAM	Edge_1RB_Right	21.83	17.93
n41	45	30	2518.5	DFT	16QAM	Outer_Full	21.74	17.84
n41	45	30	2518.5	DFT	64QAM	Inner_Full	21.29	17.39
n41	45	30	2518.5	DFT	64QAM	Edge_1RB_Left	20.08	16.18
n41	45	30	2518.5	DFT	64QAM	Edge_1RB_Right	20.97	17.07
n41	45	30	2518.5	DFT	64QAM	Outer_Full	21.21	17.31
n41	45	30	2518.5	DFT	256QAM	Inner_Full	19.31	15.41
n41	45	30	2518.5	DFT	256QAM	Edge_1RB_Left	18.61	14.71
n41	45	30	2518.5	DFT	256QAM	Edge_1RB_Right	19.4	15.5
n41	45	30	2518.5	DFT	256QAM	Outer_Full	19.28	15.38
n41	45	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.27	19.37
n41	45	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.63	18.73
n41	45	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.85	17.95
n41	45	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.71	18.81
n41	45	30	2592.99	DFT	QPSK	Inner_Full	23.34	19.44
n41	45	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.04	18.14
n41	45	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.28	17.38

n41	45	30	2592.99	DFT	QPSK	Outer_Full	22.19	18.29
n41	45	30	2592.99	DFT	16QAM	Inner_Full	22.41	18.51
n41	45	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.24	17.34
n41	45	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.54	16.64
n41	45	30	2592.99	DFT	16QAM	Outer_Full	21.27	17.37
n41	45	30	2592.99	DFT	64QAM	Inner_Full	20.88	16.98
n41	45	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.5	16.6
n41	45	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.79	15.89
n41	45	30	2592.99	DFT	64QAM	Outer_Full	20.73	16.83
n41	45	30	2592.99	DFT	256QAM	Inner_Full	18.87	14.97
n41	45	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.87	14.97
n41	45	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.17	14.27
n41	45	30	2592.99	DFT	256QAM	Outer_Full	18.77	14.87
n41	45	30	2667.48	DFT	pi/2 BPSK	Inner_Full	22.98	19.08
n41	45	30	2667.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.8	18.9
n41	45	30	2667.48	DFT	pi/2 BPSK	Edge_1RB_Right	23.4	19.5
n41	45	30	2667.48	DFT	pi/2 BPSK	Outer_Full	22.83	18.93
n41	45	30	2667.48	DFT	QPSK	Inner_Full	23	19.1
n41	45	30	2667.48	DFT	QPSK	Edge_1RB_Left	22.4	18.5
n41	45	30	2667.48	DFT	QPSK	Edge_1RB_Right	22.92	19.02
n41	45	30	2667.48	DFT	QPSK	Outer_Full	22.35	18.45
n41	45	30	2667.48	DFT	16QAM	Inner_Full	22.06	18.16
n41	45	30	2667.48	DFT	16QAM	Edge_1RB_Left	21.45	17.55
n41	45	30	2667.48	DFT	16QAM	Edge_1RB_Right	21.94	18.04
n41	45	30	2667.48	DFT	16QAM	Outer_Full	21.46	17.56
n41	45	30	2667.48	DFT	64QAM	Inner_Full	20.64	16.74
n41	45	30	2667.48	DFT	64QAM	Edge_1RB_Left	20.6	16.7
n41	45	30	2667.48	DFT	64QAM	Edge_1RB_Right	21.01	17.11
n41	45	30	2667.48	DFT	64QAM	Outer_Full	20.98	17.08
n41	45	30	2667.48	DFT	256QAM	Inner_Full	18.67	14.77
n41	45	30	2667.48	DFT	256QAM	Edge_1RB_Left	19	15.1
n41	45	30	2667.48	DFT	256QAM	Edge_1RB_Right	19.62	15.72
n41	45	30	2667.48	DFT	256QAM	Outer_Full	19.03	15.13
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	23.72	19.82
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.5	18.6
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.18	19.28
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	23.15	19.25
n41	50	30	2521.02	DFT	QPSK	Inner_Full	23.81	19.91
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	21.83	17.93
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.59	18.69
n41	50	30	2521.02	DFT	QPSK	Outer_Full	22.7	18.8

n41	50	30	2521.02	DFT	16QAM	Inner_Full	22.82	18.92
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	21	17.1
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	21.8	17.9
n41	50	30	2521.02	DFT	16QAM	Outer_Full	21.79	17.89
n41	50	30	2521.02	DFT	64QAM	Inner_Full	21.36	17.46
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	20.11	16.21
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.01	17.11
n41	50	30	2521.02	DFT	64QAM	Outer_Full	21.29	17.39
n41	50	30	2521.02	DFT	256QAM	Inner_Full	19.42	15.52
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	18.61	14.71
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	19.44	15.54
n41	50	30	2521.02	DFT	256QAM	Outer_Full	19.35	15.45
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.27	19.37
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.71	18.81
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.86	17.96
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.66	18.76
n41	50	30	2592.99	DFT	QPSK	Inner_Full	23.36	19.46
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.19	18.29
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.32	17.42
n41	50	30	2592.99	DFT	QPSK	Outer_Full	22.13	18.23
n41	50	30	2592.99	DFT	16QAM	Inner_Full	22.3	18.4
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.46	17.56
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.52	16.62
n41	50	30	2592.99	DFT	16QAM	Outer_Full	21.15	17.25
n41	50	30	2592.99	DFT	64QAM	Inner_Full	20.82	16.92
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.45	16.55
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.72	15.82
n41	50	30	2592.99	DFT	64QAM	Outer_Full	20.68	16.78
n41	50	30	2592.99	DFT	256QAM	Inner_Full	18.82	14.92
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.87	14.97
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.03	14.13
n41	50	30	2592.99	DFT	256QAM	Outer_Full	18.72	14.82
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	23.14	19.24
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.7	18.8
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.57	19.67
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	22.94	19.04
n41	50	30	2664.99	DFT	QPSK	Inner_Full	23.15	19.25
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	22.12	18.22
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	22.78	18.88
n41	50	30	2664.99	DFT	QPSK	Outer_Full	22.48	18.58
n41	50	30	2664.99	DFT	16QAM	Inner_Full	22.2	18.3

n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	21.37	17.47
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.17	18.27
n41	50	30	2664.99	DFT	16QAM	Outer_Full	21.59	17.69
n41	50	30	2664.99	DFT	64QAM	Inner_Full	20.81	16.91
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	20.59	16.69
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	21	17.1
n41	50	30	2664.99	DFT	64QAM	Outer_Full	21.12	17.22
n41	50	30	2664.99	DFT	256QAM	Inner_Full	18.82	14.92
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	18.91	15.01
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	19.73	15.83
n41	50	30	2664.99	DFT	256QAM	Outer_Full	19.23	15.33
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	23.63	19.73
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	18.54
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	23.02	19.12
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	23.09	19.19
n41	60	30	2526	DFT	QPSK	Inner_Full	23.68	19.78
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	22.01	18.11
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.44	18.54
n41	60	30	2526	DFT	QPSK	Outer_Full	22.62	18.72
n41	60	30	2526	DFT	16QAM	Inner_Full	22.73	18.83
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	20.96	17.06
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.66	17.76
n41	60	30	2526	DFT	16QAM	Outer_Full	21.66	17.76
n41	60	30	2526	DFT	64QAM	Inner_Full	21.33	17.43
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	20.16	16.26
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	20.83	16.93
n41	60	30	2526	DFT	64QAM	Outer_Full	21.15	17.25
n41	60	30	2526	DFT	256QAM	Inner_Full	19.32	15.42
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	18.58	14.68
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	19.23	15.33
n41	60	30	2526	DFT	256QAM	Outer_Full	19.23	15.33
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.14	19.24
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.78	18.88
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.86	17.96
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.55	18.65
n41	60	30	2592.99	DFT	QPSK	Inner_Full	23.18	19.28
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.19	18.29
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.34	17.44
n41	60	30	2592.99	DFT	QPSK	Outer_Full	22.05	18.15
n41	60	30	2592.99	DFT	16QAM	Inner_Full	22.23	18.33
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.34	17.44

n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.61	16.71
n41	60	30	2592.99	DFT	16QAM	Outer_Full	21.06	17.16
n41	60	30	2592.99	DFT	64QAM	Inner_Full	20.77	16.87
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.53	16.63
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.74	15.84
n41	60	30	2592.99	DFT	64QAM	Outer_Full	20.58	16.68
n41	60	30	2592.99	DFT	256QAM	Inner_Full	18.74	14.84
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	18.96	15.06
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.12	14.22
n41	60	30	2592.99	DFT	256QAM	Outer_Full	18.64	14.74
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	23.13	19.23
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.12	18.22
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.36	19.46
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	22.78	18.88
n41	60	30	2659.98	DFT	QPSK	Inner_Full	23.18	19.28
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.56	17.66
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.73	18.83
n41	60	30	2659.98	DFT	QPSK	Outer_Full	22.38	18.48
n41	60	30	2659.98	DFT	16QAM	Inner_Full	22.2	18.3
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	20.8	16.9
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.2	18.3
n41	60	30	2659.98	DFT	16QAM	Outer_Full	21.47	17.57
n41	60	30	2659.98	DFT	64QAM	Inner_Full	20.82	16.92
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	20.07	16.17
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	21.03	17.13
n41	60	30	2659.98	DFT	64QAM	Outer_Full	20.94	17.04
n41	60	30	2659.98	DFT	256QAM	Inner_Full	18.85	14.95
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	18.33	14.43
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	19.67	15.77
n41	60	30	2659.98	DFT	256QAM	Outer_Full	19.04	15.14
n41	70	30	2531.01	DFT	pi/2 BPSK	Inner_Full	23.68	19.78
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	18.55
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.67	18.77
n41	70	30	2531.01	DFT	pi/2 BPSK	Outer_Full	23.16	19.26
n41	70	30	2531.01	DFT	QPSK	Inner_Full	23.77	19.87
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Left	21.78	17.88
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Right	22.29	18.39
n41	70	30	2531.01	DFT	QPSK	Outer_Full	22.62	18.72
n41	70	30	2531.01	DFT	16QAM	Inner_Full	22.83	18.93
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Left	21.02	17.12
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Right	21.34	17.44

n41	70	30	2531.01	DFT	16QAM	Outer_Full	21.7	17.8
n41	70	30	2531.01	DFT	64QAM	Inner_Full	21.36	17.46
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Left	20.1	16.2
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Right	20.47	16.57
n41	70	30	2531.01	DFT	64QAM	Outer_Full	21.21	17.31
n41	70	30	2531.01	DFT	256QAM	Inner_Full	19.43	15.53
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Left	18.61	14.71
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Right	18.87	14.97
n41	70	30	2531.01	DFT	256QAM	Outer_Full	19.29	15.39
n41	70	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.08	19.18
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.77	18.87
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.93	18.03
n41	70	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.54	18.64
n41	70	30	2592.99	DFT	QPSK	Inner_Full	23.15	19.25
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.39	18.49
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.54	17.64
n41	70	30	2592.99	DFT	QPSK	Outer_Full	22.04	18.14
n41	70	30	2592.99	DFT	16QAM	Inner_Full	22.23	18.33
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.43	17.53
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.9	17
n41	70	30	2592.99	DFT	16QAM	Outer_Full	21.02	17.12
n41	70	30	2592.99	DFT	64QAM	Inner_Full	20.68	16.78
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.61	16.71
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Right	19.85	15.95
n41	70	30	2592.99	DFT	64QAM	Outer_Full	20.54	16.64
n41	70	30	2592.99	DFT	256QAM	Inner_Full	18.75	14.85
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Left	19	15.1
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.19	14.29
n41	70	30	2592.99	DFT	256QAM	Outer_Full	18.53	14.63
n41	70	30	2655	DFT	pi/2 BPSK	Inner_Full	23.09	19.19
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Left	21.85	17.95
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Right	23.16	19.26
n41	70	30	2655	DFT	pi/2 BPSK	Outer_Full	22.51	18.61
n41	70	30	2655	DFT	QPSK	Inner_Full	23.07	19.17
n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	21.26	17.36
n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	22.52	18.62
n41	70	30	2655	DFT	QPSK	Outer_Full	22.05	18.15
n41	70	30	2655	DFT	16QAM	Inner_Full	22.17	18.27
n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	20.51	16.61
n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	21.7	17.8
n41	70	30	2655	DFT	16QAM	Outer_Full	21.21	17.31

n41	70	30	2655	DFT	64QAM	Inner_Full	20.75	16.85
n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	19.68	15.78
n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	20.76	16.86
n41	70	30	2655	DFT	64QAM	Outer_Full	20.7	16.8
n41	70	30	2655	DFT	256QAM	Inner_Full	18.79	14.89
n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	17.99	14.09
n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	19.42	15.52
n41	70	30	2655	DFT	256QAM	Outer_Full	18.77	14.87
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	23.66	19.76
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.48	18.58
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.63	18.73
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	23.09	19.19
n41	80	30	2536.02	DFT	QPSK	Inner_Full	23.74	19.84
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.9	18
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.06	18.16
n41	80	30	2536.02	DFT	QPSK	Outer_Full	22.57	18.67
n41	80	30	2536.02	DFT	16QAM	Inner_Full	22.8	18.9
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	21.22	17.32
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	21.26	17.36
n41	80	30	2536.02	DFT	16QAM	Outer_Full	21.58	17.68
n41	80	30	2536.02	DFT	64QAM	Inner_Full	21.3	17.4
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	20.14	16.24
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	20.51	16.61
n41	80	30	2536.02	DFT	64QAM	Outer_Full	21.15	17.25
n41	80	30	2536.02	DFT	256QAM	Inner_Full	19.4	15.5
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	18.59	14.69
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	18.85	14.95
n41	80	30	2536.02	DFT	256QAM	Outer_Full	19.23	15.33
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.09	19.19
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.93	19.03
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.17	18.27
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.49	18.59
n41	80	30	2592.99	DFT	QPSK	Inner_Full	23.13	19.23
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.37	18.47
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.58	17.68
n41	80	30	2592.99	DFT	QPSK	Outer_Full	22	18.1
n41	80	30	2592.99	DFT	16QAM	Inner_Full	22.18	18.28
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.77	17.87
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	20.92	17.02
n41	80	30	2592.99	DFT	16QAM	Outer_Full	21.02	17.12
n41	80	30	2592.99	DFT	64QAM	Inner_Full	20.67	16.77

n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.74	16.84
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.04	16.14
n41	80	30	2592.99	DFT	64QAM	Outer_Full	20.5	16.6
n41	80	30	2592.99	DFT	256QAM	Inner_Full	18.71	14.81
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.16	15.26
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.36	14.46
n41	80	30	2592.99	DFT	256QAM	Outer_Full	18.53	14.63
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	23.06	19.16
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.86	17.96
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.25	19.35
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	22.45	18.55
n41	80	30	2649.99	DFT	QPSK	Inner_Full	23.05	19.15
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	21.27	17.37
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	22.6	18.7
n41	80	30	2649.99	DFT	QPSK	Outer_Full	21.97	18.07
n41	80	30	2649.99	DFT	16QAM	Inner_Full	22.16	18.26
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	20.45	16.55
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	21.81	17.91
n41	80	30	2649.99	DFT	16QAM	Outer_Full	21.14	17.24
n41	80	30	2649.99	DFT	64QAM	Inner_Full	20.77	16.87
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	19.7	15.8
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	20.87	16.97
n41	80	30	2649.99	DFT	64QAM	Outer_Full	20.61	16.71
n41	80	30	2649.99	DFT	256QAM	Inner_Full	18.79	14.89
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	18.07	14.17
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	19.46	15.56
n41	80	30	2649.99	DFT	256QAM	Outer_Full	18.67	14.77
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	23.74	19.84
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.49	18.59
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.91	19.01
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	23.17	19.27
n41	90	30	2541	DFT	QPSK	Inner_Full	23.74	19.84
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.82	17.92
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.47	18.57
n41	90	30	2541	DFT	QPSK	Outer_Full	22.68	18.78
n41	90	30	2541	DFT	16QAM	Inner_Full	22.83	18.93
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	20.96	17.06
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	21.77	17.87
n41	90	30	2541	DFT	16QAM	Outer_Full	21.72	17.82
n41	90	30	2541	DFT	64QAM	Inner_Full	21.33	17.43
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	20.1	16.2

n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	20.72	16.82
n41	90	30	2541	DFT	64QAM	Outer_Full	21.24	17.34
n41	90	30	2541	DFT	256QAM	Inner_Full	19.4	15.5
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	18.56	14.66
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	19.09	15.19
n41	90	30	2541	DFT	256QAM	Outer_Full	19.27	15.37
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.08	19.18
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.96	19.06
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.4	18.5
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.47	18.57
n41	90	30	2592.99	DFT	QPSK	Inner_Full	23.07	19.17
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.41	18.51
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.98	18.08
n41	90	30	2592.99	DFT	QPSK	Outer_Full	21.99	18.09
n41	90	30	2592.99	DFT	16QAM	Inner_Full	22.11	18.21
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.56	17.66
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.03	17.13
n41	90	30	2592.99	DFT	16QAM	Outer_Full	20.98	17.08
n41	90	30	2592.99	DFT	64QAM	Inner_Full	20.59	16.69
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.79	16.89
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.22	16.32
n41	90	30	2592.99	DFT	64QAM	Outer_Full	20.48	16.58
n41	90	30	2592.99	DFT	256QAM	Inner_Full	18.64	14.74
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.26	15.36
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.58	14.68
n41	90	30	2592.99	DFT	256QAM	Outer_Full	18.55	14.65
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	22.97	19.07
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	18.27
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.23	19.33
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	22.39	18.49
n41	90	30	2644.98	DFT	QPSK	Inner_Full	23.02	19.12
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	21.55	17.65
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	22.6	18.7
n41	90	30	2644.98	DFT	QPSK	Outer_Full	22.04	18.14
n41	90	30	2644.98	DFT	16QAM	Inner_Full	22.14	18.24
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	21.01	17.11
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	21.8	17.9
n41	90	30	2644.98	DFT	16QAM	Outer_Full	21.16	17.26
n41	90	30	2644.98	DFT	64QAM	Inner_Full	20.7	16.8
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	20.03	16.13
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	20.8	16.9

n41	90	30	2644.98	DFT	64QAM	Outer_Full	20.61	16.71
n41	90	30	2644.98	DFT	256QAM	Inner_Full	18.72	14.82
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	18.33	14.43
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	19.48	15.58
n41	90	30	2644.98	DFT	256QAM	Outer_Full	18.67	14.77
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	23.51	19.61
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	18.39
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.45	18.55
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	23.08	19.18
n41	100	30	2546.01	DFT	QPSK	Inner_Full	23.51	19.61
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.75	17.85
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	21.85	17.95
n41	100	30	2546.01	DFT	QPSK	Outer_Full	22.55	18.65
n41	100	30	2546.01	DFT	16QAM	Inner_Full	22.57	18.67
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.01	17.11
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	21.25	17.35
n41	100	30	2546.01	DFT	16QAM	Outer_Full	21.64	17.74
n41	100	30	2546.01	DFT	64QAM	Inner_Full	21.14	17.24
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	20.15	16.25
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	20.42	16.52
n41	100	30	2546.01	DFT	64QAM	Outer_Full	21.15	17.25
n41	100	30	2546.01	DFT	256QAM	Inner_Full	19.18	15.28
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	18.51	14.61
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	18.71	14.81
n41	100	30	2546.01	DFT	256QAM	Outer_Full	19.21	15.31
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	23.05	19.15
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.08	19.18
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.66	18.76
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	22.46	18.56
n41	100	30	2592.99	DFT	QPSK	Inner_Full	22.99	19.09
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.42	18.52
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.06	18.16
n41	100	30	2592.99	DFT	QPSK	Outer_Full	21.98	18.08
n41	100	30	2592.99	DFT	16QAM	Inner_Full	22.07	18.17
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.64	17.74
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.3	17.4
n41	100	30	2592.99	DFT	16QAM	Outer_Full	20.97	17.07
n41	100	30	2592.99	DFT	64QAM	Inner_Full	20.58	16.68
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	20.86	16.96
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	20.54	16.64
n41	100	30	2592.99	DFT	64QAM	Outer_Full	20.47	16.57

n41	100	30	2592.99	DFT	256QAM	Inner_Full	18.58	14.68
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	19.22	15.32
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	18.88	14.98
n41	100	30	2592.99	DFT	256QAM	Outer_Full	18.48	14.58
n41	100	30	2592.99	CP	QPSK	Inner_Full	21.42	17.52
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	20.55	16.65
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	20.25	16.35
n41	100	30	2592.99	CP	QPSK	Outer_Full	19.92	16.02
n41	100	30	2592.99	CP	16QAM	Inner_Full	21.04	17.14
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	20.51	16.61
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	20.18	16.28
n41	100	30	2592.99	CP	16QAM	Outer_Full	19.92	16.02
n41	100	30	2592.99	CP	64QAM	Inner_Full	19.53	15.63
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	19.69	15.79
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	19.5	15.6
n41	100	30	2592.99	CP	64QAM	Outer_Full	19.46	15.56
n41	100	30	2592.99	CP	256QAM	Inner_Full	16.67	12.77
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	17.31	13.41
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	17.03	13.13
n41	100	30	2592.99	CP	256QAM	Outer_Full	16.52	12.62
n41	100	30	2640	DFT	$\pi/2$ BPSK	Inner_Full	22.8	18.9
n41	100	30	2640	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.63	18.73
n41	100	30	2640	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.17	19.27
n41	100	30	2640	DFT	$\pi/2$ BPSK	Outer_Full	22.38	18.48
n41	100	30	2640	DFT	QPSK	Inner_Full	22.87	18.97
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	22.05	18.15
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	22.55	18.65
n41	100	30	2640	DFT	QPSK	Outer_Full	22.01	18.11
n41	100	30	2640	DFT	16QAM	Inner_Full	21.92	18.02
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	21.33	17.43
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	21.72	17.82
n41	100	30	2640	DFT	16QAM	Outer_Full	21.01	17.11
n41	100	30	2640	DFT	64QAM	Inner_Full	20.51	16.61
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	20.49	16.59
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	20.82	16.92
n41	100	30	2640	DFT	64QAM	Outer_Full	20.5	16.6
n41	100	30	2640	DFT	256QAM	Inner_Full	18.5	14.6
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	18.88	14.98
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	19.48	15.58
n41	100	30	2640	DFT	256QAM	Outer_Full	18.54	14.64

NR n48-EIRP

Limits: ≤23dBm/10megahertz

BW (MHz)	SCS (kHz)	Freq (MHz)	OFDM	Modulation	RB Allocation	Conducted Power (dBm/10MHz)	Antenna Gain (dBi)	EIRP (dBm/10MHz)	Margin (dB)
10	30	3555	DFT	DFT PI/2 BPSK	Inner_Full	22.86	-3.6	19.26	3.74
10	30	3555	DFT	DFT QPSK	Inner_Full	22.87	-3.6	19.27	3.73
10	30	3555	DFT	DFT 16QAM	Inner_Full	22.01	-3.6	18.41	4.59
10	30	3555	DFT	DFT 64QAM	Inner_Full	20.43	-3.6	16.83	6.17
10	30	3555	DFT	DFT 256QAM	Inner_Full	18.56	-3.6	14.96	8.04
10	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	23.87	-3.6	20.27	2.73
10	30	3624.99	DFT	DFT QPSK	Inner_Full	23.89	-3.6	20.29	2.71
10	30	3624.99	DFT	DFT 16QAM	Inner_Full	23.06	-3.6	19.46	3.54
10	30	3624.99	DFT	DFT 64QAM	Inner_Full	21.46	-3.6	17.86	5.14
10	30	3624.99	DFT	DFT 256QAM	Inner_Full	19.62	-3.6	16.02	6.98
10	30	3694.98	DFT	DFT PI/2 BPSK	Inner_Full	23.67	-3.6	20.07	2.93
10	30	3694.98	DFT	DFT QPSK	Inner_Full	23.69	-3.6	20.09	2.91
10	30	3694.98	DFT	DFT 16QAM	Inner_Full	22.84	-3.6	19.24	3.76
10	30	3694.98	DFT	DFT 64QAM	Inner_Full	21.19	-3.6	17.59	5.41
10	30	3694.98	DFT	DFT 256QAM	Inner_Full	19.49	-3.6	15.89	7.11
15	30	3557.52	DFT	DFT PI/2 BPSK	Inner_Full	22.74	-3.6	19.14	3.86
15	30	3557.52	DFT	DFT QPSK	Inner_Full	22.71	-3.6	19.11	3.89
15	30	3557.52	DFT	DFT 16QAM	Inner_Full	21.71	-3.6	18.11	4.89
15	30	3557.52	DFT	DFT 64QAM	Inner_Full	20.27	-3.6	16.67	6.33
15	30	3557.52	DFT	DFT 256QAM	Inner_Full	18.25	-3.6	14.65	8.35
15	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	23.62	-3.6	20.02	2.98
15	30	3624.99	DFT	DFT QPSK	Inner_Full	23.58	-3.6	19.98	3.02
15	30	3624.99	DFT	DFT 16QAM	Inner_Full	22.59	-3.6	18.99	4.01
15	30	3624.99	DFT	DFT 64QAM	Inner_Full	21.18	-3.6	17.58	5.42
15	30	3624.99	DFT	DFT 256QAM	Inner_Full	19.19	-3.6	15.59	7.41
15	30	3692.49	DFT	DFT PI/2 BPSK	Inner_Full	23.62	-3.6	20.02	2.98
15	30	3692.49	DFT	DFT QPSK	Inner_Full	23.59	-3.6	19.99	3.01
15	30	3692.49	DFT	DFT 16QAM	Inner_Full	22.61	-3.6	19.01	3.99
15	30	3692.49	DFT	DFT 64QAM	Inner_Full	21.19	-3.6	17.59	5.41
15	30	3692.49	DFT	DFT 256QAM	Inner_Full	19.11	-3.6	15.51	7.49
20	30	3560.01	DFT	DFT PI/2 BPSK	Inner_Full	22.44	-3.6	18.84	4.16
20	30	3560.01	DFT	DFT QPSK	Inner_Full	22.46	-3.6	18.86	4.14
20	30	3560.01	DFT	DFT 16QAM	Inner_Full	21.47	-3.6	17.87	5.13
20	30	3560.01	DFT	DFT 64QAM	Inner_Full	19.92	-3.6	16.32	6.68
20	30	3560.01	DFT	DFT 256QAM	Inner_Full	17.99	-3.6	14.39	8.61
20	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	23.27	-3.6	19.67	3.33
20	30	3624.99	DFT	DFT QPSK	Inner_Full	23.23	-3.6	19.63	3.37

20	30	3624.99	DFT	DFT 16QAM	Inner_Full	22.28	-3.6	18.68	4.32
20	30	3624.99	DFT	DFT 64QAM	Inner_Full	20.75	-3.6	17.15	5.85
20	30	3624.99	DFT	DFT 256QAM	Inner_Full	18.78	-3.6	15.18	7.82
20	30	3690	DFT	DFT PI/2 BPSK	Inner_Full	23.44	-3.6	19.84	3.16
20	30	3690	DFT	DFT QPSK	Inner_Full	23.45	-3.6	19.85	3.15
20	30	3690	DFT	DFT 16QAM	Inner_Full	22.45	-3.6	18.85	4.15
20	30	3690	DFT	DFT 64QAM	Inner_Full	20.89	-3.6	17.29	5.71
20	30	3690	DFT	DFT 256QAM	Inner_Full	18.98	-3.6	15.38	7.62
30	30	3565.02	DFT	DFT PI/2 BPSK	Inner_Full	21.72	-3.6	18.12	4.88
30	30	3565.02	DFT	DFT QPSK	Inner_Full	21.70	-3.6	18.10	4.90
30	30	3565.02	DFT	DFT 16QAM	Inner_Full	20.70	-3.6	17.10	5.90
30	30	3565.02	DFT	DFT 64QAM	Inner_Full	19.12	-3.6	15.52	7.48
30	30	3565.02	DFT	DFT 256QAM	Inner_Full	17.23	-3.6	13.63	9.37
30	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	22.54	-3.6	18.94	4.06
30	30	3624.99	DFT	DFT QPSK	Inner_Full	22.51	-3.6	18.91	4.09
30	30	3624.99	DFT	DFT 16QAM	Inner_Full	21.48	-3.6	17.88	5.12
30	30	3624.99	DFT	DFT 64QAM	Inner_Full	20.04	-3.6	16.44	6.56
30	30	3624.99	DFT	DFT 256QAM	Inner_Full	17.97	-3.6	14.37	8.63
30	30	3684.99	DFT	DFT PI/2 BPSK	Inner_Full	23.07	-3.6	19.47	3.53
30	30	3684.99	DFT	DFT QPSK	Inner_Full	22.99	-3.6	19.39	3.61
30	30	3684.99	DFT	DFT 16QAM	Inner_Full	21.98	-3.6	18.38	4.62
30	30	3684.99	DFT	DFT 64QAM	Inner_Full	20.52	-3.6	16.92	6.08
30	30	3684.99	DFT	DFT 256QAM	Inner_Full	18.52	-3.6	14.92	8.08
40	30	3570	DFT	DFT PI/2 BPSK	Inner_Full	20.68	-3.6	17.08	5.92
40	30	3570	DFT	DFT QPSK	Inner_Full	20.60	-3.6	17.00	6.00
40	30	3570	DFT	DFT 16QAM	Inner_Full	19.58	-3.6	15.98	7.02
40	30	3570	DFT	DFT 64QAM	Inner_Full	18.17	-3.6	14.57	8.43
40	30	3570	DFT	DFT 256QAM	Inner_Full	16.17	-3.6	12.57	10.43
40	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	21.50	-3.6	17.90	5.10
40	30	3624.99	DFT	DFT QPSK	Inner_Full	21.49	-3.6	17.89	5.11
40	30	3624.99	DFT	DFT 16QAM	Inner_Full	20.45	-3.6	16.85	6.15
40	30	3624.99	DFT	DFT 64QAM	Inner_Full	19.02	-3.6	15.42	7.58
40	30	3624.99	DFT	DFT 256QAM	Inner_Full	17.03	-3.6	13.43	9.57
40	30	3679.98	DFT	DFT PI/2 BPSK	Inner_Full	22.17	-3.6	18.57	4.43
40	30	3679.98	DFT	DFT QPSK	Inner_Full	22.14	-3.6	18.54	4.46
40	30	3679.98	DFT	DFT 16QAM	Inner_Full	21.07	-3.6	17.47	5.53
40	30	3679.98	DFT	DFT 64QAM	Inner_Full	19.63	-3.6	16.03	6.97
40	30	3679.98	DFT	DFT 256QAM	Inner_Full	17.64	-3.6	14.04	8.96
50	30	3575.01	DFT	DFT PI/2 BPSK	Inner_Full	19.54	-3.6	15.94	7.06
50	30	3575.01	DFT	DFT QPSK	Inner_Full	19.51	-3.6	15.91	7.09
50	30	3575.01	DFT	DFT 16QAM	Inner_Full	18.33	-3.6	14.73	8.27

50	30	3575.01	DFT	DFT 64QAM	Inner_Full	17.06	-3.6	13.46	9.54
50	30	3575.01	DFT	DFT 256QAM	Inner_Full	15.02	-3.6	11.42	11.58
50	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	20.54	-3.6	16.94	6.06
50	30	3624.99	DFT	DFT QPSK	Inner_Full	20.59	-3.6	16.99	6.01
50	30	3624.99	DFT	DFT 16QAM	Inner_Full	19.44	-3.6	15.84	7.16
50	30	3624.99	DFT	DFT 64QAM	Inner_Full	17.99	-3.6	14.39	8.61
50	30	3624.99	DFT	DFT 256QAM	Inner_Full	16.06	-3.6	12.46	10.54
50	30	3675	DFT	DFT PI/2 BPSK	Inner_Full	21.13	-3.6	17.53	5.47
50	30	3675	DFT	DFT QPSK	Inner_Full	21.18	-3.6	17.58	5.42
50	30	3675	DFT	DFT 16QAM	Inner_Full	20.03	-3.6	16.43	6.57
50	30	3675	DFT	DFT 64QAM	Inner_Full	18.56	-3.6	14.96	8.04
50	30	3675	DFT	DFT 256QAM	Inner_Full	16.69	-3.6	13.09	9.91
60	30	3580.02	DFT	DFT PI/2 BPSK	Inner_Full	18.39	-3.6	14.79	8.21
60	30	3580.02	DFT	DFT QPSK	Inner_Full	18.36	-3.6	14.76	8.24
60	30	3580.02	DFT	DFT 16QAM	Inner_Full	17.36	-3.6	13.76	9.24
60	30	3580.02	DFT	DFT 64QAM	Inner_Full	15.96	-3.6	12.36	10.64
60	30	3580.02	DFT	DFT 256QAM	Inner_Full	13.93	-3.6	10.33	12.67
60	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	19.49	-3.6	15.89	7.11
60	30	3624.99	DFT	DFT QPSK	Inner_Full	19.58	-3.6	15.98	7.02
60	30	3624.99	DFT	DFT 16QAM	Inner_Full	18.48	-3.6	14.88	8.12
60	30	3624.99	DFT	DFT 64QAM	Inner_Full	17.09	-3.6	13.49	9.51
60	30	3624.99	DFT	DFT 256QAM	Inner_Full	15.08	-3.6	11.48	11.52
60	30	3669.99	DFT	DFT PI/2 BPSK	Inner_Full	20.03	-3.6	16.43	6.57
60	30	3669.99	DFT	DFT QPSK	Inner_Full	20.08	-3.6	16.48	6.52
60	30	3669.99	DFT	DFT 16QAM	Inner_Full	19.04	-3.6	15.44	7.56
60	30	3669.99	DFT	DFT 64QAM	Inner_Full	17.60	-3.6	14.00	9.00
60	30	3669.99	DFT	DFT 256QAM	Inner_Full	15.67	-3.6	12.07	10.93
70	30	3585	DFT	DFT PI/2 BPSK	Inner_Full	17.91	-3.6	14.31	8.69
70	30	3585	DFT	DFT QPSK	Inner_Full	17.90	-3.6	14.30	8.70
70	30	3585	DFT	DFT 16QAM	Inner_Full	16.89	-3.6	13.29	9.71
70	30	3585	DFT	DFT 64QAM	Inner_Full	15.49	-3.6	11.89	11.11
70	30	3585	DFT	DFT 256QAM	Inner_Full	13.50	-3.6	9.90	13.10
70	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	19.09	-3.6	15.49	7.51
70	30	3624.99	DFT	DFT QPSK	Inner_Full	19.13	-3.6	15.53	7.47
70	30	3624.99	DFT	DFT 16QAM	Inner_Full	18.15	-3.6	14.55	8.45
70	30	3624.99	DFT	DFT 64QAM	Inner_Full	16.56	-3.6	12.96	10.04
70	30	3624.99	DFT	DFT 256QAM	Inner_Full	14.70	-3.6	11.10	11.90
70	30	3664.98	DFT	DFT PI/2 BPSK	Inner_Full	19.42	-3.6	15.82	7.18
70	30	3664.98	DFT	DFT QPSK	Inner_Full	19.43	-3.6	15.83	7.17
70	30	3664.98	DFT	DFT 16QAM	Inner_Full	18.55	-3.6	14.95	8.05
70	30	3664.98	DFT	DFT 64QAM	Inner_Full	16.89	-3.6	13.29	9.71

70	30	3664.98	DFT	DFT 256QAM	Inner_Full	15.04	-3.6	11.44	11.56
80	30	3590.01	DFT	DFT PI/2 BPSK	Inner_Full	17.14	-3.6	13.54	9.46
80	30	3590.01	DFT	DFT QPSK	Inner_Full	17.22	-3.6	13.62	9.38
80	30	3590.01	DFT	DFT 16QAM	Inner_Full	16.28	-3.6	12.68	10.32
80	30	3590.01	DFT	DFT 64QAM	Inner_Full	14.76	-3.6	11.16	11.84
80	30	3590.01	DFT	DFT 256QAM	Inner_Full	12.78	-3.6	9.18	13.82
80	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	18.28	-3.6	14.68	8.32
80	30	3624.99	DFT	DFT QPSK	Inner_Full	18.36	-3.6	14.76	8.24
80	30	3624.99	DFT	DFT 16QAM	Inner_Full	17.34	-3.6	13.74	9.26
80	30	3624.99	DFT	DFT 64QAM	Inner_Full	15.79	-3.6	12.19	10.81
80	30	3624.99	DFT	DFT 256QAM	Inner_Full	13.86	-3.6	10.26	12.74
80	30	3660	DFT	DFT PI/2 BPSK	Inner_Full	18.62	-3.6	15.02	7.98
80	30	3660	DFT	DFT QPSK	Inner_Full	18.69	-3.6	15.09	7.91
80	30	3660	DFT	DFT 16QAM	Inner_Full	17.77	-3.6	14.17	8.83
80	30	3660	DFT	DFT 64QAM	Inner_Full	16.19	-3.6	12.59	10.41
80	30	3660	DFT	DFT 256QAM	Inner_Full	14.26	-3.6	10.66	12.34
90	30	3595.02	DFT	DFT PI/2 BPSK	Inner_Full	16.87	-3.6	13.27	9.73
90	30	3595.02	DFT	DFT QPSK	Inner_Full	16.79	-3.6	13.19	9.81
90	30	3595.02	DFT	DFT 16QAM	Inner_Full	15.89	-3.6	12.29	10.71
90	30	3595.02	DFT	DFT 64QAM	Inner_Full	14.32	-3.6	10.72	12.28
90	30	3595.02	DFT	DFT 256QAM	Inner_Full	12.41	-3.6	8.81	14.19
90	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	17.80	-3.6	14.20	8.80
90	30	3624.99	DFT	DFT QPSK	Inner_Full	17.85	-3.6	14.25	8.75
90	30	3624.99	DFT	DFT 16QAM	Inner_Full	16.80	-3.6	13.20	9.80
90	30	3624.99	DFT	DFT 64QAM	Inner_Full	15.32	-3.6	11.72	11.28
90	30	3624.99	DFT	DFT 256QAM	Inner_Full	13.42	-3.6	9.82	13.18
90	30	3654.99	DFT	DFT PI/2 BPSK	Inner_Full	17.85	-3.6	14.25	8.75
90	30	3654.99	DFT	DFT QPSK	Inner_Full	17.89	-3.6	14.29	8.71
90	30	3654.99	DFT	DFT 16QAM	Inner_Full	17.00	-3.6	13.40	9.60
90	30	3654.99	DFT	DFT 64QAM	Inner_Full	15.34	-3.6	11.74	11.26
90	30	3654.99	DFT	DFT 256QAM	Inner_Full	13.46	-3.6	9.86	13.14
100	30	3600	DFT	DFT PI/2 BPSK	Inner_Full	16.47	-3.6	12.87	10.13
100	30	3600	DFT	DFT QPSK	Inner_Full	16.54	-3.6	12.94	10.06
100	30	3600	DFT	DFT 16QAM	Inner_Full	15.49	-3.6	11.89	11.11
100	30	3600	DFT	DFT 64QAM	Inner_Full	13.94	-3.6	10.34	12.66
100	30	3600	DFT	DFT 256QAM	Inner_Full	12.00	-3.6	8.40	14.60
100	30	3624.99	DFT	DFT PI/2 BPSK	Inner_Full	17.36	-3.6	13.76	9.24
100	30	3624.99	DFT	DFT QPSK	Inner_Full	17.43	-3.6	13.83	9.17
100	30	3624.99	DFT	DFT 16QAM	Inner_Full	16.28	-3.6	12.68	10.32
100	30	3624.99	DFT	DFT 64QAM	Inner_Full	14.77	-3.6	11.17	11.83
100	30	3624.99	DFT	DFT 256QAM	Inner_Full	12.89	-3.6	9.29	13.71



100	30	3649.98	DFT	DFT PI/2 BPSK	Inner_Full	17.36	-3.6	13.76	9.24
100	30	3649.98	DFT	DFT QPSK	Inner_Full	17.32	-3.6	13.72	9.28
100	30	3649.98	DFT	DFT 16QAM	Inner_Full	16.47	-3.6	12.87	10.13
100	30	3649.98	DFT	DFT 64QAM	Inner_Full	15.01	-3.6	11.41	11.59
100	30	3649.98	DFT	DFT 256QAM	Inner_Full	12.93	-3.6	9.33	13.67

NR n48-EIRP

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiated POWER(dBm) GT = -3.6dBi
n48	10	30	3555	DFT	pi/2 BPSK	Inner_Full	22.54	18.94
n48	10	30	3555	DFT	pi/2 BPSK	Edge_1RB_Left	21.85	18.25
n48	10	30	3555	DFT	pi/2 BPSK	Edge_1RB_Right	22.26	18.66
n48	10	30	3555	DFT	pi/2 BPSK	Outer_Full	22.12	18.52
n48	10	30	3555	DFT	QPSK	Inner_Full	22.63	19.03
n48	10	30	3555	DFT	QPSK	Edge_1RB_Left	21.28	17.68
n48	10	30	3555	DFT	QPSK	Edge_1RB_Right	21.75	18.15
n48	10	30	3555	DFT	QPSK	Outer_Full	21.59	17.99
n48	10	30	3555	DFT	16QAM	Inner_Full	21.61	18.01
n48	10	30	3555	DFT	16QAM	Edge_1RB_Left	20.34	16.74
n48	10	30	3555	DFT	16QAM	Edge_1RB_Right	20.85	17.25
n48	10	30	3555	DFT	16QAM	Outer_Full	20.72	17.12
n48	10	30	3555	DFT	64QAM	Inner_Full	20.1	16.50
n48	10	30	3555	DFT	64QAM	Edge_1RB_Left	19.45	15.85
n48	10	30	3555	DFT	64QAM	Edge_1RB_Right	19.97	16.37
n48	10	30	3555	DFT	64QAM	Outer_Full	20.17	16.57
n48	10	30	3555	DFT	256QAM	Inner_Full	18.23	14.63
n48	10	30	3555	DFT	256QAM	Edge_1RB_Left	17.85	14.25
n48	10	30	3555	DFT	256QAM	Edge_1RB_Right	18.37	14.77
n48	10	30	3555	DFT	256QAM	Outer_Full	18.12	14.52
n48	10	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.52	19.92
n48	10	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.88	19.28
n48	10	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.25	19.65
n48	10	30	3624.99	DFT	pi/2 BPSK	Outer_Full	23.14	19.54
n48	10	30	3624.99	DFT	QPSK	Inner_Full	23.65	20.05
n48	10	30	3624.99	DFT	QPSK	Edge_1RB_Left	22.16	18.56
n48	10	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.78	19.18
n48	10	30	3624.99	DFT	QPSK	Outer_Full	22.7	19.10
n48	10	30	3624.99	DFT	16QAM	Inner_Full	22.81	19.21
n48	10	30	3624.99	DFT	16QAM	Edge_1RB_Left	21.45	17.85
n48	10	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.83	18.23
n48	10	30	3624.99	DFT	16QAM	Outer_Full	21.72	18.12
n48	10	30	3624.99	DFT	64QAM	Inner_Full	21.2	17.60
n48	10	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.66	17.06
n48	10	30	3624.99	DFT	64QAM	Edge_1RB_Right	21.03	17.43
n48	10	30	3624.99	DFT	64QAM	Outer_Full	21.35	17.75
n48	10	30	3624.99	DFT	256QAM	Inner_Full	19.38	15.78

n48	10	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.92	15.32
n48	10	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.41	15.81
n48	10	30	3624.99	DFT	256QAM	Outer_Full	19.18	15.58
n48	10	30	3694.98	DFT	pi/2 BPSK	Inner_Full	23.44	19.84
n48	10	30	3694.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.16	19.56
n48	10	30	3694.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.71	19.11
n48	10	30	3694.98	DFT	pi/2 BPSK	Outer_Full	23	19.40
n48	10	30	3694.98	DFT	QPSK	Inner_Full	23.46	19.86
n48	10	30	3694.98	DFT	QPSK	Edge_1RB_Left	22.66	19.06
n48	10	30	3694.98	DFT	QPSK	Edge_1RB_Right	22.26	18.66
n48	10	30	3694.98	DFT	QPSK	Outer_Full	22.48	18.88
n48	10	30	3694.98	DFT	16QAM	Inner_Full	22.5	18.90
n48	10	30	3694.98	DFT	16QAM	Edge_1RB_Left	21.86	18.26
n48	10	30	3694.98	DFT	16QAM	Edge_1RB_Right	21.35	17.75
n48	10	30	3694.98	DFT	16QAM	Outer_Full	21.57	17.97
n48	10	30	3694.98	DFT	64QAM	Inner_Full	20.96	17.36
n48	10	30	3694.98	DFT	64QAM	Edge_1RB_Left	20.98	17.38
n48	10	30	3694.98	DFT	64QAM	Edge_1RB_Right	20.54	16.94
n48	10	30	3694.98	DFT	64QAM	Outer_Full	21.15	17.55
n48	10	30	3694.98	DFT	256QAM	Inner_Full	19.03	15.43
n48	10	30	3694.98	DFT	256QAM	Edge_1RB_Left	19.31	15.71
n48	10	30	3694.98	DFT	256QAM	Edge_1RB_Right	18.83	15.23
n48	10	30	3694.98	DFT	256QAM	Outer_Full	19.04	15.44
n48	15	30	3557.52	DFT	pi/2 BPSK	Inner_Full	22.78	19.18
n48	15	30	3557.52	DFT	pi/2 BPSK	Edge_1RB_Left	21.8	18.20
n48	15	30	3557.52	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	18.73
n48	15	30	3557.52	DFT	pi/2 BPSK	Outer_Full	22.21	18.61
n48	15	30	3557.52	DFT	QPSK	Inner_Full	22.76	19.16
n48	15	30	3557.52	DFT	QPSK	Edge_1RB_Left	21.32	17.72
n48	15	30	3557.52	DFT	QPSK	Edge_1RB_Right	21.9	18.30
n48	15	30	3557.52	DFT	QPSK	Outer_Full	21.7	18.10
n48	15	30	3557.52	DFT	16QAM	Inner_Full	21.77	18.17
n48	15	30	3557.52	DFT	16QAM	Edge_1RB_Left	20.56	16.96
n48	15	30	3557.52	DFT	16QAM	Edge_1RB_Right	21.11	17.51
n48	15	30	3557.52	DFT	16QAM	Outer_Full	20.66	17.06
n48	15	30	3557.52	DFT	64QAM	Inner_Full	20.36	16.76
n48	15	30	3557.52	DFT	64QAM	Edge_1RB_Left	19.55	15.95
n48	15	30	3557.52	DFT	64QAM	Edge_1RB_Right	20.14	16.54
n48	15	30	3557.52	DFT	64QAM	Outer_Full	20.22	16.62
n48	15	30	3557.52	DFT	256QAM	Inner_Full	18.29	14.69
n48	15	30	3557.52	DFT	256QAM	Edge_1RB_Left	17.91	14.31

n48	15	30	3557.52	DFT	256QAM	Edge_1RB_Right	18.47	14.87
n48	15	30	3557.52	DFT	256QAM	Outer_Full	18.19	14.59
n48	15	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.58	19.98
n48	15	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.67	19.07
n48	15	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.18	19.58
n48	15	30	3624.99	DFT	pi/2 BPSK	Outer_Full	23.06	19.46
n48	15	30	3624.99	DFT	QPSK	Inner_Full	23.55	19.95
n48	15	30	3624.99	DFT	QPSK	Edge_1RB_Left	22.17	18.57
n48	15	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.68	19.08
n48	15	30	3624.99	DFT	QPSK	Outer_Full	22.59	18.99
n48	15	30	3624.99	DFT	16QAM	Inner_Full	22.6	19.00
n48	15	30	3624.99	DFT	16QAM	Edge_1RB_Left	21.34	17.74
n48	15	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.96	18.36
n48	15	30	3624.99	DFT	16QAM	Outer_Full	21.55	17.95
n48	15	30	3624.99	DFT	64QAM	Inner_Full	21.23	17.63
n48	15	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.53	16.93
n48	15	30	3624.99	DFT	64QAM	Edge_1RB_Right	21.01	17.41
n48	15	30	3624.99	DFT	64QAM	Outer_Full	21.05	17.45
n48	15	30	3624.99	DFT	256QAM	Inner_Full	19.19	15.59
n48	15	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.83	15.23
n48	15	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.39	15.79
n48	15	30	3624.99	DFT	256QAM	Outer_Full	19.16	15.56
n48	15	30	3692.49	DFT	pi/2 BPSK	Inner_Full	23.54	19.94
n48	15	30	3692.49	DFT	pi/2 BPSK	Edge_1RB_Left	23.29	19.69
n48	15	30	3692.49	DFT	pi/2 BPSK	Edge_1RB_Right	22.68	19.08
n48	15	30	3692.49	DFT	pi/2 BPSK	Outer_Full	23.08	19.48
n48	15	30	3692.49	DFT	QPSK	Inner_Full	23.59	19.99
n48	15	30	3692.49	DFT	QPSK	Edge_1RB_Left	22.85	19.25
n48	15	30	3692.49	DFT	QPSK	Edge_1RB_Right	22.21	18.61
n48	15	30	3692.49	DFT	QPSK	Outer_Full	22.58	18.98
n48	15	30	3692.49	DFT	16QAM	Inner_Full	22.62	19.02
n48	15	30	3692.49	DFT	16QAM	Edge_1RB_Left	22.04	18.44
n48	15	30	3692.49	DFT	16QAM	Edge_1RB_Right	21.48	17.88
n48	15	30	3692.49	DFT	16QAM	Outer_Full	21.54	17.94
n48	15	30	3692.49	DFT	64QAM	Inner_Full	21.14	17.54
n48	15	30	3692.49	DFT	64QAM	Edge_1RB_Left	21.18	17.58
n48	15	30	3692.49	DFT	64QAM	Edge_1RB_Right	20.57	16.97
n48	15	30	3692.49	DFT	64QAM	Outer_Full	21.07	17.47
n48	15	30	3692.49	DFT	256QAM	Inner_Full	19.13	15.53
n48	15	30	3692.49	DFT	256QAM	Edge_1RB_Left	19.49	15.89
n48	15	30	3692.49	DFT	256QAM	Edge_1RB_Right	18.84	15.24

n48	15	30	3692.49	DFT	256QAM	Outer_Full	19.13	15.53
n48	20	30	3560.01	DFT	pi/2 BPSK	Inner_Full	22.85	19.25
n48	20	30	3560.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.83	18.23
n48	20	30	3560.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.2	18.60
n48	20	30	3560.01	DFT	pi/2 BPSK	Outer_Full	22.29	18.69
n48	20	30	3560.01	DFT	QPSK	Inner_Full	22.87	19.27
n48	20	30	3560.01	DFT	QPSK	Edge_1RB_Left	21.36	17.76
n48	20	30	3560.01	DFT	QPSK	Edge_1RB_Right	21.72	18.12
n48	20	30	3560.01	DFT	QPSK	Outer_Full	21.81	18.21
n48	20	30	3560.01	DFT	16QAM	Inner_Full	21.88	18.28
n48	20	30	3560.01	DFT	16QAM	Edge_1RB_Left	20.39	16.79
n48	20	30	3560.01	DFT	16QAM	Edge_1RB_Right	20.97	17.37
n48	20	30	3560.01	DFT	16QAM	Outer_Full	20.77	17.17
n48	20	30	3560.01	DFT	64QAM	Inner_Full	20.36	16.76
n48	20	30	3560.01	DFT	64QAM	Edge_1RB_Left	19.54	15.94
n48	20	30	3560.01	DFT	64QAM	Edge_1RB_Right	19.91	16.31
n48	20	30	3560.01	DFT	64QAM	Outer_Full	20.26	16.66
n48	20	30	3560.01	DFT	256QAM	Inner_Full	18.4	14.80
n48	20	30	3560.01	DFT	256QAM	Edge_1RB_Left	17.92	14.32
n48	20	30	3560.01	DFT	256QAM	Edge_1RB_Right	18.36	14.76
n48	20	30	3560.01	DFT	256QAM	Outer_Full	18.26	14.66
n48	20	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.62	20.02
n48	20	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	18.96
n48	20	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.14	19.54
n48	20	30	3624.99	DFT	pi/2 BPSK	Outer_Full	23.09	19.49
n48	20	30	3624.99	DFT	QPSK	Inner_Full	23.67	20.07
n48	20	30	3624.99	DFT	QPSK	Edge_1RB_Left	22.11	18.51
n48	20	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.64	19.04
n48	20	30	3624.99	DFT	QPSK	Outer_Full	22.59	18.99
n48	20	30	3624.99	DFT	16QAM	Inner_Full	22.68	19.08
n48	20	30	3624.99	DFT	16QAM	Edge_1RB_Left	21.31	17.71
n48	20	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.76	18.16
n48	20	30	3624.99	DFT	16QAM	Outer_Full	21.57	17.97
n48	20	30	3624.99	DFT	64QAM	Inner_Full	21.15	17.55
n48	20	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.33	16.73
n48	20	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.88	17.28
n48	20	30	3624.99	DFT	64QAM	Outer_Full	21.03	17.43
n48	20	30	3624.99	DFT	256QAM	Inner_Full	19.13	15.53
n48	20	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.73	15.13
n48	20	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.32	15.72
n48	20	30	3624.99	DFT	256QAM	Outer_Full	19.08	15.48

n48	20	30	3690	DFT	pi/2 BPSK	Inner_Full	23.68	20.08
n48	20	30	3690	DFT	pi/2 BPSK	Edge_1RB_Left	23.48	19.88
n48	20	30	3690	DFT	pi/2 BPSK	Edge_1RB_Right	22.59	18.99
n48	20	30	3690	DFT	pi/2 BPSK	Outer_Full	23.16	19.56
n48	20	30	3690	DFT	QPSK	Inner_Full	23.71	20.11
n48	20	30	3690	DFT	QPSK	Edge_1RB_Left	23.02	19.42
n48	20	30	3690	DFT	QPSK	Edge_1RB_Right	22.13	18.53
n48	20	30	3690	DFT	QPSK	Outer_Full	22.65	19.05
n48	20	30	3690	DFT	16QAM	Inner_Full	22.68	19.08
n48	20	30	3690	DFT	16QAM	Edge_1RB_Left	22.15	18.55
n48	20	30	3690	DFT	16QAM	Edge_1RB_Right	21.42	17.82
n48	20	30	3690	DFT	16QAM	Outer_Full	21.63	18.03
n48	20	30	3690	DFT	64QAM	Inner_Full	21.2	17.60
n48	20	30	3690	DFT	64QAM	Edge_1RB_Left	21.38	17.78
n48	20	30	3690	DFT	64QAM	Edge_1RB_Right	20.52	16.92
n48	20	30	3690	DFT	64QAM	Outer_Full	21.13	17.53
n48	20	30	3690	DFT	256QAM	Inner_Full	19.13	15.53
n48	20	30	3690	DFT	256QAM	Edge_1RB_Left	19.6	16.00
n48	20	30	3690	DFT	256QAM	Edge_1RB_Right	18.75	15.15
n48	20	30	3690	DFT	256QAM	Outer_Full	19.18	15.58
n48	30	30	3565.02	DFT	pi/2 BPSK	Inner_Full	22.79	19.19
n48	30	30	3565.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.74	18.14
n48	30	30	3565.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.73	18.13
n48	30	30	3565.02	DFT	pi/2 BPSK	Outer_Full	22.15	18.55
n48	30	30	3565.02	DFT	QPSK	Inner_Full	22.8	19.20
n48	30	30	3565.02	DFT	QPSK	Edge_1RB_Left	21.23	17.63
n48	30	30	3565.02	DFT	QPSK	Edge_1RB_Right	21.18	17.58
n48	30	30	3565.02	DFT	QPSK	Outer_Full	21.63	18.03
n48	30	30	3565.02	DFT	16QAM	Inner_Full	21.79	18.19
n48	30	30	3565.02	DFT	16QAM	Edge_1RB_Left	20.36	16.76
n48	30	30	3565.02	DFT	16QAM	Edge_1RB_Right	20.34	16.74
n48	30	30	3565.02	DFT	16QAM	Outer_Full	20.66	17.06
n48	30	30	3565.02	DFT	64QAM	Inner_Full	20.26	16.66
n48	30	30	3565.02	DFT	64QAM	Edge_1RB_Left	19.42	15.82
n48	30	30	3565.02	DFT	64QAM	Edge_1RB_Right	19.39	15.79
n48	30	30	3565.02	DFT	64QAM	Outer_Full	20.16	16.56
n48	30	30	3565.02	DFT	256QAM	Inner_Full	18.34	14.74
n48	30	30	3565.02	DFT	256QAM	Edge_1RB_Left	17.81	14.21
n48	30	30	3565.02	DFT	256QAM	Edge_1RB_Right	17.89	14.29
n48	30	30	3565.02	DFT	256QAM	Outer_Full	18.18	14.58
n48	30	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.54	19.94

n48	30	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	18.68
n48	30	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.68	19.08
n48	30	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.93	19.33
n48	30	30	3624.99	DFT	QPSK	Inner_Full	23.58	19.98
n48	30	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.88	18.28
n48	30	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.16	18.56
n48	30	30	3624.99	DFT	QPSK	Outer_Full	22.45	18.85
n48	30	30	3624.99	DFT	16QAM	Inner_Full	22.56	18.96
n48	30	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.96	17.36
n48	30	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.34	17.74
n48	30	30	3624.99	DFT	16QAM	Outer_Full	21.42	17.82
n48	30	30	3624.99	DFT	64QAM	Inner_Full	21.05	17.45
n48	30	30	3624.99	DFT	64QAM	Edge_1RB_Left	20.08	16.48
n48	30	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.5	16.90
n48	30	30	3624.99	DFT	64QAM	Outer_Full	20.98	17.38
n48	30	30	3624.99	DFT	256QAM	Inner_Full	19.07	15.47
n48	30	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.34	14.74
n48	30	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.85	15.25
n48	30	30	3624.99	DFT	256QAM	Outer_Full	18.94	15.34
n48	30	30	3684.99	DFT	pi/2 BPSK	Inner_Full	23.98	20.38
n48	30	30	3684.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.48	19.88
n48	30	30	3684.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.6	19.00
n48	30	30	3684.99	DFT	pi/2 BPSK	Outer_Full	23.38	19.78
n48	30	30	3684.99	DFT	QPSK	Inner_Full	23.94	20.34
n48	30	30	3684.99	DFT	QPSK	Edge_1RB_Left	22.97	19.37
n48	30	30	3684.99	DFT	QPSK	Edge_1RB_Right	22.14	18.54
n48	30	30	3684.99	DFT	QPSK	Outer_Full	22.94	19.34
n48	30	30	3684.99	DFT	16QAM	Inner_Full	23	19.40
n48	30	30	3684.99	DFT	16QAM	Edge_1RB_Left	22.21	18.61
n48	30	30	3684.99	DFT	16QAM	Edge_1RB_Right	21.49	17.89
n48	30	30	3684.99	DFT	16QAM	Outer_Full	21.89	18.29
n48	30	30	3684.99	DFT	64QAM	Inner_Full	21.46	17.86
n48	30	30	3684.99	DFT	64QAM	Edge_1RB_Left	21.38	17.78
n48	30	30	3684.99	DFT	64QAM	Edge_1RB_Right	20.48	16.88
n48	30	30	3684.99	DFT	64QAM	Outer_Full	21.5	17.90
n48	30	30	3684.99	DFT	256QAM	Inner_Full	19.53	15.93
n48	30	30	3684.99	DFT	256QAM	Edge_1RB_Left	19.69	16.09
n48	30	30	3684.99	DFT	256QAM	Edge_1RB_Right	18.78	15.18
n48	30	30	3684.99	DFT	256QAM	Outer_Full	19.46	15.86
n48	40	30	3570	DFT	pi/2 BPSK	Inner_Full	22.69	19.09
n48	40	30	3570	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	18.11

n48	40	30	3570	DFT	pi/2 BPSK	Edge_1RB_Right	21.99	18.39
n48	40	30	3570	DFT	pi/2 BPSK	Outer_Full	22.08	18.48
n48	40	30	3570	DFT	QPSK	Inner_Full	22.71	19.11
n48	40	30	3570	DFT	QPSK	Edge_1RB_Left	21.3	17.70
n48	40	30	3570	DFT	QPSK	Edge_1RB_Right	21.46	17.86
n48	40	30	3570	DFT	QPSK	Outer_Full	21.61	18.01
n48	40	30	3570	DFT	16QAM	Inner_Full	21.72	18.12
n48	40	30	3570	DFT	16QAM	Edge_1RB_Left	20.48	16.88
n48	40	30	3570	DFT	16QAM	Edge_1RB_Right	20.69	17.09
n48	40	30	3570	DFT	16QAM	Outer_Full	20.65	17.05
n48	40	30	3570	DFT	64QAM	Inner_Full	20.27	16.67
n48	40	30	3570	DFT	64QAM	Edge_1RB_Left	19.41	15.81
n48	40	30	3570	DFT	64QAM	Edge_1RB_Right	19.68	16.08
n48	40	30	3570	DFT	64QAM	Outer_Full	20.2	16.60
n48	40	30	3570	DFT	256QAM	Inner_Full	18.22	14.62
n48	40	30	3570	DFT	256QAM	Edge_1RB_Left	17.81	14.21
n48	40	30	3570	DFT	256QAM	Edge_1RB_Right	18.09	14.49
n48	40	30	3570	DFT	256QAM	Outer_Full	18.15	14.55
n48	40	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.44	19.84
n48	40	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.19	18.59
n48	40	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	18.69
n48	40	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.82	19.22
n48	40	30	3624.99	DFT	QPSK	Inner_Full	23.41	19.81
n48	40	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.74	18.14
n48	40	30	3624.99	DFT	QPSK	Edge_1RB_Right	21.78	18.18
n48	40	30	3624.99	DFT	QPSK	Outer_Full	22.32	18.72
n48	40	30	3624.99	DFT	16QAM	Inner_Full	22.48	18.88
n48	40	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.76	17.16
n48	40	30	3624.99	DFT	16QAM	Edge_1RB_Right	20.96	17.36
n48	40	30	3624.99	DFT	16QAM	Outer_Full	21.34	17.74
n48	40	30	3624.99	DFT	64QAM	Inner_Full	20.98	17.38
n48	40	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.93	16.33
n48	40	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.11	16.51
n48	40	30	3624.99	DFT	64QAM	Outer_Full	20.85	17.25
n48	40	30	3624.99	DFT	256QAM	Inner_Full	19.01	15.41
n48	40	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.32	14.72
n48	40	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.48	14.88
n48	40	30	3624.99	DFT	256QAM	Outer_Full	18.79	15.19
n48	40	30	3679.98	DFT	pi/2 BPSK	Inner_Full	23.96	20.36
n48	40	30	3679.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.6	19.00
n48	40	30	3679.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	18.87

n48	40	30	3679.98	DFT	pi/2 BPSK	Outer_Full	23.27	19.67
n48	40	30	3679.98	DFT	QPSK	Inner_Full	23.98	20.38
n48	40	30	3679.98	DFT	QPSK	Edge_1RB_Left	22.15	18.55
n48	40	30	3679.98	DFT	QPSK	Edge_1RB_Right	22	18.40
n48	40	30	3679.98	DFT	QPSK	Outer_Full	22.75	19.15
n48	40	30	3679.98	DFT	16QAM	Inner_Full	23	19.40
n48	40	30	3679.98	DFT	16QAM	Edge_1RB_Left	21.3	17.70
n48	40	30	3679.98	DFT	16QAM	Edge_1RB_Right	21.19	17.59
n48	40	30	3679.98	DFT	16QAM	Outer_Full	21.78	18.18
n48	40	30	3679.98	DFT	64QAM	Inner_Full	21.57	17.97
n48	40	30	3679.98	DFT	64QAM	Edge_1RB_Left	20.48	16.88
n48	40	30	3679.98	DFT	64QAM	Edge_1RB_Right	20.36	16.76
n48	40	30	3679.98	DFT	64QAM	Outer_Full	21.28	17.68
n48	40	30	3679.98	DFT	256QAM	Inner_Full	19.51	15.91
n48	40	30	3679.98	DFT	256QAM	Edge_1RB_Left	18.79	15.19
n48	40	30	3679.98	DFT	256QAM	Edge_1RB_Right	18.66	15.06
n48	40	30	3679.98	DFT	256QAM	Outer_Full	19.28	15.68
n48	50	30	3575.01	DFT	pi/2 BPSK	Inner_Full	22.53	18.93
n48	50	30	3575.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.66	18.06
n48	50	30	3575.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.06	18.46
n48	50	30	3575.01	DFT	pi/2 BPSK	Outer_Full	22.01	18.41
n48	50	30	3575.01	DFT	QPSK	Inner_Full	22.53	18.93
n48	50	30	3575.01	DFT	QPSK	Edge_1RB_Left	21.17	17.57
n48	50	30	3575.01	DFT	QPSK	Edge_1RB_Right	21.56	17.96
n48	50	30	3575.01	DFT	QPSK	Outer_Full	21.51	17.91
n48	50	30	3575.01	DFT	16QAM	Inner_Full	21.47	17.87
n48	50	30	3575.01	DFT	16QAM	Edge_1RB_Left	20.26	16.66
n48	50	30	3575.01	DFT	16QAM	Edge_1RB_Right	20.81	17.21
n48	50	30	3575.01	DFT	16QAM	Outer_Full	20.52	16.92
n48	50	30	3575.01	DFT	64QAM	Inner_Full	20.07	16.47
n48	50	30	3575.01	DFT	64QAM	Edge_1RB_Left	19.38	15.78
n48	50	30	3575.01	DFT	64QAM	Edge_1RB_Right	19.89	16.29
n48	50	30	3575.01	DFT	64QAM	Outer_Full	20.02	16.42
n48	50	30	3575.01	DFT	256QAM	Inner_Full	18.08	14.48
n48	50	30	3575.01	DFT	256QAM	Edge_1RB_Left	17.74	14.14
n48	50	30	3575.01	DFT	256QAM	Edge_1RB_Right	18.25	14.65
n48	50	30	3575.01	DFT	256QAM	Outer_Full	18.05	14.45
n48	50	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.44	19.84
n48	50	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.1	18.50
n48	50	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.11	18.51
n48	50	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.69	19.09

n48	50	30	3624.99	DFT	QPSK	Inner_Full	23.44	19.84
n48	50	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.59	17.99
n48	50	30	3624.99	DFT	QPSK	Edge_1RB_Right	21.58	17.98
n48	50	30	3624.99	DFT	QPSK	Outer_Full	22.2	18.60
n48	50	30	3624.99	DFT	16QAM	Inner_Full	22.41	18.81
n48	50	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.78	17.18
n48	50	30	3624.99	DFT	16QAM	Edge_1RB_Right	20.94	17.34
n48	50	30	3624.99	DFT	16QAM	Outer_Full	21.21	17.61
n48	50	30	3624.99	DFT	64QAM	Inner_Full	20.98	17.38
n48	50	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.97	16.37
n48	50	30	3624.99	DFT	64QAM	Edge_1RB_Right	19.95	16.35
n48	50	30	3624.99	DFT	64QAM	Outer_Full	20.73	17.13
n48	50	30	3624.99	DFT	256QAM	Inner_Full	18.97	15.37
n48	50	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.24	14.64
n48	50	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.28	14.68
n48	50	30	3624.99	DFT	256QAM	Outer_Full	18.79	15.19
n48	50	30	3675	DFT	pi/2 BPSK	Inner_Full	23.93	20.33
n48	50	30	3675	DFT	pi/2 BPSK	Edge_1RB_Left	21.94	18.34
n48	50	30	3675	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	18.73
n48	50	30	3675	DFT	pi/2 BPSK	Outer_Full	23.06	19.46
n48	50	30	3675	DFT	QPSK	Inner_Full	23.91	20.31
n48	50	30	3675	DFT	QPSK	Edge_1RB_Left	21.51	17.91
n48	50	30	3675	DFT	QPSK	Edge_1RB_Right	21.91	18.31
n48	50	30	3675	DFT	QPSK	Outer_Full	22.57	18.97
n48	50	30	3675	DFT	16QAM	Inner_Full	22.84	19.24
n48	50	30	3675	DFT	16QAM	Edge_1RB_Left	20.66	17.06
n48	50	30	3675	DFT	16QAM	Edge_1RB_Right	21.07	17.47
n48	50	30	3675	DFT	16QAM	Outer_Full	21.58	17.98
n48	50	30	3675	DFT	64QAM	Inner_Full	21.4	17.80
n48	50	30	3675	DFT	64QAM	Edge_1RB_Left	19.81	16.21
n48	50	30	3675	DFT	64QAM	Edge_1RB_Right	20.17	16.57
n48	50	30	3675	DFT	64QAM	Outer_Full	21.07	17.47
n48	50	30	3675	DFT	256QAM	Inner_Full	19.43	15.83
n48	50	30	3675	DFT	256QAM	Edge_1RB_Left	18.15	14.55
n48	50	30	3675	DFT	256QAM	Edge_1RB_Right	18.53	14.93
n48	50	30	3675	DFT	256QAM	Outer_Full	19.12	15.52
n48	60	30	3580.02	DFT	pi/2 BPSK	Inner_Full	22.43	18.83
n48	60	30	3580.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.63	18.03
n48	60	30	3580.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.16	18.56
n48	60	30	3580.02	DFT	pi/2 BPSK	Outer_Full	22.07	18.47
n48	60	30	3580.02	DFT	QPSK	Inner_Full	22.47	18.87

n48	60	30	3580.02	DFT	QPSK	Edge_1RB_Left	21.2	17.60
n48	60	30	3580.02	DFT	QPSK	Edge_1RB_Right	21.64	18.04
n48	60	30	3580.02	DFT	QPSK	Outer_Full	21.63	18.03
n48	60	30	3580.02	DFT	16QAM	Inner_Full	21.49	17.89
n48	60	30	3580.02	DFT	16QAM	Edge_1RB_Left	20.41	16.81
n48	60	30	3580.02	DFT	16QAM	Edge_1RB_Right	20.92	17.32
n48	60	30	3580.02	DFT	16QAM	Outer_Full	20.59	16.99
n48	60	30	3580.02	DFT	64QAM	Inner_Full	20.02	16.42
n48	60	30	3580.02	DFT	64QAM	Edge_1RB_Left	19.38	15.78
n48	60	30	3580.02	DFT	64QAM	Edge_1RB_Right	19.99	16.39
n48	60	30	3580.02	DFT	64QAM	Outer_Full	20.09	16.49
n48	60	30	3580.02	DFT	256QAM	Inner_Full	17.99	14.39
n48	60	30	3580.02	DFT	256QAM	Edge_1RB_Left	17.75	14.15
n48	60	30	3580.02	DFT	256QAM	Edge_1RB_Right	18.33	14.73
n48	60	30	3580.02	DFT	256QAM	Outer_Full	18.11	14.51
n48	60	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.31	19.71
n48	60	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	18.42
n48	60	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.15	18.55
n48	60	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.58	18.98
n48	60	30	3624.99	DFT	QPSK	Inner_Full	23.35	19.75
n48	60	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.54	17.94
n48	60	30	3624.99	DFT	QPSK	Edge_1RB_Right	21.67	18.07
n48	60	30	3624.99	DFT	QPSK	Outer_Full	22.1	18.50
n48	60	30	3624.99	DFT	16QAM	Inner_Full	22.33	18.73
n48	60	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.67	17.07
n48	60	30	3624.99	DFT	16QAM	Edge_1RB_Right	20.99	17.39
n48	60	30	3624.99	DFT	16QAM	Outer_Full	21.08	17.48
n48	60	30	3624.99	DFT	64QAM	Inner_Full	20.92	17.32
n48	60	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.78	16.18
n48	60	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.05	16.45
n48	60	30	3624.99	DFT	64QAM	Outer_Full	20.61	17.01
n48	60	30	3624.99	DFT	256QAM	Inner_Full	18.82	15.22
n48	60	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.11	14.51
n48	60	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.38	14.78
n48	60	30	3624.99	DFT	256QAM	Outer_Full	18.62	15.02
n48	60	30	3669.99	DFT	pi/2 BPSK	Inner_Full	23.71	20.11
n48	60	30	3669.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	18.68
n48	60	30	3669.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.44	18.84
n48	60	30	3669.99	DFT	pi/2 BPSK	Outer_Full	22.93	19.33
n48	60	30	3669.99	DFT	QPSK	Inner_Full	23.72	20.12
n48	60	30	3669.99	DFT	QPSK	Edge_1RB_Left	21.82	18.22

n48	60	30	3669.99	DFT	QPSK	Edge_1RB_Right	21.98	18.38
n48	60	30	3669.99	DFT	QPSK	Outer_Full	22.4	18.80
n48	60	30	3669.99	DFT	16QAM	Inner_Full	22.73	19.13
n48	60	30	3669.99	DFT	16QAM	Edge_1RB_Left	20.93	17.33
n48	60	30	3669.99	DFT	16QAM	Edge_1RB_Right	21.17	17.57
n48	60	30	3669.99	DFT	16QAM	Outer_Full	21.4	17.80
n48	60	30	3669.99	DFT	64QAM	Inner_Full	21.28	17.68
n48	60	30	3669.99	DFT	64QAM	Edge_1RB_Left	20.1	16.50
n48	60	30	3669.99	DFT	64QAM	Edge_1RB_Right	20.4	16.80
n48	60	30	3669.99	DFT	64QAM	Outer_Full	20.94	17.34
n48	60	30	3669.99	DFT	256QAM	Inner_Full	19.31	15.71
n48	60	30	3669.99	DFT	256QAM	Edge_1RB_Left	18.45	14.85
n48	60	30	3669.99	DFT	256QAM	Edge_1RB_Right	18.62	15.02
n48	60	30	3669.99	DFT	256QAM	Outer_Full	18.95	15.35
n48	70	30	3585	DFT	pi/2 BPSK	Inner_Full	22.45	18.85
n48	70	30	3585	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	18.11
n48	70	30	3585	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	18.87
n48	70	30	3585	DFT	pi/2 BPSK	Outer_Full	22.08	18.48
n48	70	30	3585	DFT	QPSK	Inner_Full	22.49	18.89
n48	70	30	3585	DFT	QPSK	Edge_1RB_Left	21.19	17.59
n48	70	30	3585	DFT	QPSK	Edge_1RB_Right	22.01	18.41
n48	70	30	3585	DFT	QPSK	Outer_Full	21.59	17.99
n48	70	30	3585	DFT	16QAM	Inner_Full	21.52	17.92
n48	70	30	3585	DFT	16QAM	Edge_1RB_Left	20.52	16.92
n48	70	30	3585	DFT	16QAM	Edge_1RB_Right	21.12	17.52
n48	70	30	3585	DFT	16QAM	Outer_Full	20.61	17.01
n48	70	30	3585	DFT	64QAM	Inner_Full	20	16.40
n48	70	30	3585	DFT	64QAM	Edge_1RB_Left	19.4	15.80
n48	70	30	3585	DFT	64QAM	Edge_1RB_Right	20.33	16.73
n48	70	30	3585	DFT	64QAM	Outer_Full	20.13	16.53
n48	70	30	3585	DFT	256QAM	Inner_Full	18.06	14.46
n48	70	30	3585	DFT	256QAM	Edge_1RB_Left	17.83	14.23
n48	70	30	3585	DFT	256QAM	Edge_1RB_Right	18.68	15.08
n48	70	30	3585	DFT	256QAM	Outer_Full	18.17	14.57
n48	70	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.35	19.75
n48	70	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	18.42
n48	70	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	18.92
n48	70	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.58	18.98
n48	70	30	3624.99	DFT	QPSK	Inner_Full	23.33	19.73
n48	70	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.49	17.89
n48	70	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.04	18.44

n48	70	30	3624.99	DFT	QPSK	Outer_Full	22.09	18.49
n48	70	30	3624.99	DFT	16QAM	Inner_Full	22.38	18.78
n48	70	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.6	17.00
n48	70	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.28	17.68
n48	70	30	3624.99	DFT	16QAM	Outer_Full	21.1	17.50
n48	70	30	3624.99	DFT	64QAM	Inner_Full	20.86	17.26
n48	70	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.72	16.12
n48	70	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.43	16.83
n48	70	30	3624.99	DFT	64QAM	Outer_Full	20.64	17.04
n48	70	30	3624.99	DFT	256QAM	Inner_Full	18.93	15.33
n48	70	30	3624.99	DFT	256QAM	Edge_1RB_Left	18.14	14.54
n48	70	30	3624.99	DFT	256QAM	Edge_1RB_Right	18.72	15.12
n48	70	30	3624.99	DFT	256QAM	Outer_Full	18.62	15.02
n48	70	30	3664.98	DFT	pi/2 BPSK	Inner_Full	23.53	19.93
n48	70	30	3664.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.01	19.41
n48	70	30	3664.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	18.92
n48	70	30	3664.98	DFT	pi/2 BPSK	Outer_Full	23.06	19.46
n48	70	30	3664.98	DFT	QPSK	Inner_Full	23.56	19.96
n48	70	30	3664.98	DFT	QPSK	Edge_1RB_Left	22.52	18.92
n48	70	30	3664.98	DFT	QPSK	Edge_1RB_Right	22.04	18.44
n48	70	30	3664.98	DFT	QPSK	Outer_Full	22.5	18.90
n48	70	30	3664.98	DFT	16QAM	Inner_Full	22.62	19.02
n48	70	30	3664.98	DFT	16QAM	Edge_1RB_Left	21.81	18.21
n48	70	30	3664.98	DFT	16QAM	Edge_1RB_Right	21.28	17.68
n48	70	30	3664.98	DFT	16QAM	Outer_Full	21.57	17.97
n48	70	30	3664.98	DFT	64QAM	Inner_Full	21.11	17.51
n48	70	30	3664.98	DFT	64QAM	Edge_1RB_Left	20.86	17.26
n48	70	30	3664.98	DFT	64QAM	Edge_1RB_Right	20.45	16.85
n48	70	30	3664.98	DFT	64QAM	Outer_Full	21.04	17.44
n48	70	30	3664.98	DFT	256QAM	Inner_Full	19.14	15.54
n48	70	30	3664.98	DFT	256QAM	Edge_1RB_Left	19.19	15.59
n48	70	30	3664.98	DFT	256QAM	Edge_1RB_Right	18.7	15.10
n48	70	30	3664.98	DFT	256QAM	Outer_Full	19.1	15.50
n48	80	30	3590.01	DFT	pi/2 BPSK	Inner_Full	22.6	19.00
n48	80	30	3590.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.78	18.18
n48	80	30	3590.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.09	19.49
n48	80	30	3590.01	DFT	pi/2 BPSK	Outer_Full	22.25	18.65
n48	80	30	3590.01	DFT	QPSK	Inner_Full	22.62	19.02
n48	80	30	3590.01	DFT	QPSK	Edge_1RB_Left	21.27	17.67
n48	80	30	3590.01	DFT	QPSK	Edge_1RB_Right	22.61	19.01
n48	80	30	3590.01	DFT	QPSK	Outer_Full	21.74	18.14

n48	80	30	3590.01	DFT	16QAM	Inner_Full	21.65	18.05
n48	80	30	3590.01	DFT	16QAM	Edge_1RB_Left	20.55	16.95
n48	80	30	3590.01	DFT	16QAM	Edge_1RB_Right	21.76	18.16
n48	80	30	3590.01	DFT	16QAM	Outer_Full	20.77	17.17
n48	80	30	3590.01	DFT	64QAM	Inner_Full	20.21	16.61
n48	80	30	3590.01	DFT	64QAM	Edge_1RB_Left	19.46	15.86
n48	80	30	3590.01	DFT	64QAM	Edge_1RB_Right	20.92	17.32
n48	80	30	3590.01	DFT	64QAM	Outer_Full	20.29	16.69
n48	80	30	3590.01	DFT	256QAM	Inner_Full	18.17	14.57
n48	80	30	3590.01	DFT	256QAM	Edge_1RB_Left	17.96	14.36
n48	80	30	3590.01	DFT	256QAM	Edge_1RB_Right	19.31	15.71
n48	80	30	3590.01	DFT	256QAM	Outer_Full	18.34	14.74
n48	80	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.24	19.64
n48	80	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.74	18.14
n48	80	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.01	19.41
n48	80	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.57	18.97
n48	80	30	3624.99	DFT	QPSK	Inner_Full	23.28	19.68
n48	80	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.33	17.73
n48	80	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.53	18.93
n48	80	30	3624.99	DFT	QPSK	Outer_Full	22.09	18.49
n48	80	30	3624.99	DFT	16QAM	Inner_Full	22.32	18.72
n48	80	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.37	16.77
n48	80	30	3624.99	DFT	16QAM	Edge_1RB_Right	21.85	18.25
n48	80	30	3624.99	DFT	16QAM	Outer_Full	21.08	17.48
n48	80	30	3624.99	DFT	64QAM	Inner_Full	20.84	17.24
n48	80	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.49	15.89
n48	80	30	3624.99	DFT	64QAM	Edge_1RB_Right	20.88	17.28
n48	80	30	3624.99	DFT	64QAM	Outer_Full	20.63	17.03
n48	80	30	3624.99	DFT	256QAM	Inner_Full	18.8	15.20
n48	80	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.94	14.34
n48	80	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.23	15.63
n48	80	30	3624.99	DFT	256QAM	Outer_Full	18.64	15.04
n48	80	30	3660	DFT	pi/2 BPSK	Inner_Full	23.4	19.80
n48	80	30	3660	DFT	pi/2 BPSK	Edge_1RB_Left	22.69	19.09
n48	80	30	3660	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	18.92
n48	80	30	3660	DFT	pi/2 BPSK	Outer_Full	23	19.40
n48	80	30	3660	DFT	QPSK	Inner_Full	23.43	19.83
n48	80	30	3660	DFT	QPSK	Edge_1RB_Left	22.21	18.61
n48	80	30	3660	DFT	QPSK	Edge_1RB_Right	22.04	18.44
n48	80	30	3660	DFT	QPSK	Outer_Full	22.5	18.90
n48	80	30	3660	DFT	16QAM	Inner_Full	22.44	18.84

n48	80	30	3660	DFT	16QAM	Edge_1RB_Left	21.34	17.74
n48	80	30	3660	DFT	16QAM	Edge_1RB_Right	21.27	17.67
n48	80	30	3660	DFT	16QAM	Outer_Full	21.49	17.89
n48	80	30	3660	DFT	64QAM	Inner_Full	20.93	17.33
n48	80	30	3660	DFT	64QAM	Edge_1RB_Left	20.51	16.91
n48	80	30	3660	DFT	64QAM	Edge_1RB_Right	20.36	16.76
n48	80	30	3660	DFT	64QAM	Outer_Full	20.95	17.35
n48	80	30	3660	DFT	256QAM	Inner_Full	18.99	15.39
n48	80	30	3660	DFT	256QAM	Edge_1RB_Left	18.79	15.19
n48	80	30	3660	DFT	256QAM	Edge_1RB_Right	18.7	15.10
n48	80	30	3660	DFT	256QAM	Outer_Full	19.05	15.45
n48	90	30	3595.02	DFT	pi/2 BPSK	Inner_Full	22.51	18.91
n48	90	30	3595.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.72	18.12
n48	90	30	3595.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.5	18.90
n48	90	30	3595.02	DFT	pi/2 BPSK	Outer_Full	22.29	18.69
n48	90	30	3595.02	DFT	QPSK	Inner_Full	22.57	18.97
n48	90	30	3595.02	DFT	QPSK	Edge_1RB_Left	21.21	17.61
n48	90	30	3595.02	DFT	QPSK	Edge_1RB_Right	22.03	18.43
n48	90	30	3595.02	DFT	QPSK	Outer_Full	21.8	18.20
n48	90	30	3595.02	DFT	16QAM	Inner_Full	21.6	18.00
n48	90	30	3595.02	DFT	16QAM	Edge_1RB_Left	20.37	16.77
n48	90	30	3595.02	DFT	16QAM	Edge_1RB_Right	21.19	17.59
n48	90	30	3595.02	DFT	16QAM	Outer_Full	20.85	17.25
n48	90	30	3595.02	DFT	64QAM	Inner_Full	20.11	16.51
n48	90	30	3595.02	DFT	64QAM	Edge_1RB_Left	19.49	15.89
n48	90	30	3595.02	DFT	64QAM	Edge_1RB_Right	20.27	16.67
n48	90	30	3595.02	DFT	64QAM	Outer_Full	20.31	16.71
n48	90	30	3595.02	DFT	256QAM	Inner_Full	18.13	14.53
n48	90	30	3595.02	DFT	256QAM	Edge_1RB_Left	17.82	14.22
n48	90	30	3595.02	DFT	256QAM	Edge_1RB_Right	18.68	15.08
n48	90	30	3595.02	DFT	256QAM	Outer_Full	18.34	14.74
n48	90	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.24	19.64
n48	90	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.66	18.06
n48	90	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.3	19.70
n48	90	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.58	18.98
n48	90	30	3624.99	DFT	QPSK	Inner_Full	23.28	19.68
n48	90	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.24	17.64
n48	90	30	3624.99	DFT	QPSK	Edge_1RB_Right	22.9	19.30
n48	90	30	3624.99	DFT	QPSK	Outer_Full	22.08	18.48
n48	90	30	3624.99	DFT	16QAM	Inner_Full	22.3	18.70
n48	90	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.3	16.70

n48	90	30	3624.99	DFT	16QAM	Edge_1RB_Right	22.03	18.43
n48	90	30	3624.99	DFT	16QAM	Outer_Full	21.1	17.50
n48	90	30	3624.99	DFT	64QAM	Inner_Full	20.78	17.18
n48	90	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.34	15.74
n48	90	30	3624.99	DFT	64QAM	Edge_1RB_Right	21.21	17.61
n48	90	30	3624.99	DFT	64QAM	Outer_Full	20.61	17.01
n48	90	30	3624.99	DFT	256QAM	Inner_Full	18.85	15.25
n48	90	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.79	14.19
n48	90	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.6	16.00
n48	90	30	3624.99	DFT	256QAM	Outer_Full	18.65	15.05
n48	90	30	3654.99	DFT	pi/2 BPSK	Inner_Full	23.4	19.80
n48	90	30	3654.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	18.57
n48	90	30	3654.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.49	18.89
n48	90	30	3654.99	DFT	pi/2 BPSK	Outer_Full	23.01	19.41
n48	90	30	3654.99	DFT	QPSK	Inner_Full	23.41	19.81
n48	90	30	3654.99	DFT	QPSK	Edge_1RB_Left	21.76	18.16
n48	90	30	3654.99	DFT	QPSK	Edge_1RB_Right	22.06	18.46
n48	90	30	3654.99	DFT	QPSK	Outer_Full	22.52	18.92
n48	90	30	3654.99	DFT	16QAM	Inner_Full	22.43	18.83
n48	90	30	3654.99	DFT	16QAM	Edge_1RB_Left	20.8	17.20
n48	90	30	3654.99	DFT	16QAM	Edge_1RB_Right	21.33	17.73
n48	90	30	3654.99	DFT	16QAM	Outer_Full	21.57	17.97
n48	90	30	3654.99	DFT	64QAM	Inner_Full	20.93	17.33
n48	90	30	3654.99	DFT	64QAM	Edge_1RB_Left	19.95	16.35
n48	90	30	3654.99	DFT	64QAM	Edge_1RB_Right	20.39	16.79
n48	90	30	3654.99	DFT	64QAM	Outer_Full	21.04	17.44
n48	90	30	3654.99	DFT	256QAM	Inner_Full	18.93	15.33
n48	90	30	3654.99	DFT	256QAM	Edge_1RB_Left	18.35	14.75
n48	90	30	3654.99	DFT	256QAM	Edge_1RB_Right	18.66	15.06
n48	90	30	3654.99	DFT	256QAM	Outer_Full	19.05	15.45
n48	100	30	3600	DFT	pi/2 BPSK	Inner_Full	22.7	19.10
n48	100	30	3600	DFT	pi/2 BPSK	Edge_1RB_Left	21.69	18.09
n48	100	30	3600	DFT	pi/2 BPSK	Edge_1RB_Right	22.11	18.51
n48	100	30	3600	DFT	pi/2 BPSK	Outer_Full	22.32	18.72
n48	100	30	3600	DFT	QPSK	Inner_Full	22.72	19.12
n48	100	30	3600	DFT	QPSK	Edge_1RB_Left	21.17	17.57
n48	100	30	3600	DFT	QPSK	Edge_1RB_Right	21.59	17.99
n48	100	30	3600	DFT	QPSK	Outer_Full	21.82	18.22
n48	100	30	3600	DFT	16QAM	Inner_Full	21.77	18.17
n48	100	30	3600	DFT	16QAM	Edge_1RB_Left	20.5	16.90
n48	100	30	3600	DFT	16QAM	Edge_1RB_Right	20.82	17.22

n48	100	30	3600	DFT	16QAM	Outer_Full	20.86	17.26
n48	100	30	3600	DFT	64QAM	Inner_Full	20.23	16.63
n48	100	30	3600	DFT	64QAM	Edge_1RB_Left	19.34	15.74
n48	100	30	3600	DFT	64QAM	Edge_1RB_Right	19.95	16.35
n48	100	30	3600	DFT	64QAM	Outer_Full	20.37	16.77
n48	100	30	3600	DFT	256QAM	Inner_Full	18.28	14.68
n48	100	30	3600	DFT	256QAM	Edge_1RB_Left	17.83	14.23
n48	100	30	3600	DFT	256QAM	Edge_1RB_Right	18.25	14.65
n48	100	30	3600	DFT	256QAM	Outer_Full	18.38	14.78
n48	100	30	3624.99	DFT	pi/2 BPSK	Inner_Full	23.28	19.68
n48	100	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.77	18.17
n48	100	30	3624.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.55	19.95
n48	100	30	3624.99	DFT	pi/2 BPSK	Outer_Full	22.62	19.02
n48	100	30	3624.99	DFT	QPSK	Inner_Full	23.27	19.67
n48	100	30	3624.99	DFT	QPSK	Edge_1RB_Left	21.27	17.67
n48	100	30	3624.99	DFT	QPSK	Edge_1RB_Right	23.04	19.44
n48	100	30	3624.99	DFT	QPSK	Outer_Full	22.14	18.54
n48	100	30	3624.99	DFT	16QAM	Inner_Full	22.29	18.69
n48	100	30	3624.99	DFT	16QAM	Edge_1RB_Left	20.55	16.95
n48	100	30	3624.99	DFT	16QAM	Edge_1RB_Right	22.31	18.71
n48	100	30	3624.99	DFT	16QAM	Outer_Full	21.21	17.61
n48	100	30	3624.99	DFT	64QAM	Inner_Full	20.81	17.21
n48	100	30	3624.99	DFT	64QAM	Edge_1RB_Left	19.39	15.79
n48	100	30	3624.99	DFT	64QAM	Edge_1RB_Right	21.39	17.79
n48	100	30	3624.99	DFT	64QAM	Outer_Full	20.69	17.09
n48	100	30	3624.99	DFT	256QAM	Inner_Full	18.85	15.25
n48	100	30	3624.99	DFT	256QAM	Edge_1RB_Left	17.89	14.29
n48	100	30	3624.99	DFT	256QAM	Edge_1RB_Right	19.7	16.10
n48	100	30	3624.99	DFT	256QAM	Outer_Full	18.7	15.10
n48	100	30	3624.99	CP	QPSK	Inner_Full	21.68	18.08
n48	100	30	3624.99	CP	QPSK	Edge_1RB_Left	19.29	15.69
n48	100	30	3624.99	CP	QPSK	Edge_1RB_Right	21.16	17.56
n48	100	30	3624.99	CP	QPSK	Outer_Full	20.17	16.57
n48	100	30	3624.99	CP	16QAM	Inner_Full	21.27	17.67
n48	100	30	3624.99	CP	16QAM	Edge_1RB_Left	19.16	15.56
n48	100	30	3624.99	CP	16QAM	Edge_1RB_Right	20.9	17.30
n48	100	30	3624.99	CP	16QAM	Outer_Full	20.13	16.53
n48	100	30	3624.99	CP	64QAM	Inner_Full	19.77	16.17
n48	100	30	3624.99	CP	64QAM	Edge_1RB_Left	18.53	14.93
n48	100	30	3624.99	CP	64QAM	Edge_1RB_Right	20.29	16.69
n48	100	30	3624.99	CP	64QAM	Outer_Full	19.69	16.09

n48	100	30	3624.99	CP	256QAM	Inner_Full	16.79	13.19
n48	100	30	3624.99	CP	256QAM	Edge_1RB_Left	15.83	12.23
n48	100	30	3624.99	CP	256QAM	Edge_1RB_Right	17.76	14.16
n48	100	30	3624.99	CP	256QAM	Outer_Full	16.67	13.07
n48	100	30	3649.98	DFT	pi/2 BPSK	Inner_Full	23.31	19.71
n48	100	30	3649.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.13	18.53
n48	100	30	3649.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.46	18.86
n48	100	30	3649.98	DFT	pi/2 BPSK	Outer_Full	22.9	19.30
n48	100	30	3649.98	DFT	QPSK	Inner_Full	23.33	19.73
n48	100	30	3649.98	DFT	QPSK	Edge_1RB_Left	21.56	17.96
n48	100	30	3649.98	DFT	QPSK	Edge_1RB_Right	21.97	18.37
n48	100	30	3649.98	DFT	QPSK	Outer_Full	22.42	18.82
n48	100	30	3649.98	DFT	16QAM	Inner_Full	22.36	18.76
n48	100	30	3649.98	DFT	16QAM	Edge_1RB_Left	20.76	17.16
n48	100	30	3649.98	DFT	16QAM	Edge_1RB_Right	21.16	17.56
n48	100	30	3649.98	DFT	16QAM	Outer_Full	21.4	17.80
n48	100	30	3649.98	DFT	64QAM	Inner_Full	20.88	17.28
n48	100	30	3649.98	DFT	64QAM	Edge_1RB_Left	19.89	16.29
n48	100	30	3649.98	DFT	64QAM	Edge_1RB_Right	20.27	16.67
n48	100	30	3649.98	DFT	64QAM	Outer_Full	20.93	17.33
n48	100	30	3649.98	DFT	256QAM	Inner_Full	18.87	15.27
n48	100	30	3649.98	DFT	256QAM	Edge_1RB_Left	18.36	14.76
n48	100	30	3649.98	DFT	256QAM	Edge_1RB_Right	18.6	15.00
n48	100	30	3649.98	DFT	256QAM	Outer_Full	18.95	15.35

n66-EIRP

Limits: ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiatedd POWER(dBm) GT = -3.3dBi
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.49	20.19
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.87	19.57
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.98	19.68
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.97	19.67
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.41	20.11
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.36	19.06
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.42	19.12
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.47	19.17
n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.49	19.19
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.66	18.36
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.78	18.48
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.51	18.21
n66	5	15	1712.5	DFT	64QAM	Inner_Full	20.94	17.64
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.91	17.61
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	21.03	17.73
n66	5	15	1712.5	DFT	64QAM	Outer_Full	21.02	17.72
n66	5	15	1712.5	DFT	256QAM	Inner_Full	19.05	15.75
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.89	15.59
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	19.04	15.74
n66	5	15	1712.5	DFT	256QAM	Outer_Full	19.02	15.72
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.42	20.12
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	22.95	19.65
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	19.52
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	22.9	19.6
n66	5	15	1745	DFT	QPSK	Inner_Full	23.4	20.1
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	22.44	19.14
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	22.31	19.01
n66	5	15	1745	DFT	QPSK	Outer_Full	22.44	19.14
n66	5	15	1745	DFT	16QAM	Inner_Full	22.48	19.18
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	21.74	18.44
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	21.63	18.33
n66	5	15	1745	DFT	16QAM	Outer_Full	21.49	18.19
n66	5	15	1745	DFT	64QAM	Inner_Full	20.9	17.6
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	20.98	17.68
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	20.83	17.53
n66	5	15	1745	DFT	64QAM	Outer_Full	20.99	17.69
n66	5	15	1745	DFT	256QAM	Inner_Full	18.93	15.63

n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	18.96	15.66
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	18.81	15.51
n66	5	15	1745	DFT	256QAM	Outer_Full	18.89	15.59
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.16	19.86
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.68	19.38
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.61	19.31
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	22.71	19.41
n66	5	15	1777.5	DFT	QPSK	Inner_Full	23.17	19.87
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.17	18.87
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	22.06	18.76
n66	5	15	1777.5	DFT	QPSK	Outer_Full	22.22	18.92
n66	5	15	1777.5	DFT	16QAM	Inner_Full	22.24	18.94
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	21.47	18.17
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	21.4	18.1
n66	5	15	1777.5	DFT	16QAM	Outer_Full	21.28	17.98
n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.68	17.38
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.7	17.4
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.59	17.29
n66	5	15	1777.5	DFT	64QAM	Outer_Full	20.71	17.41
n66	5	15	1777.5	DFT	256QAM	Inner_Full	18.81	15.51
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.74	15.44
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.62	15.32
n66	5	15	1777.5	DFT	256QAM	Outer_Full	18.74	15.44
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.54	20.24
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	23.01	19.71
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	23.15	19.85
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	23.08	19.78
n66	10	15	1715	DFT	QPSK	Inner_Full	23.58	20.28
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.48	19.18
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.69	19.39
n66	10	15	1715	DFT	QPSK	Outer_Full	22.59	19.29
n66	10	15	1715	DFT	16QAM	Inner_Full	22.69	19.39
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.79	18.49
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	21.98	18.68
n66	10	15	1715	DFT	16QAM	Outer_Full	21.58	18.28
n66	10	15	1715	DFT	64QAM	Inner_Full	21.12	17.82
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	21.01	17.71
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	21.18	17.88
n66	10	15	1715	DFT	64QAM	Outer_Full	21.07	17.77
n66	10	15	1715	DFT	256QAM	Inner_Full	19.07	15.77
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.99	15.69

n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	19.22	15.92
n66	10	15	1715	DFT	256QAM	Outer_Full	19.1	15.8
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	23.35	20.05
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.03	19.73
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.81	19.51
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	22.88	19.58
n66	10	15	1745	DFT	QPSK	Inner_Full	23.36	20.06
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	22.52	19.22
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	22.26	18.96
n66	10	15	1745	DFT	QPSK	Outer_Full	22.42	19.12
n66	10	15	1745	DFT	16QAM	Inner_Full	22.48	19.18
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	21.87	18.57
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	21.57	18.27
n66	10	15	1745	DFT	16QAM	Outer_Full	21.41	18.11
n66	10	15	1745	DFT	64QAM	Inner_Full	20.93	17.63
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	21.07	17.77
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	20.8	17.5
n66	10	15	1745	DFT	64QAM	Outer_Full	20.93	17.63
n66	10	15	1745	DFT	256QAM	Inner_Full	18.87	15.57
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	19.05	15.75
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	18.76	15.46
n66	10	15	1745	DFT	256QAM	Outer_Full	18.85	15.55
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.23	19.93
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	22.85	19.55
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	22.59	19.29
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	22.72	19.42
n66	10	15	1775	DFT	QPSK	Inner_Full	23.24	19.94
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	22.35	19.05
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	22.07	18.77
n66	10	15	1775	DFT	QPSK	Outer_Full	22.24	18.94
n66	10	15	1775	DFT	16QAM	Inner_Full	22.34	19.04
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.66	18.36
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	21.4	18.1
n66	10	15	1775	DFT	16QAM	Outer_Full	21.28	17.98
n66	10	15	1775	DFT	64QAM	Inner_Full	20.8	17.5
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.86	17.56
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.62	17.32
n66	10	15	1775	DFT	64QAM	Outer_Full	20.8	17.5
n66	10	15	1775	DFT	256QAM	Inner_Full	18.81	15.51
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	18.84	15.54
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.64	15.34

n66	10	15	1775	DFT	256QAM	Outer_Full	18.78	15.48
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.57	20.27
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.97	19.67
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.27	19.97
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.13	19.83
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.59	20.29
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.47	19.17
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.7	19.4
n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.68	19.38
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.63	19.33
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	21.81	18.51
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	22.08	18.78
n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.62	18.32
n66	15	15	1717.5	DFT	64QAM	Inner_Full	21.11	17.81
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	21.04	17.74
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	21.24	17.94
n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.19	17.89
n66	15	15	1717.5	DFT	256QAM	Inner_Full	19.14	15.84
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.97	15.67
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	19.27	15.97
n66	15	15	1717.5	DFT	256QAM	Outer_Full	19.17	15.87
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.38	20.08
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.11	19.81
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.8	19.5
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	22.93	19.63
n66	15	15	1745	DFT	QPSK	Inner_Full	23.43	20.13
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.61	19.31
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.26	18.96
n66	15	15	1745	DFT	QPSK	Outer_Full	22.49	19.19
n66	15	15	1745	DFT	16QAM	Inner_Full	22.46	19.16
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.93	18.63
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	21.62	18.32
n66	15	15	1745	DFT	16QAM	Outer_Full	21.41	18.11
n66	15	15	1745	DFT	64QAM	Inner_Full	20.94	17.64
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.16	17.86
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	20.81	17.51
n66	15	15	1745	DFT	64QAM	Outer_Full	20.98	17.68
n66	15	15	1745	DFT	256QAM	Inner_Full	18.9	15.6
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	19.11	15.81
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	18.73	15.43
n66	15	15	1745	DFT	256QAM	Outer_Full	18.92	15.62

n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.24	19.94
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.75	19.45
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	19.32
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.77	19.47
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.28	19.98
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.25	18.95
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.06	18.76
n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.27	18.97
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.29	18.99
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.57	18.27
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	21.42	18.12
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.27	17.97
n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.75	17.45
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.79	17.49
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.62	17.32
n66	15	15	1772.5	DFT	64QAM	Outer_Full	20.8	17.5
n66	15	15	1772.5	DFT	256QAM	Inner_Full	18.76	15.46
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.74	15.44
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.58	15.28
n66	15	15	1772.5	DFT	256QAM	Outer_Full	18.78	15.48
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.62	20.32
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.95	19.65
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	23.18	19.88
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.17	19.87
n66	20	15	1720	DFT	QPSK	Inner_Full	23.63	20.33
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.43	19.13
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.67	19.37
n66	20	15	1720	DFT	QPSK	Outer_Full	22.63	19.33
n66	20	15	1720	DFT	16QAM	Inner_Full	22.67	19.37
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.74	18.44
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	22.01	18.71
n66	20	15	1720	DFT	16QAM	Outer_Full	21.64	18.34
n66	20	15	1720	DFT	64QAM	Inner_Full	21.15	17.85
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.99	17.69
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	21.17	17.87
n66	20	15	1720	DFT	64QAM	Outer_Full	21.12	17.82
n66	20	15	1720	DFT	256QAM	Inner_Full	19.17	15.87
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.92	15.62
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	19.22	15.92
n66	20	15	1720	DFT	256QAM	Outer_Full	19.16	15.86
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.38	20.08

n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.15	19.85
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	19.43
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	22.98	19.68
n66	20	15	1745	DFT	QPSK	Inner_Full	23.47	20.17
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.59	19.29
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.23	18.93
n66	20	15	1745	DFT	QPSK	Outer_Full	22.45	19.15
n66	20	15	1745	DFT	16QAM	Inner_Full	22.48	19.18
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.97	18.67
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.57	18.27
n66	20	15	1745	DFT	16QAM	Outer_Full	21.51	18.21
n66	20	15	1745	DFT	64QAM	Inner_Full	20.96	17.66
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.16	17.86
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	20.75	17.45
n66	20	15	1745	DFT	64QAM	Outer_Full	20.98	17.68
n66	20	15	1745	DFT	256QAM	Inner_Full	18.93	15.63
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	19.15	15.85
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	18.69	15.39
n66	20	15	1745	DFT	256QAM	Outer_Full	18.92	15.62
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.28	19.98
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	22.7	19.4
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	19.28
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	22.79	19.49
n66	20	15	1770	DFT	QPSK	Inner_Full	23.3	20
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	22.17	18.87
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	22.08	18.78
n66	20	15	1770	DFT	QPSK	Outer_Full	22.31	19.01
n66	20	15	1770	DFT	16QAM	Inner_Full	22.31	19.01
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	21.49	18.19
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	21.37	18.07
n66	20	15	1770	DFT	16QAM	Outer_Full	21.35	18.05
n66	20	15	1770	DFT	64QAM	Inner_Full	20.81	17.51
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	20.7	17.4
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.57	17.27
n66	20	15	1770	DFT	64QAM	Outer_Full	20.82	17.52
n66	20	15	1770	DFT	256QAM	Inner_Full	18.8	15.5
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.64	15.34
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.58	15.28
n66	20	15	1770	DFT	256QAM	Outer_Full	18.86	15.56
n66	25	15	1722.5	DFT	pi/2 BPSK	Inner_Full	23.68	20.38
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.85	19.55

n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.07	19.77
n66	25	15	1722.5	DFT	pi/2 BPSK	Outer_Full	23.11	19.81
n66	25	15	1722.5	DFT	QPSK	Inner_Full	23.72	20.42
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Left	22.27	18.97
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Right	22.57	19.27
n66	25	15	1722.5	DFT	QPSK	Outer_Full	22.6	19.3
n66	25	15	1722.5	DFT	16QAM	Inner_Full	22.73	19.43
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Left	21.67	18.37
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Right	21.85	18.55
n66	25	15	1722.5	DFT	16QAM	Outer_Full	21.62	18.32
n66	25	15	1722.5	DFT	64QAM	Inner_Full	21.19	17.89
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Left	20.86	17.56
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Right	21.03	17.73
n66	25	15	1722.5	DFT	64QAM	Outer_Full	21.12	17.82
n66	25	15	1722.5	DFT	256QAM	Inner_Full	19.29	15.99
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Left	18.89	15.59
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Right	19.13	15.83
n66	25	15	1722.5	DFT	256QAM	Outer_Full	19.23	15.93
n66	25	15	1745	DFT	pi/2 BPSK	Inner_Full	23.48	20.18
n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.14	19.84
n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.71	19.41
n66	25	15	1745	DFT	pi/2 BPSK	Outer_Full	23.04	19.74
n66	25	15	1745	DFT	QPSK	Inner_Full	23.49	20.19
n66	25	15	1745	DFT	QPSK	Edge_1RB_Left	22.63	19.33
n66	25	15	1745	DFT	QPSK	Edge_1RB_Right	22.2	18.9
n66	25	15	1745	DFT	QPSK	Outer_Full	22.53	19.23
n66	25	15	1745	DFT	16QAM	Inner_Full	22.48	19.18
n66	25	15	1745	DFT	16QAM	Edge_1RB_Left	21.99	18.69
n66	25	15	1745	DFT	16QAM	Edge_1RB_Right	21.51	18.21
n66	25	15	1745	DFT	16QAM	Outer_Full	21.54	18.24
n66	25	15	1745	DFT	64QAM	Inner_Full	21.04	17.74
n66	25	15	1745	DFT	64QAM	Edge_1RB_Left	21.16	17.86
n66	25	15	1745	DFT	64QAM	Edge_1RB_Right	20.76	17.46
n66	25	15	1745	DFT	64QAM	Outer_Full	21.07	17.77
n66	25	15	1745	DFT	256QAM	Inner_Full	19.05	15.75
n66	25	15	1745	DFT	256QAM	Edge_1RB_Left	19.2	15.9
n66	25	15	1745	DFT	256QAM	Edge_1RB_Right	18.65	15.35
n66	25	15	1745	DFT	256QAM	Outer_Full	19.05	15.75
n66	25	15	1767.5	DFT	pi/2 BPSK	Inner_Full	23.33	20.03
n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.7	19.4
n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.57	19.27

n66	25	15	1767.5	DFT	pi/2 BPSK	Outer_Full	22.8	19.5
n66	25	15	1767.5	DFT	QPSK	Inner_Full	23.4	20.1
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Left	22.15	18.85
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Right	22.06	18.76
n66	25	15	1767.5	DFT	QPSK	Outer_Full	22.33	19.03
n66	25	15	1767.5	DFT	16QAM	Inner_Full	22.4	19.1
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Left	21.52	18.22
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Right	21.35	18.05
n66	25	15	1767.5	DFT	16QAM	Outer_Full	21.34	18.04
n66	25	15	1767.5	DFT	64QAM	Inner_Full	20.95	17.65
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Left	20.69	17.39
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Right	20.57	17.27
n66	25	15	1767.5	DFT	64QAM	Outer_Full	20.87	17.57
n66	25	15	1767.5	DFT	256QAM	Inner_Full	18.95	15.65
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Left	18.66	15.36
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Right	18.64	15.34
n66	25	15	1767.5	DFT	256QAM	Outer_Full	18.93	15.63
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.76	20.46
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	22.96	19.66
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	23.08	19.78
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	23.15	19.85
n66	30	15	1725	DFT	QPSK	Inner_Full	23.81	20.51
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	22.38	19.08
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	22.51	19.21
n66	30	15	1725	DFT	QPSK	Outer_Full	22.67	19.37
n66	30	15	1725	DFT	16QAM	Inner_Full	22.85	19.55
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	21.75	18.45
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	21.64	18.34
n66	30	15	1725	DFT	16QAM	Outer_Full	21.7	18.4
n66	30	15	1725	DFT	64QAM	Inner_Full	21.34	18.04
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	20.95	17.65
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	21.09	17.79
n66	30	15	1725	DFT	64QAM	Outer_Full	21.21	17.91
n66	30	15	1725	DFT	256QAM	Inner_Full	19.35	16.05
n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	18.99	15.69
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	19.08	15.78
n66	30	15	1725	DFT	256QAM	Outer_Full	19.29	15.99
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	23.46	20.16
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.2	19.9
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.72	19.42
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	23.03	19.73

n66	30	15	1745	DFT	QPSK	Inner_Full	23.51	20.21
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	22.71	19.41
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	22.22	18.92
n66	30	15	1745	DFT	QPSK	Outer_Full	22.5	19.2
n66	30	15	1745	DFT	16QAM	Inner_Full	22.47	19.17
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	22.04	18.74
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.31	18.01
n66	30	15	1745	DFT	16QAM	Outer_Full	21.5	18.2
n66	30	15	1745	DFT	64QAM	Inner_Full	21.01	17.71
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	21.24	17.94
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	20.69	17.39
n66	30	15	1745	DFT	64QAM	Outer_Full	20.94	17.64
n66	30	15	1745	DFT	256QAM	Inner_Full	18.99	15.69
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	19.25	15.95
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	18.72	15.42
n66	30	15	1745	DFT	256QAM	Outer_Full	19	15.7
n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	23.32	20.02
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	22.76	19.46
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	19.32
n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	22.78	19.48
n66	30	15	1765	DFT	QPSK	Inner_Full	23.39	20.09
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	22.25	18.95
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	22.08	18.78
n66	30	15	1765	DFT	QPSK	Outer_Full	22.35	19.05
n66	30	15	1765	DFT	16QAM	Inner_Full	22.39	19.09
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	21.54	18.24
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	21.43	18.13
n66	30	15	1765	DFT	16QAM	Outer_Full	21.35	18.05
n66	30	15	1765	DFT	64QAM	Inner_Full	20.92	17.62
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	20.76	17.46
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	20.61	17.31
n66	30	15	1765	DFT	64QAM	Outer_Full	20.88	17.58
n66	30	15	1765	DFT	256QAM	Inner_Full	18.88	15.58
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	18.75	15.45
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	18.66	15.36
n66	30	15	1765	DFT	256QAM	Outer_Full	18.85	15.55
n66	35	15	1727.5	DFT	pi/2 BPSK	Inner_Full	23.68	20.38
n66	35	15	1727.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.86	19.56
n66	35	15	1727.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.84	19.54
n66	35	15	1727.5	DFT	pi/2 BPSK	Outer_Full	23.06	19.76
n66	35	15	1727.5	DFT	QPSK	Inner_Full	23.75	20.45

n66	35	15	1727.5	DFT	QPSK	Edge_1RB_Left	22.35	19.05
n66	35	15	1727.5	DFT	QPSK	Edge_1RB_Right	22.32	19.02
n66	35	15	1727.5	DFT	QPSK	Outer_Full	22.62	19.32
n66	35	15	1727.5	DFT	16QAM	Inner_Full	22.75	19.45
n66	35	15	1727.5	DFT	16QAM	Edge_1RB_Left	21.68	18.38
n66	35	15	1727.5	DFT	16QAM	Edge_1RB_Right	21.64	18.34
n66	35	15	1727.5	DFT	16QAM	Outer_Full	21.63	18.33
n66	35	15	1727.5	DFT	64QAM	Inner_Full	21.25	17.95
n66	35	15	1727.5	DFT	64QAM	Edge_1RB_Left	20.9	17.6
n66	35	15	1727.5	DFT	64QAM	Edge_1RB_Right	20.88	17.58
n66	35	15	1727.5	DFT	64QAM	Outer_Full	21.1	17.8
n66	35	15	1727.5	DFT	256QAM	Inner_Full	19.27	15.97
n66	35	15	1727.5	DFT	256QAM	Edge_1RB_Left	18.96	15.66
n66	35	15	1727.5	DFT	256QAM	Edge_1RB_Right	18.84	15.54
n66	35	15	1727.5	DFT	256QAM	Outer_Full	19.2	15.9
n66	35	15	1745	DFT	pi/2 BPSK	Inner_Full	23.42	20.12
n66	35	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.15	19.85
n66	35	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	19.43
n66	35	15	1745	DFT	pi/2 BPSK	Outer_Full	23	19.7
n66	35	15	1745	DFT	QPSK	Inner_Full	23.48	20.18
n66	35	15	1745	DFT	QPSK	Edge_1RB_Left	22.6	19.3
n66	35	15	1745	DFT	QPSK	Edge_1RB_Right	22.17	18.87
n66	35	15	1745	DFT	QPSK	Outer_Full	22.48	19.18
n66	35	15	1745	DFT	16QAM	Inner_Full	22.49	19.19
n66	35	15	1745	DFT	16QAM	Edge_1RB_Left	21.84	18.54
n66	35	15	1745	DFT	16QAM	Edge_1RB_Right	21.53	18.23
n66	35	15	1745	DFT	16QAM	Outer_Full	21.51	18.21
n66	35	15	1745	DFT	64QAM	Inner_Full	20.98	17.68
n66	35	15	1745	DFT	64QAM	Edge_1RB_Left	21.15	17.85
n66	35	15	1745	DFT	64QAM	Edge_1RB_Right	20.71	17.41
n66	35	15	1745	DFT	64QAM	Outer_Full	20.98	17.68
n66	35	15	1745	DFT	256QAM	Inner_Full	18.99	15.69
n66	35	15	1745	DFT	256QAM	Edge_1RB_Left	19.25	15.95
n66	35	15	1745	DFT	256QAM	Edge_1RB_Right	18.73	15.43
n66	35	15	1745	DFT	256QAM	Outer_Full	19	15.7
n66	35	15	1762.5	DFT	pi/2 BPSK	Inner_Full	23.18	19.88
n66	35	15	1762.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.71	19.41
n66	35	15	1762.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.49	19.19
n66	35	15	1762.5	DFT	pi/2 BPSK	Outer_Full	22.64	19.34
n66	35	15	1762.5	DFT	QPSK	Inner_Full	23.25	19.95
n66	35	15	1762.5	DFT	QPSK	Edge_1RB_Left	22.17	18.87

n66	35	15	1762.5	DFT	QPSK	Edge_1RB_Right	21.98	18.68
n66	35	15	1762.5	DFT	QPSK	Outer_Full	22.21	18.91
n66	35	15	1762.5	DFT	16QAM	Inner_Full	22.31	19.01
n66	35	15	1762.5	DFT	16QAM	Edge_1RB_Left	21.27	17.97
n66	35	15	1762.5	DFT	16QAM	Edge_1RB_Right	21.32	18.02
n66	35	15	1762.5	DFT	16QAM	Outer_Full	21.22	17.92
n66	35	15	1762.5	DFT	64QAM	Inner_Full	20.78	17.48
n66	35	15	1762.5	DFT	64QAM	Edge_1RB_Left	20.75	17.45
n66	35	15	1762.5	DFT	64QAM	Edge_1RB_Right	20.55	17.25
n66	35	15	1762.5	DFT	64QAM	Outer_Full	20.7	17.4
n66	35	15	1762.5	DFT	256QAM	Inner_Full	18.75	15.45
n66	35	15	1762.5	DFT	256QAM	Edge_1RB_Left	18.73	15.43
n66	35	15	1762.5	DFT	256QAM	Edge_1RB_Right	18.59	15.29
n66	35	15	1762.5	DFT	256QAM	Outer_Full	18.75	15.45
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.6	20.3
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	22.8	19.5
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	22.6	19.3
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.94	19.64
n66	40	15	1730	DFT	QPSK	Inner_Full	23.66	20.36
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	22.27	18.97
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	22.15	18.85
n66	40	15	1730	DFT	QPSK	Outer_Full	22.5	19.2
n66	40	15	1730	DFT	16QAM	Inner_Full	22.68	19.38
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	21.6	18.3
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	21.47	18.17
n66	40	15	1730	DFT	16QAM	Outer_Full	21.5	18.2
n66	40	15	1730	DFT	64QAM	Inner_Full	21.17	17.87
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	20.86	17.56
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	20.64	17.34
n66	40	15	1730	DFT	64QAM	Outer_Full	20.97	17.67
n66	40	15	1730	DFT	256QAM	Inner_Full	19.22	15.92
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	18.84	15.54
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	18.71	15.41
n66	40	15	1730	DFT	256QAM	Outer_Full	19.07	15.77
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.4	20.1
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.12	19.82
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.71	19.41
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	22.94	19.64
n66	40	15	1745	DFT	QPSK	Inner_Full	23.41	20.11
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	22.61	19.31
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	22.18	18.88

n66	40	15	1745	DFT	QPSK	Outer_Full	22.47	19.17
n66	40	15	1745	DFT	16QAM	Inner_Full	22.42	19.12
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	22	18.7
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	21.25	17.95
n66	40	15	1745	DFT	16QAM	Outer_Full	21.47	18.17
n66	40	15	1745	DFT	64QAM	Inner_Full	20.92	17.62
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	21.15	17.85
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	20.72	17.42
n66	40	15	1745	DFT	64QAM	Outer_Full	20.97	17.67
n66	40	15	1745	DFT	256QAM	Inner_Full	18.93	15.63
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	19.24	15.94
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	18.74	15.44
n66	40	15	1745	DFT	256QAM	Outer_Full	18.99	15.69
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.21	19.91
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	22.91	19.61
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	19.24
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	22.61	19.31
n66	40	15	1760	DFT	QPSK	Inner_Full	23.29	19.99
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	22.36	19.06
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	22.03	18.73
n66	40	15	1760	DFT	QPSK	Outer_Full	22.21	18.91
n66	40	15	1760	DFT	16QAM	Inner_Full	22.3	19
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	21.71	18.41
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	21.35	18.05
n66	40	15	1760	DFT	16QAM	Outer_Full	21.22	17.92
n66	40	15	1760	DFT	64QAM	Inner_Full	20.8	17.5
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	20.96	17.66
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	20.54	17.24
n66	40	15	1760	DFT	64QAM	Outer_Full	20.66	17.36
n66	40	15	1760	DFT	256QAM	Inner_Full	18.72	15.42
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	18.93	15.63
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	18.58	15.28
n66	40	15	1760	DFT	256QAM	Outer_Full	18.76	15.46
n66	45	15	1732.5	DFT	pi/2 BPSK	Inner_Full	23.54	20.24
n66	45	15	1732.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.68	19.38
n66	45	15	1732.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	19.24
n66	45	15	1732.5	DFT	pi/2 BPSK	Outer_Full	22.92	19.62
n66	45	15	1732.5	DFT	QPSK	Inner_Full	23.59	20.29
n66	45	15	1732.5	DFT	QPSK	Edge_1RB_Left	22.23	18.93
n66	45	15	1732.5	DFT	QPSK	Edge_1RB_Right	22.08	18.78
n66	45	15	1732.5	DFT	QPSK	Outer_Full	22.46	19.16

n66	45	15	1732.5	DFT	16QAM	Inner_Full	22.63	19.33
n66	45	15	1732.5	DFT	16QAM	Edge_1RB_Left	21.59	18.29
n66	45	15	1732.5	DFT	16QAM	Edge_1RB_Right	21.37	18.07
n66	45	15	1732.5	DFT	16QAM	Outer_Full	21.48	18.18
n66	45	15	1732.5	DFT	64QAM	Inner_Full	21.12	17.82
n66	45	15	1732.5	DFT	64QAM	Edge_1RB_Left	20.81	17.51
n66	45	15	1732.5	DFT	64QAM	Edge_1RB_Right	20.64	17.34
n66	45	15	1732.5	DFT	64QAM	Outer_Full	21	17.7
n66	45	15	1732.5	DFT	256QAM	Inner_Full	19.18	15.88
n66	45	15	1732.5	DFT	256QAM	Edge_1RB_Left	18.8	15.5
n66	45	15	1732.5	DFT	256QAM	Edge_1RB_Right	18.56	15.26
n66	45	15	1732.5	DFT	256QAM	Outer_Full	19.05	15.75
n66	45	15	1745	DFT	pi/2 BPSK	Inner_Full	23.42	20.12
n66	45	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.09	19.79
n66	45	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	22.71	19.41
n66	45	15	1745	DFT	pi/2 BPSK	Outer_Full	22.97	19.67
n66	45	15	1745	DFT	QPSK	Inner_Full	23.45	20.15
n66	45	15	1745	DFT	QPSK	Edge_1RB_Left	22.54	19.24
n66	45	15	1745	DFT	QPSK	Edge_1RB_Right	22.18	18.88
n66	45	15	1745	DFT	QPSK	Outer_Full	22.46	19.16
n66	45	15	1745	DFT	16QAM	Inner_Full	22.47	19.17
n66	45	15	1745	DFT	16QAM	Edge_1RB_Left	21.78	18.48
n66	45	15	1745	DFT	16QAM	Edge_1RB_Right	21.35	18.05
n66	45	15	1745	DFT	16QAM	Outer_Full	21.46	18.16
n66	45	15	1745	DFT	64QAM	Inner_Full	20.97	17.67
n66	45	15	1745	DFT	64QAM	Edge_1RB_Left	21.1	17.8
n66	45	15	1745	DFT	64QAM	Edge_1RB_Right	20.72	17.42
n66	45	15	1745	DFT	64QAM	Outer_Full	21	17.7
n66	45	15	1745	DFT	256QAM	Inner_Full	18.96	15.66
n66	45	15	1745	DFT	256QAM	Edge_1RB_Left	19.22	15.92
n66	45	15	1745	DFT	256QAM	Edge_1RB_Right	18.72	15.42
n66	45	15	1745	DFT	256QAM	Outer_Full	19.01	15.71
n66	45	15	1745	CP	QPSK	Inner_Full	21.9	18.6
n66	45	15	1745	CP	QPSK	Edge_1RB_Left	20.59	17.29
n66	45	15	1745	CP	QPSK	Edge_1RB_Right	20.23	16.93
n66	45	15	1745	CP	QPSK	Outer_Full	20.43	17.13
n66	45	15	1745	CP	16QAM	Inner_Full	21.45	18.15
n66	45	15	1745	CP	16QAM	Edge_1RB_Left	20.86	17.56
n66	45	15	1745	CP	16QAM	Edge_1RB_Right	20.49	17.19
n66	45	15	1745	CP	16QAM	Outer_Full	20.45	17.15
n66	45	15	1745	CP	64QAM	Inner_Full	19.98	16.68

n66	45	15	1745	CP	64QAM	Edge_1RB_Left	20.05	16.75
n66	45	15	1745	CP	64QAM	Edge_1RB_Right	19.64	16.34
n66	45	15	1745	CP	64QAM	Outer_Full	19.96	16.66
n66	45	15	1745	CP	256QAM	Inner_Full	16.99	13.69
n66	45	15	1745	CP	256QAM	Edge_1RB_Left	17.43	14.13
n66	45	15	1745	CP	256QAM	Edge_1RB_Right	16.96	13.66
n66	45	15	1745	CP	256QAM	Outer_Full	17.01	13.71
n66	45	15	1757.5	DFT	pi/2 BPSK	Inner_Full	23.29	19.99
n66	45	15	1757.5	DFT	pi/2 BPSK	Edge_1RB_Left	23	19.7
n66	45	15	1757.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	19.22
n66	45	15	1757.5	DFT	pi/2 BPSK	Outer_Full	22.72	19.42
n66	45	15	1757.5	DFT	QPSK	Inner_Full	23.3	20
n66	45	15	1757.5	DFT	QPSK	Edge_1RB_Left	22.51	19.21
n66	45	15	1757.5	DFT	QPSK	Edge_1RB_Right	22.01	18.71
n66	45	15	1757.5	DFT	QPSK	Outer_Full	22.27	18.97
n66	45	15	1757.5	DFT	16QAM	Inner_Full	22.35	19.05
n66	45	15	1757.5	DFT	16QAM	Edge_1RB_Left	21.84	18.54
n66	45	15	1757.5	DFT	16QAM	Edge_1RB_Right	21.33	18.03
n66	45	15	1757.5	DFT	16QAM	Outer_Full	21.28	17.98
n66	45	15	1757.5	DFT	64QAM	Inner_Full	20.83	17.53
n66	45	15	1757.5	DFT	64QAM	Edge_1RB_Left	21.03	17.73
n66	45	15	1757.5	DFT	64QAM	Edge_1RB_Right	20.57	17.27
n66	45	15	1757.5	DFT	64QAM	Outer_Full	20.77	17.47
n66	45	15	1757.5	DFT	256QAM	Inner_Full	18.85	15.55
n66	45	15	1757.5	DFT	256QAM	Edge_1RB_Left	19.04	15.74
n66	45	15	1757.5	DFT	256QAM	Edge_1RB_Right	18.61	15.31
n66	45	15	1757.5	DFT	256QAM	Outer_Full	18.76	15.46

n71-ERP

Limits: ≤34.77dBm (3W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted output power (dBm)	Radiated output power (dBm) GT = -5.3dBi
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	23.32	15.87
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.92	15.47
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	15.48
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	23.03	15.58
n71	5	15	665.5	DFT	QPSK	Inner_Full	23.34	15.89
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	22.43	14.98
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	22.44	14.99
n71	5	15	665.5	DFT	QPSK	Outer_Full	22.58	15.13
n71	5	15	665.5	DFT	16QAM	Inner_Full	22.59	15.14
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	21.82	14.37
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	21.77	14.32
n71	5	15	665.5	DFT	16QAM	Outer_Full	21.72	14.27
n71	5	15	665.5	DFT	64QAM	Inner_Full	21.05	13.60
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	21.01	13.56
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	20.98	13.53
n71	5	15	665.5	DFT	64QAM	Outer_Full	21.07	13.62
n71	5	15	665.5	DFT	256QAM	Inner_Full	19.05	11.60
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	18.94	11.49
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	18.92	11.47
n71	5	15	665.5	DFT	256QAM	Outer_Full	18.96	11.51
n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.16	15.71
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.69	15.24
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.71	15.26
n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.7	15.25
n71	5	15	680.5	DFT	QPSK	Inner_Full	23.17	15.72
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	22.2	14.75
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	22.18	14.73
n71	5	15	680.5	DFT	QPSK	Outer_Full	22.26	14.81
n71	5	15	680.5	DFT	16QAM	Inner_Full	22.3	14.85
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	21.49	14.04
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	21.49	14.04
n71	5	15	680.5	DFT	16QAM	Outer_Full	21.34	13.89
n71	5	15	680.5	DFT	64QAM	Inner_Full	20.71	13.26
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	20.72	13.27
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	20.74	13.29

n71	5	15	680.5	DFT	64QAM	Outer_Full	20.8	13.35
n71	5	15	680.5	DFT	256QAM	Inner_Full	18.69	11.24
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	18.59	11.14
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	18.63	11.18
n71	5	15	680.5	DFT	256QAM	Outer_Full	18.65	11.20
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	23.35	15.90
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.86	15.41
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.87	15.42
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	23.01	15.56
n71	5	15	695.5	DFT	QPSK	Inner_Full	23.31	15.86
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	22.37	14.92
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	22.43	14.98
n71	5	15	695.5	DFT	QPSK	Outer_Full	22.54	15.09
n71	5	15	695.5	DFT	16QAM	Inner_Full	22.55	15.10
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	21.73	14.28
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	21.81	14.36
n71	5	15	695.5	DFT	16QAM	Outer_Full	21.55	14.10
n71	5	15	695.5	DFT	64QAM	Inner_Full	21.02	13.57
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	20.91	13.46
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	21.02	13.57
n71	5	15	695.5	DFT	64QAM	Outer_Full	21.09	13.64
n71	5	15	695.5	DFT	256QAM	Inner_Full	18.95	11.50
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	18.86	11.41
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	19.03	11.58
n71	5	15	695.5	DFT	256QAM	Outer_Full	18.96	11.51
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	23.3	15.85
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	22.92	15.47
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	15.37
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	22.82	15.37
n71	10	15	668	DFT	QPSK	Inner_Full	23.34	15.89
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	22.57	15.12
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	22.31	14.86
n71	10	15	668	DFT	QPSK	Outer_Full	22.41	14.96
n71	10	15	668	DFT	16QAM	Inner_Full	22.64	15.19
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	21.81	14.36
n71	10	15	668	DFT	16QAM	Edge_1RB_Right	21.56	14.11
n71	10	15	668	DFT	16QAM	Outer_Full	21.36	13.91
n71	10	15	668	DFT	64QAM	Inner_Full	20.97	13.52
n71	10	15	668	DFT	64QAM	Edge_1RB_Left	21.05	13.60
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	20.9	13.45
n71	10	15	668	DFT	64QAM	Outer_Full	20.84	13.39

n71	10	15	668	DFT	256QAM	Inner_Full	18.82	11.37
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	18.91	11.46
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	18.66	11.21
n71	10	15	668	DFT	256QAM	Outer_Full	18.75	11.30
n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.07	15.62
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.68	15.23
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.71	15.26
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.62	15.17
n71	10	15	680.5	DFT	QPSK	Inner_Full	23.15	15.70
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	22.13	14.68
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	22.27	14.82
n71	10	15	680.5	DFT	QPSK	Outer_Full	22.23	14.78
n71	10	15	680.5	DFT	16QAM	Inner_Full	22.37	14.92
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	21.45	14.00
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	21.51	14.06
n71	10	15	680.5	DFT	16QAM	Outer_Full	21.17	13.72
n71	10	15	680.5	DFT	64QAM	Inner_Full	20.74	13.29
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	20.7	13.25
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	20.74	13.29
n71	10	15	680.5	DFT	64QAM	Outer_Full	20.6	13.15
n71	10	15	680.5	DFT	256QAM	Inner_Full	18.57	11.12
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	18.56	11.11
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	18.62	11.17
n71	10	15	680.5	DFT	256QAM	Outer_Full	18.57	11.12
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	23.21	15.76
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	22.73	15.28
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	22.86	15.41
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	22.77	15.32
n71	10	15	693	DFT	QPSK	Inner_Full	23.22	15.77
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	22.2	14.75
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	22.38	14.93
n71	10	15	693	DFT	QPSK	Outer_Full	22.29	14.84
n71	10	15	693	DFT	16QAM	Inner_Full	22.48	15.03
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	21.49	14.04
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	21.79	14.34
n71	10	15	693	DFT	16QAM	Outer_Full	21.31	13.86
n71	10	15	693	DFT	64QAM	Inner_Full	20.91	13.46
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	20.79	13.34
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	20.95	13.50
n71	10	15	693	DFT	64QAM	Outer_Full	20.84	13.39
n71	10	15	693	DFT	256QAM	Inner_Full	18.69	11.24

n71	10	15	693	DFT	256QAM	Edge_1RB_Left	18.61	11.16
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	18.93	11.48
n71	10	15	693	DFT	256QAM	Outer_Full	18.75	11.30
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	23.24	15.79
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.89	15.44
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.71	15.26
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	22.82	15.37
n71	15	15	670.5	DFT	QPSK	Inner_Full	23.29	15.84
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	22.38	14.93
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	22.15	14.70
n71	15	15	670.5	DFT	QPSK	Outer_Full	22.39	14.94
n71	15	15	670.5	DFT	16QAM	Inner_Full	22.42	14.97
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	21.75	14.30
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	21.5	14.05
n71	15	15	670.5	DFT	16QAM	Outer_Full	21.36	13.91
n71	15	15	670.5	DFT	64QAM	Inner_Full	20.96	13.51
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	20.97	13.52
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	20.67	13.22
n71	15	15	670.5	DFT	64QAM	Outer_Full	20.76	13.31
n71	15	15	670.5	DFT	256QAM	Inner_Full	18.81	11.36
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	18.86	11.41
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	18.62	11.17
n71	15	15	670.5	DFT	256QAM	Outer_Full	18.72	11.27
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.06	15.61
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	15.27
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	15.28
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.71	15.26
n71	15	15	680.5	DFT	QPSK	Inner_Full	23.17	15.72
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	22.21	14.76
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	22.23	14.78
n71	15	15	680.5	DFT	QPSK	Outer_Full	22.24	14.79
n71	15	15	680.5	DFT	16QAM	Inner_Full	22.23	14.78
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	21.49	14.04
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	21.54	14.09
n71	15	15	680.5	DFT	16QAM	Outer_Full	21.19	13.74
n71	15	15	680.5	DFT	64QAM	Inner_Full	20.72	13.27
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	20.82	13.37
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	20.78	13.33
n71	15	15	680.5	DFT	64QAM	Outer_Full	20.73	13.28
n71	15	15	680.5	DFT	256QAM	Inner_Full	18.58	11.13
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	18.61	11.16

n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	18.65	11.20
n71	15	15	680.5	DFT	256QAM	Outer_Full	18.62	11.17
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	23.16	15.71
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	15.27
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.9	15.45
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	22.85	15.40
n71	15	15	690.5	DFT	QPSK	Inner_Full	23.19	15.74
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	22.2	14.75
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	22.39	14.94
n71	15	15	690.5	DFT	QPSK	Outer_Full	22.34	14.89
n71	15	15	690.5	DFT	16QAM	Inner_Full	22.37	14.92
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	21.47	14.02
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	21.83	14.38
n71	15	15	690.5	DFT	16QAM	Outer_Full	21.3	13.85
n71	15	15	690.5	DFT	64QAM	Inner_Full	20.87	13.42
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	20.74	13.29
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	20.94	13.49
n71	15	15	690.5	DFT	64QAM	Outer_Full	20.88	13.43
n71	15	15	690.5	DFT	256QAM	Inner_Full	18.74	11.29
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	18.62	11.17
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	18.97	11.52
n71	15	15	690.5	DFT	256QAM	Outer_Full	18.75	11.30
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	23.25	15.80
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	22.86	15.41
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	15.31
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	22.83	15.38
n71	20	15	673	DFT	QPSK	Inner_Full	23.29	15.84
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	22.35	14.90
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	22.2	14.75
n71	20	15	673	DFT	QPSK	Outer_Full	22.32	14.87
n71	20	15	673	DFT	16QAM	Inner_Full	22.29	14.84
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	21.77	14.32
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	21.52	14.07
n71	20	15	673	DFT	16QAM	Outer_Full	21.28	13.83
n71	20	15	673	DFT	64QAM	Inner_Full	20.84	13.39
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	20.94	13.49
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	20.75	13.30
n71	20	15	673	DFT	64QAM	Outer_Full	20.82	13.37
n71	20	15	673	DFT	256QAM	Inner_Full	18.77	11.32
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	18.83	11.38
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	18.62	11.17

n71	20	15	673	DFT	256QAM	Outer_Full	18.75	11.30
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.16	15.71
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	15.38
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.78	15.33
n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.72	15.27
n71	20	15	680.5	DFT	QPSK	Inner_Full	23.27	15.82
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	22.34	14.89
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	22.28	14.83
n71	20	15	680.5	DFT	QPSK	Outer_Full	22.22	14.77
n71	20	15	680.5	DFT	16QAM	Inner_Full	22.29	14.84
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	21.63	14.18
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	21.6	14.15
n71	20	15	680.5	DFT	16QAM	Outer_Full	21.2	13.75
n71	20	15	680.5	DFT	64QAM	Inner_Full	20.73	13.28
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	20.91	13.46
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	20.78	13.33
n71	20	15	680.5	DFT	64QAM	Outer_Full	20.63	13.18
n71	20	15	680.5	DFT	256QAM	Inner_Full	18.62	11.17
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	18.7	11.25
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	18.67	11.22
n71	20	15	680.5	DFT	256QAM	Outer_Full	18.66	11.21
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	23.26	15.81
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	15.27
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	15.48
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	22.84	15.39
n71	20	15	688	DFT	QPSK	Inner_Full	23.22	15.77
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	22.23	14.78
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	22.44	14.99
n71	20	15	688	DFT	QPSK	Outer_Full	22.38	14.93
n71	20	15	688	DFT	16QAM	Inner_Full	22.35	14.90
n71	20	15	688	DFT	16QAM	Edge_1RB_Left	21.51	14.06
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	21.85	14.40
n71	20	15	688	DFT	16QAM	Outer_Full	21.4	13.95
n71	20	15	688	DFT	64QAM	Inner_Full	20.89	13.44
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	20.77	13.32
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	20.97	13.52
n71	20	15	688	DFT	64QAM	Outer_Full	20.92	13.47
n71	20	15	688	DFT	256QAM	Inner_Full	18.78	11.33
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	18.66	11.21
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	19.01	11.56
n71	20	15	688	DFT	256QAM	Outer_Full	18.83	11.38

n71	25	15	675.5	DFT	pi/2 BPSK	Inner_Full	23.36	15.91
n71	25	15	675.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.86	15.41
n71	25	15	675.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.75	15.30
n71	25	15	675.5	DFT	pi/2 BPSK	Outer_Full	22.86	15.41
n71	25	15	675.5	DFT	QPSK	Inner_Full	23.39	15.94
n71	25	15	675.5	DFT	QPSK	Edge_1RB_Left	22.36	14.91
n71	25	15	675.5	DFT	QPSK	Edge_1RB_Right	22.26	14.81
n71	25	15	675.5	DFT	QPSK	Outer_Full	22.33	14.88
n71	25	15	675.5	DFT	16QAM	Inner_Full	22.36	14.91
n71	25	15	675.5	DFT	16QAM	Edge_1RB_Left	21.77	14.32
n71	25	15	675.5	DFT	16QAM	Edge_1RB_Right	21.52	14.07
n71	25	15	675.5	DFT	16QAM	Outer_Full	21.3	13.85
n71	25	15	675.5	DFT	64QAM	Inner_Full	20.87	13.42
n71	25	15	675.5	DFT	64QAM	Edge_1RB_Left	20.95	13.50
n71	25	15	675.5	DFT	64QAM	Edge_1RB_Right	20.82	13.37
n71	25	15	675.5	DFT	64QAM	Outer_Full	20.85	13.40
n71	25	15	675.5	DFT	256QAM	Inner_Full	18.8	11.35
n71	25	15	675.5	DFT	256QAM	Edge_1RB_Left	18.86	11.41
n71	25	15	675.5	DFT	256QAM	Edge_1RB_Right	18.62	11.17
n71	25	15	675.5	DFT	256QAM	Outer_Full	18.81	11.36
n71	25	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.19	15.74
n71	25	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	15.38
n71	25	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.72	15.27
n71	25	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.71	15.26
n71	25	15	680.5	DFT	QPSK	Inner_Full	23.2	15.75
n71	25	15	680.5	DFT	QPSK	Edge_1RB_Left	22.26	14.81
n71	25	15	680.5	DFT	QPSK	Edge_1RB_Right	22.4	14.95
n71	25	15	680.5	DFT	QPSK	Outer_Full	22.23	14.78
n71	25	15	680.5	DFT	16QAM	Inner_Full	22.23	14.78
n71	25	15	680.5	DFT	16QAM	Edge_1RB_Left	21.41	13.96
n71	25	15	680.5	DFT	16QAM	Edge_1RB_Right	21.62	14.17
n71	25	15	680.5	DFT	16QAM	Outer_Full	21.28	13.83
n71	25	15	680.5	DFT	64QAM	Inner_Full	20.73	13.28
n71	25	15	680.5	DFT	64QAM	Edge_1RB_Left	20.84	13.39
n71	25	15	680.5	DFT	64QAM	Edge_1RB_Right	20.79	13.34
n71	25	15	680.5	DFT	64QAM	Outer_Full	20.74	13.29
n71	25	15	680.5	DFT	256QAM	Inner_Full	18.63	11.18
n71	25	15	680.5	DFT	256QAM	Edge_1RB_Left	18.78	11.33
n71	25	15	680.5	DFT	256QAM	Edge_1RB_Right	18.71	11.26
n71	25	15	680.5	DFT	256QAM	Outer_Full	18.7	11.25
n71	25	15	685.5	DFT	pi/2 BPSK	Inner_Full	23.24	15.79

n71	25	15	685.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.71	15.26
n71	25	15	685.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.87	15.42
n71	25	15	685.5	DFT	pi/2 BPSK	Outer_Full	22.7	15.25
n71	25	15	685.5	DFT	QPSK	Inner_Full	23.25	15.80
n71	25	15	685.5	DFT	QPSK	Edge_1RB_Left	22.21	14.76
n71	25	15	685.5	DFT	QPSK	Edge_1RB_Right	22.36	14.91
n71	25	15	685.5	DFT	QPSK	Outer_Full	22.24	14.79
n71	25	15	685.5	DFT	16QAM	Inner_Full	22.29	14.84
n71	25	15	685.5	DFT	16QAM	Edge_1RB_Left	21.48	14.03
n71	25	15	685.5	DFT	16QAM	Edge_1RB_Right	21.86	14.41
n71	25	15	685.5	DFT	16QAM	Outer_Full	21.25	13.80
n71	25	15	685.5	DFT	64QAM	Inner_Full	20.83	13.38
n71	25	15	685.5	DFT	64QAM	Edge_1RB_Left	20.77	13.32
n71	25	15	685.5	DFT	64QAM	Edge_1RB_Right	20.95	13.50
n71	25	15	685.5	DFT	64QAM	Outer_Full	20.77	13.32
n71	25	15	685.5	DFT	256QAM	Inner_Full	18.73	11.28
n71	25	15	685.5	DFT	256QAM	Edge_1RB_Left	18.59	11.14
n71	25	15	685.5	DFT	256QAM	Edge_1RB_Right	18.92	11.47
n71	25	15	685.5	DFT	256QAM	Outer_Full	18.75	11.30
n71	30	15	678	DFT	pi/2 BPSK	Inner_Full	23.25	15.80
n71	30	15	678	DFT	pi/2 BPSK	Edge_1RB_Left	22.92	15.47
n71	30	15	678	DFT	pi/2 BPSK	Edge_1RB_Right	22.8	15.35
n71	30	15	678	DFT	pi/2 BPSK	Outer_Full	22.84	15.39
n71	30	15	678	DFT	QPSK	Inner_Full	23.24	15.79
n71	30	15	678	DFT	QPSK	Edge_1RB_Left	22.44	14.99
n71	30	15	678	DFT	QPSK	Edge_1RB_Right	22.25	14.80
n71	30	15	678	DFT	QPSK	Outer_Full	22.35	14.90
n71	30	15	678	DFT	16QAM	Inner_Full	22.22	14.77
n71	30	15	678	DFT	16QAM	Edge_1RB_Left	21.82	14.37
n71	30	15	678	DFT	16QAM	Edge_1RB_Right	21.72	14.27
n71	30	15	678	DFT	16QAM	Outer_Full	21.33	13.88
n71	30	15	678	DFT	64QAM	Inner_Full	20.77	13.32
n71	30	15	678	DFT	64QAM	Edge_1RB_Left	21	13.55
n71	30	15	678	DFT	64QAM	Edge_1RB_Right	20.78	13.33
n71	30	15	678	DFT	64QAM	Outer_Full	20.76	13.31
n71	30	15	678	DFT	256QAM	Inner_Full	18.7	11.25
n71	30	15	678	DFT	256QAM	Edge_1RB_Left	18.85	11.40
n71	30	15	678	DFT	256QAM	Edge_1RB_Right	18.78	11.33
n71	30	15	678	DFT	256QAM	Outer_Full	18.76	11.31
n71	30	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.19	15.74
n71	30	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.89	15.44

n71	30	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.87	15.42
n71	30	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.75	15.30
n71	30	15	680.5	DFT	QPSK	Inner_Full	23.26	15.81
n71	30	15	680.5	DFT	QPSK	Edge_1RB_Left	22.39	14.94
n71	30	15	680.5	DFT	QPSK	Edge_1RB_Right	22.35	14.90
n71	30	15	680.5	DFT	QPSK	Outer_Full	22.28	14.83
n71	30	15	680.5	DFT	16QAM	Inner_Full	22.21	14.76
n71	30	15	680.5	DFT	16QAM	Edge_1RB_Left	21.74	14.29
n71	30	15	680.5	DFT	16QAM	Edge_1RB_Right	21.73	14.28
n71	30	15	680.5	DFT	16QAM	Outer_Full	21.28	13.83
n71	30	15	680.5	DFT	64QAM	Inner_Full	20.74	13.29
n71	30	15	680.5	DFT	64QAM	Edge_1RB_Left	20.93	13.48
n71	30	15	680.5	DFT	64QAM	Edge_1RB_Right	20.91	13.46
n71	30	15	680.5	DFT	64QAM	Outer_Full	20.78	13.33
n71	30	15	680.5	DFT	256QAM	Inner_Full	18.63	11.18
n71	30	15	680.5	DFT	256QAM	Edge_1RB_Left	18.85	11.40
n71	30	15	680.5	DFT	256QAM	Edge_1RB_Right	18.87	11.42
n71	30	15	680.5	DFT	256QAM	Outer_Full	18.78	11.33
n71	30	15	683	DFT	pi/2 BPSK	Inner_Full	23.15	15.70
n71	30	15	683	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	15.38
n71	30	15	683	DFT	pi/2 BPSK	Edge_1RB_Right	22.9	15.45
n71	30	15	683	DFT	pi/2 BPSK	Outer_Full	22.74	15.29
n71	30	15	683	DFT	QPSK	Inner_Full	23.25	15.80
n71	30	15	683	DFT	QPSK	Edge_1RB_Left	22.3	14.85
n71	30	15	683	DFT	QPSK	Edge_1RB_Right	22.36	14.91
n71	30	15	683	DFT	QPSK	Outer_Full	22.27	14.82
n71	30	15	683	DFT	16QAM	Inner_Full	22.23	14.78
n71	30	15	683	DFT	16QAM	Edge_1RB_Left	21.6	14.15
n71	30	15	683	DFT	16QAM	Edge_1RB_Right	21.63	14.18
n71	30	15	683	DFT	16QAM	Outer_Full	21.25	13.80
n71	30	15	683	DFT	64QAM	Inner_Full	20.73	13.28
n71	30	15	683	DFT	64QAM	Edge_1RB_Left	20.86	13.41
n71	30	15	683	DFT	64QAM	Edge_1RB_Right	20.96	13.51
n71	30	15	683	DFT	64QAM	Outer_Full	20.75	13.30
n71	30	15	683	DFT	256QAM	Inner_Full	18.62	11.17
n71	30	15	683	DFT	256QAM	Edge_1RB_Left	18.75	11.30
n71	30	15	683	DFT	256QAM	Edge_1RB_Right	18.98	11.53
n71	30	15	683	DFT	256QAM	Outer_Full	18.75	11.30
n71	35	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.08	15.63
n71	35	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.74	15.29
n71	35	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.75	15.30

n71	35	15	680.5	DFT	pi/2 BPSK	Outer_Full	22.63	15.18
n71	35	15	680.5	DFT	QPSK	Inner_Full	23.12	15.67
n71	35	15	680.5	DFT	QPSK	Edge_1RB_Left	22.27	14.82
n71	35	15	680.5	DFT	QPSK	Edge_1RB_Right	22.28	14.83
n71	35	15	680.5	DFT	QPSK	Outer_Full	22.17	14.72
n71	35	15	680.5	DFT	16QAM	Inner_Full	22.14	14.69
n71	35	15	680.5	DFT	16QAM	Edge_1RB_Left	21.67	14.22
n71	35	15	680.5	DFT	16QAM	Edge_1RB_Right	21.74	14.29
n71	35	15	680.5	DFT	16QAM	Outer_Full	21.21	13.76
n71	35	15	680.5	DFT	64QAM	Inner_Full	20.61	13.16
n71	35	15	680.5	DFT	64QAM	Edge_1RB_Left	20.9	13.45
n71	35	15	680.5	DFT	64QAM	Edge_1RB_Right	20.86	13.41
n71	35	15	680.5	DFT	64QAM	Outer_Full	20.67	13.22
n71	35	15	680.5	DFT	256QAM	Inner_Full	18.56	11.11
n71	35	15	680.5	DFT	256QAM	Edge_1RB_Left	18.77	11.32
n71	35	15	680.5	DFT	256QAM	Edge_1RB_Right	18.81	11.36
n71	35	15	680.5	DFT	256QAM	Outer_Full	18.64	11.19
n71	35	15	680.5	CP	QPSK	Inner_Full	21.66	14.21
n71	35	15	680.5	CP	QPSK	Edge_1RB_Left	20.26	12.81
n71	35	15	680.5	CP	QPSK	Edge_1RB_Right	20.2	12.75
n71	35	15	680.5	CP	QPSK	Outer_Full	20.18	12.73
n71	35	15	680.5	CP	16QAM	Inner_Full	21.18	13.73
n71	35	15	680.5	CP	16QAM	Edge_1RB_Left	20.61	13.16
n71	35	15	680.5	CP	16QAM	Edge_1RB_Right	20.5	13.05
n71	35	15	680.5	CP	16QAM	Outer_Full	20.16	12.71
n71	35	15	680.5	CP	64QAM	Inner_Full	19.68	12.23
n71	35	15	680.5	CP	64QAM	Edge_1RB_Left	19.78	12.33
n71	35	15	680.5	CP	64QAM	Edge_1RB_Right	19.67	12.22
n71	35	15	680.5	CP	64QAM	Outer_Full	19.7	12.25
n71	35	15	680.5	CP	256QAM	Inner_Full	16.61	9.16
n71	35	15	680.5	CP	256QAM	Edge_1RB_Left	17.13	9.68
n71	35	15	680.5	CP	256QAM	Edge_1RB_Right	17	9.55
n71	35	15	680.5	CP	256QAM	Outer_Full	16.76	9.31

n78L-EIRP

Limits: ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted POWER(dBm)	Radiated POWER(dBm) GT = -3.6dBi
n78L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	22.62	19.02
n78L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.11	18.51
n78L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.15	18.55
n78L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	22.17	18.57
n78L	10	30	3455.01	DFT	QPSK	Inner_Full	22.62	19.02
n78L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	21.7	18.1
n78L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	21.67	18.07
n78L	10	30	3455.01	DFT	QPSK	Outer_Full	21.64	18.04
n78L	10	30	3455.01	DFT	16QAM	Inner_Full	21.69	18.09
n78L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	20.77	17.17
n78L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	20.96	17.36
n78L	10	30	3455.01	DFT	16QAM	Outer_Full	20.71	17.11
n78L	10	30	3455.01	DFT	64QAM	Inner_Full	20.15	16.55
n78L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	19.95	16.35
n78L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	19.98	16.38
n78L	10	30	3455.01	DFT	64QAM	Outer_Full	20.26	16.66
n78L	10	30	3455.01	DFT	256QAM	Inner_Full	18.33	14.73
n78L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	18.26	14.66
n78L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	18.29	14.69
n78L	10	30	3455.01	DFT	256QAM	Outer_Full	18.24	14.64
n78L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.84	20.24
n78L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.35	19.75
n78L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.44	19.84
n78L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.45	19.85
n78L	10	30	3500.01	DFT	QPSK	Inner_Full	23.89	20.29
n78L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.9	19.3
n78L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.92	19.32
n78L	10	30	3500.01	DFT	QPSK	Outer_Full	22.9	19.3
n78L	10	30	3500.01	DFT	16QAM	Inner_Full	23.08	19.48
n78L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.02	18.42
n78L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.06	18.46
n78L	10	30	3500.01	DFT	16QAM	Outer_Full	22.02	18.42
n78L	10	30	3500.01	DFT	64QAM	Inner_Full	21.4	17.8
n78L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.21	17.61
n78L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.23	17.63
n78L	10	30	3500.01	DFT	64QAM	Outer_Full	21.54	17.94

n78L	10	30	3500.01	DFT	256QAM	Inner_Full	19.54	20.29
n78L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.48	15.88
n78L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.54	15.94
n78L	10	30	3500.01	DFT	256QAM	Outer_Full	19.46	15.86
n78L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	23.01	19.41
n78L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	19.04
n78L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	18.92
n78L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	22.53	18.93
n78L	10	30	3544.98	DFT	QPSK	Inner_Full	22.96	19.36
n78L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	22.11	18.51
n78L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	21.99	18.39
n78L	10	30	3544.98	DFT	QPSK	Outer_Full	21.92	18.32
n78L	10	30	3544.98	DFT	16QAM	Inner_Full	22.07	18.47
n78L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	21.37	17.77
n78L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	21.07	17.47
n78L	10	30	3544.98	DFT	16QAM	Outer_Full	21.11	17.51
n78L	10	30	3544.98	DFT	64QAM	Inner_Full	20.55	16.95
n78L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	20.28	16.68
n78L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	20.18	16.58
n78L	10	30	3544.98	DFT	64QAM	Outer_Full	20.59	16.99
n78L	10	30	3544.98	DFT	256QAM	Inner_Full	18.72	15.12
n78L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	18.74	15.14
n78L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	18.6	15
n78L	10	30	3544.98	DFT	256QAM	Outer_Full	18.64	15.04
n78L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	22.69	19.09
n78L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.14	18.54
n78L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	18.65
n78L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	22.2	18.6
n78L	15	30	3457.5	DFT	QPSK	Inner_Full	22.61	19.01
n78L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	21.75	18.15
n78L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	21.8	18.2
n78L	15	30	3457.5	DFT	QPSK	Outer_Full	21.72	18.12
n78L	15	30	3457.5	DFT	16QAM	Inner_Full	21.69	18.09
n78L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	20.99	17.39
n78L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	20.97	17.37
n78L	15	30	3457.5	DFT	16QAM	Outer_Full	20.73	17.13
n78L	15	30	3457.5	DFT	64QAM	Inner_Full	20.25	16.65
n78L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	20.02	16.42
n78L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	20.07	16.47
n78L	15	30	3457.5	DFT	64QAM	Outer_Full	20.21	16.61
n78L	15	30	3457.5	DFT	256QAM	Inner_Full	18.25	14.65

n78L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	18.36	14.76
n78L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	18.5	14.9
n78L	15	30	3457.5	DFT	256QAM	Outer_Full	18.28	14.68
n78L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.87	20.27
n78L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.27	19.67
n78L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.33	19.73
n78L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.38	19.78
n78L	15	30	3500.01	DFT	QPSK	Inner_Full	23.93	20.33
n78L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.81	19.21
n78L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.97	19.37
n78L	15	30	3500.01	DFT	QPSK	Outer_Full	22.88	19.28
n78L	15	30	3500.01	DFT	16QAM	Inner_Full	22.94	19.34
n78L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.08	18.48
n78L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.15	18.55
n78L	15	30	3500.01	DFT	16QAM	Outer_Full	21.91	18.31
n78L	15	30	3500.01	DFT	64QAM	Inner_Full	21.57	17.97
n78L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.17	17.57
n78L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.08	17.48
n78L	15	30	3500.01	DFT	64QAM	Outer_Full	21.41	17.81
n78L	15	30	3500.01	DFT	256QAM	Inner_Full	19.52	15.92
n78L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.45	15.85
n78L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.55	15.95
n78L	15	30	3500.01	DFT	256QAM	Outer_Full	19.52	15.92
n78L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	23.03	19.43
n78L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	22.77	19.17
n78L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	18.82
n78L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	22.56	18.96
n78L	15	30	3542.49	DFT	QPSK	Inner_Full	23.01	19.41
n78L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	22.24	18.64
n78L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	21.9	18.3
n78L	15	30	3542.49	DFT	QPSK	Outer_Full	22.07	18.47
n78L	15	30	3542.49	DFT	16QAM	Inner_Full	22.01	18.41
n78L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	21.47	17.87
n78L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	21.03	17.43
n78L	15	30	3542.49	DFT	16QAM	Outer_Full	21.07	17.47
n78L	15	30	3542.49	DFT	64QAM	Inner_Full	20.61	17.01
n78L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	20.58	16.98
n78L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	20.17	16.57
n78L	15	30	3542.49	DFT	64QAM	Outer_Full	20.52	16.92
n78L	15	30	3542.49	DFT	256QAM	Inner_Full	18.5	14.9
n78L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	18.94	15.34

n78L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	18.55	14.95
n78L	15	30	3542.49	DFT	256QAM	Outer_Full	18.62	15.02
n78L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	22.79	19.19
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.16	18.56
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.5	18.9
n78L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	22.35	18.75
n78L	20	30	3460.02	DFT	QPSK	Inner_Full	22.78	19.18
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	21.71	18.11
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.05	18.45
n78L	20	30	3460.02	DFT	QPSK	Outer_Full	21.8	18.2
n78L	20	30	3460.02	DFT	16QAM	Inner_Full	21.74	18.14
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	20.85	17.25
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	21.18	17.58
n78L	20	30	3460.02	DFT	16QAM	Outer_Full	20.83	17.23
n78L	20	30	3460.02	DFT	64QAM	Inner_Full	20.31	16.71
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	20.06	16.46
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	20.33	16.73
n78L	20	30	3460.02	DFT	64QAM	Outer_Full	20.36	16.76
n78L	20	30	3460.02	DFT	256QAM	Inner_Full	18.36	14.76
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	18.4	14.8
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	18.67	15.07
n78L	20	30	3460.02	DFT	256QAM	Outer_Full	18.42	14.82
n78L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.91	20.31
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.18	19.58
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	19.72
n78L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.39	19.79
n78L	20	30	3500.01	DFT	QPSK	Inner_Full	23.95	20.35
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.73	19.13
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.82	19.22
n78L	20	30	3500.01	DFT	QPSK	Outer_Full	22.89	19.29
n78L	20	30	3500.01	DFT	16QAM	Inner_Full	22.87	19.27
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.89	18.29
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	22	18.4
n78L	20	30	3500.01	DFT	16QAM	Outer_Full	21.91	18.31
n78L	20	30	3500.01	DFT	64QAM	Inner_Full	21.44	17.84
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.95	17.35
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.09	17.49
n78L	20	30	3500.01	DFT	64QAM	Outer_Full	21.34	17.74
n78L	20	30	3500.01	DFT	256QAM	Inner_Full	19.49	15.89
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.35	15.75
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.45	15.85

n78L	20	30	3500.01	DFT	256QAM	Outer_Full	19.44	15.84
n78L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	23.11	19.51
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	23.02	19.42
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	22.32	18.72
n78L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	22.65	19.05
n78L	20	30	3540	DFT	QPSK	Inner_Full	23.16	19.56
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.52	18.92
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Right	21.91	18.31
n78L	20	30	3540	DFT	QPSK	Outer_Full	22.2	18.6
n78L	20	30	3540	DFT	16QAM	Inner_Full	22.1	18.5
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Left	21.65	18.05
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Right	21.01	17.41
n78L	20	30	3540	DFT	16QAM	Outer_Full	21.13	17.53
n78L	20	30	3540	DFT	64QAM	Inner_Full	20.6	17
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Left	20.75	17.15
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Right	20.05	16.45
n78L	20	30	3540	DFT	64QAM	Outer_Full	20.67	17.07
n78L	20	30	3540	DFT	256QAM	Inner_Full	18.67	15.07
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Left	19.19	15.59
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Right	18.51	14.91
n78L	20	30	3540	DFT	256QAM	Outer_Full	18.63	15.03
n78L	25	30	3462.51	DFT	pi/2 BPSK	Inner_Full	22.89	19.29
n78L	25	30	3462.51	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	18.55
n78L	25	30	3462.51	DFT	pi/2 BPSK	Edge_1RB_Right	22.72	19.12
n78L	25	30	3462.51	DFT	pi/2 BPSK	Outer_Full	22.48	18.88
n78L	25	30	3462.51	DFT	QPSK	Inner_Full	22.91	19.31
n78L	25	30	3462.51	DFT	QPSK	Edge_1RB_Left	21.73	18.13
n78L	25	30	3462.51	DFT	QPSK	Edge_1RB_Right	22.22	18.62
n78L	25	30	3462.51	DFT	QPSK	Outer_Full	21.94	18.34
n78L	25	30	3462.51	DFT	16QAM	Inner_Full	21.95	18.35
n78L	25	30	3462.51	DFT	16QAM	Edge_1RB_Left	20.85	17.25
n78L	25	30	3462.51	DFT	16QAM	Edge_1RB_Right	21.3	17.7
n78L	25	30	3462.51	DFT	16QAM	Outer_Full	20.99	17.39
n78L	25	30	3462.51	DFT	64QAM	Inner_Full	20.48	16.88
n78L	25	30	3462.51	DFT	64QAM	Edge_1RB_Left	19.97	16.37
n78L	25	30	3462.51	DFT	64QAM	Edge_1RB_Right	20.5	16.9
n78L	25	30	3462.51	DFT	64QAM	Outer_Full	20.45	16.85
n78L	25	30	3462.51	DFT	256QAM	Inner_Full	18.5	14.9
n78L	25	30	3462.51	DFT	256QAM	Edge_1RB_Left	18.37	14.77
n78L	25	30	3462.51	DFT	256QAM	Edge_1RB_Right	18.8	15.2
n78L	25	30	3462.51	DFT	256QAM	Outer_Full	18.52	14.92

n78L	25	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.97	20.37
n78L	25	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.12	19.52
n78L	25	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	19.72
n78L	25	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.47	19.87
n78L	25	30	3500.01	DFT	QPSK	Inner_Full	23.97	20.37
n78L	25	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.69	19.09
n78L	25	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.79	19.19
n78L	25	30	3500.01	DFT	QPSK	Outer_Full	22.95	19.35
n78L	25	30	3500.01	DFT	16QAM	Inner_Full	22.93	19.33
n78L	25	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.81	18.21
n78L	25	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.97	18.37
n78L	25	30	3500.01	DFT	16QAM	Outer_Full	21.91	18.31
n78L	25	30	3500.01	DFT	64QAM	Inner_Full	21.54	17.94
n78L	25	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.85	17.25
n78L	25	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.1	17.5
n78L	25	30	3500.01	DFT	64QAM	Outer_Full	21.41	17.81
n78L	25	30	3500.01	DFT	256QAM	Inner_Full	19.51	15.91
n78L	25	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.28	15.68
n78L	25	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.43	15.83
n78L	25	30	3500.01	DFT	256QAM	Outer_Full	19.48	15.88
n78L	25	30	3537.48	DFT	pi/2 BPSK	Inner_Full	23.25	19.65
n78L	25	30	3537.48	DFT	pi/2 BPSK	Edge_1RB_Left	23.09	19.49
n78L	25	30	3537.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.34	18.74
n78L	25	30	3537.48	DFT	pi/2 BPSK	Outer_Full	22.81	19.21
n78L	25	30	3537.48	DFT	QPSK	Inner_Full	23.27	19.67
n78L	25	30	3537.48	DFT	QPSK	Edge_1RB_Left	22.68	19.08
n78L	25	30	3537.48	DFT	QPSK	Edge_1RB_Right	21.85	18.25
n78L	25	30	3537.48	DFT	QPSK	Outer_Full	22.31	18.71
n78L	25	30	3537.48	DFT	16QAM	Inner_Full	22.26	18.66
n78L	25	30	3537.48	DFT	16QAM	Edge_1RB_Left	21.8	18.2
n78L	25	30	3537.48	DFT	16QAM	Edge_1RB_Right	21	17.4
n78L	25	30	3537.48	DFT	16QAM	Outer_Full	21.3	17.7
n78L	25	30	3537.48	DFT	64QAM	Inner_Full	20.83	17.23
n78L	25	30	3537.48	DFT	64QAM	Edge_1RB_Left	20.9	17.3
n78L	25	30	3537.48	DFT	64QAM	Edge_1RB_Right	20.07	16.47
n78L	25	30	3537.48	DFT	64QAM	Outer_Full	20.81	17.21
n78L	25	30	3537.48	DFT	256QAM	Inner_Full	18.77	15.17
n78L	25	30	3537.48	DFT	256QAM	Edge_1RB_Left	19.32	15.72
n78L	25	30	3537.48	DFT	256QAM	Edge_1RB_Right	18.49	14.89
n78L	25	30	3537.48	DFT	256QAM	Outer_Full	18.85	15.25
n78L	30	30	3465	DFT	pi/2 BPSK	Inner_Full	22.87	19.27

n78L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Left	22.06	18.46
n78L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Right	22.8	19.2
n78L	30	30	3465	DFT	pi/2 BPSK	Outer_Full	22.4	18.8
n78L	30	30	3465	DFT	QPSK	Inner_Full	22.81	19.21
n78L	30	30	3465	DFT	QPSK	Edge_1RB_Left	21.63	18.03
n78L	30	30	3465	DFT	QPSK	Edge_1RB_Right	22.35	18.75
n78L	30	30	3465	DFT	QPSK	Outer_Full	21.93	18.33
n78L	30	30	3465	DFT	16QAM	Inner_Full	21.87	18.27
n78L	30	30	3465	DFT	16QAM	Edge_1RB_Left	20.79	17.19
n78L	30	30	3465	DFT	16QAM	Edge_1RB_Right	21.48	17.88
n78L	30	30	3465	DFT	16QAM	Outer_Full	20.9	17.3
n78L	30	30	3465	DFT	64QAM	Inner_Full	20.33	16.73
n78L	30	30	3465	DFT	64QAM	Edge_1RB_Left	19.89	16.29
n78L	30	30	3465	DFT	64QAM	Edge_1RB_Right	20.57	16.97
n78L	30	30	3465	DFT	64QAM	Outer_Full	20.45	16.85
n78L	30	30	3465	DFT	256QAM	Inner_Full	18.41	14.81
n78L	30	30	3465	DFT	256QAM	Edge_1RB_Left	18.33	14.73
n78L	30	30	3465	DFT	256QAM	Edge_1RB_Right	18.99	15.39
n78L	30	30	3465	DFT	256QAM	Outer_Full	18.5	14.9
n78L	30	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.93	20.33
n78L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.09	19.49
n78L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.28	19.68
n78L	30	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.42	19.82
n78L	30	30	3500.01	DFT	QPSK	Inner_Full	23.96	20.36
n78L	30	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.62	19.02
n78L	30	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.87	19.27
n78L	30	30	3500.01	DFT	QPSK	Outer_Full	22.96	19.36
n78L	30	30	3500.01	DFT	16QAM	Inner_Full	22.95	19.35
n78L	30	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.94	18.34
n78L	30	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.14	18.54
n78L	30	30	3500.01	DFT	16QAM	Outer_Full	21.89	18.29
n78L	30	30	3500.01	DFT	64QAM	Inner_Full	21.53	17.93
n78L	30	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.87	17.27
n78L	30	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.12	17.52
n78L	30	30	3500.01	DFT	64QAM	Outer_Full	21.48	17.88
n78L	30	30	3500.01	DFT	256QAM	Inner_Full	19.53	15.93
n78L	30	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.26	15.66
n78L	30	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.51	15.91
n78L	30	30	3500.01	DFT	256QAM	Outer_Full	19.49	15.89
n78L	30	30	3534.99	DFT	pi/2 BPSK	Inner_Full	23.54	19.94
n78L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.29	19.69

n78L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.5	18.9
n78L	30	30	3534.99	DFT	pi/2 BPSK	Outer_Full	23.03	19.43
n78L	30	30	3534.99	DFT	QPSK	Inner_Full	23.56	19.96
n78L	30	30	3534.99	DFT	QPSK	Edge_1RB_Left	22.8	19.2
n78L	30	30	3534.99	DFT	QPSK	Edge_1RB_Right	22.04	18.44
n78L	30	30	3534.99	DFT	QPSK	Outer_Full	22.5	18.9
n78L	30	30	3534.99	DFT	16QAM	Inner_Full	22.57	18.97
n78L	30	30	3534.99	DFT	16QAM	Edge_1RB_Left	22.08	18.48
n78L	30	30	3534.99	DFT	16QAM	Edge_1RB_Right	21.14	17.54
n78L	30	30	3534.99	DFT	16QAM	Outer_Full	21.5	17.9
n78L	30	30	3534.99	DFT	64QAM	Inner_Full	21.1	17.5
n78L	30	30	3534.99	DFT	64QAM	Edge_1RB_Left	21.08	17.48
n78L	30	30	3534.99	DFT	64QAM	Edge_1RB_Right	20.26	16.66
n78L	30	30	3534.99	DFT	64QAM	Outer_Full	21.06	17.46
n78L	30	30	3534.99	DFT	256QAM	Inner_Full	19.07	15.47
n78L	30	30	3534.99	DFT	256QAM	Edge_1RB_Left	19.49	15.89
n78L	30	30	3534.99	DFT	256QAM	Edge_1RB_Right	18.61	15.01
n78L	30	30	3534.99	DFT	256QAM	Outer_Full	19.07	15.47
n78L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	23.09	19.49
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.03	18.43
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.2	19.6
n78L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	22.64	19.04
n78L	40	30	3470.01	DFT	QPSK	Inner_Full	23.09	19.49
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	21.7	18.1
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.75	19.15
n78L	40	30	3470.01	DFT	QPSK	Outer_Full	22.15	18.55
n78L	40	30	3470.01	DFT	16QAM	Inner_Full	22.07	18.47
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	20.89	17.29
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	21.91	18.31
n78L	40	30	3470.01	DFT	16QAM	Outer_Full	21.17	17.57
n78L	40	30	3470.01	DFT	64QAM	Inner_Full	20.6	17
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	19.99	16.39
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	20.99	17.39
n78L	40	30	3470.01	DFT	64QAM	Outer_Full	20.66	17.06
n78L	40	30	3470.01	DFT	256QAM	Inner_Full	18.63	15.03
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	18.27	14.67
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	19.38	15.78
n78L	40	30	3470.01	DFT	256QAM	Outer_Full	18.68	15.08
n78L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.94	20.34
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.87	19.27
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.29	19.69

n78L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.34	19.74
n78L	40	30	3500.01	DFT	QPSK	Inner_Full	23.96	20.36
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.42	18.82
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.83	19.23
n78L	40	30	3500.01	DFT	QPSK	Outer_Full	22.88	19.28
n78L	40	30	3500.01	DFT	16QAM	Inner_Full	22.97	19.37
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.59	17.99
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.99	18.39
n78L	40	30	3500.01	DFT	16QAM	Outer_Full	21.88	18.28
n78L	40	30	3500.01	DFT	64QAM	Inner_Full	21.48	17.88
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.61	17.01
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.06	17.46
n78L	40	30	3500.01	DFT	64QAM	Outer_Full	21.39	17.79
n78L	40	30	3500.01	DFT	256QAM	Inner_Full	19.52	15.92
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	19.07	15.47
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.44	15.84
n78L	40	30	3500.01	DFT	256QAM	Outer_Full	19.42	15.82
n78L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	23.68	20.08
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.23	19.63
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	18.82
n78L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	23.09	19.49
n78L	40	30	3529.98	DFT	QPSK	Inner_Full	23.67	20.07
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.79	19.19
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	21.93	18.33
n78L	40	30	3529.98	DFT	QPSK	Outer_Full	22.55	18.95
n78L	40	30	3529.98	DFT	16QAM	Inner_Full	22.66	19.06
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	21.95	18.35
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	21.08	17.48
n78L	40	30	3529.98	DFT	16QAM	Outer_Full	21.59	17.99
n78L	40	30	3529.98	DFT	64QAM	Inner_Full	21.23	17.63
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	21.05	17.45
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	20.14	16.54
n78L	40	30	3529.98	DFT	64QAM	Outer_Full	21.08	17.48
n78L	40	30	3529.98	DFT	256QAM	Inner_Full	19.26	15.66
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	19.4	15.8
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	18.58	14.98
n78L	40	30	3529.98	DFT	256QAM	Outer_Full	19.13	15.53
n78L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	23.25	19.65
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	18.37
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	19.72
n78L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	22.76	19.16

n78L	50	30	3475.02	DFT	QPSK	Inner_Full	23.26	19.66
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	21.57	17.97
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	22.81	19.21
n78L	50	30	3475.02	DFT	QPSK	Outer_Full	22.24	18.64
n78L	50	30	3475.02	DFT	16QAM	Inner_Full	22.14	18.54
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	20.72	17.12
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	21.97	18.37
n78L	50	30	3475.02	DFT	16QAM	Outer_Full	21.26	17.66
n78L	50	30	3475.02	DFT	64QAM	Inner_Full	20.78	17.18
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	19.78	16.18
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.19	17.59
n78L	50	30	3475.02	DFT	64QAM	Outer_Full	20.75	17.15
n78L	50	30	3475.02	DFT	256QAM	Inner_Full	18.79	15.19
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	18.22	14.62
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	19.43	15.83
n78L	50	30	3475.02	DFT	256QAM	Outer_Full	18.79	15.19
n78L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.96	20.36
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	19.04
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.21	19.61
n78L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.3	19.7
n78L	50	30	3500.01	DFT	QPSK	Inner_Full	23.94	20.34
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.2	18.6
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.8	19.2
n78L	50	30	3500.01	DFT	QPSK	Outer_Full	22.82	19.22
n78L	50	30	3500.01	DFT	16QAM	Inner_Full	22.88	19.28
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.34	17.74
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.07	18.47
n78L	50	30	3500.01	DFT	16QAM	Outer_Full	21.83	18.23
n78L	50	30	3500.01	DFT	64QAM	Inner_Full	21.52	17.92
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.48	16.88
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.98	17.38
n78L	50	30	3500.01	DFT	64QAM	Outer_Full	21.32	17.72
n78L	50	30	3500.01	DFT	256QAM	Inner_Full	19.47	15.87
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.85	15.25
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.43	15.83
n78L	50	30	3500.01	DFT	256QAM	Outer_Full	19.4	15.8
n78L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	23.69	20.09
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	23.28	19.68
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	18.65
n78L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	23.09	19.49
n78L	50	30	3525	DFT	QPSK	Inner_Full	23.7	20.1

n78L	50	30	3525	DFT	QPSK	Edge_1RB_Left	22.8	19.2
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Right	21.83	18.23
n78L	50	30	3525	DFT	QPSK	Outer_Full	22.61	19.01
n78L	50	30	3525	DFT	16QAM	Inner_Full	22.7	19.1
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Left	21.94	18.34
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Right	21.12	17.52
n78L	50	30	3525	DFT	16QAM	Outer_Full	21.6	18
n78L	50	30	3525	DFT	64QAM	Inner_Full	21.26	17.66
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Left	21.11	17.51
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Right	19.97	16.37
n78L	50	30	3525	DFT	64QAM	Outer_Full	21.16	17.56
n78L	50	30	3525	DFT	256QAM	Inner_Full	19.24	15.64
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Left	19.44	15.84
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Right	18.41	14.81
n78L	50	30	3525	DFT	256QAM	Outer_Full	19.13	15.53
n78L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	23.42	19.82
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	18.37
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	23.27	19.67
n78L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	22.87	19.27
n78L	60	30	3480	DFT	QPSK	Inner_Full	23.43	19.83
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Left	21.57	17.97
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Right	22.81	19.21
n78L	60	30	3480	DFT	QPSK	Outer_Full	22.39	18.79
n78L	60	30	3480	DFT	16QAM	Inner_Full	22.45	18.85
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Left	20.76	17.16
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Right	22.03	18.43
n78L	60	30	3480	DFT	16QAM	Outer_Full	21.37	17.77
n78L	60	30	3480	DFT	64QAM	Inner_Full	20.96	17.36
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Left	19.87	16.27
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.1	17.5
n78L	60	30	3480	DFT	64QAM	Outer_Full	20.93	17.33
n78L	60	30	3480	DFT	256QAM	Inner_Full	19	15.4
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Left	18.21	14.61
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Right	19.45	15.85
n78L	60	30	3480	DFT	256QAM	Outer_Full	18.96	15.36
n78L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.82	20.22
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	18.85
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.15	19.55
n78L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.19	19.59
n78L	60	30	3500.01	DFT	QPSK	Inner_Full	23.85	20.25
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.95	18.35

n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.66	19.06
n78L	60	30	3500.01	DFT	QPSK	Outer_Full	22.73	19.13
n78L	60	30	3500.01	DFT	16QAM	Inner_Full	22.86	19.26
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	21.31	17.71
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.87	18.27
n78L	60	30	3500.01	DFT	16QAM	Outer_Full	21.71	18.11
n78L	60	30	3500.01	DFT	64QAM	Inner_Full	21.39	17.79
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.29	16.69
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.85	17.25
n78L	60	30	3500.01	DFT	64QAM	Outer_Full	21.2	17.6
n78L	60	30	3500.01	DFT	256QAM	Inner_Full	19.4	15.8
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.63	15.03
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	19.3	15.7
n78L	60	30	3500.01	DFT	256QAM	Outer_Full	19.26	15.66
n78L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	23.75	20.15
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.1	19.5
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.35	18.75
n78L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	23.14	19.54
n78L	60	30	3519.99	DFT	QPSK	Inner_Full	23.77	20.17
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.71	19.11
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	21.92	18.32
n78L	60	30	3519.99	DFT	QPSK	Outer_Full	22.62	19.02
n78L	60	30	3519.99	DFT	16QAM	Inner_Full	22.76	19.16
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	21.82	18.22
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	21.03	17.43
n78L	60	30	3519.99	DFT	16QAM	Outer_Full	21.64	18.04
n78L	60	30	3519.99	DFT	64QAM	Inner_Full	21.33	17.73
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	20.93	17.33
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	20.13	16.53
n78L	60	30	3519.99	DFT	64QAM	Outer_Full	21.15	17.55
n78L	60	30	3519.99	DFT	256QAM	Inner_Full	19.34	15.74
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	19.36	15.76
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	18.54	14.94
n78L	60	30	3519.99	DFT	256QAM	Outer_Full	19.17	15.57
n78L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	23.36	19.76
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	18.39
n78L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.12	19.52
n78L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	22.8	19.2
n78L	70	30	3485.01	DFT	QPSK	Inner_Full	23.36	19.76
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	21.55	17.95
n78L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	22.63	19.03

n78L	70	30	3485.01	DFT	QPSK	Outer_Full	22.27	18.67
n78L	70	30	3485.01	DFT	16QAM	Inner_Full	22.38	18.78
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	20.75	17.15
n78L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.79	18.19
n78L	70	30	3485.01	DFT	16QAM	Outer_Full	21.29	17.69
n78L	70	30	3485.01	DFT	64QAM	Inner_Full	20.9	17.3
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	19.85	16.25
n78L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	20.91	17.31
n78L	70	30	3485.01	DFT	64QAM	Outer_Full	20.82	17.22
n78L	70	30	3485.01	DFT	256QAM	Inner_Full	18.98	15.38
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	18.26	14.66
n78L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	19.23	15.63
n78L	70	30	3485.01	DFT	256QAM	Outer_Full	18.86	15.26
n78L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.75	20.15
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.26	18.66
n78L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	19.22
n78L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.11	19.51
n78L	70	30	3500.01	DFT	QPSK	Inner_Full	23.77	20.17
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.76	18.16
n78L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.37	18.77
n78L	70	30	3500.01	DFT	QPSK	Outer_Full	22.61	19.01
n78L	70	30	3500.01	DFT	16QAM	Inner_Full	22.74	19.14
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.97	17.37
n78L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.52	17.92
n78L	70	30	3500.01	DFT	16QAM	Outer_Full	21.6	18
n78L	70	30	3500.01	DFT	64QAM	Inner_Full	21.28	17.68
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	20.04	16.44
n78L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.64	17.04
n78L	70	30	3500.01	DFT	64QAM	Outer_Full	21.12	17.52
n78L	70	30	3500.01	DFT	256QAM	Inner_Full	19.34	15.74
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.45	14.85
n78L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.99	15.39
n78L	70	30	3500.01	DFT	256QAM	Outer_Full	19.12	15.52
n78L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	23.82	20.22
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.82	19.22
n78L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.38	18.78
n78L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	23.16	19.56
n78L	70	30	3514.98	DFT	QPSK	Inner_Full	23.84	20.24
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	22.31	18.71
n78L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	21.92	18.32
n78L	70	30	3514.98	DFT	QPSK	Outer_Full	22.66	19.06

n78L	70	30	3514.98	DFT	16QAM	Inner_Full	22.82	19.22
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	21.45	17.85
n78L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	21.06	17.46
n78L	70	30	3514.98	DFT	16QAM	Outer_Full	21.65	18.05
n78L	70	30	3514.98	DFT	64QAM	Inner_Full	21.35	17.75
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	20.55	16.95
n78L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	20.13	16.53
n78L	70	30	3514.98	DFT	64QAM	Outer_Full	21.17	17.57
n78L	70	30	3514.98	DFT	256QAM	Inner_Full	19.39	15.79
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	18.92	15.32
n78L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	18.57	14.97
n78L	70	30	3514.98	DFT	256QAM	Outer_Full	19.19	15.59
n78L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	23.6	20
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.06	18.46
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.01	19.41
n78L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	22.92	19.32
n78L	80	30	3490.02	DFT	QPSK	Inner_Full	23.61	20.01
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	21.6	18
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	22.61	19.01
n78L	80	30	3490.02	DFT	QPSK	Outer_Full	22.4	18.8
n78L	80	30	3490.02	DFT	16QAM	Inner_Full	22.6	19
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	20.66	17.06
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.75	18.15
n78L	80	30	3490.02	DFT	16QAM	Outer_Full	21.4	17.8
n78L	80	30	3490.02	DFT	64QAM	Inner_Full	21.11	17.51
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	19.88	16.28
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	20.81	17.21
n78L	80	30	3490.02	DFT	64QAM	Outer_Full	20.96	17.36
n78L	80	30	3490.02	DFT	256QAM	Inner_Full	19.12	15.52
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	18.26	14.66
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	19.2	15.6
n78L	80	30	3490.02	DFT	256QAM	Outer_Full	18.93	15.33
n78L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.75	20.15
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	18.57
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.59	18.99
n78L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	23.06	19.46
n78L	80	30	3500.01	DFT	QPSK	Inner_Full	23.76	20.16
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.73	18.13
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.16	18.56
n78L	80	30	3500.01	DFT	QPSK	Outer_Full	22.55	18.95
n78L	80	30	3500.01	DFT	16QAM	Inner_Full	22.76	19.16

n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.82	17.22
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.41	17.81
n78L	80	30	3500.01	DFT	16QAM	Outer_Full	21.56	17.96
n78L	80	30	3500.01	DFT	64QAM	Inner_Full	21.27	17.67
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	19.94	16.34
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.35	16.75
n78L	80	30	3500.01	DFT	64QAM	Outer_Full	21.03	17.43
n78L	80	30	3500.01	DFT	256QAM	Inner_Full	19.29	15.69
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.33	14.73
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.76	15.16
n78L	80	30	3500.01	DFT	256QAM	Outer_Full	19.08	15.48
n78L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	23.81	20.21
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	18.84
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	22.35	18.75
n78L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	23.06	19.46
n78L	80	30	3510	DFT	QPSK	Inner_Full	23.78	20.18
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Left	22	18.4
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Right	21.86	18.26
n78L	80	30	3510	DFT	QPSK	Outer_Full	22.55	18.95
n78L	80	30	3510	DFT	16QAM	Inner_Full	22.75	19.15
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Left	21.28	17.68
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Right	21.1	17.5
n78L	80	30	3510	DFT	16QAM	Outer_Full	21.55	17.95
n78L	80	30	3510	DFT	64QAM	Inner_Full	21.31	17.71
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Left	20.3	16.7
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Right	20.1	16.5
n78L	80	30	3510	DFT	64QAM	Outer_Full	21.06	17.46
n78L	80	30	3510	DFT	256QAM	Inner_Full	19.33	15.73
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Left	18.63	15.03
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Right	18.53	14.93
n78L	80	30	3510	DFT	256QAM	Outer_Full	19.07	15.47
n78L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	23.6	20
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	22.03	18.43
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	18.91
n78L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	22.88	19.28
n78L	90	30	3495	DFT	QPSK	Inner_Full	23.57	19.97
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Left	21.63	18.03
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Right	22.01	18.41
n78L	90	30	3495	DFT	QPSK	Outer_Full	22.37	18.77
n78L	90	30	3495	DFT	16QAM	Inner_Full	22.6	19
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Left	20.93	17.33

n78L	90	30	3495	DFT	16QAM	Edge_1RB_Right	21.16	17.56
n78L	90	30	3495	DFT	16QAM	Outer_Full	21.37	17.77
n78L	90	30	3495	DFT	64QAM	Inner_Full	21.1	17.5
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Left	19.88	16.28
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Right	20.27	16.67
n78L	90	30	3495	DFT	64QAM	Outer_Full	20.9	17.3
n78L	90	30	3495	DFT	256QAM	Inner_Full	19.18	15.58
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Left	18.22	14.62
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Right	18.61	15.01
n78L	90	30	3495	DFT	256QAM	Outer_Full	18.91	15.31
n78L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.73	20.13
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	18.39
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.37	18.77
n78L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	22.97	19.37
n78L	90	30	3500.01	DFT	QPSK	Inner_Full	23.73	20.13
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.53	17.93
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.83	18.23
n78L	90	30	3500.01	DFT	QPSK	Outer_Full	22.47	18.87
n78L	90	30	3500.01	DFT	16QAM	Inner_Full	22.72	19.12
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.83	17.23
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.01	17.41
n78L	90	30	3500.01	DFT	16QAM	Outer_Full	21.47	17.87
n78L	90	30	3500.01	DFT	64QAM	Inner_Full	21.26	17.66
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	19.85	16.25
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.09	16.49
n78L	90	30	3500.01	DFT	64QAM	Outer_Full	20.98	17.38
n78L	90	30	3500.01	DFT	256QAM	Inner_Full	19.28	20.37
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.15	14.55
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.48	14.88
n78L	90	30	3500.01	DFT	256QAM	Outer_Full	19	15.4
n78L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	23.85	20.25
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.11	18.51
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.34	18.74
n78L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	23.08	19.48
n78L	90	30	3504.99	DFT	QPSK	Inner_Full	23.85	20.25
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	21.68	18.08
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	21.84	18.24
n78L	90	30	3504.99	DFT	QPSK	Outer_Full	22.54	18.94
n78L	90	30	3504.99	DFT	16QAM	Inner_Full	22.86	19.26
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	20.83	17.23
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	20.86	17.26

n78L	90	30	3504.99	DFT	16QAM	Outer_Full	21.55	17.95
n78L	90	30	3504.99	DFT	64QAM	Inner_Full	21.36	17.76
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	19.93	16.33
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	20.05	16.45
n78L	90	30	3504.99	DFT	64QAM	Outer_Full	21.06	17.46
n78L	90	30	3504.99	DFT	256QAM	Inner_Full	19.4	15.8
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	18.3	14.7
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	18.52	14.92
n78L	90	30	3504.99	DFT	256QAM	Outer_Full	19.1	15.5
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	23.7	20.1
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	18.39
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.28	18.68
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	22.92	19.32
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	23.69	20.09
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	21.52	17.92
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.78	18.18
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	22.37	18.77
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	22.69	19.09
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	20.75	17.15
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.03	17.43
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	21.39	17.79
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	21.23	17.63
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	19.89	16.29
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	20.05	16.45
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	20.89	17.29
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	19.25	15.65
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	18.27	14.67
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	18.48	14.88
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	18.98	15.38
n78L	100	30	3500.01	CP	QPSK	Inner_Full	22.1	18.5
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	19.52	15.92
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	19.76	16.16
n78L	100	30	3500.01	CP	QPSK	Outer_Full	20.36	16.76
n78L	100	30	3500.01	CP	16QAM	Inner_Full	21.66	18.06
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	19.63	16.03
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	19.98	16.38
n78L	100	30	3500.01	CP	16QAM	Outer_Full	20.35	16.75
n78L	100	30	3500.01	CP	64QAM	Inner_Full	20.14	16.54
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	18.74	15.14
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	19.16	15.56
n78L	100	30	3500.01	CP	64QAM	Outer_Full	19.89	16.29



No.25T04Z100757-005

n78L	100	30	3500.01	CP	256QAM	Inner_Full	17.22	13.62
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	16.26	12.66
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	16.49	12.89
n78L	100	30	3500.01	CP	256QAM	Outer_Full	16.84	13.24


A.2 Emission Limit


The measurements procedures in C63.26 are used.

The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz. The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of the NR Band.

The procedure of radiated spurious emissions is as follows:

Using the test configuration as follow, measure the radiated emissions directly from the EUT and convert the measured field strength or received power to ERP or EIRP, as required, for comparison to the applicable limits.





The emission characteristics of the EUT can be identified from the pre-scan measurement information.

Exploratory radiated measurements (pre-scans) may be performed to determine the general EUT radiated emissions characteristics and, when necessary, the EUT-to-measurement antenna orientation that produces the maximum emission amplitude. Pre-scans shall only be used to determine the emission frequencies (i.e., not amplitude levels). The information garnered from a pre-scan can then be used to perform final compliance measurements using either the substitution or direct field strength method.

For radiated emissions measurements performed at frequencies less than or equal to 1 GHz, the EUT shall be placed on a RF-transparent table or support at a nominal height of 80 cm above the reference ground plane. Radiated measurements shall be made with the measurement antenna positioned in both horizontal and vertical polarization. The measurement antenna shall be varied from 1 m to 4 m in height above the reference ground in a search for the relative positioning that produces the maximum radiated signal level (i.e., field strength or received power). When orienting the measurement antenna in vertical polarization, the minimum height of the lowest element of the antenna shall clear the site reference ground plane by at least 25 cm.

The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic were measured with peak detector.

For radiated measurements performed at frequencies above 1 GHz, the EUT shall be placed on an RF transparent table or support at a nominal height of 1.5 m above the ground plane. When maximizing the emissions from the EUT for measurement, the EUT and its transmitting antenna(s) shall be rotated through 360°. For each mode of operation to be tested, the frequency spectrum (based on findings from exploratory measurements) shall be monitored. Final measurements shall be performed for the worst case combination(s) of variable technical parameters that result in the maximum measured emission amplitude, record the frequency and amplitude of the highest fundamental emission (if applicable), and the frequency and amplitude data for the six highest-amplitude spurious emissions.

A.2.2 Measurement Limit

NR n2: Part 24.238 specifies that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

NR n5: Part 22.917 specifies that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

NR n7: 27.53(m)(4) specifies that For BRS and EBS stations, the power of any emissions outside the licensee's frequency bands of operation shall be attenuated below the transmitter power (P) measured in watts in accordance with the standards below. If a licensee has multiple contiguous channels, out-of-band emissions shall be measured from the upper and lower edges of the contiguous channels.

(4) For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

NR n12: Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

NR n41: Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

NR n48: 96.41 (e) the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and

within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed -25 dBm/MHz.

for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40 dBm/MHz.

NR n66: 27.53(h) specifies "AWS emission limits—(1) General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB"

NR n71: Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

NR n78L: 27.53(n)(2) specifies "For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz."

A.2.3 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of the NR Bands. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of the NR Bands into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this. The range of evaluated frequency is from 30MHz to 40GHz.

Test note

Investigation has been done on all modes and modulations/data rates. In total, three EUT elevation positions are measured. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

Measurement Results:
ENDC DC_5A_n2A, 5MHz, Channel 370500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1673.12	-45.61	7.23	9.10	2.15	-45.89	-13.00	32.89	H
5855.50	-42.09	11.43	10.61	2.15	-45.07	-13.00	32.07	H
10039.00	-31.87	15.26	12.03	2.15	-37.25	-13.00	24.25	H
3705.00	-56.31	9.89	10.55	0.00	-55.64	-13.00	42.64	H
5557.50	-51.95	11.63	11.20	0.00	-52.38	-13.00	39.38	H
7410.50	-40.92	12.76	10.12	0.00	-43.56	-13.00	30.56	V

ENDC DC_5A_n2A, 5MHz, Channel 376000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1673.12	-45.37	7.23	9.10	2.15	-45.65	-13.00	32.65	V
5855.50	-44.54	11.43	10.61	2.15	-47.52	-13.00	34.52	H
10039.00	-32.57	15.26	12.03	2.15	-37.95	-13.00	24.95	H
3760.00	-54.90	10.10	10.45	0.00	-54.56	-13.00	41.56	H
5640.00	-50.27	11.61	11.20	0.00	-50.68	-13.00	37.68	H
7520.00	-40.30	12.82	10.31	0.00	-42.82	-13.00	29.82	H

ENDC DC_5A_n2A, 5MHz, Channel 38150

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1673.12	-45.25	7.23	9.10	2.15	-45.53	-13.00	32.53	H
5856.00	-44.05	11.43	10.60	2.15	-47.03	-13.00	34.03	H
10039.00	-36.27	15.26	12.03	2.15	-41.65	-13.00	28.65	H
3815.00	-52.59	10.33	10.26	0.00	-52.67	-13.00	39.67	H
5722.00	-47.38	11.65	11.00	0.00	-48.03	-13.00	35.03	H
7630.00	-38.07	13.21	10.40	0.00	-40.88	-13.00	27.88	H

ENDC DC_30A_n5A, 5MHz, Channel 165300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
4615.00	-53.77	11.11	11.15	0.00	-53.73	-40.00	13.73	H
6923.00	-45.43	12.74	10.34	0.00	-47.83	-40.00	7.83	V
9230.50	-39.29	14.41	11.80	0.00	-41.90	-40.00	1.90	H
1652.94	-44.03	7.12	9.10	2.15	-44.20	-13.00	31.20	H
6611.50	-44.00	12.35	10.36	2.15	-48.14	-13.00	35.14	H
9917.50	-36.24	15.72	12.08	2.15	-42.03	-13.00	29.03	H

ENDC DC_30A_n5A, 5MHz, Channel 165300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
4616.00	-55.55	11.11	11.15	0.00	-55.51	-40.00	15.51	H
6923.00	-44.18	12.74	10.34	0.00	-46.58	-40.00	6.58	H
9231.00	-39.71	14.39	11.80	0.00	-42.30	-40.00	2.30	H
1672.92	-45.30	7.23	9.10	2.15	-45.58	-13.00	32.58	H
5855.00	-45.74	11.43	10.61	2.15	-48.72	-13.00	35.72	H
10037.50	-34.27	15.26	12.03	2.15	-39.64	-13.00	26.64	H

ENDC DC_30A_n5A, 5MHz, Channel 165300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
4625.00	-53.61	11.11	11.14	0.00	-53.58	-40.00	13.58	H
9250.50	-40.26	14.54	11.80	0.00	-43.00	-40.00	3.00	H
11563.00	-36.69	16.26	12.76	0.00	-40.18	-40.00	0.18	H
1692.90	-44.13	7.36	9.10	2.15	-44.54	-13.00	31.54	V
5078.50	-46.70	11.46	11.27	2.15	-49.05	-13.00	36.05	H
6771.50	-42.27	12.62	10.30	2.15	-46.73	-13.00	33.73	H

DC_66A_n7A, 5MHz, Channel 500500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3510.00	-58.25	9.83	10.51	-57.57	-13.00	44.57	H
7020.50	-42.62	12.59	10.41	-44.80	-13.00	31.80	V
8776.00	-32.15	14.22	11.25	-35.13	-13.00	22.13	V
5006.00	-55.89	11.66	11.23	-56.32	-25.00	31.32	V
7509.00	-49.14	13.35	10.28	-52.21	-25.00	27.21	V
10010.50	-36.29	15.07	12.08	-39.28	-25.00	14.28	H

DC_66A_n7A, 5MHz, Channel 507000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3510.00	-58.92	9.83	10.51	-58.24	-13.00	45.24	H
7020.50	-41.51	12.59	10.41	-43.69	-13.00	30.69	V
8775.50	-34.79	14.22	11.25	-37.76	-13.00	24.76	V
5071.00	-56.36	11.66	11.23	-56.79	-25.00	31.79	V
10530.50	-34.90	15.57	12.15	-38.32	-25.00	13.32	H
15796.50	-37.15	19.05	15.55	-40.65	-25.00	15.65	H

DC_66A_n7A, 5MHz, Channel 513500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3510.00	-57.26	9.83	10.51	-56.59	-13.00	43.59	H
5265.00	-51.93	11.77	11.50	-52.20	-13.00	39.20	H
7020.50	-39.16	12.59	10.41	-41.34	-13.00	28.34	V
5136.00	-57.14	11.67	11.44	-57.36	-25.00	32.36	V
7702.50	-37.04	13.25	10.71	-39.59	-25.00	14.59	H
10270.00	-40.36	15.42	12.17	-43.60	-25.00	18.60	H

DC_2A_n12A, 5MHz, Channel 140300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1402.80	-46.68	6.31	7.92	2.15	-47.23	-13.00	34.23
4910.00	-50.10	11.29	11.23	2.15	-52.30	-13.00	39.30
7716.50	-36.29	13.38	10.78	2.15	-41.04	-13.00	28.04
3760.00	-46.28	10.10	10.45	0.00	-45.94	-13.00	32.94
5640.00	-46.93	11.61	11.20	0.00	-47.34	-13.00	34.34
9400.50	-30.00	14.74	11.67	0.00	-33.07	-13.00	20.07

DC_2A_n12A, 5MHz, Channel 141500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1414.90	-46.90	6.36	8.00	2.15	-47.40	-13.00	34.40
7781.50	-42.18	13.25	10.96	2.15	-46.62	-13.00	33.62
9905.00	-37.48	15.30	12.07	2.15	-42.86	-13.00	29.86
3760.00	-45.85	10.10	10.45	0.00	-45.51	-13.00	32.51
5640.00	-47.20	11.61	11.20	0.00	-47.61	-13.00	34.61
9400.50	-31.39	14.74	11.67	0.00	-34.47	-13.00	21.47

DC_2A_n12A, 5MHz, Channel 142700

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1427.00	-45.88	6.43	8.09	2.15	-46.37	-13.00	33.37
5707.50	-49.64	11.65	11.04	2.15	-52.39	-13.00	39.39
9988.50	-36.42	15.27	12.17	2.15	-41.67	-13.00	28.67
3760.00	-47.03	10.10	10.45	0.00	-46.68	-13.00	33.68
5640.00	-45.69	11.61	11.20	0.00	-46.10	-13.00	33.10
9400.00	-33.57	14.74	11.67	0.00	-36.64	-13.00	23.64

ENDC DC_2A_n41A, 10MHz, Channel 500202

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3760.00	-51.32	10.10	10.45	-50.97	-13.00	37.97	V
7520.00	-23.95	12.82	10.31	-26.47	-13.00	13.47	H
9400.00	-22.54	14.74	11.67	-25.62	-13.00	12.62	H
5002.00	-53.98	11.66	11.23	-54.41	-25.00	29.41	V
7503.50	-41.59	13.18	10.27	-44.49	-25.00	19.49	V
10004.50	-36.98	15.63	12.09	-40.52	-25.00	15.52	H

ENDC DC_2A_n41A, 10MHz, Channel 518598

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3760.00	-51.11	10.10	10.45	-50.77	-13.00	37.77	H
7520.00	-23.29	12.82	10.31	-25.80	-13.00	12.80	H
9400.00	-24.68	14.74	11.67	-27.75	-13.00	14.75	H
5185.50	-52.33	11.33	11.64	-52.01	-25.00	27.01	H
7779.50	-29.48	13.08	10.96	-31.60	-25.00	6.60	H
10372.50	-41.07	15.13	12.13	-44.07	-25.00	19.07	V

ENDC DC_2A_n41A, 10MHz, Channel 537000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3760.00	-51.15	10.10	10.45	-50.81	-13.00	37.81	H
7520.00	-26.88	12.82	10.31	-29.39	-13.00	16.39	H
9400.00	-21.89	14.74	11.67	-24.96	-13.00	11.96	H
5370.00	-50.98	11.51	11.41	-51.07	-25.00	26.07	H
8055.00	-28.69	13.45	11.30	-30.84	-25.00	5.84	H
10740.50	-36.50	16.04	12.25	-40.28	-25.00	15.28	H

ENDC DC_2A_n48A, 10MHz, Channel 637000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3760.00	-53.47	10.10	10.45	-53.13	-13.00	40.13	V
7520.00	-28.50	12.82	10.31	-31.01	-13.00	18.01	H
9400.00	-32.41	14.74	11.67	-35.48	-13.00	22.48	H
7110.00	-52.95	12.86	10.35	-55.46	-40.00	15.46	H
10665.50	-50.05	15.66	12.20	-53.51	-40.00	13.51	H
14220.00	-51.80	17.21	12.70	-56.32	-40.00	16.32	H

ENDC DC_2A_n48A, 10MHz, Channel 641666

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3760.00	-53.55	10.10	10.45	-53.21	-13.00	40.21	V
7520.00	-28.97	12.82	10.31	-31.48	-13.00	18.48	H
9400.00	-32.08	14.74	11.67	-35.15	-13.00	22.15	H
7250.00	-54.80	13.19	10.07	-57.92	-40.00	17.92	H
10875.50	-48.55	16.35	12.38	-52.52	-40.00	12.52	H
14500.00	-52.28	17.66	13.17	-56.78	-40.00	16.78	H

ENDC DC_2A_n48A, 10MHz, Channel 646332

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3760.00	-53.48	10.10	10.45	-53.14	-13.00	40.14	V
7520.00	-30.11	12.82	10.31	-32.62	-13.00	19.62	H
9400.00	-33.12	14.74	11.67	-36.19	-13.00	23.19	H
7390.00	-57.02	13.07	10.08	-60.01	-40.00	20.01	H
11085.00	-53.36	15.96	12.48	-56.85	-40.00	16.85	H
14780.00	-52.54	17.79	14.01	-56.31	-40.00	16.31	H

ENDC DC_2A_n66A, 5MHz, Channel 342500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3424.50	-56.53	9.62	10.35	-55.81	-13.00	42.81	V
5137.50	-53.52	11.67	11.45	-53.74	-13.00	40.74	H
6850.00	-39.04	12.60	10.37	-41.28	-13.00	28.28	H
3760.00	-53.82	10.10	10.45	-53.48	-13.00	40.48	H
5640.00	-51.06	11.61	11.20	-51.47	-13.00	38.47	H
7520.00	-48.66	12.82	10.31	-51.17	-13.00	38.17	V

ENDC DC_2A_n66A, 5MHz, Channel 349000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.00	-58.18	9.80	10.37	-57.61	-13.00	44.61	V
8725.00	-37.80	14.19	11.35	-40.65	-13.00	27.65	H
10469.50	-36.45	15.47	12.10	-39.83	-13.00	26.83	H
3760.00	-54.12	10.10	10.45	-53.78	-13.00	40.78	H
5640.00	-52.44	11.61	11.20	-52.85	-13.00	39.85	H
9400.50	-40.08	14.74	11.67	-43.15	-13.00	30.15	H

ENDC DC_2A_n66A, 5MHz, Channel 355500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3556.00	-68.27	10.23	10.54	-67.97	-13.00	54.97	V
8887.00	-37.73	14.23	11.51	-40.45	-13.00	27.45	H
10665.00	-42.33	15.66	12.20	-45.79	-13.00	32.79	H
3760.00	-55.05	10.10	10.45	-54.71	-13.00	41.71	H
5640.00	-52.17	11.61	11.20	-52.58	-13.00	39.58	H
9400.00	-40.85	14.74	11.67	-43.92	-13.00	30.92	H

ENDC DC_66A_n71A, 5MHz, Channel 133100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1331.00	-46.96	6.02	7.51	2.15	-47.62	-13.00	34.62	V
4658.50	-47.88	11.10	11.19	2.15	-49.94	-13.00	36.94	H
5323.50	-42.61	11.89	11.43	2.15	-45.22	-13.00	32.22	H
3510.00	-50.20	9.83	10.51	0.00	-49.52	-13.00	36.52	V
7019.50	-37.40	12.56	10.41	0.00	-39.55	-13.00	26.55	H
8775.00	-31.75	14.22	11.25	0.00	-34.72	-13.00	21.72	H

ENDC DC_66A_n71A, 5MHz, Channel 136100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1361.06	-47.46	6.10	7.72	2.15	-47.99	-13.00	34.99	H
4763.50	-46.06	11.25	11.19	2.15	-48.27	-13.00	35.27	H
5444.00	-45.47	11.78	11.17	2.15	-48.24	-13.00	35.24	H
3509.50	-50.74	9.83	10.50	0.00	-50.06	-13.00	37.06	V
8775.00	-29.95	14.22	11.25	0.00	-32.92	-13.00	19.92	H
10530.00	-30.06	15.55	12.15	0.00	-33.46	-13.00	20.46	H

ENDC DC_66A_n71A, 5MHz, Channel 139100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1391.00	-48.12	6.19	7.87	2.15	-48.59	-13.00	35.59	V
4868.50	-44.54	11.37	11.25	2.15	-46.82	-13.00	33.82	H
5563.50	-43.44	11.63	11.20	2.15	-46.02	-13.00	33.02	H
3510.00	-50.29	9.83	10.51	0.00	-49.61	-13.00	36.61	V
8775.50	-27.94	14.22	11.25	0.00	-30.91	-13.00	17.91	H
10530.50	-29.44	15.57	12.15	0.00	-32.86	-13.00	19.86	H

ENDC DC_2A_n78L, 20MHz, Channel 630668

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3760.00	-46.42	10.10	10.45	-46.08	-13.00	33.08	H
7520.00	-28.78	12.82	10.31	-31.29	-13.00	18.29	V
9401.50	-21.80	14.74	11.67	-24.87	-13.00	11.87	H
6920.00	-50.01	12.66	10.35	-52.33	-13.00	39.33	H
10380.00	-38.23	15.38	12.13	-41.47	-13.00	28.47	H
13840.00	-39.95	17.23	12.38	-44.80	-13.00	31.80	H

ENDC DC_2A_n78L, 20MHz, Channel 633334

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3760.00	-46.33	10.10	10.45	-45.99	-13.00	32.99	H
7520.00	-26.37	12.82	10.31	-28.88	-13.00	15.88	H
9401.50	-20.61	14.74	11.67	-23.68	-13.00	10.68	H
7000.00	-48.77	12.54	10.37	-50.95	-13.00	37.95	H
10500.00	-44.26	15.54	12.13	-47.67	-13.00	34.67	V
14000.00	-40.43	17.11	12.43	-45.10	-13.00	32.10	H

ENDC DC_2A_n78L, 20MHz, Channel 636000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3760.00	-45.00	10.10	10.45	-44.66	-13.00	31.66	H
7520.00	-27.19	12.82	10.31	-29.70	-13.00	16.70	H
9400.50	-20.35	14.74	11.67	-23.42	-13.00	10.42	H
7080.00	-47.30	12.83	10.37	-49.77	-13.00	36.77	H
10620.00	-39.59	15.88	12.18	-43.29	-13.00	30.29	H
14160.00	-40.89	16.94	12.62	-45.21	-13.00	32.21	H

Note: Peak EIRP (dBm) = P_{Mea}(dBm) - Path Loss(dB) + Antenna Gain(dBi)

A.3 Frequency Stability

A.3.1 Method of Measurement

Frequency stability is a measure of the frequency drift due to temperature and supply voltage variations, with reference to the frequency measured at +20 °C and rated supply voltage. Two reference points are established at the applicable unwanted emissions limit using a RBW equal to the RBW required by the unwanted emissions specification of the applicable regulatory standard. These reference points measured using the lowest and highest channel of operation shall be identified as F_L and F_H respectively.

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a “call mode”. This is accomplished with the use of MT8000A.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the MT8000A, and in a simulated call on middle channel for each LTE band, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the MT8000A and in a simulated call on the center channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C decrements from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.

A.3.2 Measurement results

n2

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1850.080	1909.872		
50				1.40	0.0007
40				-1.40	0.0007
30				0.90	0.0005
10				1.70	0.0009
0				0.90	0.0005
-10				-4.30	0.0023
-20				-1.80	0.0010
-30				5.20	0.0028

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	1850.080	1909.872	2.70	0.0014
4.4				-1.70	0.0009

n5

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	824.224	847.816		
50				-1.70	0.0020
40				-2.40	0.0029
30				-5.60	0.0067
10				-4.00	0.0048
0				-5.30	0.0063
-10				-2.60	0.0031
-20				-1.00	0.0012
-30				2.30	0.0027

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	824.224	847.816	-2.00	0.0024
4.4				-3.50	0.0042

n7

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	2500.592	2569.392		
50				-0.20	0.0001
40				7.90	0.0031
30				5.50	0.0022
10				2.40	0.0009
0				2.90	0.0011
-10				-1.20	0.0005
-20				3.20	0.0013
-30				3.00	0.0012

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	2500.592	2569.392	2.40	0.0009
4.4				9.20	0.0036

n12

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	699.192	715.072		
50				0.60	0.0008
40				-3.50	0.0049
30				-3.40	0.0048
10				-0.10	0.0001
0				-0.90	0.0013
-10				0.00	0.0000
-20				-5.00	0.0071
-30				-2.70	0.0038

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	699.192	715.072	-5.00	0.0071
4.4				-1.30	0.0018

n41
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	2496.736	2688.128		
50				-4.80	0.0019
40				-5.90	0.0023
30				-0.90	0.0003
10				-2.20	0.0008
0				-3.20	0.0012
-10				-7.20	0.0028
-20				-0.50	0.0002
-30				-4.40	0.0017

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	2496.736	2688.128	-3.00	0.0012
4.4				-4.90	0.0019

n48
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3550.720	3698.144		
50				-2.90	0.0008
40				5.50	0.0015
30				-0.60	0.0002
10				-3.70	0.0010
0				2.40	0.0007
-10				-1.40	0.0004
-20				-4.20	0.0012
-30				-3.30	0.0009

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	3550.720	3698.144	-5.50	0.0015
4.4				-3.50	0.0010

n66

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1710.256	1779.344		
50				-1.40	0.0008
40				-5.20	0.0030
30				-2.60	0.0015
10				1.50	0.0009
0				-2.70	0.0015
-10				-4.20	0.0024
-20				0.40	0.0002
-30				-1.50	0.0009

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	1710.256	1779.344	-7.00	0.0040
4.4				-2.40	0.0014

n71

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	663.561	694.000		
50				1.30	0.0019
40				3.80	0.0056
30				2.10	0.0031
10				2.50	0.0037
0				0.90	0.0013
-10				0.30	0.0004
-20				2.00	0.0029
-30				4.00	0.0059

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	663.561	694.000	3.40	0.0050
4.4				2.30	0.0034

n78L
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3450.720	3548.208		
50				-4.40	0.0013
40				2.80	0.0008
30				1.10	0.0003
10				1.00	0.0003
0				1.10	0.0003
-10				-0.40	0.0001
-20				-3.10	0.0009
-30				-3.00	0.0009

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	3450.720	3548.208	-3.30	0.0009
4.4				-1.70	0.0005

A.4 Occupied Bandwidth

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the extreme and mid frequency. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:


- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts.
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) Set the detection mode to peak, and the trace mode to max-hold.

n2


n2,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1880	4.532	4.506	4.520


n2,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n2,5MHz Bandwidth,DFT-s-16QAM (99% BW)




n2


n2,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1880	9.025	9.003	9.002


n2,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n2,10MHz Bandwidth,DFT-s-16QAM (99% BW)




n2


n2,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1880	13.550	13.505	13.498


n2,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,15MHz Bandwidth,DFT-s-QPSK (99% BW)



n2,15MHz Bandwidth,DFT-s-16QAM (99% BW)




n2


n2,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1880	18.126	18.045	18.028


n2,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n2,20MHz Bandwidth,DFT-s-16QAM (99% BW)




n2


n2,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1880	23.102	23.086	23.031


n2,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,25MHz Bandwidth,DFT-s-QPSK (99% BW)



n2,25MHz Bandwidth,DFT-s-16QAM (99% BW)




n2


n2,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1880	28.756	28.783	28.710


n2,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,30MHz Bandwidth,DFT-s-QPSK (99% BW)



n2,30MHz Bandwidth,DFT-s-16QAM (99% BW)




n2


n2,35MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1880	32.339	32.228	32.258


n2,35MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,35MHz Bandwidth,DFT-s-QPSK (99% BW)



n2,35MHz Bandwidth,DFT-s-16QAM (99% BW)




n2


n2,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1880	38.892	38.819	38.867


n2,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n2,40MHz Bandwidth,DFT-s-QPSK (99% BW)



n2,40MHz Bandwidth,DFT-s-16QAM (99% BW)




n5


n5,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
836.5	4.532	4.504	4.515


n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n5,5MHz Bandwidth,DFT-s-16QAM (99% BW)




n5


n5,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
836.5	9.039	8.990	9.007


n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n5,10MHz Bandwidth,DFT-s-16QAM (99% BW)




n5


n5,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
836.5	13.537	13.436	13.473


n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,15MHz Bandwidth,DFT-s-QPSK (99% BW)



n5,15MHz Bandwidth,DFT-s-16QAM (99% BW)




n5


n5,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
836.5	18.021	17.960	17.989

n5,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n5,20MHz Bandwidth,DFT-s-16QAM (99% BW)




n5

n5,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
836.5	23.063	22.990	22.980

n5,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n5,25MHz Bandwidth,DFT-s-QPSK (99% BW)



n5,25MHz Bandwidth,DFT-s-16QAM (99% BW)




n7


n7,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2535	4.533	4.508	4.520


n7,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n7,5MHz Bandwidth,DFT-s-16QAM (99% BW)




n7


n7,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2535	9.043	9.021	9.010


n7,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n7,10MHz Bandwidth,DFT-s-16QAM (99% BW)




n7


n7,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2535	13.561	13.495	13.500


n7,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,15MHz Bandwidth,DFT-s-QPSK (99% BW)



n7,15MHz Bandwidth,DFT-s-16QAM (99% BW)




n7


n7,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2535	18.126	18.068	17.992


n7,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n7,20MHz Bandwidth,DFT-s-16QAM (99% BW)




n7

n7,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2535	23.125	23.090	23.053


n7,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,25MHz Bandwidth,DFT-s-QPSK (99% BW)



n7,25MHz Bandwidth,DFT-s-16QAM (99% BW)




n7


n7,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2535	28.802	28.742	28.777


n7,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,30MHz Bandwidth,DFT-s-QPSK (99% BW)



n7,30MHz Bandwidth,DFT-s-16QAM (99% BW)




n7


n7,35MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2535	32.418	32.327	32.345


n7,35MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,35MHz Bandwidth,DFT-s-QPSK (99% BW)



n7,35MHz Bandwidth,DFT-s-16QAM (99% BW)




n7


n7,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2535	39.138	39.007	39.032

n7,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,40MHz Bandwidth,DFT-s-QPSK (99% BW)



n7,40MHz Bandwidth,DFT-s-16QAM (99% BW)



n7


n7,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2535	48.758	48.578	48.687


n7,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n7,50MHz Bandwidth,DFT-s-QPSK (99% BW)



n7,50MHz Bandwidth,DFT-s-16QAM (99% BW)




n12


n12,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
707.5	4.533	4.495	4.518

n12,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n12,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n12,5MHz Bandwidth,DFT-s-16QAM (99% BW)




n12


n12,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
707.5	9.041	9.021	9.026


n12,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n12,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n12,10MHz Bandwidth,DFT-s-16QAM (99% BW)



n12


n12,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
707.5	13.543	13.517	13.515

n12,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n12,15MHz Bandwidth,DFT-s-QPSK (99% BW)



n12,15MHz Bandwidth,DFT-s-16QAM (99% BW)




n41

n41,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2592.99	8.651	8.662	8.600

n41,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n41,10MHz Bandwidth,DFT-s-16QAM (99% BW)




n41


n41,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2592.99	12.970	12.947	12.984


n41,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,15MHz Bandwidth,DFT-s-QPSK (99% BW)



n41,15MHz Bandwidth,DFT-s-16QAM (99% BW)




n41


n41,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2592.99	18.039	18.062	18.094

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n41,20MHz Bandwidth,DFT-s-16QAM (99% BW)

