

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30k_SISO_10MHz_NTNV_EIRP

5G NR n41 SCS=30kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2592.99	Edge_1RB_Left	22.08	/	/	20.98	/	/	<=33	Pass
		Edge_1RB_Right	22.08	/	/	20.98	/	/	<=33	Pass
		Outer_Full	22.06	/	/	20.96	/	/	<=33	Pass
		Inner_Full	22.58	/	/	21.48	/	/	<=33	Pass
		Inner_1RB_Left	22.55	/	/	21.45	/	/	<=33	Pass
		Inner_1RB_Right	22.58	/	/	21.48	/	/	<=33	Pass
	2501.01	Edge_1RB_Left	22.58	/	/	21.48	/	/	<=33	Pass
		Edge_1RB_Right	22.69	/	/	21.59	/	/	<=33	Pass
		Outer_Full	22.63	/	/	21.53	/	/	<=33	Pass
		Inner_Full	23.15	/	/	22.05	/	/	<=33	Pass
		Inner_1RB_Left	23.11	/	/	22.01	/	/	<=33	Pass
		Inner_1RB_Right	23.14	/	/	22.04	/	/	<=33	Pass
	2685	Edge_1RB_Left	22.50	/	/	21.40	/	/	<=33	Pass
		Edge_1RB_Right	22.55	/	/	21.45	/	/	<=33	Pass
		Outer_Full	22.50	/	/	21.40	/	/	<=33	Pass
		Inner_Full	23.01	/	/	21.91	/	/	<=33	Pass
		Inner_1RB_Left	22.97	/	/	21.87	/	/	<=33	Pass
		Inner_1RB_Right	23.05	/	/	21.95	/	/	<=33	Pass
DFT-s-OFDM QPSK	2592.99	Edge_1RB_Left	21.56	/	/	20.46	/	/	<=33	Pass
		Edge_1RB_Right	21.56	/	/	20.46	/	/	<=33	Pass
		Outer_Full	21.54	/	/	20.44	/	/	<=33	Pass
		Inner_Full	22.57	/	/	21.47	/	/	<=33	Pass
		Inner_1RB_Left	22.53	/	/	21.43	/	/	<=33	Pass
		Inner_1RB_Right	22.55	/	/	21.45	/	/	<=33	Pass
	2501.01	Edge_1RB_Left	22.13	/	/	21.03	/	/	<=33	Pass
		Edge_1RB_Right	22.13	/	/	21.03	/	/	<=33	Pass
		Outer_Full	22.12	/	/	21.02	/	/	<=33	Pass
		Inner_Full	23.11	/	/	22.01	/	/	<=33	Pass
		Inner_1RB_Left	23.02	/	/	21.92	/	/	<=33	Pass
		Inner_1RB_Right	23.23	/	/	22.13	/	/	<=33	Pass
	2685	Edge_1RB_Left	21.96	/	/	20.86	/	/	<=33	Pass
		Edge_1RB_Right	22.09	/	/	20.99	/	/	<=33	Pass
		Outer_Full	22.01	/	/	20.91	/	/	<=33	Pass
		Inner_Full	23.02	/	/	21.92	/	/	<=33	Pass
		Inner_1RB_Left	23.09	/	/	21.99	/	/	<=33	Pass
		Inner_1RB_Right	23.06	/	/	21.96	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	2592.99	Edge_1RB_Left	20.60	/	/	19.50	/	/	<=33	Pass
		Edge_1RB_Right	20.74	/	/	19.64	/	/	<=33	Pass
		Outer_Full	20.61	/	/	19.51	/	/	<=33	Pass
		Inner_Full	21.59	/	/	20.49	/	/	<=33	Pass
		Inner_1RB_Left	21.69	/	/	20.59	/	/	<=33	Pass
		Inner_1RB_Right	21.70	/	/	20.60	/	/	<=33	Pass
	2501.01	Edge_1RB_Left	21.23	/	/	20.13	/	/	<=33	Pass
		Edge_1RB_Right	21.28	/	/	20.18	/	/	<=33	Pass
		Outer_Full	21.16	/	/	20.06	/	/	<=33	Pass
		Inner_Full	22.19	/	/	21.09	/	/	<=33	Pass
		Inner_1RB_Left	22.22	/	/	21.12	/	/	<=33	Pass
		Inner_1RB_Right	22.23	/	/	21.13	/	/	<=33	Pass
	2685	Edge_1RB_Left	21.07	/	/	19.97	/	/	<=33	Pass

		Edge 1RB Right	21.10	/	/	20.00	/	/	<=33	Pass
		Outer Full	21.04	/	/	19.94	/	/	<=33	Pass
		Inner Full	21.98	/	/	20.88	/	/	<=33	Pass
		Inner 1RB Left	21.97	/	/	20.87	/	/	<=33	Pass
		Inner 1RB Right	22.15	/	/	21.05	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	2592.99	Edge 1RB Left	20.30	/	/	19.20	/	/	<=33	Pass
		Edge 1RB Right	20.27	/	/	19.17	/	/	<=33	Pass
		Outer Full	20.18	/	/	19.08	/	/	<=33	Pass
		Inner Full	20.07	/	/	18.97	/	/	<=33	Pass
		Inner 1RB Left	20.43	/	/	19.33	/	/	<=33	Pass
	2501.01	Inner 1RB Right	20.42	/	/	19.32	/	/	<=33	Pass
		Edge 1RB Left	21.06	/	/	19.96	/	/	<=33	Pass
		Edge 1RB Right	21.00	/	/	19.90	/	/	<=33	Pass
		Outer Full	20.76	/	/	19.66	/	/	<=33	Pass
		Inner Full	20.69	/	/	19.59	/	/	<=33	Pass
	2685	Inner 1RB Left	21.02	/	/	19.92	/	/	<=33	Pass
		Inner 1RB Right	20.79	/	/	19.69	/	/	<=33	Pass
		Edge 1RB Left	20.60	/	/	19.50	/	/	<=33	Pass
		Edge 1RB Right	20.80	/	/	19.70	/	/	<=33	Pass
		Outer Full	20.71	/	/	19.61	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	2592.99	Inner Full	20.60	/	/	19.50	/	/	<=33	Pass
		Inner 1RB Left	20.68	/	/	19.58	/	/	<=33	Pass
		Inner 1RB Right	20.65	/	/	19.55	/	/	<=33	Pass
	2501.01	Edge 1RB Left	17.86	/	/	16.76	/	/	<=33	Pass
		Edge 1RB Right	18.04	/	/	16.94	/	/	<=33	Pass
		Outer Full	18.13	/	/	17.03	/	/	<=33	Pass
		Inner Full	18.30	/	/	17.20	/	/	<=33	Pass
	2685	Inner 1RB Left	17.83	/	/	16.73	/	/	<=33	Pass
		Inner 1RB Right	18.01	/	/	16.91	/	/	<=33	Pass
		Edge 1RB Left	18.47	/	/	17.37	/	/	<=33	Pass
		Edge 1RB Right	18.66	/	/	17.56	/	/	<=33	Pass
		Outer Full	18.68	/	/	17.58	/	/	<=33	Pass
CP-OFDM QPSK	2592.99	Inner Full	19.05	/	/	17.95	/	/	<=33	Pass
		Inner 1RB Left	18.61	/	/	17.51	/	/	<=33	Pass
		Inner 1RB Right	18.60	/	/	17.50	/	/	<=33	Pass
	2501.01	Edge 1RB Left	18.39	/	/	17.29	/	/	<=33	Pass
		Edge 1RB Right	18.36	/	/	17.26	/	/	<=33	Pass
		Outer Full	18.61	/	/	17.51	/	/	<=33	Pass
		Inner Full	18.86	/	/	17.76	/	/	<=33	Pass
	2685	Inner 1RB Left	18.27	/	/	17.17	/	/	<=33	Pass
		Inner 1RB Right	18.53	/	/	17.43	/	/	<=33	Pass
		Edge 1RB Left	19.38	/	/	18.28	/	/	<=33	Pass
		Edge 1RB Right	19.49	/	/	18.39	/	/	<=33	Pass
		Outer Full	19.50	/	/	18.40	/	/	<=33	Pass
	2592.99	Inner Full	20.92	/	/	19.82	/	/	<=33	Pass
		Inner 1RB Left	20.84	/	/	19.74	/	/	<=33	Pass
		Inner 1RB Right	21.00	/	/	19.90	/	/	<=33	Pass
	2501.01	Edge 1RB Left	19.98	/	/	18.88	/	/	<=33	Pass
		Edge 1RB Right	20.31	/	/	19.21	/	/	<=33	Pass
		Outer Full	20.12	/	/	19.02	/	/	<=33	Pass
		Inner Full	21.53	/	/	20.43	/	/	<=33	Pass
	2685	Inner 1RB Left	21.49	/	/	20.39	/	/	<=33	Pass
		Inner 1RB Right	21.45	/	/	20.35	/	/	<=33	Pass
		Edge 1RB Left	19.86	/	/	18.76	/	/	<=33	Pass
		Edge 1RB Right	20.00	/	/	18.90	/	/	<=33	Pass
		Outer Full	20.05	/	/	18.95	/	/	<=33	Pass
		Inner Full	21.39	/	/	20.29	/	/	<=33	Pass
		Inner 1RB Left	21.31	/	/	20.21	/	/	<=33	Pass
		Inner 1RB Right	21.58	/	/	20.48	/	/	<=33	Pass

Note1: Antenna Gain: Ant4: -1.10dBi;
Note2: EIRP=Conducted Power+Antenna Gain

1.1.2 30k_SISO_15MHz_NTNV_EIRP

5G NR n41 SCS=30kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2592.99	Edge_1RB_Left	22.03	/	/	20.93	/	/	<=33	Pass
		Edge_1RB_Right	22.04	/	/	20.94	/	/	<=33	Pass
		Outer_Full	22.10	/	/	21.00	/	/	<=33	Pass
		Inner_Full	22.65	/	/	21.55	/	/	<=33	Pass
		Inner_1RB_Left	22.50	/	/	21.40	/	/	<=33	Pass
		Inner_1RB_Right	22.51	/	/	21.41	/	/	<=33	Pass
	2503.5	Edge_1RB_Left	22.63	/	/	21.53	/	/	<=33	Pass
		Edge_1RB_Right	22.69	/	/	21.59	/	/	<=33	Pass
		Outer_Full	22.67	/	/	21.57	/	/	<=33	Pass
		Inner_Full	23.25	/	/	22.15	/	/	<=33	Pass
		Inner_1RB_Left	23.13	/	/	22.03	/	/	<=33	Pass
		Inner_1RB_Right	23.11	/	/	22.01	/	/	<=33	Pass
	2682.48	Edge_1RB_Left	22.51	/	/	21.41	/	/	<=33	Pass
		Edge_1RB_Right	22.62	/	/	21.52	/	/	<=33	Pass
		Outer_Full	22.63	/	/	21.53	/	/	<=33	Pass
		Inner_Full	23.25	/	/	22.15	/	/	<=33	Pass
		Inner_1RB_Left	23.04	/	/	21.94	/	/	<=33	Pass
		Inner_1RB_Right	23.10	/	/	22.00	/	/	<=33	Pass
DFT-s-OFDM QPSK	2592.99	Edge_1RB_Left	21.62	/	/	20.52	/	/	<=33	Pass
		Edge_1RB_Right	21.58	/	/	20.48	/	/	<=33	Pass
		Outer_Full	21.62	/	/	20.52	/	/	<=33	Pass
		Inner_Full	22.62	/	/	21.52	/	/	<=33	Pass
		Inner_1RB_Left	22.55	/	/	21.45	/	/	<=33	Pass
		Inner_1RB_Right	22.52	/	/	21.42	/	/	<=33	Pass
	2503.5	Edge_1RB_Left	22.16	/	/	21.06	/	/	<=33	Pass
		Edge_1RB_Right	22.17	/	/	21.07	/	/	<=33	Pass
		Outer_Full	22.20	/	/	21.10	/	/	<=33	Pass
		Inner_Full	23.23	/	/	22.13	/	/	<=33	Pass
		Inner_1RB_Left	23.07	/	/	21.97	/	/	<=33	Pass
		Inner_1RB_Right	23.21	/	/	22.11	/	/	<=33	Pass
	2682.48	Edge_1RB_Left	22.09	/	/	20.99	/	/	<=33	Pass
		Edge_1RB_Right	22.19	/	/	21.09	/	/	<=33	Pass
		Outer_Full	22.18	/	/	21.08	/	/	<=33	Pass
		Inner_Full	23.22	/	/	22.12	/	/	<=33	Pass
		Inner_1RB_Left	22.99	/	/	21.89	/	/	<=33	Pass
		Inner_1RB_Right	23.26	/	/	22.16	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	2592.99	Edge_1RB_Left	20.68	/	/	19.58	/	/	<=33	Pass
		Edge_1RB_Right	20.66	/	/	19.56	/	/	<=33	Pass
		Outer_Full	20.57	/	/	19.47	/	/	<=33	Pass
		Inner_Full	21.67	/	/	20.57	/	/	<=33	Pass
		Inner_1RB_Left	21.64	/	/	20.54	/	/	<=33	Pass
		Inner_1RB_Right	21.64	/	/	20.54	/	/	<=33	Pass
	2503.5	Edge_1RB_Left	21.30	/	/	20.20	/	/	<=33	Pass
		Edge_1RB_Right	21.28	/	/	20.18	/	/	<=33	Pass
		Outer_Full	21.21	/	/	20.11	/	/	<=33	Pass
		Inner_Full	22.28	/	/	21.18	/	/	<=33	Pass
		Inner_1RB_Left	22.46	/	/	21.36	/	/	<=33	Pass
		Inner_1RB_Right	22.21	/	/	21.11	/	/	<=33	Pass
	2682.48	Edge_1RB_Left	21.16	/	/	20.06	/	/	<=33	Pass
		Edge_1RB_Right	21.26	/	/	20.16	/	/	<=33	Pass
		Outer_Full	21.17	/	/	20.07	/	/	<=33	Pass
		Inner_Full	22.27	/	/	21.17	/	/	<=33	Pass
		Inner_1RB_Left	22.13	/	/	21.03	/	/	<=33	Pass
		Inner_1RB_Right	22.20	/	/	21.10	/	/	<=33	Pass

DFT-s-OFDM 64 QAM	2592.99	Edge_1RB_Left	20.35	/	/	19.25	/	/	<=33	Pass
		Edge_1RB_Right	20.31	/	/	19.21	/	/	<=33	Pass
		Outer_Full	20.09	/	/	18.99	/	/	<=33	Pass
		Inner_Full	20.29	/	/	19.19	/	/	<=33	Pass
		Inner_1RB_Left	20.32	/	/	19.22	/	/	<=33	Pass
		Inner_1RB_Right	20.27	/	/	19.17	/	/	<=33	Pass
	2503.5	Edge_1RB_Left	21.07	/	/	19.97	/	/	<=33	Pass
		Edge_1RB_Right	20.94	/	/	19.84	/	/	<=33	Pass
		Outer_Full	20.70	/	/	19.60	/	/	<=33	Pass
		Inner_Full	20.93	/	/	19.83	/	/	<=33	Pass
		Inner_1RB_Left	20.98	/	/	19.88	/	/	<=33	Pass
		Inner_1RB_Right	20.76	/	/	19.66	/	/	<=33	Pass
	2682.48	Edge_1RB_Left	20.99	/	/	19.89	/	/	<=33	Pass
		Edge_1RB_Right	20.89	/	/	19.79	/	/	<=33	Pass
		Outer_Full	20.74	/	/	19.64	/	/	<=33	Pass
		Inner_Full	20.89	/	/	19.79	/	/	<=33	Pass
		Inner_1RB_Left	20.95	/	/	19.85	/	/	<=33	Pass
		Inner_1RB_Right	21.01	/	/	19.91	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	2592.99	Edge_1RB_Left	18.02	/	/	16.92	/	/	<=33	Pass
		Edge_1RB_Right	17.95	/	/	16.85	/	/	<=33	Pass
		Outer_Full	18.13	/	/	17.03	/	/	<=33	Pass
		Inner_Full	18.28	/	/	17.18	/	/	<=33	Pass
		Inner_1RB_Left	18.01	/	/	16.91	/	/	<=33	Pass
		Inner_1RB_Right	18.01	/	/	16.91	/	/	<=33	Pass
	2503.5	Edge_1RB_Left	18.74	/	/	17.64	/	/	<=33	Pass
		Edge_1RB_Right	18.62	/	/	17.52	/	/	<=33	Pass
		Outer_Full	18.77	/	/	17.67	/	/	<=33	Pass
		Inner_Full	18.84	/	/	17.74	/	/	<=33	Pass
		Inner_1RB_Left	18.62	/	/	17.52	/	/	<=33	Pass
		Inner_1RB_Right	18.59	/	/	17.49	/	/	<=33	Pass
	2682.48	Edge_1RB_Left	18.44	/	/	17.34	/	/	<=33	Pass
		Edge_1RB_Right	18.56	/	/	17.46	/	/	<=33	Pass
		Outer_Full	18.81	/	/	17.71	/	/	<=33	Pass
		Inner_Full	18.82	/	/	17.72	/	/	<=33	Pass
		Inner_1RB_Left	18.56	/	/	17.46	/	/	<=33	Pass
		Inner_1RB_Right	18.68	/	/	17.58	/	/	<=33	Pass
CP-OFDM QPSK	2592.99	Edge_1RB_Left	19.40	/	/	18.30	/	/	<=33	Pass
		Edge_1RB_Right	19.38	/	/	18.28	/	/	<=33	Pass
		Outer_Full	19.60	/	/	18.50	/	/	<=33	Pass
		Inner_Full	21.14	/	/	20.04	/	/	<=33	Pass
		Inner_1RB_Left	20.87	/	/	19.77	/	/	<=33	Pass
		Inner_1RB_Right	21.11	/	/	20.01	/	/	<=33	Pass
	2503.5	Edge_1RB_Left	19.99	/	/	18.89	/	/	<=33	Pass
		Edge_1RB_Right	20.05	/	/	18.95	/	/	<=33	Pass
		Outer_Full	20.24	/	/	19.14	/	/	<=33	Pass
		Inner_Full	21.73	/	/	20.63	/	/	<=33	Pass
		Inner_1RB_Left	21.42	/	/	20.32	/	/	<=33	Pass
		Inner_1RB_Right	21.54	/	/	20.44	/	/	<=33	Pass
	2682.48	Edge_1RB_Left	19.93	/	/	18.83	/	/	<=33	Pass
		Edge_1RB_Right	20.10	/	/	19.00	/	/	<=33	Pass
		Outer_Full	20.13	/	/	19.03	/	/	<=33	Pass
		Inner_Full	21.70	/	/	20.60	/	/	<=33	Pass
		Inner_1RB_Left	21.52	/	/	20.42	/	/	<=33	Pass
		Inner_1RB_Right	21.52	/	/	20.42	/	/	<=33	Pass
CP-OFDM 16 QAM	2592.99	Edge_1RB_Left	19.75	/	/	18.65	/	/	<=33	Pass
		Edge_1RB_Right	19.63	/	/	18.53	/	/	<=33	Pass
		Outer_Full	19.64	/	/	18.54	/	/	<=33	Pass
		Inner_Full	20.76	/	/	19.66	/	/	<=33	Pass
		Inner_1RB_Left	20.59	/	/	19.49	/	/	<=33	Pass

	2503.5	Inner 1RB Right	20.58	/	/	19.48	/	/	<=33	Pass
		Edge 1RB Left	20.27	/	/	19.17	/	/	<=33	Pass
		Edge 1RB Right	20.24	/	/	19.14	/	/	<=33	Pass
		Outer Full	20.23	/	/	19.13	/	/	<=33	Pass
		Inner Full	21.25	/	/	20.15	/	/	<=33	Pass
		Inner 1RB Left	21.25	/	/	20.15	/	/	<=33	Pass
	2682.48	Inner 1RB Right	21.17	/	/	20.07	/	/	<=33	Pass
		Edge 1RB Left	20.21	/	/	19.11	/	/	<=33	Pass
		Edge 1RB Right	20.32	/	/	19.22	/	/	<=33	Pass
		Outer Full	20.24	/	/	19.14	/	/	<=33	Pass
		Inner Full	21.15	/	/	20.05	/	/	<=33	Pass
		Inner 1RB Left	21.16	/	/	20.06	/	/	<=33	Pass
CP-OFDM 64 QAM	2592.99	Inner 1RB Right	21.33	/	/	20.23	/	/	<=33	Pass
		Edge 1RB Left	19.33	/	/	18.23	/	/	<=33	Pass
		Edge 1RB Right	19.31	/	/	18.21	/	/	<=33	Pass
		Outer Full	19.19	/	/	18.09	/	/	<=33	Pass
		Inner Full	19.14	/	/	18.04	/	/	<=33	Pass
		Inner 1RB Left	19.33	/	/	18.23	/	/	<=33	Pass
	2503.5	Inner 1RB Right	19.40	/	/	18.30	/	/	<=33	Pass
		Edge 1RB Left	20.04	/	/	18.94	/	/	<=33	Pass
		Edge 1RB Right	19.70	/	/	18.60	/	/	<=33	Pass
		Outer Full	19.82	/	/	18.72	/	/	<=33	Pass
		Inner Full	19.78	/	/	18.68	/	/	<=33	Pass
		Inner 1RB Left	19.90	/	/	18.80	/	/	<=33	Pass
	2682.48	Inner 1RB Right	19.71	/	/	18.61	/	/	<=33	Pass
		Edge 1RB Left	19.78	/	/	18.68	/	/	<=33	Pass
		Edge 1RB Right	19.85	/	/	18.75	/	/	<=33	Pass
		Outer Full	19.67	/	/	18.57	/	/	<=33	Pass
		Inner Full	19.78	/	/	18.68	/	/	<=33	Pass
		Inner 1RB Left	19.79	/	/	18.69	/	/	<=33	Pass
CP-OFDM 256 QAM	2592.99	Inner 1RB Right	19.83	/	/	18.73	/	/	<=33	Pass
		Edge 1RB Left	16.26	/	/	15.16	/	/	<=33	Pass
		Edge 1RB Right	16.20	/	/	15.10	/	/	<=33	Pass
		Outer Full	16.24	/	/	15.14	/	/	<=33	Pass
		Inner Full	16.31	/	/	15.21	/	/	<=33	Pass
		Inner 1RB Left	16.26	/	/	15.16	/	/	<=33	Pass
	2503.5	Inner 1RB Right	16.30	/	/	15.20	/	/	<=33	Pass
		Edge 1RB Left	16.91	/	/	15.81	/	/	<=33	Pass
		Edge 1RB Right	16.90	/	/	15.80	/	/	<=33	Pass
		Outer Full	16.87	/	/	15.77	/	/	<=33	Pass
		Inner Full	16.95	/	/	15.85	/	/	<=33	Pass
		Inner 1RB Left	16.78	/	/	15.68	/	/	<=33	Pass
	2682.48	Inner 1RB Right	16.90	/	/	15.80	/	/	<=33	Pass
		Edge 1RB Left	16.73	/	/	15.63	/	/	<=33	Pass
		Edge 1RB Right	16.85	/	/	15.75	/	/	<=33	Pass
		Outer Full	16.79	/	/	15.69	/	/	<=33	Pass
		Inner Full	16.92	/	/	15.82	/	/	<=33	Pass
		Inner 1RB Left	16.73	/	/	15.63	/	/	<=33	Pass
		Inner 1RB Right	16.88	/	/	15.78	/	/	<=33	Pass
Note1: Antenna Gain: Ant4: -1.10dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 30k_SISO_20MHz_NTNV_EIRP

5G NR n41 SCS=30kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2	2592.99	Edge 1RB Left	22.06	/	/	20.96	/	/	<=33	Pass

BPSK		Edge_1RB_Right	22.06	/	/	20.96	/	/	<=33	Pass	
		Outer_Full	22.09	/	/	20.99	/	/	<=33	Pass	
		Inner_Full	22.65	/	/	21.55	/	/	<=33	Pass	
		Inner_1RB_Left	22.56	/	/	21.46	/	/	<=33	Pass	
		Inner_1RB_Right	22.54	/	/	21.44	/	/	<=33	Pass	
	2506.02	Edge_1RB_Left	22.48	/	/	21.38	/	/	<=33	Pass	
		Edge_1RB_Right	22.50	/	/	21.40	/	/	<=33	Pass	
		Outer_Full	22.58	/	/	21.48	/	/	<=33	Pass	
		Inner_Full	23.16	/	/	22.06	/	/	<=33	Pass	
		Inner_1RB_Left	22.92	/	/	21.82	/	/	<=33	Pass	
	2679.99	Inner_1RB_Right	22.94	/	/	21.84	/	/	<=33	Pass	
		Edge_1RB_Left	22.42	/	/	21.32	/	/	<=33	Pass	
		Edge_1RB_Right	22.64	/	/	21.54	/	/	<=33	Pass	
		Outer_Full	22.66	/	/	21.56	/	/	<=33	Pass	
		Inner_Full	23.20	/	/	22.10	/	/	<=33	Pass	
	DFT-s-OFDM QPSK		Inner_1RB_Left	22.92	/	/	21.82	/	/	<=33	Pass
			Inner_1RB_Right	23.12	/	/	22.02	/	/	<=33	Pass
			Edge_1RB_Left	21.60	/	/	20.50	/	/	<=33	Pass
Edge_1RB_Right			21.60	/	/	20.50	/	/	<=33	Pass	
Outer_Full			21.60	/	/	20.50	/	/	<=33	Pass	
2592.99		Inner_Full	22.68	/	/	21.58	/	/	<=33	Pass	
		Inner_1RB_Left	22.57	/	/	21.47	/	/	<=33	Pass	
		Inner_1RB_Right	22.51	/	/	21.41	/	/	<=33	Pass	
		Edge_1RB_Left	22.00	/	/	20.90	/	/	<=33	Pass	
		Edge_1RB_Right	22.02	/	/	20.92	/	/	<=33	Pass	
2506.02		Outer_Full	22.06	/	/	20.96	/	/	<=33	Pass	
		Inner_Full	23.16	/	/	22.06	/	/	<=33	Pass	
		Inner_1RB_Left	22.96	/	/	21.86	/	/	<=33	Pass	
		Inner_1RB_Right	23.06	/	/	21.96	/	/	<=33	Pass	
		Edge_1RB_Left	21.95	/	/	20.85	/	/	<=33	Pass	
2679.99		Edge_1RB_Right	22.19	/	/	21.09	/	/	<=33	Pass	
		Outer_Full	22.13	/	/	21.03	/	/	<=33	Pass	
		Inner_Full	23.20	/	/	22.10	/	/	<=33	Pass	
	Inner_1RB_Left	22.97	/	/	21.87	/	/	<=33	Pass		
	Inner_1RB_Right	23.20	/	/	22.10	/	/	<=33	Pass		
DFT-s-OFDM 16 QAM		Edge_1RB_Left	20.67	/	/	19.57	/	/	<=33	Pass	
		Edge_1RB_Right	20.62	/	/	19.52	/	/	<=33	Pass	
		Outer_Full	20.65	/	/	19.55	/	/	<=33	Pass	
		Inner_Full	21.68	/	/	20.58	/	/	<=33	Pass	
		Inner_1RB_Left	21.66	/	/	20.56	/	/	<=33	Pass	
	2592.99	Inner_1RB_Right	21.58	/	/	20.48	/	/	<=33	Pass	
		Edge_1RB_Left	21.07	/	/	19.97	/	/	<=33	Pass	
		Edge_1RB_Right	21.07	/	/	19.97	/	/	<=33	Pass	
		Outer_Full	21.06	/	/	19.96	/	/	<=33	Pass	
		Inner_Full	22.21	/	/	21.11	/	/	<=33	Pass	
	2506.02	Inner_1RB_Left	22.06	/	/	20.96	/	/	<=33	Pass	
		Inner_1RB_Right	22.02	/	/	20.92	/	/	<=33	Pass	
		Edge_1RB_Left	21.06	/	/	19.96	/	/	<=33	Pass	
		Edge_1RB_Right	21.27	/	/	20.17	/	/	<=33	Pass	
		Outer_Full	21.17	/	/	20.07	/	/	<=33	Pass	
	2679.99	Inner_Full	22.22	/	/	21.12	/	/	<=33	Pass	
		Inner_1RB_Left	22.21	/	/	21.11	/	/	<=33	Pass	
		Inner_1RB_Right	22.38	/	/	21.28	/	/	<=33	Pass	
Edge_1RB_Left		20.58	/	/	19.48	/	/	<=33	Pass		
Edge_1RB_Right		20.45	/	/	19.35	/	/	<=33	Pass		
2592.99	Outer_Full	20.12	/	/	19.02	/	/	<=33	Pass		
	Inner_Full	20.11	/	/	19.01	/	/	<=33	Pass		
	Inner_1RB_Left	20.47	/	/	19.37	/	/	<=33	Pass		
	Inner_1RB_Right	20.38	/	/	19.28	/	/	<=33	Pass		

	2506.02	Edge_1RB_Left	20.86	/	/	19.76	/	/	<=33	Pass
		Edge_1RB_Right	20.85	/	/	19.75	/	/	<=33	Pass
		Outer_Full	20.58	/	/	19.48	/	/	<=33	Pass
		Inner_Full	20.66	/	/	19.56	/	/	<=33	Pass
		Inner_1RB_Left	20.94	/	/	19.84	/	/	<=33	Pass
		Inner_1RB_Right	20.64	/	/	19.54	/	/	<=33	Pass
	2679.99	Edge_1RB_Left	20.67	/	/	19.57	/	/	<=33	Pass
		Edge_1RB_Right	20.79	/	/	19.69	/	/	<=33	Pass
		Outer_Full	20.64	/	/	19.54	/	/	<=33	Pass
		Inner_Full	20.73	/	/	19.63	/	/	<=33	Pass
		Inner_1RB_Left	20.58	/	/	19.48	/	/	<=33	Pass
		Inner_1RB_Right	20.80	/	/	19.70	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	2592.99	Edge_1RB_Left	17.91	/	/	16.81	/	/	<=33	Pass
		Edge_1RB_Right	17.84	/	/	16.74	/	/	<=33	Pass
		Outer_Full	18.12	/	/	17.02	/	/	<=33	Pass
		Inner_Full	18.21	/	/	17.11	/	/	<=33	Pass
		Inner_1RB_Left	17.89	/	/	16.79	/	/	<=33	Pass
		Inner_1RB_Right	18.00	/	/	16.90	/	/	<=33	Pass
	2506.02	Edge_1RB_Left	18.43	/	/	17.33	/	/	<=33	Pass
		Edge_1RB_Right	18.51	/	/	17.41	/	/	<=33	Pass
		Outer_Full	18.60	/	/	17.50	/	/	<=33	Pass
		Inner_Full	18.68	/	/	17.58	/	/	<=33	Pass
		Inner_1RB_Left	18.41	/	/	17.31	/	/	<=33	Pass
		Inner_1RB_Right	18.52	/	/	17.42	/	/	<=33	Pass
	2679.99	Edge_1RB_Left	18.48	/	/	17.38	/	/	<=33	Pass
		Edge_1RB_Right	18.61	/	/	17.51	/	/	<=33	Pass
		Outer_Full	18.70	/	/	17.60	/	/	<=33	Pass
		Inner_Full	18.82	/	/	17.72	/	/	<=33	Pass
		Inner_1RB_Left	18.42	/	/	17.32	/	/	<=33	Pass
		Inner_1RB_Right	18.68	/	/	17.58	/	/	<=33	Pass
CP-OFDM QPSK	2592.99	Edge_1RB_Left	19.43	/	/	18.33	/	/	<=33	Pass
		Edge_1RB_Right	19.43	/	/	18.33	/	/	<=33	Pass
		Outer_Full	19.63	/	/	18.53	/	/	<=33	Pass
		Inner_Full	21.22	/	/	20.12	/	/	<=33	Pass
		Inner_1RB_Left	20.91	/	/	19.81	/	/	<=33	Pass
		Inner_1RB_Right	20.99	/	/	19.89	/	/	<=33	Pass
	2506.02	Edge_1RB_Left	19.78	/	/	18.68	/	/	<=33	Pass
		Edge_1RB_Right	19.98	/	/	18.88	/	/	<=33	Pass
		Outer_Full	20.10	/	/	19.00	/	/	<=33	Pass
		Inner_Full	21.56	/	/	20.46	/	/	<=33	Pass
		Inner_1RB_Left	21.29	/	/	20.19	/	/	<=33	Pass
		Inner_1RB_Right	21.40	/	/	20.30	/	/	<=33	Pass
	2679.99	Edge_1RB_Left	19.84	/	/	18.74	/	/	<=33	Pass
		Edge_1RB_Right	20.10	/	/	19.00	/	/	<=33	Pass
		Outer_Full	20.13	/	/	19.03	/	/	<=33	Pass
		Inner_Full	21.68	/	/	20.58	/	/	<=33	Pass
		Inner_1RB_Left	21.27	/	/	20.17	/	/	<=33	Pass
		Inner_1RB_Right	21.54	/	/	20.44	/	/	<=33	Pass
CP-OFDM 16 QAM	2592.99	Edge_1RB_Left	19.75	/	/	18.65	/	/	<=33	Pass
		Edge_1RB_Right	19.63	/	/	18.53	/	/	<=33	Pass
		Outer_Full	19.70	/	/	18.60	/	/	<=33	Pass
		Inner_Full	20.66	/	/	19.56	/	/	<=33	Pass
		Inner_1RB_Left	20.62	/	/	19.52	/	/	<=33	Pass
		Inner_1RB_Right	20.56	/	/	19.46	/	/	<=33	Pass
	2506.02	Edge_1RB_Left	20.15	/	/	19.05	/	/	<=33	Pass
		Edge_1RB_Right	20.23	/	/	19.13	/	/	<=33	Pass
		Outer_Full	20.11	/	/	19.01	/	/	<=33	Pass
		Inner_Full	21.15	/	/	20.05	/	/	<=33	Pass
		Inner_1RB_Left	21.00	/	/	19.90	/	/	<=33	Pass

	2679.99	Inner 1RB Right	21.13	/	/	20.03	/	/	<=33	Pass
		Edge 1RB Left	20.03	/	/	18.93	/	/	<=33	Pass
		Edge 1RB Right	20.32	/	/	19.22	/	/	<=33	Pass
		Outer_Full	20.19	/	/	19.09	/	/	<=33	Pass
		Inner_Full	21.24	/	/	20.14	/	/	<=33	Pass
		Inner 1RB Left	21.03	/	/	19.93	/	/	<=33	Pass
		Inner 1RB Right	21.23	/	/	20.13	/	/	<=33	Pass
CP-OFDM 64 QAM	2592.99	Edge 1RB Left	19.38	/	/	18.28	/	/	<=33	Pass
		Edge 1RB Right	19.36	/	/	18.26	/	/	<=33	Pass
		Outer_Full	19.17	/	/	18.07	/	/	<=33	Pass
		Inner_Full	19.23	/	/	18.13	/	/	<=33	Pass
		Inner 1RB Left	19.38	/	/	18.28	/	/	<=33	Pass
		Inner 1RB Right	19.30	/	/	18.20	/	/	<=33	Pass
	2506.02	Edge 1RB Left	19.80	/	/	18.70	/	/	<=33	Pass
		Edge 1RB Right	19.76	/	/	18.66	/	/	<=33	Pass
		Outer_Full	19.65	/	/	18.55	/	/	<=33	Pass
		Inner_Full	19.71	/	/	18.61	/	/	<=33	Pass
		Inner 1RB Left	19.86	/	/	18.76	/	/	<=33	Pass
		Inner 1RB Right	19.80	/	/	18.70	/	/	<=33	Pass
	2679.99	Edge 1RB Left	19.58	/	/	18.48	/	/	<=33	Pass
		Edge 1RB Right	19.91	/	/	18.81	/	/	<=33	Pass
		Outer_Full	19.74	/	/	18.64	/	/	<=33	Pass
		Inner_Full	19.80	/	/	18.70	/	/	<=33	Pass
		Inner 1RB Left	19.76	/	/	18.66	/	/	<=33	Pass
		Inner 1RB Right	19.86	/	/	18.76	/	/	<=33	Pass
CP-OFDM 256 QAM	2592.99	Edge 1RB Left	16.26	/	/	15.16	/	/	<=33	Pass
		Edge 1RB Right	16.29	/	/	15.19	/	/	<=33	Pass
		Outer_Full	16.22	/	/	15.12	/	/	<=33	Pass
		Inner_Full	16.28	/	/	15.18	/	/	<=33	Pass
		Inner 1RB Left	16.28	/	/	15.18	/	/	<=33	Pass
		Inner 1RB Right	16.24	/	/	15.14	/	/	<=33	Pass
	2506.02	Edge 1RB Left	16.59	/	/	15.49	/	/	<=33	Pass
		Edge 1RB Right	16.59	/	/	15.49	/	/	<=33	Pass
		Outer_Full	16.63	/	/	15.53	/	/	<=33	Pass
		Inner_Full	16.75	/	/	15.65	/	/	<=33	Pass
		Inner 1RB Left	16.59	/	/	15.49	/	/	<=33	Pass
		Inner 1RB Right	16.72	/	/	15.62	/	/	<=33	Pass
	2679.99	Edge 1RB Left	16.60	/	/	15.50	/	/	<=33	Pass
		Edge 1RB Right	16.70	/	/	15.60	/	/	<=33	Pass
		Outer_Full	16.71	/	/	15.61	/	/	<=33	Pass
		Inner_Full	16.81	/	/	15.71	/	/	<=33	Pass
		Inner 1RB Left	16.50	/	/	15.40	/	/	<=33	Pass
		Inner 1RB Right	16.86	/	/	15.76	/	/	<=33	Pass
Note1: Antenna Gain: Ant4: -1.10dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 30k_SISO_25MHz_NTNV_EIRP

5G NR n41 SCS=30kHz SISO 25MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2592.99	Edge 1RB Left	22.09	/	/	20.99	/	/	<=33	Pass
		Edge 1RB Right	22.20	/	/	21.10	/	/	<=33	Pass
		Outer Full	22.24	/	/	21.14	/	/	<=33	Pass
		Inner Full	22.69	/	/	21.59	/	/	<=33	Pass
		Inner 1RB Left	22.68	/	/	21.58	/	/	<=33	Pass
		Inner 1RB Right	22.61	/	/	21.51	/	/	<=33	Pass
	2508.51	Edge 1RB Left	22.70	/	/	21.60	/	/	<=33	Pass

		Edge_1RB_Right	22.56	/	/	21.46	/	/	<=33	Pass
		Outer_Full	22.74	/	/	21.64	/	/	<=33	Pass
		Inner_Full	23.23	/	/	22.13	/	/	<=33	Pass
		Inner_1RB_Left	23.17	/	/	22.07	/	/	<=33	Pass
		Inner_1RB_Right	23.04	/	/	21.94	/	/	<=33	Pass
	2677.5	Edge_1RB_Left	22.36	/	/	21.26	/	/	<=33	Pass
		Edge_1RB_Right	22.72	/	/	21.62	/	/	<=33	Pass
		Outer_Full	22.64	/	/	21.54	/	/	<=33	Pass
		Inner_Full	23.10	/	/	22.00	/	/	<=33	Pass
		Inner_1RB_Left	22.84	/	/	21.74	/	/	<=33	Pass
DFT-s-OFDM QPSK	2592.99	Inner_1RB_Right	23.20	/	/	22.10	/	/	<=33	Pass
		Edge_1RB_Left	21.71	/	/	20.61	/	/	<=33	Pass
		Edge_1RB_Right	21.70	/	/	20.60	/	/	<=33	Pass
		Outer_Full	21.75	/	/	20.65	/	/	<=33	Pass
		Inner_Full	22.70	/	/	21.60	/	/	<=33	Pass
	2508.51	Inner_1RB_Left	22.59	/	/	21.49	/	/	<=33	Pass
		Inner_1RB_Right	22.61	/	/	21.51	/	/	<=33	Pass
		Edge_1RB_Left	22.22	/	/	21.12	/	/	<=33	Pass
		Edge_1RB_Right	22.14	/	/	21.04	/	/	<=33	Pass
		Outer_Full	22.24	/	/	21.14	/	/	<=33	Pass
	2677.5	Inner_Full	23.23	/	/	22.13	/	/	<=33	Pass
		Inner_1RB_Left	23.28	/	/	22.18	/	/	<=33	Pass
		Inner_1RB_Right	23.26	/	/	22.16	/	/	<=33	Pass
		Edge_1RB_Left	21.90	/	/	20.80	/	/	<=33	Pass
		Edge_1RB_Right	22.27	/	/	21.17	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	2592.99	Outer_Full	22.14	/	/	21.04	/	/	<=33	Pass
		Inner_Full	23.13	/	/	22.03	/	/	<=33	Pass
		Inner_1RB_Left	23.00	/	/	21.90	/	/	<=33	Pass
		Inner_1RB_Right	23.25	/	/	22.15	/	/	<=33	Pass
		Edge_1RB_Left	20.74	/	/	19.64	/	/	<=33	Pass
	2508.51	Edge_1RB_Right	20.70	/	/	19.60	/	/	<=33	Pass
		Outer_Full	20.74	/	/	19.64	/	/	<=33	Pass
		Inner_Full	21.70	/	/	20.60	/	/	<=33	Pass
		Inner_1RB_Left	21.72	/	/	20.62	/	/	<=33	Pass
		Inner_1RB_Right	21.66	/	/	20.56	/	/	<=33	Pass
	2677.5	Edge_1RB_Left	21.33	/	/	20.23	/	/	<=33	Pass
		Edge_1RB_Right	21.18	/	/	20.08	/	/	<=33	Pass
		Outer_Full	21.24	/	/	20.14	/	/	<=33	Pass
		Inner_Full	22.22	/	/	21.12	/	/	<=33	Pass
		Inner_1RB_Left	22.24	/	/	21.14	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	2592.99	Inner_1RB_Right	22.08	/	/	20.98	/	/	<=33	Pass
		Edge_1RB_Left	20.94	/	/	19.84	/	/	<=33	Pass
		Edge_1RB_Right	21.30	/	/	20.20	/	/	<=33	Pass
		Outer_Full	21.13	/	/	20.03	/	/	<=33	Pass
		Inner_Full	22.12	/	/	21.02	/	/	<=33	Pass
	2508.51	Inner_1RB_Left	21.93	/	/	20.83	/	/	<=33	Pass
		Inner_1RB_Right	22.39	/	/	21.29	/	/	<=33	Pass
		Edge_1RB_Left	20.56	/	/	19.46	/	/	<=33	Pass
		Edge_1RB_Right	20.49	/	/	19.39	/	/	<=33	Pass
		Outer_Full	20.28	/	/	19.18	/	/	<=33	Pass
	2592.99	Inner_Full	20.38	/	/	19.28	/	/	<=33	Pass
		Inner_1RB_Left	20.49	/	/	19.39	/	/	<=33	Pass
		Inner_1RB_Right	20.39	/	/	19.29	/	/	<=33	Pass
	2508.51	Edge_1RB_Left	21.10	/	/	20.00	/	/	<=33	Pass
		Edge_1RB_Right	20.98	/	/	19.88	/	/	<=33	Pass
Outer_Full		20.78	/	/	19.68	/	/	<=33	Pass	
	Inner_Full	20.88	/	/	19.78	/	/	<=33	Pass	
	Inner_1RB_Left	21.20	/	/	20.10	/	/	<=33	Pass	
	Inner_1RB_Right	20.77	/	/	19.67	/	/	<=33	Pass	

	2677.5	Edge_1RB_Left	20.58	/	/	19.48	/	/	<=33	Pass
		Edge_1RB_Right	21.04	/	/	19.94	/	/	<=33	Pass
		Outer_Full	20.68	/	/	19.58	/	/	<=33	Pass
		Inner_Full	20.75	/	/	19.65	/	/	<=33	Pass
		Inner_1RB_Left	20.58	/	/	19.48	/	/	<=33	Pass
		Inner_1RB_Right	20.81	/	/	19.71	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	2592.99	Edge_1RB_Left	18.17	/	/	17.07	/	/	<=33	Pass
		Edge_1RB_Right	17.92	/	/	16.82	/	/	<=33	Pass
		Outer_Full	18.29	/	/	17.19	/	/	<=33	Pass
		Inner_Full	18.23	/	/	17.13	/	/	<=33	Pass
		Inner_1RB_Left	17.90	/	/	16.80	/	/	<=33	Pass
		Inner_1RB_Right	18.08	/	/	16.98	/	/	<=33	Pass
	2508.51	Edge_1RB_Left	18.49	/	/	17.39	/	/	<=33	Pass
		Edge_1RB_Right	18.58	/	/	17.48	/	/	<=33	Pass
		Outer_Full	18.81	/	/	17.71	/	/	<=33	Pass
		Inner_Full	18.78	/	/	17.68	/	/	<=33	Pass
		Inner_1RB_Left	18.65	/	/	17.55	/	/	<=33	Pass
		Inner_1RB_Right	18.59	/	/	17.49	/	/	<=33	Pass
	2677.5	Edge_1RB_Left	18.17	/	/	17.07	/	/	<=33	Pass
		Edge_1RB_Right	18.55	/	/	17.45	/	/	<=33	Pass
		Outer_Full	18.68	/	/	17.58	/	/	<=33	Pass
		Inner_Full	18.69	/	/	17.59	/	/	<=33	Pass
		Inner_1RB_Left	18.17	/	/	17.07	/	/	<=33	Pass
		Inner_1RB_Right	18.70	/	/	17.60	/	/	<=33	Pass
CP-OFDM QPSK	2592.99	Edge_1RB_Left	19.53	/	/	18.43	/	/	<=33	Pass
		Edge_1RB_Right	19.53	/	/	18.43	/	/	<=33	Pass
		Outer_Full	19.73	/	/	18.63	/	/	<=33	Pass
		Inner_Full	21.12	/	/	20.02	/	/	<=33	Pass
		Inner_1RB_Left	21.01	/	/	19.91	/	/	<=33	Pass
		Inner_1RB_Right	21.10	/	/	20.00	/	/	<=33	Pass
	2508.51	Edge_1RB_Left	20.08	/	/	18.98	/	/	<=33	Pass
		Edge_1RB_Right	20.21	/	/	19.11	/	/	<=33	Pass
		Outer_Full	20.24	/	/	19.14	/	/	<=33	Pass
		Inner_Full	21.73	/	/	20.63	/	/	<=33	Pass
		Inner_1RB_Left	21.68	/	/	20.58	/	/	<=33	Pass
		Inner_1RB_Right	21.54	/	/	20.44	/	/	<=33	Pass
	2677.5	Edge_1RB_Left	19.92	/	/	18.82	/	/	<=33	Pass
		Edge_1RB_Right	20.27	/	/	19.17	/	/	<=33	Pass
		Outer_Full	20.12	/	/	19.02	/	/	<=33	Pass
		Inner_Full	21.56	/	/	20.46	/	/	<=33	Pass
		Inner_1RB_Left	21.37	/	/	20.27	/	/	<=33	Pass
		Inner_1RB_Right	21.77	/	/	20.67	/	/	<=33	Pass
CP-OFDM 16 QAM	2592.99	Edge_1RB_Left	19.80	/	/	18.70	/	/	<=33	Pass
		Edge_1RB_Right	19.84	/	/	18.74	/	/	<=33	Pass
		Outer_Full	19.72	/	/	18.62	/	/	<=33	Pass
		Inner_Full	20.71	/	/	19.61	/	/	<=33	Pass
		Inner_1RB_Left	20.65	/	/	19.55	/	/	<=33	Pass
		Inner_1RB_Right	20.57	/	/	19.47	/	/	<=33	Pass
	2508.51	Edge_1RB_Left	20.35	/	/	19.25	/	/	<=33	Pass
		Edge_1RB_Right	20.15	/	/	19.05	/	/	<=33	Pass
		Outer_Full	20.30	/	/	19.20	/	/	<=33	Pass
		Inner_Full	21.23	/	/	20.13	/	/	<=33	Pass
		Inner_1RB_Left	21.15	/	/	20.05	/	/	<=33	Pass
		Inner_1RB_Right	21.04	/	/	19.94	/	/	<=33	Pass
	2677.5	Edge_1RB_Left	20.04	/	/	18.94	/	/	<=33	Pass
		Edge_1RB_Right	20.38	/	/	19.28	/	/	<=33	Pass
		Outer_Full	20.15	/	/	19.05	/	/	<=33	Pass
		Inner_Full	21.12	/	/	20.02	/	/	<=33	Pass
		Inner_1RB_Left	20.81	/	/	19.71	/	/	<=33	Pass

CP-OFDM 64 QAM	2592.99	Inner 1RB Right	21.23	/	/	20.13	/	/	<=33	Pass
		Edge 1RB Left	19.58	/	/	18.48	/	/	<=33	Pass
		Edge 1RB Right	19.30	/	/	18.20	/	/	<=33	Pass
		Outer Full	19.26	/	/	18.16	/	/	<=33	Pass
		Inner Full	19.28	/	/	18.18	/	/	<=33	Pass
		Inner 1RB Left	19.57	/	/	18.47	/	/	<=33	Pass
	2508.51	Inner 1RB Right	19.34	/	/	18.24	/	/	<=33	Pass
		Edge 1RB Left	19.92	/	/	18.82	/	/	<=33	Pass
		Edge 1RB Right	19.85	/	/	18.75	/	/	<=33	Pass
		Outer Full	19.75	/	/	18.65	/	/	<=33	Pass
		Inner Full	19.82	/	/	18.72	/	/	<=33	Pass
		Inner 1RB Left	19.96	/	/	18.86	/	/	<=33	Pass
	2677.5	Inner 1RB Right	19.87	/	/	18.77	/	/	<=33	Pass
		Edge 1RB Left	19.58	/	/	18.48	/	/	<=33	Pass
		Edge 1RB Right	19.97	/	/	18.87	/	/	<=33	Pass
		Outer Full	19.68	/	/	18.58	/	/	<=33	Pass
		Inner Full	19.68	/	/	18.58	/	/	<=33	Pass
		Inner 1RB Left	19.75	/	/	18.65	/	/	<=33	Pass
CP-OFDM 256 QAM	2592.99	Inner 1RB Right	19.79	/	/	18.69	/	/	<=33	Pass
		Edge 1RB Left	16.39	/	/	15.29	/	/	<=33	Pass
		Edge 1RB Right	16.42	/	/	15.32	/	/	<=33	Pass
		Outer Full	16.35	/	/	15.25	/	/	<=33	Pass
		Inner Full	16.34	/	/	15.24	/	/	<=33	Pass
		Inner 1RB Left	16.28	/	/	15.18	/	/	<=33	Pass
	2508.51	Inner 1RB Right	16.32	/	/	15.22	/	/	<=33	Pass
		Edge 1RB Left	16.96	/	/	15.86	/	/	<=33	Pass
		Edge 1RB Right	16.82	/	/	15.72	/	/	<=33	Pass
		Outer Full	16.86	/	/	15.76	/	/	<=33	Pass
		Inner Full	16.88	/	/	15.78	/	/	<=33	Pass
		Inner 1RB Left	16.90	/	/	15.80	/	/	<=33	Pass
	2677.5	Inner 1RB Right	16.79	/	/	15.69	/	/	<=33	Pass
		Edge 1RB Left	16.59	/	/	15.49	/	/	<=33	Pass
		Edge 1RB Right	16.90	/	/	15.80	/	/	<=33	Pass
		Outer Full	16.74	/	/	15.64	/	/	<=33	Pass
		Inner Full	16.75	/	/	15.65	/	/	<=33	Pass
		Inner 1RB Left	16.53	/	/	15.43	/	/	<=33	Pass
		Inner 1RB Right	16.86	/	/	15.76	/	/	<=33	Pass
Note1: Antenna Gain: Ant4: -1.10dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.5 30k_SISO_30MHz_NTNV_EIRP

5G NR n41 SCS=30kHz SISO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2592.99	Edge 1RB Left	22.15	/	/	21.05	/	/	<=33	Pass
		Edge 1RB Right	22.09	/	/	20.99	/	/	<=33	Pass
		Outer Full	22.22	/	/	21.12	/	/	<=33	Pass
		Inner Full	22.71	/	/	21.61	/	/	<=33	Pass
		Inner 1RB Left	22.65	/	/	21.55	/	/	<=33	Pass
		Inner 1RB Right	22.62	/	/	21.52	/	/	<=33	Pass
	2511	Edge 1RB Left	22.78	/	/	21.68	/	/	<=33	Pass
		Edge 1RB Right	22.59	/	/	21.49	/	/	<=33	Pass
		Outer Full	22.76	/	/	21.66	/	/	<=33	Pass
		Inner Full	23.29	/	/	22.19	/	/	<=33	Pass
		Inner 1RB Left	23.21	/	/	22.11	/	/	<=33	Pass
		Inner 1RB Right	23.05	/	/	21.95	/	/	<=33	Pass
	2674.98	Edge 1RB Left	22.52	/	/	21.42	/	/	<=33	Pass

		Edge 1RB Right	22.79	/	/	21.69	/	/	<=33	Pass
		Outer Full	22.69	/	/	21.59	/	/	<=33	Pass
		Inner Full	23.22	/	/	22.12	/	/	<=33	Pass
		Inner 1RB Left	23.01	/	/	21.91	/	/	<=33	Pass
		Inner 1RB Right	23.25	/	/	22.15	/	/	<=33	Pass
DFT-s-OFDM QPSK	2592.99	Edge 1RB Left	21.63	/	/	20.53	/	/	<=33	Pass
		Edge 1RB Right	21.64	/	/	20.54	/	/	<=33	Pass
		Outer Full	21.71	/	/	20.61	/	/	<=33	Pass
		Inner Full	22.68	/	/	21.58	/	/	<=33	Pass
		Inner 1RB Left	22.63	/	/	21.53	/	/	<=33	Pass
		Inner 1RB Right	22.62	/	/	21.52	/	/	<=33	Pass
	2511	Edge 1RB Left	22.33	/	/	21.23	/	/	<=33	Pass
		Edge 1RB Right	22.16	/	/	21.06	/	/	<=33	Pass
		Outer Full	22.26	/	/	21.16	/	/	<=33	Pass
		Inner Full	23.27	/	/	22.17	/	/	<=33	Pass
		Inner 1RB Left	23.31	/	/	22.21	/	/	<=33	Pass
		Inner 1RB Right	23.28	/	/	22.18	/	/	<=33	Pass
	2674.98	Edge 1RB Left	22.04	/	/	20.94	/	/	<=33	Pass
		Edge 1RB Right	22.31	/	/	21.21	/	/	<=33	Pass
		Outer Full	22.19	/	/	21.09	/	/	<=33	Pass
		Inner Full	23.24	/	/	22.14	/	/	<=33	Pass
		Inner 1RB Left	22.99	/	/	21.89	/	/	<=33	Pass
		Inner 1RB Right	23.28	/	/	22.18	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	2592.99	Edge 1RB Left	20.76	/	/	19.66	/	/	<=33	Pass
		Edge 1RB Right	20.71	/	/	19.61	/	/	<=33	Pass
		Outer Full	20.70	/	/	19.60	/	/	<=33	Pass
		Inner Full	21.71	/	/	20.61	/	/	<=33	Pass
		Inner 1RB Left	21.72	/	/	20.62	/	/	<=33	Pass
		Inner 1RB Right	21.70	/	/	20.60	/	/	<=33	Pass
	2511	Edge 1RB Left	21.38	/	/	20.28	/	/	<=33	Pass
		Edge 1RB Right	21.19	/	/	20.09	/	/	<=33	Pass
		Outer Full	21.27	/	/	20.17	/	/	<=33	Pass
		Inner Full	22.31	/	/	21.21	/	/	<=33	Pass
		Inner 1RB Left	22.32	/	/	21.22	/	/	<=33	Pass
		Inner 1RB Right	22.26	/	/	21.16	/	/	<=33	Pass
	2674.98	Edge 1RB Left	21.13	/	/	20.03	/	/	<=33	Pass
		Edge 1RB Right	21.37	/	/	20.27	/	/	<=33	Pass
		Outer Full	21.23	/	/	20.13	/	/	<=33	Pass
		Inner Full	22.22	/	/	21.12	/	/	<=33	Pass
		Inner 1RB Left	22.11	/	/	21.01	/	/	<=33	Pass
		Inner 1RB Right	22.35	/	/	21.25	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	2592.99	Edge 1RB Left	20.64	/	/	19.54	/	/	<=33	Pass
		Edge 1RB Right	20.49	/	/	19.39	/	/	<=33	Pass
		Outer Full	20.27	/	/	19.17	/	/	<=33	Pass
		Inner Full	20.26	/	/	19.16	/	/	<=33	Pass
		Inner 1RB Left	20.56	/	/	19.46	/	/	<=33	Pass
		Inner 1RB Right	20.44	/	/	19.34	/	/	<=33	Pass
	2511	Edge 1RB Left	21.17	/	/	20.07	/	/	<=33	Pass
		Edge 1RB Right	20.80	/	/	19.70	/	/	<=33	Pass
		Outer Full	20.82	/	/	19.72	/	/	<=33	Pass
		Inner Full	20.81	/	/	19.71	/	/	<=33	Pass
		Inner 1RB Left	21.13	/	/	20.03	/	/	<=33	Pass
		Inner 1RB Right	20.86	/	/	19.76	/	/	<=33	Pass
	2674.98	Edge 1RB Left	20.84	/	/	19.74	/	/	<=33	Pass
		Edge 1RB Right	21.00	/	/	19.90	/	/	<=33	Pass
		Outer Full	20.77	/	/	19.67	/	/	<=33	Pass
		Inner Full	20.77	/	/	19.67	/	/	<=33	Pass
		Inner 1RB Left	20.79	/	/	19.69	/	/	<=33	Pass
		Inner 1RB Right	21.07	/	/	19.97	/	/	<=33	Pass

DFT-s-OFDM 256 QAM	2592.99	Edge 1RB Left	18.16	/	/	17.06	/	/	<=33	Pass
		Edge 1RB Right	18.19	/	/	17.09	/	/	<=33	Pass
		Outer Full	18.30	/	/	17.20	/	/	<=33	Pass
		Inner Full	18.25	/	/	17.15	/	/	<=33	Pass
		Inner 1RB Left	18.00	/	/	16.90	/	/	<=33	Pass
		Inner 1RB Right	18.13	/	/	17.03	/	/	<=33	Pass
	2511	Edge 1RB Left	18.83	/	/	17.73	/	/	<=33	Pass
		Edge 1RB Right	18.49	/	/	17.39	/	/	<=33	Pass
		Outer Full	18.85	/	/	17.75	/	/	<=33	Pass
		Inner Full	18.77	/	/	17.67	/	/	<=33	Pass
		Inner 1RB Left	18.65	/	/	17.55	/	/	<=33	Pass
		Inner 1RB Right	18.54	/	/	17.44	/	/	<=33	Pass
	2674.98	Edge 1RB Left	18.52	/	/	17.42	/	/	<=33	Pass
		Edge 1RB Right	18.79	/	/	17.69	/	/	<=33	Pass
		Outer Full	18.83	/	/	17.73	/	/	<=33	Pass
		Inner Full	18.80	/	/	17.70	/	/	<=33	Pass
		Inner 1RB Left	18.51	/	/	17.41	/	/	<=33	Pass
		Inner 1RB Right	18.78	/	/	17.68	/	/	<=33	Pass
CP-OFDM QPSK	2592.99	Edge 1RB Left	19.55	/	/	18.45	/	/	<=33	Pass
		Edge 1RB Right	19.50	/	/	18.40	/	/	<=33	Pass
		Outer Full	19.75	/	/	18.65	/	/	<=33	Pass
		Inner Full	21.20	/	/	20.10	/	/	<=33	Pass
		Inner 1RB Left	21.16	/	/	20.06	/	/	<=33	Pass
		Inner 1RB Right	20.92	/	/	19.82	/	/	<=33	Pass
	2511	Edge 1RB Left	20.16	/	/	19.06	/	/	<=33	Pass
		Edge 1RB Right	20.11	/	/	19.01	/	/	<=33	Pass
		Outer Full	20.33	/	/	19.23	/	/	<=33	Pass
		Inner Full	21.79	/	/	20.69	/	/	<=33	Pass
		Inner 1RB Left	21.70	/	/	20.60	/	/	<=33	Pass
		Inner 1RB Right	21.45	/	/	20.35	/	/	<=33	Pass
	2674.98	Edge 1RB Left	19.92	/	/	18.82	/	/	<=33	Pass
		Edge 1RB Right	20.21	/	/	19.11	/	/	<=33	Pass
		Outer Full	20.29	/	/	19.19	/	/	<=33	Pass
		Inner Full	21.73	/	/	20.63	/	/	<=33	Pass
		Inner 1RB Left	21.33	/	/	20.23	/	/	<=33	Pass
		Inner 1RB Right	21.68	/	/	20.58	/	/	<=33	Pass
CP-OFDM 16 QAM	2592.99	Edge 1RB Left	19.76	/	/	18.66	/	/	<=33	Pass
		Edge 1RB Right	19.65	/	/	18.55	/	/	<=33	Pass
		Outer Full	19.73	/	/	18.63	/	/	<=33	Pass
		Inner Full	20.71	/	/	19.61	/	/	<=33	Pass
		Inner 1RB Left	20.69	/	/	19.59	/	/	<=33	Pass
		Inner 1RB Right	20.76	/	/	19.66	/	/	<=33	Pass
	2511	Edge 1RB Left	20.45	/	/	19.35	/	/	<=33	Pass
		Edge 1RB Right	20.15	/	/	19.05	/	/	<=33	Pass
		Outer Full	20.31	/	/	19.21	/	/	<=33	Pass
		Inner Full	21.35	/	/	20.25	/	/	<=33	Pass
		Inner 1RB Left	21.27	/	/	20.17	/	/	<=33	Pass
		Inner 1RB Right	21.11	/	/	20.01	/	/	<=33	Pass
	2674.98	Edge 1RB Left	20.06	/	/	18.96	/	/	<=33	Pass
		Edge 1RB Right	20.35	/	/	19.25	/	/	<=33	Pass
		Outer Full	20.27	/	/	19.17	/	/	<=33	Pass
		Inner Full	21.26	/	/	20.16	/	/	<=33	Pass
		Inner 1RB Left	21.25	/	/	20.15	/	/	<=33	Pass
		Inner 1RB Right	21.37	/	/	20.27	/	/	<=33	Pass
CP-OFDM 64 QAM	2592.99	Edge 1RB Left	19.38	/	/	18.28	/	/	<=33	Pass
		Edge 1RB Right	19.36	/	/	18.26	/	/	<=33	Pass
		Outer Full	19.27	/	/	18.17	/	/	<=33	Pass
		Inner Full	19.21	/	/	18.11	/	/	<=33	Pass
		Inner 1RB Left	19.51	/	/	18.41	/	/	<=33	Pass

	2511	Inner 1RB Right	19.48	/	/	18.38	/	/	<=33	Pass
		Edge 1RB Left	20.08	/	/	18.98	/	/	<=33	Pass
		Edge 1RB Right	19.85	/	/	18.75	/	/	<=33	Pass
		Outer Full	19.83	/	/	18.73	/	/	<=33	Pass
		Inner Full	19.81	/	/	18.71	/	/	<=33	Pass
		Inner 1RB Left	19.92	/	/	18.82	/	/	<=33	Pass
	2674.98	Inner 1RB Right	19.78	/	/	18.68	/	/	<=33	Pass
		Edge 1RB Left	19.74	/	/	18.64	/	/	<=33	Pass
		Edge 1RB Right	20.02	/	/	18.92	/	/	<=33	Pass
		Outer Full	19.82	/	/	18.72	/	/	<=33	Pass
		Inner Full	19.74	/	/	18.64	/	/	<=33	Pass
		Inner 1RB Left	19.77	/	/	18.67	/	/	<=33	Pass
CP-OFDM 256 QAM	2592.99	Inner 1RB Right	19.89	/	/	18.79	/	/	<=33	Pass
		Edge 1RB Left	16.29	/	/	15.19	/	/	<=33	Pass
		Edge 1RB Right	16.33	/	/	15.23	/	/	<=33	Pass
		Outer Full	16.24	/	/	15.14	/	/	<=33	Pass
		Inner Full	16.32	/	/	15.22	/	/	<=33	Pass
		Inner 1RB Left	16.27	/	/	15.17	/	/	<=33	Pass
	2511	Inner 1RB Right	16.26	/	/	15.16	/	/	<=33	Pass
		Edge 1RB Left	17.02	/	/	15.92	/	/	<=33	Pass
		Edge 1RB Right	16.85	/	/	15.75	/	/	<=33	Pass
		Outer Full	16.86	/	/	15.76	/	/	<=33	Pass
		Inner Full	16.87	/	/	15.77	/	/	<=33	Pass
		Inner 1RB Left	16.99	/	/	15.89	/	/	<=33	Pass
	2674.98	Inner 1RB Right	16.71	/	/	15.61	/	/	<=33	Pass
		Edge 1RB Left	16.65	/	/	15.55	/	/	<=33	Pass
		Edge 1RB Right	17.02	/	/	15.92	/	/	<=33	Pass
		Outer Full	16.83	/	/	15.73	/	/	<=33	Pass
		Inner Full	16.82	/	/	15.72	/	/	<=33	Pass
		Inner 1RB Left	16.67	/	/	15.57	/	/	<=33	Pass
		Inner 1RB Right	16.88	/	/	15.78	/	/	<=33	Pass
Note1: Antenna Gain: Ant4: -1.10dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.6 30k_SISO_35MHz_NTNV_EIRP

5G NR n41 SCS=30kHz SISO 35MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2592.99	Edge 1RB Left	22.13	/	/	21.03	/	/	<=33	Pass
		Edge 1RB Right	22.06	/	/	20.96	/	/	<=33	Pass
		Outer Full	22.19	/	/	21.09	/	/	<=33	Pass
		Inner Full	22.66	/	/	21.56	/	/	<=33	Pass
		Inner 1RB Left	22.61	/	/	21.51	/	/	<=33	Pass
		Inner 1RB Right	22.57	/	/	21.47	/	/	<=33	Pass
	2513.52	Edge 1RB Left	22.79	/	/	21.69	/	/	<=33	Pass
		Edge 1RB Right	22.49	/	/	21.39	/	/	<=33	Pass
		Outer Full	22.78	/	/	21.68	/	/	<=33	Pass
		Inner Full	23.30	/	/	22.20	/	/	<=33	Pass
		Inner 1RB Left	23.25	/	/	22.15	/	/	<=33	Pass
		Inner 1RB Right	23.09	/	/	21.99	/	/	<=33	Pass
	2672.49	Edge 1RB Left	22.32	/	/	21.22	/	/	<=33	Pass
		Edge 1RB Right	22.71	/	/	21.61	/	/	<=33	Pass
		Outer Full	22.63	/	/	21.53	/	/	<=33	Pass
		Inner Full	23.13	/	/	22.03	/	/	<=33	Pass
		Inner 1RB Left	22.83	/	/	21.73	/	/	<=33	Pass
		Inner 1RB Right	23.25	/	/	22.15	/	/	<=33	Pass
DFT-s-OFDM QPSK	2592.99	Edge 1RB Left	21.60	/	/	20.50	/	/	<=33	Pass

		Edge 1RB Right	21.57	/	/	20.47	/	/	<=33	Pass	
		Outer Full	21.69	/	/	20.59	/	/	<=33	Pass	
		Inner Full	22.68	/	/	21.58	/	/	<=33	Pass	
		Inner_1RB_Left	22.62	/	/	21.52	/	/	<=33	Pass	
		Inner_1RB_Right	22.58	/	/	21.48	/	/	<=33	Pass	
		2513.52	Edge_1RB_Left	22.29	/	/	21.19	/	/	<=33	Pass
			Edge_1RB_Right	22.02	/	/	20.92	/	/	<=33	Pass
			Outer Full	22.32	/	/	21.22	/	/	<=33	Pass
			Inner Full	23.27	/	/	22.17	/	/	<=33	Pass
			Inner_1RB_Left	23.23	/	/	22.13	/	/	<=33	Pass
			Inner_1RB_Right	23.19	/	/	22.09	/	/	<=33	Pass
		2672.49	Edge_1RB_Left	21.84	/	/	20.74	/	/	<=33	Pass
			Edge_1RB_Right	22.27	/	/	21.17	/	/	<=33	Pass
			Outer Full	22.18	/	/	21.08	/	/	<=33	Pass
			Inner Full	23.13	/	/	22.03	/	/	<=33	Pass
	Inner_1RB_Left		22.84	/	/	21.74	/	/	<=33	Pass	
	Inner_1RB_Right		23.30	/	/	22.20	/	/	<=33	Pass	
	DFT-s-OFDM 16 QAM	2592.99	Edge 1RB Left	20.70	/	/	19.60	/	/	<=33	Pass
Edge 1RB Right			20.72	/	/	19.62	/	/	<=33	Pass	
Outer Full			20.72	/	/	19.62	/	/	<=33	Pass	
Inner Full			21.67	/	/	20.57	/	/	<=33	Pass	
Inner_1RB_Left			21.68	/	/	20.58	/	/	<=33	Pass	
Inner_1RB_Right			21.66	/	/	20.56	/	/	<=33	Pass	
2513.52		Edge_1RB_Left	21.39	/	/	20.29	/	/	<=33	Pass	
		Edge_1RB_Right	21.09	/	/	19.99	/	/	<=33	Pass	
		Outer Full	21.32	/	/	20.22	/	/	<=33	Pass	
		Inner Full	22.33	/	/	21.23	/	/	<=33	Pass	
		Inner_1RB_Left	22.38	/	/	21.28	/	/	<=33	Pass	
		Inner_1RB_Right	22.16	/	/	21.06	/	/	<=33	Pass	
2672.49		Edge_1RB_Left	20.98	/	/	19.88	/	/	<=33	Pass	
		Edge_1RB_Right	21.38	/	/	20.28	/	/	<=33	Pass	
		Outer Full	21.20	/	/	20.10	/	/	<=33	Pass	
		Inner Full	22.13	/	/	21.03	/	/	<=33	Pass	
		Inner_1RB_Left	21.94	/	/	20.84	/	/	<=33	Pass	
		Inner_1RB_Right	22.32	/	/	21.22	/	/	<=33	Pass	
DFT-s-OFDM 64 QAM	2592.99	Edge 1RB Left	20.62	/	/	19.52	/	/	<=33	Pass	
		Edge 1RB Right	20.43	/	/	19.33	/	/	<=33	Pass	
		Outer Full	20.20	/	/	19.10	/	/	<=33	Pass	
		Inner Full	20.21	/	/	19.11	/	/	<=33	Pass	
		Inner_1RB_Left	20.65	/	/	19.55	/	/	<=33	Pass	
		Inner_1RB_Right	20.42	/	/	19.32	/	/	<=33	Pass	
	2513.52	Edge 1RB Left	21.42	/	/	20.32	/	/	<=33	Pass	
		Edge 1RB Right	20.74	/	/	19.64	/	/	<=33	Pass	
		Outer Full	20.83	/	/	19.73	/	/	<=33	Pass	
		Inner Full	20.86	/	/	19.76	/	/	<=33	Pass	
		Inner_1RB_Left	21.29	/	/	20.19	/	/	<=33	Pass	
		Inner_1RB_Right	20.64	/	/	19.54	/	/	<=33	Pass	
	2672.49	Edge_1RB_Left	20.59	/	/	19.49	/	/	<=33	Pass	
		Edge_1RB_Right	20.91	/	/	19.81	/	/	<=33	Pass	
		Outer Full	20.74	/	/	19.64	/	/	<=33	Pass	
		Inner Full	20.70	/	/	19.60	/	/	<=33	Pass	
		Inner_1RB_Left	20.63	/	/	19.53	/	/	<=33	Pass	
		Inner_1RB_Right	20.86	/	/	19.76	/	/	<=33	Pass	
DFT-s-OFDM 256 QAM	2592.99	Edge 1RB Left	18.09	/	/	16.99	/	/	<=33	Pass	
		Edge 1RB Right	18.13	/	/	17.03	/	/	<=33	Pass	
		Outer Full	18.25	/	/	17.15	/	/	<=33	Pass	
		Inner Full	18.23	/	/	17.13	/	/	<=33	Pass	
		Inner_1RB_Left	17.96	/	/	16.86	/	/	<=33	Pass	
		Inner_1RB_Right	18.10	/	/	17.00	/	/	<=33	Pass	

	2513.52	Edge_1RB_Left	18.80	/	/	17.70	/	/	<=33	Pass
		Edge_1RB_Right	18.54	/	/	17.44	/	/	<=33	Pass
		Outer_Full	18.85	/	/	17.75	/	/	<=33	Pass
		Inner_Full	18.86	/	/	17.76	/	/	<=33	Pass
		Inner_1RB_Left	18.85	/	/	17.75	/	/	<=33	Pass
		Inner_1RB_Right	18.55	/	/	17.45	/	/	<=33	Pass
	2672.49	Edge_1RB_Left	18.31	/	/	17.21	/	/	<=33	Pass
		Edge_1RB_Right	18.67	/	/	17.57	/	/	<=33	Pass
		Outer_Full	18.77	/	/	17.67	/	/	<=33	Pass
		Inner_Full	18.70	/	/	17.60	/	/	<=33	Pass
		Inner_1RB_Left	18.22	/	/	17.12	/	/	<=33	Pass
		Inner_1RB_Right	18.72	/	/	17.62	/	/	<=33	Pass
CP-OFDM QPSK	2592.99	Edge_1RB_Left	19.49	/	/	18.39	/	/	<=33	Pass
		Edge_1RB_Right	19.46	/	/	18.36	/	/	<=33	Pass
		Outer_Full	19.75	/	/	18.65	/	/	<=33	Pass
		Inner_Full	21.22	/	/	20.12	/	/	<=33	Pass
		Inner_1RB_Left	21.14	/	/	20.04	/	/	<=33	Pass
		Inner_1RB_Right	21.13	/	/	20.03	/	/	<=33	Pass
	2513.52	Edge_1RB_Left	20.34	/	/	19.24	/	/	<=33	Pass
		Edge_1RB_Right	19.92	/	/	18.82	/	/	<=33	Pass
		Outer_Full	20.34	/	/	19.24	/	/	<=33	Pass
		Inner_Full	21.78	/	/	20.68	/	/	<=33	Pass
		Inner_1RB_Left	21.83	/	/	20.73	/	/	<=33	Pass
		Inner_1RB_Right	21.49	/	/	20.39	/	/	<=33	Pass
	2672.49	Edge_1RB_Left	19.79	/	/	18.69	/	/	<=33	Pass
		Edge_1RB_Right	20.15	/	/	19.05	/	/	<=33	Pass
		Outer_Full	20.16	/	/	19.06	/	/	<=33	Pass
		Inner_Full	21.68	/	/	20.58	/	/	<=33	Pass
		Inner_1RB_Left	21.28	/	/	20.18	/	/	<=33	Pass
		Inner_1RB_Right	21.78	/	/	20.68	/	/	<=33	Pass
CP-OFDM 16 QAM	2592.99	Edge_1RB_Left	19.75	/	/	18.65	/	/	<=33	Pass
		Edge_1RB_Right	19.58	/	/	18.48	/	/	<=33	Pass
		Outer_Full	19.79	/	/	18.69	/	/	<=33	Pass
		Inner_Full	20.69	/	/	19.59	/	/	<=33	Pass
		Inner_1RB_Left	20.65	/	/	19.55	/	/	<=33	Pass
		Inner_1RB_Right	20.63	/	/	19.53	/	/	<=33	Pass
	2513.52	Edge_1RB_Left	20.43	/	/	19.33	/	/	<=33	Pass
		Edge_1RB_Right	20.09	/	/	18.99	/	/	<=33	Pass
		Outer_Full	20.38	/	/	19.28	/	/	<=33	Pass
		Inner_Full	21.28	/	/	20.18	/	/	<=33	Pass
		Inner_1RB_Left	21.34	/	/	20.24	/	/	<=33	Pass
		Inner_1RB_Right	21.04	/	/	19.94	/	/	<=33	Pass
	2672.49	Edge_1RB_Left	19.93	/	/	18.83	/	/	<=33	Pass
		Edge_1RB_Right	20.41	/	/	19.31	/	/	<=33	Pass
		Outer_Full	20.30	/	/	19.20	/	/	<=33	Pass
		Inner_Full	21.17	/	/	20.07	/	/	<=33	Pass
		Inner_1RB_Left	21.00	/	/	19.90	/	/	<=33	Pass
		Inner_1RB_Right	21.40	/	/	20.30	/	/	<=33	Pass
CP-OFDM 64 QAM	2592.99	Edge_1RB_Left	19.54	/	/	18.44	/	/	<=33	Pass
		Edge_1RB_Right	19.45	/	/	18.35	/	/	<=33	Pass
		Outer_Full	19.26	/	/	18.16	/	/	<=33	Pass
		Inner_Full	19.29	/	/	18.19	/	/	<=33	Pass
		Inner_1RB_Left	19.49	/	/	18.39	/	/	<=33	Pass
		Inner_1RB_Right	19.40	/	/	18.30	/	/	<=33	Pass
	2513.52	Edge_1RB_Left	20.05	/	/	18.95	/	/	<=33	Pass
		Edge_1RB_Right	19.68	/	/	18.58	/	/	<=33	Pass
		Outer_Full	19.86	/	/	18.76	/	/	<=33	Pass
		Inner_Full	19.90	/	/	18.80	/	/	<=33	Pass
		Inner_1RB_Left	20.14	/	/	19.04	/	/	<=33	Pass

	2672.49	Inner 1RB Right	19.73	/	/	18.63	/	/	<=33	Pass
		Edge 1RB Left	19.51	/	/	18.41	/	/	<=33	Pass
		Edge 1RB Right	19.88	/	/	18.78	/	/	<=33	Pass
		Outer_Full	19.72	/	/	18.62	/	/	<=33	Pass
		Inner_Full	19.74	/	/	18.64	/	/	<=33	Pass
		Inner 1RB Left	19.64	/	/	18.54	/	/	<=33	Pass
		Inner 1RB Right	19.93	/	/	18.83	/	/	<=33	Pass
CP-OFDM 256 QAM	2592.99	Edge 1RB Left	16.31	/	/	15.21	/	/	<=33	Pass
		Edge 1RB Right	16.35	/	/	15.25	/	/	<=33	Pass
		Outer_Full	16.25	/	/	15.15	/	/	<=33	Pass
		Inner_Full	16.35	/	/	15.25	/	/	<=33	Pass
		Inner 1RB Left	16.29	/	/	15.19	/	/	<=33	Pass
		Inner 1RB Right	16.26	/	/	15.16	/	/	<=33	Pass
	2513.52	Edge 1RB Left	17.04	/	/	15.94	/	/	<=33	Pass
		Edge 1RB Right	16.71	/	/	15.61	/	/	<=33	Pass
		Outer_Full	16.89	/	/	15.79	/	/	<=33	Pass
		Inner_Full	16.94	/	/	15.84	/	/	<=33	Pass
		Inner 1RB Left	17.02	/	/	15.92	/	/	<=33	Pass
		Inner 1RB Right	16.76	/	/	15.66	/	/	<=33	Pass
	2672.49	Edge 1RB Left	16.49	/	/	15.39	/	/	<=33	Pass
		Edge 1RB Right	16.91	/	/	15.81	/	/	<=33	Pass
		Outer_Full	16.73	/	/	15.63	/	/	<=33	Pass
		Inner_Full	16.82	/	/	15.72	/	/	<=33	Pass
		Inner 1RB Left	16.56	/	/	15.46	/	/	<=33	Pass
		Inner 1RB Right	16.96	/	/	15.86	/	/	<=33	Pass
Note1: Antenna Gain: Ant4: -1.10dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.7 30k_SISO_40MHz_NTNV_EIRP

5G NR n41 SCS=30kHz SISO 40MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2592.99	Edge 1RB Left	22.19	/	/	21.09	/	/	<=33	Pass
		Edge 1RB Right	22.07	/	/	20.97	/	/	<=33	Pass
		Outer Full	22.20	/	/	21.10	/	/	<=33	Pass
		Inner Full	22.70	/	/	21.60	/	/	<=33	Pass
		Inner 1RB Left	22.59	/	/	21.49	/	/	<=33	Pass
		Inner 1RB Right	22.61	/	/	21.51	/	/	<=33	Pass
	2516.01	Edge 1RB Left	22.63	/	/	21.53	/	/	<=33	Pass
		Edge 1RB Right	22.46	/	/	21.36	/	/	<=33	Pass
		Outer Full	22.62	/	/	21.52	/	/	<=33	Pass
		Inner Full	23.14	/	/	22.04	/	/	<=33	Pass
		Inner 1RB Left	23.09	/	/	21.99	/	/	<=33	Pass
		Inner 1RB Right	22.94	/	/	21.84	/	/	<=33	Pass
	2670	Edge 1RB Left	22.25	/	/	21.15	/	/	<=33	Pass
		Edge 1RB Right	22.72	/	/	21.62	/	/	<=33	Pass
		Outer Full	22.64	/	/	21.54	/	/	<=33	Pass
		Inner Full	23.09	/	/	21.99	/	/	<=33	Pass
		Inner 1RB Left	22.72	/	/	21.62	/	/	<=33	Pass
		Inner 1RB Right	23.21	/	/	22.11	/	/	<=33	Pass
DFT-s-OFDM QPSK	2592.99	Edge 1RB Left	21.65	/	/	20.55	/	/	<=33	Pass
		Edge 1RB Right	21.64	/	/	20.54	/	/	<=33	Pass
		Outer Full	21.70	/	/	20.60	/	/	<=33	Pass
		Inner Full	22.68	/	/	21.58	/	/	<=33	Pass
		Inner 1RB Left	22.59	/	/	21.49	/	/	<=33	Pass
		Inner 1RB Right	22.58	/	/	21.48	/	/	<=33	Pass
	2516.01	Edge 1RB Left	22.15	/	/	21.05	/	/	<=33	Pass

		Edge 1RB Right	22.00	/	/	20.90	/	/	<=33	Pass
		Outer Full	22.16	/	/	21.06	/	/	<=33	Pass
		Inner Full	23.18	/	/	22.08	/	/	<=33	Pass
		Inner 1RB Left	23.07	/	/	21.97	/	/	<=33	Pass
		Inner 1RB Right	23.04	/	/	21.94	/	/	<=33	Pass
	2670	Edge 1RB Left	21.75	/	/	20.65	/	/	<=33	Pass
		Edge 1RB Right	22.24	/	/	21.14	/	/	<=33	Pass
		Outer Full	22.10	/	/	21.00	/	/	<=33	Pass
		Inner Full	23.09	/	/	21.99	/	/	<=33	Pass
		Inner 1RB Left	22.71	/	/	21.61	/	/	<=33	Pass
Inner 1RB Right	23.36	/	/	22.26	/	/	<=33	Pass		
DFT-s-OFDM 16 QAM	2592.99	Edge 1RB Left	20.78	/	/	19.68	/	/	<=33	Pass
		Edge 1RB Right	20.65	/	/	19.55	/	/	<=33	Pass
		Outer Full	20.73	/	/	19.63	/	/	<=33	Pass
		Inner Full	21.72	/	/	20.62	/	/	<=33	Pass
		Inner 1RB Left	21.62	/	/	20.52	/	/	<=33	Pass
		Inner 1RB Right	21.58	/	/	20.48	/	/	<=33	Pass
	2516.01	Edge 1RB Left	21.25	/	/	20.15	/	/	<=33	Pass
		Edge 1RB Right	21.09	/	/	19.99	/	/	<=33	Pass
		Outer Full	21.18	/	/	20.08	/	/	<=33	Pass
		Inner Full	22.21	/	/	21.11	/	/	<=33	Pass
		Inner 1RB Left	22.16	/	/	21.06	/	/	<=33	Pass
		Inner 1RB Right	22.06	/	/	20.96	/	/	<=33	Pass
	2670	Edge 1RB Left	20.86	/	/	19.76	/	/	<=33	Pass
		Edge 1RB Right	21.31	/	/	20.21	/	/	<=33	Pass
		Outer Full	21.10	/	/	20.00	/	/	<=33	Pass
		Inner Full	22.09	/	/	20.99	/	/	<=33	Pass
		Inner 1RB Left	21.79	/	/	20.69	/	/	<=33	Pass
		Inner 1RB Right	22.32	/	/	21.22	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	2592.99	Edge 1RB Left	20.69	/	/	19.59	/	/	<=33	Pass
		Edge 1RB Right	20.46	/	/	19.36	/	/	<=33	Pass
		Outer Full	20.24	/	/	19.14	/	/	<=33	Pass
		Inner Full	20.28	/	/	19.18	/	/	<=33	Pass
		Inner 1RB Left	20.49	/	/	19.39	/	/	<=33	Pass
		Inner 1RB Right	20.17	/	/	19.07	/	/	<=33	Pass
	2516.01	Edge 1RB Left	21.10	/	/	20.00	/	/	<=33	Pass
		Edge 1RB Right	20.66	/	/	19.56	/	/	<=33	Pass
		Outer Full	20.69	/	/	19.59	/	/	<=33	Pass
		Inner Full	20.71	/	/	19.61	/	/	<=33	Pass
		Inner 1RB Left	20.97	/	/	19.87	/	/	<=33	Pass
		Inner 1RB Right	20.76	/	/	19.66	/	/	<=33	Pass
	2670	Edge 1RB Left	20.54	/	/	19.44	/	/	<=33	Pass
		Edge 1RB Right	20.96	/	/	19.86	/	/	<=33	Pass
		Outer Full	20.65	/	/	19.55	/	/	<=33	Pass
		Inner Full	20.65	/	/	19.55	/	/	<=33	Pass
		Inner 1RB Left	20.63	/	/	19.53	/	/	<=33	Pass
		Inner 1RB Right	21.07	/	/	19.97	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	2592.99	Edge 1RB Left	18.24	/	/	17.14	/	/	<=33	Pass
		Edge 1RB Right	18.07	/	/	16.97	/	/	<=33	Pass
		Outer Full	18.24	/	/	17.14	/	/	<=33	Pass
		Inner Full	18.27	/	/	17.17	/	/	<=33	Pass
		Inner 1RB Left	18.22	/	/	17.12	/	/	<=33	Pass
		Inner 1RB Right	18.00	/	/	16.90	/	/	<=33	Pass
	2516.01	Edge 1RB Left	18.51	/	/	17.41	/	/	<=33	Pass
		Edge 1RB Right	18.47	/	/	17.37	/	/	<=33	Pass
		Outer Full	18.72	/	/	17.62	/	/	<=33	Pass
		Inner Full	18.74	/	/	17.64	/	/	<=33	Pass
Inner 1RB Left	18.59	/	/	17.49	/	/	<=33	Pass		
Inner 1RB Right	18.48	/	/	17.38	/	/	<=33	Pass		

	2670	Edge_1RB_Left	18.05	/	/	16.95	/	/	<=33	Pass
		Edge_1RB_Right	18.57	/	/	17.47	/	/	<=33	Pass
		Outer_Full	18.63	/	/	17.53	/	/	<=33	Pass
		Inner_Full	18.69	/	/	17.59	/	/	<=33	Pass
		Inner_1RB_Left	18.22	/	/	17.12	/	/	<=33	Pass
		Inner_1RB_Right	18.75	/	/	17.65	/	/	<=33	Pass
CP-OFDM QPSK	2592.99	Edge_1RB_Left	19.57	/	/	18.47	/	/	<=33	Pass
		Edge_1RB_Right	19.49	/	/	18.39	/	/	<=33	Pass
		Outer_Full	19.77	/	/	18.67	/	/	<=33	Pass
		Inner_Full	21.22	/	/	20.12	/	/	<=33	Pass
		Inner_1RB_Left	20.96	/	/	19.86	/	/	<=33	Pass
		Inner_1RB_Right	20.96	/	/	19.86	/	/	<=33	Pass
	2516.01	Edge_1RB_Left	20.03	/	/	18.93	/	/	<=33	Pass
		Edge_1RB_Right	19.90	/	/	18.80	/	/	<=33	Pass
		Outer_Full	20.21	/	/	19.11	/	/	<=33	Pass
		Inner_Full	21.64	/	/	20.54	/	/	<=33	Pass
		Inner_1RB_Left	21.70	/	/	20.60	/	/	<=33	Pass
		Inner_1RB_Right	21.55	/	/	20.45	/	/	<=33	Pass
	2670	Edge_1RB_Left	19.66	/	/	18.56	/	/	<=33	Pass
		Edge_1RB_Right	20.13	/	/	19.03	/	/	<=33	Pass
		Outer_Full	20.15	/	/	19.05	/	/	<=33	Pass
		Inner_Full	21.56	/	/	20.46	/	/	<=33	Pass
		Inner_1RB_Left	21.04	/	/	19.94	/	/	<=33	Pass
		Inner_1RB_Right	21.65	/	/	20.55	/	/	<=33	Pass
CP-OFDM 16 QAM	2592.99	Edge_1RB_Left	19.77	/	/	18.67	/	/	<=33	Pass
		Edge_1RB_Right	19.79	/	/	18.69	/	/	<=33	Pass
		Outer_Full	19.74	/	/	18.64	/	/	<=33	Pass
		Inner_Full	20.70	/	/	19.60	/	/	<=33	Pass
		Inner_1RB_Left	20.74	/	/	19.64	/	/	<=33	Pass
		Inner_1RB_Right	20.59	/	/	19.49	/	/	<=33	Pass
	2516.01	Edge_1RB_Left	20.20	/	/	19.10	/	/	<=33	Pass
		Edge_1RB_Right	20.04	/	/	18.94	/	/	<=33	Pass
		Outer_Full	20.23	/	/	19.13	/	/	<=33	Pass
		Inner_Full	21.16	/	/	20.06	/	/	<=33	Pass
		Inner_1RB_Left	21.26	/	/	20.16	/	/	<=33	Pass
		Inner_1RB_Right	21.08	/	/	19.98	/	/	<=33	Pass
	2670	Edge_1RB_Left	19.85	/	/	18.75	/	/	<=33	Pass
		Edge_1RB_Right	20.35	/	/	19.25	/	/	<=33	Pass
		Outer_Full	20.11	/	/	19.01	/	/	<=33	Pass
		Inner_Full	21.10	/	/	20.00	/	/	<=33	Pass
		Inner_1RB_Left	20.76	/	/	19.66	/	/	<=33	Pass
		Inner_1RB_Right	21.31	/	/	20.21	/	/	<=33	Pass
CP-OFDM 64 QAM	2592.99	Edge_1RB_Left	19.38	/	/	18.28	/	/	<=33	Pass
		Edge_1RB_Right	19.33	/	/	18.23	/	/	<=33	Pass
		Outer_Full	19.21	/	/	18.11	/	/	<=33	Pass
		Inner_Full	19.25	/	/	18.15	/	/	<=33	Pass
		Inner_1RB_Left	19.40	/	/	18.30	/	/	<=33	Pass
		Inner_1RB_Right	19.36	/	/	18.26	/	/	<=33	Pass
	2516.01	Edge_1RB_Left	19.97	/	/	18.87	/	/	<=33	Pass
		Edge_1RB_Right	19.76	/	/	18.66	/	/	<=33	Pass
		Outer_Full	19.70	/	/	18.60	/	/	<=33	Pass
		Inner_Full	19.70	/	/	18.60	/	/	<=33	Pass
		Inner_1RB_Left	19.89	/	/	18.79	/	/	<=33	Pass
		Inner_1RB_Right	19.70	/	/	18.60	/	/	<=33	Pass
	2670	Edge_1RB_Left	19.41	/	/	18.31	/	/	<=33	Pass
		Edge_1RB_Right	20.03	/	/	18.93	/	/	<=33	Pass
		Outer_Full	19.67	/	/	18.57	/	/	<=33	Pass
		Inner_Full	19.65	/	/	18.55	/	/	<=33	Pass
		Inner_1RB_Left	19.53	/	/	18.43	/	/	<=33	Pass

		Inner 1RB Right	19.83	/	/	18.73	/	/	<=33	Pass
CP-OFDM 256 QAM	2592.99	Edge 1RB Left	16.36	/	/	15.26	/	/	<=33	Pass
		Edge 1RB Right	16.30	/	/	15.20	/	/	<=33	Pass
		Outer_Full	16.29	/	/	15.19	/	/	<=33	Pass
		Inner_Full	16.29	/	/	15.19	/	/	<=33	Pass
		Inner 1RB Left	16.40	/	/	15.30	/	/	<=33	Pass
		Inner 1RB Right	16.29	/	/	15.19	/	/	<=33	Pass
		Edge 1RB Left	16.85	/	/	15.75	/	/	<=33	Pass
	2516.01	Edge 1RB Right	16.69	/	/	15.59	/	/	<=33	Pass
		Outer_Full	16.76	/	/	15.66	/	/	<=33	Pass
		Inner_Full	16.76	/	/	15.66	/	/	<=33	Pass
		Inner 1RB Left	16.84	/	/	15.74	/	/	<=33	Pass
		Inner 1RB Right	16.67	/	/	15.57	/	/	<=33	Pass
	2670	Edge 1RB Left	16.40	/	/	15.30	/	/	<=33	Pass
		Edge 1RB Right	16.92	/	/	15.82	/	/	<=33	Pass
		Outer_Full	16.76	/	/	15.66	/	/	<=33	Pass
		Inner_Full	16.71	/	/	15.61	/	/	<=33	Pass
		Inner 1RB Left	16.40	/	/	15.30	/	/	<=33	Pass
		Inner 1RB Right	16.89	/	/	15.79	/	/	<=33	Pass
Note1: Antenna Gain: Ant4: -1.10dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.8 30k_SISO_45MHz_NTNV_EIRP

5G NR n41 SCS=30kHz SISO 45MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2592.99	Edge 1RB Left	22.11	/	/	21.01	/	/	<=33	Pass
		Edge 1RB Right	22.10	/	/	21.00	/	/	<=33	Pass
		Outer Full	22.21	/	/	21.11	/	/	<=33	Pass
		Inner Full	22.73	/	/	21.63	/	/	<=33	Pass
		Inner 1RB Left	22.64	/	/	21.54	/	/	<=33	Pass
		Inner 1RB Right	22.60	/	/	21.50	/	/	<=33	Pass
	2518.5	Edge 1RB Left	22.69	/	/	21.59	/	/	<=33	Pass
		Edge 1RB Right	22.42	/	/	21.32	/	/	<=33	Pass
		Outer Full	22.67	/	/	21.57	/	/	<=33	Pass
		Inner Full	23.22	/	/	22.12	/	/	<=33	Pass
		Inner 1RB Left	23.17	/	/	22.07	/	/	<=33	Pass
		Inner 1RB Right	22.95	/	/	21.85	/	/	<=33	Pass
	2667.48	Edge 1RB Left	22.10	/	/	21.00	/	/	<=33	Pass
		Edge 1RB Right	22.72	/	/	21.62	/	/	<=33	Pass
		Outer Full	22.50	/	/	21.40	/	/	<=33	Pass
		Inner Full	23.00	/	/	21.90	/	/	<=33	Pass
		Inner 1RB Left	22.60	/	/	21.50	/	/	<=33	Pass
		Inner 1RB Right	23.20	/	/	22.10	/	/	<=33	Pass
DFT-s-OFDM QPSK	2592.99	Edge 1RB Left	21.59	/	/	20.49	/	/	<=33	Pass
		Edge 1RB Right	21.57	/	/	20.47	/	/	<=33	Pass
		Outer Full	21.71	/	/	20.61	/	/	<=33	Pass
		Inner Full	22.66	/	/	21.56	/	/	<=33	Pass
		Inner 1RB Left	22.62	/	/	21.52	/	/	<=33	Pass
		Inner 1RB Right	22.55	/	/	21.45	/	/	<=33	Pass
	2518.5	Edge 1RB Left	22.15	/	/	21.05	/	/	<=33	Pass
		Edge 1RB Right	21.93	/	/	20.83	/	/	<=33	Pass
		Outer Full	22.18	/	/	21.08	/	/	<=33	Pass
		Inner Full	23.20	/	/	22.10	/	/	<=33	Pass
		Inner 1RB Left	23.11	/	/	22.01	/	/	<=33	Pass
		Inner 1RB Right	22.99	/	/	21.89	/	/	<=33	Pass
	2667.48	Edge 1RB Left	21.59	/	/	20.49	/	/	<=33	Pass