


Annex A.5 Occupied Bandwidth

1. GSM_GSM850


1.4. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.248	0.315	0.3	Pass




1.5. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.248	0.316	0.3	Pass



1.6. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:251)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.245	0.317	0.3	Pass



2. GSM_PCS


2.2. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.244	0.31	0.3	Pass




2.3. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.247	0.314	0.3	Pass



2.6. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:661)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.244	0.31	0.3	Pass



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.02	-13	Pass	2986
30	500	0.1	Peak	477.6	-40.66	-13	Pass	4701
500	1000	0.1	Peak	824.2	27.57	-13	N/A	5001
1000	10000	1	Peak	9945	-36.66	-13	Pass	9001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.39	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.7	-13	Pass	2986
30	500	0.1	Peak	456	-40.42	-13	Pass	4701
500	1000	0.1	Peak	836.6	27.15	-13	N/A	5001
1000	10000	1	Peak	9937	-36.51	-13	Pass	9001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.9	-13	Pass	2986
30	500	0.1	Peak	431.8	-40.88	-13	Pass	4701
500	1000	0.1	Peak	848.8	25.31	-13	N/A	5001
1000	10000	1	Peak	9876	-36.39	-13	Pass	9001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.81	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.87	-13	Pass	2986
30	1000	0.1	Peak	886.9	-44.7	-13	Pass	9701
1000	3000	1	Peak	1850	26.38	-13	N/A	2001
3000	20000	1	Peak	19707	-32.92	-13	Pass	17001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.42	-13	Pass	2986
30	1000	0.1	Peak	985.7	-44.76	-13	Pass	9701
1000	3000	1	Peak	1881	19.38	-13	N/A	2001
3000	20000	1	Peak	20000	-32.36	-13	Pass	17001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-44.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.09	-13	Pass	2986
30	1000	0.1	Peak	924.9	-44.64	-13	Pass	9701
1000	3000	1	Peak	1910	25.48	-13	N/A	2001
3000	20000	1	Peak	19691	-32.29	-13	Pass	17001



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-51.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.77	-13	Pass	2986
30	1000	0.1	Peak	933.5	-47.51	-13	Pass	9701
1000	3000	1	Peak	1851	21.54	-13	N/A	2001
3000	20000	1	Peak	19961	-19.22	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-52.19	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.56	-13	Pass	2986
30	1000	0.1	Peak	835.9	-48.31	-13	Pass	9701
1000	3000	1	Peak	1879	21.75	-13	N/A	2001
3000	20000	1	Peak	19974	-19.04	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-52.44	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.25	-13	Pass	2986
30	1000	0.1	Peak	962.5	-48.26	-13	Pass	9701
1000	3000	1	Peak	1907	21.78	-13	N/A	2001
3000	20000	1	Peak	19975	-18.7	-13	Pass	17001



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.43	-13	Pass	2986
30	1000	0.1	Peak	797	-48.56	-13	Pass	9701
1000	3000	1	Peak	1711	21.88	-13	N/A	2001
3000	20000	1	Peak	19976	-18.58	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.93	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.02	-13	Pass	2986
30	1000	0.1	Peak	966.2	-48.27	-13	Pass	9701
1000	3000	1	Peak	1734	21.69	-13	N/A	2001
3000	20000	1	Peak	19881	-19.14	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.94	-13	Pass	2986
30	1000	0.1	Peak	878.7	-48.07	-13	Pass	9701
1000	3000	1	Peak	1751	21.68	-13	N/A	2001
3000	20000	1	Peak	19987	-18.93	-13	Pass	17001



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.58	-13	Pass	2986
30	500	0.1	Peak	459.6	-49.97	-13	Pass	4701
500	1000	0.1	Peak	827	17.35	-13	N/A	5001
1000	10000	1	Peak	9546	-27.26	-13	Pass	9001




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-51.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.42	-13	Pass	2986
30	500	0.1	Peak	417.7	-50.37	-13	Pass	4701
500	1000	0.1	Peak	835.9	15.89	-13	N/A	5001
1000	10000	1	Peak	9970	-27.18	-13	Pass	9001



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.46	-13	Pass	2986
30	500	0.1	Peak	414.7	-50.36	-13	Pass	4701
500	1000	0.1	Peak	845.8	16.72	-13	N/A	5001
1000	10000	1	Peak	9551	-27.16	-13	Pass	9001



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.48	-13	Pass	2986
30	1000	0.1	RMS	934.6	-58.67	-13	Pass	9701
1000	1840	1	RMS	1839	-46.94	-13	Pass	841
1840	1920	1	RMS	1850.2	21.12	60	Pass	401
1920	3000	1	RMS	2998	-43.19	-13	Pass	1081
3000	12000	1	RMS	11856	-35.84	-13	Pass	9001
12000	20000	1	RMS	19996	-21.76	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.68	-13	Pass	2986
30	1000	0.1	RMS	963.6	-58.53	-13	Pass	9701
1000	1840	1	RMS	1837	-47.04	-13	Pass	841
1840	1920	1	RMS	1850.2	20.2	60	Pass	401
1920	3000	1	RMS	2997	-43.21	-13	Pass	1081
3000	12000	1	RMS	11846	-35.81	-13	Pass	9001
12000	20000	1	RMS	19999	-21.76	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.76	-13	Pass	2986
30	1000	0.1	RMS	930.9	-58.68	-13	Pass	9701
1000	1840	1	RMS	1834	-47.02	-13	Pass	841
1840	1920	1	RMS	1879.6	20.87	60	Pass	401
1920	3000	1	RMS	2641	-43.2	-13	Pass	1081
3000	12000	1	RMS	11848	-35.84	-13	Pass	9001
12000	20000	1	RMS	19999	-21.73	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.03	-13	Pass	2986
30	1000	0.1	RMS	910	-58.47	-13	Pass	9701
1000	1840	1	RMS	1836	-47.04	-13	Pass	841
1840	1920	1	RMS	1879.6	19.93	60	Pass	401
1920	3000	1	RMS	2997	-43.16	-13	Pass	1081
3000	12000	1	RMS	11846	-35.77	-13	Pass	9001
12000	20000	1	RMS	20000	-21.58	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.31	-13	Pass	2986
30	1000	0.1	RMS	960.9	-58.71	-13	Pass	9701
1000	1840	1	RMS	1838	-47.02	-13	Pass	841
1840	1920	1	RMS	1908.8	20.87	60	Pass	401
1920	3000	1	RMS	2654	-43.21	-13	Pass	1081
3000	12000	1	RMS	11848	-35.82	-13	Pass	9001
12000	20000	1	RMS	19995	-21.66	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.34	-13	Pass	2986
30	1000	0.1	RMS	930.3	-58.68	-13	Pass	9701
1000	1840	1	RMS	1840	-47.05	-13	Pass	841
1840	1920	1	RMS	1908.8	19.97	60	Pass	401
1920	3000	1	RMS	3000	-43.11	-13	Pass	1081
3000	12000	1	RMS	11852	-35.78	-13	Pass	9001
12000	20000	1	RMS	19990	-21.73	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.2	-13	Pass	2986
30	1000	0.1	RMS	969	-58.71	-13	Pass	9701
1000	1840	1	RMS	1839	-46.94	-13	Pass	841
1840	1920	1	RMS	1850.2	21.2	60	Pass	401
1920	3000	1	RMS	2998	-43.1	-13	Pass	1081
3000	12000	1	RMS	11847	-35.85	-13	Pass	9001
12000	20000	1	RMS	19997	-21.67	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.33	-13	Pass	2986
30	1000	0.1	RMS	934.2	-58.41	-13	Pass	9701
1000	1840	1	RMS	1838	-46.91	-13	Pass	841
1840	1920	1	RMS	1850.2	20.38	60	Pass	401
1920	3000	1	RMS	2999	-43.16	-13	Pass	1081
3000	12000	1	RMS	11846	-35.87	-13	Pass	9001
12000	20000	1	RMS	19996	-21.74	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.44	-13	Pass	2986
30	1000	0.1	RMS	960.4	-58.46	-13	Pass	9701
1000	1840	1	RMS	1840	-46.97	-13	Pass	841
1840	1920	1	RMS	1878.8	20.95	60	Pass	401
1920	3000	1	RMS	3000	-43.16	-13	Pass	1081
3000	12000	1	RMS	11838	-35.81	-13	Pass	9001
12000	20000	1	RMS	19997	-21.75	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.35	-13	Pass	2986
30	1000	0.1	RMS	946	-58.46	-13	Pass	9701
1000	1840	1	RMS	1840	-47.03	-13	Pass	841
1840	1920	1	RMS	1878.8	19.92	60	Pass	401
1920	3000	1	RMS	2999	-43.14	-13	Pass	1081
3000	12000	1	RMS	11844	-35.81	-13	Pass	9001
12000	20000	1	RMS	19995	-21.75	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.02	-13	Pass	2986
30	1000	0.1	RMS	943.2	-58.63	-13	Pass	9701
1000	1840	1	RMS	1839	-47.03	-13	Pass	841
1840	1920	1	RMS	1907.2	20.92	60	Pass	401
1920	3000	1	RMS	3000	-43.09	-13	Pass	1081
3000	12000	1	RMS	11841	-35.81	-13	Pass	9001
12000	20000	1	RMS	20000	-21.73	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.98	-13	Pass	2986
30	1000	0.1	RMS	885.3	-58.7	-13	Pass	9701
1000	1840	1	RMS	1839	-46.95	-13	Pass	841
1840	1920	1	RMS	1907.2	19.99	60	Pass	401
1920	3000	1	RMS	2997	-43.13	-13	Pass	1081
3000	12000	1	RMS	11854	-35.86	-13	Pass	9001
12000	20000	1	RMS	19999	-21.8	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.18	-13	Pass	2986
30	1000	0.1	RMS	985.6	-58.46	-13	Pass	9701
1000	1840	1	RMS	1839	-46.95	-13	Pass	841
1840	1920	1	RMS	1850.4	21.03	60	Pass	401
1920	3000	1	RMS	2641	-43.15	-13	Pass	1081
3000	12000	1	RMS	11838	-35.85	-13	Pass	9001
12000	20000	1	RMS	19999	-21.67	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.92	-13	Pass	2986
30	1000	0.1	RMS	947	-58.51	-13	Pass	9701
1000	1840	1	RMS	1838	-47.01	-13	Pass	841
1840	1920	1	RMS	1850.4	20.12	60	Pass	401
1920	3000	1	RMS	3000	-43.15	-13	Pass	1081
3000	12000	1	RMS	11855	-35.8	-13	Pass	9001
12000	20000	1	RMS	19993	-21.65	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.9	-13	Pass	2986
30	1000	0.1	RMS	946.7	-58.7	-13	Pass	9701
1000	1840	1	RMS	1840	-46.93	-13	Pass	841
1840	1920	1	RMS	1877.8	20.84	60	Pass	401
1920	3000	1	RMS	3000	-43.18	-13	Pass	1081
3000	12000	1	RMS	11849	-35.84	-13	Pass	9001
12000	20000	1	RMS	19998	-21.7	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.15	-13	Pass	2986
30	1000	0.1	RMS	932.1	-58.77	-13	Pass	9701
1000	1840	1	RMS	1840	-47.04	-13	Pass	841
1840	1920	1	RMS	1877.8	20.05	60	Pass	401
1920	3000	1	RMS	2999	-43.14	-13	Pass	1081
3000	12000	1	RMS	11837	-35.87	-13	Pass	9001
12000	20000	1	RMS	19999	-21.7	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.46	-13	Pass	2986
30	1000	0.1	RMS	908.8	-58.67	-13	Pass	9701
1000	1840	1	RMS	1840	-46.98	-13	Pass	841
1840	1920	1	RMS	1905.4	20.75	60	Pass	401
1920	3000	1	RMS	2999	-43.16	-13	Pass	1081
3000	12000	1	RMS	11845	-35.73	-13	Pass	9001
12000	20000	1	RMS	19998	-21.76	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.03	-13	Pass	2986
30	1000	0.1	RMS	904	-58.57	-13	Pass	9701
1000	1840	1	RMS	1837	-47.01	-13	Pass	841
1840	1920	1	RMS	1905.4	20	60	Pass	401
1920	3000	1	RMS	2642	-43.18	-13	Pass	1081
3000	12000	1	RMS	11851	-35.83	-13	Pass	9001
12000	20000	1	RMS	19986	-21.64	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.53	-13	Pass	2986
30	1000	0.1	RMS	888.3	-58.76	-13	Pass	9701
1000	1840	1	RMS	1840	-46.72	-13	Pass	841
1840	1920	1	RMS	1850.6	21.19	60	Pass	401
1920	3000	1	RMS	3000	-43.14	-13	Pass	1081
3000	12000	1	RMS	11853	-35.83	-13	Pass	9001
12000	20000	1	RMS	19998	-21.73	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.71	-13	Pass	2986
30	1000	0.1	RMS	914.8	-58.61	-13	Pass	9701
1000	1840	1	RMS	1840	-46.8	-13	Pass	841
1840	1920	1	RMS	1850.6	20.36	60	Pass	401
1920	3000	1	RMS	2998	-43.12	-13	Pass	1081
3000	12000	1	RMS	11866	-35.83	-13	Pass	9001
12000	20000	1	RMS	19998	-21.65	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.64	-13	Pass	2986
30	1000	0.1	RMS	925.5	-58.73	-13	Pass	9701
1000	1840	1	RMS	1840	-46.83	-13	Pass	841
1840	1920	1	RMS	1875.6	21.01	60	Pass	401
1920	3000	1	RMS	2639	-43.16	-13	Pass	1081
3000	12000	1	RMS	11840	-35.74	-13	Pass	9001
12000	20000	1	RMS	20000	-21.68	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.91	-13	Pass	2986
30	1000	0.1	RMS	904.2	-58.71	-13	Pass	9701
1000	1840	1	RMS	1837	-46.94	-13	Pass	841
1840	1920	1	RMS	1875.6	20.07	60	Pass	401
1920	3000	1	RMS	2658	-43.18	-13	Pass	1081
3000	12000	1	RMS	11850	-35.73	-13	Pass	9001
12000	20000	1	RMS	20000	-21.67	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.61	-13	Pass	2986
30	1000	0.1	RMS	933.6	-58.67	-13	Pass	9701
1000	1840	1	RMS	1840	-46.94	-13	Pass	841
1840	1920	1	RMS	1900.6	20.9	60	Pass	401
1920	3000	1	RMS	2642	-43.17	-13	Pass	1081
3000	12000	1	RMS	11858	-35.84	-13	Pass	9001
12000	20000	1	RMS	19999	-21.73	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.4	-13	Pass	2986
30	1000	0.1	RMS	895.9	-58.67	-13	Pass	9701
1000	1840	1	RMS	1838	-46.91	-13	Pass	841
1840	1920	1	RMS	1900.6	20.01	60	Pass	401
1920	3000	1	RMS	3000	-43.14	-13	Pass	1081
3000	12000	1	RMS	11853	-35.82	-13	Pass	9001
12000	20000	1	RMS	19997	-21.68	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.2	-13	Pass	2986
30	1000	0.1	RMS	918.3	-58.57	-13	Pass	9701
1000	1840	1	RMS	1840	-45.97	-13	Pass	841
1840	1920	1	RMS	1850.8	21.12	60	Pass	401
1920	3000	1	RMS	3000	-43.19	-13	Pass	1081
3000	12000	1	RMS	11853	-35.82	-13	Pass	9001
12000	20000	1	RMS	20000	-21.61	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.51	-13	Pass	2986
30	1000	0.1	RMS	904	-58.51	-13	Pass	9701
1000	1840	1	RMS	1840	-46.14	-13	Pass	841
1840	1920	1	RMS	1850.8	20.27	60	Pass	401
1920	3000	1	RMS	2648	-43.15	-13	Pass	1081
3000	12000	1	RMS	11851	-35.81	-13	Pass	9001
12000	20000	1	RMS	19997	-21.7	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.53	-13	Pass	2986
30	1000	0.1	RMS	927.5	-58.71	-13	Pass	9701
1000	1840	1	RMS	1839	-46.99	-13	Pass	841
1840	1920	1	RMS	1873.4	20.93	60	Pass	401
1920	3000	1	RMS	3000	-43.11	-13	Pass	1081
3000	12000	1	RMS	11851	-35.78	-13	Pass	9001
12000	20000	1	RMS	19998	-21.64	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.32	-13	Pass	2986
30	1000	0.1	RMS	923.8	-58.8	-13	Pass	9701
1000	1840	1	RMS	1838	-46.99	-13	Pass	841
1840	1920	1	RMS	1873.4	19.94	60	Pass	401
1920	3000	1	RMS	3000	-43.14	-13	Pass	1081
3000	12000	1	RMS	11850	-35.86	-13	Pass	9001
12000	20000	1	RMS	20000	-21.67	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.94	-13	Pass	2986
30	1000	0.1	RMS	918.3	-58.76	-13	Pass	9701
1000	1840	1	RMS	1837	-46.92	-13	Pass	841
1840	1920	1	RMS	1895.8	20.72	60	Pass	401
1920	3000	1	RMS	2999	-43.16	-13	Pass	1081
3000	12000	1	RMS	11846	-35.81	-13	Pass	9001
12000	20000	1	RMS	19997	-21.75	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.13	-13	Pass	2986
30	1000	0.1	RMS	930.3	-58.56	-13	Pass	9701
1000	1840	1	RMS	1838	-46.99	-13	Pass	841
1840	1920	1	RMS	1895.8	19.9	60	Pass	401
1920	3000	1	RMS	3000	-43.16	-13	Pass	1081
3000	12000	1	RMS	11844	-35.86	-13	Pass	9001
12000	20000	1	RMS	19998	-21.64	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.37	-13	Pass	2986
30	1000	0.1	RMS	901.5	-58.62	-13	Pass	9701
1000	1840	1	RMS	1840	-46.12	-13	Pass	841
1840	1920	1	RMS	1851	20.94	60	Pass	401
1920	3000	1	RMS	2998	-43.17	-13	Pass	1081
3000	12000	1	RMS	11845	-35.77	-13	Pass	9001
12000	20000	1	RMS	19997	-21.67	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.38	-13	Pass	2986
30	1000	0.1	RMS	921.7	-58.58	-13	Pass	9701
1000	1840	1	RMS	1840	-46.19	-13	Pass	841
1840	1920	1	RMS	1851	20.07	60	Pass	401
1920	3000	1	RMS	2999	-43.12	-13	Pass	1081
3000	12000	1	RMS	11846	-35.82	-13	Pass	9001
12000	20000	1	RMS	19997	-21.76	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.06	-13	Pass	2986
30	1000	0.1	RMS	949.8	-58.57	-13	Pass	9701
1000	1840	1	RMS	1835	-46.86	-13	Pass	841
1840	1920	1	RMS	1871	20.76	60	Pass	401
1920	3000	1	RMS	2644	-43.16	-13	Pass	1081
3000	12000	1	RMS	11844	-35.83	-13	Pass	9001
12000	20000	1	RMS	19998	-21.61	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.07	-13	Pass	2986
30	1000	0.1	RMS	932.7	-58.68	-13	Pass	9701
1000	1840	1	RMS	1835	-46.94	-13	Pass	841
1840	1920	1	RMS	1871	19.77	60	Pass	401
1920	3000	1	RMS	2999	-43.11	-13	Pass	1081
3000	12000	1	RMS	11836	-35.84	-13	Pass	9001
12000	20000	1	RMS	20000	-21.73	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.04	-13	Pass	2986
30	1000	0.1	RMS	915.3	-58.76	-13	Pass	9701
1000	1840	1	RMS	1840	-46.98	-13	Pass	841
1840	1920	1	RMS	1891	20.58	60	Pass	401
1920	3000	1	RMS	2999	-43.16	-13	Pass	1081
3000	12000	1	RMS	11840	-35.73	-13	Pass	9001
12000	20000	1	RMS	19989	-21.68	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.26	-13	Pass	2986
30	1000	0.1	RMS	926.5	-58.82	-13	Pass	9701
1000	1840	1	RMS	1837	-46.98	-13	Pass	841
1840	1920	1	RMS	1891	19.61	60	Pass	401
1920	3000	1	RMS	2999	-43.14	-13	Pass	1081
3000	12000	1	RMS	11848	-35.83	-13	Pass	9001
12000	20000	1	RMS	20000	-21.65	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.53	-13	Pass	2986
30	1000	0.1	RMS	932.9	-58.49	-13	Pass	9701
1000	1700	1	RMS	1697	-47.34	-13	Pass	701
1700	1765	1	RMS	1710.238	21.13	60	Pass	401
1765	3000	1	RMS	3000	-42.81	-13	Pass	1236
3000	12000	1	RMS	11837	-35.64	-13	Pass	9001
12000	20000	1	RMS	19993	-21.51	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60	-13	Pass	2986
30	1000	0.1	RMS	932.3	-58.3	-13	Pass	9701
1000	1700	1	RMS	1651	-47.34	-13	Pass	701
1700	1765	1	RMS	1710.238	20.2	60	Pass	401
1765	3000	1	RMS	2997	-42.82	-13	Pass	1236
3000	12000	1	RMS	11847	-35.55	-13	Pass	9001
12000	20000	1	RMS	19997	-21.44	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.04	-13	Pass	2986
30	1000	0.1	RMS	958.1	-58.38	-13	Pass	9701
1000	1700	1	RMS	1625	-47.36	-13	Pass	701
1700	1765	1	RMS	1732.013	21.07	60	Pass	401
1765	3000	1	RMS	3000	-42.83	-13	Pass	1236
3000	12000	1	RMS	11847	-35.56	-13	Pass	9001
12000	20000	1	RMS	20000	-21.41	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.12	-13	Pass	2986
30	1000	0.1	RMS	948	-58.53	-13	Pass	9701
1000	1700	1	RMS	1617	-47.36	-13	Pass	701
1700	1765	1	RMS	1732.013	20.11	60	Pass	401
1765	3000	1	RMS	3000	-42.81	-13	Pass	1236
3000	12000	1	RMS	11844	-35.65	-13	Pass	9001
12000	20000	1	RMS	19996	-21.42	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.11	-13	Pass	2986
30	1000	0.1	RMS	937.7	-58.6	-13	Pass	9701
1000	1700	1	RMS	1656	-47.37	-13	Pass	701
1700	1765	1	RMS	1753.788	21.05	60	Pass	401
1765	3000	1	RMS	2998	-42.85	-13	Pass	1236
3000	12000	1	RMS	11845	-35.62	-13	Pass	9001
12000	20000	1	RMS	19995	-21.46	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.64	-13	Pass	2986
30	1000	0.1	RMS	932	-58.65	-13	Pass	9701
1000	1700	1	RMS	1596	-47.35	-13	Pass	701
1700	1765	1	RMS	1753.788	20.2	60	Pass	401
1765	3000	1	RMS	3000	-42.81	-13	Pass	1236
3000	12000	1	RMS	11847	-35.62	-13	Pass	9001
12000	20000	1	RMS	19999	-21.47	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.39	-13	Pass	2986
30	1000	0.1	RMS	928.7	-58.6	-13	Pass	9701
1000	1700	1	RMS	1617	-47.36	-13	Pass	701
1700	1765	1	RMS	1710.238	21.14	60	Pass	401
1765	3000	1	RMS	2645	-42.9	-13	Pass	1236
3000	12000	1	RMS	11845	-35.69	-13	Pass	9001
12000	20000	1	RMS	19994	-21.49	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.76	-13	Pass	2986
30	1000	0.1	RMS	932	-58.74	-13	Pass	9701
1000	1700	1	RMS	1614	-47.38	-13	Pass	701
1700	1765	1	RMS	1710.238	20.35	60	Pass	401
1765	3000	1	RMS	2998	-42.93	-13	Pass	1236
3000	12000	1	RMS	11850	-35.62	-13	Pass	9001
12000	20000	1	RMS	19997	-21.47	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.35	-13	Pass	2986
30	1000	0.1	RMS	918.3	-58.66	-13	Pass	9701
1000	1700	1	RMS	1609	-47.36	-13	Pass	701
1700	1765	1	RMS	1731.2	21.09	60	Pass	401
1765	3000	1	RMS	2999	-42.88	-13	Pass	1236
3000	12000	1	RMS	11883	-35.65	-13	Pass	9001
12000	20000	1	RMS	19995	-21.46	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.14	-13	Pass	2986
30	1000	0.1	RMS	883.5	-58.59	-13	Pass	9701
1000	1700	1	RMS	1612	-47.36	-13	Pass	701
1700	1765	1	RMS	1731.2	20.1	60	Pass	401
1765	3000	1	RMS	2997	-42.8	-13	Pass	1236
3000	12000	1	RMS	11848	-35.61	-13	Pass	9001
12000	20000	1	RMS	19984	-21.5	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.24	-13	Pass	2986
30	1000	0.1	RMS	942.5	-58.54	-13	Pass	9701
1000	1700	1	RMS	1605	-47.36	-13	Pass	701
1700	1765	1	RMS	1752.163	21.03	60	Pass	401
1765	3000	1	RMS	3000	-42.78	-13	Pass	1236
3000	12000	1	RMS	11834	-35.59	-13	Pass	9001
12000	20000	1	RMS	19995	-21.4	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.04	-13	Pass	2986
30	1000	0.1	RMS	923.2	-58.55	-13	Pass	9701
1000	1700	1	RMS	1607	-47.37	-13	Pass	701
1700	1765	1	RMS	1752.325	20.2	60	Pass	401
1765	3000	1	RMS	3000	-42.85	-13	Pass	1236
3000	12000	1	RMS	11849	-35.56	-13	Pass	9001
12000	20000	1	RMS	19998	-21.38	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.87	-13	Pass	2986
30	1000	0.1	RMS	923.8	-58.6	-13	Pass	9701
1000	1700	1	RMS	1700	-47.27	-13	Pass	701
1700	1765	1	RMS	1710.4	20.99	60	Pass	401
1765	3000	1	RMS	2999	-42.86	-13	Pass	1236
3000	12000	1	RMS	11842	-35.6	-13	Pass	9001
12000	20000	1	RMS	19996	-21.54	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.66	-13	Pass	2986
30	1000	0.1	RMS	923.9	-58.52	-13	Pass	9701
1000	1700	1	RMS	1699	-47.3	-13	Pass	701
1700	1765	1	RMS	1710.4	20.1	60	Pass	401
1765	3000	1	RMS	2646	-42.82	-13	Pass	1236
3000	12000	1	RMS	11861	-35.63	-13	Pass	9001
12000	20000	1	RMS	19994	-21.46	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.38	-13	Pass	2986
30	1000	0.1	RMS	905.6	-58.59	-13	Pass	9701
1000	1700	1	RMS	1598	-47.37	-13	Pass	701
1700	1765	1	RMS	1730.388	20.99	60	Pass	401
1765	3000	1	RMS	2999	-42.82	-13	Pass	1236
3000	12000	1	RMS	11858	-35.63	-13	Pass	9001
12000	20000	1	RMS	20000	-21.45	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.85	-13	Pass	2986
30	1000	0.1	RMS	921.3	-58.52	-13	Pass	9701
1000	1700	1	RMS	1622	-47.3	-13	Pass	701
1700	1765	1	RMS	1730.388	20.17	60	Pass	401
1765	3000	1	RMS	3000	-42.83	-13	Pass	1236
3000	12000	1	RMS	11849	-35.67	-13	Pass	9001
12000	20000	1	RMS	20000	-21.45	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.62	-13	Pass	2986
30	1000	0.1	RMS	965.7	-58.53	-13	Pass	9701
1000	1700	1	RMS	1629	-47.33	-13	Pass	701
1700	1765	1	RMS	1750.375	20.93	60	Pass	401
1765	3000	1	RMS	2997	-42.85	-13	Pass	1236
3000	12000	1	RMS	11852	-35.62	-13	Pass	9001
12000	20000	1	RMS	19998	-21.47	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.47	-13	Pass	2986
30	1000	0.1	RMS	939.3	-58.49	-13	Pass	9701
1000	1700	1	RMS	1603	-47.36	-13	Pass	701
1700	1765	1	RMS	1750.375	20.2	60	Pass	401
1765	3000	1	RMS	2998	-42.89	-13	Pass	1236
3000	12000	1	RMS	11850	-35.62	-13	Pass	9001
12000	20000	1	RMS	19993	-21.46	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.96	-13	Pass	2986
30	1000	0.1	RMS	910.4	-58.61	-13	Pass	9701
1000	1700	1	RMS	1700	-47.08	-13	Pass	701
1700	1765	1	RMS	1710.563	21.13	60	Pass	401
1765	3000	1	RMS	2649	-42.84	-13	Pass	1236
3000	12000	1	RMS	11847	-35.61	-13	Pass	9001
12000	20000	1	RMS	19992	-21.52	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.53	-13	Pass	2986
30	1000	0.1	RMS	956.4	-58.64	-13	Pass	9701
1000	1700	1	RMS	1700	-47.07	-13	Pass	701
1700	1765	1	RMS	1710.563	20.37	60	Pass	401
1765	3000	1	RMS	2641	-42.85	-13	Pass	1236
3000	12000	1	RMS	11840	-35.59	-13	Pass	9001
12000	20000	1	RMS	19999	-21.46	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59	-13	Pass	2986
30	1000	0.1	RMS	959.8	-58.4	-13	Pass	9701
1000	1700	1	RMS	1631	-47.33	-13	Pass	701
1700	1765	1	RMS	1728.113	21.1	60	Pass	401
1765	3000	1	RMS	2642	-42.86	-13	Pass	1236
3000	12000	1	RMS	11853	-35.63	-13	Pass	9001
12000	20000	1	RMS	19990	-21.45	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.02	-13	Pass	2986
30	1000	0.1	RMS	932.3	-58.48	-13	Pass	9701
1000	1700	1	RMS	1609	-47.34	-13	Pass	701
1700	1765	1	RMS	1728.113	20.16	60	Pass	401
1765	3000	1	RMS	2998	-42.8	-13	Pass	1236
3000	12000	1	RMS	11851	-35.54	-13	Pass	9001
12000	20000	1	RMS	19997	-21.49	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.62	-13	Pass	2986
30	1000	0.1	RMS	950.9	-58.5	-13	Pass	9701
1000	1700	1	RMS	1603	-47.35	-13	Pass	701
1700	1765	1	RMS	1745.663	21	60	Pass	401
1765	3000	1	RMS	2999	-42.83	-13	Pass	1236
3000	12000	1	RMS	11843	-35.63	-13	Pass	9001
12000	20000	1	RMS	19995	-21.41	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.9	-13	Pass	2986
30	1000	0.1	RMS	948.9	-58.6	-13	Pass	9701
1000	1700	1	RMS	1698	-47.34	-13	Pass	701
1700	1765	1	RMS	1745.5	20.14	60	Pass	401
1765	3000	1	RMS	2996	-42.85	-13	Pass	1236
3000	12000	1	RMS	11850	-35.64	-13	Pass	9001
12000	20000	1	RMS	19998	-21.43	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.2	-13	Pass	2986
30	1000	0.1	RMS	938.6	-58.56	-13	Pass	9701
1000	1700	1	RMS	1700	-46.28	-13	Pass	701
1700	1765	1	RMS	1710.888	21.01	60	Pass	401
1765	3000	1	RMS	2997	-42.86	-13	Pass	1236
3000	12000	1	RMS	11845	-35.63	-13	Pass	9001
12000	20000	1	RMS	19999	-21.38	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.5	-13	Pass	2986
30	1000	0.1	RMS	925.3	-58.55	-13	Pass	9701
1000	1700	1	RMS	1700	-46.35	-13	Pass	701
1700	1765	1	RMS	1710.888	20.23	60	Pass	401
1765	3000	1	RMS	2999	-42.85	-13	Pass	1236
3000	12000	1	RMS	11856	-35.62	-13	Pass	9001
12000	20000	1	RMS	20000	-21.44	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.15	-13	Pass	2986
30	1000	0.1	RMS	965.1	-58.64	-13	Pass	9701
1000	1700	1	RMS	1699	-46	-13	Pass	701
1700	1765	1	RMS	1725.838	21.03	60	Pass	401
1765	3000	1	RMS	3000	-42.76	-13	Pass	1236
3000	12000	1	RMS	11839	-35.66	-13	Pass	9001
12000	20000	1	RMS	19996	-21.51	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.47	-13	Pass	2986
30	1000	0.1	RMS	998.7	-58.56	-13	Pass	9701
1000	1700	1	RMS	1699	-46.34	-13	Pass	701
1700	1765	1	RMS	1725.838	20.12	60	Pass	401
1765	3000	1	RMS	2645	-42.87	-13	Pass	1236
3000	12000	1	RMS	11842	-35.54	-13	Pass	9001
12000	20000	1	RMS	20000	-21.41	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.75	-13	Pass	2986
30	1000	0.1	RMS	918	-58.6	-13	Pass	9701
1000	1700	1	RMS	1617	-47.34	-13	Pass	701
1700	1765	1	RMS	1740.788	20.96	60	Pass	401
1765	3000	1	RMS	1767	-29.46	-13	Pass	1236
3000	12000	1	RMS	11843	-35.58	-13	Pass	9001
12000	20000	1	RMS	19997	-21.43	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.97	-13	Pass	2986
30	1000	0.1	RMS	961.9	-58.57	-13	Pass	9701
1000	1700	1	RMS	1700	-47.34	-13	Pass	701
1700	1765	1	RMS	1740.788	20.18	60	Pass	401
1765	3000	1	RMS	1767	-30.53	-13	Pass	1236
3000	12000	1	RMS	11853	-35.56	-13	Pass	9001
12000	20000	1	RMS	20000	-21.44	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.92	-13	Pass	2986
30	1000	0.1	RMS	958.1	-58.42	-13	Pass	9701
1000	1700	1	RMS	1700	-46.43	-13	Pass	701
1700	1765	1	RMS	1711.05	20.89	60	Pass	401
1765	3000	1	RMS	2997	-42.8	-13	Pass	1236
3000	12000	1	RMS	11860	-35.6	-13	Pass	9001
12000	20000	1	RMS	19997	-21.48	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.58	-13	Pass	2986
30	1000	0.1	RMS	890	-58.4	-13	Pass	9701
1000	1700	1	RMS	1700	-46.43	-13	Pass	701
1700	1765	1	RMS	1711.05	20.12	60	Pass	401
1765	3000	1	RMS	2647	-42.82	-13	Pass	1236
3000	12000	1	RMS	11843	-35.62	-13	Pass	9001
12000	20000	1	RMS	19993	-21.42	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.83	-13	Pass	2986
30	1000	0.1	RMS	939.5	-58.4	-13	Pass	9701
1000	1700	1	RMS	1646	-47.33	-13	Pass	701
1700	1765	1	RMS	1723.563	20.84	60	Pass	401
1765	3000	1	RMS	2648	-42.86	-13	Pass	1236
3000	12000	1	RMS	11849	-35.63	-13	Pass	9001
12000	20000	1	RMS	19994	-21.43	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.51	-13	Pass	2986
30	1000	0.1	RMS	929.6	-58.5	-13	Pass	9701
1000	1700	1	RMS	1695	-47.32	-13	Pass	701
1700	1765	1	RMS	1723.563	19.89	60	Pass	401
1765	3000	1	RMS	3000	-42.79	-13	Pass	1236
3000	12000	1	RMS	11838	-35.65	-13	Pass	9001
12000	20000	1	RMS	19997	-21.44	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.44	-13	Pass	2986
30	1000	0.1	RMS	954	-58.59	-13	Pass	9701
1000	1700	1	RMS	1700	-46.62	-13	Pass	701
1700	1765	1	RMS	1736.075	20.79	60	Pass	401
1765	3000	1	RMS	1772	-29.03	-13	Pass	1236
3000	12000	1	RMS	11856	-35.49	-13	Pass	9001
12000	20000	1	RMS	19995	-21.49	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.33	-13	Pass	2986
30	1000	0.1	RMS	917.3	-58.55	-13	Pass	9701
1000	1700	1	RMS	1700	-46.56	-13	Pass	701
1700	1765	1	RMS	1736.075	19.86	60	Pass	401
1765	3000	1	RMS	1772	-30.75	-13	Pass	1236
3000	12000	1	RMS	11862	-35.58	-13	Pass	9001
12000	20000	1	RMS	20000	-21.39	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.05	-13	Pass	2986
30	814	0.1	RMS	808.5	-58.84	-13	Pass	7841
814	860	0.1	RMS	824.3	17.93	60	Pass	461
860	1000	0.1	RMS	934.8	-58.72	-13	Pass	1401
1000	3000	1	RMS	2999	-42.84	-13	Pass	2001
3000	10000	1	RMS	9961	-39.04	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.22	-13	Pass	2986
30	814	0.1	RMS	805.7	-58.74	-13	Pass	7841
814	860	0.1	RMS	824.3	17.05	60	Pass	461
860	1000	0.1	RMS	881.4	-58.83	-13	Pass	1401
1000	3000	1	RMS	3000	-42.84	-13	Pass	2001
3000	10000	1	RMS	9986	-39.04	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.5	-13	Pass	2986
30	814	0.1	RMS	795.2	-58.74	-13	Pass	7841
814	860	0.1	RMS	836.1	18.05	60	Pass	461
860	1000	0.1	RMS	913.5	-58.86	-13	Pass	1401
1000	3000	1	RMS	2999	-42.83	-13	Pass	2001
3000	10000	1	RMS	9960	-39.08	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.23	-13	Pass	2986
30	814	0.1	RMS	789.6	-58.79	-13	Pass	7841
814	860	0.1	RMS	836.1	17.03	60	Pass	461
860	1000	0.1	RMS	928.8	-58.8	-13	Pass	1401
1000	3000	1	RMS	2999	-42.84	-13	Pass	2001
3000	10000	1	RMS	9961	-39.06	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.11	-13	Pass	2986
30	814	0.1	RMS	812.8	-58.84	-13	Pass	7841
814	860	0.1	RMS	847.8	18.02	60	Pass	461
860	1000	0.1	RMS	952	-58.84	-13	Pass	1401
1000	3000	1	RMS	2643	-42.85	-13	Pass	2001
3000	10000	1	RMS	9930	-39.1	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.05	-13	Pass	2986
30	814	0.1	RMS	811.5	-58.84	-13	Pass	7841
814	860	0.1	RMS	847.9	17.12	60	Pass	461
860	1000	0.1	RMS	913.5	-58.85	-13	Pass	1401
1000	3000	1	RMS	2642	-42.87	-13	Pass	2001
3000	10000	1	RMS	9951	-39.08	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.65	-13	Pass	2986
30	814	0.1	RMS	764.9	-58.85	-13	Pass	7841
814	860	0.1	RMS	824.2	18.36	60	Pass	461
860	1000	0.1	RMS	893.2	-58.74	-13	Pass	1401
1000	3000	1	RMS	2998	-42.85	-13	Pass	2001
3000	10000	1	RMS	9970	-39.02	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.26	-13	Pass	2986
30	814	0.1	RMS	811.7	-58.84	-13	Pass	7841
814	860	0.1	RMS	824.2	17.38	60	Pass	461
860	1000	0.1	RMS	935.5	-58.92	-13	Pass	1401
1000	3000	1	RMS	2648	-42.86	-13	Pass	2001
3000	10000	1	RMS	9991	-39.1	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.05	-13	Pass	2986
30	814	0.1	RMS	795.8	-58.85	-13	Pass	7841
814	860	0.1	RMS	835.2	18.32	60	Pass	461
860	1000	0.1	RMS	898.5	-58.93	-13	Pass	1401
1000	3000	1	RMS	2999	-42.8	-13	Pass	2001
3000	10000	1	RMS	9951	-39.1	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.86	-13	Pass	2986
30	814	0.1	RMS	795.9	-58.86	-13	Pass	7841
814	860	0.1	RMS	835.2	17.37	60	Pass	461
860	1000	0.1	RMS	957	-58.74	-13	Pass	1401
1000	3000	1	RMS	2995	-42.88	-13	Pass	2001
3000	10000	1	RMS	9958	-39.09	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.58	-13	Pass	2986
30	814	0.1	RMS	813.6	-58.59	-13	Pass	7841
814	860	0.1	RMS	846.2	18.37	60	Pass	461
860	1000	0.1	RMS	928	-58.83	-13	Pass	1401
1000	3000	1	RMS	3000	-42.79	-13	Pass	2001
3000	10000	1	RMS	9970	-39.07	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.3	-13	Pass	2986
30	814	0.1	RMS	793.9	-58.79	-13	Pass	7841
814	860	0.1	RMS	846.2	17.4	60	Pass	461
860	1000	0.1	RMS	989.4	-58.79	-13	Pass	1401
1000	3000	1	RMS	2999	-42.8	-13	Pass	2001
3000	10000	1	RMS	9952	-39.09	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.27	-13	Pass	2986
30	814	0.1	RMS	810.4	-58.73	-13	Pass	7841
814	860	0.1	RMS	824.3	18.19	60	Pass	461
860	1000	0.1	RMS	933.5	-58.9	-13	Pass	1401
1000	3000	1	RMS	3000	-42.86	-13	Pass	2001
3000	10000	1	RMS	9949	-38.95	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.81	-13	Pass	2986
30	814	0.1	RMS	789.8	-58.94	-13	Pass	7841
814	860	0.1	RMS	824.3	17.19	60	Pass	461
860	1000	0.1	RMS	929.4	-58.82	-13	Pass	1401
1000	3000	1	RMS	3000	-42.82	-13	Pass	2001
3000	10000	1	RMS	9921	-39.04	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.22	-13	Pass	2986
30	814	0.1	RMS	807.3	-58.78	-13	Pass	7841
814	860	0.1	RMS	834.3	18.24	60	Pass	461
860	1000	0.1	RMS	956.2	-58.8	-13	Pass	1401
1000	3000	1	RMS	2998	-42.87	-13	Pass	2001
3000	10000	1	RMS	9958	-39.02	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.01	-13	Pass	2986
30	814	0.1	RMS	796.3	-58.77	-13	Pass	7841
814	860	0.1	RMS	834.3	17.33	60	Pass	461
860	1000	0.1	RMS	926.2	-58.84	-13	Pass	1401
1000	3000	1	RMS	3000	-42.86	-13	Pass	2001
3000	10000	1	RMS	9950	-38.98	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.01	-13	Pass	2986
30	814	0.1	RMS	778.4	-58.86	-13	Pass	7841
814	860	0.1	RMS	844.3	18.3	60	Pass	461
860	1000	0.1	RMS	905.6	-58.79	-13	Pass	1401
1000	3000	1	RMS	3000	-42.86	-13	Pass	2001
3000	10000	1	RMS	9958	-39.06	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.88	-13	Pass	2986
30	814	0.1	RMS	809.2	-58.73	-13	Pass	7841
814	860	0.1	RMS	844.3	17.44	60	Pass	461
860	1000	0.1	RMS	906.7	-58.83	-13	Pass	1401
1000	3000	1	RMS	2643	-42.87	-13	Pass	2001
3000	10000	1	RMS	9942	-39.03	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.48	-13	Pass	2986
30	814	0.1	RMS	791.5	-58.77	-13	Pass	7841
814	860	0.1	RMS	824.6	18.72	60	Pass	461
860	1000	0.1	RMS	999.5	-58.77	-13	Pass	1401
1000	3000	1	RMS	2999	-42.83	-13	Pass	2001
3000	10000	1	RMS	9955	-39.06	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.51	-13	Pass	2986
30	814	0.1	RMS	792.7	-58.71	-13	Pass	7841
814	860	0.1	RMS	824.6	17.89	60	Pass	461
860	1000	0.1	RMS	972.9	-58.85	-13	Pass	1401
1000	3000	1	RMS	3000	-42.85	-13	Pass	2001
3000	10000	1	RMS	9968	-39.06	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.89	-13	Pass	2986
30	814	0.1	RMS	793.7	-58.74	-13	Pass	7841
814	860	0.1	RMS	832.1	18.82	60	Pass	461
860	1000	0.1	RMS	935.2	-58.75	-13	Pass	1401
1000	3000	1	RMS	2999	-42.83	-13	Pass	2001
3000	10000	1	RMS	9958	-39.06	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.23	-13	Pass	2986
30	814	0.1	RMS	788	-58.9	-13	Pass	7841
814	860	0.1	RMS	832.1	17.79	60	Pass	461
860	1000	0.1	RMS	926.8	-58.72	-13	Pass	1401
1000	3000	1	RMS	3000	-42.87	-13	Pass	2001
3000	10000	1	RMS	9948	-39.04	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.87	-13	Pass	2986
30	814	0.1	RMS	811.6	-58.79	-13	Pass	7841
814	860	0.1	RMS	839.6	18.72	60	Pass	461
860	1000	0.1	RMS	907.9	-58.86	-13	Pass	1401
1000	3000	1	RMS	2649	-42.89	-13	Pass	2001
3000	10000	1	RMS	9992	-39.06	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.53	-13	Pass	2986
30	814	0.1	RMS	806.6	-58.73	-13	Pass	7841
814	860	0.1	RMS	839.6	17.79	60	Pass	461
860	1000	0.1	RMS	943.1	-58.98	-13	Pass	1401
1000	3000	1	RMS	2640	-42.85	-13	Pass	2001
3000	10000	1	RMS	9948	-39.03	-13	Pass	7001



4. LTE_Band7


4.73. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.57	-25	Pass	2986
30	1000	0.1	RMS	948.4	-58.65	-25	Pass	9701
1000	2490	1	RMS	2489	-44.23	-25	Pass	1491
2490	2580	1	RMS	2500.35	20.53	60	Pass	401
2580	3000	1	RMS	3000	-43.16	-25	Pass	421
3000	12000	1	RMS	5001	-54.42	-25	Pass	9001
12000	26000	1	RMS	25913	-33.09	-25	Pass	14001




4.74. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.71	-25	Pass	2986
30	1000	0.1	RMS	937.8	-58.64	-25	Pass	9701
1000	2490	1	RMS	2489	-44.27	-25	Pass	1491
2490	2580	1	RMS	2500.35	19.73	60	Pass	401
2580	3000	1	RMS	2998	-43.15	-25	Pass	421
3000	12000	1	RMS	5001	-55.05	-25	Pass	9001
12000	26000	1	RMS	25919	-33.87	-25	Pass	14001




4.75. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.05	-25	Pass	2986
30	1000	0.1	RMS	927.8	-58.52	-25	Pass	9701
1000	2490	1	RMS	2486	-44.38	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.9	60	Pass	401
2580	3000	1	RMS	2999	-43.15	-25	Pass	421
3000	12000	1	RMS	5066	-58.22	-25	Pass	9001
12000	26000	1	RMS	25932	-33.84	-25	Pass	14001




4.76. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.23	-25	Pass	2986
30	1000	0.1	RMS	927.8	-58.51	-25	Pass	9701
1000	2490	1	RMS	2488	-44.29	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.21	60	Pass	401
2580	3000	1	RMS	2999	-43.18	-25	Pass	421
3000	12000	1	RMS	5066	-58.79	-25	Pass	9001
12000	26000	1	RMS	25910	-33.81	-25	Pass	14001




4.77. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.19	-25	Pass	2986
30	1000	0.1	RMS	871.1	-58.51	-25	Pass	9701
1000	2490	1	RMS	2490	-44.31	-25	Pass	1491
2490	2580	1	RMS	2565.375	20.69	60	Pass	401
2580	3000	1	RMS	3000	-43.17	-25	Pass	421
3000	12000	1	RMS	5131	-49.32	-25	Pass	9001
12000	26000	1	RMS	25924	-33.89	-25	Pass	14001




4.78. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.3	-25	Pass	2986
30	1000	0.1	RMS	885.4	-58.67	-25	Pass	9701
1000	2490	1	RMS	2490	-44.34	-25	Pass	1491
2490	2580	1	RMS	2565.375	20.02	60	Pass	401
2580	3000	1	RMS	3000	-43.12	-25	Pass	421
3000	12000	1	RMS	5131	-50.13	-25	Pass	9001
12000	26000	1	RMS	25906	-33.88	-25	Pass	14001




4.79. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.34	-25	Pass	2986
30	1000	0.1	RMS	977.4	-58.51	-25	Pass	9701
1000	2490	1	RMS	2483	-43.74	-25	Pass	1491
2490	2580	1	RMS	2500.575	20.69	60	Pass	401
2580	3000	1	RMS	2999	-43.14	-25	Pass	421
3000	12000	1	RMS	5001	-54.03	-25	Pass	9001
12000	26000	1	RMS	25939	-33.9	-25	Pass	14001




4.80. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.22	-25	Pass	2986
30	1000	0.1	RMS	920.5	-58.65	-25	Pass	9701
1000	2490	1	RMS	2483	-43.55	-25	Pass	1491
2490	2580	1	RMS	2500.575	20.07	60	Pass	401
2580	3000	1	RMS	2998	-43.16	-25	Pass	421
3000	12000	1	RMS	5001	-54.52	-25	Pass	9001
12000	26000	1	RMS	25912	-33.85	-25	Pass	14001



4.81. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.16	-25	Pass	2986
30	1000	0.1	RMS	912.6	-58.52	-25	Pass	9701
1000	2490	1	RMS	2489	-44.29	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.02	60	Pass	401
2580	3000	1	RMS	2999	-43.15	-25	Pass	421
3000	12000	1	RMS	5061	-57.95	-25	Pass	9001
12000	26000	1	RMS	25902	-33.91	-25	Pass	14001



4.82. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.49	-25	Pass	2986
30	1000	0.1	RMS	927.4	-58.67	-25	Pass	9701
1000	2490	1	RMS	2489	-44.27	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.12	60	Pass	401
2580	3000	1	RMS	2999	-43.18	-25	Pass	421
3000	12000	1	RMS	5061	-58.49	-25	Pass	9001
12000	26000	1	RMS	25901	-33.79	-25	Pass	14001



4.83. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.23	-25	Pass	2986
30	1000	0.1	RMS	930.5	-58.68	-25	Pass	9701
1000	2490	1	RMS	2490	-44.23	-25	Pass	1491
2490	2580	1	RMS	2560.65	20.69	60	Pass	401
2580	3000	1	RMS	3000	-43.15	-25	Pass	421
3000	12000	1	RMS	5121	-50.39	-25	Pass	9001
12000	26000	1	RMS	25908	-33.86	-25	Pass	14001



4.84. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.08	-25	Pass	2986
30	1000	0.1	RMS	973.6	-58.7	-25	Pass	9701
1000	2490	1	RMS	2489	-44.28	-25	Pass	1491
2490	2580	1	RMS	2560.65	19.99	60	Pass	401
2580	3000	1	RMS	3000	-43.15	-25	Pass	421
3000	12000	1	RMS	5121	-51.8	-25	Pass	9001
12000	26000	1	RMS	25896	-33.85	-25	Pass	14001



4.85. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.21	-25	Pass	2986
30	1000	0.1	RMS	960.6	-58.77	-25	Pass	9701
1000	2490	1	RMS	2490	-43.54	-25	Pass	1491
2490	2580	1	RMS	2500.8	20.66	60	Pass	401
2580	3000	1	RMS	3000	-43.2	-25	Pass	421
3000	12000	1	RMS	5002	-55.14	-25	Pass	9001
12000	26000	1	RMS	25905	-33.83	-25	Pass	14001



4.86. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.13	-25	Pass	2986
30	1000	0.1	RMS	979.5	-58.54	-25	Pass	9701
1000	2490	1	RMS	2490	-43.67	-25	Pass	1491
2490	2580	1	RMS	2500.8	19.95	60	Pass	401
2580	3000	1	RMS	2999	-43.16	-25	Pass	421
3000	12000	1	RMS	5002	-55.03	-25	Pass	9001
12000	26000	1	RMS	25901	-33.93	-25	Pass	14001



4.87. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.68	-25	Pass	2986
30	1000	0.1	RMS	899.1	-58.77	-25	Pass	9701
1000	2490	1	RMS	2489	-44.31	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.98	60	Pass	401
2580	3000	1	RMS	2999	-43.2	-25	Pass	421
3000	12000	1	RMS	5057	-58.56	-25	Pass	9001
12000	26000	1	RMS	25896	-33.91	-25	Pass	14001



4.88. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.4	-25	Pass	2986
30	1000	0.1	RMS	974.5	-58.72	-25	Pass	9701
1000	2490	1	RMS	2490	-44.3	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.04	60	Pass	401
2580	3000	1	RMS	3000	-43.16	-25	Pass	421
3000	12000	1	RMS	11847	-59.45	-25	Pass	9001
12000	26000	1	RMS	25921	-33.88	-25	Pass	14001



4.89. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.11	-25	Pass	2986
30	1000	0.1	RMS	909.7	-58.66	-25	Pass	9701
1000	2490	1	RMS	2489	-44.31	-25	Pass	1491
2490	2595	1	RMS	2555.888	20.56	60	Pass	401
2595	3000	1	RMS	3000	-43.22	-25	Pass	406
3000	12000	1	RMS	5112	-52.48	-25	Pass	9001
12000	26000	1	RMS	25915	-33.85	-25	Pass	14001



4.90. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.28	-25	Pass	2986
30	1000	0.1	RMS	820.6	-58.76	-25	Pass	9701
1000	2490	1	RMS	2490	-44.35	-25	Pass	1491
2490	2595	1	RMS	2555.888	19.84	60	Pass	401
2595	3000	1	RMS	2999	-43.21	-25	Pass	406
3000	12000	1	RMS	5112	-53.75	-25	Pass	9001
12000	26000	1	RMS	25914	-33.84	-25	Pass	14001



4.91. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.52	-25	Pass	2986
30	1000	0.1	RMS	933.7	-58.69	-25	Pass	9701
1000	2490	1	RMS	2489	-43.8	-25	Pass	1491
2490	2580	1	RMS	2501.025	20.39	60	Pass	401
2580	3000	1	RMS	2998	-43.16	-25	Pass	421
3000	12000	1	RMS	5002	-55.11	-25	Pass	9001
12000	26000	1	RMS	25907	-33.9	-25	Pass	14001



4.92. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.05	-25	Pass	2986
30	1000	0.1	RMS	951	-58.74	-25	Pass	9701
1000	2490	1	RMS	2490	-43.84	-25	Pass	1491
2490	2580	1	RMS	2501.025	19.57	60	Pass	401
2580	3000	1	RMS	3000	-43.16	-25	Pass	421
3000	12000	1	RMS	5002	-55.83	-25	Pass	9001
12000	26000	1	RMS	25911	-33.87	-25	Pass	14001



4.93. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.65	-25	Pass	2986
30	1000	0.1	RMS	945.3	-58.57	-25	Pass	9701
1000	2490	1	RMS	2490	-42.99	-25	Pass	1491
2490	2580	1	RMS	2526	20.56	60	Pass	401
2580	3000	1	RMS	2999	-43.13	-25	Pass	421
3000	12000	1	RMS	11853	-59.42	-25	Pass	9001
12000	26000	1	RMS	25897	-33.74	-25	Pass	14001



4.94. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.38	-25	Pass	2986
30	1000	0.1	RMS	913.6	-58.67	-25	Pass	9701
1000	2490	1	RMS	2490	-43.18	-25	Pass	1491
2490	2580	1	RMS	2526	19.88	60	Pass	401
2580	3000	1	RMS	2999	-43.16	-25	Pass	421
3000	12000	1	RMS	11838	-59.41	-25	Pass	9001
12000	26000	1	RMS	25916	-33.79	-25	Pass	14001



4.95. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.33	-25	Pass	2986
30	1000	0.1	RMS	997.4	-58.51	-25	Pass	9701
1000	2490	1	RMS	2488	-44.34	-25	Pass	1491
2490	2595	1	RMS	2551.163	20.4	60	Pass	401
2595	3000	1	RMS	3000	-43.17	-25	Pass	406
3000	12000	1	RMS	5102	-54.04	-25	Pass	9001
12000	26000	1	RMS	25893	-33.89	-25	Pass	14001



4.96. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.98	-25	Pass	2986
30	1000	0.1	RMS	976	-58.75	-25	Pass	9701
1000	2490	1	RMS	2490	-44.37	-25	Pass	1491
2490	2595	1	RMS	2551.163	19.48	60	Pass	401
2595	3000	1	RMS	3000	-43.17	-25	Pass	406
3000	12000	1	RMS	5102	-55.02	-25	Pass	9001
12000	26000	1	RMS	25937	-33.87	-25	Pass	14001



1. LTE_Band12


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.76	-13	Pass	2986
30	689	0.1	RMS	687.1	-63.41	-13	Pass	6591
689	726	0.1	RMS	699.268	19.29	60	Pass	401
726	1000	0.1	RMS	928.7	-62.35	-13	Pass	2741
1000	3000	1	RMS	2640	-46.8	-13	Pass	2001
3000	10000	1	RMS	9959	-41.13	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.77	-13	Pass	2986
30	689	0.1	RMS	688	-63.36	-13	Pass	6591
689	726	0.1	RMS	699.268	18.31	60	Pass	401
726	1000	0.1	RMS	905.2	-62.12	-13	Pass	2741
1000	3000	1	RMS	2642	-46.81	-13	Pass	2001
3000	10000	1	RMS	9964	-41.15	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.15	-13	Pass	2986
30	689	0.1	RMS	500.5	-63.52	-13	Pass	6591
689	726	0.1	RMS	707.038	19.37	60	Pass	401
726	1000	0.1	RMS	920.3	-62.25	-13	Pass	2741
1000	3000	1	RMS	2651	-46.77	-13	Pass	2001
3000	10000	1	RMS	9952	-41.12	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.47	-13	Pass	2986
30	689	0.1	RMS	684.7	-63.55	-13	Pass	6591
689	726	0.1	RMS	707.038	18.36	60	Pass	401
726	1000	0.1	RMS	895.3	-62.31	-13	Pass	2741
1000	3000	1	RMS	2650	-46.79	-13	Pass	2001
3000	10000	1	RMS	9963	-41.08	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.18	-13	Pass	2986
30	689	0.1	RMS	687	-63.4	-13	Pass	6591
689	726	0.1	RMS	714.808	18.85	60	Pass	401
726	1000	0.1	RMS	912.5	-62.12	-13	Pass	2741
1000	3000	1	RMS	2645	-46.71	-13	Pass	2001
3000	10000	1	RMS	9967	-41.09	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.01	-13	Pass	2986
30	689	0.1	RMS	682.2	-63.47	-13	Pass	6591
689	726	0.1	RMS	714.808	17.94	60	Pass	401
726	1000	0.1	RMS	915.3	-62.24	-13	Pass	2741
1000	3000	1	RMS	2640	-46.76	-13	Pass	2001
3000	10000	1	RMS	9958	-41.07	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.4	-13	Pass	2986
30	689	0.1	RMS	687.7	-63.42	-13	Pass	6591
689	726	0.1	RMS	699.268	19.2	60	Pass	401
726	1000	0.1	RMS	933.4	-62.36	-13	Pass	2741
1000	3000	1	RMS	2648	-46.74	-13	Pass	2001
3000	10000	1	RMS	9954	-41	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.43	-13	Pass	2986
30	689	0.1	RMS	513.9	-63.49	-13	Pass	6591
689	726	0.1	RMS	699.268	18.41	60	Pass	401
726	1000	0.1	RMS	959	-62.25	-13	Pass	2741
1000	3000	1	RMS	2643	-46.79	-13	Pass	2001
3000	10000	1	RMS	9956	-41.05	-13	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	689	0.1	RMS	521.2	-63.41	-13	Pass	6591
689	726	0.1	RMS	706.205	19.06	60	Pass	401
726	1000	0.1	RMS	936.8	-62.24	-13	Pass	2741
1000	3000	1	RMS	2647	-46.75	-13	Pass	2001
3000	10000	1	RMS	9952	-41.05	-13	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.24	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.51	-13	Pass	6591
689	726	0.1	RMS	706.205	18.13	60	Pass	401
726	1000	0.1	RMS	930.3	-62.22	-13	Pass	2741
1000	3000	1	RMS	2639	-46.83	-13	Pass	2001
3000	10000	1	RMS	9956	-41.04	-13	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	Pass	2986
30	689	0.1	RMS	685.3	-63.38	-13	Pass	6591
689	726	0.1	RMS	713.235	19.49	60	Pass	401
726	1000	0.1	RMS	906.2	-62.14	-13	Pass	2741
1000	3000	1	RMS	2648	-46.82	-13	Pass	2001
3000	10000	1	RMS	9957	-41.1	-13	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.31	-13	Pass	2986
30	689	0.1	RMS	504.2	-63.49	-13	Pass	6591
689	726	0.1	RMS	713.235	18.52	60	Pass	401
726	1000	0.1	RMS	900.5	-62.1	-13	Pass	2741
1000	3000	1	RMS	2646	-46.84	-13	Pass	2001
3000	10000	1	RMS	9951	-41.1	-13	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.12	-13	Pass	2986
30	689	0.1	RMS	686.8	-63.47	-13	Pass	6591
689	726	0.1	RMS	699.36	19.1	60	Pass	401
726	1000	0.1	RMS	922	-62.09	-13	Pass	2741
1000	3000	1	RMS	2642	-46.79	-13	Pass	2001
3000	10000	1	RMS	9950	-41.07	-13	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-13	Pass	2986
30	689	0.1	RMS	687.2	-63.45	-13	Pass	6591
689	726	0.1	RMS	699.36	18.32	60	Pass	401
726	1000	0.1	RMS	911.9	-62.35	-13	Pass	2741
1000	3000	1	RMS	2644	-46.77	-13	Pass	2001
3000	10000	1	RMS	9963	-41.02	-13	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.48	-13	Pass	2986
30	689	0.1	RMS	674.6	-63.33	-13	Pass	6591
689	726	0.1	RMS	705.373	19.01	60	Pass	401
726	1000	0.1	RMS	919.8	-62.16	-13	Pass	2741
1000	3000	1	RMS	2645	-46.77	-13	Pass	2001
3000	10000	1	RMS	9972	-41.12	-13	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.05	-13	Pass	2986
30	689	0.1	RMS	678.6	-63.47	-13	Pass	6591
689	726	0.1	RMS	705.373	18.22	60	Pass	401
726	1000	0.1	RMS	923.1	-62.03	-13	Pass	2741
1000	3000	1	RMS	2644	-46.81	-13	Pass	2001
3000	10000	1	RMS	9964	-41	-13	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.85	-13	Pass	2986
30	689	0.1	RMS	503.3	-63.48	-13	Pass	6591
689	726	0.1	RMS	711.293	18.79	60	Pass	401
726	1000	0.1	RMS	905.2	-62.07	-13	Pass	2741
1000	3000	1	RMS	2645	-46.77	-13	Pass	2001
3000	10000	1	RMS	9956	-41.09	-13	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.86	-13	Pass	2986
30	689	0.1	RMS	518.8	-63.5	-13	Pass	6591
689	726	0.1	RMS	711.385	17.99	60	Pass	401
726	1000	0.1	RMS	819.1	-62.3	-13	Pass	2741
1000	3000	1	RMS	2647	-46.8	-13	Pass	2001
3000	10000	1	RMS	9956	-41.09	-13	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.63	-13	Pass	2986
30	689	0.1	RMS	688.2	-63.44	-13	Pass	6591
689	726	0.1	RMS	699.545	18.94	60	Pass	401
726	1000	0.1	RMS	938	-62.02	-13	Pass	2741
1000	3000	1	RMS	2640	-46.76	-13	Pass	2001
3000	10000	1	RMS	9948	-41.1	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.16	-13	Pass	6591
689	726	0.1	RMS	699.545	18.07	60	Pass	401
726	1000	0.1	RMS	905.9	-62.22	-13	Pass	2741
1000	3000	1	RMS	2642	-46.79	-13	Pass	2001
3000	10000	1	RMS	9953	-41.11	-13	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.83	-13	Pass	2986
30	689	0.1	RMS	687.3	-63.37	-13	Pass	6591
689	726	0.1	RMS	703.06	19.18	60	Pass	401
726	1000	0.1	RMS	916.1	-62.23	-13	Pass	2741
1000	3000	1	RMS	2643	-46.77	-13	Pass	2001
3000	10000	1	RMS	9953	-41.06	-13	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-13	Pass	2986
30	689	0.1	RMS	681.7	-63.37	-13	Pass	6591
689	726	0.1	RMS	703.06	18.15	60	Pass	401
726	1000	0.1	RMS	893.8	-62.03	-13	Pass	2741
1000	3000	1	RMS	2641	-46.78	-13	Pass	2001
3000	10000	1	RMS	9965	-41.08	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.38	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.03	-13	Pass	6591
689	726	0.1	RMS	706.575	19.38	60	Pass	401
726	1000	0.1	RMS	915.8	-62.29	-13	Pass	2741
1000	3000	1	RMS	2641	-46.8	-13	Pass	2001
3000	10000	1	RMS	9948	-41.13	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.46	-13	Pass	2986
30	689	0.1	RMS	689	-63.42	-13	Pass	6591
689	726	0.1	RMS	706.575	18.48	60	Pass	401
726	1000	0.1	RMS	916	-62.29	-13	Pass	2741
1000	3000	1	RMS	2649	-46.8	-13	Pass	2001
3000	10000	1	RMS	9951	-41.09	-13	Pass	7001



2. LTE_Band17


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.51	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.25	-13	Pass	6641
694	726	0.1	RMS	704.32	19.16	60	Pass	401
726	1000	0.1	RMS	912.4	-62.23	-13	Pass	2741
1000	3000	1	RMS	2640	-46.76	-13	Pass	2001
3000	10000	1	RMS	9956	-41.11	-13	Pass	7001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-13	Pass	2986
30	694	0.1	RMS	693.8	-63.22	-13	Pass	6641
694	726	0.1	RMS	704.32	18.35	60	Pass	401
726	1000	0.1	RMS	929.7	-62.17	-13	Pass	2741
1000	3000	1	RMS	2644	-46.82	-13	Pass	2001
3000	10000	1	RMS	9953	-41.12	-13	Pass	7001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.38	-13	Pass	2986
30	694	0.1	RMS	693.2	-62.71	-13	Pass	6641
694	726	0.1	RMS	707.84	19.32	60	Pass	401
726	1000	0.1	RMS	892.9	-62.21	-13	Pass	2741
1000	3000	1	RMS	2653	-46.81	-13	Pass	2001
3000	10000	1	RMS	9950	-41.07	-13	Pass	7001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.3	-13	Pass	2986
30	694	0.1	RMS	693.7	-63.36	-13	Pass	6641
694	726	0.1	RMS	707.84	18.53	60	Pass	401
726	1000	0.1	RMS	924.6	-62.28	-13	Pass	2741
1000	3000	1	RMS	2647	-46.77	-13	Pass	2001
3000	10000	1	RMS	9951	-41.08	-13	Pass	7001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.68	-13	Pass	2986
30	694	0.1	RMS	525.1	-63.39	-13	Pass	6641
694	726	0.1	RMS	711.36	19.1	60	Pass	401
726	1000	0.1	RMS	902.8	-62.16	-13	Pass	2741
1000	3000	1	RMS	2648	-46.74	-13	Pass	2001
3000	10000	1	RMS	9954	-41.08	-13	Pass	7001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.86	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.41	-13	Pass	6641
694	726	0.1	RMS	711.36	18.45	60	Pass	401
726	1000	0.1	RMS	927.9	-62.29	-13	Pass	2741
1000	3000	1	RMS	2641	-46.81	-13	Pass	2001
3000	10000	1	RMS	9965	-41.16	-13	Pass	7001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.54	-13	Pass	2986
30	694	0.1	RMS	694	-61.09	-13	Pass	6641
694	726	0.1	RMS	704.56	19.26	60	Pass	401
726	1000	0.1	RMS	935.2	-62.21	-13	Pass	2741
1000	3000	1	RMS	2645	-46.74	-13	Pass	2001
3000	10000	1	RMS	9954	-41.11	-13	Pass	7001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.85	-13	Pass	2986
30	694	0.1	RMS	693.9	-61.09	-13	Pass	6641
694	726	0.1	RMS	704.56	18.42	60	Pass	401
726	1000	0.1	RMS	920.7	-62.14	-13	Pass	2741
1000	3000	1	RMS	2642	-46.73	-13	Pass	2001
3000	10000	1	RMS	9954	-41.11	-13	Pass	7001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.53	-13	Pass	2986
30	694	0.1	RMS	692.4	-62.34	-13	Pass	6641
694	726	0.1	RMS	705.6	19.46	60	Pass	401
726	1000	0.1	RMS	917.8	-62.25	-13	Pass	2741
1000	3000	1	RMS	2641	-46.8	-13	Pass	2001
3000	10000	1	RMS	9954	-41.08	-13	Pass	7001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.02	-13	Pass	2986
30	694	0.1	RMS	693.8	-62.57	-13	Pass	6641
694	726	0.1	RMS	705.6	18.45	60	Pass	401
726	1000	0.1	RMS	928	-62.25	-13	Pass	2741
1000	3000	1	RMS	2643	-46.81	-13	Pass	2001
3000	10000	1	RMS	9957	-41.07	-13	Pass	7001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.24	-13	Pass	2986
30	694	0.1	RMS	693.4	-62.48	-13	Pass	6641
694	726	0.1	RMS	706.56	19.29	60	Pass	401
726	1000	0.1	RMS	928.5	-61.96	-13	Pass	2741
1000	3000	1	RMS	2645	-46.79	-13	Pass	2001
3000	10000	1	RMS	9954	-41.09	-13	Pass	7001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.28	-13	Pass	2986
30	694	0.1	RMS	693.4	-62.7	-13	Pass	6641
694	726	0.1	RMS	706.56	18.25	60	Pass	401
726	1000	0.1	RMS	916.1	-62.15	-13	Pass	2741
1000	3000	1	RMS	2648	-46.83	-13	Pass	2001
3000	10000	1	RMS	9962	-41.08	-13	Pass	7001



6. LTE_Band41 full


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.17	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56	-25	Pass	2986
30	1000	0.1	RMS	928.8	-54.97	-25	Pass	9701
1000	2486	1	RMS	2486	-40.62	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.59	60	Pass	401
2700	3000	1	RMS	3000	-39.33	-25	Pass	401
3000	12000	1	RMS	11849	-55.42	-25	Pass	9001
12000	27000	1	RMS	25918	-29.86	-25	Pass	15001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-25	Pass	2986
30	1000	0.1	RMS	910	-55.1	-25	Pass	9701
1000	2486	1	RMS	2484	-40.6	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.03	60	Pass	401
2700	3000	1	RMS	3000	-39.33	-25	Pass	401
3000	12000	1	RMS	11847	-55.51	-25	Pass	9001
12000	27000	1	RMS	25884	-30.06	-25	Pass	15001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.68	-25	Pass	2986
30	1000	0.1	RMS	915.7	-55.09	-25	Pass	9701
1000	2486	1	RMS	2484	-40.64	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.39	60	Pass	401
2700	3000	1	RMS	2999.25	-39.35	-25	Pass	401
3000	12000	1	RMS	11871	-55.57	-25	Pass	9001
12000	27000	1	RMS	25873	-30.01	-25	Pass	15001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.73	-25	Pass	2986
30	1000	0.1	RMS	923.1	-55.02	-25	Pass	9701
1000	2486	1	RMS	2485	-40.53	-25	Pass	1487
2486	2700	1	RMS	2590.86	19.15	60	Pass	401
2700	3000	1	RMS	3000	-39.29	-25	Pass	401
3000	12000	1	RMS	11847	-55.39	-25	Pass	9001
12000	27000	1	RMS	25900	-29.98	-25	Pass	15001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.52	-25	Pass	2986
30	1000	0.1	RMS	915.7	-54.89	-25	Pass	9701
1000	2486	1	RMS	2484	-40.6	-25	Pass	1487
2486	2700	1	RMS	2685.02	20.36	60	Pass	401
2700	3000	1	RMS	2999.25	-39.31	-25	Pass	401
3000	12000	1	RMS	11837	-55.51	-25	Pass	9001
12000	27000	1	RMS	25905	-29.95	-25	Pass	15001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-25	Pass	2986
30	1000	0.1	RMS	934.7	-55.08	-25	Pass	9701
1000	2486	1	RMS	2483	-40.48	-25	Pass	1487
2486	2700	1	RMS	2685.555	19.86	60	Pass	401
2700	3000	1	RMS	2999.25	-39.32	-25	Pass	401
3000	12000	1	RMS	11848	-55.49	-25	Pass	9001
12000	27000	1	RMS	25912	-29.8	-25	Pass	15001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.42	-25	Pass	2986
30	1000	0.1	RMS	915.6	-55.01	-25	Pass	9701
1000	2486	1	RMS	2479	-40.37	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.52	60	Pass	401
2700	3000	1	RMS	2999.25	-39.33	-25	Pass	401
3000	12000	1	RMS	11850	-55.58	-25	Pass	9001
12000	27000	1	RMS	25922	-30.06	-25	Pass	15001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-25	Pass	2986
30	1000	0.1	RMS	888.8	-55.01	-25	Pass	9701
1000	2486	1	RMS	2479	-40.34	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.12	60	Pass	401
2700	3000	1	RMS	2999.25	-39.29	-25	Pass	401
3000	12000	1	RMS	11845	-55.55	-25	Pass	9001
12000	27000	1	RMS	25919	-29.82	-25	Pass	15001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-25	Pass	2986
30	1000	0.1	RMS	942.6	-55.01	-25	Pass	9701
1000	2486	1	RMS	2485	-40.57	-25	Pass	1487
2486	2700	1	RMS	2588.72	20.96	60	Pass	401
2700	3000	1	RMS	2999.25	-39.31	-25	Pass	401
3000	12000	1	RMS	11849	-55.55	-25	Pass	9001
12000	27000	1	RMS	25894	-29.9	-25	Pass	15001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-25	Pass	2986
30	1000	0.1	RMS	927.6	-55	-25	Pass	9701
1000	2486	1	RMS	2478	-40.62	-25	Pass	1487
2486	2700	1	RMS	2588.72	20.32	60	Pass	401
2700	3000	1	RMS	3000	-39.3	-25	Pass	401
3000	12000	1	RMS	11833	-55.54	-25	Pass	9001
12000	27000	1	RMS	25912	-29.94	-25	Pass	15001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.68	-25	Pass	2986
30	1000	0.1	RMS	886.2	-55.08	-25	Pass	9701
1000	2486	1	RMS	2486	-40.54	-25	Pass	1487
2486	2700	1	RMS	2680.74	20.3	60	Pass	401
2700	3000	1	RMS	3000	-39.38	-25	Pass	401
3000	12000	1	RMS	11862	-55.6	-25	Pass	9001
12000	27000	1	RMS	25914	-30.1	-25	Pass	15001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-25	Pass	2986
30	1000	0.1	RMS	919.2	-54.94	-25	Pass	9701
1000	2486	1	RMS	2486	-40.58	-25	Pass	1487
2486	2700	1	RMS	2680.74	20.3	60	Pass	401
2700	3000	1	RMS	3000	-39.34	-25	Pass	401
3000	12000	1	RMS	11831	-55.51	-25	Pass	9001
12000	27000	1	RMS	25913	-29.89	-25	Pass	15001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.22	-25	Pass	2986
30	1000	0.1	RMS	921	-55.08	-25	Pass	9701
1000	2486	1	RMS	2484	-38.91	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.24	60	Pass	401
2700	3000	1	RMS	2999.25	-39.21	-25	Pass	401
3000	12000	1	RMS	11847	-55.56	-25	Pass	9001
12000	27000	1	RMS	25880	-29.92	-25	Pass	15001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-25	Pass	2986
30	1000	0.1	RMS	892.6	-55.02	-25	Pass	9701
1000	2486	1	RMS	2486	-38.77	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.21	60	Pass	401
2700	3000	1	RMS	2999.25	-39.26	-25	Pass	401
3000	12000	1	RMS	11858	-55.52	-25	Pass	9001
12000	27000	1	RMS	25937	-29.95	-25	Pass	15001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-25	Pass	2986
30	1000	0.1	RMS	923.2	-55.01	-25	Pass	9701
1000	2486	1	RMS	2486	-40.6	-25	Pass	1487
2486	2700	1	RMS	2586.58	20.53	60	Pass	401
2700	3000	1	RMS	3000	-39.3	-25	Pass	401
3000	12000	1	RMS	11860	-55.56	-25	Pass	9001
12000	27000	1	RMS	25907	-29.92	-25	Pass	15001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-25	Pass	2986
30	1000	0.1	RMS	926.7	-54.91	-25	Pass	9701
1000	2486	1	RMS	2486	-40.52	-25	Pass	1487
2486	2700	1	RMS	2586.58	19.76	60	Pass	401
2700	3000	1	RMS	3000	-39.29	-25	Pass	401
3000	12000	1	RMS	11852	-55.59	-25	Pass	9001
12000	27000	1	RMS	25907	-29.94	-25	Pass	15001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-25	Pass	2986
30	1000	0.1	RMS	933.6	-54.93	-25	Pass	9701
1000	2486	1	RMS	2486	-40.55	-25	Pass	1487
2486	2700	1	RMS	2675.925	20.8	60	Pass	401
2700	3000	1	RMS	2702.25	-31.16	-25	Pass	401
3000	12000	1	RMS	11851	-55.5	-25	Pass	9001
12000	27000	1	RMS	25879	-29.94	-25	Pass	15001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.22	-25	Pass	2986
30	1000	0.1	RMS	924.2	-54.97	-25	Pass	9701
1000	2486	1	RMS	2485	-40.51	-25	Pass	1487
2486	2700	1	RMS	2675.925	19.15	60	Pass	401
2700	3000	1	RMS	2702.25	-31.22	-25	Pass	401
3000	12000	1	RMS	11850	-55.55	-25	Pass	9001
12000	27000	1	RMS	25916	-29.98	-25	Pass	15001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-25	Pass	2986
30	1000	0.1	RMS	931.5	-54.97	-25	Pass	9701
1000	2486	1	RMS	2485	-39.67	-25	Pass	1487
2486	2700	1	RMS	2497.235	19.92	60	Pass	401
2700	3000	1	RMS	2998.5	-39.32	-25	Pass	401
3000	12000	1	RMS	11846	-55.48	-25	Pass	9001
12000	27000	1	RMS	25930	-29.99	-25	Pass	15001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-25	Pass	2986
30	1000	0.1	RMS	894.5	-55.12	-25	Pass	9701
1000	2486	1	RMS	2486	-39.1	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.06	60	Pass	401
2700	3000	1	RMS	2997.75	-39.36	-25	Pass	401
3000	12000	1	RMS	11850	-55.48	-25	Pass	9001
12000	27000	1	RMS	25902	-30.03	-25	Pass	15001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.97	-25	Pass	2986
30	1000	0.1	RMS	882.7	-55.05	-25	Pass	9701
1000	2486	1	RMS	2486	-40.65	-25	Pass	1487
2486	2700	1	RMS	2583.905	19.97	60	Pass	401
2700	3000	1	RMS	3000	-39.34	-25	Pass	401
3000	12000	1	RMS	11849	-55.52	-25	Pass	9001
12000	27000	1	RMS	25894	-29.91	-25	Pass	15001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-25	Pass	2986
30	1000	0.1	RMS	896.8	-54.91	-25	Pass	9701
1000	2486	1	RMS	2485	-40.52	-25	Pass	1487
2486	2700	1	RMS	2583.905	19.99	60	Pass	401
2700	3000	1	RMS	2999.25	-39.21	-25	Pass	401
3000	12000	1	RMS	11843	-55.5	-25	Pass	9001
12000	27000	1	RMS	25910	-29.9	-25	Pass	15001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-25	Pass	2986
30	1000	0.1	RMS	931.5	-54.74	-25	Pass	9701
1000	2486	1	RMS	2485	-40.39	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.16	60	Pass	401
2700	3000	1	RMS	2706.75	-31.18	-25	Pass	401
3000	12000	1	RMS	11845	-55.5	-25	Pass	9001
12000	27000	1	RMS	25915	-29.78	-25	Pass	15001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-25	Pass	2986
30	1000	0.1	RMS	873.5	-54.93	-25	Pass	9701
1000	2486	1	RMS	2485	-40.46	-25	Pass	1487
2486	2700	1	RMS	2671.11	19.63	60	Pass	401
2700	3000	1	RMS	2706.75	-32.71	-25	Pass	401
3000	12000	1	RMS	11836	-55.45	-25	Pass	9001
12000	27000	1	RMS	25919	-29.85	-25	Pass	15001



3. LTE_Band66


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.77	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1790	1	RMS	1710.35	21.66	60	Pass	401
1790	3000	1	RMS	2639	-46.77	-13	Pass	1211
3000	12000	1	RMS	11887	-38.32	-13	Pass	9001
12000	20000	1	RMS	20000	-23.04	-13	Pass	8001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2986
30	1000	0.1	RMS	914.3	-62.26	-13	Pass	9701
1000	1700	1	RMS	1699	-51.11	-13	Pass	701
1700	1790	1	RMS	1710.35	20.71	60	Pass	401
1790	3000	1	RMS	2651	-46.77	-13	Pass	1211
3000	12000	1	RMS	11850	-38.31	-13	Pass	9001
12000	20000	1	RMS	20000	-22.97	-13	Pass	8001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	Pass	2986
30	1000	0.1	RMS	911.8	-62.06	-13	Pass	9701
1000	1700	1	RMS	1698	-51.19	-13	Pass	701
1700	1790	1	RMS	1744.55	21.8	60	Pass	401
1790	3000	1	RMS	2657	-46.71	-13	Pass	1211
3000	12000	1	RMS	11892	-38.35	-13	Pass	9001
12000	20000	1	RMS	19991	-22.97	-13	Pass	8001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.73	-13	Pass	2986
30	1000	0.1	RMS	917.8	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1790	1	RMS	1744.55	20.85	60	Pass	401
1790	3000	1	RMS	2648	-46.79	-13	Pass	1211
3000	12000	1	RMS	11869	-38.23	-13	Pass	9001
12000	20000	1	RMS	19999	-22.92	-13	Pass	8001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.5	-13	Pass	2986
30	1000	0.1	RMS	923.2	-62.21	-13	Pass	9701
1000	1700	1	RMS	1603	-51.29	-13	Pass	701
1700	1790	1	RMS	1778.75	21.77	60	Pass	401
1790	3000	1	RMS	2644	-46.78	-13	Pass	1211
3000	12000	1	RMS	11840	-38.31	-13	Pass	9001
12000	20000	1	RMS	20000	-22.83	-13	Pass	8001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.42	-13	Pass	2986
30	1000	0.1	RMS	888.2	-62.15	-13	Pass	9701
1000	1700	1	RMS	1697	-51.21	-13	Pass	701
1700	1790	1	RMS	1778.75	20.9	60	Pass	401
1790	3000	1	RMS	2644	-46.82	-13	Pass	1211
3000	12000	1	RMS	11866	-38.31	-13	Pass	9001
12000	20000	1	RMS	19997	-22.96	-13	Pass	8001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.7	-13	Pass	2986
30	1000	0.1	RMS	961.3	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1790	1	RMS	1710.125	21.7	60	Pass	401
1790	3000	1	RMS	2642	-46.7	-13	Pass	1211
3000	12000	1	RMS	11862	-38.37	-13	Pass	9001
12000	20000	1	RMS	20000	-23	-13	Pass	8001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.87	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1790	1	RMS	1710.35	20.93	60	Pass	401
1790	3000	1	RMS	2650	-46.8	-13	Pass	1211
3000	12000	1	RMS	11848	-38.3	-13	Pass	9001
12000	20000	1	RMS	19998	-23.02	-13	Pass	8001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.49	-13	Pass	2986
30	1000	0.1	RMS	960.7	-62.14	-13	Pass	9701
1000	1700	1	RMS	1694	-51.2	-13	Pass	701
1700	1790	1	RMS	1743.65	21.77	60	Pass	401
1790	3000	1	RMS	2648	-46.79	-13	Pass	1211
3000	12000	1	RMS	11848	-38.29	-13	Pass	9001
12000	20000	1	RMS	20000	-22.91	-13	Pass	8001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.25	-13	Pass	2986
30	1000	0.1	RMS	944.6	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51.23	-13	Pass	701
1700	1790	1	RMS	1743.65	20.84	60	Pass	401
1790	3000	1	RMS	2640	-46.83	-13	Pass	1211
3000	12000	1	RMS	11858	-38.28	-13	Pass	9001
12000	20000	1	RMS	19998	-22.98	-13	Pass	8001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.97	-13	Pass	2986
30	1000	0.1	RMS	949.6	-62.19	-13	Pass	9701
1000	1700	1	RMS	1697	-51.2	-13	Pass	701
1700	1790	1	RMS	1777.175	21.91	60	Pass	401
1790	3000	1	RMS	2647	-46.77	-13	Pass	1211
3000	12000	1	RMS	11856	-38.29	-13	Pass	9001
12000	20000	1	RMS	19998	-22.96	-13	Pass	8001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.87	-13	Pass	2986
30	1000	0.1	RMS	918.5	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-51.25	-13	Pass	701
1700	1790	1	RMS	1777.175	21.01	60	Pass	401
1790	3000	1	RMS	2640	-46.75	-13	Pass	1211
3000	12000	1	RMS	11847	-38.31	-13	Pass	9001
12000	20000	1	RMS	19996	-22.92	-13	Pass	8001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.55	-13	Pass	2986
30	1000	0.1	RMS	919.7	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.99	-13	Pass	701
1700	1790	1	RMS	1710.35	21.73	60	Pass	401
1790	3000	1	RMS	2646	-46.8	-13	Pass	1211
3000	12000	1	RMS	11875	-38.31	-13	Pass	9001
12000	20000	1	RMS	19998	-22.88	-13	Pass	8001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.25	-13	Pass	2986
30	1000	0.1	RMS	948.8	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1790	1	RMS	1710.35	20.8	60	Pass	401
1790	3000	1	RMS	2642	-46.76	-13	Pass	1211
3000	12000	1	RMS	11853	-38.28	-13	Pass	9001
12000	20000	1	RMS	20000	-22.93	-13	Pass	8001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.28	-13	Pass	2986
30	1000	0.1	RMS	904.8	-62.2	-13	Pass	9701
1000	1700	1	RMS	1698	-51.23	-13	Pass	701
1700	1790	1	RMS	1742.75	21.67	60	Pass	401
1790	3000	1	RMS	2646	-46.77	-13	Pass	1211
3000	12000	1	RMS	11853	-38.29	-13	Pass	9001
12000	20000	1	RMS	19998	-22.94	-13	Pass	8001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-13	Pass	2986
30	1000	0.1	RMS	885.4	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-51.21	-13	Pass	701
1700	1790	1	RMS	1742.75	20.85	60	Pass	401
1790	3000	1	RMS	2648	-46.79	-13	Pass	1211
3000	12000	1	RMS	11849	-38.32	-13	Pass	9001
12000	20000	1	RMS	19999	-22.97	-13	Pass	8001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.71	-13	Pass	2986
30	1000	0.1	RMS	908.6	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	Pass	701
1700	1790	1	RMS	1775.375	21.78	60	Pass	401
1790	3000	1	RMS	2643	-46.75	-13	Pass	1211
3000	12000	1	RMS	11845	-38.26	-13	Pass	9001
12000	20000	1	RMS	20000	-22.89	-13	Pass	8001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.22	-13	Pass	2986
30	1000	0.1	RMS	915.1	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1790	1	RMS	1775.375	21.04	60	Pass	401
1790	3000	1	RMS	2641	-46.81	-13	Pass	1211
3000	12000	1	RMS	11865	-38.32	-13	Pass	9001
12000	20000	1	RMS	19992	-22.96	-13	Pass	8001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.78	-13	Pass	2986
30	1000	0.1	RMS	964.1	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-50.11	-13	Pass	701
1700	1790	1	RMS	1710.575	21.85	60	Pass	401
1790	3000	1	RMS	2650	-46.78	-13	Pass	1211
3000	12000	1	RMS	11858	-38.3	-13	Pass	9001
12000	20000	1	RMS	20000	-22.91	-13	Pass	8001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.39	-13	Pass	2986
30	1000	0.1	RMS	906.8	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-50.18	-13	Pass	701
1700	1790	1	RMS	1710.575	21.03	60	Pass	401
1790	3000	1	RMS	2643	-46.79	-13	Pass	1211
3000	12000	1	RMS	11848	-38.34	-13	Pass	9001
12000	20000	1	RMS	19999	-22.88	-13	Pass	8001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.95	-13	Pass	2986
30	1000	0.1	RMS	901.9	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1790	1	RMS	1740.5	21.78	60	Pass	401
1790	3000	1	RMS	2647	-46.78	-13	Pass	1211
3000	12000	1	RMS	11861	-38.23	-13	Pass	9001
12000	20000	1	RMS	20000	-23.01	-13	Pass	8001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.39	-13	Pass	2986
30	1000	0.1	RMS	930.6	-62.24	-13	Pass	9701
1000	1700	1	RMS	1585	-51.25	-13	Pass	701
1700	1790	1	RMS	1740.5	20.86	60	Pass	401
1790	3000	1	RMS	2640	-46.82	-13	Pass	1211
3000	12000	1	RMS	11840	-38.28	-13	Pass	9001
12000	20000	1	RMS	19998	-22.89	-13	Pass	8001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.55	-13	Pass	2986
30	1000	0.1	RMS	914.5	-62.16	-13	Pass	9701
1000	1700	1	RMS	1697	-51.23	-13	Pass	701
1700	1790	1	RMS	1770.65	21.93	60	Pass	401
1790	3000	1	RMS	2643	-46.81	-13	Pass	1211
3000	12000	1	RMS	11854	-38.27	-13	Pass	9001
12000	20000	1	RMS	19999	-22.93	-13	Pass	8001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.32	-13	Pass	2986
30	1000	0.1	RMS	909.4	-62.24	-13	Pass	9701
1000	1700	1	RMS	1696	-51.23	-13	Pass	701
1700	1790	1	RMS	1770.65	20.99	60	Pass	401
1790	3000	1	RMS	2642	-46.8	-13	Pass	1211
3000	12000	1	RMS	11855	-38.34	-13	Pass	9001
12000	20000	1	RMS	20000	-23	-13	Pass	8001



3.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.52	-13	Pass	2986
30	1000	0.1	RMS	946.8	-62.16	-13	Pass	9701
1000	1700	1	RMS	1698	-46.15	-13	Pass	701
1700	1790	1	RMS	1710.8	21.73	60	Pass	401
1790	3000	1	RMS	2638	-46.77	-13	Pass	1211
3000	12000	1	RMS	11844	-38.21	-13	Pass	9001
12000	20000	1	RMS	19998	-22.96	-13	Pass	8001



3.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.33	-13	Pass	2986
30	1000	0.1	RMS	986.3	-62.06	-13	Pass	9701
1000	1700	1	RMS	1698	-46.81	-13	Pass	701
1700	1790	1	RMS	1710.8	20.93	60	Pass	401
1790	3000	1	RMS	2646	-46.75	-13	Pass	1211
3000	12000	1	RMS	11856	-38.31	-13	Pass	9001
12000	20000	1	RMS	19995	-22.94	-13	Pass	8001



3.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	Pass	2986
30	1000	0.1	RMS	929.9	-62.12	-13	Pass	9701
1000	1700	1	RMS	1699	-51.2	-13	Pass	701
1700	1790	1	RMS	1738.25	21.69	60	Pass	401
1790	3000	1	RMS	2645	-46.76	-13	Pass	1211
3000	12000	1	RMS	11853	-38.33	-13	Pass	9001
12000	20000	1	RMS	19997	-22.99	-13	Pass	8001



3.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.85	-13	Pass	2986
30	1000	0.1	RMS	920.3	-62.22	-13	Pass	9701
1000	1700	1	RMS	1605	-51.25	-13	Pass	701
1700	1790	1	RMS	1738.25	20.71	60	Pass	401
1790	3000	1	RMS	2645	-46.81	-13	Pass	1211
3000	12000	1	RMS	11852	-38.28	-13	Pass	9001
12000	20000	1	RMS	19999	-22.98	-13	Pass	8001



3.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.22	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.18	-13	Pass	9701
1000	1700	1	RMS	1699	-51.19	-13	Pass	701
1700	1790	1	RMS	1765.925	21.71	60	Pass	401
1790	3000	1	RMS	1792	-26.88	-13	Pass	1211
3000	12000	1	RMS	11851	-38.22	-13	Pass	9001
12000	20000	1	RMS	20000	-23	-13	Pass	8001



3.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.88	-13	Pass	2986
30	1000	0.1	RMS	963.4	-62.24	-13	Pass	9701
1000	1700	1	RMS	1699	-51.25	-13	Pass	701
1700	1790	1	RMS	1765.925	20.94	60	Pass	401
1790	3000	1	RMS	1792	-27.82	-13	Pass	1211
3000	12000	1	RMS	11853	-38.25	-13	Pass	9001
12000	20000	1	RMS	20000	-22.92	-13	Pass	8001



3.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.56	-13	Pass	2986
30	1000	0.1	RMS	933.9	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-48.21	-13	Pass	701
1700	1790	1	RMS	1711.025	21.52	60	Pass	401
1790	3000	1	RMS	2647	-46.76	-13	Pass	1211
3000	12000	1	RMS	11854	-38.29	-13	Pass	9001
12000	20000	1	RMS	19998	-22.88	-13	Pass	8001



3.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.82	-13	Pass	2986
30	1000	0.1	RMS	915.3	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-48.72	-13	Pass	701
1700	1790	1	RMS	1711.025	20.75	60	Pass	401
1790	3000	1	RMS	2644	-46.73	-13	Pass	1211
3000	12000	1	RMS	11856	-38.23	-13	Pass	9001
12000	20000	1	RMS	20000	-23	-13	Pass	8001



3.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.72	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-48.8	-13	Pass	701
1700	1790	1	RMS	1736	21.49	60	Pass	401
1790	3000	1	RMS	2642	-46.71	-13	Pass	1211
3000	12000	1	RMS	11862	-38.29	-13	Pass	9001
12000	20000	1	RMS	19993	-22.97	-13	Pass	8001



3.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-13	Pass	2986
30	1000	0.1	RMS	932.9	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-49.8	-13	Pass	701
1700	1790	1	RMS	1736	20.54	60	Pass	401
1790	3000	1	RMS	2639	-46.79	-13	Pass	1211
3000	12000	1	RMS	11890	-38.32	-13	Pass	9001
12000	20000	1	RMS	19995	-23	-13	Pass	8001



3.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.29	-13	Pass	2986
30	1000	0.1	RMS	934.5	-62.21	-13	Pass	9701
1000	1700	1	RMS	1699	-51.16	-13	Pass	701
1700	1790	1	RMS	1761.2	21.51	60	Pass	401
1790	3000	1	RMS	1797	-27.55	-13	Pass	1211
3000	12000	1	RMS	11868	-38.32	-13	Pass	9001
12000	20000	1	RMS	19997	-23.02	-13	Pass	8001



3.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.34	-13	Pass	2986
30	1000	0.1	RMS	928.8	-62.25	-13	Pass	9701
1000	1700	1	RMS	1699	-51.15	-13	Pass	701
1700	1790	1	RMS	1761.2	20.57	60	Pass	401
1790	3000	1	RMS	1797	-28.87	-13	Pass	1211
3000	12000	1	RMS	11851	-38.31	-13	Pass	9001
12000	20000	1	RMS	19997	-22.89	-13	Pass	8001



5. LTE_Band71


5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.99	-13	Pass	2986
30	653	0.1	RMS	650.9	-60.67	-13	Pass	6231
653	709	0.1	RMS	663.3	18.21	60	Pass	561
709	1000	0.1	RMS	953	-59.08	-13	Pass	2911
1000	3000	1	RMS	2999	-43.24	-13	Pass	2001
3000	10000	1	RMS	9989	-39.33	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.7	-13	Pass	2986
30	653	0.1	RMS	537.4	-60.6	-13	Pass	6231
653	709	0.1	RMS	663.3	17.4	60	Pass	561
709	1000	0.1	RMS	871.4	-59.15	-13	Pass	2911
1000	3000	1	RMS	2998	-43.23	-13	Pass	2001
3000	10000	1	RMS	9939	-39.37	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.03	-13	Pass	2986
30	653	0.1	RMS	645.2	-60.64	-13	Pass	6231
653	709	0.1	RMS	678.3	18.26	60	Pass	561
709	1000	0.1	RMS	906.9	-59.07	-13	Pass	2911
1000	3000	1	RMS	2999	-43.2	-13	Pass	2001
3000	10000	1	RMS	9952	-39.35	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.43	-13	Pass	2986
30	653	0.1	RMS	651.3	-60.86	-13	Pass	6231
653	709	0.1	RMS	678.3	17.32	60	Pass	561
709	1000	0.1	RMS	828	-59.15	-13	Pass	2911
1000	3000	1	RMS	2999	-43.24	-13	Pass	2001
3000	10000	1	RMS	9947	-39.38	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.19	-13	Pass	2986
30	653	0.1	RMS	651.8	-60.78	-13	Pass	6231
653	709	0.1	RMS	693.3	18.12	60	Pass	561
709	1000	0.1	RMS	921.2	-59.14	-13	Pass	2911
1000	3000	1	RMS	3000	-43.24	-13	Pass	2001
3000	10000	1	RMS	9986	-39.35	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.83	-13	Pass	2986
30	653	0.1	RMS	624.7	-60.48	-13	Pass	6231
653	709	0.1	RMS	693.3	17.03	60	Pass	561
709	1000	0.1	RMS	922.7	-58.95	-13	Pass	2911
1000	3000	1	RMS	2999	-43.32	-13	Pass	2001
3000	10000	1	RMS	9947	-39.39	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.94	-13	Pass	2986
30	653	0.1	RMS	644.8	-60.49	-13	Pass	6231
653	709	0.1	RMS	663.6	18.72	60	Pass	561
709	1000	0.1	RMS	888.6	-59.14	-13	Pass	2911
1000	3000	1	RMS	2999	-43.3	-13	Pass	2001
3000	10000	1	RMS	9952	-39.38	-13	Pass	7001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.93	-13	Pass	2986
30	653	0.1	RMS	649.1	-60.54	-13	Pass	6231
653	709	0.1	RMS	663.6	17.88	60	Pass	561
709	1000	0.1	RMS	897.1	-59.23	-13	Pass	2911
1000	3000	1	RMS	3000	-43.3	-13	Pass	2001
3000	10000	1	RMS	9967	-39.4	-13	Pass	7001



5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.66	-13	Pass	2986
30	653	0.1	RMS	645.9	-60.43	-13	Pass	6231
653	709	0.1	RMS	676.1	18.67	60	Pass	561
709	1000	0.1	RMS	911	-59.12	-13	Pass	2911
1000	3000	1	RMS	3000	-43.28	-13	Pass	2001
3000	10000	1	RMS	9952	-39.28	-13	Pass	7001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.96	-13	Pass	2986
30	653	0.1	RMS	638.3	-60.5	-13	Pass	6231
653	709	0.1	RMS	676.1	17.63	60	Pass	561
709	1000	0.1	RMS	948	-59.25	-13	Pass	2911
1000	3000	1	RMS	2649	-43.35	-13	Pass	2001
3000	10000	1	RMS	9995	-39.38	-13	Pass	7001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.49	-13	Pass	2986
30	653	0.1	RMS	652.1	-60.43	-13	Pass	6231
653	709	0.1	RMS	688.6	18.59	60	Pass	561
709	1000	0.1	RMS	926.5	-58.88	-13	Pass	2911
1000	3000	1	RMS	2998	-43.29	-13	Pass	2001
3000	10000	1	RMS	9947	-39.36	-13	Pass	7001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.42	-13	Pass	2986
30	653	0.1	RMS	647.5	-60.24	-13	Pass	6231
653	709	0.1	RMS	688.6	17.69	60	Pass	561
709	1000	0.1	RMS	892.4	-59.01	-13	Pass	2911
1000	3000	1	RMS	2999	-43.29	-13	Pass	2001
3000	10000	1	RMS	9941	-39.36	-13	Pass	7001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.85	-13	Pass	2986
30	653	0.1	RMS	651.8	-60.46	-13	Pass	6231
653	709	0.1	RMS	663.8	18.25	60	Pass	561
709	1000	0.1	RMS	936.2	-58.93	-13	Pass	2911
1000	3000	1	RMS	2999	-43.28	-13	Pass	2001
3000	10000	1	RMS	9972	-39.39	-13	Pass	7001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.23	-13	Pass	2986
30	653	0.1	RMS	648.3	-60.43	-13	Pass	6231
653	709	0.1	RMS	663.8	17.33	60	Pass	561
709	1000	0.1	RMS	958.6	-59.11	-13	Pass	2911
1000	3000	1	RMS	2999	-43.33	-13	Pass	2001
3000	10000	1	RMS	9995	-39.34	-13	Pass	7001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.2	-13	Pass	2986
30	653	0.1	RMS	645.4	-60.5	-13	Pass	6231
653	709	0.1	RMS	673.8	18.11	60	Pass	561
709	1000	0.1	RMS	931.5	-59.02	-13	Pass	2911
1000	3000	1	RMS	2998	-43.32	-13	Pass	2001
3000	10000	1	RMS	9954	-39.39	-13	Pass	7001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.47	-13	Pass	2986
30	653	0.1	RMS	641.3	-60.58	-13	Pass	6231
653	709	0.1	RMS	673.8	17.24	60	Pass	561
709	1000	0.1	RMS	906.1	-59.3	-13	Pass	2911
1000	3000	1	RMS	2999	-43.32	-13	Pass	2001
3000	10000	1	RMS	9979	-39.36	-13	Pass	7001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.01	-13	Pass	2986
30	653	0.1	RMS	642.1	-60.48	-13	Pass	6231
653	709	0.1	RMS	683.8	17.97	60	Pass	561
709	1000	0.1	RMS	710.5	-36.57	-13	Pass	2911
1000	3000	1	RMS	2999	-43.28	-13	Pass	2001
3000	10000	1	RMS	9947	-39.38	-13	Pass	7001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-51.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.4	-13	Pass	2986
30	653	0.1	RMS	652	-60.29	-13	Pass	6231
653	709	0.1	RMS	683.8	17.27	60	Pass	561
709	1000	0.1	RMS	710.5	-37.16	-13	Pass	2911
1000	3000	1	RMS	2999	-43.28	-13	Pass	2001
3000	10000	1	RMS	9955	-39.35	-13	Pass	7001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.35	-13	Pass	2986
30	653	0.1	RMS	635.4	-60.36	-13	Pass	6231
653	709	0.1	RMS	664.1	18.49	60	Pass	561
709	1000	0.1	RMS	904.4	-58.97	-13	Pass	2911
1000	3000	1	RMS	2999	-43.25	-13	Pass	2001
3000	10000	1	RMS	9943	-39.34	-13	Pass	7001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.98	-13	Pass	2986
30	653	0.1	RMS	533.8	-60.36	-13	Pass	6231
653	709	0.1	RMS	664.1	17.67	60	Pass	561
709	1000	0.1	RMS	885.4	-59.15	-13	Pass	2911
1000	3000	1	RMS	2999	-43.31	-13	Pass	2001
3000	10000	1	RMS	9983	-39.4	-13	Pass	7001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.91	-13	Pass	2986
30	653	0.1	RMS	637.3	-60.47	-13	Pass	6231
653	709	0.1	RMS	674.1	18.39	60	Pass	561
709	1000	0.1	RMS	709.7	-34.15	-13	Pass	2911
1000	3000	1	RMS	3000	-43.33	-13	Pass	2001
3000	10000	1	RMS	9961	-39.38	-13	Pass	7001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.86	-13	Pass	2986
30	653	0.1	RMS	646.8	-60.32	-13	Pass	6231
653	709	0.1	RMS	674.1	17.52	60	Pass	561
709	1000	0.1	RMS	709.8	-35.47	-13	Pass	2911
1000	3000	1	RMS	2642	-43.32	-13	Pass	2001
3000	10000	1	RMS	9955	-39.38	-13	Pass	7001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.51	-13	Pass	2986
30	653	0.1	RMS	652.8	-60.29	-13	Pass	6231
653	709	0.1	RMS	679.1	18.32	60	Pass	561
709	1000	0.1	RMS	714.7	-50.18	-13	Pass	2911
1000	3000	1	RMS	2999	-43.33	-13	Pass	2001
3000	10000	1	RMS	9977	-39.36	-13	Pass	7001



5.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.59	-13	Pass	2986
30	653	0.1	RMS	652	-60.39	-13	Pass	6231
653	709	0.1	RMS	679.1	17.32	60	Pass	561
709	1000	0.1	RMS	714.7	-51.57	-13	Pass	2911
1000	3000	1	RMS	3000	-43.3	-13	Pass	2001
3000	10000	1	RMS	9964	-39.31	-13	Pass	7001



--BLANK BELOW--