

Band: 2 / Bandwidth: 1.4MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1850.7	1	0	22.54	-1.60	20.94	<=33.01	Pass		
			2	22.62	-1.60	21.02	<=33.01	Pass		
			5	22.55	-1.60	20.95	<=33.01	Pass		
		3	0	22.64	-1.60	21.04	<=33.01	Pass		
			2	22.67	-1.60	21.07	<=33.01	Pass		
			3	22.65	-1.60	21.05	<=33.01	Pass		
		6	0	21.60	-1.60	20.00	<=33.01	Pass		
		1880	1	0	22.63	-1.60	21.03	<=33.01	Pass	
				2	22.71	-1.60	21.11	<=33.01	Pass	
	5			22.62	-1.60	21.02	<=33.01	Pass		
	3		0	22.68	-1.60	21.08	<=33.01	Pass		
			2	22.74	-1.60	21.14	<=33.01	Pass		
			3	22.69	-1.60	21.09	<=33.01	Pass		
	6		0	21.71	-1.60	20.11	<=33.01	Pass		
	1909.3		1	0	22.69	-1.60	21.09	<=33.01	Pass	
				2	22.83	-1.60	21.23	<=33.01	Pass	
		5		22.76	-1.60	21.16	<=33.01	Pass		
		3	0	22.76	-1.60	21.16	<=33.01	Pass		
			2	22.79	-1.60	21.19	<=33.01	Pass		
			3	22.77	-1.60	21.17	<=33.01	Pass		
		6	0	21.75	-1.60	20.15	<=33.01	Pass		
		16QAM	1850.7	1	0	21.53	-1.60	19.93	<=33.01	Pass
					2	21.64	-1.60	20.04	<=33.01	Pass
	5				21.54	-1.60	19.94	<=33.01	Pass	
3	0			21.80	-1.60	20.20	<=33.01	Pass		
	2			21.84	-1.60	20.24	<=33.01	Pass		
	3			21.81	-1.60	20.21	<=33.01	Pass		
6	0			20.60	-1.60	19.00	<=33.01	Pass		
1880	1			0	21.82	-1.60	20.22	<=33.01	Pass	
				2	21.89	-1.60	20.29	<=33.01	Pass	
			5	21.76	-1.60	20.16	<=33.01	Pass		
	3		0	21.65	-1.60	20.05	<=33.01	Pass		
			2	21.68	-1.60	20.08	<=33.01	Pass		
			3	21.69	-1.60	20.09	<=33.01	Pass		
	6		0	20.70	-1.60	19.10	<=33.01	Pass		
	1909.3		1	0	21.65	-1.60	20.05	<=33.01	Pass	
				2	21.84	-1.60	20.24	<=33.01	Pass	
5				21.76	-1.60	20.16	<=33.01	Pass		
3			0	21.81	-1.60	20.21	<=33.01	Pass		
			2	21.80	-1.60	20.20	<=33.01	Pass		
			3	21.77	-1.60	20.17	<=33.01	Pass		
6			0	20.68	-1.60	19.08	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.2.1 Test Result

Note1: EIRP=Conducted Power+Antenna Gain

1.3 B2_5MHz_EIRP

1.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1852.5	1	0	22.46	-1.60	20.86	<=33.01	Pass		
			13	22.48	-1.60	20.88	<=33.01	Pass		
			24	22.16	-1.60	20.56	<=33.01	Pass		
		12	0	21.31	-1.60	19.71	<=33.01	Pass		
			6	21.58	-1.60	19.98	<=33.01	Pass		
			13	21.62	-1.60	20.02	<=33.01	Pass		
		25	0	21.55	-1.60	19.95	<=33.01	Pass		
		1880	1	0	22.43	-1.60	20.83	<=33.01	Pass	
				13	22.34	-1.60	20.74	<=33.01	Pass	
	24			22.08	-1.60	20.48	<=33.01	Pass		
	12		0	21.16	-1.60	19.56	<=33.01	Pass		
			6	21.24	-1.60	19.64	<=33.01	Pass		
			13	21.24	-1.60	19.64	<=33.01	Pass		
	25	0	21.22	-1.60	19.62	<=33.01	Pass			
	1907.5	1	0	22.15	-1.60	20.55	<=33.01	Pass		
			13	22.34	-1.60	20.74	<=33.01	Pass		
			24	22.17	-1.60	20.57	<=33.01	Pass		
		12	0	21.22	-1.60	19.62	<=33.01	Pass		
			6	21.31	-1.60	19.71	<=33.01	Pass		
			13	21.25	-1.60	19.65	<=33.01	Pass		
		25	0	21.23	-1.60	19.63	<=33.01	Pass		
		16QAM	1852.5	1	0	21.02	-1.60	19.42	<=33.01	Pass
					13	21.16	-1.60	19.56	<=33.01	Pass
	24				21.08	-1.60	19.48	<=33.01	Pass	
12	0			20.37	-1.60	18.77	<=33.01	Pass		
	6			20.55	-1.60	18.95	<=33.01	Pass		
	13			20.67	-1.60	19.07	<=33.01	Pass		
25	0			20.56	-1.60	18.96	<=33.01	Pass		
1880	1			0	21.36	-1.60	19.76	<=33.01	Pass	
				13	21.52	-1.60	19.92	<=33.01	Pass	
			24	21.32	-1.60	19.72	<=33.01	Pass		
	12		0	20.27	-1.60	18.67	<=33.01	Pass		
			6	20.33	-1.60	18.73	<=33.01	Pass		
			13	20.28	-1.60	18.68	<=33.01	Pass		
25	0		20.23	-1.60	18.63	<=33.01	Pass			
1907.5	1		0	21.26	-1.60	19.66	<=33.01	Pass		
			13	21.42	-1.60	19.82	<=33.01	Pass		
			24	21.22	-1.60	19.62	<=33.01	Pass		
	12		0	20.26	-1.60	18.66	<=33.01	Pass		
			6	20.32	-1.60	18.72	<=33.01	Pass		
			13	20.24	-1.60	18.64	<=33.01	Pass		
	25		0	20.32	-1.60	18.72	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.4 B2_10MHz_EIRP

1.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1855	1	0	22.04	-1.60	20.44	<=33.01	Pass		
			25	22.24	-1.60	20.64	<=33.01	Pass		
			49	22.13	-1.60	20.53	<=33.01	Pass		
		25	0	21.09	-1.60	19.49	<=33.01	Pass		
			13	21.12	-1.60	19.52	<=33.01	Pass		
			25	21.12	-1.60	19.52	<=33.01	Pass		
		50	0	21.06	-1.60	19.46	<=33.01	Pass		
		1880	1	0	22.21	-1.60	20.61	<=33.01	Pass	
				25	22.33	-1.60	20.73	<=33.01	Pass	
	49			22.10	-1.60	20.50	<=33.01	Pass		
	25		0	21.19	-1.60	19.59	<=33.01	Pass		
			13	21.20	-1.60	19.60	<=33.01	Pass		
			25	21.22	-1.60	19.62	<=33.01	Pass		
	50		0	21.21	-1.60	19.61	<=33.01	Pass		
	1905		1	0	22.20	-1.60	20.60	<=33.01	Pass	
				25	22.44	-1.60	20.84	<=33.01	Pass	
		49		22.22	-1.60	20.62	<=33.01	Pass		
		25	0	21.32	-1.60	19.72	<=33.01	Pass		
			13	21.25	-1.60	19.65	<=33.01	Pass		
			25	21.31	-1.60	19.71	<=33.01	Pass		
		50	0	21.34	-1.60	19.74	<=33.01	Pass		
		16QAM	1855	1	0	21.63	-1.60	20.03	<=33.01	Pass
					25	21.83	-1.60	20.23	<=33.01	Pass
	49				21.67	-1.60	20.07	<=33.01	Pass	
25	0			20.18	-1.60	18.58	<=33.01	Pass		
	13			20.23	-1.60	18.63	<=33.01	Pass		
	25			20.23	-1.60	18.63	<=33.01	Pass		
50	0			20.12	-1.60	18.52	<=33.01	Pass		
1880	1			0	21.28	-1.60	19.68	<=33.01	Pass	
				25	21.49	-1.60	19.89	<=33.01	Pass	
			49	21.29	-1.60	19.69	<=33.01	Pass		
	25		0	20.25	-1.60	18.65	<=33.01	Pass		
			13	20.27	-1.60	18.67	<=33.01	Pass		
			25	20.29	-1.60	18.69	<=33.01	Pass		
	50		0	20.24	-1.60	18.64	<=33.01	Pass		
	1905		1	0	21.21	-1.60	19.61	<=33.01	Pass	
				25	21.39	-1.60	19.79	<=33.01	Pass	
49				21.25	-1.60	19.65	<=33.01	Pass		
25			0	20.40	-1.60	18.80	<=33.01	Pass		
			13	20.38	-1.60	18.78	<=33.01	Pass		
			25	20.44	-1.60	18.84	<=33.01	Pass		
50			0	20.38	-1.60	18.78	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.5 B2_15MHz_EIRP

1.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1857.5	1	0	22.07	-1.60	20.47	<=33.01	Pass		
			38	22.22	-1.60	20.62	<=33.01	Pass		
			74	22.05	-1.60	20.45	<=33.01	Pass		
		36	0	21.18	-1.60	19.58	<=33.01	Pass		
			18	21.18	-1.60	19.58	<=33.01	Pass		
			39	21.14	-1.60	19.54	<=33.01	Pass		
		75	0	21.12	-1.60	19.52	<=33.01	Pass		
		1880	1	0	22.14	-1.60	20.54	<=33.01	Pass	
				38	22.24	-1.60	20.64	<=33.01	Pass	
	74			22.08	-1.60	20.48	<=33.01	Pass		
	36		0	21.25	-1.60	19.65	<=33.01	Pass		
			18	21.26	-1.60	19.66	<=33.01	Pass		
			39	21.27	-1.60	19.67	<=33.01	Pass		
	75	0	21.23	-1.60	19.63	<=33.01	Pass			
	1902.5	1	0	22.11	-1.60	20.51	<=33.01	Pass		
			38	22.25	-1.60	20.65	<=33.01	Pass		
			74	22.17	-1.60	20.57	<=33.01	Pass		
		36	0	21.38	-1.60	19.78	<=33.01	Pass		
			18	21.33	-1.60	19.73	<=33.01	Pass		
			39	21.36	-1.60	19.76	<=33.01	Pass		
		75	0	21.40	-1.60	19.80	<=33.01	Pass		
		16QAM	1857.5	1	0	21.59	-1.60	19.99	<=33.01	Pass
					38	21.80	-1.60	20.20	<=33.01	Pass
	74				21.62	-1.60	20.02	<=33.01	Pass	
36	0			20.22	-1.60	18.62	<=33.01	Pass		
	18			20.29	-1.60	18.69	<=33.01	Pass		
	39			20.16	-1.60	18.56	<=33.01	Pass		
75	0			20.18	-1.60	18.58	<=33.01	Pass		
1880	1			0	21.32	-1.60	19.72	<=33.01	Pass	
				38	21.39	-1.60	19.79	<=33.01	Pass	
			74	21.24	-1.60	19.64	<=33.01	Pass		
	36		0	20.24	-1.60	18.64	<=33.01	Pass		
			18	20.27	-1.60	18.67	<=33.01	Pass		
			39	20.30	-1.60	18.70	<=33.01	Pass		
75	0		20.29	-1.60	18.69	<=33.01	Pass			
1902.5	1		0	21.48	-1.60	19.88	<=33.01	Pass		
			38	21.60	-1.60	20.00	<=33.01	Pass		
			74	21.52	-1.60	19.92	<=33.01	Pass		
	36		0	20.37	-1.60	18.77	<=33.01	Pass		
			18	20.32	-1.60	18.72	<=33.01	Pass		
			39	20.31	-1.60	18.71	<=33.01	Pass		
	75		0	20.37	-1.60	18.77	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

1.6 B2_20MHz_EIRP

1.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1860	1	0	22.05	-1.60	20.45	<=33.01	Pass		
			50	22.36	-1.60	20.76	<=33.01	Pass		
			99	22.02	-1.60	20.42	<=33.01	Pass		
		50	0	21.14	-1.60	19.54	<=33.01	Pass		
			25	21.18	-1.60	19.58	<=33.01	Pass		
			50	20.98	-1.60	19.38	<=33.01	Pass		
		100	0	21.08	-1.60	19.48	<=33.01	Pass		
		1880	1	0	22.11	-1.60	20.51	<=33.01	Pass	
				50	22.38	-1.60	20.78	<=33.01	Pass	
	99			22.00	-1.60	20.40	<=33.01	Pass		
	50		0	21.19	-1.60	19.59	<=33.01	Pass		
			25	21.23	-1.60	19.63	<=33.01	Pass		
			50	21.26	-1.60	19.66	<=33.01	Pass		
	100		0	21.23	-1.60	19.63	<=33.01	Pass		
	1900		1	0	22.05	-1.60	20.45	<=33.01	Pass	
				50	22.36	-1.60	20.76	<=33.01	Pass	
		99		22.11	-1.60	20.51	<=33.01	Pass		
		50	0	21.29	-1.60	19.69	<=33.01	Pass		
			25	21.30	-1.60	19.70	<=33.01	Pass		
			50	21.25	-1.60	19.65	<=33.01	Pass		
		100	0	21.30	-1.60	19.70	<=33.01	Pass		
		16QAM	1860	1	0	21.30	-1.60	19.70	<=33.01	Pass
					50	21.65	-1.60	20.05	<=33.01	Pass
	99				21.31	-1.60	19.71	<=33.01	Pass	
50	0			20.18	-1.60	18.58	<=33.01	Pass		
	25			20.18	-1.60	18.58	<=33.01	Pass		
	50			20.00	-1.60	18.40	<=33.01	Pass		
100	0			20.12	-1.60	18.52	<=33.01	Pass		
1880	1			0	21.32	-1.60	19.72	<=33.01	Pass	
				50	21.56	-1.60	19.96	<=33.01	Pass	
			99	21.23	-1.60	19.63	<=33.01	Pass		
	50		0	20.26	-1.60	18.66	<=33.01	Pass		
			25	20.27	-1.60	18.67	<=33.01	Pass		
			50	20.29	-1.60	18.69	<=33.01	Pass		
	100		0	20.29	-1.60	18.69	<=33.01	Pass		
	1900		1	0	21.59	-1.60	19.99	<=33.01	Pass	
				50	21.91	-1.60	20.31	<=33.01	Pass	
99				21.67	-1.60	20.07	<=33.01	Pass		
50			0	20.30	-1.60	18.70	<=33.01	Pass		
			25	20.37	-1.60	18.77	<=33.01	Pass		
			50	20.28	-1.60	18.68	<=33.01	Pass		
100			0	20.35	-1.60	18.75	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 B2_1.4MHz

2.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.6	2.990	0.0016	-2.5 to 2.5	Pass
					3.85	-15.850	-0.0086	-2.5 to 2.5	Pass
					4.4	-16.036	-0.0087	-2.5 to 2.5	Pass
				-30	3.85	-11.559	-0.0062	-2.5 to 2.5	Pass
				-20	3.85	-6.123	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	3.419	0.0018	-2.5 to 2.5	Pass
				0	3.85	-14.420	-0.0078	-2.5 to 2.5	Pass
				10	3.85	-16.394	-0.0089	-2.5 to 2.5	Pass
				30	3.85	-17.710	-0.0096	-2.5 to 2.5	Pass
				40	3.85	-6.094	-0.0033	-2.5 to 2.5	Pass
				50	3.85	-18.168	-0.0098	-2.5 to 2.5	Pass
	1880	6	0	20	3.6	-1.130	-0.0006	-2.5 to 2.5	Pass
					3.85	-15.264	-0.0081	-2.5 to 2.5	Pass
					4.4	-13.547	-0.0072	-2.5 to 2.5	Pass
				-30	3.85	-14.849	-0.0079	-2.5 to 2.5	Pass
				-20	3.85	-15.206	-0.0081	-2.5 to 2.5	Pass
				-10	3.85	4.535	0.0024	-2.5 to 2.5	Pass
				0	3.85	-7.324	-0.0039	-2.5 to 2.5	Pass
				10	3.85	-18.082	-0.0096	-2.5 to 2.5	Pass
				30	3.85	-12.331	-0.0066	-2.5 to 2.5	Pass
				40	3.85	-3.576	-0.0019	-2.5 to 2.5	Pass
				50	3.85	17.838	0.0095	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.6	-2.346	-0.0012	-2.5 to 2.5	Pass
					3.85	-10.128	-0.0053	-2.5 to 2.5	Pass
					4.4	-15.678	-0.0082	-2.5 to 2.5	Pass
				-30	3.85	-16.336	-0.0086	-2.5 to 2.5	Pass
				-20	3.85	-7.524	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-18.897	-0.0099	-2.5 to 2.5	Pass
				0	3.85	-1.588	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-11.644	-0.0061	-2.5 to 2.5	Pass
				30	3.85	-16.365	-0.0086	-2.5 to 2.5	Pass
				40	3.85	-7.524	-0.0039	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.6	-4.935	-0.0027	-2.5 to 2.5	Pass
					3.85	-0.286	-0.0002	-2.5 to 2.5	Pass
					4.4	-6.509	-0.0035	-2.5 to 2.5	Pass
				-30	3.85	-0.286	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-1.059	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-2.933	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-29.926	-0.0162	-2.5 to 2.5	Pass
				10	3.85	-5.507	-0.0030	-2.5 to 2.5	Pass
				30	3.85	-5.493	-0.0030	-2.5 to 2.5	Pass
				40	3.85	-10.200	-0.0055	-2.5 to 2.5	Pass
				50	3.85	-12.188	-0.0066	-2.5 to 2.5	Pass
	1880	6	0	20	3.6	-3.033	-0.0016	-2.5 to 2.5	Pass
					3.85	-1.388	-0.0007	-2.5 to 2.5	Pass
					4.4	-14.877	-0.0079	-2.5 to 2.5	Pass
				-30	3.85	-19.140	-0.0102	-2.5 to 2.5	Pass
				-20	3.85	-1.917	-0.0010	-2.5 to 2.5	Pass

				-10	3.85	-11.673	-0.0062	-2.5 to 2.5	Pass
				0	3.85	2.074	0.0011	-2.5 to 2.5	Pass
				10	3.85	-6.938	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-1.030	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-2.432	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-13.962	-0.0074	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.6	-10.500	-0.0055	-2.5 to 2.5	Pass
					3.85	-8.483	-0.0044	-2.5 to 2.5	Pass
					4.4	-14.749	-0.0077	-2.5 to 2.5	Pass
				-30	3.85	-10.028	-0.0053	-2.5 to 2.5	Pass
				-20	3.85	-9.699	-0.0051	-2.5 to 2.5	Pass
				-10	3.85	-13.661	-0.0072	-2.5 to 2.5	Pass
				0	3.85	-18.325	-0.0096	-2.5 to 2.5	Pass
				10	3.85	-13.762	-0.0072	-2.5 to 2.5	Pass
				30	3.85	-13.003	-0.0068	-2.5 to 2.5	Pass
				40	3.85	-0.658	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-7.854	-0.0041	-2.5 to 2.5	Pass


3. 99% & 26dB Bandwidth

3.1 Band2_OBW


3.1.1 Test Result

Band: 2 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.113	/	Pass
		1880	6	0	1.111	/	Pass
		1909.3	6	0	1.106	/	Pass
	16QAM	1850.7	6	0	1.100	/	Pass
		1880	6	0	1.105	/	Pass
		1909.3	6	0	1.111	/	Pass
3	QPSK	1851.5	15	0	2.729	/	Pass
		1880	15	0	2.726	/	Pass
		1908.5	15	0	2.715	/	Pass
	16QAM	1851.5	15	0	2.719	/	Pass
		1880	15	0	2.711	/	Pass
		1908.5	15	0	2.722	/	Pass
5	QPSK	1852.5	25	0	4.540	/	Pass
		1880	25	0	4.531	/	Pass
		1907.5	25	0	4.543	/	Pass
	16QAM	1852.5	25	0	4.523	/	Pass
		1880	25	0	4.552	/	Pass
		1907.5	25	0	4.531	/	Pass
10	QPSK	1855	50	0	9.036	/	Pass
		1880	50	0	9.033	/	Pass
		1905	50	0	9.037	/	Pass
	16QAM	1855	50	0	9.026	/	Pass
		1880	50	0	9.063	/	Pass
		1905	50	0	9.047	/	Pass
15	QPSK	1857.5	75	0	13.527	/	Pass
		1880	75	0	13.559	/	Pass
		1902.5	75	0	13.608	/	Pass
	16QAM	1857.5	75	0	13.544	/	Pass
		1880	75	0	13.608	/	Pass
		1902.5	75	0	13.622	/	Pass
20	QPSK	1860	100	0	18.041	/	Pass
		1880	100	0	18.138	/	Pass
		1900	100	0	18.114	/	Pass
	16QAM	1860	100	0	18.055	/	Pass
		1880	100	0	18.121	/	Pass
		1900	100	0	18.111	/	Pass


3.1.2 Test Graph




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTN




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTV




3.2 Band2_XDB


3.2.1 Test Result

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.334	/	Pass
		1880	6	0	1.311	/	Pass
		1909.3	6	0	1.325	/	Pass
	16QAM	1850.7	6	0	1.302	/	Pass
		1880	6	0	1.308	/	Pass
		1909.3	6	0	1.319	/	Pass
3	QPSK	1851.5	15	0	2.987	/	Pass
		1880	15	0	2.988	/	Pass
		1908.5	15	0	2.992	/	Pass
	16QAM	1851.5	15	0	2.987	/	Pass
		1880	15	0	2.998	/	Pass
		1908.5	15	0	2.989	/	Pass
5	QPSK	1852.5	25	0	5.014	/	Pass
		1880	25	0	5.017	/	Pass
		1907.5	25	0	5.028	/	Pass
	16QAM	1852.5	25	0	4.997	/	Pass
		1880	25	0	5.038	/	Pass
		1907.5	25	0	5.026	/	Pass
10	QPSK	1855	50	0	9.896	/	Pass
		1880	50	0	9.922	/	Pass
		1905	50	0	9.961	/	Pass
	16QAM	1855	50	0	9.937	/	Pass
		1880	50	0	9.948	/	Pass
		1905	50	0	9.934	/	Pass
15	QPSK	1857.5	75	0	15.038	/	Pass
		1880	75	0	14.864	/	Pass
		1902.5	75	0	14.863	/	Pass
	16QAM	1857.5	75	0	14.786	/	Pass
		1880	75	0	14.862	/	Pass
		1902.5	75	0	14.928	/	Pass
20	QPSK	1860	100	0	19.597	/	Pass
		1880	100	0	19.656	/	Pass
		1900	100	0	19.704	/	Pass
	16QAM	1860	100	0	19.643	/	Pass
		1880	100	0	19.762	/	Pass
		1900	100	0	19.578	/	Pass


3.2.2 Test Graph




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTN




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTN




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




4. Peak-Average Ratio

4.1 B2_20MHz


4.1.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.49	<=13	Pass
	1880	100	0	5.64	<=13	Pass
	1900	100	0	5.68	<=13	Pass
16QAM	1860	100	0	6.29	<=13	Pass
	1880	100	0	6.35	<=13	Pass
	1900	100	0	6.35	<=13	Pass


4.1.2 Test Graph




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




5. Spurious Emission

5.1 B2_1.4MHz


5.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1850.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1909.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass


5.1.2 Test Graph



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.977	-52.08	-13	Pass
1849	1850	0.013	/	2	1849.994	-36.45	-13	Pass
1850	1851.5	0.013	/	/	/	/	/	/

Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN



Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN

