

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
n71	15	5	133100	12@6	DFT_BPSK	24.04	19.89	34.77	PASS
n71	15	5	133100	1@1	DFT_BPSK	24.04	19.89	34.77	PASS
n71	15	5	133100	1@23	DFT_BPSK	24.03	19.88	34.77	PASS
n71	15	5	133100	12@6	DFT_QPSK	24.03	19.88	34.77	PASS
n71	15	5	133100	1@1	DFT_QPSK	23.80	19.65	34.77	PASS
n71	15	5	133100	1@23	DFT_QPSK	23.94	19.79	34.77	PASS
n71	15	5	133100	12@6	DFT_QAM16	23.02	18.87	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM16	22.85	18.7	34.77	PASS
n71	15	5	133100	1@23	DFT_QAM16	22.98	18.83	34.77	PASS
n71	15	5	133100	12@6	DFT_QAM64	21.84	17.69	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM64	21.66	17.51	34.77	PASS
n71	15	5	133100	1@23	DFT_QAM64	21.94	17.79	34.77	PASS
n71	15	5	133100	12@6	DFT_QAM256	19.68	15.53	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM256	19.71	15.56	34.77	PASS
n71	15	5	133100	1@23	DFT_QAM256	19.99	15.84	34.77	PASS
n71	15	5	133100	13@6	CP_QPSK	22.51	18.36	34.77	PASS
n71	15	5	133100	1@1	CP_QPSK	22.41	18.26	34.77	PASS
n71	15	5	133100	1@23	CP_QPSK	22.48	18.33	34.77	PASS
n71	15	5	133100	13@6	CP_QAM16	22.23	18.08	34.77	PASS
n71	15	5	133100	1@1	CP_QAM16	22.31	18.16	34.77	PASS
n71	15	5	133100	1@23	CP_QAM16	21.96	17.81	34.77	PASS
n71	15	5	133100	13@6	CP_QAM64	20.72	16.57	34.77	PASS
n71	15	5	133100	1@1	CP_QAM64	20.55	16.4	34.77	PASS
n71	15	5	133100	1@23	CP_QAM64	20.77	16.62	34.77	PASS
n71	15	5	133100	13@6	CP_QAM256	17.78	13.63	34.77	PASS
n71	15	5	133100	1@1	CP_QAM256	17.48	13.33	34.77	PASS
n71	15	5	133100	1@23	CP_QAM256	17.81	13.66	34.77	PASS
n71	15	5	136100	12@6	DFT_BPSK	23.74	19.59	34.77	PASS
n71	15	5	136100	1@1	DFT_BPSK	23.75	19.6	34.77	PASS
n71	15	5	136100	1@23	DFT_BPSK	23.61	19.46	34.77	PASS
n71	15	5	136100	12@6	DFT_QPSK	23.69	19.54	34.77	PASS
n71	15	5	136100	1@1	DFT_QPSK	23.63	19.48	34.77	PASS
n71	15	5	136100	1@23	DFT_QPSK	23.57	19.42	34.77	PASS
n71	15	5	136100	12@6	DFT_QAM16	22.56	18.41	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM16	22.84	18.69	34.77	PASS
n71	15	5	136100	1@23	DFT_QAM16	22.52	18.37	34.77	PASS
n71	15	5	136100	12@6	DFT_QAM64	21.36	17.21	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM64	21.36	17.21	34.77	PASS
n71	15	5	136100	1@23	DFT_QAM64	21.54	17.39	34.77	PASS

n71	15	5	136100	12@6	DFT_QAM256	19.33	15.18	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM256	19.47	15.32	34.77	PASS
n71	15	5	136100	1@23	DFT_QAM256	19.30	15.15	34.77	PASS
n71	15	5	136100	13@6	CP_QPSK	22.17	18.02	34.77	PASS
n71	15	5	136100	1@1	CP_QPSK	22.18	18.03	34.77	PASS
n71	15	5	136100	1@23	CP_QPSK	22.08	17.93	34.77	PASS
n71	15	5	136100	13@6	CP_QAM16	21.79	17.64	34.77	PASS
n71	15	5	136100	1@1	CP_QAM16	22.00	17.85	34.77	PASS
n71	15	5	136100	1@23	CP_QAM16	22.09	17.94	34.77	PASS
n71	15	5	136100	13@6	CP_QAM64	20.37	16.22	34.77	PASS
n71	15	5	136100	1@1	CP_QAM64	20.48	16.33	34.77	PASS
n71	15	5	136100	1@23	CP_QAM64	20.36	16.21	34.77	PASS
n71	15	5	136100	13@6	CP_QAM256	17.43	13.28	34.77	PASS
n71	15	5	136100	1@1	CP_QAM256	17.34	13.19	34.77	PASS
n71	15	5	136100	1@23	CP_QAM256	17.29	13.14	34.77	PASS
n71	15	5	139100	12@6	DFT_BPSK	23.74	19.59	34.77	PASS
n71	15	5	139100	1@1	DFT_BPSK	23.65	19.5	34.77	PASS
n71	15	5	139100	1@23	DFT_BPSK	23.65	19.5	34.77	PASS
n71	15	5	139100	12@6	DFT_QPSK	23.73	19.58	34.77	PASS
n71	15	5	139100	1@1	DFT_QPSK	23.58	19.43	34.77	PASS
n71	15	5	139100	1@23	DFT_QPSK	23.62	19.47	34.77	PASS
n71	15	5	139100	12@6	DFT_QAM16	22.57	18.42	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM16	22.82	18.67	34.77	PASS
n71	15	5	139100	1@23	DFT_QAM16	22.85	18.7	34.77	PASS
n71	15	5	139100	12@6	DFT_QAM64	21.44	17.29	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM64	21.53	17.38	34.77	PASS
n71	15	5	139100	1@23	DFT_QAM64	21.60	17.45	34.77	PASS
n71	15	5	139100	12@6	DFT_QAM256	19.27	15.12	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM256	19.41	15.26	34.77	PASS
n71	15	5	139100	1@23	DFT_QAM256	19.50	15.35	34.77	PASS
n71	15	5	139100	13@6	CP_QPSK	22.23	18.08	34.77	PASS
n71	15	5	139100	1@1	CP_QPSK	22.04	17.89	34.77	PASS
n71	15	5	139100	1@23	CP_QPSK	22.11	17.96	34.77	PASS
n71	15	5	139100	13@6	CP_QAM16	21.77	17.62	34.77	PASS
n71	15	5	139100	1@1	CP_QAM16	21.59	17.44	34.77	PASS
n71	15	5	139100	1@23	CP_QAM16	22.06	17.91	34.77	PASS
n71	15	5	139100	13@6	CP_QAM64	20.34	16.19	34.77	PASS
n71	15	5	139100	1@1	CP_QAM64	20.43	16.28	34.77	PASS
n71	15	5	139100	1@23	CP_QAM64	20.42	16.27	34.77	PASS
n71	15	5	139100	13@6	CP_QAM256	17.43	13.28	34.77	PASS
n71	15	5	139100	1@1	CP_QAM256	17.28	13.13	34.77	PASS
n71	15	5	139100	1@23	CP_QAM256	17.35	13.2	34.77	PASS
n71	15	10	133600	25@12	DFT_BPSK	24.01	19.86	34.77	PASS
n71	15	10	133600	1@1	DFT_BPSK	23.93	19.78	34.77	PASS

n71	15	10	133600	1@50	DFT_BPSK	23.81	19.66	34.77	PASS
n71	15	10	133600	25@12	DFT_QPSK	23.94	19.79	34.77	PASS
n71	15	10	133600	1@1	DFT_QPSK	23.91	19.76	34.77	PASS
n71	15	10	133600	1@50	DFT_QPSK	23.77	19.62	34.77	PASS
n71	15	10	133600	25@12	DFT_QAM16	23.03	18.88	34.77	PASS
n71	15	10	133600	1@1	DFT_QAM16	22.88	18.73	34.77	PASS
n71	15	10	133600	1@50	DFT_QAM16	22.77	18.62	34.77	PASS
n71	15	10	133600	25@12	DFT_QAM64	21.61	17.46	34.77	PASS
n71	15	10	133600	1@1	DFT_QAM64	21.64	17.49	34.77	PASS
n71	15	10	133600	1@50	DFT_QAM64	21.74	17.59	34.77	PASS
n71	15	10	133600	25@12	DFT_QAM256	19.57	15.42	34.77	PASS
n71	15	10	133600	1@1	DFT_QAM256	19.68	15.53	34.77	PASS
n71	15	10	133600	1@50	DFT_QAM256	19.60	15.45	34.77	PASS
n71	15	10	133600	26@13	CP_QPSK	22.53	18.38	34.77	PASS
n71	15	10	133600	1@1	CP_QPSK	22.40	18.25	34.77	PASS
n71	15	10	133600	1@50	CP_QPSK	22.30	18.15	34.77	PASS
n71	15	10	133600	26@13	CP_QAM16	21.92	17.77	34.77	PASS
n71	15	10	133600	1@1	CP_QAM16	22.31	18.16	34.77	PASS
n71	15	10	133600	1@50	CP_QAM16	21.84	17.69	34.77	PASS
n71	15	10	133600	26@13	CP_QAM64	20.59	16.44	34.77	PASS
n71	15	10	133600	1@1	CP_QAM64	20.58	16.43	34.77	PASS
n71	15	10	133600	1@50	CP_QAM64	20.49	16.34	34.77	PASS
n71	15	10	133600	26@13	CP_QAM256	17.71	13.56	34.77	PASS
n71	15	10	133600	1@1	CP_QAM256	17.48	13.33	34.77	PASS
n71	15	10	133600	1@50	CP_QAM256	17.49	13.34	34.77	PASS
n71	15	10	136100	25@12	DFT_BPSK	23.71	19.56	34.77	PASS
n71	15	10	136100	1@1	DFT_BPSK	23.69	19.54	34.77	PASS
n71	15	10	136100	1@50	DFT_BPSK	23.53	19.38	34.77	PASS
n71	15	10	136100	25@12	DFT_QPSK	23.68	19.53	34.77	PASS
n71	15	10	136100	1@1	DFT_QPSK	23.61	19.46	34.77	PASS
n71	15	10	136100	1@50	DFT_QPSK	23.47	19.32	34.77	PASS
n71	15	10	136100	25@12	DFT_QAM16	22.72	18.57	34.77	PASS
n71	15	10	136100	1@1	DFT_QAM16	22.91	18.76	34.77	PASS
n71	15	10	136100	1@50	DFT_QAM16	22.53	18.38	34.77	PASS
n71	15	10	136100	25@12	DFT_QAM64	21.24	17.09	34.77	PASS
n71	15	10	136100	1@1	DFT_QAM64	21.62	17.47	34.77	PASS
n71	15	10	136100	1@50	DFT_QAM64	21.25	17.1	34.77	PASS
n71	15	10	136100	25@12	DFT_QAM256	19.20	15.05	34.77	PASS
n71	15	10	136100	1@1	DFT_QAM256	19.45	15.3	34.77	PASS
n71	15	10	136100	1@50	DFT_QAM256	19.24	15.09	34.77	PASS
n71	15	10	136100	26@13	CP_QPSK	22.17	18.02	34.77	PASS
n71	15	10	136100	1@1	CP_QPSK	22.20	18.05	34.77	PASS
n71	15	10	136100	1@50	CP_QPSK	21.99	17.84	34.77	PASS
n71	15	10	136100	26@13	CP_QAM16	21.65	17.5	34.77	PASS

n71	15	10	136100	1@1	CP_QAM16	21.69	17.54	34.77	PASS
n71	15	10	136100	1@50	CP_QAM16	21.98	17.83	34.77	PASS
n71	15	10	136100	26@13	CP_QAM64	20.23	16.08	34.77	PASS
n71	15	10	136100	1@1	CP_QAM64	20.59	16.44	34.77	PASS
n71	15	10	136100	1@50	CP_QAM64	20.35	16.2	34.77	PASS
n71	15	10	136100	26@13	CP_QAM256	17.35	13.2	34.77	PASS
n71	15	10	136100	1@1	CP_QAM256	17.44	13.29	34.77	PASS
n71	15	10	136100	1@50	CP_QAM256	17.05	12.9	34.77	PASS
n71	15	10	138600	25@12	DFT_BPSK	23.65	19.5	34.77	PASS
n71	15	10	138600	1@1	DFT_BPSK	23.52	19.37	34.77	PASS
n71	15	10	138600	1@50	DFT_BPSK	23.63	19.48	34.77	PASS
n71	15	10	138600	25@12	DFT_QPSK	23.64	19.49	34.77	PASS
n71	15	10	138600	1@1	DFT_QPSK	23.58	19.43	34.77	PASS
n71	15	10	138600	1@50	DFT_QPSK	23.56	19.41	34.77	PASS
n71	15	10	138600	25@12	DFT_QAM16	22.72	18.57	34.77	PASS
n71	15	10	138600	1@1	DFT_QAM16	22.62	18.47	34.77	PASS
n71	15	10	138600	1@50	DFT_QAM16	22.65	18.5	34.77	PASS
n71	15	10	138600	25@12	DFT_QAM64	21.26	17.11	34.77	PASS
n71	15	10	138600	1@1	DFT_QAM64	21.39	17.24	34.77	PASS
n71	15	10	138600	1@50	DFT_QAM64	21.37	17.22	34.77	PASS
n71	15	10	138600	25@12	DFT_QAM256	19.25	15.1	34.77	PASS
n71	15	10	138600	1@1	DFT_QAM256	19.32	15.17	34.77	PASS
n71	15	10	138600	1@50	DFT_QAM256	19.32	15.17	34.77	PASS
n71	15	10	138600	26@13	CP_QPSK	22.11	17.96	34.77	PASS
n71	15	10	138600	1@1	CP_QPSK	22.16	18.01	34.77	PASS
n71	15	10	138600	1@50	CP_QPSK	22.17	18.02	34.77	PASS
n71	15	10	138600	26@13	CP_QAM16	21.54	17.39	34.77	PASS
n71	15	10	138600	1@1	CP_QAM16	21.92	17.77	34.77	PASS
n71	15	10	138600	1@50	CP_QAM16	21.59	17.44	34.77	PASS
n71	15	10	138600	26@13	CP_QAM64	20.17	16.02	34.77	PASS
n71	15	10	138600	1@1	CP_QAM64	20.23	16.08	34.77	PASS
n71	15	10	138600	1@50	CP_QAM64	20.34	16.19	34.77	PASS
n71	15	10	138600	26@13	CP_QAM256	17.30	13.15	34.77	PASS
n71	15	10	138600	1@1	CP_QAM256	17.19	13.04	34.77	PASS
n71	15	10	138600	1@50	CP_QAM256	17.22	13.07	34.77	PASS
n71	15	15	134100	36@18	DFT_BPSK	23.96	19.81	34.77	PASS
n71	15	15	134100	1@1	DFT_BPSK	24.00	19.85	34.77	PASS
n71	15	15	134100	1@77	DFT_BPSK	23.69	19.54	34.77	PASS
n71	15	15	134100	36@18	DFT_QPSK	23.96	19.81	34.77	PASS
n71	15	15	134100	1@1	DFT_QPSK	23.77	19.62	34.77	PASS
n71	15	15	134100	1@77	DFT_QPSK	23.59	19.44	34.77	PASS
n71	15	15	134100	36@18	DFT_QAM16	22.95	18.8	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM16	22.84	18.69	34.77	PASS
n71	15	15	134100	1@77	DFT_QAM16	22.99	18.84	34.77	PASS

n71	15	15	134100	36@18	DFT_QAM64	21.56	17.41	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM64	21.73	17.58	34.77	PASS
n71	15	15	134100	1@77	DFT_QAM64	21.35	17.2	34.77	PASS
n71	15	15	134100	36@18	DFT_QAM256	19.67	15.52	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM256	19.80	15.65	34.77	PASS
n71	15	15	134100	1@77	DFT_QAM256	19.41	15.26	34.77	PASS
n71	15	15	134100	39@19	CP_QPSK	22.47	18.32	34.77	PASS
n71	15	15	134100	1@1	CP_QPSK	22.46	18.31	34.77	PASS
n71	15	15	134100	1@77	CP_QPSK	22.25	18.1	34.77	PASS
n71	15	15	134100	39@19	CP_QAM16	21.93	17.78	34.77	PASS
n71	15	15	134100	1@1	CP_QAM16	21.80	17.65	34.77	PASS
n71	15	15	134100	1@77	CP_QAM16	22.17	18.02	34.77	PASS
n71	15	15	134100	39@19	CP_QAM64	20.56	16.41	34.77	PASS
n71	15	15	134100	1@1	CP_QAM64	20.51	16.36	34.77	PASS
n71	15	15	134100	1@77	CP_QAM64	20.31	16.16	34.77	PASS
n71	15	15	134100	39@19	CP_QAM256	17.53	13.38	34.77	PASS
n71	15	15	134100	1@1	CP_QAM256	17.65	13.5	34.77	PASS
n71	15	15	134100	1@77	CP_QAM256	17.34	13.19	34.77	PASS
n71	15	15	136100	36@18	DFT_BPSK	23.69	19.54	34.77	PASS
n71	15	15	136100	1@1	DFT_BPSK	23.82	19.67	34.77	PASS
n71	15	15	136100	1@77	DFT_BPSK	23.57	19.42	34.77	PASS
n71	15	15	136100	36@18	DFT_QPSK	23.74	19.59	34.77	PASS
n71	15	15	136100	1@1	DFT_QPSK	23.73	19.58	34.77	PASS
n71	15	15	136100	1@77	DFT_QPSK	23.43	19.28	34.77	PASS
n71	15	15	136100	36@18	DFT_QAM16	22.69	18.54	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM16	23.08	18.93	34.77	PASS
n71	15	15	136100	1@77	DFT_QAM16	22.91	18.76	34.77	PASS
n71	15	15	136100	36@18	DFT_QAM64	21.28	17.13	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM64	21.56	17.41	34.77	PASS
n71	15	15	136100	1@77	DFT_QAM64	21.36	17.21	34.77	PASS
n71	15	15	136100	36@18	DFT_QAM256	19.38	15.23	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM256	19.55	15.4	34.77	PASS
n71	15	15	136100	1@77	DFT_QAM256	19.29	15.14	34.77	PASS
n71	15	15	136100	39@19	CP_QPSK	22.12	17.97	34.77	PASS
n71	15	15	136100	1@1	CP_QPSK	22.33	18.18	34.77	PASS
n71	15	15	136100	1@77	CP_QPSK	22.16	18.01	34.77	PASS
n71	15	15	136100	39@19	CP_QAM16	21.70	17.55	34.77	PASS
n71	15	15	136100	1@1	CP_QAM16	22.11	17.96	34.77	PASS
n71	15	15	136100	1@77	CP_QAM16	21.58	17.43	34.77	PASS
n71	15	15	136100	39@19	CP_QAM64	20.28	16.13	34.77	PASS
n71	15	15	136100	1@1	CP_QAM64	20.45	16.3	34.77	PASS
n71	15	15	136100	1@77	CP_QAM64	20.21	16.06	34.77	PASS
n71	15	15	136100	39@19	CP_QAM256	17.27	13.12	34.77	PASS
n71	15	15	136100	1@1	CP_QAM256	17.35	13.2	34.77	PASS

n71	15	15	136100	1@77	CP_QAM256	17.21	13.06	34.77	PASS
n71	15	15	138100	36@18	DFT_BPSK	23.66	19.51	34.77	PASS
n71	15	15	138100	1@1	DFT_BPSK	23.64	19.49	34.77	PASS
n71	15	15	138100	1@77	DFT_BPSK	23.71	19.56	34.77	PASS
n71	15	15	138100	36@18	DFT_QPSK	23.63	19.48	34.77	PASS
n71	15	15	138100	1@1	DFT_QPSK	23.47	19.32	34.77	PASS
n71	15	15	138100	1@77	DFT_QPSK	23.53	19.38	34.77	PASS
n71	15	15	138100	36@18	DFT_QAM16	22.72	18.57	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM16	22.62	18.47	34.77	PASS
n71	15	15	138100	1@77	DFT_QAM16	22.59	18.44	34.77	PASS
n71	15	15	138100	36@18	DFT_QAM64	21.31	17.16	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM64	21.45	17.3	34.77	PASS
n71	15	15	138100	1@77	DFT_QAM64	21.33	17.18	34.77	PASS
n71	15	15	138100	36@18	DFT_QAM256	19.34	15.19	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM256	19.30	15.15	34.77	PASS
n71	15	15	138100	1@77	DFT_QAM256	19.34	15.19	34.77	PASS
n71	15	15	138100	39@19	CP_QPSK	22.09	17.94	34.77	PASS
n71	15	15	138100	1@1	CP_QPSK	22.17	18.02	34.77	PASS
n71	15	15	138100	1@77	CP_QPSK	22.13	17.98	34.77	PASS
n71	15	15	138100	39@19	CP_QAM16	21.63	17.48	34.77	PASS
n71	15	15	138100	1@1	CP_QAM16	21.54	17.39	34.77	PASS
n71	15	15	138100	1@77	CP_QAM16	21.61	17.46	34.77	PASS
n71	15	15	138100	39@19	CP_QAM64	20.22	16.07	34.77	PASS
n71	15	15	138100	1@1	CP_QAM64	20.26	16.11	34.77	PASS
n71	15	15	138100	1@77	CP_QAM64	20.31	16.16	34.77	PASS
n71	15	15	138100	39@19	CP_QAM256	17.27	13.12	34.77	PASS
n71	15	15	138100	1@1	CP_QAM256	17.27	13.12	34.77	PASS
n71	15	15	138100	1@77	CP_QAM256	17.34	13.19	34.77	PASS
n71	15	20	134600	50@25	DFT_BPSK	23.84	19.69	34.77	PASS
n71	15	20	134600	1@1	DFT_BPSK	23.95	19.8	34.77	PASS
n71	15	20	134600	1@104	DFT_BPSK	23.70	19.55	34.77	PASS
n71	15	20	134600	50@25	DFT_QPSK	23.86	19.71	34.77	PASS
n71	15	20	134600	1@1	DFT_QPSK	23.84	19.69	34.77	PASS
n71	15	20	134600	1@104	DFT_QPSK	23.50	19.35	34.77	PASS
n71	15	20	134600	50@25	DFT_QAM16	22.92	18.77	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM16	23.25	19.1	34.77	PASS
n71	15	20	134600	1@104	DFT_QAM16	22.59	18.44	34.77	PASS
n71	15	20	134600	50@25	DFT_QAM64	21.45	17.3	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM64	21.72	17.57	34.77	PASS
n71	15	20	134600	1@104	DFT_QAM64	21.37	17.22	34.77	PASS
n71	15	20	134600	50@25	DFT_QAM256	19.45	15.3	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM256	19.75	15.6	34.77	PASS
n71	15	20	134600	1@104	DFT_QAM256	19.30	15.15	34.77	PASS
n71	15	20	134600	53@26	CP_QPSK	22.38	18.23	34.77	PASS

n71	15	20	134600	1@1	CP_QPSK	22.52	18.37	34.77	PASS
n71	15	20	134600	1@104	CP_QPSK	22.25	18.1	34.77	PASS
n71	15	20	134600	53@26	CP_QAM16	21.84	17.69	34.77	PASS
n71	15	20	134600	1@1	CP_QAM16	22.29	18.14	34.77	PASS
n71	15	20	134600	1@104	CP_QAM16	21.60	17.45	34.77	PASS
n71	15	20	134600	53@26	CP_QAM64	20.48	16.33	34.77	PASS
n71	15	20	134600	1@1	CP_QAM64	20.64	16.49	34.77	PASS
n71	15	20	134600	1@104	CP_QAM64	20.30	16.15	34.77	PASS
n71	15	20	134600	53@26	CP_QAM256	17.44	13.29	34.77	PASS
n71	15	20	134600	1@1	CP_QAM256	17.73	13.58	34.77	PASS
n71	15	20	134600	1@104	CP_QAM256	17.19	13.04	34.77	PASS
n71	15	20	136100	50@25	DFT_BPSK	23.73	19.58	34.77	PASS
n71	15	20	136100	1@1	DFT_BPSK	23.94	19.79	34.77	PASS
n71	15	20	136100	1@104	DFT_BPSK	23.59	19.44	34.77	PASS
n71	15	20	136100	50@25	DFT_QPSK	23.66	19.51	34.77	PASS
n71	15	20	136100	1@1	DFT_QPSK	23.80	19.65	34.77	PASS
n71	15	20	136100	1@104	DFT_QPSK	23.41	19.26	34.77	PASS
n71	15	20	136100	50@25	DFT_QAM16	22.75	18.6	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM16	22.82	18.67	34.77	PASS
n71	15	20	136100	1@104	DFT_QAM16	22.88	18.73	34.77	PASS
n71	15	20	136100	50@25	DFT_QAM64	21.34	17.19	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM64	21.62	17.47	34.77	PASS
n71	15	20	136100	1@104	DFT_QAM64	21.29	17.14	34.77	PASS
n71	15	20	136100	50@25	DFT_QAM256	19.28	15.13	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM256	19.50	15.35	34.77	PASS
n71	15	20	136100	1@104	DFT_QAM256	19.37	15.22	34.77	PASS
n71	15	20	136100	53@26	CP_QPSK	22.11	17.96	34.77	PASS
n71	15	20	136100	1@1	CP_QPSK	22.40	18.25	34.77	PASS
n71	15	20	136100	1@104	CP_QPSK	22.08	17.93	34.77	PASS
n71	15	20	136100	53@26	CP_QAM16	21.71	17.56	34.77	PASS
n71	15	20	136100	1@1	CP_QAM16	22.26	18.11	34.77	PASS
n71	15	20	136100	1@104	CP_QAM16	21.46	17.31	34.77	PASS
n71	15	20	136100	53@26	CP_QAM64	20.28	16.13	34.77	PASS
n71	15	20	136100	1@1	CP_QAM64	20.50	16.35	34.77	PASS
n71	15	20	136100	1@104	CP_QAM64	20.18	16.03	34.77	PASS
n71	15	20	136100	53@26	CP_QAM256	17.26	13.11	34.77	PASS
n71	15	20	136100	1@1	CP_QAM256	17.79	13.64	34.77	PASS
n71	15	20	136100	1@104	CP_QAM256	17.28	13.13	34.77	PASS
n71	15	20	137600	50@25	DFT_BPSK	23.72	19.57	34.77	PASS
n71	15	20	137600	1@1	DFT_BPSK	23.74	19.59	34.77	PASS
n71	15	20	137600	1@104	DFT_BPSK	23.70	19.55	34.77	PASS
n71	15	20	137600	50@25	DFT_QPSK	23.65	19.5	34.77	PASS
n71	15	20	137600	1@1	DFT_QPSK	23.67	19.52	34.77	PASS
n71	15	20	137600	1@104	DFT_QPSK	23.65	19.5	34.77	PASS

n71	15	20	137600	50@25	DFT_QAM16	22.72	18.57	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM16	23.00	18.85	34.77	PASS
n71	15	20	137600	1@104	DFT_QAM16	22.97	18.82	34.77	PASS
n71	15	20	137600	50@25	DFT_QAM64	21.29	17.14	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM64	21.68	17.53	34.77	PASS
n71	15	20	137600	1@104	DFT_QAM64	21.37	17.22	34.77	PASS
n71	15	20	137600	50@25	DFT_QAM256	19.30	15.15	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM256	19.57	15.42	34.77	PASS
n71	15	20	137600	1@104	DFT_QAM256	19.61	15.46	34.77	PASS
n71	15	20	137600	53@26	CP_QPSK	22.17	18.02	34.77	PASS
n71	15	20	137600	1@1	CP_QPSK	22.25	18.1	34.77	PASS
n71	15	20	137600	1@104	CP_QPSK	22.11	17.96	34.77	PASS
n71	15	20	137600	53@26	CP_QAM16	21.74	17.59	34.77	PASS
n71	15	20	137600	1@1	CP_QAM16	21.74	17.59	34.77	PASS
n71	15	20	137600	1@104	CP_QAM16	21.98	17.83	34.77	PASS
n71	15	20	137600	53@26	CP_QAM64	20.24	16.09	34.77	PASS
n71	15	20	137600	1@1	CP_QAM64	20.33	16.18	34.77	PASS
n71	15	20	137600	1@104	CP_QAM64	20.51	16.36	34.77	PASS
n71	15	20	137600	53@26	CP_QAM256	17.29	13.14	34.77	PASS
n71	15	20	137600	1@1	CP_QAM256	17.39	13.24	34.77	PASS
n71	15	20	137600	1@104	CP_QAM256	17.15	13	34.77	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(H z)	Result (ppm)	Limit (ppm)	Verdict
n71	15	20	136100	50@25	DFT_BPSK	3.87	-2.72	0.00	Within authorized band for 5G NR n71	PASS
n71	15	20	136100	50@25	DFT_BPSK	3.50	-2.08	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	4.45	-1.40	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	3.87	-0.25	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	3.50	0.35	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	4.45	-0.09	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temper ature(°C)	Result(H z)	Result (ppm)	Limit (ppm)	Verdict
n71	15	20	136100	50@25	DFT_BPSK	-30	-3.19	0.00	Within authorized band for 5G NR n71	PASS
n71	15	20	136100	50@25	DFT_BPSK	-20	-1.99	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	-10	-5.56	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	0	-2.28	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	10	-4.08	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	20	-4.02	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	30	-2.23	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	40	-1.1	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	50	-4.93	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	-30	-0.97	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	-20	-5.22	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	-10	-5.3	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	0	-3.3	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	10	-5.3	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	20	-4.38	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	30	-3.31	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	40	-1.25	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	50	-1.73	0.00		PASS

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n71	15	5	136100	25@0	DFT_BPSK	4.82	13	PASS
n71	15	5	136100	25@0	DFT_QPSK	6.10	13	PASS
n71	15	5	136100	25@0	DFT_QAM16	6.79	13	PASS
n71	15	5	136100	25@0	DFT_QAM64	7.19	13	PASS
n71	15	5	136100	25@0	DFT_QAM256	7.23	13	PASS
n71	15	10	136100	50@0	DFT_BPSK	4.84	13	PASS
n71	15	10	136100	50@0	DFT_QPSK	6.03	13	PASS
n71	15	10	136100	50@0	DFT_QAM16	6.81	13	PASS
n71	15	10	136100	50@0	DFT_QAM64	6.92	13	PASS
n71	15	10	136100	50@0	DFT_QAM256	7.13	13	PASS
n71	15	15	136100	75@0	DFT_BPSK	4.83	13	PASS
n71	15	15	136100	75@0	DFT_QPSK	6.03	13	PASS
n71	15	15	136100	75@0	DFT_QAM16	6.85	13	PASS
n71	15	15	136100	75@0	DFT_QAM64	7.10	13	PASS
n71	15	15	136100	75@0	DFT_QAM256	7.08	13	PASS
n71	15	20	136100	100@0	DFT_BPSK	4.85	13	PASS
n71	15	20	136100	100@0	DFT_QPSK	5.95	13	PASS
n71	15	20	136100	100@0	DFT_QAM16	6.77	13	PASS
n71	15	20	136100	100@0	DFT_QAM64	6.95	13	PASS
n71	15	20	136100	100@0	DFT_QAM256	7.06	13	PASS


n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=136100 RB=100@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n71	15	5	133100	25@0	DFT_BPSK	4.490	4.770	PASS
n71	15	5	133100	25@0	DFT_QPSK	4.490	4.750	PASS
n71	15	5	133100	25@0	DFT_QAM16	4.490	4.760	PASS
n71	15	5	133100	25@0	DFT_QAM64	4.490	4.760	PASS
n71	15	5	133100	25@0	DFT_QAM256	4.480	4.760	PASS
n71	15	5	133100	25@0	CP_QPSK	4.490	4.760	PASS
n71	15	5	136100	25@0	DFT_BPSK	4.500	4.770	PASS
n71	15	5	136100	25@0	DFT_QPSK	4.490	4.750	PASS
n71	15	5	136100	25@0	DFT_QAM16	4.490	4.770	PASS
n71	15	5	136100	25@0	DFT_QAM64	4.480	4.740	PASS
n71	15	5	136100	25@0	DFT_QAM256	4.480	4.760	PASS
n71	15	5	136100	25@0	CP_QPSK	4.490	4.770	PASS
n71	15	5	139100	25@0	DFT_BPSK	4.490	4.760	PASS
n71	15	5	139100	25@0	DFT_QPSK	4.490	4.750	PASS
n71	15	5	139100	25@0	DFT_QAM16	4.490	4.750	PASS
n71	15	5	139100	25@0	DFT_QAM64	4.490	4.760	PASS
n71	15	5	139100	25@0	DFT_QAM256	4.480	4.750	PASS
n71	15	5	139100	25@0	CP_QPSK	4.490	4.760	PASS
n71	15	10	133600	50@0	DFT_BPSK	9.250	9.470	PASS
n71	15	10	133600	50@0	DFT_QPSK	9.220	9.470	PASS
n71	15	10	133600	50@0	DFT_QAM16	9.250	9.460	PASS
n71	15	10	133600	50@0	DFT_QAM64	9.210	9.460	PASS
n71	15	10	133600	50@0	DFT_QAM256	9.250	9.460	PASS
n71	15	10	133600	52@0	CP_QPSK	9.330	9.830	PASS
n71	15	10	136100	50@0	DFT_BPSK	9.220	9.460	PASS
n71	15	10	136100	50@0	DFT_QPSK	9.220	9.470	PASS
n71	15	10	136100	50@0	DFT_QAM16	9.210	9.450	PASS
n71	15	10	136100	50@0	DFT_QAM64	9.210	9.460	PASS
n71	15	10	136100	50@0	DFT_QAM256	9.240	9.450	PASS
n71	15	10	136100	52@0	CP_QPSK	9.330	9.830	PASS
n71	15	10	138600	50@0	DFT_BPSK	9.240	9.460	PASS
n71	15	10	138600	50@0	DFT_QPSK	9.210	9.450	PASS
n71	15	10	138600	50@0	DFT_QAM16	9.250	9.460	PASS
n71	15	10	138600	50@0	DFT_QAM64	9.210	9.450	PASS
n71	15	10	138600	50@0	DFT_QAM256	9.220	9.450	PASS
n71	15	10	138600	52@0	CP_QPSK	9.320	9.830	PASS
n71	15	15	134100	75@0	DFT_BPSK	14.010	14.190	PASS
n71	15	15	134100	75@0	DFT_QPSK	14.000	14.190	PASS

n71	15	15	134100	75@0	DFT_QAM16	14.000	14.190	PASS
n71	15	15	134100	75@0	DFT_QAM64	13.990	14.200	PASS
n71	15	15	134100	75@0	DFT_QAM256	14.000	14.180	PASS
n71	15	15	134100	79@0	CP_QPSK	14.180	14.920	PASS
n71	15	15	136100	75@0	DFT_BPSK	14.000	14.190	PASS
n71	15	15	136100	75@0	DFT_QPSK	13.990	14.190	PASS
n71	15	15	136100	75@0	DFT_QAM16	14.000	14.180	PASS
n71	15	15	136100	75@0	DFT_QAM64	14.010	14.180	PASS
n71	15	15	136100	75@0	DFT_QAM256	14.000	14.180	PASS
n71	15	15	136100	79@0	CP_QPSK	14.170	14.910	PASS
n71	15	15	138100	75@0	DFT_BPSK	14.040	14.190	PASS
n71	15	15	138100	75@0	DFT_QPSK	14.000	14.200	PASS
n71	15	15	138100	75@0	DFT_QAM16	14.000	14.180	PASS
n71	15	15	138100	75@0	DFT_QAM64	13.990	14.190	PASS
n71	15	15	138100	75@0	DFT_QAM256	14.000	14.180	PASS
n71	15	15	138100	79@0	CP_QPSK	14.170	14.910	PASS
n71	15	20	134600	100@0	DFT_BPSK	18.750	18.900	PASS
n71	15	20	134600	100@0	DFT_QPSK	18.810	18.900	PASS
n71	15	20	134600	100@0	DFT_QAM16	18.740	18.900	PASS
n71	15	20	134600	100@0	DFT_QAM64	18.740	18.890	PASS
n71	15	20	134600	100@0	DFT_QAM256	18.750	18.890	PASS
n71	15	20	134600	106@0	CP_QPSK	19.000	19.990	PASS
n71	15	20	136100	100@0	DFT_BPSK	18.740	18.890	PASS
n71	15	20	136100	100@0	DFT_QPSK	18.760	18.890	PASS
n71	15	20	136100	100@0	DFT_QAM16	18.740	18.880	PASS
n71	15	20	136100	100@0	DFT_QAM64	18.730	18.880	PASS
n71	15	20	136100	100@0	DFT_QAM256	18.740	18.880	PASS
n71	15	20	136100	106@0	CP_QPSK	18.990	19.980	PASS
n71	15	20	137600	100@0	DFT_BPSK	18.820	18.900	PASS
n71	15	20	137600	100@0	DFT_QPSK	18.810	18.900	PASS
n71	15	20	137600	100@0	DFT_QAM16	18.800	18.880	PASS
n71	15	20	137600	100@0	DFT_QAM64	18.750	18.890	PASS
n71	15	20	137600	100@0	DFT_QAM256	18.800	18.890	PASS
n71	15	20	137600	106@0	CP_QPSK	18.990	19.980	PASS


n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz CP_QPSK BW=10MHz Channel=133600 RB=52@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz CP_QPSK BW=10MHz Channel=136100 RB=52@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=138600 RB=50@0



n71 SCS=15kHz CP_QPSK BW=10MHz Channel=138600 RB=52@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=134100 RB=79@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=136100 RB=79@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=138100 RB=79@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=134600 RB=106@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=136100 RB=106@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=137600 RB=100@0



n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=137600 RB=100@0



n71 SCS=15kHz CP_QPSK BW=20MHz Channel=137600 RB=106@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n71	15	5	133100	25@0	DFT_QPSK	662.78	-33.83	-13	PASS
n71	15	5	133100	1@0	DFT_QPSK	662.99	-14.53	-13	PASS
n71	15	5	139100	25@0	DFT_QPSK	698.04	-39.67	-13	PASS
n71	15	5	139100	1@24	DFT_QPSK	698.00	-16.60	-13	PASS
n71	15	20	134600	100@0	DFT_QPSK	662.84	-35.70	-13	PASS
n71	15	20	134600	1@0	DFT_QPSK	662.12	-32.35	-13	PASS
n71	15	20	137600	100@0	DFT_QPSK	698.08	-45.61	-13	PASS
n71	15	20	137600	1@105	DFT_QPSK	699.08	-30.15	-13	PASS

n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=1@24




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=1@0



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=1@105




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n71	15	5	133100	25@0	DFT_QPSK	3772.23	-37.62	-13	PASS
n71	15	5	133100	1@0	DFT_QPSK	3780.55	-38.28	-13	PASS
n71	15	5	133100	1@24	DFT_QPSK	3802.15	-38.44	-13	PASS
n71	15	5	136100	25@0	DFT_QPSK	3718.45	-38.68	-13	PASS
n71	15	5	136100	1@0	DFT_QPSK	3833.43	-37.56	-13	PASS
n71	15	5	136100	1@24	DFT_QPSK	1365.40	-38.07	-13	PASS
n71	15	5	139100	25@0	DFT_QPSK	3783.25	-38.27	-13	PASS
n71	15	5	139100	1@0	DFT_QPSK	3790.00	-38.81	-13	PASS
n71	15	5	139100	1@24	DFT_QPSK	3778.53	-38.03	-13	PASS
n71	15	20	134600	100@0	DFT_QPSK	3755.13	-38.55	-13	PASS
n71	15	20	134600	1@0	DFT_QPSK	3838.60	-38.96	-13	PASS
n71	15	20	134600	1@105	DFT_QPSK	3731.28	-38.71	-13	PASS
n71	15	20	136100	100@0	DFT_QPSK	3780.10	-38.54	-13	PASS
n71	15	20	136100	1@0	DFT_QPSK	3834.55	-38.28	-13	PASS
n71	15	20	136100	1@105	DFT_QPSK	3861.55	-38.58	-13	PASS
n71	15	20	137600	100@0	DFT_QPSK	3882.70	-38.49	-13	PASS
n71	15	20	137600	1@0	DFT_QPSK	3787.75	-38.98	-13	PASS
n71	15	20	137600	1@105	DFT_QPSK	3747.03	-38.49	-13	PASS


n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=1@24




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=1@24




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=1@24




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=1@105




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=1@105



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=100@0



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=1@105



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=1@0

