

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n77(3450-3550)	15	10	630334	25@12	DFT_BPSK	27.43	27.73	33	PASS
n77(3450-3550)	15	10	630334	1@1	DFT_BPSK	27.43	27.73	33	PASS
n77(3450-3550)	15	10	630334	1@50	DFT_BPSK	27.11	27.41	33	PASS
n77(3450-3550)	15	10	630334	25@12	DFT_QPSK	27.45	27.75	33	PASS
n77(3450-3550)	15	10	630334	1@1	DFT_QPSK	27.47	27.77	33	PASS
n77(3450-3550)	15	10	630334	1@50	DFT_QPSK	27.11	27.41	33	PASS
n77(3450-3550)	15	10	630334	25@12	DFT_QAM16	26.49	26.79	33	PASS
n77(3450-3550)	15	10	630334	1@1	DFT_QAM16	26.38	26.68	33	PASS
n77(3450-3550)	15	10	630334	1@50	DFT_QAM16	26.07	26.37	33	PASS
n77(3450-3550)	15	10	630334	25@12	DFT_QAM64	24.93	25.23	33	PASS
n77(3450-3550)	15	10	630334	1@1	DFT_QAM64	25.04	25.34	33	PASS
n77(3450-3550)	15	10	630334	1@50	DFT_QAM64	24.77	25.07	33	PASS
n77(3450-3550)	15	10	630334	25@12	DFT_QAM256	23.02	23.32	33	PASS
n77(3450-3550)	15	10	630334	1@1	DFT_QAM256	23.13	23.43	33	PASS
n77(3450-3550)	15	10	630334	1@50	DFT_QAM256	22.82	23.12	33	PASS
n77(3450-3550)	15	10	630334	26@13	CP_QPSK	25.92	26.22	33	PASS
n77(3450-3550)	15	10	630334	1@1	CP_QPSK	25.99	26.29	33	PASS
n77(3450-3550)	15	10	630334	1@50	CP_QPSK	25.75	26.05	33	PASS
n77(3450-3550)	15	10	630334	26@13	CP_QAM16	25.44	25.74	33	PASS
n77(3450-3550)	15	10	630334	1@1	CP_QAM16	25.17	25.47	33	PASS
n77(3450-3550)	15	10	630334	1@50	CP_QAM16	25.02	25.32	33	PASS
n77(3450-3550)	15	10	630334	26@13	CP_QAM64	24.05	24.35	33	PASS
n77(3450-3550)	15	10	630334	1@1	CP_QAM64	24.34	24.64	33	PASS
n77(3450-3550)	15	10	630334	1@50	CP_QAM64	24.11	24.41	33	PASS
n77(3450-3550)	15	10	630334	26@13	CP_QAM256	21.05	21.35	33	PASS
n77(3450-3550)	15	10	630334	1@1	CP_QAM256	21.13	21.43	33	PASS
n77(3450-3550)	15	10	630334	1@50	CP_QAM256	20.92	21.22	33	PASS
n77(3450-3550)	15	10	633334	25@12	DFT_BPSK	26.96	27.26	33	PASS
n77(3450-3550)	15	10	633334	1@1	DFT_BPSK	27.20	27.5	33	PASS
n77(3450-3550)	15	10	633334	1@50	DFT_BPSK	26.74	27.04	33	PASS
n77(3450-3550)	15	10	633334	25@12	DFT_QPSK	27.07	27.37	33	PASS
n77(3450-3550)	15	10	633334	1@1	DFT_QPSK	27.17	27.47	33	PASS
n77(3450-3550)	15	10	633334	1@50	DFT_QPSK	26.76	27.06	33	PASS
n77(3450-3550)	15	10	633334	25@12	DFT_QAM16	26.06	26.36	33	PASS
n77(3450-3550)	15	10	633334	1@1	DFT_QAM16	26.07	26.37	33	PASS
n77(3450-3550)	15	10	633334	1@50	DFT_QAM16	25.90	26.2	33	PASS
n77(3450-3550)	15	10	633334	25@12	DFT_QAM64	24.46	24.76	33	PASS
n77(3450-3550)	15	10	633334	1@1	DFT_QAM64	24.69	24.99	33	PASS
n77(3450-3550)	15	10	633334	1@50	DFT_QAM64	24.24	24.54	33	PASS
n77(3450-3550)	15	10	633334	25@12	DFT_QAM256	22.52	22.82	33	PASS

n77(3450-3550)	15	10	633334	1@1	DFT_QAM256	22.86	23.16	33	PASS
n77(3450-3550)	15	10	633334	1@50	DFT_QAM256	22.50	22.8	33	PASS
n77(3450-3550)	15	10	633334	26@13	CP_QPSK	25.46	25.76	33	PASS
n77(3450-3550)	15	10	633334	1@1	CP_QPSK	25.97	26.27	33	PASS
n77(3450-3550)	15	10	633334	1@50	CP_QPSK	25.30	25.6	33	PASS
n77(3450-3550)	15	10	633334	26@13	CP_QAM16	25.02	25.32	33	PASS
n77(3450-3550)	15	10	633334	1@1	CP_QAM16	25.43	25.73	33	PASS
n77(3450-3550)	15	10	633334	1@50	CP_QAM16	25.01	25.31	33	PASS
n77(3450-3550)	15	10	633334	26@13	CP_QAM64	23.60	23.9	33	PASS
n77(3450-3550)	15	10	633334	1@1	CP_QAM64	23.71	24.01	33	PASS
n77(3450-3550)	15	10	633334	1@50	CP_QAM64	23.37	23.67	33	PASS
n77(3450-3550)	15	10	633334	26@13	CP_QAM256	20.57	20.87	33	PASS
n77(3450-3550)	15	10	633334	1@1	CP_QAM256	20.61	20.91	33	PASS
n77(3450-3550)	15	10	633334	1@50	CP_QAM256	20.17	20.47	33	PASS
n77(3450-3550)	15	10	636332	25@12	DFT_BPSK	27.16	27.46	33	PASS
n77(3450-3550)	15	10	636332	1@1	DFT_BPSK	27.19	27.49	33	PASS
n77(3450-3550)	15	10	636332	1@50	DFT_BPSK	27.05	27.35	33	PASS
n77(3450-3550)	15	10	636332	25@12	DFT_QPSK	27.21	27.51	33	PASS
n77(3450-3550)	15	10	636332	1@1	DFT_QPSK	27.03	27.33	33	PASS
n77(3450-3550)	15	10	636332	1@50	DFT_QPSK	26.88	27.18	33	PASS
n77(3450-3550)	15	10	636332	25@12	DFT_QAM16	26.30	26.6	33	PASS
n77(3450-3550)	15	10	636332	1@1	DFT_QAM16	26.01	26.31	33	PASS
n77(3450-3550)	15	10	636332	1@50	DFT_QAM16	25.87	26.17	33	PASS
n77(3450-3550)	15	10	636332	25@12	DFT_QAM64	24.68	24.98	33	PASS
n77(3450-3550)	15	10	636332	1@1	DFT_QAM64	24.79	25.09	33	PASS
n77(3450-3550)	15	10	636332	1@50	DFT_QAM64	24.74	25.04	33	PASS
n77(3450-3550)	15	10	636332	25@12	DFT_QAM256	22.65	22.95	33	PASS
n77(3450-3550)	15	10	636332	1@1	DFT_QAM256	22.83	23.13	33	PASS
n77(3450-3550)	15	10	636332	1@50	DFT_QAM256	22.89	23.19	33	PASS
n77(3450-3550)	15	10	636332	26@13	CP_QPSK	25.65	25.95	33	PASS
n77(3450-3550)	15	10	636332	1@1	CP_QPSK	25.68	25.98	33	PASS
n77(3450-3550)	15	10	636332	1@50	CP_QPSK	25.62	25.92	33	PASS
n77(3450-3550)	15	10	636332	26@13	CP_QAM16	25.13	25.43	33	PASS
n77(3450-3550)	15	10	636332	1@1	CP_QAM16	24.96	25.26	33	PASS
n77(3450-3550)	15	10	636332	1@50	CP_QAM16	25.42	25.72	33	PASS
n77(3450-3550)	15	10	636332	26@13	CP_QAM64	23.66	23.96	33	PASS
n77(3450-3550)	15	10	636332	1@1	CP_QAM64	24.11	24.41	33	PASS
n77(3450-3550)	15	10	636332	1@50	CP_QAM64	23.74	24.04	33	PASS
n77(3450-3550)	15	10	636332	26@13	CP_QAM256	20.78	21.08	33	PASS
n77(3450-3550)	15	10	636332	1@1	CP_QAM256	20.72	21.02	33	PASS
n77(3450-3550)	15	10	636332	1@50	CP_QAM256	20.60	20.9	33	PASS
n77(3450-3550)	15	15	630500	36@18	DFT_BPSK	27.43	27.73	33	PASS
n77(3450-3550)	15	15	630500	1@1	DFT_BPSK	27.41	27.71	33	PASS
n77(3450-3550)	15	15	630500	1@77	DFT_BPSK	26.96	27.26	33	PASS

n77(3450-3550)	15	15	630500	36@18	DFT_QPSK	27.47	27.77	33	PASS
n77(3450-3550)	15	15	630500	1@1	DFT_QPSK	27.48	27.78	33	PASS
n77(3450-3550)	15	15	630500	1@77	DFT_QPSK	26.99	27.29	33	PASS
n77(3450-3550)	15	15	630500	36@18	DFT_QAM16	26.47	26.77	33	PASS
n77(3450-3550)	15	15	630500	1@1	DFT_QAM16	26.36	26.66	33	PASS
n77(3450-3550)	15	15	630500	1@77	DFT_QAM16	26.06	26.36	33	PASS
n77(3450-3550)	15	15	630500	36@18	DFT_QAM64	25.03	25.33	33	PASS
n77(3450-3550)	15	15	630500	1@1	DFT_QAM64	24.89	25.19	33	PASS
n77(3450-3550)	15	15	630500	1@77	DFT_QAM64	24.55	24.85	33	PASS
n77(3450-3550)	15	15	630500	36@18	DFT_QAM256	23.10	23.4	33	PASS
n77(3450-3550)	15	15	630500	1@1	DFT_QAM256	23.18	23.48	33	PASS
n77(3450-3550)	15	15	630500	1@77	DFT_QAM256	22.74	23.04	33	PASS
n77(3450-3550)	15	15	630500	39@19	CP_QPSK	25.95	26.25	33	PASS
n77(3450-3550)	15	15	630500	1@1	CP_QPSK	26.26	26.56	33	PASS
n77(3450-3550)	15	15	630500	1@77	CP_QPSK	25.75	26.05	33	PASS
n77(3450-3550)	15	15	630500	39@19	CP_QAM16	25.45	25.75	33	PASS
n77(3450-3550)	15	15	630500	1@1	CP_QAM16	25.20	25.5	33	PASS
n77(3450-3550)	15	15	630500	1@77	CP_QAM16	25.18	25.48	33	PASS
n77(3450-3550)	15	15	630500	39@19	CP_QAM64	24.00	24.3	33	PASS
n77(3450-3550)	15	15	630500	1@1	CP_QAM64	24.11	24.41	33	PASS
n77(3450-3550)	15	15	630500	1@77	CP_QAM64	23.73	24.03	33	PASS
n77(3450-3550)	15	15	630500	39@19	CP_QAM256	21.07	21.37	33	PASS
n77(3450-3550)	15	15	630500	1@1	CP_QAM256	20.93	21.23	33	PASS
n77(3450-3550)	15	15	630500	1@77	CP_QAM256	20.71	21.01	33	PASS
n77(3450-3550)	15	15	633334	36@18	DFT_BPSK	27.07	27.37	33	PASS
n77(3450-3550)	15	15	633334	1@1	DFT_BPSK	27.30	27.6	33	PASS
n77(3450-3550)	15	15	633334	1@77	DFT_BPSK	26.64	26.94	33	PASS
n77(3450-3550)	15	15	633334	36@18	DFT_QPSK	27.10	27.4	33	PASS
n77(3450-3550)	15	15	633334	1@1	DFT_QPSK	27.14	27.44	33	PASS
n77(3450-3550)	15	15	633334	1@77	DFT_QPSK	26.45	26.75	33	PASS
n77(3450-3550)	15	15	633334	36@18	DFT_QAM16	26.13	26.43	33	PASS
n77(3450-3550)	15	15	633334	1@1	DFT_QAM16	26.00	26.3	33	PASS
n77(3450-3550)	15	15	633334	1@77	DFT_QAM16	25.42	25.72	33	PASS
n77(3450-3550)	15	15	633334	36@18	DFT_QAM64	24.60	24.9	33	PASS
n77(3450-3550)	15	15	633334	1@1	DFT_QAM64	24.68	24.98	33	PASS
n77(3450-3550)	15	15	633334	1@77	DFT_QAM64	24.24	24.54	33	PASS
n77(3450-3550)	15	15	633334	36@18	DFT_QAM256	22.73	23.03	33	PASS
n77(3450-3550)	15	15	633334	1@1	DFT_QAM256	23.04	23.34	33	PASS
n77(3450-3550)	15	15	633334	1@77	DFT_QAM256	22.32	22.62	33	PASS
n77(3450-3550)	15	15	633334	39@19	CP_QPSK	25.51	25.81	33	PASS
n77(3450-3550)	15	15	633334	1@1	CP_QPSK	25.79	26.09	33	PASS
n77(3450-3550)	15	15	633334	1@77	CP_QPSK	25.23	25.53	33	PASS
n77(3450-3550)	15	15	633334	39@19	CP_QAM16	25.03	25.33	33	PASS
n77(3450-3550)	15	15	633334	1@1	CP_QAM16	25.06	25.36	33	PASS

n77(3450-3550)	15	15	633334	1@77	CP_QAM16	25.01	25.31	33	PASS
n77(3450-3550)	15	15	633334	39@19	CP_QAM64	23.60	23.9	33	PASS
n77(3450-3550)	15	15	633334	1@1	CP_QAM64	23.81	24.11	33	PASS
n77(3450-3550)	15	15	633334	1@77	CP_QAM64	23.25	23.55	33	PASS
n77(3450-3550)	15	15	633334	39@19	CP_QAM256	20.63	20.93	33	PASS
n77(3450-3550)	15	15	633334	1@1	CP_QAM256	20.63	20.93	33	PASS
n77(3450-3550)	15	15	633334	1@77	CP_QAM256	20.33	20.63	33	PASS
n77(3450-3550)	15	15	636166	36@18	DFT_BPSK	27.22	27.52	33	PASS
n77(3450-3550)	15	15	636166	1@1	DFT_BPSK	27.21	27.51	33	PASS
n77(3450-3550)	15	15	636166	1@77	DFT_BPSK	27.07	27.37	33	PASS
n77(3450-3550)	15	15	636166	36@18	DFT_QPSK	27.29	27.59	33	PASS
n77(3450-3550)	15	15	636166	1@1	DFT_QPSK	27.19	27.49	33	PASS
n77(3450-3550)	15	15	636166	1@77	DFT_QPSK	26.89	27.19	33	PASS
n77(3450-3550)	15	15	636166	36@18	DFT_QAM16	26.25	26.55	33	PASS
n77(3450-3550)	15	15	636166	1@1	DFT_QAM16	26.25	26.55	33	PASS
n77(3450-3550)	15	15	636166	1@77	DFT_QAM16	26.20	26.5	33	PASS
n77(3450-3550)	15	15	636166	36@18	DFT_QAM64	24.82	25.12	33	PASS
n77(3450-3550)	15	15	636166	1@1	DFT_QAM64	24.79	25.09	33	PASS
n77(3450-3550)	15	15	636166	1@77	DFT_QAM64	24.57	24.87	33	PASS
n77(3450-3550)	15	15	636166	36@18	DFT_QAM256	22.88	23.18	33	PASS
n77(3450-3550)	15	15	636166	1@1	DFT_QAM256	22.95	23.25	33	PASS
n77(3450-3550)	15	15	636166	1@77	DFT_QAM256	22.71	23.01	33	PASS
n77(3450-3550)	15	15	636166	39@19	CP_QPSK	25.76	26.06	33	PASS
n77(3450-3550)	15	15	636166	1@1	CP_QPSK	26.07	26.37	33	PASS
n77(3450-3550)	15	15	636166	1@77	CP_QPSK	25.61	25.91	33	PASS
n77(3450-3550)	15	15	636166	39@19	CP_QAM16	25.27	25.57	33	PASS
n77(3450-3550)	15	15	636166	1@1	CP_QAM16	24.98	25.28	33	PASS
n77(3450-3550)	15	15	636166	1@77	CP_QAM16	25.11	25.41	33	PASS
n77(3450-3550)	15	15	636166	39@19	CP_QAM64	23.83	24.13	33	PASS
n77(3450-3550)	15	15	636166	1@1	CP_QAM64	23.98	24.28	33	PASS
n77(3450-3550)	15	15	636166	1@77	CP_QAM64	23.59	23.89	33	PASS
n77(3450-3550)	15	15	636166	39@19	CP_QAM256	20.87	21.17	33	PASS
n77(3450-3550)	15	15	636166	1@1	CP_QAM256	20.90	21.2	33	PASS
n77(3450-3550)	15	15	636166	1@77	CP_QAM256	20.74	21.04	33	PASS
n77(3450-3550)	15	20	630668	50@25	DFT_BPSK	27.29	27.59	33	PASS
n77(3450-3550)	15	20	630668	1@1	DFT_BPSK	27.37	27.67	33	PASS
n77(3450-3550)	15	20	630668	1@104	DFT_BPSK	26.97	27.27	33	PASS
n77(3450-3550)	15	20	630668	50@25	DFT_QPSK	27.35	27.65	33	PASS
n77(3450-3550)	15	20	630668	1@1	DFT_QPSK	27.31	27.61	33	PASS
n77(3450-3550)	15	20	630668	1@104	DFT_QPSK	26.81	27.11	33	PASS
n77(3450-3550)	15	20	630668	50@25	DFT_QAM16	26.40	26.7	33	PASS
n77(3450-3550)	15	20	630668	1@1	DFT_QAM16	26.40	26.7	33	PASS
n77(3450-3550)	15	20	630668	1@104	DFT_QAM16	25.87	26.17	33	PASS
n77(3450-3550)	15	20	630668	50@25	DFT_QAM64	24.95	25.25	33	PASS

n77(3450-3550)	15	20	630668	1@1	DFT_QAM64	24.92	25.22	33	PASS
n77(3450-3550)	15	20	630668	1@104	DFT_QAM64	24.47	24.77	33	PASS
n77(3450-3550)	15	20	630668	50@25	DFT_QAM256	22.95	23.25	33	PASS
n77(3450-3550)	15	20	630668	1@1	DFT_QAM256	23.19	23.49	33	PASS
n77(3450-3550)	15	20	630668	1@104	DFT_QAM256	22.67	22.97	33	PASS
n77(3450-3550)	15	20	630668	53@26	CP_QPSK	25.88	26.18	33	PASS
n77(3450-3550)	15	20	630668	1@1	CP_QPSK	26.06	26.36	33	PASS
n77(3450-3550)	15	20	630668	1@104	CP_QPSK	25.52	25.82	33	PASS
n77(3450-3550)	15	20	630668	53@26	CP_QAM16	25.43	25.73	33	PASS
n77(3450-3550)	15	20	630668	1@1	CP_QAM16	25.45	25.75	33	PASS
n77(3450-3550)	15	20	630668	1@104	CP_QAM16	24.59	24.89	33	PASS
n77(3450-3550)	15	20	630668	53@26	CP_QAM64	23.75	24.05	33	PASS
n77(3450-3550)	15	20	630668	1@1	CP_QAM64	24.16	24.46	33	PASS
n77(3450-3550)	15	20	630668	1@104	CP_QAM64	23.52	23.82	33	PASS
n77(3450-3550)	15	20	630668	53@26	CP_QAM256	20.87	21.17	33	PASS
n77(3450-3550)	15	20	630668	1@1	CP_QAM256	21.22	21.52	33	PASS
n77(3450-3550)	15	20	630668	1@104	CP_QAM256	20.74	21.04	33	PASS
n77(3450-3550)	15	20	633334	50@25	DFT_BPSK	27.04	27.34	33	PASS
n77(3450-3550)	15	20	633334	1@1	DFT_BPSK	27.36	27.66	33	PASS
n77(3450-3550)	15	20	633334	1@104	DFT_BPSK	26.62	26.92	33	PASS
n77(3450-3550)	15	20	633334	50@25	DFT_QPSK	27.08	27.38	33	PASS
n77(3450-3550)	15	20	633334	1@1	DFT_QPSK	27.38	27.68	33	PASS
n77(3450-3550)	15	20	633334	1@104	DFT_QPSK	26.58	26.88	33	PASS
n77(3450-3550)	15	20	633334	50@25	DFT_QAM16	26.20	26.5	33	PASS
n77(3450-3550)	15	20	633334	1@1	DFT_QAM16	26.51	26.81	33	PASS
n77(3450-3550)	15	20	633334	1@104	DFT_QAM16	25.83	26.13	33	PASS
n77(3450-3550)	15	20	633334	50@25	DFT_QAM64	24.59	24.89	33	PASS
n77(3450-3550)	15	20	633334	1@1	DFT_QAM64	25.03	25.33	33	PASS
n77(3450-3550)	15	20	633334	1@104	DFT_QAM64	24.19	24.49	33	PASS
n77(3450-3550)	15	20	633334	50@25	DFT_QAM256	22.67	22.97	33	PASS
n77(3450-3550)	15	20	633334	1@1	DFT_QAM256	23.22	23.52	33	PASS
n77(3450-3550)	15	20	633334	1@104	DFT_QAM256	22.48	22.78	33	PASS
n77(3450-3550)	15	20	633334	53@26	CP_QPSK	25.58	25.88	33	PASS
n77(3450-3550)	15	20	633334	1@1	CP_QPSK	25.98	26.28	33	PASS
n77(3450-3550)	15	20	633334	1@104	CP_QPSK	25.20	25.5	33	PASS
n77(3450-3550)	15	20	633334	53@26	CP_QAM16	25.15	25.45	33	PASS
n77(3450-3550)	15	20	633334	1@1	CP_QAM16	25.41	25.71	33	PASS
n77(3450-3550)	15	20	633334	1@104	CP_QAM16	24.77	25.07	33	PASS
n77(3450-3550)	15	20	633334	53@26	CP_QAM64	23.51	23.81	33	PASS
n77(3450-3550)	15	20	633334	1@1	CP_QAM64	24.15	24.45	33	PASS
n77(3450-3550)	15	20	633334	1@104	CP_QAM64	23.36	23.66	33	PASS
n77(3450-3550)	15	20	633334	53@26	CP_QAM256	20.61	20.91	33	PASS
n77(3450-3550)	15	20	633334	1@1	CP_QAM256	21.10	21.4	33	PASS
n77(3450-3550)	15	20	633334	1@104	CP_QAM256	20.35	20.65	33	PASS

n77(3450-3550)	15	20	636000	50@25	DFT_BPSK	27.32	27.62	33	PASS
n77(3450-3550)	15	20	636000	1@1	DFT_BPSK	27.45	27.75	33	PASS
n77(3450-3550)	15	20	636000	1@104	DFT_BPSK	27.07	27.37	33	PASS
n77(3450-3550)	15	20	636000	50@25	DFT_QPSK	27.32	27.62	33	PASS
n77(3450-3550)	15	20	636000	1@1	DFT_QPSK	27.24	27.54	33	PASS
n77(3450-3550)	15	20	636000	1@104	DFT_QPSK	26.92	27.22	33	PASS
n77(3450-3550)	15	20	636000	50@25	DFT_QAM16	26.45	26.75	33	PASS
n77(3450-3550)	15	20	636000	1@1	DFT_QAM16	26.17	26.47	33	PASS
n77(3450-3550)	15	20	636000	1@104	DFT_QAM16	25.91	26.21	33	PASS
n77(3450-3550)	15	20	636000	50@25	DFT_QAM64	24.83	25.13	33	PASS
n77(3450-3550)	15	20	636000	1@1	DFT_QAM64	24.91	25.21	33	PASS
n77(3450-3550)	15	20	636000	1@104	DFT_QAM64	24.62	24.92	33	PASS
n77(3450-3550)	15	20	636000	50@25	DFT_QAM256	22.93	23.23	33	PASS
n77(3450-3550)	15	20	636000	1@1	DFT_QAM256	23.05	23.35	33	PASS
n77(3450-3550)	15	20	636000	1@104	DFT_QAM256	22.76	23.06	33	PASS
n77(3450-3550)	15	20	636000	53@26	CP_QPSK	25.83	26.13	33	PASS
n77(3450-3550)	15	20	636000	1@1	CP_QPSK	26.00	26.3	33	PASS
n77(3450-3550)	15	20	636000	1@104	CP_QPSK	25.64	25.94	33	PASS
n77(3450-3550)	15	20	636000	53@26	CP_QAM16	25.33	25.63	33	PASS
n77(3450-3550)	15	20	636000	1@1	CP_QAM16	25.72	26.02	33	PASS
n77(3450-3550)	15	20	636000	1@104	CP_QAM16	25.45	25.75	33	PASS
n77(3450-3550)	15	20	636000	53@26	CP_QAM64	23.83	24.13	33	PASS
n77(3450-3550)	15	20	636000	1@1	CP_QAM64	24.05	24.35	33	PASS
n77(3450-3550)	15	20	636000	1@104	CP_QAM64	23.60	23.9	33	PASS
n77(3450-3550)	15	20	636000	53@26	CP_QAM256	20.90	21.2	33	PASS
n77(3450-3550)	15	20	636000	1@1	CP_QAM256	21.04	21.34	33	PASS
n77(3450-3550)	15	20	636000	1@104	CP_QAM256	20.51	20.81	33	PASS
n77(3450-3550)	15	30	631000	80@40	DFT_BPSK	27.14	27.44	33	PASS
n77(3450-3550)	15	30	631000	1@1	DFT_BPSK	27.36	27.66	33	PASS
n77(3450-3550)	15	30	631000	1@158	DFT_BPSK	27.17	27.47	33	PASS
n77(3450-3550)	15	30	631000	80@40	DFT_QPSK	27.20	27.5	33	PASS
n77(3450-3550)	15	30	631000	1@1	DFT_QPSK	27.37	27.67	33	PASS
n77(3450-3550)	15	30	631000	1@158	DFT_QPSK	27.18	27.48	33	PASS
n77(3450-3550)	15	30	631000	80@40	DFT_QAM16	26.19	26.49	33	PASS
n77(3450-3550)	15	30	631000	1@1	DFT_QAM16	26.35	26.65	33	PASS
n77(3450-3550)	15	30	631000	1@158	DFT_QAM16	26.09	26.39	33	PASS
n77(3450-3550)	15	30	631000	80@40	DFT_QAM64	24.73	25.03	33	PASS
n77(3450-3550)	15	30	631000	1@1	DFT_QAM64	24.95	25.25	33	PASS
n77(3450-3550)	15	30	631000	1@158	DFT_QAM64	24.84	25.14	33	PASS
n77(3450-3550)	15	30	631000	80@40	DFT_QAM256	22.69	22.99	33	PASS
n77(3450-3550)	15	30	631000	1@1	DFT_QAM256	23.32	23.62	33	PASS
n77(3450-3550)	15	30	631000	1@158	DFT_QAM256	22.85	23.15	33	PASS
n77(3450-3550)	15	30	631000	80@40	CP_QPSK	25.62	25.92	33	PASS
n77(3450-3550)	15	30	631000	1@1	CP_QPSK	26.03	26.33	33	PASS

n77(3450-3550)	15	30	631000	1@158	CP_QPSK	25.63	25.93	33	PASS
n77(3450-3550)	15	30	631000	80@40	CP_QAM16	25.22	25.52	33	PASS
n77(3450-3550)	15	30	631000	1@1	CP_QAM16	25.15	25.45	33	PASS
n77(3450-3550)	15	30	631000	1@158	CP_QAM16	24.96	25.26	33	PASS
n77(3450-3550)	15	30	631000	80@40	CP_QAM64	23.70	24	33	PASS
n77(3450-3550)	15	30	631000	1@1	CP_QAM64	24.43	24.73	33	PASS
n77(3450-3550)	15	30	631000	1@158	CP_QAM64	23.96	24.26	33	PASS
n77(3450-3550)	15	30	631000	80@40	CP_QAM256	20.73	21.03	33	PASS
n77(3450-3550)	15	30	631000	1@1	CP_QAM256	21.00	21.3	33	PASS
n77(3450-3550)	15	30	631000	1@158	CP_QAM256	20.75	21.05	33	PASS
n77(3450-3550)	15	30	633334	80@40	DFT_BPSK	26.99	27.29	33	PASS
n77(3450-3550)	15	30	633334	1@1	DFT_BPSK	27.33	27.63	33	PASS
n77(3450-3550)	15	30	633334	1@158	DFT_BPSK	26.70	27	33	PASS
n77(3450-3550)	15	30	633334	80@40	DFT_QPSK	27.01	27.31	33	PASS
n77(3450-3550)	15	30	633334	1@1	DFT_QPSK	27.37	27.67	33	PASS
n77(3450-3550)	15	30	633334	1@158	DFT_QPSK	26.72	27.02	33	PASS
n77(3450-3550)	15	30	633334	80@40	DFT_QAM16	26.04	26.34	33	PASS
n77(3450-3550)	15	30	633334	1@1	DFT_QAM16	26.28	26.58	33	PASS
n77(3450-3550)	15	30	633334	1@158	DFT_QAM16	25.64	25.94	33	PASS
n77(3450-3550)	15	30	633334	80@40	DFT_QAM64	24.54	24.84	33	PASS
n77(3450-3550)	15	30	633334	1@1	DFT_QAM64	24.92	25.22	33	PASS
n77(3450-3550)	15	30	633334	1@158	DFT_QAM64	24.27	24.57	33	PASS
n77(3450-3550)	15	30	633334	80@40	DFT_QAM256	22.60	22.9	33	PASS
n77(3450-3550)	15	30	633334	1@1	DFT_QAM256	23.10	23.4	33	PASS
n77(3450-3550)	15	30	633334	1@158	DFT_QAM256	22.40	22.7	33	PASS
n77(3450-3550)	15	30	633334	80@40	CP_QPSK	25.51	25.81	33	PASS
n77(3450-3550)	15	30	633334	1@1	CP_QPSK	26.15	26.45	33	PASS
n77(3450-3550)	15	30	633334	1@158	CP_QPSK	25.43	25.73	33	PASS
n77(3450-3550)	15	30	633334	80@40	CP_QAM16	24.98	25.28	33	PASS
n77(3450-3550)	15	30	633334	1@1	CP_QAM16	25.55	25.85	33	PASS
n77(3450-3550)	15	30	633334	1@158	CP_QAM16	24.49	24.79	33	PASS
n77(3450-3550)	15	30	633334	80@40	CP_QAM64	23.55	23.85	33	PASS
n77(3450-3550)	15	30	633334	1@1	CP_QAM64	24.07	24.37	33	PASS
n77(3450-3550)	15	30	633334	1@158	CP_QAM64	23.23	23.53	33	PASS
n77(3450-3550)	15	30	633334	80@40	CP_QAM256	20.59	20.89	33	PASS
n77(3450-3550)	15	30	633334	1@1	CP_QAM256	21.09	21.39	33	PASS
n77(3450-3550)	15	30	633334	1@158	CP_QAM256	20.48	20.78	33	PASS
n77(3450-3550)	15	30	635666	80@40	DFT_BPSK	27.32	27.62	33	PASS
n77(3450-3550)	15	30	635666	1@1	DFT_BPSK	27.09	27.39	33	PASS
n77(3450-3550)	15	30	635666	1@158	DFT_BPSK	27.02	27.32	33	PASS
n77(3450-3550)	15	30	635666	80@40	DFT_QPSK	27.35	27.65	33	PASS
n77(3450-3550)	15	30	635666	1@1	DFT_QPSK	26.98	27.28	33	PASS
n77(3450-3550)	15	30	635666	1@158	DFT_QPSK	26.98	27.28	33	PASS
n77(3450-3550)	15	30	635666	80@40	DFT_QAM16	26.38	26.68	33	PASS

n77(3450-3550)	15	30	635666	1@1	DFT_QAM16	26.23	26.53	33	PASS
n77(3450-3550)	15	30	635666	1@158	DFT_QAM16	26.21	26.51	33	PASS
n77(3450-3550)	15	30	635666	80@40	DFT_QAM64	24.90	25.2	33	PASS
n77(3450-3550)	15	30	635666	1@1	DFT_QAM64	24.62	24.92	33	PASS
n77(3450-3550)	15	30	635666	1@158	DFT_QAM64	24.61	24.91	33	PASS
n77(3450-3550)	15	30	635666	80@40	DFT_QAM256	22.96	23.26	33	PASS
n77(3450-3550)	15	30	635666	1@1	DFT_QAM256	22.73	23.03	33	PASS
n77(3450-3550)	15	30	635666	1@158	DFT_QAM256	22.74	23.04	33	PASS
n77(3450-3550)	15	30	635666	80@40	CP_QPSK	25.82	26.12	33	PASS
n77(3450-3550)	15	30	635666	1@1	CP_QPSK	25.82	26.12	33	PASS
n77(3450-3550)	15	30	635666	1@158	CP_QPSK	25.70	26	33	PASS
n77(3450-3550)	15	30	635666	80@40	CP_QAM16	25.36	25.66	33	PASS
n77(3450-3550)	15	30	635666	1@1	CP_QAM16	25.27	25.57	33	PASS
n77(3450-3550)	15	30	635666	1@158	CP_QAM16	25.29	25.59	33	PASS
n77(3450-3550)	15	30	635666	80@40	CP_QAM64	23.84	24.14	33	PASS
n77(3450-3550)	15	30	635666	1@1	CP_QAM64	23.58	23.88	33	PASS
n77(3450-3550)	15	30	635666	1@158	CP_QAM64	23.52	23.82	33	PASS
n77(3450-3550)	15	30	635666	80@40	CP_QAM256	20.88	21.18	33	PASS
n77(3450-3550)	15	30	635666	1@1	CP_QAM256	20.81	21.11	33	PASS
n77(3450-3550)	15	30	635666	1@158	CP_QAM256	20.73	21.03	33	PASS
n77(3450-3550)	15	40	631334	108@54	DFT_BPSK	27.08	27.38	33	PASS
n77(3450-3550)	15	40	631334	1@1	DFT_BPSK	27.41	27.71	33	PASS
n77(3450-3550)	15	40	631334	1@214	DFT_BPSK	27.29	27.59	33	PASS
n77(3450-3550)	15	40	631334	108@54	DFT_QPSK	27.11	27.41	33	PASS
n77(3450-3550)	15	40	631334	1@1	DFT_QPSK	27.41	27.71	33	PASS
n77(3450-3550)	15	40	631334	1@214	DFT_QPSK	27.24	27.54	33	PASS
n77(3450-3550)	15	40	631334	108@54	DFT_QAM16	26.22	26.52	33	PASS
n77(3450-3550)	15	40	631334	1@1	DFT_QAM16	26.53	26.83	33	PASS
n77(3450-3550)	15	40	631334	1@214	DFT_QAM16	26.48	26.78	33	PASS
n77(3450-3550)	15	40	631334	108@54	DFT_QAM64	24.66	24.96	33	PASS
n77(3450-3550)	15	40	631334	1@1	DFT_QAM64	24.93	25.23	33	PASS
n77(3450-3550)	15	40	631334	1@214	DFT_QAM64	24.81	25.11	33	PASS
n77(3450-3550)	15	40	631334	108@54	DFT_QAM256	22.78	23.08	33	PASS
n77(3450-3550)	15	40	631334	1@1	DFT_QAM256	23.18	23.48	33	PASS
n77(3450-3550)	15	40	631334	1@214	DFT_QAM256	23.01	23.31	33	PASS
n77(3450-3550)	15	40	631334	108@54	CP_QPSK	25.63	25.93	33	PASS
n77(3450-3550)	15	40	631334	1@1	CP_QPSK	26.27	26.57	33	PASS
n77(3450-3550)	15	40	631334	1@214	CP_QPSK	25.86	26.16	33	PASS
n77(3450-3550)	15	40	631334	108@54	CP_QAM16	25.13	25.43	33	PASS
n77(3450-3550)	15	40	631334	1@1	CP_QAM16	25.11	25.41	33	PASS
n77(3450-3550)	15	40	631334	1@214	CP_QAM16	25.59	25.89	33	PASS
n77(3450-3550)	15	40	631334	108@54	CP_QAM64	23.64	23.94	33	PASS
n77(3450-3550)	15	40	631334	1@1	CP_QAM64	24.13	24.43	33	PASS
n77(3450-3550)	15	40	631334	1@214	CP_QAM64	23.94	24.24	33	PASS

n77(3450-3550)	15	40	631334	108@54	CP_QAM256	20.66	20.96	33	PASS
n77(3450-3550)	15	40	631334	1@1	CP_QAM256	21.18	21.48	33	PASS
n77(3450-3550)	15	40	631334	1@214	CP_QAM256	21.11	21.41	33	PASS
n77(3450-3550)	15	40	633334	108@54	DFT_BPSK	26.99	27.29	33	PASS
n77(3450-3550)	15	40	633334	1@1	DFT_BPSK	27.24	27.54	33	PASS
n77(3450-3550)	15	40	633334	1@214	DFT_BPSK	26.89	27.19	33	PASS
n77(3450-3550)	15	40	633334	108@54	DFT_QPSK	27.01	27.31	33	PASS
n77(3450-3550)	15	40	633334	1@1	DFT_QPSK	27.09	27.39	33	PASS
n77(3450-3550)	15	40	633334	1@214	DFT_QPSK	26.86	27.16	33	PASS
n77(3450-3550)	15	40	633334	108@54	DFT_QAM16	26.09	26.39	33	PASS
n77(3450-3550)	15	40	633334	1@1	DFT_QAM16	26.03	26.33	33	PASS
n77(3450-3550)	15	40	633334	1@214	DFT_QAM16	25.74	26.04	33	PASS
n77(3450-3550)	15	40	633334	108@54	DFT_QAM64	24.63	24.93	33	PASS
n77(3450-3550)	15	40	633334	1@1	DFT_QAM64	24.83	25.13	33	PASS
n77(3450-3550)	15	40	633334	1@214	DFT_QAM64	24.51	24.81	33	PASS
n77(3450-3550)	15	40	633334	108@54	DFT_QAM256	22.66	22.96	33	PASS
n77(3450-3550)	15	40	633334	1@1	DFT_QAM256	22.99	23.29	33	PASS
n77(3450-3550)	15	40	633334	1@214	DFT_QAM256	22.68	22.98	33	PASS
n77(3450-3550)	15	40	633334	108@54	CP_QPSK	25.55	25.85	33	PASS
n77(3450-3550)	15	40	633334	1@1	CP_QPSK	25.82	26.12	33	PASS
n77(3450-3550)	15	40	633334	1@214	CP_QPSK	25.55	25.85	33	PASS
n77(3450-3550)	15	40	633334	108@54	CP_QAM16	25.11	25.41	33	PASS
n77(3450-3550)	15	40	633334	1@1	CP_QAM16	25.62	25.92	33	PASS
n77(3450-3550)	15	40	633334	1@214	CP_QAM16	25.34	25.64	33	PASS
n77(3450-3550)	15	40	633334	108@54	CP_QAM64	23.61	23.91	33	PASS
n77(3450-3550)	15	40	633334	1@1	CP_QAM64	23.88	24.18	33	PASS
n77(3450-3550)	15	40	633334	1@214	CP_QAM64	23.48	23.78	33	PASS
n77(3450-3550)	15	40	633334	108@54	CP_QAM256	20.64	20.94	33	PASS
n77(3450-3550)	15	40	633334	1@1	CP_QAM256	20.75	21.05	33	PASS
n77(3450-3550)	15	40	633334	1@214	CP_QAM256	20.51	20.81	33	PASS
n77(3450-3550)	15	40	635332	108@54	DFT_BPSK	27.22	27.52	33	PASS
n77(3450-3550)	15	40	635332	1@1	DFT_BPSK	26.62	26.92	33	PASS
n77(3450-3550)	15	40	635332	1@214	DFT_BPSK	27.05	27.35	33	PASS
n77(3450-3550)	15	40	635332	108@54	DFT_QPSK	27.30	27.6	33	PASS
n77(3450-3550)	15	40	635332	1@1	DFT_QPSK	26.44	26.74	33	PASS
n77(3450-3550)	15	40	635332	1@214	DFT_QPSK	26.82	27.12	33	PASS
n77(3450-3550)	15	40	635332	108@54	DFT_QAM16	26.26	26.56	33	PASS
n77(3450-3550)	15	40	635332	1@1	DFT_QAM16	25.47	25.77	33	PASS
n77(3450-3550)	15	40	635332	1@214	DFT_QAM16	25.94	26.24	33	PASS
n77(3450-3550)	15	40	635332	108@54	DFT_QAM64	24.81	25.11	33	PASS
n77(3450-3550)	15	40	635332	1@1	DFT_QAM64	24.08	24.38	33	PASS
n77(3450-3550)	15	40	635332	1@214	DFT_QAM64	24.61	24.91	33	PASS
n77(3450-3550)	15	40	635332	108@54	DFT_QAM256	22.82	23.12	33	PASS
n77(3450-3550)	15	40	635332	1@1	DFT_QAM256	22.50	22.8	33	PASS

n77(3450-3550)	15	40	635332	1@214	DFT_QAM256	22.82	23.12	33	PASS
n77(3450-3550)	15	40	635332	108@54	CP_QPSK	25.74	26.04	33	PASS
n77(3450-3550)	15	40	635332	1@1	CP_QPSK	25.20	25.5	33	PASS
n77(3450-3550)	15	40	635332	1@214	CP_QPSK	25.57	25.87	33	PASS
n77(3450-3550)	15	40	635332	108@54	CP_QAM16	25.26	25.56	33	PASS
n77(3450-3550)	15	40	635332	1@1	CP_QAM16	24.35	24.65	33	PASS
n77(3450-3550)	15	40	635332	1@214	CP_QAM16	25.40	25.7	33	PASS
n77(3450-3550)	15	40	635332	108@54	CP_QAM64	23.82	24.12	33	PASS
n77(3450-3550)	15	40	635332	1@1	CP_QAM64	23.32	23.62	33	PASS
n77(3450-3550)	15	40	635332	1@214	CP_QAM64	23.67	23.97	33	PASS
n77(3450-3550)	15	40	635332	108@54	CP_QAM256	20.88	21.18	33	PASS
n77(3450-3550)	15	40	635332	1@1	CP_QAM256	20.42	20.72	33	PASS
n77(3450-3550)	15	40	635332	1@214	CP_QAM256	20.74	21.04	33	PASS
n77(3450-3550)	15	50	631668	135@67	DFT_BPSK	27.08	27.38	33	PASS
n77(3450-3550)	15	50	631668	1@1	DFT_BPSK	27.46	27.76	33	PASS
n77(3450-3550)	15	50	631668	1@268	DFT_BPSK	26.96	27.26	33	PASS
n77(3450-3550)	15	50	631668	135@67	DFT_QPSK	27.19	27.49	33	PASS
n77(3450-3550)	15	50	631668	1@1	DFT_QPSK	27.20	27.5	33	PASS
n77(3450-3550)	15	50	631668	1@268	DFT_QPSK	26.82	27.12	33	PASS
n77(3450-3550)	15	50	631668	135@67	DFT_QAM16	26.23	26.53	33	PASS
n77(3450-3550)	15	50	631668	1@1	DFT_QAM16	26.17	26.47	33	PASS
n77(3450-3550)	15	50	631668	1@268	DFT_QAM16	25.72	26.02	33	PASS
n77(3450-3550)	15	50	631668	135@67	DFT_QAM64	24.74	25.04	33	PASS
n77(3450-3550)	15	50	631668	1@1	DFT_QAM64	24.98	25.28	33	PASS
n77(3450-3550)	15	50	631668	1@268	DFT_QAM64	24.45	24.75	33	PASS
n77(3450-3550)	15	50	631668	135@67	DFT_QAM256	22.77	23.07	33	PASS
n77(3450-3550)	15	50	631668	1@1	DFT_QAM256	23.18	23.48	33	PASS
n77(3450-3550)	15	50	631668	1@268	DFT_QAM256	22.73	23.03	33	PASS
n77(3450-3550)	15	50	631668	135@67	CP_QPSK	25.72	26.02	33	PASS
n77(3450-3550)	15	50	631668	1@1	CP_QPSK	26.04	26.34	33	PASS
n77(3450-3550)	15	50	631668	1@268	CP_QPSK	25.54	25.84	33	PASS
n77(3450-3550)	15	50	631668	135@67	CP_QAM16	25.18	25.48	33	PASS
n77(3450-3550)	15	50	631668	1@1	CP_QAM16	25.23	25.53	33	PASS
n77(3450-3550)	15	50	631668	1@268	CP_QAM16	25.26	25.56	33	PASS
n77(3450-3550)	15	50	631668	135@67	CP_QAM64	23.74	24.04	33	PASS
n77(3450-3550)	15	50	631668	1@1	CP_QAM64	24.25	24.55	33	PASS
n77(3450-3550)	15	50	631668	1@268	CP_QAM64	23.50	23.8	33	PASS
n77(3450-3550)	15	50	631668	135@67	CP_QAM256	20.87	21.17	33	PASS
n77(3450-3550)	15	50	631668	1@1	CP_QAM256	21.22	21.52	33	PASS
n77(3450-3550)	15	50	631668	1@268	CP_QAM256	20.76	21.06	33	PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	26.98	27.28	33	PASS
n77(3450-3550)	15	50	633334	1@1	DFT_BPSK	27.05	27.35	33	PASS
n77(3450-3550)	15	50	633334	1@268	DFT_BPSK	27.23	27.53	33	PASS

n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	27.00	27.3	33	PASS
n77(3450-3550)	15	50	633334	1@1	DFT_QPSK	27.01	27.31	33	PASS
n77(3450-3550)	15	50	633334	1@268	DFT_QPSK	27.24	27.54	33	PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QAM16	26.01	26.31	33	PASS
n77(3450-3550)	15	50	633334	1@1	DFT_QAM16	26.22	26.52	33	PASS
n77(3450-3550)	15	50	633334	1@268	DFT_QAM16	26.13	26.43	33	PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QAM64	24.59	24.89	33	PASS
n77(3450-3550)	15	50	633334	1@1	DFT_QAM64	24.77	25.07	33	PASS
n77(3450-3550)	15	50	633334	1@268	DFT_QAM64	24.79	25.09	33	PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QAM256	22.71	23.01	33	PASS
n77(3450-3550)	15	50	633334	1@1	DFT_QAM256	23.00	23.3	33	PASS
n77(3450-3550)	15	50	633334	1@268	DFT_QAM256	22.90	23.2	33	PASS
n77(3450-3550)	15	50	633334	135@67	CP_QPSK	25.56	25.86	33	PASS
n77(3450-3550)	15	50	633334	1@1	CP_QPSK	25.54	25.84	33	PASS
n77(3450-3550)	15	50	633334	1@268	CP_QPSK	25.82	26.12	33	PASS
n77(3450-3550)	15	50	633334	135@67	CP_QAM16	25.01	25.31	33	PASS
n77(3450-3550)	15	50	633334	1@1	CP_QAM16	24.88	25.18	33	PASS
n77(3450-3550)	15	50	633334	1@268	CP_QAM16	25.02	25.32	33	PASS
n77(3450-3550)	15	50	633334	135@67	CP_QAM64	23.56	23.86	33	PASS
n77(3450-3550)	15	50	633334	1@1	CP_QAM64	23.95	24.25	33	PASS
n77(3450-3550)	15	50	633334	1@268	CP_QAM64	23.96	24.26	33	PASS
n77(3450-3550)	15	50	633334	135@67	CP_QAM256	20.67	20.97	33	PASS
n77(3450-3550)	15	50	633334	1@1	CP_QAM256	20.72	21.02	33	PASS
n77(3450-3550)	15	50	633334	1@268	CP_QAM256	21.08	21.38	33	PASS
n77(3450-3550)	15	50	635000	135@67	DFT_BPSK	27.10	27.4	33	PASS
n77(3450-3550)	15	50	635000	1@1	DFT_BPSK	26.84	27.14	33	PASS
n77(3450-3550)	15	50	635000	1@268	DFT_BPSK	27.07	27.37	33	PASS
n77(3450-3550)	15	50	635000	135@67	DFT_QPSK	27.15	27.45	33	PASS
n77(3450-3550)	15	50	635000	1@1	DFT_QPSK	26.84	27.14	33	PASS
n77(3450-3550)	15	50	635000	1@268	DFT_QPSK	27.02	27.32	33	PASS
n77(3450-3550)	15	50	635000	135@67	DFT_QAM16	26.17	26.47	33	PASS
n77(3450-3550)	15	50	635000	1@1	DFT_QAM16	25.96	26.26	33	PASS
n77(3450-3550)	15	50	635000	1@268	DFT_QAM16	25.96	26.26	33	PASS
n77(3450-3550)	15	50	635000	135@67	DFT_QAM64	24.68	24.98	33	PASS
n77(3450-3550)	15	50	635000	1@1	DFT_QAM64	24.48	24.78	33	PASS
n77(3450-3550)	15	50	635000	1@268	DFT_QAM64	24.65	24.95	33	PASS
n77(3450-3550)	15	50	635000	135@67	DFT_QAM256	22.85	23.15	33	PASS
n77(3450-3550)	15	50	635000	1@1	DFT_QAM256	22.61	22.91	33	PASS
n77(3450-3550)	15	50	635000	1@268	DFT_QAM256	22.68	22.98	33	PASS
n77(3450-3550)	15	50	635000	135@67	CP_QPSK	25.69	25.99	33	PASS
n77(3450-3550)	15	50	635000	1@1	CP_QPSK	25.39	25.69	33	PASS
n77(3450-3550)	15	50	635000	1@268	CP_QPSK	25.54	25.84	33	PASS
n77(3450-3550)	15	50	635000	135@67	CP_QAM16	25.15	25.45	33	PASS

n77(3450-3550)	15	50	635000	1@1	CP_QAM16	24.64	24.94	33	PASS
n77(3450-3550)	15	50	635000	1@268	CP_QAM16	25.13	25.43	33	PASS
n77(3450-3550)	15	50	635000	135@67	CP_QAM64	23.67	23.97	33	PASS
n77(3450-3550)	15	50	635000	1@1	CP_QAM64	23.64	23.94	33	PASS
n77(3450-3550)	15	50	635000	1@268	CP_QAM64	23.61	23.91	33	PASS
n77(3450-3550)	15	50	635000	135@67	CP_QAM256	20.76	21.06	33	PASS
n77(3450-3550)	15	50	635000	1@1	CP_QAM256	20.67	20.97	33	PASS
n77(3450-3550)	15	50	635000	1@268	CP_QAM256	20.64	20.94	33	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	3.87	-1.65	0.00	Within authorized band for 5G NR n77	PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	3.50	-7.14	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	4.45	-13.18	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	3.87	-1.42	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	3.50	-1.85	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	4.45	-2.98	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	-30	-16.04	0.00	Within authorized band for 5G NR n77	PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	-20	-13.99	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	-10	-15.4	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	0	-13.62	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	10	-12.29	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	20	-12.93	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	30	-18.83	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	40	-15.81	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_BPSK	50	-12.84	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	-30	-14.05	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	-20	-16.58	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	-10	-15.4	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	0	-13.47	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	10	-17.2	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	20	-12.8	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	30	-15.71	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	40	-14.48	0.00		PASS
n77(3450-3550)	15	50	633334	135@67	DFT_QPSK	50	-17.07	0.00		PASS

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n77(3450-3550)	15	10	633334	50@0	DFT_BPSK	4.29	13	PASS
n77(3450-3550)	15	10	633334	50@0	DFT_QPSK	4.45	13	PASS
n77(3450-3550)	15	10	633334	50@0	DFT_QAM16	5.26	13	PASS
n77(3450-3550)	15	10	633334	50@0	DFT_QAM64	5.61	13	PASS
n77(3450-3550)	15	10	633334	50@0	DFT_QAM256	6.64	13	PASS
n77(3450-3550)	15	15	633334	75@0	DFT_BPSK	3.89	13	PASS
n77(3450-3550)	15	15	633334	75@0	DFT_QPSK	4.68	13	PASS
n77(3450-3550)	15	15	633334	75@0	DFT_QAM16	5.49	13	PASS
n77(3450-3550)	15	15	633334	75@0	DFT_QAM64	5.79	13	PASS
n77(3450-3550)	15	15	633334	75@0	DFT_QAM256	6.71	13	PASS
n77(3450-3550)	15	20	633334	100@0	DFT_BPSK	4.07	13	PASS
n77(3450-3550)	15	20	633334	100@0	DFT_QPSK	4.87	13	PASS
n77(3450-3550)	15	20	633334	100@0	DFT_QAM16	5.67	13	PASS
n77(3450-3550)	15	20	633334	100@0	DFT_QAM64	5.97	13	PASS
n77(3450-3550)	15	20	633334	100@0	DFT_QAM256	6.76	13	PASS
n77(3450-3550)	15	30	633334	160@0	DFT_BPSK	3.97	13	PASS
n77(3450-3550)	15	30	633334	160@0	DFT_QPSK	4.65	13	PASS
n77(3450-3550)	15	30	633334	160@0	DFT_QAM16	5.49	13	PASS
n77(3450-3550)	15	30	633334	160@0	DFT_QAM64	5.81	13	PASS
n77(3450-3550)	15	30	633334	160@0	DFT_QAM256	6.66	13	PASS
n77(3450-3550)	15	40	633334	216@0	DFT_BPSK	4.36	13	PASS
n77(3450-3550)	15	40	633334	216@0	DFT_QPSK	5.02	13	PASS
n77(3450-3550)	15	40	633334	216@0	DFT_QAM16	5.68	13	PASS
n77(3450-3550)	15	40	633334	216@0	DFT_QAM64	6.04	13	PASS
n77(3450-3550)	15	40	633334	216@0	DFT_QAM256	6.65	13	PASS
n77(3450-3550)	15	50	633334	270@0	DFT_BPSK	4.50	13	PASS
n77(3450-3550)	15	50	633334	270@0	DFT_QPSK	5.21	13	PASS
n77(3450-3550)	15	50	633334	270@0	DFT_QAM16	5.91	13	PASS
n77(3450-3550)	15	50	633334	270@0	DFT_QAM64	6.18	13	PASS
n77(3450-3550)	15	50	633334	270@0	DFT_QAM256	6.75	13	PASS


n77(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QPSK BW=10MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=10MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QAM64 BW=10MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QAM256 BW=10MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=633334 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QPSK BW=15MHz Channel=633334 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=15MHz Channel=633334 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QAM64 BW=15MHz Channel=633334 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QAM256 BW=15MHz Channel=633334 RB=75@0




n77(3450-3550) SCS=15kHz DFT_BPSK BW=20MHz Channel=633334 RB=100@0




n77(3450-3550) SCS=15kHz DFT_QPSK BW=20MHz Channel=633334 RB=100@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=20MHz Channel=633334 RB=100@0




n77(3450-3550) SCS=15kHz DFT_QAM64 BW=20MHz Channel=633334 RB=100@0




n77(3450-3550) SCS=15kHz DFT_QAM256 BW=20MHz Channel=633334 RB=100@0




n77(3450-3550) SCS=15kHz DFT_BPSK BW=30MHz Channel=633334 RB=160@0




n77(3450-3550) SCS=15kHz DFT_QPSK BW=30MHz Channel=633334 RB=160@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=30MHz Channel=633334 RB=160@0




n77(3450-3550) SCS=15kHz DFT_QAM64 BW=30MHz Channel=633334 RB=160@0




n77(3450-3550) SCS=15kHz DFT_QAM256 BW=30MHz Channel=633334 RB=160@0




n77(3450-3550) SCS=15kHz DFT_BPSK BW=40MHz Channel=633334 RB=216@0




n77(3450-3550) SCS=15kHz DFT_QPSK BW=40MHz Channel=633334 RB=216@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=40MHz Channel=633334 RB=216@0




n77(3450-3550) SCS=15kHz DFT_QAM64 BW=40MHz Channel=633334 RB=216@0




n77(3450-3550) SCS=15kHz DFT_QAM256 BW=40MHz Channel=633334 RB=216@0




n77(3450-3550) SCS=15kHz DFT_BPSK BW=50MHz Channel=633334 RB=270@0




n77(3450-3550) SCS=15kHz DFT_QPSK BW=50MHz Channel=633334 RB=270@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=50MHz Channel=633334 RB=270@0



n77(3450-3550) SCS=15kHz DFT_QAM64 BW=50MHz Channel=633334 RB=270@0



n77(3450-3550) SCS=15kHz DFT_QAM256 BW=50MHz Channel=633334 RB=270@0




4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n77(3450-3550)	15	10	630334	50@0	DFT_BPSK	9.240	9.490	PASS
n77(3450-3550)	15	10	630334	50@0	DFT_QPSK	9.240	9.510	PASS
n77(3450-3550)	15	10	630334	50@0	DFT_QAM16	9.210	9.460	PASS
n77(3450-3550)	15	10	630334	50@0	DFT_QAM64	9.210	9.460	PASS
n77(3450-3550)	15	10	630334	50@0	DFT_QAM256	9.240	9.460	PASS
n77(3450-3550)	15	10	630334	52@0	CP_QPSK	9.340	9.970	PASS
n77(3450-3550)	15	10	633334	50@0	DFT_BPSK	9.250	9.470	PASS
n77(3450-3550)	15	10	633334	50@0	DFT_QPSK	9.240	9.480	PASS
n77(3450-3550)	15	10	633334	50@0	DFT_QAM16	9.210	9.450	PASS
n77(3450-3550)	15	10	633334	50@0	DFT_QAM64	9.220	9.460	PASS
n77(3450-3550)	15	10	633334	50@0	DFT_QAM256	9.250	9.450	PASS
n77(3450-3550)	15	10	633334	52@0	CP_QPSK	9.330	9.850	PASS
n77(3450-3550)	15	10	636332	50@0	DFT_BPSK	9.210	9.460	PASS
n77(3450-3550)	15	10	636332	50@0	DFT_QPSK	9.240	9.460	PASS
n77(3450-3550)	15	10	636332	50@0	DFT_QAM16	9.210	9.450	PASS
n77(3450-3550)	15	10	636332	50@0	DFT_QAM64	9.210	9.450	PASS
n77(3450-3550)	15	10	636332	50@0	DFT_QAM256	9.240	9.450	PASS
n77(3450-3550)	15	10	636332	52@0	CP_QPSK	9.330	9.850	PASS
n77(3450-3550)	15	15	630500	75@0	DFT_BPSK	14.040	14.240	PASS
n77(3450-3550)	15	15	630500	75@0	DFT_QPSK	14.010	14.270	PASS
n77(3450-3550)	15	15	630500	75@0	DFT_QAM16	14.040	14.230	PASS
n77(3450-3550)	15	15	630500	75@0	DFT_QAM64	14.000	14.210	PASS
n77(3450-3550)	15	15	630500	75@0	DFT_QAM256	14.010	14.190	PASS
n77(3450-3550)	15	15	630500	79@0	CP_QPSK	14.180	15.080	PASS
n77(3450-3550)	15	15	633334	75@0	DFT_BPSK	14.010	14.220	PASS
n77(3450-3550)	15	15	633334	75@0	DFT_QPSK	14.040	14.210	PASS
n77(3450-3550)	15	15	633334	75@0	DFT_QAM16	14.040	14.210	PASS
n77(3450-3550)	15	15	633334	75@0	DFT_QAM64	14.060	14.190	PASS
n77(3450-3550)	15	15	633334	75@0	DFT_QAM256	14.000	14.180	PASS
n77(3450-3550)	15	15	633334	79@0	CP_QPSK	14.180	14.970	PASS
n77(3450-3550)	15	15	636166	75@0	DFT_BPSK	14.050	14.190	PASS
n77(3450-3550)	15	15	636166	75@0	DFT_QPSK	13.990	14.190	PASS
n77(3450-3550)	15	15	636166	75@0	DFT_QAM16	14.010	14.190	PASS
n77(3450-3550)	15	15	636166	75@0	DFT_QAM64	14.000	14.200	PASS
n77(3450-3550)	15	15	636166	75@0	DFT_QAM256	14.040	14.190	PASS
n77(3450-3550)	15	15	636166	79@0	CP_QPSK	14.180	14.950	PASS
n77(3450-3550)	15	20	630668	100@0	DFT_BPSK	18.820	18.980	PASS
n77(3450-3550)	15	20	630668	100@0	DFT_QPSK	18.830	19.020	PASS
n77(3450-3550)	15	20	630668	100@0	DFT_QAM16	18.810	18.940	PASS
n77(3450-3550)	15	20	630668	100@0	DFT_QAM64	18.800	18.920	PASS

n77(3450-3550)	15	20	630668	100@0	DFT_QAM256	18.810	18.890	PASS
n77(3450-3550)	15	20	630668	106@0	CP_QPSK	19.050	20.140	PASS
n77(3450-3550)	15	20	633334	100@0	DFT_BPSK	18.830	18.920	PASS
n77(3450-3550)	15	20	633334	100@0	DFT_QPSK	18.840	18.930	PASS
n77(3450-3550)	15	20	633334	100@0	DFT_QAM16	18.820	18.890	PASS
n77(3450-3550)	15	20	633334	100@0	DFT_QAM64	18.810	18.900	PASS
n77(3450-3550)	15	20	633334	100@0	DFT_QAM256	18.810	18.880	PASS
n77(3450-3550)	15	20	633334	106@0	CP_QPSK	19.040	20.030	PASS
n77(3450-3550)	15	20	636000	100@0	DFT_BPSK	18.820	18.910	PASS
n77(3450-3550)	15	20	636000	100@0	DFT_QPSK	18.830	18.900	PASS
n77(3450-3550)	15	20	636000	100@0	DFT_QAM16	18.760	18.890	PASS
n77(3450-3550)	15	20	636000	100@0	DFT_QAM64	18.820	18.890	PASS
n77(3450-3550)	15	20	636000	100@0	DFT_QAM256	18.800	18.890	PASS
n77(3450-3550)	15	20	636000	106@0	CP_QPSK	19.000	20.010	PASS
n77(3450-3550)	15	30	631000	160@0	DFT_BPSK	28.690	30.290	PASS
n77(3450-3550)	15	30	631000	160@0	DFT_QPSK	28.710	30.330	PASS
n77(3450-3550)	15	30	631000	160@0	DFT_QAM16	28.720	30.280	PASS
n77(3450-3550)	15	30	631000	160@0	DFT_QAM64	28.720	30.250	PASS
n77(3450-3550)	15	30	631000	160@0	DFT_QAM256	28.700	30.210	PASS
n77(3450-3550)	15	30	631000	160@0	CP_QPSK	28.730	30.480	PASS
n77(3450-3550)	15	30	633334	160@0	DFT_BPSK	28.690	30.210	PASS
n77(3450-3550)	15	30	633334	160@0	DFT_QPSK	28.700	30.220	PASS
n77(3450-3550)	15	30	633334	160@0	DFT_QAM16	28.710	30.210	PASS
n77(3450-3550)	15	30	633334	160@0	DFT_QAM64	28.710	30.200	PASS
n77(3450-3550)	15	30	633334	160@0	DFT_QAM256	28.690	30.180	PASS
n77(3450-3550)	15	30	633334	160@0	CP_QPSK	28.710	30.280	PASS
n77(3450-3550)	15	30	635666	160@0	DFT_BPSK	28.620	30.190	PASS
n77(3450-3550)	15	30	635666	160@0	DFT_QPSK	28.620	30.200	PASS
n77(3450-3550)	15	30	635666	160@0	DFT_QAM16	28.690	30.190	PASS
n77(3450-3550)	15	30	635666	160@0	DFT_QAM64	28.690	30.190	PASS
n77(3450-3550)	15	30	635666	160@0	DFT_QAM256	28.680	30.190	PASS
n77(3450-3550)	15	30	635666	160@0	CP_QPSK	28.690	30.240	PASS
n77(3450-3550)	15	40	631334	216@0	DFT_BPSK	38.780	40.930	PASS
n77(3450-3550)	15	40	631334	216@0	DFT_QPSK	38.780	40.980	PASS
n77(3450-3550)	15	40	631334	216@0	DFT_QAM16	38.770	40.850	PASS
n77(3450-3550)	15	40	631334	216@0	DFT_QAM64	38.760	40.800	PASS
n77(3450-3550)	15	40	631334	216@0	DFT_QAM256	38.760	40.750	PASS
n77(3450-3550)	15	40	631334	216@0	CP_QPSK	38.790	41.080	PASS
n77(3450-3550)	15	40	633334	216@0	DFT_BPSK	38.760	40.810	PASS
n77(3450-3550)	15	40	633334	216@0	DFT_QPSK	38.740	40.780	PASS
n77(3450-3550)	15	40	633334	216@0	DFT_QAM16	38.740	40.770	PASS
n77(3450-3550)	15	40	633334	216@0	DFT_QAM64	38.740	40.730	PASS
n77(3450-3550)	15	40	633334	216@0	DFT_QAM256	38.740	40.730	PASS

n77(3450-3550)	15	40	633334	216@0	CP_QPSK	38.760	40.840	PASS
n77(3450-3550)	15	40	635332	216@0	DFT_BPSK	38.640	40.750	PASS
n77(3450-3550)	15	40	635332	216@0	DFT_QPSK	38.630	40.750	PASS
n77(3450-3550)	15	40	635332	216@0	DFT_QAM16	38.640	40.740	PASS
n77(3450-3550)	15	40	635332	216@0	DFT_QAM64	38.640	40.710	PASS
n77(3450-3550)	15	40	635332	216@0	DFT_QAM256	38.730	40.720	PASS
n77(3450-3550)	15	40	635332	216@0	CP_QPSK	38.730	40.780	PASS
n77(3450-3550)	15	50	631668	270@0	DFT_BPSK	48.410	51.010	PASS
n77(3450-3550)	15	50	631668	270@0	DFT_QPSK	48.440	51.060	PASS
n77(3450-3550)	15	50	631668	270@0	DFT_QAM16	48.420	50.950	PASS
n77(3450-3550)	15	50	631668	270@0	DFT_QAM64	48.420	50.920	PASS
n77(3450-3550)	15	50	631668	270@0	DFT_QAM256	48.410	50.860	PASS
n77(3450-3550)	15	50	631668	270@0	CP_QPSK	48.450	51.220	PASS
n77(3450-3550)	15	50	633334	270@0	DFT_BPSK	48.410	50.910	PASS
n77(3450-3550)	15	50	633334	270@0	DFT_QPSK	48.430	50.970	PASS
n77(3450-3550)	15	50	633334	270@0	DFT_QAM16	48.420	50.880	PASS
n77(3450-3550)	15	50	633334	270@0	DFT_QAM64	48.410	50.870	PASS
n77(3450-3550)	15	50	633334	270@0	DFT_QAM256	48.410	50.840	PASS
n77(3450-3550)	15	50	633334	270@0	CP_QPSK	48.440	51.050	PASS
n77(3450-3550)	15	50	635000	270@0	DFT_BPSK	48.400	50.870	PASS
n77(3450-3550)	15	50	635000	270@0	DFT_QPSK	48.420	50.920	PASS
n77(3450-3550)	15	50	635000	270@0	DFT_QAM16	48.410	50.870	PASS
n77(3450-3550)	15	50	635000	270@0	DFT_QAM64	48.410	50.840	PASS
n77(3450-3550)	15	50	635000	270@0	DFT_QAM256	48.420	50.840	PASS
n77(3450-3550)	15	50	635000	270@0	CP_QPSK	48.430	50.960	PASS

n77(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=630334 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QPSK BW=10MHz Channel=630334 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=10MHz Channel=630334 RB=50@0



n77(3450-3550) SCS=15kHz DFT_QAM64 BW=10MHz Channel=630334 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QAM256 BW=10MHz Channel=630334 RB=50@0




n77(3450-3550) SCS=15kHz CP_QPSK BW=10MHz Channel=630334 RB=52@0



n77(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=633334 RB=50@0



n77(3450-3550) SCS=15kHz DFT_QPSK BW=10MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=10MHz Channel=633334 RB=50@0



n77(3450-3550) SCS=15kHz DFT_QAM64 BW=10MHz Channel=633334 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QAM256 BW=10MHz Channel=633334 RB=50@0



n77(3450-3550) SCS=15kHz CP_QPSK BW=10MHz Channel=633334 RB=52@0



n77(3450-3550) SCS=15kHz DFT_BPSK BW=10MHz Channel=636332 RB=50@0



n77(3450-3550) SCS=15kHz DFT_QPSK BW=10MHz Channel=636332 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=10MHz Channel=636332 RB=50@0



n77(3450-3550) SCS=15kHz DFT_QAM64 BW=10MHz Channel=636332 RB=50@0




n77(3450-3550) SCS=15kHz DFT_QAM256 BW=10MHz Channel=636332 RB=50@0



n77(3450-3550) SCS=15kHz CP_QPSK BW=10MHz Channel=636332 RB=52@0



n77(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=630500 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QPSK BW=15MHz Channel=630500 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=15MHz Channel=630500 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QAM64 BW=15MHz Channel=630500 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QAM256 BW=15MHz Channel=630500 RB=75@0



n77(3450-3550) SCS=15kHz CP_QPSK BW=15MHz Channel=630500 RB=79@0



n77(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=633334 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QPSK BW=15MHz Channel=633334 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QAM16 BW=15MHz Channel=633334 RB=75@0




n77(3450-3550) SCS=15kHz DFT_QAM64 BW=15MHz Channel=633334 RB=75@0



n77(3450-3550) SCS=15kHz DFT_QAM256 BW=15MHz Channel=633334 RB=75@0




n77(3450-3550) SCS=15kHz CP_QPSK BW=15MHz Channel=633334 RB=79@0




n77(3450-3550) SCS=15kHz DFT_BPSK BW=15MHz Channel=636166 RB=75@0



n77(3450-3550) SCS=15kHz DFT_QPSK BW=15MHz Channel=636166 RB=75@0



n77(3450-3550) SCS=15kHz DFT_QAM16 BW=15MHz Channel=636166 RB=75@0



n77(3450-3550) SCS=15kHz DFT_QAM64 BW=15MHz Channel=636166 RB=75@0

