

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Conducted Output AV Power (dBm)</i>	<i>Antenna Gain (dBi)</i>	<i>EIRP (dBm)</i>	<i>Limt (dBm)</i>	<i>Verdict</i>
Band7	5	20775	1	#0	QPSK	23.31	-0.88	22.43	33.01	Pass
Band7	5	20775	1	#Mid	QPSK	23.40	-0.88	22.52	33.01	Pass
Band7	5	20775	1	#Max	QPSK	23.33	-0.88	22.45	33.01	Pass
Band7	5	20775	12	#0	QPSK	22.26	-0.88	21.38	33.01	Pass
Band7	5	20775	12	#Mid	QPSK	22.30	-0.88	21.42	33.01	Pass
Band7	5	20775	12	#Max	QPSK	22.27	-0.88	21.39	33.01	Pass
Band7	5	20775	25	#0	QPSK	22.29	-0.88	21.41	33.01	Pass
Band7	5	20775	1	#0	QAM16	22.54	-0.88	21.66	33.01	Pass
Band7	5	20775	1	#Mid	QAM16	22.62	-0.88	21.74	33.01	Pass
Band7	5	20775	1	#Max	QAM16	22.61	-0.88	21.73	33.01	Pass
Band7	5	20775	12	#0	QAM16	21.18	-0.88	20.30	33.01	Pass
Band7	5	20775	12	#Mid	QAM16	21.25	-0.88	20.37	33.01	Pass
Band7	5	20775	12	#Max	QAM16	21.21	-0.88	20.33	33.01	Pass
Band7	5	20775	25	#0	QAM16	21.23	-0.88	20.35	33.01	Pass
Band7	5	21100	1	#0	QPSK	23.33	-0.88	22.45	33.01	Pass
Band7	5	21100	1	#Mid	QPSK	23.38	-0.88	22.50	33.01	Pass
Band7	5	21100	1	#Max	QPSK	23.33	-0.88	22.45	33.01	Pass
Band7	5	21100	12	#0	QPSK	22.30	-0.88	21.42	33.01	Pass
Band7	5	21100	12	#Mid	QPSK	22.35	-0.88	21.47	33.01	Pass
Band7	5	21100	12	#Max	QPSK	22.32	-0.88	21.44	33.01	Pass
Band7	5	21100	25	#0	QPSK	22.32	-0.88	21.44	33.01	Pass
Band7	5	21100	1	#0	QAM16	22.55	-0.88	21.67	33.01	Pass
Band7	5	21100	1	#Mid	QAM16	22.60	-0.88	21.72	33.01	Pass
Band7	5	21100	1	#Max	QAM16	22.54	-0.88	21.66	33.01	Pass
Band7	5	21100	12	#0	QAM16	21.24	-0.88	20.36	33.01	Pass
Band7	5	21100	12	#Mid	QAM16	21.30	-0.88	20.42	33.01	Pass
Band7	5	21100	12	#Max	QAM16	21.25	-0.88	20.37	33.01	Pass
Band7	5	21100	25	#0	QAM16	21.33	-0.88	20.45	33.01	Pass
Band7	5	21425	1	#0	QPSK	23.04	-0.88	22.16	33.01	Pass
Band7	5	21425	1	#Mid	QPSK	23.10	-0.88	22.22	33.01	Pass
Band7	5	21425	1	#Max	QPSK	23.04	-0.88	22.16	33.01	Pass
Band7	5	21425	12	#0	QPSK	22.16	-0.88	21.28	33.01	Pass
Band7	5	21425	12	#Mid	QPSK	22.20	-0.88	21.32	33.01	Pass
Band7	5	21425	12	#Max	QPSK	22.13	-0.88	21.25	33.01	Pass
Band7	5	21425	25	#0	QPSK	22.16	-0.88	21.28	33.01	Pass
Band7	5	21425	1	#0	QAM16	22.34	-0.88	21.46	33.01	Pass
Band7	5	21425	1	#Mid	QAM16	22.37	-0.88	21.49	33.01	Pass

Band7	5	21425	1	#Max	QAM16	22.32	-0.88	21.44	33.01	Pass
Band7	5	21425	12	#0	QAM16	21.19	-0.88	20.31	33.01	Pass
Band7	5	21425	12	#Mid	QAM16	21.20	-0.88	20.32	33.01	Pass
Band7	5	21425	12	#Max	QAM16	21.16	-0.88	20.28	33.01	Pass
Band7	5	21425	25	#0	QAM16	21.15	-0.88	20.27	33.01	Pass
Band7	10	20800	1	#0	QPSK	23.47	-0.88	22.59	33.01	Pass
Band7	10	20800	1	#Mid	QPSK	23.48	-0.88	22.60	33.01	Pass
Band7	10	20800	1	#Max	QPSK	23.42	-0.88	22.54	33.01	Pass
Band7	10	20800	25	#0	QPSK	22.34	-0.88	21.46	33.01	Pass
Band7	10	20800	25	#Mid	QPSK	22.35	-0.88	21.47	33.01	Pass
Band7	10	20800	25	#Max	QPSK	22.36	-0.88	21.48	33.01	Pass
Band7	10	20800	50	#0	QPSK	22.34	-0.88	21.46	33.01	Pass
Band7	10	20800	1	#0	QAM16	22.57	-0.88	21.69	33.01	Pass
Band7	10	20800	1	#Mid	QAM16	22.62	-0.88	21.74	33.01	Pass
Band7	10	20800	1	#Max	QAM16	22.68	-0.88	21.80	33.01	Pass
Band7	10	20800	25	#0	QAM16	21.32	-0.88	20.44	33.01	Pass
Band7	10	20800	25	#Mid	QAM16	21.42	-0.88	20.54	33.01	Pass
Band7	10	20800	25	#Max	QAM16	21.38	-0.88	20.50	33.01	Pass
Band7	10	20800	50	#0	QAM16	21.31	-0.88	20.43	33.01	Pass
Band7	10	21100	1	#0	QPSK	23.39	-0.88	22.51	33.01	Pass
Band7	10	21100	1	#Mid	QPSK	23.43	-0.88	22.55	33.01	Pass
Band7	10	21100	1	#Max	QPSK	23.38	-0.88	22.50	33.01	Pass
Band7	10	21100	25	#0	QPSK	22.39	-0.88	21.51	33.01	Pass
Band7	10	21100	25	#Mid	QPSK	22.38	-0.88	21.50	33.01	Pass
Band7	10	21100	25	#Max	QPSK	22.29	-0.88	21.41	33.01	Pass
Band7	10	21100	50	#0	QPSK	22.36	-0.88	21.48	33.01	Pass
Band7	10	21100	1	#0	QAM16	22.52	-0.88	21.64	33.01	Pass
Band7	10	21100	1	#Mid	QAM16	22.49	-0.88	21.61	33.01	Pass
Band7	10	21100	1	#Max	QAM16	22.39	-0.88	21.51	33.01	Pass
Band7	10	21100	25	#0	QAM16	21.34	-0.88	20.46	33.01	Pass
Band7	10	21100	25	#Mid	QAM16	21.42	-0.88	20.54	33.01	Pass
Band7	10	21100	25	#Max	QAM16	21.32	-0.88	20.44	33.01	Pass
Band7	10	21100	50	#0	QAM16	21.35	-0.88	20.47	33.01	Pass
Band7	10	21400	1	#0	QPSK	23.26	-0.88	22.38	33.01	Pass
Band7	10	21400	1	#Mid	QPSK	23.24	-0.88	22.36	33.01	Pass
Band7	10	21400	1	#Max	QPSK	23.17	-0.88	22.29	33.01	Pass
Band7	10	21400	25	#0	QPSK	22.06	-0.88	21.18	33.01	Pass
Band7	10	21400	25	#Mid	QPSK	22.09	-0.88	21.21	33.01	Pass
Band7	10	21400	25	#Max	QPSK	21.95	-0.88	21.07	33.01	Pass
Band7	10	21400	50	#0	QPSK	22.00	-0.88	21.12	33.01	Pass
Band7	10	21400	1	#0	QAM16	21.79	-0.88	20.91	33.01	Pass
Band7	10	21400	1	#Mid	QAM16	21.82	-0.88	20.94	33.01	Pass
Band7	10	21400	1	#Max	QAM16	21.80	-0.88	20.92	33.01	Pass
Band7	10	21400	25	#0	QAM16	21.04	-0.88	20.16	33.01	Pass

Band7	10	21400	25	#Mid	QAM16	21.16	-0.88	20.28	33.01	Pass
Band7	10	21400	25	#Max	QAM16	21.00	-0.88	20.12	33.01	Pass
Band7	10	21400	50	#0	QAM16	20.98	-0.88	20.10	33.01	Pass
Band7	15	20825	1	#0	QPSK	23.24	-0.88	22.36	33.01	Pass
Band7	15	20825	1	#Mid	QPSK	23.26	-0.88	22.38	33.01	Pass
Band7	15	20825	1	#Max	QPSK	23.13	-0.88	22.25	33.01	Pass
Band7	15	20825	36	#0	QPSK	22.31	-0.88	21.43	33.01	Pass
Band7	15	20825	36	#Mid	QPSK	22.36	-0.88	21.48	33.01	Pass
Band7	15	20825	36	#Max	QPSK	22.31	-0.88	21.43	33.01	Pass
Band7	15	20825	75	#0	QPSK	22.37	-0.88	21.49	33.01	Pass
Band7	15	20825	1	#0	QAM16	22.32	-0.88	21.44	33.01	Pass
Band7	15	20825	1	#Mid	QAM16	22.45	-0.88	21.57	33.01	Pass
Band7	15	20825	1	#Max	QAM16	22.49	-0.88	21.61	33.01	Pass
Band7	15	20825	36	#0	QAM16	21.20	-0.88	20.32	33.01	Pass
Band7	15	20825	36	#Mid	QAM16	21.29	-0.88	20.41	33.01	Pass
Band7	15	20825	36	#Max	QAM16	21.25	-0.88	20.37	33.01	Pass
Band7	15	20825	75	#0	QAM16	21.23	-0.88	20.35	33.01	Pass
Band7	15	21100	1	#0	QPSK	23.12	-0.88	22.24	33.01	Pass
Band7	15	21100	1	#Mid	QPSK	23.17	-0.88	22.29	33.01	Pass
Band7	15	21100	1	#Max	QPSK	23.10	-0.88	22.22	33.01	Pass
Band7	15	21100	36	#0	QPSK	22.29	-0.88	21.41	33.01	Pass
Band7	15	21100	36	#Mid	QPSK	22.32	-0.88	21.44	33.01	Pass
Band7	15	21100	36	#Max	QPSK	22.23	-0.88	21.35	33.01	Pass
Band7	15	21100	75	#0	QPSK	22.23	-0.88	21.35	33.01	Pass
Band7	15	21100	1	#0	QAM16	22.30	-0.88	21.42	33.01	Pass
Band7	15	21100	1	#Mid	QAM16	22.31	-0.88	21.43	33.01	Pass
Band7	15	21100	1	#Max	QAM16	22.19	-0.88	21.31	33.01	Pass
Band7	15	21100	36	#0	QAM16	21.26	-0.88	20.38	33.01	Pass
Band7	15	21100	36	#Mid	QAM16	21.24	-0.88	20.36	33.01	Pass
Band7	15	21100	36	#Max	QAM16	21.21	-0.88	20.33	33.01	Pass
Band7	15	21100	75	#0	QAM16	21.17	-0.88	20.29	33.01	Pass
Band7	15	21375	1	#0	QPSK	23.04	-0.88	22.16	33.01	Pass
Band7	15	21375	1	#Mid	QPSK	23.12	-0.88	22.24	33.01	Pass
Band7	15	21375	1	#Max	QPSK	23.01	-0.88	22.13	33.01	Pass
Band7	15	21375	36	#0	QPSK	22.05	-0.88	21.17	33.01	Pass
Band7	15	21375	36	#Mid	QPSK	22.04	-0.88	21.16	33.01	Pass
Band7	15	21375	36	#Max	QPSK	21.96	-0.88	21.08	33.01	Pass
Band7	15	21375	75	#0	QPSK	22.08	-0.88	21.20	33.01	Pass
Band7	15	21375	1	#0	QAM16	21.98	-0.88	21.10	33.01	Pass
Band7	15	21375	1	#Mid	QAM16	22.04	-0.88	21.16	33.01	Pass
Band7	15	21375	1	#Max	QAM16	21.98	-0.88	21.10	33.01	Pass
Band7	15	21375	36	#0	QAM16	20.98	-0.88	20.10	33.01	Pass
Band7	15	21375	36	#Mid	QAM16	21.01	-0.88	20.13	33.01	Pass
Band7	15	21375	36	#Max	QAM16	20.86	-0.88	19.98	33.01	Pass

Band7	15	21375	75	#0	QAM16	21.01	-0.88	20.13	33.01	Pass
Band7	20	20850	1	#0	QPSK	23.13	-0.88	22.25	33.01	Pass
Band7	20	20850	1	#Mid	QPSK	23.33	-0.88	22.45	33.01	Pass
Band7	20	20850	1	#Max	QPSK	23.13	-0.88	22.25	33.01	Pass
Band7	20	20850	50	#0	QPSK	22.14	-0.88	21.26	33.01	Pass
Band7	20	20850	50	#Mid	QPSK	22.25	-0.88	21.37	33.01	Pass
Band7	20	20850	50	#Max	QPSK	22.18	-0.88	21.30	33.01	Pass
Band7	20	20850	100	#0	QPSK	22.15	-0.88	21.27	33.01	Pass
Band7	20	20850	1	#0	QAM16	22.19	-0.88	21.31	33.01	Pass
Band7	20	20850	1	#Mid	QAM16	22.46	-0.88	21.58	33.01	Pass
Band7	20	20850	1	#Max	QAM16	22.40	-0.88	21.52	33.01	Pass
Band7	20	20850	50	#0	QAM16	21.13	-0.88	20.25	33.01	Pass
Band7	20	20850	50	#Mid	QAM16	21.26	-0.88	20.38	33.01	Pass
Band7	20	20850	50	#Max	QAM16	21.19	-0.88	20.31	33.01	Pass
Band7	20	20850	100	#0	QAM16	21.14	-0.88	20.26	33.01	Pass
Band7	20	21100	1	#0	QPSK	23.22	-0.88	22.34	33.01	Pass
Band7	20	21100	1	#Mid	QPSK	23.37	-0.88	22.49	33.01	Pass
Band7	20	21100	1	#Max	QPSK	23.15	-0.88	22.27	33.01	Pass
Band7	20	21100	50	#0	QPSK	22.14	-0.88	21.26	33.01	Pass
Band7	20	21100	50	#Mid	QPSK	22.26	-0.88	21.38	33.01	Pass
Band7	20	21100	50	#Max	QPSK	22.12	-0.88	21.24	33.01	Pass
Band7	20	21100	100	#0	QPSK	22.11	-0.88	21.23	33.01	Pass
Band7	20	21100	1	#0	QAM16	22.29	-0.88	21.41	33.01	Pass
Band7	20	21100	1	#Mid	QAM16	22.41	-0.88	21.53	33.01	Pass
Band7	20	21100	1	#Max	QAM16	22.11	-0.88	21.23	33.01	Pass
Band7	20	21100	50	#0	QAM16	21.07	-0.88	20.19	33.01	Pass
Band7	20	21100	50	#Mid	QAM16	21.18	-0.88	20.30	33.01	Pass
Band7	20	21100	50	#Max	QAM16	21.11	-0.88	20.23	33.01	Pass
Band7	20	21100	100	#0	QAM16	21.10	-0.88	20.22	33.01	Pass
Band7	20	21350	1	#0	QPSK	22.96	-0.88	22.08	33.01	Pass
Band7	20	21350	1	#Mid	QPSK	23.05	-0.88	22.17	33.01	Pass
Band7	20	21350	1	#Max	QPSK	22.87	-0.88	21.99	33.01	Pass
Band7	20	21350	50	#0	QPSK	21.99	-0.88	21.11	33.01	Pass
Band7	20	21350	50	#Mid	QPSK	22.02	-0.88	21.14	33.01	Pass
Band7	20	21350	50	#Max	QPSK	21.83	-0.88	20.95	33.01	Pass
Band7	20	21350	100	#0	QPSK	21.90	-0.88	21.02	33.01	Pass
Band7	20	21350	1	#0	QAM16	22.07	-0.88	21.19	33.01	Pass
Band7	20	21350	1	#Mid	QAM16	22.21	-0.88	21.33	33.01	Pass
Band7	20	21350	1	#Max	QAM16	22.06	-0.88	21.18	33.01	Pass
Band7	20	21350	50	#0	QAM16	21.02	-0.88	20.14	33.01	Pass
Band7	20	21350	50	#Mid	QAM16	21.04	-0.88	20.16	33.01	Pass
Band7	20	21350	50	#Max	QAM16	20.90	-0.88	20.02	33.01	Pass
Band7	20	21350	100	#0	QAM16	20.92	-0.88	20.04	33.01	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band7	20	20850	100	#0	QPSK	-0.91	0.000	-2.5	2.5	PASS
Band7	20	20850	100	#0	QAM16	-1.67	-0.001	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	-5.02	-0.002	-2.5	2.5	PASS
Band7	20	21100	100	#0	QAM16	-0.84	0.000	-2.5	2.5	PASS
Band7	20	21350	100	#0	QPSK	0.34	0.000	-2.5	2.5	PASS
Band7	20	21350	100	#0	QAM16	1.23	0.000	-2.5	2.5	PASS

Note: (Voltage: 3.91V, Temperature: 25°C) only reflect the worst mode.



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	21100	1	#0	QPSK	3.76	13	PASS
Band7	5	21100	1	#0	QAM16	4.64	13	PASS
Band7	10	21100	1	#0	QPSK	3.66	13	PASS
Band7	10	21100	1	#0	QAM16	4.52	13	PASS
Band7	15	21100	1	#0	QPSK	3.80	13	PASS
Band7	15	21100	1	#0	QAM16	4.66	13	PASS
Band7	20	21100	1	#0	QPSK	3.86	13	PASS
Band7	20	21100	1	#0	QAM16	4.55	13	PASS



Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0

**Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0**

**Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0**


**Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band7	5	20775	25	#0	QPSK	4.502	4.873	PASS
Band7	5	20775	25	#0	QAM16	4.533	4.909	PASS
Band7	5	21100	25	#0	QPSK	4.525	4.906	PASS
Band7	5	21100	25	#0	QAM16	4.493	4.914	PASS
Band7	5	21425	25	#0	QPSK	4.511	4.899	PASS
Band7	5	21425	25	#0	QAM16	4.518	4.902	PASS
Band7	10	20800	50	#0	QPSK	8.988	9.774	PASS
Band7	10	20800	50	#0	QAM16	8.972	9.680	PASS
Band7	10	21100	50	#0	QPSK	8.973	9.656	PASS
Band7	10	21100	50	#0	QAM16	8.987	9.695	PASS
Band7	10	21400	50	#0	QPSK	9.013	9.669	PASS
Band7	10	21400	50	#0	QAM16	8.965	9.578	PASS
Band7	15	20825	75	#0	QPSK	13.464	14.538	PASS
Band7	15	20825	75	#0	QAM16	13.487	14.477	PASS
Band7	15	21100	75	#0	QPSK	13.459	14.488	PASS
Band7	15	21100	75	#0	QAM16	13.440	14.378	PASS
Band7	15	21375	75	#0	QPSK	13.477	14.571	PASS
Band7	15	21375	75	#0	QAM16	13.448	14.477	PASS
Band7	20	20850	100	#0	QPSK	17.906	19.234	PASS
Band7	20	20850	100	#0	QAM16	17.926	19.360	PASS
Band7	20	21100	100	#0	QPSK	17.908	19.306	PASS
Band7	20	21100	100	#0	QAM16	17.986	19.305	PASS
Band7	20	21350	100	#0	QPSK	17.895	19.261	PASS
Band7	20	21350	100	#0	QAM16	17.933	19.202	PASS



Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0


**Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0****Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0**




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0





Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0


**Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0**




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2498.96	-12.51	-10	PASS
Band7	5	20775	25	#0	QAM16	2498.98	-14.41	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-14.10	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.00	-14.67	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.90	-32.96	-25	PASS
Band7	10	20800	50	#0	QAM16	2489.94	-34.36	-25	PASS
Band7	10	21400	50	#0	QPSK	2580.17	-33.86	-25	PASS
Band7	10	21400	50	#0	QAM16	2580.03	-35.70	-25	PASS
Band7	15	20825	75	#0	QPSK	2496.00	-19.41	-13	PASS
Band7	15	20825	75	#0	QAM16	2484.67	-34.64	-25	PASS
Band7	15	21375	75	#0	QPSK	2585.14	-34.68	-25	PASS
Band7	15	21375	75	#0	QAM16	2585.35	-37.01	-25	PASS
Band7	20	20850	100	#0	QPSK	2495.95	-22.53	-13	PASS
Band7	20	20850	100	#0	QAM16	2495.58	-25.16	-13	PASS
Band7	20	21350	100	#0	QPSK	2590.17	-37.19	-25	PASS
Band7	20	21350	100	#0	QAM16	2590.25	-39.19	-25	PASS


Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0





Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0


**Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0**




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0





Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0


**Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0****Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0**




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.003	-28.45	-10
2	2571	2575	1000	2571.004	-14.1	-10
3	2575	2576	1000	2575.096	-29.69	-13
4	2576	2595	1000	2576.171	-32.14	-25



6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2459.58	-31.11	-25	PASS
Band7	5	20775	25	#0	QAM16	3802.38	-37.21	-25	PASS
Band7	5	21425	25	#0	QPSK	3720.25	-36.47	-25	PASS
Band7	5	21425	25	#0	QAM16	5018.05	-37.18	-25	PASS
Band7	10	20800	50	#0	QPSK	2459.35	-35.27	-25	PASS
Band7	10	20800	50	#0	QAM16	3808.00	-36.95	-25	PASS
Band7	10	21400	50	#0	QPSK	2459.13	-33.84	-25	PASS
Band7	10	21400	50	#0	QAM16	2459.58	-33.99	-25	PASS
Band7	15	20825	75	#0	QPSK	5120.88	-36.75	-25	PASS
Band7	15	20825	75	#0	QAM16	4015.23	-37.10	-25	PASS
Band7	15	21375	75	#0	QPSK	5117.73	-35.81	-25	PASS
Band7	15	21375	75	#0	QAM16	3774.25	-36.95	-25	PASS
Band7	20	20850	100	#0	QPSK	3730.38	-36.83	-25	PASS
Band7	20	20850	100	#0	QAM16	3805.30	-37.30	-25	PASS
Band7	20	21350	100	#0	QPSK	3827.58	-36.00	-25	PASS
Band7	20	21350	100	#0	QAM16	3850.75	-37.13	-25	PASS



Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0







Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0



**Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0****Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0**



**Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0**

**Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0**

**Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0**

**Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0****Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0**

**Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0****Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0**

**Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0**

