

Test Information:

Sample No.:	2VFZ-1	Test Date:	2025/01/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	23.8-24.5	Relative Humidity: (%)	44-49	ATM Pressure: (kPa)	101.4
-----------------------	-----------	---------------------------	-------	------------------------	-------

RF Output Power

FCC Part 96

n77_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.89	22.69	0.186	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.87	22.67	0.185	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.95	22.75	0.188	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.46	22.26	0.168	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	22.98	22.78	0.190	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	22.96	22.76	0.189	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	22.93	22.73	0.187	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	21.89	21.69	0.148	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	20.93	20.73	0.118	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	20.45	20.25	0.106	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	18.56	18.36	0.069	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	21.27	21.07	0.128	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	21.41	21.21	0.132	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	21.22	21.02	0.126	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	19.83	19.63	0.092	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	19.84	19.64	0.092	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	19.68	19.48	0.089	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	16.56	16.36	0.043	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.75	22.55	0.180	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.90	22.70	0.186	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.84	22.64	0.184	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.36	22.16	0.164	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	22.76	22.56	0.180	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.89	22.69	0.186	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	22.90	22.70	0.186	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	21.82	21.62	0.145	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	20.94	20.74	0.119	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	20.32	20.12	0.103	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	18.50	18.30	0.068	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	21.30	21.10	0.129	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.24	21.04	0.127	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	21.15	20.95	0.124	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	19.73	19.53	0.090	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	19.73	19.53	0.090	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	19.42	19.22	0.084	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	16.52	16.32	0.043	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.79	22.59	0.182	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.93	22.73	0.187	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.84	22.64	0.184	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.38	22.18	0.165	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	22.72	22.52	0.179	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	22.89	22.69	0.186	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	22.85	22.65	0.184	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	21.88	21.68	0.147	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	21.02	20.82	0.121	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	20.47	20.27	0.106	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	18.60	18.40	0.069	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	21.35	21.15	0.130	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	21.30	21.10	0.129	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	21.19	20.99	0.126	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	19.75	19.55	0.090	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	19.85	19.65	0.092	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	19.57	19.37	0.086	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	16.52	16.32	0.043	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.63	22.43	0.175	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.94	22.74	0.188	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.89	22.69	0.186	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.48	22.28	0.169	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	22.91	22.71	0.187	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	22.90	22.70	0.186	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	22.88	22.68	0.185	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	22.05	21.85	0.153	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.04	20.84	0.121	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.39	20.19	0.104	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.56	18.36	0.069	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	21.45	21.25	0.133	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	21.24	21.04	0.127	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	21.27	21.07	0.128	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	19.98	19.78	0.095	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	19.91	19.71	0.094	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	19.55	19.35	0.086	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	16.66	16.46	0.044	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.81	22.61	0.182	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	22.61	0.182	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.81	22.61	0.182	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.41	22.21	0.166	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	22.79	22.59	0.182	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.81	22.61	0.182	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	22.80	22.60	0.182	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	21.86	21.66	0.147	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	20.91	20.71	0.118	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	20.37	20.17	0.104	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	18.49	18.29	0.067	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	21.26	21.06	0.128	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.21	21.01	0.126	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	21.18	20.98	0.125	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	19.77	19.57	0.091	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	19.86	19.66	0.092	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	19.57	19.37	0.086	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	16.62	16.42	0.044	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.80	22.60	0.182	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.73	22.53	0.179	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.82	22.62	0.183	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.43	22.23	0.167	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	23	22.80	0.191	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	22.77	22.57	0.181	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	22.83	22.63	0.183	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	21.83	21.63	0.146	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.89	20.69	0.117	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.41	20.21	0.105	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.50	18.30	0.068	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	21.26	21.06	0.128	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	21.19	20.99	0.126	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	21.17	20.97	0.125	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	19.84	19.64	0.092	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	19.87	19.67	0.093	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	19.52	19.32	0.086	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	16.66	16.46	0.044	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.54	22.34	0.171	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.91	22.71	0.187	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.90	22.70	0.186	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.50	22.30	0.170	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	22.90	22.70	0.186	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	22.90	22.70	0.186	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	22.95	22.75	0.188	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	21.99	21.79	0.151	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	20.84	20.64	0.116	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	20.45	20.25	0.106	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	18.54	18.34	0.068	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	21.26	21.06	0.128	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	21.23	21.03	0.127	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	21.51	21.31	0.135	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	19.89	19.69	0.093	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	19.96	19.76	0.095	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	19.59	19.39	0.087	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	16.68	16.48	0.044	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.44	22.24	0.167	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.83	22.63	0.183	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23	22.80	0.191	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.45	22.25	0.168	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.91	22.71	0.187	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	22.90	22.70	0.186	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	22.85	22.65	0.184	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	21.84	21.64	0.146	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	20.81	20.61	0.115	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	20.40	20.20	0.105	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	18.51	18.31	0.068	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.31	21.11	0.129	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	21.20	21.00	0.126	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	21.32	21.12	0.129	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	19.89	19.69	0.093	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	19.96	19.76	0.095	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	19.56	19.36	0.086	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	16.63	16.43	0.044	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	22.46	0.176	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.86	22.66	0.185	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.94	22.74	0.188	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.46	22.26	0.168	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	22.78	22.58	0.181	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	22.84	22.64	0.184	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	22.92	22.72	0.187	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	21.91	21.71	0.148	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	20.82	20.62	0.115	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	20.32	20.12	0.103	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	18.54	18.34	0.068	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	21.18	20.98	0.125	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	21.26	21.06	0.128	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	21.54	21.34	0.136	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	19.88	19.68	0.093	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	19.96	19.76	0.095	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	19.52	19.32	0.086	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	16.62	16.42	0.044	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.92	22.72	0.187	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.92	22.72	0.187	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.87	22.67	0.185	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.46	22.26	0.168	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	20.58	20.38	0.109	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	18.92	18.72	0.074	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	22.94	22.74	0.188	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	22.01	21.81	0.152	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	21.03	20.83	0.121	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	20.59	20.39	0.109	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	18.54	18.34	0.068	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	21.28	21.08	0.128	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	21.34	21.14	0.130	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	21.48	21.28	0.134	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	20.13	19.93	0.098	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	20.06	19.86	0.097	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	19.58	19.38	0.087	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	16.58	16.38	0.043	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.93	22.73	0.187	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.79	22.59	0.182	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.92	22.72	0.187	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.42	22.22	0.167	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.92	22.72	0.187	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	22.86	22.66	0.185	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	22.83	22.63	0.183	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	21.88	21.68	0.147	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	20.96	20.76	0.119	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	20.45	20.25	0.106	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	18.46	18.26	0.067	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.17	20.97	0.125	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	21.22	21.02	0.126	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	21.35	21.15	0.130	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	19.96	19.76	0.095	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	19.98	19.78	0.095	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	19.50	19.30	0.085	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	16.49	16.29	0.043	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.76	22.56	0.180	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.81	22.61	0.182	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.82	22.62	0.183	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.23	22.03	0.160	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	22.77	22.57	0.181	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	22.88	22.68	0.185	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	22.78	22.58	0.181	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	21.84	21.64	0.146	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	20.84	20.64	0.116	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	20.35	20.15	0.104	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	18.40	18.20	0.066	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	21.08	20.88	0.122	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	21.27	21.07	0.128	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	21.34	21.14	0.130	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	19.94	19.74	0.094	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	19.93	19.73	0.094	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	19.43	19.23	0.084	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	16.40	16.20	0.042	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.42	22.22	0.167	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.92	22.72	0.187	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.85	22.65	0.184	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.97	22.77	0.189	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	21.99	21.79	0.151	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	22.94	22.74	0.188	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	22.90	22.70	0.186	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	22.96	22.76	0.189	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	20.99	20.79	0.120	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	20.49	20.29	0.107	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	18.50	18.30	0.068	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	19.97	19.77	0.095	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	21.35	21.15	0.130	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	21.24	21.04	0.127	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	21.48	21.28	0.134	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	20	19.80	0.095	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	19.51	19.31	0.085	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	16.55	16.35	0.043	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.45	22.25	0.168	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	22.61	0.182	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.85	22.65	0.184	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.84	22.64	0.184	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	21.92	21.72	0.149	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.90	22.70	0.186	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	22.83	22.63	0.183	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	22.89	22.69	0.186	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	20.90	20.70	0.117	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	20.36	20.16	0.104	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	18.43	18.23	0.067	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	19.89	19.69	0.093	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.26	21.06	0.128	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	21.13	20.93	0.124	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	21.35	21.15	0.130	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	19.94	19.74	0.094	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	19.47	19.27	0.085	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	16.47	16.27	0.042	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.40	22.20	0.166	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.78	22.58	0.181	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.85	22.65	0.184	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.88	22.68	0.185	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	21.87	21.67	0.147	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	22.85	22.65	0.184	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	22.89	22.69	0.186	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	22.84	22.64	0.184	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	20.79	20.59	0.115	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	20.38	20.18	0.104	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	18.41	18.21	0.066	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	19.89	19.69	0.093	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	21.15	20.95	0.124	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	21.19	20.99	0.126	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	21.36	21.16	0.131	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	19.93	19.73	0.094	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	19.43	19.23	0.084	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	16.46	16.26	0.042	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.46	22.26	0.168	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	22.75	0.188	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.78	22.58	0.181	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.96	22.76	0.189	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	22.08	21.88	0.154	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	23	22.80	0.191	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	22.81	22.61	0.182	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	23	22.80	0.191	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	21.09	20.89	0.123	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	20.53	20.33	0.108	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	18.57	18.37	0.069	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	20.07	19.87	0.097	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	21.30	21.10	0.129	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	21.23	21.03	0.127	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	21.47	21.27	0.134	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	20.05	19.85	0.097	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	19.53	19.33	0.086	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	16.52	16.32	0.043	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.39	22.19	0.166	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.88	22.68	0.185	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.77	22.57	0.181	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.96	22.76	0.189	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	21.91	21.71	0.148	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.89	22.69	0.186	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	22.77	22.57	0.181	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	22.90	22.70	0.186	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	20.97	20.77	0.119	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	20.45	20.25	0.106	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	18.55	18.35	0.068	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	19.99	19.79	0.095	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.20	21.00	0.126	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	21.16	20.96	0.125	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	21.38	21.18	0.131	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	19.95	19.75	0.094	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	19.46	19.26	0.084	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	16.54	16.34	0.043	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.36	22.16	0.164	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.76	22.56	0.180	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.88	22.68	0.185	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.92	22.72	0.187	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	21.91	21.71	0.148	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	22.78	22.58	0.181	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	22.86	22.66	0.185	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	22.93	22.73	0.187	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	20.89	20.69	0.117	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	20.37	20.17	0.104	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	18.51	18.31	0.068	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	19.94	19.74	0.094	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	21.20	21.00	0.126	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	21.21	21.01	0.126	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	21.35	21.15	0.130	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	19.93	19.73	0.094	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	19.42	19.22	0.084	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	16.44	16.24	0.042	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.51	22.31	0.170	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.94	22.74	0.188	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.83	22.63	0.183	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.59	22.39	0.173	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	22.03	21.83	0.152	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	22.94	22.74	0.188	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	22.90	22.70	0.186	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	23	22.80	0.191	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	21.04	20.84	0.121	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	20.55	20.35	0.108	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	18.54	18.34	0.068	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	20.04	19.84	0.096	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	21.27	21.07	0.128	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	21.23	21.03	0.127	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	21.50	21.30	0.135	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	19.99	19.79	0.095	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	19.51	19.31	0.085	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	16.55	16.35	0.043	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.36	22.16	0.164	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.86	22.66	0.185	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.75	22.55	0.180	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.46	22.26	0.168	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	21.91	21.71	0.148	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.89	22.69	0.186	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	22.82	22.62	0.183	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	22.98	22.78	0.190	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	20.94	20.74	0.119	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	20.46	20.26	0.106	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	18.45	18.25	0.067	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	19.95	19.75	0.094	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.19	20.99	0.126	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	21.14	20.94	0.124	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	21.43	21.23	0.133	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	19.95	19.75	0.094	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	19.44	19.24	0.084	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	16.45	16.25	0.042	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.29	22.09	0.162	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.80	22.60	0.182	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.79	22.59	0.182	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.84	22.64	0.184	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	21.76	21.56	0.143	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	22.83	22.63	0.183	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	22.79	22.59	0.182	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	22.80	22.60	0.182	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	20.83	20.63	0.116	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	20.40	20.20	0.105	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	18.36	18.16	0.065	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	19.83	19.63	0.092	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	21.18	20.98	0.125	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	21.03	20.83	0.121	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	21.32	21.12	0.129	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	19.81	19.61	0.091	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	19.32	19.12	0.082	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	16.34	16.14	0.041	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.48	22.28	0.169	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.96	22.76	0.189	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.78	22.58	0.181	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.97	22.77	0.189	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	22	21.80	0.151	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	22.99	22.79	0.190	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	22.81	22.61	0.182	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	22.90	22.70	0.186	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	21.03	20.83	0.121	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	20.55	20.35	0.108	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	18.69	18.49	0.071	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	20.20	20.00	0.100	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	21.38	21.18	0.131	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	21.17	20.97	0.125	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	21.45	21.25	0.133	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	20.17	19.97	0.099	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	19.69	19.49	0.089	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	16.69	16.49	0.045	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.44	22.24	0.167	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.91	22.71	0.187	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.72	22.52	0.179	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.96	22.76	0.189	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	21.93	21.73	0.149	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.97	22.77	0.189	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	22.79	22.59	0.182	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	22.95	22.75	0.188	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	20.95	20.75	0.119	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	20.43	20.23	0.105	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	18.71	18.51	0.071	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	20.21	20.01	0.100	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.34	21.14	0.130	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	21.17	20.97	0.125	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	21.46	21.26	0.134	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	20.22	20.02	0.100	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	19.66	19.46	0.088	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	16.68	16.48	0.044	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.39	22.19	0.166	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.91	22.71	0.187	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.88	22.68	0.185	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.90	22.70	0.186	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	21.95	21.75	0.150	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	22.99	22.79	0.190	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	22.93	22.73	0.187	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	22.88	22.68	0.185	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	20.90	20.70	0.117	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	20.44	20.24	0.106	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	18.66	18.46	0.070	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	20.17	19.97	0.099	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	21.31	21.11	0.129	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	21.34	21.14	0.130	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	21.38	21.18	0.131	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	20.14	19.94	0.099	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	19.62	19.42	0.087	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	16.65	16.45	0.044	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.98	22.78	0.190	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.96	22.76	0.189	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.88	22.68	0.185	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.51	22.31	0.170	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	22.95	22.75	0.188	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	15.63	15.43	0.035	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	22.94	22.74	0.188	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	22.02	21.82	0.152	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	21.06	20.86	0.122	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	20.54	20.34	0.108	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	18.77	18.57	0.072	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	21.38	21.18	0.131	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	21.52	21.32	0.136	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	21.31	21.11	0.129	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	20.22	20.02	0.100	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	20.21	20.01	0.100	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	19.74	19.54	0.090	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	16.75	16.55	0.045	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.98	22.78	0.190	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.56	22.36	0.172	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.80	22.60	0.182	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.46	22.26	0.168	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	22.94	22.74	0.188	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	18.80	18.60	0.072	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	22.86	22.66	0.185	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	21.90	21.70	0.148	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	20.97	20.77	0.119	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	20.48	20.28	0.107	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	18.71	18.51	0.071	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	21.31	21.11	0.129	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.46	21.26	0.134	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	21.22	21.02	0.126	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	20.19	19.99	0.100	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	20.16	19.96	0.099	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	19.66	19.46	0.088	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	16.72	16.52	0.045	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.94	22.74	0.188	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.79	22.59	0.182	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.96	22.76	0.189	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.35	22.15	0.164	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	22.97	22.77	0.189	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	20.81	20.61	0.115	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	22.98	22.78	0.190	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	21.98	21.78	0.151	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	20.88	20.68	0.117	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	20.48	20.28	0.107	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	18.72	18.52	0.071	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	21.45	21.25	0.133	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	21.44	21.24	0.133	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	21.37	21.17	0.131	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	20.18	19.98	0.100	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	20.17	19.97	0.099	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	19.66	19.46	0.088	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	16.69	16.49	0.045	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.99	22.79	0.190	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.99	22.79	0.190	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.86	22.66	0.185	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.48	22.28	0.169	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	22.60	22.40	0.174	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	20.99	20.79	0.120	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	22.91	22.71	0.187	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	22.06	21.86	0.153	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	21.01	20.81	0.121	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	20.62	20.42	0.110	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	18.74	18.54	0.071	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	21.52	21.32	0.136	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	21.45	21.25	0.133	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	21.26	21.06	0.128	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	20.20	20.00	0.100	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	20.24	20.04	0.101	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	19.74	19.54	0.090	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	16.78	16.58	0.045	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.92	22.72	0.187	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.88	22.68	0.185	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.74	22.54	0.179	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.47	22.27	0.169	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	23	22.80	0.191	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.82	22.62	0.183	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	22.78	22.58	0.181	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	21.97	21.77	0.150	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	20.98	20.78	0.120	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	20.49	20.29	0.107	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	18.77	18.57	0.072	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	21.44	21.24	0.133	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.46	21.26	0.134	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	21.19	20.99	0.126	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	20.20	20.00	0.100	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	20.17	19.97	0.099	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	19.69	19.49	0.089	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	16.73	16.53	0.045	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.92	22.72	0.187	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.76	22.56	0.180	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.92	22.72	0.187	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.48	22.28	0.169	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	22.98	22.78	0.190	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	20.61	20.41	0.110	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	23	22.80	0.191	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	22.04	21.84	0.153	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	20.98	20.78	0.120	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	20.55	20.35	0.108	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	18.78	18.58	0.072	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	21.47	21.27	0.134	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	21.47	21.27	0.134	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	21.47	21.27	0.134	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	20.19	19.99	0.100	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	20.16	19.96	0.099	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	19.70	19.50	0.089	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	16.76	16.56	0.045	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.96	22.76	0.189	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	22.61	0.182	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.89	22.69	0.186	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.48	22.28	0.169	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	22.78	22.58	0.181	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	20.49	20.29	0.107	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	22.88	22.68	0.185	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	21.98	21.78	0.151	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	21.07	20.87	0.122	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	20.63	20.43	0.110	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	18.77	18.57	0.072	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	21.51	21.31	0.135	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	21.58	21.38	0.137	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	21.21	21.01	0.126	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	20.25	20.05	0.101	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	20.28	20.08	0.102	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	19.78	19.58	0.091	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	16.78	16.58	0.045	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.87	22.67	0.185	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.83	22.63	0.183	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.82	22.62	0.183	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.43	22.23	0.167	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	22.97	22.77	0.189	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.75	22.55	0.180	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	22.87	22.67	0.185	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	21.96	21.76	0.150	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	21.05	20.85	0.122	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	20.48	20.28	0.107	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	18.72	18.52	0.071	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	21.41	21.21	0.132	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.58	21.38	0.137	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	21.18	20.98	0.125	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	20.20	20.00	0.100	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	20.18	19.98	0.100	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	19.69	19.49	0.089	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	16.73	16.53	0.045	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.88	22.68	0.185	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.99	22.79	0.190	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.66	22.46	0.176	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.55	22.35	0.172	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	22.75	22.55	0.180	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	20.90	20.70	0.117	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	22.65	22.45	0.176	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	22.02	21.82	0.152	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	21.07	20.87	0.122	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	20.53	20.33	0.108	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	18.74	18.54	0.071	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	21.51	21.31	0.135	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	21.48	21.28	0.134	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	21.46	21.26	0.134	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	20.21	20.01	0.100	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	20.26	20.06	0.101	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	19.72	19.52	0.090	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	16.72	16.52	0.045	0.200	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_2:

1.Ant Gain = -0.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.77	22.57	0.181	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.74	22.54	0.179	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.67	22.47	0.177	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.23	22.03	0.160	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	22.63	22.43	0.175	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	22.71	22.51	0.178	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	22.73	22.53	0.179	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	21.64	21.44	0.139	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	20.79	20.59	0.115	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	20.31	20.11	0.103	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	18.37	18.17	0.066	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	21.13	20.93	0.124	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	21.02	20.82	0.121	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	21.08	20.88	0.122	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	19.83	19.63	0.092	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	19.78	19.58	0.091	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	19.41	19.21	0.083	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	16.37	16.17	0.041	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.57	22.37	0.173	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.62	22.42	0.175	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.60	22.40	0.174	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.23	22.03	0.160	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	22.50	22.30	0.170	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.64	22.44	0.175	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	22.64	22.44	0.175	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	21.71	21.51	0.142	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	20.82	20.62	0.115	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	20.19	19.99	0.100	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	18.29	18.09	0.064	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	21.01	20.81	0.121	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.02	20.82	0.121	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	21.10	20.90	0.123	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	19.81	19.61	0.091	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	19.65	19.45	0.088	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	19.39	19.19	0.083	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	16.29	16.09	0.041	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.93	22.73	0.187	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.86	22.66	0.185	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.87	22.67	0.185	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.43	22.23	0.167	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	22.93	22.73	0.187	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	22.94	22.74	0.188	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	22.89	22.69	0.186	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	21.87	21.67	0.147	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	21	20.80	0.120	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	20.52	20.32	0.108	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	18.55	18.35	0.068	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	21.32	21.12	0.129	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	21.32	21.12	0.129	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	21.19	20.99	0.126	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	19.99	19.79	0.095	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	19.89	19.69	0.093	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	19.54	19.34	0.086	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	16.44	16.24	0.042	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.68	22.48	0.177	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.69	22.49	0.177	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.71	22.51	0.178	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.20	22.00	0.158	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	22.79	22.59	0.182	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	22.71	22.51	0.178	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	22.72	22.52	0.179	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	21.79	21.59	0.144	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.83	20.63	0.116	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.23	20.03	0.101	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.38	18.18	0.066	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	21.14	20.94	0.124	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	21.08	20.88	0.122	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	21.11	20.91	0.123	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	19.91	19.71	0.094	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	19.93	19.73	0.094	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	19.36	19.16	0.082	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	16.49	16.29	0.043	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.70	22.50	0.178	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.63	22.43	0.175	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.72	22.52	0.179	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.20	22.00	0.158	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	22.75	22.55	0.180	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.62	22.42	0.175	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	22.76	22.56	0.180	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	21.75	21.55	0.143	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	20.77	20.57	0.114	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	20.24	20.04	0.101	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	18.43	18.23	0.067	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	21.21	21.01	0.126	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.06	20.86	0.122	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	21.14	20.94	0.124	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	19.86	19.66	0.092	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	19.89	19.69	0.093	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	19.40	19.20	0.083	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	16.46	16.26	0.042	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.93	22.73	0.187	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.85	22.65	0.184	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.84	22.64	0.184	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.55	22.35	0.172	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	22.97	22.77	0.189	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	22.82	22.62	0.183	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	22.87	22.67	0.185	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	21.81	21.61	0.145	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21	20.80	0.120	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.50	20.30	0.107	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.51	18.31	0.068	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	21.54	21.34	0.136	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	21.15	20.95	0.124	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	21.26	21.06	0.128	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	20.02	19.82	0.096	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	20.02	19.82	0.096	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	19.54	19.34	0.086	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	16.61	16.41	0.044	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.73	22.53	0.179	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.69	22.49	0.177	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.73	22.53	0.179	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.26	22.06	0.161	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	22.80	22.60	0.182	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	22.78	22.58	0.181	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	22.78	22.58	0.181	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	21.78	21.58	0.144	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	20.63	20.43	0.110	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	20.12	19.92	0.098	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	18.41	18.21	0.066	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	21.19	20.99	0.126	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	21.23	21.03	0.127	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	21.29	21.09	0.129	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	19.89	19.69	0.093	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	19.94	19.74	0.094	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	19.38	19.18	0.083	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	16.46	16.26	0.042	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	22.46	0.176	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.66	22.46	0.176	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.68	22.48	0.177	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.30	22.10	0.162	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.61	22.41	0.174	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	22.71	22.51	0.178	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	22.80	22.60	0.182	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	21.75	21.55	0.143	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	20.74	20.54	0.113	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	20.29	20.09	0.102	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	18.36	18.16	0.065	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	20.99	20.79	0.120	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	21.07	20.87	0.122	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	21.33	21.13	0.130	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	19.82	19.62	0.092	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	19.94	19.74	0.094	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	19.45	19.25	0.084	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	16.49	16.29	0.043	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.89	22.69	0.186	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.81	22.61	0.182	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.94	22.74	0.188	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.44	22.24	0.167	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	22.83	22.63	0.183	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	22.83	22.63	0.183	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	22.40	22.20	0.166	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	22.01	21.81	0.152	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	20.91	20.71	0.118	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	20.42	20.22	0.105	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	18.53	18.33	0.068	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	21.20	21.00	0.126	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	21.31	21.11	0.129	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	21.47	21.27	0.134	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	19.96	19.76	0.095	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	20.06	19.86	0.097	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	19.52	19.32	0.086	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	16.62	16.42	0.044	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.75	22.55	0.180	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.68	22.48	0.177	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.74	22.54	0.179	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.27	22.07	0.161	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	22.83	22.63	0.183	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	22.73	22.53	0.179	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	22.70	22.50	0.178	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	21.78	21.58	0.144	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	20.71	20.51	0.112	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	20.40	20.20	0.105	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	18.37	18.17	0.066	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	21.22	21.02	0.126	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	21.12	20.92	0.124	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	21.31	21.11	0.129	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	19.83	19.63	0.092	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	19.85	19.65	0.092	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	19.41	19.21	0.083	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	16.38	16.18	0.041	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.71	22.51	0.178	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.75	22.55	0.180	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.71	22.51	0.178	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.28	22.08	0.161	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.73	22.53	0.179	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	22.78	22.58	0.181	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	22.67	22.47	0.177	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	21.78	21.58	0.144	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	20.77	20.57	0.114	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	20.33	20.13	0.103	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	18.36	18.16	0.065	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	20.95	20.75	0.119	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	21.19	20.99	0.126	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	21.36	21.16	0.131	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	19.88	19.68	0.093	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	19.90	19.70	0.093	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	19.36	19.16	0.082	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	16.34	16.14	0.041	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	22.61	0.182	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.85	22.65	0.184	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.94	22.74	0.188	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.39	22.19	0.166	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	22.76	22.56	0.180	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	22.84	22.64	0.184	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	22.81	22.61	0.182	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	21.91	21.71	0.148	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	20.83	20.63	0.116	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	20.43	20.23	0.105	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	18.42	18.22	0.066	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	21.18	20.98	0.125	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	21.30	21.10	0.129	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	21.30	21.10	0.129	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	19.94	19.74	0.094	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	19.91	19.71	0.094	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	19.44	19.24	0.084	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	16.38	16.18	0.041	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.20	22.00	0.158	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	22.46	0.176	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.65	22.45	0.176	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.74	22.54	0.179	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	21.73	21.53	0.142	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	22.80	22.60	0.182	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	22.72	22.52	0.179	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	22.73	22.53	0.179	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	20.73	20.53	0.113	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	20.28	20.08	0.102	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	18.29	18.09	0.064	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	19.78	19.58	0.091	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	21.08	20.88	0.122	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	20.96	20.76	0.119	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	21.23	21.03	0.127	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	19.78	19.58	0.091	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	19.31	19.11	0.081	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	16.33	16.13	0.041	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.26	22.06	0.161	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.62	22.42	0.175	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.71	22.51	0.178	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.76	22.56	0.180	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	21.72	21.52	0.142	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.65	22.45	0.176	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	22.73	22.53	0.179	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	22.73	22.53	0.179	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	20.72	20.52	0.113	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	20.30	20.10	0.102	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	18.30	18.10	0.065	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	19.74	19.54	0.090	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	20.99	20.79	0.120	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	21.03	20.83	0.121	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	21.26	21.06	0.128	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	19.78	19.58	0.091	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	19.29	19.09	0.081	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	16.31	16.11	0.041	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.33	22.13	0.163	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.75	22.55	0.180	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.75	22.55	0.180	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.82	22.62	0.183	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	21.80	21.60	0.145	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	22.72	22.52	0.179	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	22.83	22.63	0.183	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	22.82	22.62	0.183	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	20.79	20.59	0.115	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	20.41	20.21	0.105	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	18.40	18.20	0.066	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	19.88	19.68	0.093	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	21.13	20.93	0.124	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	21.22	21.02	0.126	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	21.29	21.09	0.129	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	19.88	19.68	0.093	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	19.43	19.23	0.084	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	16.40	16.20	0.042	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.18	21.98	0.158	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	22.46	0.176	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.56	22.36	0.172	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.76	22.56	0.180	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	21.76	21.56	0.143	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	22.77	22.57	0.181	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	22.59	22.39	0.173	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	22.78	22.58	0.181	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	20.69	20.49	0.112	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	20.29	20.09	0.102	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	18.37	18.17	0.066	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	19.81	19.61	0.091	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	21.10	20.90	0.123	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	20.91	20.71	0.118	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	21.17	20.97	0.125	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	19.86	19.66	0.092	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	19.32	19.12	0.082	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	16.35	16.15	0.041	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.29	22.09	0.162	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.64	22.44	0.175	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.78	22.58	0.181	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.80	22.60	0.182	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	21.76	21.56	0.143	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.68	22.48	0.177	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	22.86	22.66	0.185	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	22.76	22.56	0.180	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	20.81	20.61	0.115	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	20.26	20.06	0.101	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	18.38	18.18	0.066	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	19.80	19.60	0.091	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.09	20.89	0.123	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	21.11	20.91	0.123	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	21.21	21.01	0.126	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	19.81	19.61	0.091	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	19.35	19.15	0.082	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	16.32	16.12	0.041	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.37	22.17	0.165	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.77	22.57	0.181	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.78	22.58	0.181	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.82	22.62	0.183	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	21.82	21.62	0.145	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	22.77	22.57	0.181	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	22.87	22.67	0.185	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	22.80	22.60	0.182	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	20.61	20.41	0.110	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	20.25	20.05	0.101	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	18.37	18.17	0.066	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	19.76	19.56	0.090	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	21	20.80	0.120	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	21.13	20.93	0.124	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	21.31	21.11	0.129	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	19.82	19.62	0.092	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	19.30	19.10	0.081	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	16.32	16.12	0.041	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.16	21.96	0.157	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.60	22.40	0.174	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.51	22.31	0.170	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.68	22.48	0.177	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	21.71	21.51	0.142	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	22.66	22.46	0.176	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	22.58	22.38	0.173	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	22.70	22.50	0.178	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	20.64	20.44	0.111	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	20.25	20.05	0.101	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	18.28	18.08	0.064	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	19.76	19.56	0.090	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	21.03	20.83	0.121	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	20.97	20.77	0.119	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	21.20	21.00	0.126	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	19.73	19.53	0.090	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	19.21	19.01	0.080	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	16.26	16.06	0.040	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.17	21.97	0.157	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.55	22.35	0.172	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.62	22.42	0.175	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.71	22.51	0.178	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	21.75	21.55	0.143	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.62	22.42	0.175	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	22.67	22.47	0.177	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	22.67	22.47	0.177	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	20.77	20.57	0.114	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	20.21	20.01	0.100	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	18.27	18.07	0.064	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	19.75	19.55	0.090	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	20.87	20.67	0.117	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	21.07	20.87	0.122	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	21.17	20.97	0.125	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	19.73	19.53	0.090	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	19.23	19.03	0.080	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	16.32	16.12	0.041	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.26	22.06	0.161	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.59	22.39	0.173	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.77	22.57	0.181	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.81	22.61	0.182	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	21.81	21.61	0.145	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	22.72	22.52	0.179	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	22.82	22.62	0.183	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	22.79	22.59	0.182	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	20.79	20.59	0.115	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	20.36	20.16	0.104	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	18.35	18.15	0.065	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	19.85	19.65	0.092	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	21.07	20.87	0.122	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	21.09	20.89	0.123	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	21.35	21.15	0.130	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	19.80	19.60	0.091	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	19.33	19.13	0.082	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	16.33	16.13	0.041	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.33	22.13	0.163	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	22.61	0.182	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.65	22.45	0.176	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.79	22.59	0.182	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	21.80	21.60	0.145	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	22.74	22.54	0.179	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	22.81	22.61	0.182	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	20.87	20.67	0.117	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	20.39	20.19	0.104	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	18.55	18.35	0.068	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	20.08	19.88	0.097	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	21.30	21.10	0.129	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	21.02	20.82	0.121	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	21.31	21.11	0.129	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	20	19.80	0.095	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	19.55	19.35	0.086	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	16.55	16.35	0.043	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.38	22.18	0.165	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.38	22.18	0.165	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.69	22.49	0.177	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.76	22.56	0.180	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	21.87	21.67	0.147	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.88	22.68	0.185	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	22.74	22.54	0.179	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	22.89	22.69	0.186	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	20.90	20.70	0.117	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	20.41	20.21	0.105	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	18.54	18.34	0.068	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	20.04	19.84	0.096	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.20	21.00	0.126	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	21.07	20.87	0.122	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	21.30	21.10	0.129	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	20.02	19.82	0.096	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	19.51	19.31	0.085	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	16.50	16.30	0.043	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.38	22.18	0.165	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.83	22.63	0.183	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.83	22.63	0.183	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.85	22.65	0.184	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	21.87	21.67	0.147	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	22.84	22.64	0.184	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	22.86	22.66	0.185	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	22.85	22.65	0.184	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	20.92	20.72	0.118	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	20.42	20.22	0.105	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	18.59	18.39	0.069	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	20.07	19.87	0.097	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	21.30	21.10	0.129	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	21.22	21.02	0.126	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	21.28	21.08	0.128	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	20.11	19.91	0.098	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	19.58	19.38	0.087	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	16.56	16.36	0.043	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.85	22.65	0.184	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.94	22.74	0.188	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.77	22.57	0.181	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.32	22.12	0.163	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	22.79	22.59	0.182	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	22.79	22.59	0.182	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	21.84	21.64	0.146	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	20.80	20.60	0.115	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	20.39	20.19	0.104	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	18.56	18.36	0.069	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	21.31	21.11	0.129	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	21.23	21.03	0.127	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	21.10	20.90	0.123	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	20.05	19.85	0.097	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	20.03	19.83	0.096	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	19.50	19.30	0.085	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	16.60	16.40	0.044	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.84	22.64	0.184	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.86	22.66	0.185	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.81	22.61	0.182	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.29	22.09	0.162	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	22.86	22.66	0.185	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.91	22.71	0.187	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	22.77	22.57	0.181	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	21.88	21.68	0.147	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	20.79	20.59	0.115	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	20.35	20.15	0.104	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	18.57	18.37	0.069	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	21.32	21.12	0.129	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.33	21.13	0.130	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	21.21	21.01	0.126	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	20	19.80	0.095	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	20.02	19.82	0.096	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	19.51	19.31	0.085	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	16.55	16.35	0.043	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.86	22.66	0.185	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.85	22.65	0.184	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.91	22.71	0.187	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.36	22.16	0.164	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	22.86	22.66	0.185	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	22.92	22.72	0.187	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	22.93	22.73	0.187	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	21.91	21.71	0.148	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	20.84	20.64	0.116	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	20.36	20.16	0.104	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	18.63	18.43	0.070	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	21.35	21.15	0.130	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	21.27	21.07	0.128	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	21.29	21.09	0.129	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	20.08	19.88	0.097	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	20.07	19.87	0.097	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	19.56	19.36	0.086	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	16.62	16.42	0.044	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.82	22.62	0.183	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	22.75	0.188	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.80	22.60	0.182	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.28	22.08	0.161	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	22.86	22.66	0.185	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	22.37	22.17	0.165	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	22.81	22.61	0.182	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	21.93	21.73	0.149	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	20.85	20.65	0.116	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	20.46	20.26	0.106	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	18.61	18.41	0.069	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	21.27	21.07	0.128	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	21.40	21.20	0.132	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	21.18	20.98	0.125	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	20.04	19.84	0.096	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	20.08	19.88	0.097	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	19.52	19.32	0.086	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	16.59	16.39	0.044	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.84	22.64	0.184	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.83	22.63	0.183	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.75	22.55	0.180	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.29	22.09	0.162	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	22.83	22.63	0.183	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	22.77	22.57	0.181	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	21.88	21.68	0.147	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	20.80	20.60	0.115	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	20.43	20.23	0.105	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	18.59	18.39	0.069	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	21.33	21.13	0.130	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.41	21.21	0.132	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	21.24	21.04	0.127	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	20	19.80	0.095	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	20	19.80	0.095	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	19.54	19.34	0.086	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	16.56	16.36	0.043	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.88	22.68	0.185	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.83	22.63	0.183	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.92	22.72	0.187	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.41	22.21	0.166	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	22.94	22.74	0.188	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	22.94	22.74	0.188	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	21.93	21.73	0.149	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	20.96	20.76	0.119	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	20.50	20.30	0.107	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	18.63	18.43	0.070	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	21.37	21.17	0.131	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	21.36	21.16	0.131	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	21.50	21.30	0.135	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	20.10	19.90	0.098	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	20.07	19.87	0.097	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	19.60	19.40	0.087	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	16.64	16.44	0.044	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.82	22.62	0.183	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.99	22.79	0.190	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.81	22.61	0.182	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.31	22.11	0.163	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	22.86	22.66	0.185	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	22.72	22.52	0.179	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	22.85	22.65	0.184	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	21.86	21.66	0.147	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	20.96	20.76	0.119	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	20.51	20.31	0.107	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	18.64	18.44	0.070	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	21.39	21.19	0.132	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	21.32	21.12	0.129	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	21.17	20.97	0.125	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	20.13	19.93	0.098	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	20.08	19.88	0.097	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	19.64	19.44	0.088	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	16.60	16.40	0.044	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.75	22.55	0.180	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.92	22.72	0.187	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.81	22.61	0.182	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.28	22.08	0.161	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	22.85	22.65	0.184	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.33	22.13	0.163	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	22.87	22.67	0.185	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	21.84	21.64	0.146	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	20.84	20.64	0.116	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	20.36	20.16	0.104	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	18.56	18.36	0.069	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	21.32	21.12	0.129	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.28	21.08	0.128	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	21.16	20.96	0.125	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	20.03	19.83	0.096	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	20.02	19.82	0.096	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	19.54	19.34	0.086	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	16.54	16.34	0.043	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.82	22.62	0.183	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.94	22.74	0.188	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.98	22.78	0.190	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.42	22.22	0.167	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	22.93	22.73	0.187	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	22.95	22.75	0.188	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	22.99	22.79	0.190	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	22	21.80	0.151	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	21.02	20.82	0.121	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	20.43	20.23	0.105	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	18.64	18.44	0.070	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	21.40	21.20	0.132	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	21.41	21.21	0.132	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	21.49	21.29	0.135	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	20.08	19.88	0.097	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	20.12	19.92	0.098	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	19.62	19.42	0.087	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	16.63	16.43	0.044	0.200	Pass

Note:

$EIRP = \text{Conducted Power(dBm)} - L_C(\text{dB}) + G_T(\text{dBi})$

n78_2:

1.Ant Gain = -0.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB