







41C QPSK PCC BW=20MHz Ch=41341 RB=1@0, SCC BW=15MHz Ch=41512 RB=1@74




41C QPSK PCC BW=20MHz Ch=39750 RB=1@0, SCC BW=15MHz Ch=39921 RB=1@74




41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=20MHz Ch=39948 RB=1@99




41C QPSK PCC BW=20MHz Ch=41292 RB=100@0,SCC BW=20MHz Ch=41490 RB=100@0



41C QPSK PCC BW=20MHz Ch=41391 RB=1@0,SCC BW=10MHz Ch=41535 RB=1@49



41C QPSK PCC BW=20MHz Ch=41391 RB=100@0,SCC BW=10MHz Ch=41535 RB=50@0




06 Out-of-band emissions for intra-band contiguous CA

Band	PCC BW (MHz)	PCC Ch	PCC RB	SCC BW (MHz)	SCC Ch	SCC RB	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
41C	10	39705	1@0	20	39849	1@99	QPSK	19032.90	-38.02	-25	PASS
41C	10	39705	50@0	20	39849	100@0	QPSK	18886.60	-36.94	-25	PASS
41C	10	39705	1@0	20	39849	1@99	16QAM	19469.90	-38.05	-25	PASS
41C	10	39705	50@0	20	39849	100@0	16QAM	18910.03	-37.73	-25	PASS
41C	10	40526	1@0	20	40670	1@99	QPSK	19066.47	-36.97	-25	PASS
41C	10	40526	50@0	20	40670	100@0	QPSK	18896.73	-36.81	-25	PASS
41C	10	40526	1@0	20	40670	1@99	16QAM	19231.77	-37.81	-25	PASS
41C	10	40526	50@0	20	40670	100@0	16QAM	19085.47	-37.82	-25	PASS
41C	10	41346	1@0	20	41490	1@99	QPSK	18984.13	-37.86	-25	PASS
41C	10	41346	50@0	20	41490	100@0	QPSK	18185.50	-37.48	-25	PASS
41C	10	41346	1@0	20	41490	1@99	16QAM	18919.53	-38.28	-25	PASS
41C	10	41346	50@0	20	41490	100@0	16QAM	19047.47	-36.34	-25	PASS
41C	20	39750	1@0	10	39894	1@49	QPSK	19329.30	-37.06	-25	PASS
41C	20	39750	100@0	10	39894	50@0	QPSK	19376.17	-37.70	-25	PASS
41C	20	39750	1@0	10	39894	1@49	16QAM	19899.30	-37.03	-25	PASS
41C	20	39750	100@0	10	39894	50@0	16QAM	19988.60	-37.54	-25	PASS
41C	20	40571	1@0	10	40715	1@49	QPSK	18796.03	-37.57	-25	PASS
41C	20	40571	100@0	10	40715	50@0	QPSK	19351.47	-37.36	-25	PASS
41C	20	40571	1@0	10	40715	1@49	16QAM	19369.83	-37.49	-25	PASS
41C	20	40571	100@0	10	40715	50@0	16QAM	19551.60	-37.16	-25	PASS
41C	20	41391	1@0	10	41535	1@49	QPSK	19110.80	-38.02	-25	PASS
41C	20	41391	100@0	10	41535	50@0	QPSK	19382.50	-37.06	-25	PASS
41C	20	41391	1@0	10	41535	1@49	16QAM	19243.80	-37.27	-25	PASS
41C	20	41391	100@0	10	41535	50@0	16QAM	18868.23	-38.11	-25	PASS
41C	15	39725	1@0	15	39875	1@74	QPSK	19212.77	-36.77	-25	PASS
41C	15	39725	75@0	15	39875	75@0	QPSK	19238.10	-37.58	-25	PASS
41C	15	39725	1@0	15	39875	1@74	16QAM	19547.80	-36.67	-25	PASS
41C	15	39725	75@0	15	39875	75@0	16QAM	19179.83	-37.72	-25	PASS
41C	15	40545	1@0	15	40695	1@74	QPSK	19799.87	-37.50	-25	PASS
41C	15	40545	75@0	15	40695	75@0	QPSK	19296.37	-37.59	-25	PASS
41C	15	40545	1@0	15	40695	1@74	16QAM	19177.30	-37.11	-25	PASS
41C	15	40545	75@0	15	40695	75@0	16QAM	19212.77	-37.04	-25	PASS
41C	15	41365	1@0	15	41515	1@74	QPSK	18994.27	-37.13	-25	PASS
41C	15	41365	75@0	15	41515	75@0	QPSK	19113.33	-37.81	-25	PASS
41C	15	41365	1@0	15	41515	1@74	16QAM	19093.07	-36.30	-25	PASS
41C	15	41365	75@0	15	41515	75@0	16QAM	19897.40	-37.75	-25	PASS
41C	15	39728	1@0	20	39899	1@99	QPSK	19032.90	-37.77	-25	PASS
41C	15	39728	75@0	20	39899	100@0	QPSK	18852.40	-37.64	-25	PASS
41C	15	39728	1@0	20	39899	1@99	16QAM	18951.20	-37.10	-25	PASS


41C	15	39728	75@0	20	39899	100@0	16QAM	18727.00	-37.37	-25	PASS
41C	15	40523	1@0	20	40694	1@99	QPSK	19248.23	-36.91	-25	PASS
41C	15	40523	75@0	20	40694	100@0	QPSK	19228.60	-37.27	-25	PASS
41C	15	40523	1@0	20	40694	1@99	16QAM	18846.70	-37.37	-25	PASS
41C	15	40523	75@0	20	40694	100@0	16QAM	19428.73	-37.97	-25	PASS
41C	15	41319	1@0	20	41490	1@99	QPSK	19865.10	-37.63	-25	PASS
41C	15	41319	75@0	20	41490	100@0	QPSK	19312.20	-36.97	-25	PASS
41C	15	41319	1@0	20	41490	1@99	16QAM	19131.70	-36.90	-25	PASS
41C	15	41319	75@0	20	41490	100@0	16QAM	18798.57	-36.79	-25	PASS
41C	20	39750	1@0	15	39921	1@74	QPSK	18816.30	-37.95	-25	PASS
41C	20	39750	100@0	15	39921	75@0	QPSK	19255.83	-36.43	-25	PASS
41C	20	39750	1@0	15	39921	1@74	16QAM	19546.53	-37.94	-25	PASS
41C	20	39750	100@0	15	39921	75@0	16QAM	19559.83	-37.48	-25	PASS
41C	20	40546	1@0	15	40717	1@74	QPSK	18831.50	-37.55	-25	PASS
41C	20	40546	100@0	15	40717	75@0	QPSK	18937.27	-37.09	-25	PASS
41C	20	40546	1@0	15	40717	1@74	16QAM	19217.20	-37.31	-25	PASS
41C	20	40546	100@0	15	40717	75@0	16QAM	18710.53	-36.68	-25	PASS
41C	20	41341	1@0	15	41512	1@74	QPSK	18837.20	-36.67	-25	PASS
41C	20	41341	100@0	15	41512	75@0	QPSK	19281.80	-37.26	-25	PASS
41C	20	41341	1@0	15	41512	1@74	16QAM	18605.40	-36.83	-25	PASS
41C	20	41341	100@0	15	41512	75@0	16QAM	19493.33	-36.68	-25	PASS
41C	20	39750	1@0	20	39948	1@99	QPSK	19577.57	-37.59	-25	PASS
41C	20	39750	100@0	20	39948	100@0	QPSK	19272.30	-37.37	-25	PASS
41C	20	39750	1@0	20	39948	1@99	16QAM	19143.10	-37.87	-25	PASS
41C	20	39750	100@0	20	39948	100@0	16QAM	18998.07	-36.27	-25	PASS
41C	20	40521	1@0	20	40719	1@99	QPSK	19293.83	-37.69	-25	PASS
41C	20	40521	100@0	20	40719	100@0	QPSK	19126.63	-36.92	-25	PASS
41C	20	40521	1@0	20	40719	1@99	16QAM	18725.73	-37.56	-25	PASS
41C	20	40521	100@0	20	40719	100@0	16QAM	19818.87	-36.89	-25	PASS
41C	20	41292	1@0	20	41490	1@99	QPSK	19291.30	-36.69	-25	PASS
41C	20	41292	100@0	20	41490	100@0	QPSK	18944.23	-37.44	-25	PASS
41C	20	41292	1@0	20	41490	1@99	16QAM	19210.23	-37.07	-25	PASS
41C	20	41292	100@0	20	41490	100@0	16QAM	19227.97	-37.39	-25	PASS

41C 16QAM PCC BW=10MHz Ch=40526 RB=50@0,SCC BW=20MHz Ch=40670 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.54	-25
2	0.15	30	10	0.15	-53.95	-25
3	30	1000	100	925.76	-53.23	-25
4	1000	20000	1000	19085.47	-37.82	-25

41C 16QAM PCC BW=10MHz Ch=41346 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.42	-25
2	0.15	30	10	0.15	-52.48	-25
3	30	1000	100	916	-53.16	-25
4	1000	20000	1000	18919.53	-38.28	-25

41C 16QAM PCC BW=10MHz Ch=40526 RB=1@0,SCC BW=20MHz Ch=40670 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.1	-25
2	0.15	30	10	0.17	-55.04	-25
3	30	1000	100	835.2	-52.8	-25
4	1000	20000	1000	19231.77	-37.81	-25

41C 16QAM PCC BW=10MHz Ch=39705 RB=1@0,SCC BW=20MHz Ch=39849 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-44.35	-25
2	0.15	30	10	0.16	-55.06	-25
3	30	1000	100	958.23	-53.26	-25
4	1000	20000	1000	19469.9	-38.05	-25

41C 16QAM PCC BW=10MHz Ch=39705 RB=50@0,SCC BW=20MHz Ch=39849 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.91	-25
2	0.15	30	10	0.16	-56.12	-25
3	30	1000	100	510.57	-52.62	-25
4	1000	20000	1000	18910.03	-37.73	-25

41C 16QAM PCC BW=15MHz Ch=40523 RB=75@0,SCC BW=20MHz Ch=40694 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.83	-25
2	0.15	30	10	0.19	-54.84	-25
3	30	1000	100	851.07	-52.6	-25
4	1000	20000	1000	19428.73	-37.97	-25

41C 16QAM PCC BW=15MHz Ch=40523 RB=1@0,SCC BW=20MHz Ch=40694 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.08	-25
2	0.15	30	10	0.15	-55.64	-25
3	30	1000	100	720.22	-52.99	-25
4	1000	20000	1000	18846.7	-37.37	-25

41C 16QAM PCC BW=15MHz Ch=40545 RB=75@0,SCC BW=15MHz Ch=40695 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-44.17	-25
2	0.15	30	10	0.16	-55.19	-25
3	30	1000	100	755.98	-52.71	-25
4	1000	20000	1000	19212.77	-37.04	-25

41C 16QAM PCC BW=15MHz Ch=40545 RB=1@0,SCC BW=15MHz Ch=40695 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.02	-25
2	0.15	30	10	0.15	-53.44	-25
3	30	1000	100	903.55	-51.8	-25
4	1000	20000	1000	19177.3	-37.11	-25

41C 16QAM PCC BW=15MHz Ch=39728 RB=75@0,SCC BW=20MHz Ch=39899 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.38	-25
2	0.15	30	10	0.16	-55.31	-25
3	30	1000	100	912.76	-53.48	-25
4	1000	20000	1000	18727	-37.37	-25

41C 16QAM PCC BW=15MHz Ch=39725 RB=1@0,SCC BW=15MHz Ch=39875 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.76	-25
2	0.15	30	10	0.16	-54.41	-25
3	30	1000	100	802.38	-53.16	-25
4	1000	20000	1000	19547.8	-36.67	-25

41C 16QAM PCC BW=10MHz Ch=41346 RB=50@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.69	-25
2	0.15	30	10	0.17	-54.33	-25
3	30	1000	100	906.14	-52.99	-25
4	1000	20000	1000	19047.47	-36.34	-25

41C 16QAM PCC BW=15MHz Ch=39728 RB=1@0,SCC BW=20MHz Ch=39899 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.16	-25
2	0.15	30	10	0.16	-55.73	-25
3	30	1000	100	869.37	-53.38	-25
4	1000	20000	1000	18951.2	-37.1	-25

41C 16QAM PCC BW=15MHz Ch=39725 RB=75@0,SCC BW=15MHz Ch=39875 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.39	-25
2	0.15	30	10	0.15	-54.96	-25
3	30	1000	100	827.73	-52.89	-25
4	1000	20000	1000	19179.83	-37.72	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=20MHz Ch=39948 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.76	-25
2	0.15	30	10	0.15	-56.88	-25
3	30	1000	100	935.85	-52.67	-25
4	1000	20000	1000	18998.07	-36.27	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=15MHz Ch=39921 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-43.92	-25
2	0.15	30	10	0.17	-56.57	-25
3	30	1000	100	825.76	-52.36	-25
4	1000	20000	1000	19559.83	-37.48	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=15MHz Ch=39921 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.47	-25
2	0.15	30	10	0.18	-55.69	-25
3	30	1000	100	871.99	-52.79	-25
4	1000	20000	1000	19546.53	-37.94	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=10MHz Ch=39894 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.59	-25
2	0.15	30	10	0.15	-56.02	-25
3	30	1000	100	544.36	-53.64	-25
4	1000	20000	1000	19899.3	-37.03	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=10MHz Ch=39894 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.07	-25
2	0.15	30	10	0.18	-55.94	-25
3	30	1000	100	832.19	-53.15	-25
4	1000	20000	1000	19988.6	-37.54	-25

41C 16QAM PCC BW=15MHz Ch=41319 RB=75@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.79	-25
2	0.15	30	10	0.16	-55.95	-25
3	30	1000	100	843.38	-53.66	-25
4	1000	20000	1000	18798.57	-36.79	-25

41C 16QAM PCC BW=15MHz Ch=41319 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.27	-25
2	0.15	30	10	0.17	-54.94	-25
3	30	1000	100	837.46	-52.71	-25
4	1000	20000	1000	19131.7	-36.9	-25

41C 16QAM PCC BW=15MHz Ch=41365 RB=75@0,SCC BW=15MHz Ch=41515 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.72	-25
2	0.15	30	10	0.16	-55.66	-25
3	30	1000	100	832.48	-52.72	-25
4	1000	20000	1000	19897.4	-37.75	-25

41C 16QAM PCC BW=15MHz Ch=41365 RB=1@0,SCC BW=15MHz Ch=41515 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.89	-25
2	0.15	30	10	0.17	-55.18	-25
3	30	1000	100	897.89	-52.63	-25
4	1000	20000	1000	19093.07	-36.3	-25

41C 16QAM PCC BW=20MHz Ch=40571 RB=1@0,SCC BW=10MHz Ch=40715 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.98	-25
2	0.15	30	10	0.15	-53.81	-25
3	30	1000	100	798.14	-53.41	-25
4	1000	20000	1000	19369.83	-37.49	-25

41C 16QAM PCC BW=20MHz Ch=40571 RB=100@0,SCC BW=10MHz Ch=40715 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.77	-25
2	0.15	30	10	0.16	-56.24	-25
3	30	1000	100	784.76	-53.54	-25
4	1000	20000	1000	19551.6	-37.16	-25

41C 16QAM PCC BW=20MHz Ch=41292 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.41	-25
2	0.15	30	10	0.15	-55.47	-25
3	30	1000	100	937.63	-53.35	-25
4	1000	20000	1000	19210.23	-37.07	-25

41C 16QAM PCC BW=20MHz Ch=41292 RB=100@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.67	-25
2	0.15	30	10	0.15	-53.09	-25
3	30	1000	100	929.32	-53.11	-25
4	1000	20000	1000	19227.97	-37.39	-25

41C 16QAM PCC BW=20MHz Ch=40546 RB=1@0,SCC BW=15MHz Ch=40717 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.24	-25
2	0.15	30	10	0.18	-54.63	-25
3	30	1000	100	836.2	-52.82	-25
4	1000	20000	1000	19217.2	-37.31	-25

41C 16QAM PCC BW=20MHz Ch=40521 RB=100@0,SCC BW=20MHz Ch=40719 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.91	-25
2	0.15	30	10	0.16	-56.18	-25
3	30	1000	100	893.98	-52.95	-25
4	1000	20000	1000	19818.87	-36.89	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=20MHz Ch=39948 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-45.49	-25
2	0.15	30	10	0.17	-55.86	-25
3	30	1000	100	909.47	-53.17	-25
4	1000	20000	1000	19143.1	-37.87	-25

41C 16QAM PCC BW=20MHz Ch=40546 RB=100@0,SCC BW=15MHz Ch=40717 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.1	-25
2	0.15	30	10	0.15	-55.73	-25
3	30	1000	100	844.61	-53	-25
4	1000	20000	1000	18710.53	-36.68	-25

41C 16QAM PCC BW=20MHz Ch=40521 RB=1@0,SCC BW=20MHz Ch=40719 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46	-25
2	0.15	30	10	0.15	-53.39	-25
3	30	1000	100	860.13	-52.52	-25
4	1000	20000	1000	18725.73	-37.56	-25

41C QPSK PCC BW=10MHz Ch=40526 RB=1@0,SCC BW=20MHz Ch=40670 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.08	-25
2	0.15	30	10	0.15	-56.53	-25
3	30	1000	100	774.15	-53.6	-25
4	1000	20000	1000	19066.47	-36.97	-25

41C QPSK PCC BW=10MHz Ch=39705 RB=50@0,SCC BW=20MHz Ch=39849 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.33	-25
2	0.15	30	10	0.15	-54.39	-25
3	30	1000	100	961.62	-52.91	-25
4	1000	20000	1000	18886.6	-36.94	-25

41C QPSK PCC BW=10MHz Ch=41346 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.5	-25
2	0.15	30	10	0.17	-55.44	-25
3	30	1000	100	863.23	-53.59	-25
4	1000	20000	1000	18984.13	-37.86	-25

41C QPSK PCC BW=10MHz Ch=40526 RB=50@0,SCC BW=20MHz Ch=40670 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.5	-25
2	0.15	30	10	0.15	-55.29	-25
3	30	1000	100	860.64	-53.17	-25
4	1000	20000	1000	18896.73	-36.81	-25

41C QPSK PCC BW=10MHz Ch=39705 RB=1@0,SCC BW=20MHz Ch=39849 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-43.96	-25
2	0.15	30	10	0.16	-55.64	-25
3	30	1000	100	920.04	-52.97	-25
4	1000	20000	1000	19032.9	-38.02	-25

41C 16QAM PCC BW=20MHz Ch=41341 RB=1@0,SCC BW=15MHz Ch=41512 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.33	-25
2	0.15	30	10	0.16	-54.87	-25
3	30	1000	100	694.16	-53.36	-25
4	1000	20000	1000	18605.4	-36.83	-25

41C 16QAM PCC BW=20MHz Ch=41341 RB=100@0,SCC BW=15MHz Ch=41512 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.36	-25
2	0.15	30	10	0.15	-53.43	-25
3	30	1000	100	757.56	-53.68	-25
4	1000	20000	1000	19493.33	-36.68	-25

41C 16QAM PCC BW=20MHz Ch=41391 RB=1@0,SCC BW=10MHz Ch=41535 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.18	-25
2	0.15	30	10	0.15	-56.03	-25
3	30	1000	100	945.13	-52.86	-25
4	1000	20000	1000	19243.8	-37.27	-25

41C 16QAM PCC BW=20MHz Ch=41391 RB=100@0,SCC BW=10MHz Ch=41535 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.6	-25
2	0.15	30	10	0.17	-56.71	-25
3	30	1000	100	845.51	-52.99	-25
4	1000	20000	1000	18868.23	-38.11	-25

41C QPSK PCC BW=10MHz Ch=41346 RB=50@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.88	-25
2	0.15	30	10	0.15	-55.5	-25
3	30	1000	100	886.64	-53.11	-25
4	1000	20000	1000	18185.5	-37.48	-25

41C QPSK PCC BW=15MHz Ch=39725 RB=75@0,SCC BW=15MHz Ch=39875 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.1	-25
2	0.15	30	10	0.16	-55.35	-25
3	30	1000	100	956.38	-53.48	-25
4	1000	20000	1000	19238.1	-37.58	-25

41C QPSK PCC BW=15MHz Ch=39725 RB=1@0,SCC BW=15MHz Ch=39875 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.64	-25
2	0.15	30	10	0.18	-54.97	-25
3	30	1000	100	931.74	-52.6	-25
4	1000	20000	1000	19212.77	-36.77	-25

41C QPSK PCC BW=15MHz Ch=39728 RB=1@0,SCC BW=20MHz Ch=39899 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-45.48	-25
2	0.15	30	10	0.16	-56.28	-25
3	30	1000	100	916.55	-53.09	-25
4	1000	20000	1000	19032.9	-37.77	-25

41C QPSK PCC BW=15MHz Ch=40523 RB=1@0,SCC BW=20MHz Ch=40694 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.02	-25
2	0.15	30	10	0.16	-52.93	-25
3	30	1000	100	866.75	-53.39	-25
4	1000	20000	1000	19248.23	-36.91	-25

41C QPSK PCC BW=15MHz Ch=39728 RB=75@0,SCC BW=20MHz Ch=39899 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.42	-25
2	0.15	30	10	0.16	-55.89	-25
3	30	1000	100	810.98	-53.18	-25
4	1000	20000	1000	18852.4	-37.64	-25

41C QPSK PCC BW=15MHz Ch=41319 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.59	-25
2	0.15	30	10	0.15	-56.44	-25
3	30	1000	100	787.31	-53.46	-25
4	1000	20000	1000	19865.1	-37.63	-25

41C QPSK PCC BW=15MHz Ch=41319 RB=75@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.09	-25
2	0.15	30	10	0.15	-53.21	-25
3	30	1000	100	773.57	-53.23	-25
4	1000	20000	1000	19312.2	-36.97	-25

41C QPSK PCC BW=15MHz Ch=41365 RB=1@0,SCC BW=15MHz Ch=41515 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.9	-25
2	0.15	30	10	0.16	-54.79	-25
3	30	1000	100	952.79	-53.12	-25
4	1000	20000	1000	18994.27	-37.13	-25

41C QPSK PCC BW=15MHz Ch=40523 RB=75@0,SCC BW=20MHz Ch=40694 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-44.97	-25
2	0.15	30	10	0.15	-54.81	-25
3	30	1000	100	869.89	-52.74	-25
4	1000	20000	1000	19228.6	-37.27	-25

41C QPSK PCC BW=15MHz Ch=40545 RB=1@0,SCC BW=15MHz Ch=40695 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.09	-25
2	0.15	30	10	0.15	-54.55	-25
3	30	1000	100	867.37	-52.72	-25
4	1000	20000	1000	19799.87	-37.5	-25

41C QPSK PCC BW=15MHz Ch=40545 RB=75@0,SCC BW=15MHz Ch=40695 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.38	-25
2	0.15	30	10	0.19	-56.05	-25
3	30	1000	100	902.71	-53.25	-25
4	1000	20000	1000	19296.37	-37.59	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=20MHz Ch=39948 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.51	-25
2	0.15	30	10	0.17	-55.01	-25
3	30	1000	100	962.17	-51.64	-25
4	1000	20000	1000	19577.57	-37.59	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=15MHz Ch=39921 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.25	-25
2	0.15	30	10	0.17	-54.78	-25
3	30	1000	100	854.63	-53.15	-25
4	1000	20000	1000	18816.3	-37.95	-25

41C QPSK PCC BW=20MHz Ch=40521 RB=1@0,SCC BW=20MHz Ch=40719 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.74	-25
2	0.15	30	10	0.18	-55.41	-25
3	30	1000	100	885.64	-53.47	-25
4	1000	20000	1000	19293.83	-37.69	-25

41C QPSK PCC BW=20MHz Ch=40521 RB=100@0,SCC BW=20MHz Ch=40719 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.08	-25
2	0.15	30	10	0.16	-55.57	-25
3	30	1000	100	856.41	-53.47	-25
4	1000	20000	1000	19126.63	-36.92	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=10MHz Ch=39894 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-43.05	-25
2	0.15	30	10	0.15	-55.86	-25
3	30	1000	100	862.91	-52.89	-25
4	1000	20000	1000	19329.3	-37.06	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=10MHz Ch=39894 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.23	-25
2	0.15	30	10	0.19	-56.33	-25
3	30	1000	100	834.84	-52.77	-25
4	1000	20000	1000	19376.17	-37.7	-25

41C QPSK PCC BW=15MHz Ch=41365 RB=75@0,SCC BW=15MHz Ch=41515 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.33	-25
2	0.15	30	10	0.17	-55.46	-25
3	30	1000	100	837.17	-52.91	-25
4	1000	20000	1000	19113.33	-37.81	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=20MHz Ch=39948 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-43.67	-25
2	0.15	30	10	0.18	-55.25	-25
3	30	1000	100	797.46	-53.21	-25
4	1000	20000	1000	19272.3	-37.37	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=15MHz Ch=39921 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.84	-25
2	0.15	30	10	0.17	-55.51	-25
3	30	1000	100	791.84	-53.26	-25
4	1000	20000	1000	19255.83	-36.43	-25

41C QPSK PCC BW=20MHz Ch=41341 RB=100@0,SCC BW=15MHz Ch=41512 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.95	-25
2	0.15	30	10	0.16	-56.33	-25
3	30	1000	100	917.16	-52.43	-25
4	1000	20000	1000	19281.8	-37.26	-25

41C QPSK PCC BW=20MHz Ch=41292 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.83	-25
2	0.15	30	10	0.16	-55.74	-25
3	30	1000	100	977.21	-52.61	-25
4	1000	20000	1000	19291.3	-36.69	-25

41C QPSK PCC BW=20MHz Ch=41391 RB=100@0,SCC BW=10MHz Ch=41535 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.9	-25
2	0.15	30	10	0.16	-53.92	-25
3	30	1000	100	649.96	-52.91	-25
4	1000	20000	1000	19382.5	-37.06	-25

41C QPSK PCC BW=20MHz Ch=41341 RB=1@0,SCC BW=15MHz Ch=41512 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.34	-25
2	0.15	30	10	0.15	-54.9	-25
3	30	1000	100	772.92	-52.85	-25
4	1000	20000	1000	18837.2	-36.67	-25

41C QPSK PCC BW=20MHz Ch=41292 RB=100@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.12	-25
2	0.15	30	10	0.15	-54.66	-25
3	30	1000	100	837.98	-52.97	-25
4	1000	20000	1000	18944.23	-37.44	-25

41C QPSK PCC BW=20MHz Ch=40546 RB=1@0,SCC BW=15MHz Ch=40717 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.42	-25
2	0.15	30	10	0.17	-56.14	-25
3	30	1000	100	884.93	-52.78	-25
4	1000	20000	1000	18831.5	-37.55	-25

41C QPSK PCC BW=20MHz Ch=40546 RB=100@0,SCC BW=15MHz Ch=40717 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.9	-25
2	0.15	30	10	0.15	-55.97	-25
3	30	1000	100	957.48	-53.28	-25
4	1000	20000	1000	18937.27	-37.09	-25

41C QPSK PCC BW=20MHz Ch=40571 RB=1@0,SCC BW=10MHz Ch=40715 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.19	-25
2	0.15	30	10	0.16	-54.91	-25
3	30	1000	100	859.32	-53.18	-25
4	1000	20000	1000	18796.03	-37.57	-25

41C QPSK PCC BW=20MHz Ch=40571 RB=100@0,SCC BW=10MHz Ch=40715 RB=50@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.66	-25
2	0.15	30	10	0.15	-54.45	-25
3	30	1000	100	899.6	-52.23	-25
4	1000	20000	1000	19351.47	-37.36	-25

41C QPSK PCC BW=20MHz Ch=41391 RB=1@0,SCC BW=10MHz Ch=41535 RB=1@49



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.16	-25
2	0.15	30	10	0.17	-56.76	-25
3	30	1000	100	878.2	-52.26	-25
4	1000	20000	1000	19110.8	-38.02	-25