

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
Band7	5	20775	1	#0	QPSK	23.20	-2.24	20.96	33.01	PASS
Band7	5	20775	1	#Mid	QPSK	23.20	-2.24	20.96	33.01	PASS
Band7	5	20775	1	#Max	QPSK	23.31	-2.24	21.07	33.01	PASS
Band7	5	20775	12	#0	QPSK	22.14	-2.24	19.90	33.01	PASS
Band7	5	20775	12	#Mid	QPSK	22.12	-2.24	19.88	33.01	PASS
Band7	5	20775	12	#Max	QPSK	22.13	-2.24	19.89	33.01	PASS
Band7	5	20775	25	#0	QPSK	22.20	-2.24	19.96	33.01	PASS
Band7	5	20775	1	#0	QAM16	22.54	-2.24	20.30	33.01	PASS
Band7	5	20775	1	#Mid	QAM16	22.46	-2.24	20.22	33.01	PASS
Band7	5	20775	1	#Max	QAM16	22.60	-2.24	20.36	33.01	PASS
Band7	5	20775	12	#0	QAM16	21.12	-2.24	18.88	33.01	PASS
Band7	5	20775	12	#Mid	QAM16	21.12	-2.24	18.88	33.01	PASS
Band7	5	20775	12	#Max	QAM16	21.13	-2.24	18.89	33.01	PASS
Band7	5	20775	25	#0	QAM16	21.18	-2.24	18.94	33.01	PASS
Band7	5	21100	1	#0	QPSK	23.24	-2.24	21.00	33.01	PASS
Band7	5	21100	1	#Mid	QPSK	23.17	-2.24	20.93	33.01	PASS
Band7	5	21100	1	#Max	QPSK	23.25	-2.24	21.01	33.01	PASS
Band7	5	21100	12	#0	QPSK	22.17	-2.24	19.93	33.01	PASS
Band7	5	21100	12	#Mid	QPSK	22.15	-2.24	19.91	33.01	PASS
Band7	5	21100	12	#Max	QPSK	22.16	-2.24	19.92	33.01	PASS
Band7	5	21100	25	#0	QPSK	22.21	-2.24	19.97	33.01	PASS
Band7	5	21100	1	#0	QAM16	22.48	-2.24	20.24	33.01	PASS
Band7	5	21100	1	#Mid	QAM16	22.44	-2.24	20.20	33.01	PASS
Band7	5	21100	1	#Max	QAM16	22.48	-2.24	20.24	33.01	PASS
Band7	5	21100	12	#0	QAM16	21.22	-2.24	18.98	33.01	PASS
Band7	5	21100	12	#Mid	QAM16	21.18	-2.24	18.94	33.01	PASS
Band7	5	21100	12	#Max	QAM16	21.20	-2.24	18.96	33.01	PASS
Band7	5	21100	25	#0	QAM16	21.14	-2.24	18.90	33.01	PASS
Band7	5	21425	1	#0	QPSK	23.21	-2.24	20.97	33.01	PASS
Band7	5	21425	1	#Mid	QPSK	23.25	-2.24	21.01	33.01	PASS
Band7	5	21425	1	#Max	QPSK	23.23	-2.24	20.99	33.01	PASS
Band7	5	21425	12	#0	QPSK	22.15	-2.24	19.91	33.01	PASS
Band7	5	21425	12	#Mid	QPSK	22.11	-2.24	19.87	33.01	PASS
Band7	5	21425	12	#Max	QPSK	22.13	-2.24	19.89	33.01	PASS
Band7	5	21425	25	#0	QPSK	22.18	-2.24	19.94	33.01	PASS
Band7	5	21425	1	#0	QAM16	22.58	-2.24	20.34	33.01	PASS
Band7	5	21425	1	#Mid	QAM16	22.58	-2.24	20.34	33.01	PASS

Band7	5	21425	1	#Max	QAM16	22.57	-2.24	20.33	33.01	PASS
Band7	5	21425	12	#0	QAM16	21.14	-2.24	18.90	33.01	PASS
Band7	5	21425	12	#Mid	QAM16	21.13	-2.24	18.89	33.01	PASS
Band7	5	21425	12	#Max	QAM16	21.12	-2.24	18.88	33.01	PASS
Band7	5	21425	25	#0	QAM16	21.11	-2.24	18.87	33.01	PASS
Band7	10	20800	1	#0	QPSK	23.22	-2.24	20.98	33.01	PASS
Band7	10	20800	1	#Mid	QPSK	23.22	-2.24	20.98	33.01	PASS
Band7	10	20800	1	#Max	QPSK	23.26	-2.24	21.02	33.01	PASS
Band7	10	20800	25	#0	QPSK	22.18	-2.24	19.94	33.01	PASS
Band7	10	20800	25	#Mid	QPSK	22.14	-2.24	19.90	33.01	PASS
Band7	10	20800	25	#Max	QPSK	22.19	-2.24	19.95	33.01	PASS
Band7	10	20800	50	#0	QPSK	22.16	-2.24	19.92	33.01	PASS
Band7	10	20800	1	#0	QAM16	22.56	-2.24	20.32	33.01	PASS
Band7	10	20800	1	#Mid	QAM16	22.56	-2.24	20.32	33.01	PASS
Band7	10	20800	1	#Max	QAM16	22.60	-2.24	20.36	33.01	PASS
Band7	10	20800	25	#0	QAM16	21.17	-2.24	18.93	33.01	PASS
Band7	10	20800	25	#Mid	QAM16	21.14	-2.24	18.90	33.01	PASS
Band7	10	20800	25	#Max	QAM16	21.19	-2.24	18.95	33.01	PASS
Band7	10	20800	50	#0	QAM16	21.15	-2.24	18.91	33.01	PASS
Band7	10	21100	1	#0	QPSK	23.21	-2.24	20.97	33.01	PASS
Band7	10	21100	1	#Mid	QPSK	23.14	-2.24	20.90	33.01	PASS
Band7	10	21100	1	#Max	QPSK	23.19	-2.24	20.95	33.01	PASS
Band7	10	21100	25	#0	QPSK	22.18	-2.24	19.94	33.01	PASS
Band7	10	21100	25	#Mid	QPSK	22.18	-2.24	19.94	33.01	PASS
Band7	10	21100	25	#Max	QPSK	22.20	-2.24	19.96	33.01	PASS
Band7	10	21100	50	#0	QPSK	22.20	-2.24	19.96	33.01	PASS
Band7	10	21100	1	#0	QAM16	22.39	-2.24	20.15	33.01	PASS
Band7	10	21100	1	#Mid	QAM16	22.33	-2.24	20.09	33.01	PASS
Band7	10	21100	1	#Max	QAM16	22.37	-2.24	20.13	33.01	PASS
Band7	10	21100	25	#0	QAM16	21.16	-2.24	18.92	33.01	PASS
Band7	10	21100	25	#Mid	QAM16	21.16	-2.24	18.92	33.01	PASS
Band7	10	21100	25	#Max	QAM16	21.16	-2.24	18.92	33.01	PASS
Band7	10	21100	50	#0	QAM16	21.19	-2.24	18.95	33.01	PASS
Band7	10	21400	1	#0	QPSK	23.20	-2.24	20.96	33.01	PASS
Band7	10	21400	1	#Mid	QPSK	23.16	-2.24	20.92	33.01	PASS
Band7	10	21400	1	#Max	QPSK	23.18	-2.24	20.94	33.01	PASS
Band7	10	21400	25	#0	QPSK	22.17	-2.24	19.93	33.01	PASS
Band7	10	21400	25	#Mid	QPSK	22.13	-2.24	19.89	33.01	PASS
Band7	10	21400	25	#Max	QPSK	22.13	-2.24	19.89	33.01	PASS
Band7	10	21400	50	#0	QPSK	22.16	-2.24	19.92	33.01	PASS
Band7	10	21400	1	#0	QAM16	21.96	-2.24	19.72	33.01	PASS
Band7	10	21400	1	#Mid	QAM16	21.99	-2.24	19.75	33.01	PASS
Band7	10	21400	1	#Max	QAM16	22.04	-2.24	19.80	33.01	PASS
Band7	10	21400	25	#0	QAM16	21.16	-2.24	18.92	33.01	PASS

Band7	10	21400	25	#Mid	QAM16	21.13	-2.24	18.89	33.01	PASS
Band7	10	21400	25	#Max	QAM16	21.12	-2.24	18.88	33.01	PASS
Band7	10	21400	50	#0	QAM16	21.13	-2.24	18.89	33.01	PASS
Band7	15	20825	1	#0	QPSK	23.27	-2.24	21.03	33.01	PASS
Band7	15	20825	1	#Mid	QPSK	23.23	-2.24	20.99	33.01	PASS
Band7	15	20825	1	#Max	QPSK	23.28	-2.24	21.04	33.01	PASS
Band7	15	20825	36	#0	QPSK	22.14	-2.24	19.90	33.01	PASS
Band7	15	20825	36	#Mid	QPSK	22.13	-2.24	19.89	33.01	PASS
Band7	15	20825	36	#Max	QPSK	22.14	-2.24	19.90	33.01	PASS
Band7	15	20825	75	#0	QPSK	22.18	-2.24	19.94	33.01	PASS
Band7	15	20825	1	#0	QAM16	22.61	-2.24	20.37	33.01	PASS
Band7	15	20825	1	#Mid	QAM16	22.61	-2.24	20.37	33.01	PASS
Band7	15	20825	1	#Max	QAM16	22.60	-2.24	20.36	33.01	PASS
Band7	15	20825	36	#0	QAM16	21.20	-2.24	18.96	33.01	PASS
Band7	15	20825	36	#Mid	QAM16	21.18	-2.24	18.94	33.01	PASS
Band7	15	20825	36	#Max	QAM16	21.19	-2.24	18.95	33.01	PASS
Band7	15	20825	75	#0	QAM16	21.19	-2.24	18.95	33.01	PASS
Band7	15	21100	1	#0	QPSK	23.20	-2.24	20.96	33.01	PASS
Band7	15	21100	1	#Mid	QPSK	23.10	-2.24	20.86	33.01	PASS
Band7	15	21100	1	#Max	QPSK	23.18	-2.24	20.94	33.01	PASS
Band7	15	21100	36	#0	QPSK	22.15	-2.24	19.91	33.01	PASS
Band7	15	21100	36	#Mid	QPSK	22.13	-2.24	19.89	33.01	PASS
Band7	15	21100	36	#Max	QPSK	22.16	-2.24	19.92	33.01	PASS
Band7	15	21100	75	#0	QPSK	22.15	-2.24	19.91	33.01	PASS
Band7	15	21100	1	#0	QAM16	22.38	-2.24	20.14	33.01	PASS
Band7	15	21100	1	#Mid	QAM16	22.36	-2.24	20.12	33.01	PASS
Band7	15	21100	1	#Max	QAM16	22.44	-2.24	20.20	33.01	PASS
Band7	15	21100	36	#0	QAM16	21.21	-2.24	18.97	33.01	PASS
Band7	15	21100	36	#Mid	QAM16	21.21	-2.24	18.97	33.01	PASS
Band7	15	21100	36	#Max	QAM16	21.22	-2.24	18.98	33.01	PASS
Band7	15	21100	75	#0	QAM16	21.16	-2.24	18.92	33.01	PASS
Band7	15	21375	1	#0	QPSK	23.28	-2.24	21.04	33.01	PASS
Band7	15	21375	1	#Mid	QPSK	23.21	-2.24	20.97	33.01	PASS
Band7	15	21375	1	#Max	QPSK	23.26	-2.24	21.02	33.01	PASS
Band7	15	21375	36	#0	QPSK	22.11	-2.24	19.87	33.01	PASS
Band7	15	21375	36	#Mid	QPSK	22.08	-2.24	19.84	33.01	PASS
Band7	15	21375	36	#Max	QPSK	22.09	-2.24	19.85	33.01	PASS
Band7	15	21375	75	#0	QPSK	22.13	-2.24	19.89	33.01	PASS
Band7	15	21375	1	#0	QAM16	22.28	-2.24	20.04	33.01	PASS
Band7	15	21375	1	#Mid	QAM16	22.25	-2.24	20.01	33.01	PASS
Band7	15	21375	1	#Max	QAM16	22.27	-2.24	20.03	33.01	PASS
Band7	15	21375	36	#0	QAM16	21.11	-2.24	18.87	33.01	PASS
Band7	15	21375	36	#Mid	QAM16	21.08	-2.24	18.84	33.01	PASS
Band7	15	21375	36	#Max	QAM16	21.07	-2.24	18.83	33.01	PASS

Band7	15	21375	75	#0	QAM16	21.17	-2.24	18.93	33.01	PASS
Band7	20	20850	1	#0	QPSK	23.29	-2.24	21.05	33.01	PASS
Band7	20	20850	1	#Mid	QPSK	23.19	-2.24	20.95	33.01	PASS
Band7	20	20850	1	#Max	QPSK	23.34	-2.24	21.10	33.01	PASS
Band7	20	20850	50	#0	QPSK	22.23	-2.24	19.99	33.01	PASS
Band7	20	20850	50	#Mid	QPSK	22.19	-2.24	19.95	33.01	PASS
Band7	20	20850	50	#Max	QPSK	22.19	-2.24	19.95	33.01	PASS
Band7	20	20850	100	#0	QPSK	22.21	-2.24	19.97	33.01	PASS
Band7	20	20850	1	#0	QAM16	22.56	-2.24	20.32	33.01	PASS
Band7	20	20850	1	#Mid	QAM16	22.55	-2.24	20.31	33.01	PASS
Band7	20	20850	1	#Max	QAM16	22.64	-2.24	20.40	33.01	PASS
Band7	20	20850	50	#0	QAM16	21.26	-2.24	19.02	33.01	PASS
Band7	20	20850	50	#Mid	QAM16	21.23	-2.24	18.99	33.01	PASS
Band7	20	20850	50	#Max	QAM16	21.22	-2.24	18.98	33.01	PASS
Band7	20	20850	100	#0	QAM16	21.21	-2.24	18.97	33.01	PASS
Band7	20	21100	1	#0	QPSK	23.27	-2.24	21.03	33.01	PASS
Band7	20	21100	1	#Mid	QPSK	23.27	-2.24	21.03	33.01	PASS
Band7	20	21100	1	#Max	QPSK	23.31	-2.24	21.07	33.01	PASS
Band7	20	21100	50	#0	QPSK	22.22	-2.24	19.98	33.01	PASS
Band7	20	21100	50	#Mid	QPSK	22.21	-2.24	19.97	33.01	PASS
Band7	20	21100	50	#Max	QPSK	22.22	-2.24	19.98	33.01	PASS
Band7	20	21100	100	#0	QPSK	22.22	-2.24	19.98	33.01	PASS
Band7	20	21100	1	#0	QAM16	22.44	-2.24	20.20	33.01	PASS
Band7	20	21100	1	#Mid	QAM16	22.35	-2.24	20.11	33.01	PASS
Band7	20	21100	1	#Max	QAM16	22.45	-2.24	20.21	33.01	PASS
Band7	20	21100	50	#0	QAM16	21.20	-2.24	18.96	33.01	PASS
Band7	20	21100	50	#Mid	QAM16	21.19	-2.24	18.95	33.01	PASS
Band7	20	21100	50	#Max	QAM16	21.19	-2.24	18.95	33.01	PASS
Band7	20	21100	100	#0	QAM16	21.17	-2.24	18.93	33.01	PASS
Band7	20	21350	1	#0	QPSK	23.16	-2.24	20.92	33.01	PASS
Band7	20	21350	1	#Mid	QPSK	23.05	-2.24	20.81	33.01	PASS
Band7	20	21350	1	#Max	QPSK	23.15	-2.24	20.91	33.01	PASS
Band7	20	21350	50	#0	QPSK	22.20	-2.24	19.96	33.01	PASS
Band7	20	21350	50	#Mid	QPSK	22.16	-2.24	19.92	33.01	PASS
Band7	20	21350	50	#Max	QPSK	22.15	-2.24	19.91	33.01	PASS
Band7	20	21350	100	#0	QPSK	22.19	-2.24	19.95	33.01	PASS
Band7	20	21350	1	#0	QAM16	22.50	-2.24	20.26	33.01	PASS
Band7	20	21350	1	#Mid	QAM16	22.43	-2.24	20.19	33.01	PASS
Band7	20	21350	1	#Max	QAM16	22.48	-2.24	20.24	33.01	PASS
Band7	20	21350	50	#0	QAM16	21.22	-2.24	18.98	33.01	PASS
Band7	20	21350	50	#Mid	QAM16	21.19	-2.24	18.95	33.01	PASS
Band7	20	21350	50	#Max	QAM16	21.17	-2.24	18.93	33.01	PASS
Band7	20	21350	100	#0	QAM16	21.16	-2.24	18.92	33.01	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band7	20	20850	100	#0	QPSK	-4.64	-0.002	-2.5	2.5	PASS
Band7	20	20850	100	#0	QAM16	-0.10	0.000	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	-2.77	-0.001	-2.5	2.5	PASS
Band7	20	21100	100	#0	QAM16	-1.80	-0.001	-2.5	2.5	PASS
Band7	20	21350	100	#0	QPSK	1.93	0.001	-2.5	2.5	PASS
Band7	20	21350	100	#0	QAM16	0.87	0.000	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	21100	1	#0	QPSK	3.80	13	PASS
Band7	5	21100	1	#0	QAM16	4.39	13	PASS
Band7	10	21100	1	#0	QPSK	3.69	13	PASS
Band7	10	21100	1	#0	QAM16	4.52	13	PASS
Band7	15	21100	1	#0	QPSK	3.54	13	PASS
Band7	15	21100	1	#0	QAM16	4.39	13	PASS
Band7	20	21100	1	#0	QPSK	3.68	13	PASS
Band7	20	21100	1	#0	QAM16	4.42	13	PASS



Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0

**Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0**

**Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0**


**Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0**




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band7	5	20775	25	#0	QPSK	4.500	4.936	PASS
Band7	5	20775	25	#0	QAM16	4.513	4.968	PASS
Band7	5	21100	25	#0	QPSK	4.518	4.955	PASS
Band7	5	21100	25	#0	QAM16	4.523	4.901	PASS
Band7	5	21425	25	#0	QPSK	4.505	4.932	PASS
Band7	5	21425	25	#0	QAM16	4.511	4.922	PASS
Band7	10	20800	50	#0	QPSK	8.979	9.827	PASS
Band7	10	20800	50	#0	QAM16	8.976	9.723	PASS
Band7	10	21100	50	#0	QPSK	8.974	9.798	PASS
Band7	10	21100	50	#0	QAM16	8.966	9.707	PASS
Band7	10	21400	50	#0	QPSK	8.989	9.810	PASS
Band7	10	21400	50	#0	QAM16	8.979	9.680	PASS
Band7	15	20825	75	#0	QPSK	13.482	14.623	PASS
Band7	15	20825	75	#0	QAM16	13.428	14.563	PASS
Band7	15	21100	75	#0	QPSK	13.472	14.624	PASS
Band7	15	21100	75	#0	QAM16	13.471	14.554	PASS
Band7	15	21375	75	#0	QPSK	13.436	14.546	PASS
Band7	15	21375	75	#0	QAM16	13.449	14.530	PASS
Band7	20	20850	100	#0	QPSK	17.961	19.231	PASS
Band7	20	20850	100	#0	QAM16	17.992	19.308	PASS
Band7	20	21100	100	#0	QPSK	17.976	19.406	PASS
Band7	20	21100	100	#0	QAM16	17.915	19.347	PASS
Band7	20	21350	100	#0	QPSK	17.979	19.305	PASS
Band7	20	21350	100	#0	QAM16	17.932	19.406	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0





Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



**Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0****Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0**




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0



**Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0****Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0**







Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0







Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0

**Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0**

**Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0****Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0**

**Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0****Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0**


**Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0**

**Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0**



5 Band edge


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2499.00	-12.49	-10	PASS
Band7	5	20775	25	#0	QAM16	2499.00	-12.92	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-12.55	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.01	-14.53	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.97	-30.60	-25	PASS
Band7	10	20800	50	#0	QAM16	2488.53	-33.77	-25	PASS
Band7	10	21400	50	#0	QPSK	2580.90	-29.42	-25	PASS
Band7	10	21400	50	#0	QAM16	2580.05	-31.60	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.99	-33.67	-25	PASS
Band7	15	20825	75	#0	QAM16	2484.76	-36.34	-25	PASS
Band7	15	21375	75	#0	QPSK	2585.35	-31.88	-25	PASS
Band7	15	21375	75	#0	QAM16	2585.65	-35.18	-25	PASS
Band7	20	20850	100	#0	QPSK	2479.52	-35.85	-25	PASS
Band7	20	20850	100	#0	QAM16	2479.89	-37.51	-25	PASS
Band7	20	21350	100	#0	QPSK	2590.14	-33.11	-25	PASS
Band7	20	21350	100	#0	QAM16	2590.04	-36.17	-25	PASS

Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0


**Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0**




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0





Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0







Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0






Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0

**Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0**

**Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0****Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0**

**Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0****Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0**


**Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0****Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0**





6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	3805.75	-36.43	-25	PASS
Band7	5	20775	25	#0	QAM16	3877.53	-37.56	-25	PASS
Band7	5	21425	25	#0	QPSK	3800.13	-36.67	-25	PASS
Band7	5	21425	25	#0	QAM16	3799.68	-37.33	-25	PASS
Band7	10	20800	50	#0	QPSK	3834.10	-37.55	-25	PASS
Band7	10	20800	50	#0	QAM16	3787.53	-35.82	-25	PASS
Band7	10	21400	50	#0	QPSK	3851.20	-36.34	-25	PASS
Band7	10	21400	50	#0	QAM16	3751.30	-36.91	-25	PASS
Band7	15	20825	75	#0	QPSK	5025.03	-36.71	-25	PASS
Band7	15	20825	75	#0	QAM16	3820.15	-36.49	-25	PASS
Band7	15	21375	75	#0	QPSK	3819.70	-36.65	-25	PASS
Band7	15	21375	75	#0	QAM16	3791.13	-36.80	-25	PASS
Band7	20	20850	100	#0	QPSK	4315.38	-36.94	-25	PASS
Band7	20	20850	100	#0	QAM16	5018.05	-36.95	-25	PASS
Band7	20	21350	100	#0	QPSK	3752.65	-36.67	-25	PASS
Band7	20	21350	100	#0	QAM16	3763.45	-36.87	-25	PASS



Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0







Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0



**Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0**



**Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0****Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0**

**Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0****Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0**

**Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0****Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0**

**Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0**

**Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0****Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0**

**Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0**

