

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability8

3 Peak-to-Average Ratio9

4 Occupied bandwidth17

5 Band edge25

6 Out-of-band emissions39

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	23.15	-0.81	22.34	33.01	Pass
Band2	1.4	18607	1	#Mid	QPSK	23.17	-0.81	22.36	33.01	Pass
Band2	1.4	18607	1	#Max	QPSK	23.20	-0.81	22.39	33.01	Pass
Band2	1.4	18607	3	#0	QPSK	23.16	-0.81	22.35	33.01	Pass
Band2	1.4	18607	3	#Mid	QPSK	23.17	-0.81	22.36	33.01	Pass
Band2	1.4	18607	3	#Max	QPSK	23.19	-0.81	22.38	33.01	Pass
Band2	1.4	18607	6	#0	QPSK	22.20	-0.81	21.39	33.01	Pass
Band2	1.4	18607	1	#0	16QAM	22.40	-0.81	21.59	33.01	Pass
Band2	1.4	18607	1	#Mid	16QAM	22.32	-0.81	21.51	33.01	Pass
Band2	1.4	18607	1	#Max	16QAM	22.26	-0.81	21.45	33.01	Pass
Band2	1.4	18607	3	#0	16QAM	22.37	-0.81	21.56	33.01	Pass
Band2	1.4	18607	3	#Mid	16QAM	22.38	-0.81	21.57	33.01	Pass
Band2	1.4	18607	3	#Max	16QAM	22.36	-0.81	21.55	33.01	Pass
Band2	1.4	18607	6	#0	16QAM	21.42	-0.81	20.61	33.01	Pass
Band2	1.4	18900	1	#0	QPSK	23.15	-0.81	22.34	33.01	Pass
Band2	1.4	18900	1	#Mid	QPSK	23.17	-0.81	22.36	33.01	Pass
Band2	1.4	18900	1	#Max	QPSK	23.19	-0.81	22.38	33.01	Pass
Band2	1.4	18900	3	#0	QPSK	23.16	-0.81	22.35	33.01	Pass
Band2	1.4	18900	3	#Mid	QPSK	23.18	-0.81	22.37	33.01	Pass
Band2	1.4	18900	3	#Max	QPSK	23.12	-0.81	22.31	33.01	Pass
Band2	1.4	18900	6	#0	QPSK	22.20	-0.81	21.39	33.01	Pass
Band2	1.4	18900	1	#0	16QAM	22.42	-0.81	21.61	33.01	Pass
Band2	1.4	18900	1	#Mid	16QAM	22.39	-0.81	21.58	33.01	Pass
Band2	1.4	18900	1	#Max	16QAM	22.45	-0.81	21.64	33.01	Pass
Band2	1.4	18900	3	#0	16QAM	22.39	-0.81	21.58	33.01	Pass
Band2	1.4	18900	3	#Mid	16QAM	22.39	-0.81	21.58	33.01	Pass
Band2	1.4	18900	3	#Max	16QAM	22.44	-0.81	21.63	33.01	Pass
Band2	1.4	18900	6	#0	16QAM	21.36	-0.81	20.55	33.01	Pass
Band2	1.4	19193	1	#0	QPSK	23.15	-0.81	22.34	33.01	Pass
Band2	1.4	19193	1	#Mid	QPSK	23.18	-0.81	22.37	33.01	Pass
Band2	1.4	19193	1	#Max	QPSK	23.16	-0.81	22.35	33.01	Pass
Band2	1.4	19193	3	#0	QPSK	23.18	-0.81	22.37	33.01	Pass
Band2	1.4	19193	3	#Mid	QPSK	23.20	-0.81	22.39	33.01	Pass
Band2	1.4	19193	3	#Max	QPSK	23.16	-0.81	22.35	33.01	Pass
Band2	1.4	19193	6	#0	QPSK	22.20	-0.81	21.39	33.01	Pass
Band2	1.4	19193	1	#0	16QAM	22.17	-0.81	21.36	33.01	Pass
Band2	1.4	19193	1	#Mid	16QAM	22.13	-0.81	21.32	33.01	Pass

Band2	1.4	19193	1	#Max	16QAM	22.17	-0.81	21.36	33.01	Pass
Band2	1.4	19193	3	#0	16QAM	22.30	-0.81	21.49	33.01	Pass
Band2	1.4	19193	3	#Mid	16QAM	22.32	-0.81	21.51	33.01	Pass
Band2	1.4	19193	3	#Max	16QAM	22.31	-0.81	21.50	33.01	Pass
Band2	1.4	19193	6	#0	16QAM	21.34	-0.81	20.53	33.01	Pass
Band2	3	18615	1	#0	QPSK	23.25	-0.81	22.44	33.01	Pass
Band2	3	18615	1	#Mid	QPSK	23.25	-0.81	22.44	33.01	Pass
Band2	3	18615	1	#Max	QPSK	23.23	-0.81	22.42	33.01	Pass
Band2	3	18615	8	#0	QPSK	22.20	-0.81	21.39	33.01	Pass
Band2	3	18615	8	#Mid	QPSK	22.19	-0.81	21.38	33.01	Pass
Band2	3	18615	8	#Max	QPSK	22.23	-0.81	21.42	33.01	Pass
Band2	3	18615	15	#0	QPSK	22.21	-0.81	21.40	33.01	Pass
Band2	3	18615	1	#0	16QAM	22.62	-0.81	21.81	33.01	Pass
Band2	3	18615	1	#Mid	16QAM	22.58	-0.81	21.77	33.01	Pass
Band2	3	18615	1	#Max	16QAM	22.65	-0.81	21.84	33.01	Pass
Band2	3	18615	8	#0	16QAM	21.24	-0.81	20.43	33.01	Pass
Band2	3	18615	8	#Mid	16QAM	21.25	-0.81	20.44	33.01	Pass
Band2	3	18615	8	#Max	16QAM	21.29	-0.81	20.48	33.01	Pass
Band2	3	18615	15	#0	16QAM	21.26	-0.81	20.45	33.01	Pass
Band2	3	18900	1	#0	QPSK	23.12	-0.81	22.31	33.01	Pass
Band2	3	18900	1	#Mid	QPSK	23.18	-0.81	22.37	33.01	Pass
Band2	3	18900	1	#Max	QPSK	23.12	-0.81	22.31	33.01	Pass
Band2	3	18900	8	#0	QPSK	22.19	-0.81	21.38	33.01	Pass
Band2	3	18900	8	#Mid	QPSK	22.20	-0.81	21.39	33.01	Pass
Band2	3	18900	8	#Max	QPSK	22.18	-0.81	21.37	33.01	Pass
Band2	3	18900	15	#0	QPSK	22.20	-0.81	21.39	33.01	Pass
Band2	3	18900	1	#0	16QAM	22.46	-0.81	21.65	33.01	Pass
Band2	3	18900	1	#Mid	16QAM	22.42	-0.81	21.61	33.01	Pass
Band2	3	18900	1	#Max	16QAM	22.35	-0.81	21.54	33.01	Pass
Band2	3	18900	8	#0	16QAM	21.24	-0.81	20.43	33.01	Pass
Band2	3	18900	8	#Mid	16QAM	21.21	-0.81	20.40	33.01	Pass
Band2	3	18900	8	#Max	16QAM	21.23	-0.81	20.42	33.01	Pass
Band2	3	18900	15	#0	16QAM	21.11	-0.81	20.30	33.01	Pass
Band2	3	19185	1	#0	QPSK	23.30	-0.81	22.49	33.01	Pass
Band2	3	19185	1	#Mid	QPSK	23.19	-0.81	22.38	33.01	Pass
Band2	3	19185	1	#Max	QPSK	23.14	-0.81	22.33	33.01	Pass
Band2	3	19185	8	#0	QPSK	22.24	-0.81	21.43	33.01	Pass
Band2	3	19185	8	#Mid	QPSK	22.22	-0.81	21.41	33.01	Pass
Band2	3	19185	8	#Max	QPSK	22.16	-0.81	21.35	33.01	Pass
Band2	3	19185	15	#0	QPSK	22.21	-0.81	21.40	33.01	Pass
Band2	3	19185	1	#0	16QAM	22.24	-0.81	21.43	33.01	Pass
Band2	3	19185	1	#Mid	16QAM	22.09	-0.81	21.28	33.01	Pass
Band2	3	19185	1	#Max	16QAM	22.05	-0.81	21.24	33.01	Pass
Band2	3	19185	8	#0	16QAM	21.28	-0.81	20.47	33.01	Pass

Band2	3	19185	8	#Mid	16QAM	21.22	-0.81	20.41	33.01	Pass
Band2	3	19185	8	#Max	16QAM	21.17	-0.81	20.36	33.01	Pass
Band2	3	19185	15	#0	16QAM	21.29	-0.81	20.48	33.01	Pass
Band2	5	18625	1	#0	QPSK	23.40	-0.81	22.59	33.01	Pass
Band2	5	18625	1	#Mid	QPSK	23.45	-0.81	22.64	33.01	Pass
Band2	5	18625	1	#Max	QPSK	23.44	-0.81	22.63	33.01	Pass
Band2	5	18625	12	#0	QPSK	22.30	-0.81	21.49	33.01	Pass
Band2	5	18625	12	#Mid	QPSK	22.28	-0.81	21.47	33.01	Pass
Band2	5	18625	12	#Max	QPSK	22.36	-0.81	21.55	33.01	Pass
Band2	5	18625	25	#0	QPSK	22.33	-0.81	21.52	33.01	Pass
Band2	5	18625	1	#0	16QAM	22.74	-0.81	21.93	33.01	Pass
Band2	5	18625	1	#Mid	16QAM	22.82	-0.81	22.01	33.01	Pass
Band2	5	18625	1	#Max	16QAM	22.81	-0.81	22.00	33.01	Pass
Band2	5	18625	12	#0	16QAM	21.31	-0.81	20.50	33.01	Pass
Band2	5	18625	12	#Mid	16QAM	21.32	-0.81	20.51	33.01	Pass
Band2	5	18625	12	#Max	16QAM	21.37	-0.81	20.56	33.01	Pass
Band2	5	18625	25	#0	16QAM	21.30	-0.81	20.49	33.01	Pass
Band2	5	18900	1	#0	QPSK	23.34	-0.81	22.53	33.01	Pass
Band2	5	18900	1	#Mid	QPSK	23.36	-0.81	22.55	33.01	Pass
Band2	5	18900	1	#Max	QPSK	23.36	-0.81	22.55	33.01	Pass
Band2	5	18900	12	#0	QPSK	22.26	-0.81	21.45	33.01	Pass
Band2	5	18900	12	#Mid	QPSK	22.21	-0.81	21.40	33.01	Pass
Band2	5	18900	12	#Max	QPSK	22.24	-0.81	21.43	33.01	Pass
Band2	5	18900	25	#0	QPSK	22.29	-0.81	21.48	33.01	Pass
Band2	5	18900	1	#0	16QAM	22.63	-0.81	21.82	33.01	Pass
Band2	5	18900	1	#Mid	16QAM	22.63	-0.81	21.82	33.01	Pass
Band2	5	18900	1	#Max	16QAM	22.69	-0.81	21.88	33.01	Pass
Band2	5	18900	12	#0	16QAM	21.25	-0.81	20.44	33.01	Pass
Band2	5	18900	12	#Mid	16QAM	21.21	-0.81	20.40	33.01	Pass
Band2	5	18900	12	#Max	16QAM	21.23	-0.81	20.42	33.01	Pass
Band2	5	18900	25	#0	16QAM	21.31	-0.81	20.50	33.01	Pass
Band2	5	19175	1	#0	QPSK	23.38	-0.81	22.57	33.01	Pass
Band2	5	19175	1	#Mid	QPSK	23.31	-0.81	22.50	33.01	Pass
Band2	5	19175	1	#Max	QPSK	23.12	-0.81	22.31	33.01	Pass
Band2	5	19175	12	#0	QPSK	22.37	-0.81	21.56	33.01	Pass
Band2	5	19175	12	#Mid	QPSK	22.29	-0.81	21.48	33.01	Pass
Band2	5	19175	12	#Max	QPSK	22.22	-0.81	21.41	33.01	Pass
Band2	5	19175	25	#0	QPSK	22.36	-0.81	21.55	33.01	Pass
Band2	5	19175	1	#0	16QAM	22.59	-0.81	21.78	33.01	Pass
Band2	5	19175	1	#Mid	16QAM	22.52	-0.81	21.71	33.01	Pass
Band2	5	19175	1	#Max	16QAM	22.43	-0.81	21.62	33.01	Pass
Band2	5	19175	12	#0	16QAM	21.42	-0.81	20.61	33.01	Pass
Band2	5	19175	12	#Mid	16QAM	21.34	-0.81	20.53	33.01	Pass
Band2	5	19175	12	#Max	16QAM	21.29	-0.81	20.48	33.01	Pass

Band2	5	19175	25	#0	16QAM	21.34	-0.81	20.53	33.01	Pass
Band2	10	18650	1	#0	QPSK	23.33	-0.81	22.52	33.01	Pass
Band2	10	18650	1	#Mid	QPSK	23.32	-0.81	22.51	33.01	Pass
Band2	10	18650	1	#Max	QPSK	23.39	-0.81	22.58	33.01	Pass
Band2	10	18650	25	#0	QPSK	22.26	-0.81	21.45	33.01	Pass
Band2	10	18650	25	#Mid	QPSK	22.31	-0.81	21.50	33.01	Pass
Band2	10	18650	25	#Max	QPSK	22.38	-0.81	21.57	33.01	Pass
Band2	10	18650	50	#0	QPSK	22.33	-0.81	21.52	33.01	Pass
Band2	10	18650	1	#0	16QAM	22.69	-0.81	21.88	33.01	Pass
Band2	10	18650	1	#Mid	16QAM	22.69	-0.81	21.88	33.01	Pass
Band2	10	18650	1	#Max	16QAM	22.74	-0.81	21.93	33.01	Pass
Band2	10	18650	25	#0	16QAM	21.28	-0.81	20.47	33.01	Pass
Band2	10	18650	25	#Mid	16QAM	21.32	-0.81	20.51	33.01	Pass
Band2	10	18650	25	#Max	16QAM	21.38	-0.81	20.57	33.01	Pass
Band2	10	18650	50	#0	16QAM	21.31	-0.81	20.50	33.01	Pass
Band2	10	18900	1	#0	QPSK	23.23	-0.81	22.42	33.01	Pass
Band2	10	18900	1	#Mid	QPSK	23.24	-0.81	22.43	33.01	Pass
Band2	10	18900	1	#Max	QPSK	23.31	-0.81	22.50	33.01	Pass
Band2	10	18900	25	#0	QPSK	22.24	-0.81	21.43	33.01	Pass
Band2	10	18900	25	#Mid	QPSK	22.27	-0.81	21.46	33.01	Pass
Band2	10	18900	25	#Max	QPSK	22.30	-0.81	21.49	33.01	Pass
Band2	10	18900	50	#0	QPSK	22.29	-0.81	21.48	33.01	Pass
Band2	10	18900	1	#0	16QAM	22.39	-0.81	21.58	33.01	Pass
Band2	10	18900	1	#Mid	16QAM	22.45	-0.81	21.64	33.01	Pass
Band2	10	18900	1	#Max	16QAM	22.54	-0.81	21.73	33.01	Pass
Band2	10	18900	25	#0	16QAM	21.24	-0.81	20.43	33.01	Pass
Band2	10	18900	25	#Mid	16QAM	21.25	-0.81	20.44	33.01	Pass
Band2	10	18900	25	#Max	16QAM	21.29	-0.81	20.48	33.01	Pass
Band2	10	18900	50	#0	16QAM	21.29	-0.81	20.48	33.01	Pass
Band2	10	19150	1	#0	QPSK	23.50	-0.81	22.69	33.01	Pass
Band2	10	19150	1	#Mid	QPSK	23.36	-0.81	22.55	33.01	Pass
Band2	10	19150	1	#Max	QPSK	23.28	-0.81	22.47	33.01	Pass
Band2	10	19150	25	#0	QPSK	22.46	-0.81	21.65	33.01	Pass
Band2	10	19150	25	#Mid	QPSK	22.37	-0.81	21.56	33.01	Pass
Band2	10	19150	25	#Max	QPSK	22.30	-0.81	21.49	33.01	Pass
Band2	10	19150	50	#0	QPSK	22.38	-0.81	21.57	33.01	Pass
Band2	10	19150	1	#0	16QAM	22.36	-0.81	21.55	33.01	Pass
Band2	10	19150	1	#Mid	16QAM	22.31	-0.81	21.50	33.01	Pass
Band2	10	19150	1	#Max	16QAM	22.17	-0.81	21.36	33.01	Pass
Band2	10	19150	25	#0	16QAM	21.45	-0.81	20.64	33.01	Pass
Band2	10	19150	25	#Mid	16QAM	21.35	-0.81	20.54	33.01	Pass
Band2	10	19150	25	#Max	16QAM	21.29	-0.81	20.48	33.01	Pass
Band2	10	19150	50	#0	16QAM	21.35	-0.81	20.54	33.01	Pass
Band2	15	18675	1	#0	QPSK	23.34	-0.81	22.53	33.01	Pass

Band2	15	18675	1	#Mid	QPSK	23.40	-0.81	22.59	33.01	Pass
Band2	15	18675	1	#Max	QPSK	23.40	-0.81	22.59	33.01	Pass
Band2	15	18675	36	#0	QPSK	22.27	-0.81	21.46	33.01	Pass
Band2	15	18675	36	#Mid	QPSK	22.34	-0.81	21.53	33.01	Pass
Band2	15	18675	36	#Max	QPSK	22.34	-0.81	21.53	33.01	Pass
Band2	15	18675	75	#0	QPSK	22.33	-0.81	21.52	33.01	Pass
Band2	15	18675	1	#0	16QAM	22.65	-0.81	21.84	33.01	Pass
Band2	15	18675	1	#Mid	16QAM	22.73	-0.81	21.92	33.01	Pass
Band2	15	18675	1	#Max	16QAM	22.70	-0.81	21.89	33.01	Pass
Band2	15	18675	36	#0	16QAM	21.32	-0.81	20.51	33.01	Pass
Band2	15	18675	36	#Mid	16QAM	21.38	-0.81	20.57	33.01	Pass
Band2	15	18675	36	#Max	16QAM	21.40	-0.81	20.59	33.01	Pass
Band2	15	18675	75	#0	16QAM	21.35	-0.81	20.54	33.01	Pass
Band2	15	18900	1	#0	QPSK	23.20	-0.81	22.39	33.01	Pass
Band2	15	18900	1	#Mid	QPSK	23.31	-0.81	22.50	33.01	Pass
Band2	15	18900	1	#Max	QPSK	23.30	-0.81	22.49	33.01	Pass
Band2	15	18900	36	#0	QPSK	22.23	-0.81	21.42	33.01	Pass
Band2	15	18900	36	#Mid	QPSK	22.24	-0.81	21.43	33.01	Pass
Band2	15	18900	36	#Max	QPSK	22.31	-0.81	21.50	33.01	Pass
Band2	15	18900	75	#0	QPSK	22.26	-0.81	21.45	33.01	Pass
Band2	15	18900	1	#0	16QAM	22.46	-0.81	21.65	33.01	Pass
Band2	15	18900	1	#Mid	16QAM	22.53	-0.81	21.72	33.01	Pass
Band2	15	18900	1	#Max	16QAM	22.55	-0.81	21.74	33.01	Pass
Band2	15	18900	36	#0	16QAM	21.30	-0.81	20.49	33.01	Pass
Band2	15	18900	36	#Mid	16QAM	21.30	-0.81	20.49	33.01	Pass
Band2	15	18900	36	#Max	16QAM	21.37	-0.81	20.56	33.01	Pass
Band2	15	18900	75	#0	16QAM	21.29	-0.81	20.48	33.01	Pass
Band2	15	19125	1	#0	QPSK	23.61	-0.81	22.80	33.01	Pass
Band2	15	19125	1	#Mid	QPSK	23.54	-0.81	22.73	33.01	Pass
Band2	15	19125	1	#Max	QPSK	23.26	-0.81	22.45	33.01	Pass
Band2	15	19125	36	#0	QPSK	22.45	-0.81	21.64	33.01	Pass
Band2	15	19125	36	#Mid	QPSK	22.42	-0.81	21.61	33.01	Pass
Band2	15	19125	36	#Max	QPSK	22.32	-0.81	21.51	33.01	Pass
Band2	15	19125	75	#0	QPSK	22.41	-0.81	21.60	33.01	Pass
Band2	15	19125	1	#0	16QAM	22.65	-0.81	21.84	33.01	Pass
Band2	15	19125	1	#Mid	16QAM	22.62	-0.81	21.81	33.01	Pass
Band2	15	19125	1	#Max	16QAM	22.42	-0.81	21.61	33.01	Pass
Band2	15	19125	36	#0	16QAM	21.43	-0.81	20.62	33.01	Pass
Band2	15	19125	36	#Mid	16QAM	21.40	-0.81	20.59	33.01	Pass
Band2	15	19125	36	#Max	16QAM	21.35	-0.81	20.54	33.01	Pass
Band2	15	19125	75	#0	16QAM	21.47	-0.81	20.66	33.01	Pass
Band2	20	18700	1	#0	QPSK	23.37	-0.81	22.56	33.01	Pass
Band2	20	18700	1	#Mid	QPSK	23.45	-0.81	22.64	33.01	Pass
Band2	20	18700	1	#Max	QPSK	23.39	-0.81	22.58	33.01	Pass

Band2	20	18700	50	#0	QPSK	22.37	-0.81	21.56	33.01	Pass
Band2	20	18700	50	#Mid	QPSK	22.40	-0.81	21.59	33.01	Pass
Band2	20	18700	50	#Max	QPSK	22.42	-0.81	21.61	33.01	Pass
Band2	20	18700	100	#0	QPSK	22.38	-0.81	21.57	33.01	Pass
Band2	20	18700	1	#0	16QAM	22.73	-0.81	21.92	33.01	Pass
Band2	20	18700	1	#Mid	16QAM	22.84	-0.81	22.03	33.01	Pass
Band2	20	18700	1	#Max	16QAM	22.72	-0.81	21.91	33.01	Pass
Band2	20	18700	50	#0	16QAM	21.39	-0.81	20.58	33.01	Pass
Band2	20	18700	50	#Mid	16QAM	21.47	-0.81	20.66	33.01	Pass
Band2	20	18700	50	#Max	16QAM	21.46	-0.81	20.65	33.01	Pass
Band2	20	18700	100	#0	16QAM	21.38	-0.81	20.57	33.01	Pass
Band2	20	18900	1	#0	QPSK	23.36	-0.81	22.55	33.01	Pass
Band2	20	18900	1	#Mid	QPSK	23.41	-0.81	22.60	33.01	Pass
Band2	20	18900	1	#Max	QPSK	23.48	-0.81	22.67	33.01	Pass
Band2	20	18900	50	#0	QPSK	22.35	-0.81	21.54	33.01	Pass
Band2	20	18900	50	#Mid	QPSK	22.36	-0.81	21.55	33.01	Pass
Band2	20	18900	50	#Max	QPSK	22.37	-0.81	21.56	33.01	Pass
Band2	20	18900	100	#0	QPSK	22.35	-0.81	21.54	33.01	Pass
Band2	20	18900	1	#0	16QAM	22.49	-0.81	21.68	33.01	Pass
Band2	20	18900	1	#Mid	16QAM	22.54	-0.81	21.73	33.01	Pass
Band2	20	18900	1	#Max	16QAM	22.59	-0.81	21.78	33.01	Pass
Band2	20	18900	50	#0	16QAM	21.32	-0.81	20.51	33.01	Pass
Band2	20	18900	50	#Mid	16QAM	21.32	-0.81	20.51	33.01	Pass
Band2	20	18900	50	#Max	16QAM	21.34	-0.81	20.53	33.01	Pass
Band2	20	18900	100	#0	16QAM	21.31	-0.81	20.50	33.01	Pass
Band2	20	19100	1	#0	QPSK	23.41	-0.81	22.60	33.01	Pass
Band2	20	19100	1	#Mid	QPSK	23.44	-0.81	22.63	33.01	Pass
Band2	20	19100	1	#Max	QPSK	23.12	-0.81	22.31	33.01	Pass
Band2	20	19100	50	#0	QPSK	22.52	-0.81	21.71	33.01	Pass
Band2	20	19100	50	#Mid	QPSK	22.51	-0.81	21.70	33.01	Pass
Band2	20	19100	50	#Max	QPSK	22.40	-0.81	21.59	33.01	Pass
Band2	20	19100	100	#0	QPSK	22.49	-0.81	21.68	33.01	Pass
Band2	20	19100	1	#0	16QAM	22.75	-0.81	21.94	33.01	Pass
Band2	20	19100	1	#Mid	16QAM	22.81	-0.81	22.00	33.01	Pass
Band2	20	19100	1	#Max	16QAM	22.59	-0.81	21.78	33.01	Pass
Band2	20	19100	50	#0	16QAM	21.55	-0.81	20.74	33.01	Pass
Band2	20	19100	50	#Mid	16QAM	21.54	-0.81	20.73	33.01	Pass
Band2	20	19100	50	#Max	16QAM	21.42	-0.81	20.61	33.01	Pass
Band2	20	19100	100	#0	16QAM	21.49	-0.81	20.68	33.01	Pass


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band2	20	18700	100	#0	QPSK	-4.68	-0.003	-2.5	2.5	PASS
Band2	20	18700	100	#0	16QAM	-5.62	-0.003	-2.5	2.5	PASS
Band2	20	18900	100	#0	QPSK	-3.78	-0.002	-2.5	2.5	PASS
Band2	20	18900	100	#0	16QAM	-0.80	0.000	-2.5	2.5	PASS
Band2	20	19100	100	#0	QPSK	0.40	0.000	-2.5	2.5	PASS
Band2	20	19100	100	#0	16QAM	3.32	0.002	-2.5	2.5	PASS


Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
Band2	1.4	18900	1	#0	QPSK	3.59	13	PASS
Band2	1.4	18900	1	#0	16QAM	4.46	13	PASS
Band2	3	18900	1	#0	QPSK	3.46	13	PASS
Band2	3	18900	1	#0	16QAM	4.39	13	PASS
Band2	5	18900	1	#0	QPSK	3.55	13	PASS
Band2	5	18900	1	#0	16QAM	4.29	13	PASS
Band2	10	18900	1	#0	QPSK	3.43	13	PASS
Band2	10	18900	1	#0	16QAM	4.20	13	PASS
Band2	15	18900	1	#0	QPSK	3.39	13	PASS
Band2	15	18900	1	#0	16QAM	4.28	13	PASS
Band2	20	18900	1	#0	QPSK	3.37	13	PASS
Band2	20	18900	1	#0	16QAM	4.27	13	PASS




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0



Band2 16QAM BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=20MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0

4 Occupied bandwidth


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band2	1.4	18900	6	#0	QPSK	1.087	1.244	PASS
Band2	1.4	18900	6	#0	16QAM	1.092	1.230	PASS
Band2	3	18900	15	#0	QPSK	2.685	2.929	PASS
Band2	3	18900	15	#0	16QAM	2.698	2.931	PASS
Band2	5	18900	25	#0	QPSK	4.488	4.878	PASS
Band2	5	18900	25	#0	16QAM	4.505	4.856	PASS
Band2	10	18900	50	#0	QPSK	8.939	9.563	PASS
Band2	10	18900	50	#0	16QAM	8.984	9.615	PASS
Band2	15	18900	75	#0	QPSK	13.500	14.384	PASS
Band2	15	18900	75	#0	16QAM	13.425	14.261	PASS
Band2	20	18900	100	#0	QPSK	17.897	19.044	PASS
Band2	20	18900	100	#0	16QAM	17.964	18.987	PASS




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 16QAM BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0



Band2 16QAM BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 16QAM BW=20MHz Channel=18900 RB Size=100 Position=#0

5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band2	1.4	18607	6	#0	QPSK	1850.00	-29.50	-13	PASS
Band2	1.4	18607	6	#0	16QAM	1849.99	-28.62	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.01	-29.09	-13	PASS
Band2	1.4	19193	6	#0	16QAM	1910.00	-28.92	-13	PASS
Band2	3	18615	15	#0	QPSK	1849.64	-31.34	-13	PASS
Band2	3	18615	15	#0	16QAM	1850.00	-30.35	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-29.69	-13	PASS
Band2	3	19185	15	#0	16QAM	1910.00	-31.21	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-29.49	-13	PASS
Band2	5	18625	25	#0	16QAM	1850.00	-31.77	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-27.98	-13	PASS
Band2	5	19175	25	#0	16QAM	1910.01	-27.91	-13	PASS
Band2	10	18650	50	#0	QPSK	1849.92	-30.58	-13	PASS
Band2	10	18650	50	#0	16QAM	1849.90	-33.03	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.62	-31.23	-13	PASS
Band2	10	19150	50	#0	16QAM	1910.02	-33.08	-13	PASS
Band2	15	18675	75	#0	QPSK	1849.61	-29.50	-13	PASS
Band2	15	18675	75	#0	16QAM	1850.00	-34.04	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.75	-29.24	-13	PASS
Band2	15	19125	75	#0	16QAM	1910.63	-33.66	-13	PASS
Band2	20	18700	100	#0	QPSK	1849.24	-31.38	-13	PASS
Band2	20	18700	100	#0	16QAM	1849.08	-34.21	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.24	-32.61	-13	PASS
Band2	20	19100	100	#0	16QAM	1910.00	-32.27	-13	PASS




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 16QAM BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0



Band2 16QAM BW=10MHz Channel=19150 RB Size=50 Position=#0



Band2 16QAM BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 16QAM BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0



Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 16QAM BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 16QAM BW=20MHz Channel=19100 RB Size=100 Position=#0

6 Out-of-band emissions


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band2	1.4	18607	6	#0	QPSK	18676.65	-35.15	-13	PASS
Band2	1.4	18607	6	#0	16QAM	19366.35	-36.86	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1915.80	-32.64	-13	PASS
Band2	1.4	19193	6	#0	16QAM	19164.00	-35.88	-13	PASS
Band2	3	18615	15	#0	QPSK	3816.75	-36.00	-13	PASS
Band2	3	18615	15	#0	16QAM	3764.98	-36.46	-13	PASS
Band2	3	19185	15	#0	QPSK	19073.75	-35.77	-13	PASS
Band2	3	19185	15	#0	16QAM	19881.73	-36.37	-13	PASS
Band2	5	18625	25	#0	QPSK	3845.25	-36.50	-13	PASS
Band2	5	18625	25	#0	16QAM	19070.43	-36.64	-13	PASS
Band2	5	19175	25	#0	QPSK	19001.08	-36.38	-13	PASS
Band2	5	19175	25	#0	16QAM	18774.50	-36.71	-13	PASS
Band2	10	18650	50	#0	QPSK	3757.38	-35.82	-13	PASS
Band2	10	18650	50	#0	16QAM	19726.88	-35.80	-13	PASS
Band2	10	19150	50	#0	QPSK	19130.28	-35.69	-13	PASS
Band2	10	19150	50	#0	16QAM	3788.25	-36.21	-13	PASS
Band2	15	18675	75	#0	QPSK	3708.93	-36.26	-13	PASS
Band2	15	18675	75	#0	16QAM	18818.68	-36.35	-13	PASS
Band2	15	19125	75	#0	QPSK	18906.55	-36.62	-13	PASS
Band2	15	19125	75	#0	16QAM	19766.30	-37.07	-13	PASS
Band2	20	18700	100	#0	QPSK	13613.63	-36.36	-13	PASS
Band2	20	18700	100	#0	16QAM	18214.00	-36.53	-13	PASS
Band2	20	19100	100	#0	QPSK	19043.83	-35.52	-13	PASS
Band2	20	19100	100	#0	16QAM	19171.13	-36.09	-13	PASS




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 16QAM BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 16QAM BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 16QAM BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 16QAM BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 16QAM BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0



Band2 16QAM BW=20MHz Channel=19100 RB Size=100 Position=#0

