

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth13

5 Band edge27

6 Out-of-band emissions37

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
Band42(3450-3550)	5	42115	1	#0	QPSK	19.96	-1.84	18.12	30.00	Pass
Band42(3450-3550)	5	42115	1	#Mid	QPSK	20.05	-1.84	18.21	30.00	Pass
Band42(3450-3550)	5	42115	1	#Max	QPSK	20.06	-1.84	18.22	30.00	Pass
Band42(3450-3550)	5	42115	12	#0	QPSK	18.94	-1.84	17.10	30.00	Pass
Band42(3450-3550)	5	42115	12	#Mid	QPSK	18.92	-1.84	17.08	30.00	Pass
Band42(3450-3550)	5	42115	12	#Max	QPSK	18.94	-1.84	17.10	30.00	Pass
Band42(3450-3550)	5	42115	25	#0	QPSK	18.96	-1.84	17.12	30.00	Pass
Band42(3450-3550)	5	42115	1	#0	QAM16	19.54	-1.84	17.70	30.00	Pass
Band42(3450-3550)	5	42115	1	#Mid	QAM16	19.53	-1.84	17.69	30.00	Pass
Band42(3450-3550)	5	42115	1	#Max	QAM16	19.59	-1.84	17.75	30.00	Pass
Band42(3450-3550)	5	42115	12	#0	QAM16	17.82	-1.84	15.98	30.00	Pass
Band42(3450-3550)	5	42115	12	#Mid	QAM16	17.79	-1.84	15.95	30.00	Pass
Band42(3450-3550)	5	42115	12	#Max	QAM16	17.85	-1.84	16.01	30.00	Pass
Band42(3450-3550)	5	42115	25	#0	QAM16	17.80	-1.84	15.96	30.00	Pass
Band42(3450-3550)	5	42590	1	#0	QPSK	20.10	-1.84	18.26	30.00	Pass
Band42(3450-3550)	5	42590	1	#Mid	QPSK	20.16	-1.84	18.32	30.00	Pass
Band42(3450-3550)	5	42590	1	#Max	QPSK	20.16	-1.84	18.32	30.00	Pass
Band42(3450-3550)	5	42590	12	#0	QPSK	19.07	-1.84	17.23	30.00	Pass
Band42(3450-3550)	5	42590	12	#Mid	QPSK	19.05	-1.84	17.21	30.00	Pass
Band42(3450-3550)	5	42590	12	#Max	QPSK	19.06	-1.84	17.22	30.00	Pass
Band42(3450-3550)	5	42590	25	#0	QPSK	19.10	-1.84	17.26	30.00	Pass
Band42(3450-3550)	5	42590	1	#0	QAM16	19.33	-1.84	17.49	30.00	Pass
Band42(3450-3550)	5	42590	1	#Mid	QAM16	19.42	-1.84	17.58	30.00	Pass
Band42(3450-3550)	5	42590	1	#Max	QAM16	19.44	-1.84	17.60	30.00	Pass
Band42(3450-3550)	5	42590	12	#0	QAM16	17.98	-1.84	16.14	30.00	Pass
Band42(3450-3550)	5	42590	12	#Mid	QAM16	17.96	-1.84	16.12	30.00	Pass
Band42(3450-3550)	5	42590	12	#Max	QAM16	17.98	-1.84	16.14	30.00	Pass
Band42(3450-3550)	5	42590	25	#0	QAM16	18.02	-1.84	16.18	30.00	Pass
Band42(3450-3550)	5	43065	1	#0	QPSK	19.97	-1.84	18.13	30.00	Pass
Band42(3450-3550)	5	43065	1	#Mid	QPSK	20.00	-1.84	18.16	30.00	Pass
Band42(3450-3550)	5	43065	1	#Max	QPSK	20.01	-1.84	18.17	30.00	Pass
Band42(3450-3550)	5	43065	12	#0	QPSK	19.01	-1.84	17.17	30.00	Pass
Band42(3450-3550)	5	43065	12	#Mid	QPSK	18.98	-1.84	17.14	30.00	Pass
Band42(3450-3550)	5	43065	12	#Max	QPSK	19.03	-1.84	17.19	30.00	Pass
Band42(3450-3550)	5	43065	25	#0	QPSK	18.99	-1.84	17.15	30.00	Pass
Band42(3450-3550)	5	43065	1	#0	QAM16	19.30	-1.84	17.46	30.00	Pass
Band42(3450-3550)	5	43065	1	#Mid	QAM16	19.32	-1.84	17.48	30.00	Pass

Band42(3450-3550)	5	43065	1	#Max	QAM16	19.37	-1.84	17.53	30.00	Pass
Band42(3450-3550)	5	43065	12	#0	QAM16	18.10	-1.84	16.26	30.00	Pass
Band42(3450-3550)	5	43065	12	#Mid	QAM16	18.11	-1.84	16.27	30.00	Pass
Band42(3450-3550)	5	43065	12	#Max	QAM16	18.13	-1.84	16.29	30.00	Pass
Band42(3450-3550)	5	43065	25	#0	QAM16	18.03	-1.84	16.19	30.00	Pass
Band42(3450-3550)	10	42140	1	#0	QPSK	20.00	-1.84	18.16	30.00	Pass
Band42(3450-3550)	10	42140	1	#Mid	QPSK	20.03	-1.84	18.19	30.00	Pass
Band42(3450-3550)	10	42140	1	#Max	QPSK	20.10	-1.84	18.26	30.00	Pass
Band42(3450-3550)	10	42140	25	#0	QPSK	19.01	-1.84	17.17	30.00	Pass
Band42(3450-3550)	10	42140	25	#Mid	QPSK	19.00	-1.84	17.16	30.00	Pass
Band42(3450-3550)	10	42140	25	#Max	QPSK	19.08	-1.84	17.24	30.00	Pass
Band42(3450-3550)	10	42140	50	#0	QPSK	19.03	-1.84	17.19	30.00	Pass
Band42(3450-3550)	10	42140	1	#0	QAM16	19.47	-1.84	17.63	30.00	Pass
Band42(3450-3550)	10	42140	1	#Mid	QAM16	19.46	-1.84	17.62	30.00	Pass
Band42(3450-3550)	10	42140	1	#Max	QAM16	19.57	-1.84	17.73	30.00	Pass
Band42(3450-3550)	10	42140	25	#0	QAM16	17.87	-1.84	16.03	30.00	Pass
Band42(3450-3550)	10	42140	25	#Mid	QAM16	17.87	-1.84	16.03	30.00	Pass
Band42(3450-3550)	10	42140	25	#Max	QAM16	17.92	-1.84	16.08	30.00	Pass
Band42(3450-3550)	10	42140	50	#0	QAM16	17.90	-1.84	16.06	30.00	Pass
Band42(3450-3550)	10	42590	1	#0	QPSK	20.10	-1.84	18.26	30.00	Pass
Band42(3450-3550)	10	42590	1	#Mid	QPSK	20.15	-1.84	18.31	30.00	Pass
Band42(3450-3550)	10	42590	1	#Max	QPSK	20.14	-1.84	18.30	30.00	Pass
Band42(3450-3550)	10	42590	25	#0	QPSK	19.08	-1.84	17.24	30.00	Pass
Band42(3450-3550)	10	42590	25	#Mid	QPSK	19.07	-1.84	17.23	30.00	Pass
Band42(3450-3550)	10	42590	25	#Max	QPSK	19.12	-1.84	17.28	30.00	Pass
Band42(3450-3550)	10	42590	50	#0	QPSK	19.12	-1.84	17.28	30.00	Pass
Band42(3450-3550)	10	42590	1	#0	QAM16	19.22	-1.84	17.38	30.00	Pass
Band42(3450-3550)	10	42590	1	#Mid	QAM16	19.33	-1.84	17.49	30.00	Pass
Band42(3450-3550)	10	42590	1	#Max	QAM16	19.30	-1.84	17.46	30.00	Pass
Band42(3450-3550)	10	42590	25	#0	QAM16	17.96	-1.84	16.12	30.00	Pass
Band42(3450-3550)	10	42590	25	#Mid	QAM16	17.97	-1.84	16.13	30.00	Pass
Band42(3450-3550)	10	42590	25	#Max	QAM16	18.01	-1.84	16.17	30.00	Pass
Band42(3450-3550)	10	42590	50	#0	QAM16	18.03	-1.84	16.19	30.00	Pass
Band42(3450-3550)	10	43040	1	#0	QPSK	20.00	-1.84	18.16	30.00	Pass
Band42(3450-3550)	10	43040	1	#Mid	QPSK	20.04	-1.84	18.20	30.00	Pass
Band42(3450-3550)	10	43040	1	#Max	QPSK	20.14	-1.84	18.30	30.00	Pass
Band42(3450-3550)	10	43040	25	#0	QPSK	19.00	-1.84	17.16	30.00	Pass
Band42(3450-3550)	10	43040	25	#Mid	QPSK	19.00	-1.84	17.16	30.00	Pass
Band42(3450-3550)	10	43040	25	#Max	QPSK	19.04	-1.84	17.20	30.00	Pass
Band42(3450-3550)	10	43040	50	#0	QPSK	19.00	-1.84	17.16	30.00	Pass
Band42(3450-3550)	10	43040	1	#0	QAM16	18.95	-1.84	17.11	30.00	Pass
Band42(3450-3550)	10	43040	1	#Mid	QAM16	18.95	-1.84	17.11	30.00	Pass
Band42(3450-3550)	10	43040	1	#Max	QAM16	19.09	-1.84	17.25	30.00	Pass
Band42(3450-3550)	10	43040	25	#0	QAM16	17.99	-1.84	16.15	30.00	Pass

Band42(3450-3550)	10	43040	25	#Mid	QAM16	18.00	-1.84	16.16	30.00	Pass
Band42(3450-3550)	10	43040	25	#Max	QAM16	18.06	-1.84	16.22	30.00	Pass
Band42(3450-3550)	10	43040	50	#0	QAM16	18.01	-1.84	16.17	30.00	Pass
Band42(3450-3550)	15	42165	1	#0	QPSK	19.98	-1.84	18.14	30.00	Pass
Band42(3450-3550)	15	42165	1	#Mid	QPSK	20.11	-1.84	18.27	30.00	Pass
Band42(3450-3550)	15	42165	1	#Max	QPSK	20.03	-1.84	18.19	30.00	Pass
Band42(3450-3550)	15	42165	36	#0	QPSK	19.00	-1.84	17.16	30.00	Pass
Band42(3450-3550)	15	42165	36	#Mid	QPSK	19.01	-1.84	17.17	30.00	Pass
Band42(3450-3550)	15	42165	36	#Max	QPSK	19.05	-1.84	17.21	30.00	Pass
Band42(3450-3550)	15	42165	75	#0	QPSK	19.00	-1.84	17.16	30.00	Pass
Band42(3450-3550)	15	42165	1	#0	QAM16	19.45	-1.84	17.61	30.00	Pass
Band42(3450-3550)	15	42165	1	#Mid	QAM16	19.55	-1.84	17.71	30.00	Pass
Band42(3450-3550)	15	42165	1	#Max	QAM16	19.48	-1.84	17.64	30.00	Pass
Band42(3450-3550)	15	42165	36	#0	QAM16	17.94	-1.84	16.10	30.00	Pass
Band42(3450-3550)	15	42165	36	#Mid	QAM16	17.96	-1.84	16.12	30.00	Pass
Band42(3450-3550)	15	42165	36	#Max	QAM16	17.96	-1.84	16.12	30.00	Pass
Band42(3450-3550)	15	42165	75	#0	QAM16	17.91	-1.84	16.07	30.00	Pass
Band42(3450-3550)	15	42590	1	#0	QPSK	20.08	-1.84	18.24	30.00	Pass
Band42(3450-3550)	15	42590	1	#Mid	QPSK	20.26	-1.84	18.42	30.00	Pass
Band42(3450-3550)	15	42590	1	#Max	QPSK	20.20	-1.84	18.36	30.00	Pass
Band42(3450-3550)	15	42590	36	#0	QPSK	19.10	-1.84	17.26	30.00	Pass
Band42(3450-3550)	15	42590	36	#Mid	QPSK	19.10	-1.84	17.26	30.00	Pass
Band42(3450-3550)	15	42590	36	#Max	QPSK	19.13	-1.84	17.29	30.00	Pass
Band42(3450-3550)	15	42590	75	#0	QPSK	19.12	-1.84	17.28	30.00	Pass
Band42(3450-3550)	15	42590	1	#0	QAM16	19.22	-1.84	17.38	30.00	Pass
Band42(3450-3550)	15	42590	1	#Mid	QAM16	19.43	-1.84	17.59	30.00	Pass
Band42(3450-3550)	15	42590	1	#Max	QAM16	19.33	-1.84	17.49	30.00	Pass
Band42(3450-3550)	15	42590	36	#0	QAM16	18.06	-1.84	16.22	30.00	Pass
Band42(3450-3550)	15	42590	36	#Mid	QAM16	18.10	-1.84	16.26	30.00	Pass
Band42(3450-3550)	15	42590	36	#Max	QAM16	18.14	-1.84	16.30	30.00	Pass
Band42(3450-3550)	15	42590	75	#0	QAM16	18.05	-1.84	16.21	30.00	Pass
Band42(3450-3550)	15	43015	1	#0	QPSK	20.01	-1.84	18.17	30.00	Pass
Band42(3450-3550)	15	43015	1	#Mid	QPSK	20.15	-1.84	18.31	30.00	Pass
Band42(3450-3550)	15	43015	1	#Max	QPSK	20.23	-1.84	18.39	30.00	Pass
Band42(3450-3550)	15	43015	36	#0	QPSK	19.00	-1.84	17.16	30.00	Pass
Band42(3450-3550)	15	43015	36	#Mid	QPSK	18.99	-1.84	17.15	30.00	Pass
Band42(3450-3550)	15	43015	36	#Max	QPSK	19.08	-1.84	17.24	30.00	Pass
Band42(3450-3550)	15	43015	75	#0	QPSK	19.00	-1.84	17.16	30.00	Pass
Band42(3450-3550)	15	43015	1	#0	QAM16	19.14	-1.84	17.30	30.00	Pass
Band42(3450-3550)	15	43015	1	#Mid	QAM16	19.24	-1.84	17.40	30.00	Pass
Band42(3450-3550)	15	43015	1	#Max	QAM16	19.40	-1.84	17.56	30.00	Pass
Band42(3450-3550)	15	43015	36	#0	QAM16	17.95	-1.84	16.11	30.00	Pass
Band42(3450-3550)	15	43015	36	#Mid	QAM16	17.97	-1.84	16.13	30.00	Pass
Band42(3450-3550)	15	43015	36	#Max	QAM16	18.01	-1.84	16.17	30.00	Pass

Band42(3450-3550)	15	43015	75	#0	QAM16	18.03	-1.84	16.19	30.00	Pass
Band42(3450-3550)	20	42190	1	#0	QPSK	20.03	-1.84	18.19	30.00	Pass
Band42(3450-3550)	20	42190	1	#Mid	QPSK	20.08	-1.84	18.24	30.00	Pass
Band42(3450-3550)	20	42190	1	#Max	QPSK	19.95	-1.84	18.11	30.00	Pass
Band42(3450-3550)	20	42190	50	#0	QPSK	19.09	-1.84	17.25	30.00	Pass
Band42(3450-3550)	20	42190	50	#Mid	QPSK	19.10	-1.84	17.26	30.00	Pass
Band42(3450-3550)	20	42190	50	#Max	QPSK	19.03	-1.84	17.19	30.00	Pass
Band42(3450-3550)	20	42190	100	#0	QPSK	19.05	-1.84	17.21	30.00	Pass
Band42(3450-3550)	20	42190	1	#0	QAM16	19.33	-1.84	17.49	30.00	Pass
Band42(3450-3550)	20	42190	1	#Mid	QAM16	19.34	-1.84	17.50	30.00	Pass
Band42(3450-3550)	20	42190	1	#Max	QAM16	19.21	-1.84	17.37	30.00	Pass
Band42(3450-3550)	20	42190	50	#0	QAM16	17.98	-1.84	16.14	30.00	Pass
Band42(3450-3550)	20	42190	50	#Mid	QAM16	17.98	-1.84	16.14	30.00	Pass
Band42(3450-3550)	20	42190	50	#Max	QAM16	17.99	-1.84	16.15	30.00	Pass
Band42(3450-3550)	20	42190	100	#0	QAM16	17.94	-1.84	16.10	30.00	Pass
Band42(3450-3550)	20	42590	1	#0	QPSK	20.06	-1.84	18.22	30.00	Pass
Band42(3450-3550)	20	42590	1	#Mid	QPSK	20.25	-1.84	18.41	30.00	Pass
Band42(3450-3550)	20	42590	1	#Max	QPSK	20.15	-1.84	18.31	30.00	Pass
Band42(3450-3550)	20	42590	50	#0	QPSK	19.10	-1.84	17.26	30.00	Pass
Band42(3450-3550)	20	42590	50	#Mid	QPSK	19.18	-1.84	17.34	30.00	Pass
Band42(3450-3550)	20	42590	50	#Max	QPSK	19.19	-1.84	17.35	30.00	Pass
Band42(3450-3550)	20	42590	100	#0	QPSK	19.15	-1.84	17.31	30.00	Pass
Band42(3450-3550)	20	42590	1	#0	QAM16	19.24	-1.84	17.40	30.00	Pass
Band42(3450-3550)	20	42590	1	#Mid	QAM16	19.45	-1.84	17.61	30.00	Pass
Band42(3450-3550)	20	42590	1	#Max	QAM16	19.35	-1.84	17.51	30.00	Pass
Band42(3450-3550)	20	42590	50	#0	QAM16	17.98	-1.84	16.14	30.00	Pass
Band42(3450-3550)	20	42590	50	#Mid	QAM16	18.06	-1.84	16.22	30.00	Pass
Band42(3450-3550)	20	42590	50	#Max	QAM16	18.04	-1.84	16.20	30.00	Pass
Band42(3450-3550)	20	42590	100	#0	QAM16	18.03	-1.84	16.19	30.00	Pass
Band42(3450-3550)	20	42990	1	#0	QPSK	19.91	-1.84	18.07	30.00	Pass
Band42(3450-3550)	20	42990	1	#Mid	QPSK	20.04	-1.84	18.20	30.00	Pass
Band42(3450-3550)	20	42990	1	#Max	QPSK	20.16	-1.84	18.32	30.00	Pass
Band42(3450-3550)	20	42990	50	#0	QPSK	18.96	-1.84	17.12	30.00	Pass
Band42(3450-3550)	20	42990	50	#Mid	QPSK	19.04	-1.84	17.20	30.00	Pass
Band42(3450-3550)	20	42990	50	#Max	QPSK	19.10	-1.84	17.26	30.00	Pass
Band42(3450-3550)	20	42990	100	#0	QPSK	19.00	-1.84	17.16	30.00	Pass
Band42(3450-3550)	20	42990	1	#0	QAM16	19.09	-1.84	17.25	30.00	Pass
Band42(3450-3550)	20	42990	1	#Mid	QAM16	19.19	-1.84	17.35	30.00	Pass
Band42(3450-3550)	20	42990	1	#Max	QAM16	19.33	-1.84	17.49	30.00	Pass
Band42(3450-3550)	20	42990	50	#0	QAM16	18.01	-1.84	16.17	30.00	Pass
Band42(3450-3550)	20	42990	50	#Mid	QAM16	18.08	-1.84	16.24	30.00	Pass
Band42(3450-3550)	20	42990	50	#Max	QAM16	18.09	-1.84	16.25	30.00	Pass
Band42(3450-3550)	20	42990	100	#0	QAM16	18.01	-1.84	16.17	30.00	Pass

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band42(3450-3550)	20	42190	100	#0	QPSK	-0.42	0.000	-2.5	2.5	PASS
Band42(3450-3550)	20	42190	100	#0	QAM16	0.37	0.000	-2.5	2.5	PASS
Band42(3450-3550)	20	42590	100	#0	QPSK	-3.23	-0.001	-2.5	2.5	PASS
Band42(3450-3550)	20	42590	100	#0	QAM16	0.31	0.000	-2.5	2.5	PASS
Band42(3450-3550)	20	42990	100	#0	QPSK	-0.44	0.000	-2.5	2.5	PASS
Band42(3450-3550)	20	42990	100	#0	QAM16	-4.44	-0.001	-2.5	2.5	PASS

Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
Band42(3450-3550)	5	42590	1	#0	QPSK	7.95	13	PASS
Band42(3450-3550)	5	42590	1	#0	QAM16	9.74	13	PASS
Band42(3450-3550)	10	42590	1	#0	QPSK	9.63	13	PASS
Band42(3450-3550)	10	42590	1	#0	QAM16	11.89	13	PASS
Band42(3450-3550)	15	42590	1	#0	QPSK	9.42	13	PASS
Band42(3450-3550)	15	42590	1	#0	QAM16	8.82	13	PASS
Band42(3450-3550)	20	42590	1	#0	QPSK	7.41	13	PASS
Band42(3450-3550)	20	42590	1	#0	QAM16	9.65	13	PASS



Band42(3450-3550) QAM16 BW=10MHz Channel=42590 RB Size=1 Position=#0



Band42(3450-3550) QAM16 BW=15MHz Channel=42590 RB Size=1 Position=#0




Band42(3450-3550) QAM16 BW=20MHz Channel=42590 RB Size=1 Position=#0




Band42(3450-3550) QAM16 BW=5MHz Channel=42590 RB Size=1 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=42590 RB Size=1 Position=#0



Band42(3450-3550) QPSK BW=15MHz Channel=42590 RB Size=1 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42590 RB Size=1 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=42590 RB Size=1 Position=#0

4 Occupied bandwidth


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band42(3450-3550)	5	42115	25	#0	QPSK	4.459	4.762	PASS
Band42(3450-3550)	5	42115	25	#0	QAM16	4.505	4.755	PASS
Band42(3450-3550)	5	42590	25	#0	QPSK	4.514	4.784	PASS
Band42(3450-3550)	5	42590	25	#0	QAM16	4.505	4.743	PASS
Band42(3450-3550)	5	43065	25	#0	QPSK	4.484	4.808	PASS
Band42(3450-3550)	5	43065	25	#0	QAM16	4.474	4.765	PASS
Band42(3450-3550)	10	42140	50	#0	QPSK	8.946	9.454	PASS
Band42(3450-3550)	10	42140	50	#0	QAM16	8.931	9.540	PASS
Band42(3450-3550)	10	42590	50	#0	QPSK	8.966	9.537	PASS
Band42(3450-3550)	10	42590	50	#0	QAM16	8.971	9.479	PASS
Band42(3450-3550)	10	43040	50	#0	QPSK	8.965	9.493	PASS
Band42(3450-3550)	10	43040	50	#0	QAM16	8.967	9.700	PASS
Band42(3450-3550)	15	42165	75	#0	QPSK	13.475	14.299	PASS
Band42(3450-3550)	15	42165	75	#0	QAM16	13.434	14.174	PASS
Band42(3450-3550)	15	42590	75	#0	QPSK	13.460	14.418	PASS
Band42(3450-3550)	15	42590	75	#0	QAM16	13.370	14.136	PASS
Band42(3450-3550)	15	43015	75	#0	QPSK	13.493	14.348	PASS
Band42(3450-3550)	15	43015	75	#0	QAM16	13.381	14.336	PASS
Band42(3450-3550)	20	42190	100	#0	QPSK	17.986	19.222	PASS
Band42(3450-3550)	20	42190	100	#0	QAM16	17.795	18.848	PASS
Band42(3450-3550)	20	42590	100	#0	QPSK	17.849	18.902	PASS
Band42(3450-3550)	20	42590	100	#0	QAM16	17.955	18.920	PASS
Band42(3450-3550)	20	42990	100	#0	QPSK	17.931	18.900	PASS
Band42(3450-3550)	20	42990	100	#0	QAM16	17.943	18.819	PASS




Band42(3450-3550) QAM16 BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=42115 RB Size=25 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42990 RB Size=100 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42590 RB Size=100 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42190 RB Size=100 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=43015 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=42590 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=42590 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QAM16 BW=5MHz Channel=43065 RB Size=25 Position=#0




Band42(3450-3550) QAM16 BW=5MHz Channel=42590 RB Size=25 Position=#0




Band42(3450-3550) QAM16 BW=5MHz Channel=42115 RB Size=25 Position=#0




Band42(3450-3550) QAM16 BW=20MHz Channel=42990 RB Size=100 Position=#0




Band42(3450-3550) QAM16 BW=20MHz Channel=42590 RB Size=100 Position=#0




Band42(3450-3550) QAM16 BW=20MHz Channel=42190 RB Size=100 Position=#0




Band42(3450-3550) QAM16 BW=15MHz Channel=43015 RB Size=75 Position=#0




Band42(3450-3550) QAM16 BW=15MHz Channel=42590 RB Size=75 Position=#0




Band42(3450-3550) QAM16 BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QAM16 BW=10MHz Channel=43040 RB Size=50 Position=#0



Band42(3450-3550) QAM16 BW=10MHz Channel=42590 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=42590 RB Size=25 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=43065 RB Size=25 Position=#0

5 Band edge


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band42(3450-3550)	5	42115	25	#0	QPSK	3449.83	-31.36	-13	PASS
Band42(3450-3550)	5	42115	25	#0	QAM16	3450.00	-36.32	-13	PASS
Band42(3450-3550)	5	43065	25	#0	QPSK	3550.04	-37.52	-13	PASS
Band42(3450-3550)	5	43065	25	#0	QAM16	3550.01	-32.10	-13	PASS
Band42(3450-3550)	10	42140	50	#0	QPSK	3450.00	-37.66	-13	PASS
Band42(3450-3550)	10	42140	50	#0	QAM16	3449.12	-37.93	-13	PASS
Band42(3450-3550)	10	43040	50	#0	QPSK	3550.04	-35.76	-13	PASS
Band42(3450-3550)	10	43040	50	#0	QAM16	3550.00	-33.30	-13	PASS
Band42(3450-3550)	15	42165	75	#0	QPSK	3449.13	-39.99	-13	PASS
Band42(3450-3550)	15	42165	75	#0	QAM16	3442.41	-44.71	-13	PASS
Band42(3450-3550)	15	43015	75	#0	QPSK	3550.21	-41.18	-13	PASS
Band42(3450-3550)	15	43015	75	#0	QAM16	3559.24	-44.35	-13	PASS
Band42(3450-3550)	20	42190	100	#0	QPSK	3449.24	-39.12	-13	PASS
Band42(3450-3550)	20	42190	100	#0	QAM16	3448.76	-43.77	-13	PASS
Band42(3450-3550)	20	42990	100	#0	QPSK	3550.60	-39.54	-13	PASS
Band42(3450-3550)	20	42990	100	#0	QAM16	3550.00	-37.17	-13	PASS




Band42(3450-3550) QAM16 BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QAM16 BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QAM16 BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QAM16 BW=15MHz Channel=43015 RB Size=75 Position=#0



Band42(3450-3550) QAM16 BW=20MHz Channel=42190 RB Size=100 Position=#0



Band42(3450-3550) QAM16 BW=20MHz Channel=42990 RB Size=100 Position=#0



Band42(3450-3550) QAM16 BW=5MHz Channel=42115 RB Size=25 Position=#0



Band42(3450-3550) QAM16 BW=5MHz Channel=43065 RB Size=25 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=42140 RB Size=50 Position=#0



Band42(3450-3550) QPSK BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=43015 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42190 RB Size=100 Position=#0



Band42(3450-3550) QPSK BW=20MHz Channel=42990 RB Size=100 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=42115 RB Size=25 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=43065 RB Size=25 Position=#0

6 Out-of-band emissions


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band42(3450-3550)	5	42115	25	#0	QPSK	6903.78	-36.38	-13	PASS
Band42(3450-3550)	5	42115	25	#0	QAM16	6906.93	-35.57	-13	PASS
Band42(3450-3550)	5	43065	25	#0	QPSK	7096.15	-38.81	-13	PASS
Band42(3450-3550)	5	43065	25	#0	QAM16	7094.80	-37.57	-13	PASS
Band42(3450-3550)	10	42140	50	#0	QPSK	3743.43	-36.01	-13	PASS
Band42(3450-3550)	10	42140	50	#0	QAM16	3798.55	-37.52	-13	PASS
Band42(3450-3550)	10	43040	50	#0	QPSK	3898.00	-38.73	-13	PASS
Band42(3450-3550)	10	43040	50	#0	QAM16	3844.23	-38.24	-13	PASS
Band42(3450-3550)	15	42165	75	#0	QPSK	3800.13	-38.13	-13	PASS
Band42(3450-3550)	15	42165	75	#0	QAM16	3837.03	-37.93	-13	PASS
Band42(3450-3550)	15	43015	75	#0	QPSK	3852.10	-37.81	-13	PASS
Band42(3450-3550)	15	43015	75	#0	QAM16	3856.15	-37.75	-13	PASS
Band42(3450-3550)	20	42190	100	#0	QPSK	6916.83	-38.33	-13	PASS
Band42(3450-3550)	20	42190	100	#0	QAM16	6919.98	-37.57	-13	PASS
Band42(3450-3550)	20	42990	100	#0	QPSK	3724.53	-38.32	-13	PASS
Band42(3450-3550)	20	42990	100	#0	QAM16	3818.35	-38.26	-13	PASS




Band42(3450-3550) QAM16 BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QAM16 BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QAM16 BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QAM16 BW=15MHz Channel=43015 RB Size=75 Position=#0




Band42(3450-3550) QAM16 BW=20MHz Channel=42190 RB Size=100 Position=#0




Band42(3450-3550) QAM16 BW=20MHz Channel=42990 RB Size=100 Position=#0




Band42(3450-3550) QAM16 BW=5MHz Channel=42115 RB Size=25 Position=#0




Band42(3450-3550) QAM16 BW=5MHz Channel=43065 RB Size=25 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=43015 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42190 RB Size=100 Position=#0



Band42(3450-3550) QPSK BW=20MHz Channel=42990 RB Size=100 Position=#0



Band42(3450-3550) QPSK BW=5MHz Channel=42115 RB Size=25 Position=#0



Band42(3450-3550) QPSK BW=5MHz Channel=43065 RB Size=25 Position=#0

