

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability8

3 Peak-to-Average Ratio9

4 Occupied bandwidth17

5 Band edge25

6 Out-of-band emissions39

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band66	1.4	131979	1	#0	QPSK	23.43	-0.81	22.62	30.00	Pass
Band66	1.4	131979	1	#Mid	QPSK	23.41	-0.81	22.60	30.00	Pass
Band66	1.4	131979	1	#Max	QPSK	23.42	-0.81	22.61	30.00	Pass
Band66	1.4	131979	3	#0	QPSK	23.33	-0.81	22.52	30.00	Pass
Band66	1.4	131979	3	#Mid	QPSK	23.29	-0.81	22.48	30.00	Pass
Band66	1.4	131979	3	#Max	QPSK	23.31	-0.81	22.50	30.00	Pass
Band66	1.4	131979	6	#0	QPSK	22.39	-0.81	21.58	30.00	Pass
Band66	1.4	131979	1	#0	16QAM	22.53	-0.81	21.72	30.00	Pass
Band66	1.4	131979	1	#Mid	16QAM	22.42	-0.81	21.61	30.00	Pass
Band66	1.4	131979	1	#Max	16QAM	22.50	-0.81	21.69	30.00	Pass
Band66	1.4	131979	3	#0	16QAM	22.51	-0.81	21.70	30.00	Pass
Band66	1.4	131979	3	#Mid	16QAM	22.52	-0.81	21.71	30.00	Pass
Band66	1.4	131979	3	#Max	16QAM	22.50	-0.81	21.69	30.00	Pass
Band66	1.4	131979	6	#0	16QAM	21.55	-0.81	20.74	30.00	Pass
Band66	1.4	132322	1	#0	QPSK	23.24	-0.81	22.43	30.00	Pass
Band66	1.4	132322	1	#Mid	QPSK	23.25	-0.81	22.44	30.00	Pass
Band66	1.4	132322	1	#Max	QPSK	23.20	-0.81	22.39	30.00	Pass
Band66	1.4	132322	3	#0	QPSK	23.17	-0.81	22.36	30.00	Pass
Band66	1.4	132322	3	#Mid	QPSK	23.15	-0.81	22.34	30.00	Pass
Band66	1.4	132322	3	#Max	QPSK	23.17	-0.81	22.36	30.00	Pass
Band66	1.4	132322	6	#0	QPSK	22.22	-0.81	21.41	30.00	Pass
Band66	1.4	132322	1	#0	16QAM	22.46	-0.81	21.65	30.00	Pass
Band66	1.4	132322	1	#Mid	16QAM	22.39	-0.81	21.58	30.00	Pass
Band66	1.4	132322	1	#Max	16QAM	22.45	-0.81	21.64	30.00	Pass
Band66	1.4	132322	3	#0	16QAM	22.41	-0.81	21.60	30.00	Pass
Band66	1.4	132322	3	#Mid	16QAM	22.41	-0.81	21.60	30.00	Pass
Band66	1.4	132322	3	#Max	16QAM	22.37	-0.81	21.56	30.00	Pass
Band66	1.4	132322	6	#0	16QAM	21.39	-0.81	20.58	30.00	Pass
Band66	1.4	132665	1	#0	QPSK	23.37	-0.81	22.56	30.00	Pass
Band66	1.4	132665	1	#Mid	QPSK	23.39	-0.81	22.58	30.00	Pass
Band66	1.4	132665	1	#Max	QPSK	23.37	-0.81	22.56	30.00	Pass
Band66	1.4	132665	3	#0	QPSK	23.27	-0.81	22.46	30.00	Pass
Band66	1.4	132665	3	#Mid	QPSK	23.26	-0.81	22.45	30.00	Pass
Band66	1.4	132665	3	#Max	QPSK	23.28	-0.81	22.47	30.00	Pass
Band66	1.4	132665	6	#0	QPSK	22.29	-0.81	21.48	30.00	Pass
Band66	1.4	132665	1	#0	16QAM	22.22	-0.81	21.41	30.00	Pass
Band66	1.4	132665	1	#Mid	16QAM	22.19	-0.81	21.38	30.00	Pass

Band66	1.4	132665	1	#Max	16QAM	22.25	-0.81	21.44	30.00	Pass
Band66	1.4	132665	3	#0	16QAM	22.41	-0.81	21.60	30.00	Pass
Band66	1.4	132665	3	#Mid	16QAM	22.39	-0.81	21.58	30.00	Pass
Band66	1.4	132665	3	#Max	16QAM	22.43	-0.81	21.62	30.00	Pass
Band66	1.4	132665	6	#0	16QAM	21.44	-0.81	20.63	30.00	Pass
Band66	3	131987	1	#0	QPSK	23.52	-0.81	22.71	30.00	Pass
Band66	3	131987	1	#Mid	QPSK	23.46	-0.81	22.65	30.00	Pass
Band66	3	131987	1	#Max	QPSK	23.44	-0.81	22.63	30.00	Pass
Band66	3	131987	8	#0	QPSK	22.45	-0.81	21.64	30.00	Pass
Band66	3	131987	8	#Mid	QPSK	22.41	-0.81	21.60	30.00	Pass
Band66	3	131987	8	#Max	QPSK	22.42	-0.81	21.61	30.00	Pass
Band66	3	131987	15	#0	QPSK	22.42	-0.81	21.61	30.00	Pass
Band66	3	131987	1	#0	16QAM	22.82	-0.81	22.01	30.00	Pass
Band66	3	131987	1	#Mid	16QAM	22.72	-0.81	21.91	30.00	Pass
Band66	3	131987	1	#Max	16QAM	22.74	-0.81	21.93	30.00	Pass
Band66	3	131987	8	#0	16QAM	21.45	-0.81	20.64	30.00	Pass
Band66	3	131987	8	#Mid	16QAM	21.41	-0.81	20.60	30.00	Pass
Band66	3	131987	8	#Max	16QAM	21.42	-0.81	20.61	30.00	Pass
Band66	3	131987	15	#0	16QAM	21.45	-0.81	20.64	30.00	Pass
Band66	3	132322	1	#0	QPSK	23.26	-0.81	22.45	30.00	Pass
Band66	3	132322	1	#Mid	QPSK	23.24	-0.81	22.43	30.00	Pass
Band66	3	132322	1	#Max	QPSK	23.18	-0.81	22.37	30.00	Pass
Band66	3	132322	8	#0	QPSK	22.29	-0.81	21.48	30.00	Pass
Band66	3	132322	8	#Mid	QPSK	22.26	-0.81	21.45	30.00	Pass
Band66	3	132322	8	#Max	QPSK	22.26	-0.81	21.45	30.00	Pass
Band66	3	132322	15	#0	QPSK	22.26	-0.81	21.45	30.00	Pass
Band66	3	132322	1	#0	16QAM	22.51	-0.81	21.70	30.00	Pass
Band66	3	132322	1	#Mid	16QAM	22.47	-0.81	21.66	30.00	Pass
Band66	3	132322	1	#Max	16QAM	22.45	-0.81	21.64	30.00	Pass
Band66	3	132322	8	#0	16QAM	21.29	-0.81	20.48	30.00	Pass
Band66	3	132322	8	#Mid	16QAM	21.27	-0.81	20.46	30.00	Pass
Band66	3	132322	8	#Max	16QAM	21.28	-0.81	20.47	30.00	Pass
Band66	3	132322	15	#0	16QAM	21.21	-0.81	20.40	30.00	Pass
Band66	3	132657	1	#0	QPSK	23.38	-0.81	22.57	30.00	Pass
Band66	3	132657	1	#Mid	QPSK	23.38	-0.81	22.57	30.00	Pass
Band66	3	132657	1	#Max	QPSK	23.41	-0.81	22.60	30.00	Pass
Band66	3	132657	8	#0	QPSK	22.33	-0.81	21.52	30.00	Pass
Band66	3	132657	8	#Mid	QPSK	22.31	-0.81	21.50	30.00	Pass
Band66	3	132657	8	#Max	QPSK	22.35	-0.81	21.54	30.00	Pass
Band66	3	132657	15	#0	QPSK	22.33	-0.81	21.52	30.00	Pass
Band66	3	132657	1	#0	16QAM	22.27	-0.81	21.46	30.00	Pass
Band66	3	132657	1	#Mid	16QAM	22.22	-0.81	21.41	30.00	Pass
Band66	3	132657	1	#Max	16QAM	22.24	-0.81	21.43	30.00	Pass
Band66	3	132657	8	#0	16QAM	21.33	-0.81	20.52	30.00	Pass

Band66	3	132657	8	#Mid	16QAM	21.29	-0.81	20.48	30.00	Pass
Band66	3	132657	8	#Max	16QAM	21.35	-0.81	20.54	30.00	Pass
Band66	3	132657	15	#0	16QAM	21.38	-0.81	20.57	30.00	Pass
Band66	5	131997	1	#0	QPSK	23.60	-0.81	22.79	30.00	Pass
Band66	5	131997	1	#Mid	QPSK	23.53	-0.81	22.72	30.00	Pass
Band66	5	131997	1	#Max	QPSK	23.58	-0.81	22.77	30.00	Pass
Band66	5	131997	12	#0	QPSK	22.51	-0.81	21.70	30.00	Pass
Band66	5	131997	12	#Mid	QPSK	22.47	-0.81	21.66	30.00	Pass
Band66	5	131997	12	#Max	QPSK	22.44	-0.81	21.63	30.00	Pass
Band66	5	131997	25	#0	QPSK	22.52	-0.81	21.71	30.00	Pass
Band66	5	131997	1	#0	16QAM	22.99	-0.81	22.18	30.00	Pass
Band66	5	131997	1	#Mid	16QAM	22.92	-0.81	22.11	30.00	Pass
Band66	5	131997	1	#Max	16QAM	22.89	-0.81	22.08	30.00	Pass
Band66	5	131997	12	#0	16QAM	21.50	-0.81	20.69	30.00	Pass
Band66	5	131997	12	#Mid	16QAM	21.45	-0.81	20.64	30.00	Pass
Band66	5	131997	12	#Max	16QAM	21.45	-0.81	20.64	30.00	Pass
Band66	5	131997	25	#0	16QAM	21.46	-0.81	20.65	30.00	Pass
Band66	5	132322	1	#0	QPSK	23.44	-0.81	22.63	30.00	Pass
Band66	5	132322	1	#Mid	QPSK	23.35	-0.81	22.54	30.00	Pass
Band66	5	132322	1	#Max	QPSK	23.31	-0.81	22.50	30.00	Pass
Band66	5	132322	12	#0	QPSK	22.34	-0.81	21.53	30.00	Pass
Band66	5	132322	12	#Mid	QPSK	22.29	-0.81	21.48	30.00	Pass
Band66	5	132322	12	#Max	QPSK	22.29	-0.81	21.48	30.00	Pass
Band66	5	132322	25	#0	QPSK	22.36	-0.81	21.55	30.00	Pass
Band66	5	132322	1	#0	16QAM	22.77	-0.81	21.96	30.00	Pass
Band66	5	132322	1	#Mid	16QAM	22.69	-0.81	21.88	30.00	Pass
Band66	5	132322	1	#Max	16QAM	22.66	-0.81	21.85	30.00	Pass
Band66	5	132322	12	#0	16QAM	21.35	-0.81	20.54	30.00	Pass
Band66	5	132322	12	#Mid	16QAM	21.28	-0.81	20.47	30.00	Pass
Band66	5	132322	12	#Max	16QAM	21.27	-0.81	20.46	30.00	Pass
Band66	5	132322	25	#0	16QAM	21.33	-0.81	20.52	30.00	Pass
Band66	5	132647	1	#0	QPSK	23.42	-0.81	22.61	30.00	Pass
Band66	5	132647	1	#Mid	QPSK	23.41	-0.81	22.60	30.00	Pass
Band66	5	132647	1	#Max	QPSK	23.44	-0.81	22.63	30.00	Pass
Band66	5	132647	12	#0	QPSK	22.38	-0.81	21.57	30.00	Pass
Band66	5	132647	12	#Mid	QPSK	22.38	-0.81	21.57	30.00	Pass
Band66	5	132647	12	#Max	QPSK	22.39	-0.81	21.58	30.00	Pass
Band66	5	132647	25	#0	QPSK	22.42	-0.81	21.61	30.00	Pass
Band66	5	132647	1	#0	16QAM	22.73	-0.81	21.92	30.00	Pass
Band66	5	132647	1	#Mid	16QAM	22.68	-0.81	21.87	30.00	Pass
Band66	5	132647	1	#Max	16QAM	22.73	-0.81	21.92	30.00	Pass
Band66	5	132647	12	#0	16QAM	21.43	-0.81	20.62	30.00	Pass
Band66	5	132647	12	#Mid	16QAM	21.42	-0.81	20.61	30.00	Pass
Band66	5	132647	12	#Max	16QAM	21.43	-0.81	20.62	30.00	Pass

Band66	5	132647	25	#0	16QAM	21.37	-0.81	20.56	30.00	Pass
Band66	10	132022	1	#0	QPSK	23.53	-0.81	22.72	30.00	Pass
Band66	10	132022	1	#Mid	QPSK	23.42	-0.81	22.61	30.00	Pass
Band66	10	132022	1	#Max	QPSK	23.52	-0.81	22.71	30.00	Pass
Band66	10	132022	25	#0	QPSK	22.52	-0.81	21.71	30.00	Pass
Band66	10	132022	25	#Mid	QPSK	22.47	-0.81	21.66	30.00	Pass
Band66	10	132022	25	#Max	QPSK	22.49	-0.81	21.68	30.00	Pass
Band66	10	132022	50	#0	QPSK	22.50	-0.81	21.69	30.00	Pass
Band66	10	132022	1	#0	16QAM	22.90	-0.81	22.09	30.00	Pass
Band66	10	132022	1	#Mid	16QAM	22.77	-0.81	21.96	30.00	Pass
Band66	10	132022	1	#Max	16QAM	22.93	-0.81	22.12	30.00	Pass
Band66	10	132022	25	#0	16QAM	21.50	-0.81	20.69	30.00	Pass
Band66	10	132022	25	#Mid	16QAM	21.42	-0.81	20.61	30.00	Pass
Band66	10	132022	25	#Max	16QAM	21.49	-0.81	20.68	30.00	Pass
Band66	10	132022	50	#0	16QAM	21.50	-0.81	20.69	30.00	Pass
Band66	10	132322	1	#0	QPSK	23.44	-0.81	22.63	30.00	Pass
Band66	10	132322	1	#Mid	QPSK	23.28	-0.81	22.47	30.00	Pass
Band66	10	132322	1	#Max	QPSK	23.18	-0.81	22.37	30.00	Pass
Band66	10	132322	25	#0	QPSK	22.38	-0.81	21.57	30.00	Pass
Band66	10	132322	25	#Mid	QPSK	22.28	-0.81	21.47	30.00	Pass
Band66	10	132322	25	#Max	QPSK	22.26	-0.81	21.45	30.00	Pass
Band66	10	132322	50	#0	QPSK	22.33	-0.81	21.52	30.00	Pass
Band66	10	132322	1	#0	16QAM	22.67	-0.81	21.86	30.00	Pass
Band66	10	132322	1	#Mid	16QAM	22.48	-0.81	21.67	30.00	Pass
Band66	10	132322	1	#Max	16QAM	22.43	-0.81	21.62	30.00	Pass
Band66	10	132322	25	#0	16QAM	21.35	-0.81	20.54	30.00	Pass
Band66	10	132322	25	#Mid	16QAM	21.28	-0.81	20.47	30.00	Pass
Band66	10	132322	25	#Max	16QAM	21.28	-0.81	20.47	30.00	Pass
Band66	10	132322	50	#0	16QAM	21.33	-0.81	20.52	30.00	Pass
Band66	10	132622	1	#0	QPSK	23.47	-0.81	22.66	30.00	Pass
Band66	10	132622	1	#Mid	QPSK	23.47	-0.81	22.66	30.00	Pass
Band66	10	132622	1	#Max	QPSK	23.49	-0.81	22.68	30.00	Pass
Band66	10	132622	25	#0	QPSK	22.38	-0.81	21.57	30.00	Pass
Band66	10	132622	25	#Mid	QPSK	22.38	-0.81	21.57	30.00	Pass
Band66	10	132622	25	#Max	QPSK	22.42	-0.81	21.61	30.00	Pass
Band66	10	132622	50	#0	QPSK	22.39	-0.81	21.58	30.00	Pass
Band66	10	132622	1	#0	16QAM	22.34	-0.81	21.53	30.00	Pass
Band66	10	132622	1	#Mid	16QAM	22.28	-0.81	21.47	30.00	Pass
Band66	10	132622	1	#Max	16QAM	22.33	-0.81	21.52	30.00	Pass
Band66	10	132622	25	#0	16QAM	21.36	-0.81	20.55	30.00	Pass
Band66	10	132622	25	#Mid	16QAM	21.35	-0.81	20.54	30.00	Pass
Band66	10	132622	25	#Max	16QAM	21.39	-0.81	20.58	30.00	Pass
Band66	10	132622	50	#0	16QAM	21.35	-0.81	20.54	30.00	Pass
Band66	15	132047	1	#0	QPSK	23.52	-0.81	22.71	30.00	Pass

Band66	15	132047	1	#Mid	QPSK	23.48	-0.81	22.67	30.00	Pass
Band66	15	132047	1	#Max	QPSK	23.48	-0.81	22.67	30.00	Pass
Band66	15	132047	36	#0	QPSK	22.47	-0.81	21.66	30.00	Pass
Band66	15	132047	36	#Mid	QPSK	22.45	-0.81	21.64	30.00	Pass
Band66	15	132047	36	#Max	QPSK	22.50	-0.81	21.69	30.00	Pass
Band66	15	132047	75	#0	QPSK	22.51	-0.81	21.70	30.00	Pass
Band66	15	132047	1	#0	16QAM	22.81	-0.81	22.00	30.00	Pass
Band66	15	132047	1	#Mid	16QAM	22.86	-0.81	22.05	30.00	Pass
Band66	15	132047	1	#Max	16QAM	22.95	-0.81	22.14	30.00	Pass
Band66	15	132047	36	#0	16QAM	21.52	-0.81	20.71	30.00	Pass
Band66	15	132047	36	#Mid	16QAM	21.49	-0.81	20.68	30.00	Pass
Band66	15	132047	36	#Max	16QAM	21.55	-0.81	20.74	30.00	Pass
Band66	15	132047	75	#0	16QAM	21.54	-0.81	20.73	30.00	Pass
Band66	15	132322	1	#0	QPSK	23.45	-0.81	22.64	30.00	Pass
Band66	15	132322	1	#Mid	QPSK	23.34	-0.81	22.53	30.00	Pass
Band66	15	132322	1	#Max	QPSK	23.17	-0.81	22.36	30.00	Pass
Band66	15	132322	36	#0	QPSK	22.40	-0.81	21.59	30.00	Pass
Band66	15	132322	36	#Mid	QPSK	22.32	-0.81	21.51	30.00	Pass
Band66	15	132322	36	#Max	QPSK	22.25	-0.81	21.44	30.00	Pass
Band66	15	132322	75	#0	QPSK	22.32	-0.81	21.51	30.00	Pass
Band66	15	132322	1	#0	16QAM	22.68	-0.81	21.87	30.00	Pass
Band66	15	132322	1	#Mid	16QAM	22.51	-0.81	21.70	30.00	Pass
Band66	15	132322	1	#Max	16QAM	22.49	-0.81	21.68	30.00	Pass
Band66	15	132322	36	#0	16QAM	21.47	-0.81	20.66	30.00	Pass
Band66	15	132322	36	#Mid	16QAM	21.39	-0.81	20.58	30.00	Pass
Band66	15	132322	36	#Max	16QAM	21.32	-0.81	20.51	30.00	Pass
Band66	15	132322	75	#0	16QAM	21.34	-0.81	20.53	30.00	Pass
Band66	15	132597	1	#0	QPSK	23.45	-0.81	22.64	30.00	Pass
Band66	15	132597	1	#Mid	QPSK	23.48	-0.81	22.67	30.00	Pass
Band66	15	132597	1	#Max	QPSK	23.53	-0.81	22.72	30.00	Pass
Band66	15	132597	36	#0	QPSK	22.37	-0.81	21.56	30.00	Pass
Band66	15	132597	36	#Mid	QPSK	22.36	-0.81	21.55	30.00	Pass
Band66	15	132597	36	#Max	QPSK	22.40	-0.81	21.59	30.00	Pass
Band66	15	132597	75	#0	QPSK	22.42	-0.81	21.61	30.00	Pass
Band66	15	132597	1	#0	16QAM	22.50	-0.81	21.69	30.00	Pass
Band66	15	132597	1	#Mid	16QAM	22.53	-0.81	21.72	30.00	Pass
Band66	15	132597	1	#Max	16QAM	22.54	-0.81	21.73	30.00	Pass
Band66	15	132597	36	#0	16QAM	21.37	-0.81	20.56	30.00	Pass
Band66	15	132597	36	#Mid	16QAM	21.36	-0.81	20.55	30.00	Pass
Band66	15	132597	36	#Max	16QAM	21.39	-0.81	20.58	30.00	Pass
Band66	15	132597	75	#0	16QAM	21.45	-0.81	20.64	30.00	Pass
Band66	20	132072	1	#0	QPSK	23.58	-0.81	22.77	30.00	Pass
Band66	20	132072	1	#Mid	QPSK	23.56	-0.81	22.75	30.00	Pass
Band66	20	132072	1	#Max	QPSK	23.58	-0.81	22.77	30.00	Pass

Band66	20	132072	50	#0	QPSK	22.59	-0.81	21.78	30.00	Pass
Band66	20	132072	50	#Mid	QPSK	22.58	-0.81	21.77	30.00	Pass
Band66	20	132072	50	#Max	QPSK	22.58	-0.81	21.77	30.00	Pass
Band66	20	132072	100	#0	QPSK	22.59	-0.81	21.78	30.00	Pass
Band66	20	132072	1	#0	16QAM	23.03	-0.81	22.22	30.00	Pass
Band66	20	132072	1	#Mid	16QAM	22.92	-0.81	22.11	30.00	Pass
Band66	20	132072	1	#Max	16QAM	22.92	-0.81	22.11	30.00	Pass
Band66	20	132072	50	#0	16QAM	21.64	-0.81	20.83	30.00	Pass
Band66	20	132072	50	#Mid	16QAM	21.60	-0.81	20.79	30.00	Pass
Band66	20	132072	50	#Max	16QAM	21.63	-0.81	20.82	30.00	Pass
Band66	20	132072	100	#0	16QAM	21.60	-0.81	20.79	30.00	Pass
Band66	20	132322	1	#0	QPSK	23.55	-0.81	22.74	30.00	Pass
Band66	20	132322	1	#Mid	QPSK	23.38	-0.81	22.57	30.00	Pass
Band66	20	132322	1	#Max	QPSK	23.38	-0.81	22.57	30.00	Pass
Band66	20	132322	50	#0	QPSK	22.48	-0.81	21.67	30.00	Pass
Band66	20	132322	50	#Mid	QPSK	22.36	-0.81	21.55	30.00	Pass
Band66	20	132322	50	#Max	QPSK	22.27	-0.81	21.46	30.00	Pass
Band66	20	132322	100	#0	QPSK	22.37	-0.81	21.56	30.00	Pass
Band66	20	132322	1	#0	16QAM	22.74	-0.81	21.93	30.00	Pass
Band66	20	132322	1	#Mid	16QAM	22.56	-0.81	21.75	30.00	Pass
Band66	20	132322	1	#Max	16QAM	22.47	-0.81	21.66	30.00	Pass
Band66	20	132322	50	#0	16QAM	21.42	-0.81	20.61	30.00	Pass
Band66	20	132322	50	#Mid	16QAM	21.36	-0.81	20.55	30.00	Pass
Band66	20	132322	50	#Max	16QAM	21.27	-0.81	20.46	30.00	Pass
Band66	20	132322	100	#0	16QAM	21.35	-0.81	20.54	30.00	Pass
Band66	20	132572	1	#0	QPSK	23.31	-0.81	22.50	30.00	Pass
Band66	20	132572	1	#Mid	QPSK	23.40	-0.81	22.59	30.00	Pass
Band66	20	132572	1	#Max	QPSK	23.39	-0.81	22.58	30.00	Pass
Band66	20	132572	50	#0	QPSK	22.41	-0.81	21.60	30.00	Pass
Band66	20	132572	50	#Mid	QPSK	22.41	-0.81	21.60	30.00	Pass
Band66	20	132572	50	#Max	QPSK	22.46	-0.81	21.65	30.00	Pass
Band66	20	132572	100	#0	QPSK	22.42	-0.81	21.61	30.00	Pass
Band66	20	132572	1	#0	16QAM	22.67	-0.81	21.86	30.00	Pass
Band66	20	132572	1	#Mid	16QAM	22.70	-0.81	21.89	30.00	Pass
Band66	20	132572	1	#Max	16QAM	22.70	-0.81	21.89	30.00	Pass
Band66	20	132572	50	#0	16QAM	21.44	-0.81	20.63	30.00	Pass
Band66	20	132572	50	#Mid	16QAM	21.43	-0.81	20.62	30.00	Pass
Band66	20	132572	50	#Max	16QAM	21.47	-0.81	20.66	30.00	Pass
Band66	20	132572	100	#0	16QAM	21.42	-0.81	20.61	30.00	Pass


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band66	20	132072	100	#0	QPSK	-1.53	-0.001	-2.5	2.5	PASS
Band66	20	132072	100	#0	16QAM	-0.16	0.000	-2.5	2.5	PASS
Band66	20	132322	100	#0	QPSK	-2.86	-0.002	-2.5	2.5	PASS
Band66	20	132322	100	#0	16QAM	-5.02	-0.003	-2.5	2.5	PASS
Band66	20	132572	100	#0	QPSK	0.50	0.000	-2.5	2.5	PASS
Band66	20	132572	100	#0	16QAM	-4.98	-0.003	-2.5	2.5	PASS


Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
Band66	1.4	132322	1	#0	QPSK	3.50	13	PASS
Band66	1.4	132322	1	#0	16QAM	4.31	13	PASS
Band66	3	132322	1	#0	QPSK	3.81	13	PASS
Band66	3	132322	1	#0	16QAM	4.17	13	PASS
Band66	5	132322	1	#0	QPSK	3.68	13	PASS
Band66	5	132322	1	#0	16QAM	4.48	13	PASS
Band66	10	132322	1	#0	QPSK	3.88	13	PASS
Band66	10	132322	1	#0	16QAM	4.63	13	PASS
Band66	15	132322	1	#0	QPSK	3.95	13	PASS
Band66	15	132322	1	#0	16QAM	4.71	13	PASS
Band66	20	132322	1	#0	QPSK	4.24	13	PASS
Band66	20	132322	1	#0	16QAM	4.98	13	PASS




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0



Band66 16QAM BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0

4 Occupied bandwidth


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band66	1.4	132322	6	#0	QPSK	1.080	1.242	PASS
Band66	1.4	132322	6	#0	16QAM	1.087	1.268	PASS
Band66	3	132322	15	#0	QPSK	2.692	2.915	PASS
Band66	3	132322	15	#0	16QAM	2.691	2.907	PASS
Band66	5	132322	25	#0	QPSK	4.507	4.862	PASS
Band66	5	132322	25	#0	16QAM	4.477	4.959	PASS
Band66	10	132322	50	#0	QPSK	8.998	9.579	PASS
Band66	10	132322	50	#0	16QAM	9.011	9.636	PASS
Band66	15	132322	75	#0	QPSK	13.423	14.220	PASS
Band66	15	132322	75	#0	16QAM	13.418	14.292	PASS
Band66	20	132322	100	#0	QPSK	17.862	19.032	PASS
Band66	20	132322	100	#0	16QAM	17.907	19.236	PASS




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0



Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0

5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	1710.00	-28.84	-13	PASS
Band66	1.4	131979	6	#0	16QAM	1709.98	-29.90	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.00	-30.23	-13	PASS
Band66	1.4	132665	6	#0	16QAM	1780.02	-32.89	-13	PASS
Band66	3	131987	15	#0	QPSK	1710.00	-30.79	-13	PASS
Band66	3	131987	15	#0	16QAM	1709.98	-32.08	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-32.07	-13	PASS
Band66	3	132657	15	#0	16QAM	1780.00	-34.73	-13	PASS
Band66	5	131997	25	#0	QPSK	1709.97	-31.73	-13	PASS
Band66	5	131997	25	#0	16QAM	1710.00	-26.63	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.00	-27.88	-13	PASS
Band66	5	132647	25	#0	16QAM	1780.03	-33.02	-13	PASS
Band66	10	132022	50	#0	QPSK	1710.00	-28.57	-13	PASS
Band66	10	132022	50	#0	16QAM	1709.84	-36.56	-13	PASS
Band66	10	132622	50	#0	QPSK	1780.00	-33.98	-13	PASS
Band66	10	132622	50	#0	16QAM	1780.06	-36.04	-13	PASS
Band66	15	132047	75	#0	QPSK	1703.49	-35.53	-13	PASS
Band66	15	132047	75	#0	16QAM	1709.85	-35.60	-13	PASS
Band66	15	132597	75	#0	QPSK	1780.09	-33.40	-13	PASS
Band66	15	132597	75	#0	16QAM	1780.00	-34.58	-13	PASS
Band66	20	132072	100	#0	QPSK	1710.00	-35.89	-13	PASS
Band66	20	132072	100	#0	16QAM	1709.96	-33.70	-13	PASS
Band66	20	132572	100	#0	QPSK	1780.48	-36.66	-13	PASS
Band66	20	132572	100	#0	16QAM	1780.00	-35.96	-13	PASS



Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0



Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0

6 Out-of-band emissions


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	19162.10	-36.60	-13	PASS
Band66	1.4	131979	6	#0	16QAM	3795.85	-36.65	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1785.65	-35.55	-13	PASS
Band66	1.4	132665	6	#0	16QAM	19139.30	-35.48	-13	PASS
Band66	3	131987	15	#0	QPSK	19202.48	-35.36	-13	PASS
Band66	3	131987	15	#0	16QAM	3804.88	-36.55	-13	PASS
Band66	3	132657	15	#0	QPSK	18901.33	-36.16	-13	PASS
Band66	3	132657	15	#0	16QAM	18652.43	-36.43	-13	PASS
Band66	5	131997	25	#0	QPSK	13863.95	-36.36	-13	PASS
Band66	5	131997	25	#0	16QAM	3790.63	-36.29	-13	PASS
Band66	5	132647	25	#0	QPSK	18881.38	-36.19	-13	PASS
Band66	5	132647	25	#0	16QAM	19027.68	-36.07	-13	PASS
Band66	10	132022	50	#0	QPSK	19351.15	-36.61	-13	PASS
Band66	10	132022	50	#0	16QAM	18060.10	-36.39	-13	PASS
Band66	10	132622	50	#0	QPSK	3729.83	-35.25	-13	PASS
Band66	10	132622	50	#0	16QAM	18820.58	-36.75	-13	PASS
Band66	15	132047	75	#0	QPSK	19147.38	-36.09	-13	PASS
Band66	15	132047	75	#0	16QAM	3835.75	-36.07	-13	PASS
Band66	15	132597	75	#0	QPSK	19209.60	-36.94	-13	PASS
Band66	15	132597	75	#0	16QAM	18838.63	-36.41	-13	PASS
Band66	20	132072	100	#0	QPSK	3829.58	-36.62	-13	PASS
Band66	20	132072	100	#0	16QAM	19946.33	-36.92	-13	PASS
Band66	20	132572	100	#0	QPSK	3791.10	-35.60	-13	PASS
Band66	20	132572	100	#0	16QAM	3859.50	-35.93	-13	PASS




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0

