

TABLE OF CONTENTS

1 Conducted output power for NR FR12

2 Frequency stability for NR FR14

3 Peak-to-Average Ratio for NR FR16

4 Occupied bandwidth for NR FR130

5 Band edge for NR FR1.....38

6 Out-of-band emissions for NR FR148

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limt (dBm)	Verdict
n12	15	5	140300	1@1	DFT_BPSK	23.60	-6.3	-8.45	15.15	34.77	Pass
n12	15	5	140300	25@0	DFT_QPSK	22.37	-6.3	-8.45	13.92	34.77	Pass
n12	15	5	140300	12@6	DFT_QPSK	23.42	-6.3	-8.45	14.97	34.77	Pass
n12	15	5	140300	1@1	DFT_QPSK	23.36	-6.3	-8.45	14.91	34.77	Pass
n12	15	5	140300	1@23	DFT_QPSK	23.32	-6.3	-8.45	14.87	34.77	Pass
n12	15	5	140300	1@1	DFT_QAM16	22.60	-6.3	-8.45	14.15	34.77	Pass
n12	15	5	140300	1@1	DFT_QAM64	21.19	-6.3	-8.45	12.74	34.77	Pass
n12	15	5	140300	1@1	DFT_QAM256	19.32	-6.3	-8.45	10.87	34.77	Pass
n12	15	5	140300	1@1	CP_QPSK	22.65	-6.3	-8.45	14.20	34.77	Pass
n12	15	5	141500	1@1	DFT_BPSK	23.35	-6.3	-8.45	14.90	34.77	Pass
n12	15	5	141500	25@0	DFT_QPSK	22.28	-6.3	-8.45	13.83	34.77	Pass
n12	15	5	141500	12@6	DFT_QPSK	23.26	-6.3	-8.45	14.81	34.77	Pass
n12	15	5	141500	1@1	DFT_QPSK	23.55	-6.3	-8.45	15.10	34.77	Pass
n12	15	5	141500	1@23	DFT_QPSK	23.51	-6.3	-8.45	15.06	34.77	Pass
n12	15	5	141500	1@1	DFT_QAM16	22.68	-6.3	-8.45	14.23	34.77	Pass
n12	15	5	141500	1@1	DFT_QAM64	21.02	-6.3	-8.45	12.57	34.77	Pass
n12	15	5	141500	1@1	DFT_QAM256	18.92	-6.3	-8.45	10.47	34.77	Pass
n12	15	5	141500	1@1	CP_QPSK	22.19	-6.3	-8.45	13.74	34.77	Pass
n12	15	5	142700	1@1	DFT_BPSK	23.44	-6.3	-8.45	14.99	34.77	Pass
n12	15	5	142700	25@0	DFT_QPSK	22.32	-6.3	-8.45	13.87	34.77	Pass
n12	15	5	142700	12@6	DFT_QPSK	23.31	-6.3	-8.45	14.86	34.77	Pass
n12	15	5	142700	1@1	DFT_QPSK	23.30	-6.3	-8.45	14.85	34.77	Pass
n12	15	5	142700	1@23	DFT_QPSK	23.25	-6.3	-8.45	14.80	34.77	Pass
n12	15	5	142700	1@1	DFT_QAM16	22.22	-6.3	-8.45	13.77	34.77	Pass
n12	15	5	142700	1@1	DFT_QAM64	20.79	-6.3	-8.45	12.34	34.77	Pass
n12	15	5	142700	1@1	DFT_QAM256	18.99	-6.3	-8.45	10.54	34.77	Pass
n12	15	5	142700	1@1	CP_QPSK	22.10	-6.3	-8.45	13.65	34.77	Pass
n12	15	10	140800	1@1	DFT_BPSK	23.41	-6.3	-8.45	14.96	34.77	Pass
n12	15	10	140800	50@0	DFT_QPSK	22.32	-6.3	-8.45	13.87	34.77	Pass
n12	15	10	140800	25@12	DFT_QPSK	23.38	-6.3	-8.45	14.93	34.77	Pass
n12	15	10	140800	1@1	DFT_QPSK	23.43	-6.3	-8.45	14.98	34.77	Pass
n12	15	10	140800	1@50	DFT_QPSK	23.32	-6.3	-8.45	14.87	34.77	Pass
n12	15	10	140800	1@1	DFT_QAM16	21.93	-6.3	-8.45	13.48	34.77	Pass
n12	15	10	140800	1@1	DFT_QAM64	20.59	-6.3	-8.45	12.14	34.77	Pass
n12	15	10	140800	1@1	DFT_QAM256	18.73	-6.3	-8.45	10.28	34.77	Pass
n12	15	10	140800	1@1	CP_QPSK	22.26	-6.3	-8.45	13.81	34.77	Pass
n12	15	10	141500	1@1	DFT_BPSK	23.68	-6.3	-8.45	15.23	34.77	Pass

n12	15	10	141500	50@0	DFT_QPSK	22.26	-6.3	-8.45	13.81	34.77	Pass
n12	15	10	141500	25@12	DFT_QPSK	23.32	-6.3	-8.45	14.87	34.77	Pass
n12	15	10	141500	1@1	DFT_QPSK	23.34	-6.3	-8.45	14.89	34.77	Pass
n12	15	10	141500	1@50	DFT_QPSK	23.28	-6.3	-8.45	14.83	34.77	Pass
n12	15	10	141500	1@1	DFT_QAM16	22.43	-6.3	-8.45	13.98	34.77	Pass
n12	15	10	141500	1@1	DFT_QAM64	21.13	-6.3	-8.45	12.68	34.77	Pass
n12	15	10	141500	1@1	DFT_QAM256	19.46	-6.3	-8.45	11.01	34.77	Pass
n12	15	10	141500	1@1	CP_QPSK	21.86	-6.3	-8.45	13.41	34.77	Pass
n12	15	10	142200	1@1	DFT_BPSK	23.36	-6.3	-8.45	14.91	34.77	Pass
n12	15	10	142200	50@0	DFT_QPSK	22.31	-6.3	-8.45	13.86	34.77	Pass
n12	15	10	142200	25@12	DFT_QPSK	23.35	-6.3	-8.45	14.90	34.77	Pass
n12	15	10	142200	1@1	DFT_QPSK	23.25	-6.3	-8.45	14.80	34.77	Pass
n12	15	10	142200	1@50	DFT_QPSK	23.22	-6.3	-8.45	14.77	34.77	Pass
n12	15	10	142200	1@1	DFT_QAM16	22.18	-6.3	-8.45	13.73	34.77	Pass
n12	15	10	142200	1@1	DFT_QAM64	21.07	-6.3	-8.45	12.62	34.77	Pass
n12	15	10	142200	1@1	DFT_QAM256	19.00	-6.3	-8.45	10.55	34.77	Pass
n12	15	10	142200	1@1	CP_QPSK	21.81	-6.3	-8.45	13.36	34.77	Pass
n12	15	15	141300	1@1	DFT_BPSK	23.27	-6.3	-8.45	14.82	34.77	Pass
n12	15	15	141300	75@0	DFT_QPSK	22.31	-6.3	-8.45	13.86	34.77	Pass
n12	15	15	141300	36@18	DFT_QPSK	23.27	-6.3	-8.45	14.82	34.77	Pass
n12	15	15	141300	1@1	DFT_QPSK	23.31	-6.3	-8.45	14.86	34.77	Pass
n12	15	15	141300	1@77	DFT_QPSK	23.26	-6.3	-8.45	14.81	34.77	Pass
n12	15	15	141300	1@1	DFT_QAM16	22.92	-6.3	-8.45	14.47	34.77	Pass
n12	15	15	141300	1@1	DFT_QAM64	21.01	-6.3	-8.45	12.56	34.77	Pass
n12	15	15	141300	1@1	DFT_QAM256	18.79	-6.3	-8.45	10.34	34.77	Pass
n12	15	15	141300	1@1	CP_QPSK	21.42	-6.3	-8.45	12.97	34.77	Pass
n12	15	15	141500	1@1	DFT_BPSK	23.45	-6.3	-8.45	15.00	34.77	Pass
n12	15	15	141500	75@0	DFT_QPSK	22.29	-6.3	-8.45	13.84	34.77	Pass
n12	15	15	141500	36@18	DFT_QPSK	23.23	-6.3	-8.45	14.78	34.77	Pass
n12	15	15	141500	1@1	DFT_QPSK	23.31	-6.3	-8.45	14.86	34.77	Pass
n12	15	15	141500	1@77	DFT_QPSK	23.21	-6.3	-8.45	14.76	34.77	Pass
n12	15	15	141500	1@1	DFT_QAM16	22.44	-6.3	-8.45	13.99	34.77	Pass
n12	15	15	141500	1@1	DFT_QAM64	20.73	-6.3	-8.45	12.28	34.77	Pass
n12	15	15	141500	1@1	DFT_QAM256	18.47	-6.3	-8.45	10.02	34.77	Pass
n12	15	15	141500	1@1	CP_QPSK	21.77	-6.3	-8.45	13.32	34.77	Pass
n12	15	15	141700	1@1	DFT_BPSK	23.46	-6.3	-8.45	15.01	34.77	Pass
n12	15	15	141700	75@0	DFT_QPSK	22.32	-6.3	-8.45	13.87	34.77	Pass
n12	15	15	141700	36@18	DFT_QPSK	23.35	-6.3	-8.45	14.90	34.77	Pass
n12	15	15	141700	1@1	DFT_QPSK	23.43	-6.3	-8.45	14.98	34.77	Pass
n12	15	15	141700	1@77	DFT_QPSK	23.27	-6.3	-8.45	14.82	34.77	Pass
n12	15	15	141700	1@1	DFT_QAM16	22.30	-6.3	-8.45	13.85	34.77	Pass
n12	15	15	141700	1@1	DFT_QAM64	21.19	-6.3	-8.45	12.74	34.77	Pass
n12	15	15	141700	1@1	DFT_QAM256	18.89	-6.3	-8.45	10.44	34.77	Pass
n12	15	15	141700	1@1	CP_QPSK	21.70	-6.3	-8.45	13.25	34.77	Pass

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n12	15	5	140300	12@6	DFT_BPSK	-2.64	-0.00376	-2.5	2.5	PASS
n12	15	5	140300	1@1	DFT_BPSK	-4.58	-0.00653	-2.5	2.5	PASS
n12	15	5	140300	1@23	DFT_BPSK	-2.88	-0.00411	-2.5	2.5	PASS
n12	15	5	140300	12@6	DFT_QPSK	-5.87	-0.00837	-2.5	2.5	PASS
n12	15	5	140300	1@1	DFT_QPSK	-4.07	-0.00580	-2.5	2.5	PASS
n12	15	5	140300	1@23	DFT_QPSK	-5.75	-0.00820	-2.5	2.5	PASS
n12	15	5	141500	12@6	DFT_BPSK	0.00	0.00000	-2.5	2.5	PASS
n12	15	5	141500	1@1	DFT_BPSK	-3.12	-0.00441	-2.5	2.5	PASS
n12	15	5	141500	1@23	DFT_BPSK	-2.61	-0.00369	-2.5	2.5	PASS
n12	15	5	141500	12@6	DFT_QPSK	-5.91	-0.00835	-2.5	2.5	PASS
n12	15	5	141500	1@1	DFT_QPSK	-5.74	-0.00811	-2.5	2.5	PASS
n12	15	5	141500	1@23	DFT_QPSK	-1.91	-0.00270	-2.5	2.5	PASS
n12	15	5	142700	12@6	DFT_BPSK	-4.44	-0.00622	-2.5	2.5	PASS
n12	15	5	142700	1@1	DFT_BPSK	-4.44	-0.00622	-2.5	2.5	PASS
n12	15	5	142700	1@23	DFT_BPSK	-4.14	-0.00580	-2.5	2.5	PASS
n12	15	5	142700	12@6	DFT_QPSK	-3.68	-0.00516	-2.5	2.5	PASS
n12	15	5	142700	1@1	DFT_QPSK	-5.59	-0.00783	-2.5	2.5	PASS
n12	15	5	142700	1@23	DFT_QPSK	-7.48	-0.01048	-2.5	2.5	PASS
n12	15	10	140800	25@12	DFT_BPSK	-6.49	-0.00922	-2.5	2.5	PASS
n12	15	10	140800	1@1	DFT_BPSK	-6.51	-0.00925	-2.5	2.5	PASS
n12	15	10	140800	1@50	DFT_BPSK	-6.29	-0.00893	-2.5	2.5	PASS
n12	15	10	140800	25@12	DFT_QPSK	-4.33	-0.00615	-2.5	2.5	PASS
n12	15	10	140800	1@1	DFT_QPSK	-6.57	-0.00933	-2.5	2.5	PASS
n12	15	10	140800	1@50	DFT_QPSK	-5.70	-0.00810	-2.5	2.5	PASS
n12	15	10	141500	25@12	DFT_BPSK	-1.45	-0.00205	-2.5	2.5	PASS
n12	15	10	141500	1@1	DFT_BPSK	-2.64	-0.00373	-2.5	2.5	PASS
n12	15	10	141500	1@50	DFT_BPSK	-4.63	-0.00654	-2.5	2.5	PASS
n12	15	10	141500	25@12	DFT_QPSK	-1.83	-0.00259	-2.5	2.5	PASS
n12	15	10	141500	1@1	DFT_QPSK	-2.86	-0.00404	-2.5	2.5	PASS
n12	15	10	141500	1@50	DFT_QPSK	-4.67	-0.00660	-2.5	2.5	PASS
n12	15	10	142200	25@12	DFT_BPSK	-2.88	-0.00405	-2.5	2.5	PASS
n12	15	10	142200	1@1	DFT_BPSK	-1.77	-0.00249	-2.5	2.5	PASS
n12	15	10	142200	1@50	DFT_BPSK	-1.53	-0.00215	-2.5	2.5	PASS
n12	15	10	142200	25@12	DFT_QPSK	-0.18	-0.00025	-2.5	2.5	PASS
n12	15	10	142200	1@1	DFT_QPSK	-2.06	-0.00290	-2.5	2.5	PASS
n12	15	10	142200	1@50	DFT_QPSK	-1.47	-0.00207	-2.5	2.5	PASS
n12	15	15	141300	36@18	DFT_BPSK	-3.04	-0.00430	-2.5	2.5	PASS
n12	15	15	141300	1@1	DFT_BPSK	-2.21	-0.00313	-2.5	2.5	PASS

n12	15	15	141300	1@77	DFT_BPSK	-2.60	-0.00368	-2.5	2.5	PASS
n12	15	15	141300	36@18	DFT_QPSK	-2.61	-0.00369	-2.5	2.5	PASS
n12	15	15	141300	1@1	DFT_QPSK	-1.75	-0.00248	-2.5	2.5	PASS
n12	15	15	141300	1@77	DFT_QPSK	-2.59	-0.00367	-2.5	2.5	PASS
n12	15	15	141500	36@18	DFT_BPSK	0.17	0.00024	-2.5	2.5	PASS
n12	15	15	141500	1@1	DFT_BPSK	-3.06	-0.00433	-2.5	2.5	PASS
n12	15	15	141500	1@77	DFT_BPSK	-2.94	-0.00416	-2.5	2.5	PASS
n12	15	15	141500	36@18	DFT_QPSK	-4.10	-0.00580	-2.5	2.5	PASS
n12	15	15	141500	1@1	DFT_QPSK	-2.86	-0.00404	-2.5	2.5	PASS
n12	15	15	141500	1@77	DFT_QPSK	-2.43	-0.00343	-2.5	2.5	PASS
n12	15	15	141700	36@18	DFT_BPSK	-5.41	-0.00764	-2.5	2.5	PASS
n12	15	15	141700	1@1	DFT_BPSK	-4.56	-0.00644	-2.5	2.5	PASS
n12	15	15	141700	1@77	DFT_BPSK	-6.47	-0.00913	-2.5	2.5	PASS
n12	15	15	141700	36@18	DFT_QPSK	-6.12	-0.00864	-2.5	2.5	PASS
n12	15	15	141700	1@1	DFT_QPSK	-7.39	-0.01043	-2.5	2.5	PASS
n12	15	15	141700	1@77	DFT_QPSK	-8.70	-0.01228	-2.5	2.5	PASS


Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
n12	15	5	140300	25@0	DFT_BPSK	4.29	13	PASS
n12	15	5	140300	25@0	DFT_QPSK	5.26	13	PASS
n12	15	5	140300	25@0	DFT_QAM16	6.23	13	PASS
n12	15	5	140300	25@0	DFT_QAM64	6.51	13	PASS
n12	15	5	140300	25@0	DFT_QAM256	6.85	13	PASS
n12	15	5	141500	25@0	DFT_BPSK	4.29	13	PASS
n12	15	5	141500	25@0	DFT_QPSK	5.15	13	PASS
n12	15	5	141500	25@0	DFT_QAM16	5.92	13	PASS
n12	15	5	141500	25@0	DFT_QAM64	6.38	13	PASS
n12	15	5	141500	25@0	DFT_QAM256	6.69	13	PASS
n12	15	5	142700	25@0	DFT_BPSK	5.11	13	PASS
n12	15	5	142700	25@0	DFT_QPSK	5.54	13	PASS
n12	15	5	142700	25@0	DFT_QAM16	6.31	13	PASS
n12	15	5	142700	25@0	DFT_QAM64	6.62	13	PASS
n12	15	5	142700	25@0	DFT_QAM256	7.04	13	PASS
n12	15	10	140800	50@0	DFT_BPSK	4.36	13	PASS
n12	15	10	140800	50@0	DFT_QPSK	5.18	13	PASS
n12	15	10	140800	50@0	DFT_QAM16	6.15	13	PASS
n12	15	10	140800	50@0	DFT_QAM64	6.52	13	PASS
n12	15	10	140800	50@0	DFT_QAM256	7.07	13	PASS
n12	15	10	141500	50@0	DFT_BPSK	4.35	13	PASS
n12	15	10	141500	50@0	DFT_QPSK	5.39	13	PASS
n12	15	10	141500	50@0	DFT_QAM16	6.10	13	PASS
n12	15	10	141500	50@0	DFT_QAM64	6.48	13	PASS
n12	15	10	141500	50@0	DFT_QAM256	6.85	13	PASS
n12	15	10	142200	50@0	DFT_BPSK	4.82	13	PASS
n12	15	10	142200	50@0	DFT_QPSK	5.31	13	PASS
n12	15	10	142200	50@0	DFT_QAM16	6.15	13	PASS
n12	15	10	142200	50@0	DFT_QAM64	6.42	13	PASS
n12	15	10	142200	50@0	DFT_QAM256	6.88	13	PASS
n12	15	15	141300	75@0	DFT_BPSK	4.25	13	PASS
n12	15	15	141300	75@0	DFT_QPSK	5.38	13	PASS
n12	15	15	141300	75@0	DFT_QAM16	6.34	13	PASS
n12	15	15	141300	75@0	DFT_QAM64	6.48	13	PASS
n12	15	15	141300	75@0	DFT_QAM256	6.89	13	PASS
n12	15	15	141500	75@0	DFT_BPSK	4.66	13	PASS
n12	15	15	141500	75@0	DFT_QPSK	5.36	13	PASS
n12	15	15	141500	75@0	DFT_QAM16	6.29	13	PASS
n12	15	15	141500	75@0	DFT_QAM64	6.48	13	PASS

n12	15	15	141500	75@0	DFT_QAM256	6.75	13	PASS
n12	15	15	141700	75@0	DFT_BPSK	4.64	13	PASS
n12	15	15	141700	75@0	DFT_QPSK	5.51	13	PASS
n12	15	15	141700	75@0	DFT_QAM16	6.38	13	PASS
n12	15	15	141700	75@0	DFT_QAM64	6.58	13	PASS
n12	15	15	141700	75@0	DFT_QAM256	7.03	13	PASS


n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=140300 RB=25@0



n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=142700 RB=25@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n12	15	5	141500	25@0	DFT_BPSK	4.450	4.640	PASS
n12	15	5	141500	25@0	DFT_QPSK	4.480	4.630	PASS
n12	15	5	141500	25@0	DFT_QAM16	4.460	4.640	PASS
n12	15	5	141500	25@0	DFT_QAM64	4.460	4.660	PASS
n12	15	5	141500	25@0	DFT_QAM256	4.460	4.650	PASS
n12	15	10	141500	50@0	DFT_BPSK	9.230	9.110	PASS
n12	15	10	141500	50@0	DFT_QPSK	9.150	9.110	PASS
n12	15	10	141500	50@0	DFT_QAM16	9.240	9.160	PASS
n12	15	10	141500	50@0	DFT_QAM64	9.200	9.150	PASS
n12	15	10	141500	50@0	DFT_QAM256	9.190	9.150	PASS
n12	15	15	141500	75@0	DFT_BPSK	14.020	13.610	PASS
n12	15	15	141500	75@0	DFT_QPSK	13.930	13.690	PASS
n12	15	15	141500	75@0	DFT_QAM16	13.890	13.590	PASS
n12	15	15	141500	75@0	DFT_QAM64	13.960	13.620	PASS
n12	15	15	141500	75@0	DFT_QAM256	13.920	13.630	PASS

n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=141500 RB=25@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	25@0	CP_QPSK	698.90	-29.65	-13	PASS
n12	15	5	140300	1@0	CP_QPSK	699.00	-24.94	-13	PASS
n12	15	5	140300	1@24	CP_QPSK	703.68	13.47	30	PASS
n12	15	5	142700	25@0	CP_QPSK	716.11	-31.46	-13	PASS
n12	15	5	142700	1@0	CP_QPSK	711.35	13.01	30	PASS
n12	15	5	142700	1@24	CP_QPSK	716.00	-25.25	-13	PASS
n12	15	10	140800	52@0	CP_QPSK	698.81	-33.52	-13	PASS
n12	15	10	140800	1@0	CP_QPSK	699.00	-27.65	-13	PASS
n12	15	10	140800	1@51	CP_QPSK	708.59	13.43	30	PASS
n12	15	10	142200	52@0	CP_QPSK	716.20	-30.83	-13	PASS
n12	15	10	142200	1@0	CP_QPSK	706.35	13.80	30	PASS
n12	15	10	142200	1@51	CP_QPSK	715.54	13.78	30	PASS
n12	15	15	141300	79@0	CP_QPSK	698.83	-35.12	-13	PASS
n12	15	15	141300	1@0	CP_QPSK	699.43	13.37	30	PASS
n12	15	15	141300	1@78	CP_QPSK	713.49	13.82	30	PASS
n12	15	15	141700	79@0	CP_QPSK	716.21	-34.75	-13	PASS
n12	15	15	141700	1@0	CP_QPSK	701.41	13.56	30	PASS
n12	15	15	141700	1@78	CP_QPSK	715.55	13.84	30	PASS


n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=1@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=52@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=1@51




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=1@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=1@51




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=52@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=1@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=1@78




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=79@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=1@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=1@78




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=1@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=79@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=1@24




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=1@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=25@0



n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=1@24




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	25@0	CP_QPSK	3702.25	-39.05	-13	PASS
n12	15	5	140300	1@0	CP_QPSK	3834.10	-37.90	-13	PASS
n12	15	5	140300	1@24	CP_QPSK	3794.95	-38.67	-13	PASS
n12	15	5	142700	25@0	CP_QPSK	3853.00	-38.85	-13	PASS
n12	15	5	142700	1@0	CP_QPSK	3735.33	-38.34	-13	PASS
n12	15	5	142700	1@24	CP_QPSK	3745.45	-39.01	-13	PASS
n12	15	10	140800	52@0	CP_QPSK	3880.00	-38.07	-13	PASS
n12	15	10	140800	1@0	CP_QPSK	5015.35	-38.46	-13	PASS
n12	15	10	140800	1@51	CP_QPSK	3873.93	-38.80	-13	PASS
n12	15	10	142200	52@0	CP_QPSK	3776.73	-38.99	-13	PASS
n12	15	10	142200	1@0	CP_QPSK	3827.80	-38.81	-13	PASS
n12	15	10	142200	1@51	CP_QPSK	4947.63	-38.58	-13	PASS
n12	15	15	141300	79@0	CP_QPSK	3866.73	-38.68	-13	PASS
n12	15	15	141300	1@0	CP_QPSK	3810.70	-38.43	-13	PASS
n12	15	15	141300	1@78	CP_QPSK	1427.28	-36.81	-13	PASS
n12	15	15	141700	79@0	CP_QPSK	3743.88	-38.87	-13	PASS
n12	15	15	141700	1@0	CP_QPSK	1403.20	-37.77	-13	PASS
n12	15	15	141700	1@78	CP_QPSK	4504.60	-38.08	-13	PASS


n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=1@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=1@51




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=52@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=1@51




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=1@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=52@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=1@78




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=1@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=1@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=79@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=1@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=79@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=1@78




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=1@24



n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=1@24



n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=1@0



n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=25@0

