







41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=10MHz Ch=39894 RB=1@49




41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=20MHz Ch=39948 RB=1@99




41C QPSK PCC BW=20MHz Ch=41341 RB=100@0,SCC BW=15MHz Ch=41512 RB=75@0




41C QPSK PCC BW=20MHz Ch=41292 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




41C QPSK PCC BW=20MHz Ch=41292 RB=100@0,SCC BW=20MHz Ch=41490 RB=100@0




41C QPSK PCC BW=20MHz Ch=41391 RB=1@0,SCC BW=10MHz Ch=41535 RB=1@49



41C QPSK PCC BW=20MHz Ch=41391 RB=100@0, SCC BW=10MHz Ch=41535 RB=50@0



41C QPSK PCC BW=20MHz Ch=41341 RB=1@0, SCC BW=15MHz Ch=41512 RB=1@74




06 Out-of-band emissions for intra-band contiguous CA

Band	PCC BW (MHz)	PCC Ch	PCC RB	SCC BW (MHz)	SCC Ch	SCC RB	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
41C	10	39705	1@0	20	39849	1@99	QPSK	19015.80	-38.04	-25	PASS
41C	10	39705	50@0	20	39849	100@0	QPSK	19982.90	-38.00	-25	PASS
41C	10	39705	1@0	20	39849	1@99	16QAM	19399.60	-37.93	-25	PASS
41C	10	39705	50@0	20	39849	100@0	16QAM	19065.20	-38.47	-25	PASS
41C	10	40526	1@0	20	40670	1@99	QPSK	19217.83	-37.20	-25	PASS
41C	10	40526	50@0	20	40670	100@0	QPSK	19364.13	-38.00	-25	PASS
41C	10	40526	1@0	20	40670	1@99	16QAM	18836.57	-38.58	-25	PASS
41C	10	40526	50@0	20	40670	100@0	16QAM	18947.40	-37.11	-25	PASS
41C	10	41346	1@0	20	41490	1@99	QPSK	19113.33	-37.76	-25	PASS
41C	10	41346	50@0	20	41490	100@0	QPSK	19164.00	-37.86	-25	PASS
41C	10	41346	1@0	20	41490	1@99	16QAM	19243.17	-38.11	-25	PASS
41C	10	41346	50@0	20	41490	100@0	16QAM	19830.27	-38.64	-25	PASS
41C	20	39750	1@0	10	39894	1@49	QPSK	19177.93	-37.79	-25	PASS
41C	20	39750	100@0	10	39894	50@0	QPSK	18936.63	-38.69	-25	PASS
41C	20	39750	1@0	10	39894	1@49	16QAM	18847.33	-37.62	-25	PASS
41C	20	39750	100@0	10	39894	50@0	16QAM	19335.00	-38.78	-25	PASS
41C	20	40571	1@0	10	40715	1@49	QPSK	19461.03	-38.96	-25	PASS
41C	20	40571	100@0	10	40715	50@0	QPSK	19044.93	-38.04	-25	PASS
41C	20	40571	1@0	10	40715	1@49	16QAM	19737.17	-38.48	-25	PASS
41C	20	40571	100@0	10	40715	50@0	16QAM	19094.33	-37.76	-25	PASS
41C	20	41391	1@0	10	41535	1@49	QPSK	19278.63	-37.89	-25	PASS
41C	20	41391	100@0	10	41535	50@0	QPSK	19305.23	-39.07	-25	PASS
41C	20	41391	1@0	10	41535	1@49	16QAM	19346.40	-37.99	-25	PASS
41C	20	41391	100@0	10	41535	50@0	16QAM	18768.80	-37.44	-25	PASS
41C	15	39725	1@0	15	39875	1@74	QPSK	19325.50	-38.19	-25	PASS
41C	15	39725	75@0	15	39875	75@0	QPSK	19148.80	-38.85	-25	PASS
41C	15	39725	1@0	15	39875	1@74	16QAM	19472.43	-38.13	-25	PASS
41C	15	39725	75@0	15	39875	75@0	16QAM	19573.13	-37.49	-25	PASS
41C	15	40545	1@0	15	40695	1@74	QPSK	18475.57	-38.30	-25	PASS
41C	15	40545	75@0	15	40695	75@0	QPSK	19386.93	-38.35	-25	PASS
41C	15	40545	1@0	15	40695	1@74	16QAM	14336.73	-38.12	-25	PASS
41C	15	40545	75@0	15	40695	75@0	16QAM	19502.20	-38.12	-25	PASS
41C	15	41365	1@0	15	41515	1@74	QPSK	19053.80	-38.20	-25	PASS
41C	15	41365	75@0	15	41515	75@0	QPSK	19246.97	-36.80	-25	PASS
41C	15	41365	1@0	15	41515	1@74	16QAM	19585.80	-38.61	-25	PASS
41C	15	41365	75@0	15	41515	75@0	16QAM	19386.93	-38.05	-25	PASS
41C	15	39728	1@0	20	39899	1@99	QPSK	19739.07	-38.12	-25	PASS
41C	15	39728	75@0	20	39899	100@0	QPSK	19533.87	-37.99	-25	PASS
41C	15	39728	1@0	20	39899	1@99	16QAM	19029.10	-37.59	-25	PASS


41C	15	39728	75@0	20	39899	100@0	16QAM	19214.03	-37.57	-25	PASS
41C	15	40523	1@0	20	40694	1@99	QPSK	19032.27	-38.13	-25	PASS
41C	15	40523	75@0	20	40694	100@0	QPSK	19445.20	-37.01	-25	PASS
41C	15	40523	1@0	20	40694	1@99	16QAM	19136.13	-38.99	-25	PASS
41C	15	40523	75@0	20	40694	100@0	16QAM	19075.97	-38.36	-25	PASS
41C	15	41319	1@0	20	41490	1@99	QPSK	19060.13	-37.61	-25	PASS
41C	15	41319	75@0	20	41490	100@0	QPSK	18960.70	-37.86	-25	PASS
41C	15	41319	1@0	20	41490	1@99	16QAM	19452.80	-37.67	-25	PASS
41C	15	41319	75@0	20	41490	100@0	16QAM	19326.13	-37.74	-25	PASS
41C	20	39750	1@0	15	39921	1@74	QPSK	19049.37	-37.96	-25	PASS
41C	20	39750	100@0	15	39921	75@0	QPSK	19108.27	-37.72	-25	PASS
41C	20	39750	1@0	15	39921	1@74	16QAM	19212.13	-37.93	-25	PASS
41C	20	39750	100@0	15	39921	75@0	16QAM	18184.23	-38.83	-25	PASS
41C	20	40546	1@0	15	40717	1@74	QPSK	19018.97	-38.85	-25	PASS
41C	20	40546	100@0	15	40717	75@0	QPSK	19188.70	-38.07	-25	PASS
41C	20	40546	1@0	15	40717	1@74	16QAM	18925.23	-38.51	-25	PASS
41C	20	40546	100@0	15	40717	75@0	16QAM	18894.20	-38.30	-25	PASS
41C	20	41341	1@0	15	41512	1@74	QPSK	19107.63	-37.94	-25	PASS
41C	20	41341	100@0	15	41512	75@0	QPSK	18873.30	-38.39	-25	PASS
41C	20	41341	1@0	15	41512	1@74	16QAM	19188.07	-37.64	-25	PASS
41C	20	41341	100@0	15	41512	75@0	16QAM	19123.47	-37.64	-25	PASS
41C	20	39750	1@0	20	39948	1@99	QPSK	3879.13	-37.12	-25	PASS
41C	20	39750	100@0	20	39948	100@0	QPSK	19382.50	-37.26	-25	PASS
41C	20	39750	1@0	20	39948	1@99	16QAM	19241.27	-38.69	-25	PASS
41C	20	39750	100@0	20	39948	100@0	16QAM	19193.13	-37.27	-25	PASS
41C	20	40521	1@0	20	40719	1@99	QPSK	18901.80	-38.41	-25	PASS
41C	20	40521	100@0	20	40719	100@0	QPSK	19255.20	-37.37	-25	PASS
41C	20	40521	1@0	20	40719	1@99	16QAM	18962.60	-38.00	-25	PASS
41C	20	40521	100@0	20	40719	100@0	16QAM	19015.17	-38.17	-25	PASS
41C	20	41292	1@0	20	41490	1@99	QPSK	19528.17	-38.20	-25	PASS
41C	20	41292	100@0	20	41490	100@0	QPSK	18740.93	-38.25	-25	PASS
41C	20	41292	1@0	20	41490	1@99	16QAM	19746.67	-38.04	-25	PASS
41C	20	41292	100@0	20	41490	100@0	16QAM	18775.77	-38.13	-25	PASS

41C 16QAM PCC BW=10MHz Ch=39705 RB=1@0,SCC BW=20MHz Ch=39849 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.38	-25
2	0.15	30	10	0.15	-55.48	-25
3	30	1000	100	887.12	-53.79	-25
4	1000	20000	1000	19399.6	-37.93	-25

41C 16QAM PCC BW=10MHz Ch=40526 RB=1@0,SCC BW=20MHz Ch=40670 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-45.48	-25
2	0.15	30	10	0.18	-55.59	-25
3	30	1000	100	832.71	-54.04	-25
4	1000	20000	1000	18836.57	-38.58	-25

41C 16QAM PCC BW=10MHz Ch=39705 RB=50@0,SCC BW=20MHz Ch=39849 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.96	-25
2	0.15	30	10	0.15	-53.39	-25
3	30	1000	100	839.27	-53.83	-25
4	1000	20000	1000	19065.2	-38.47	-25

41C 16QAM PCC BW=10MHz Ch=41346 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.63	-25
2	0.15	30	10	0.17	-56.35	-25
3	30	1000	100	613.2	-53.65	-25
4	1000	20000	1000	19243.17	-38.11	-25

41C 16QAM PCC BW=10MHz Ch=40526 RB=50@0,SCC BW=20MHz Ch=40670 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-45.05	-25
2	0.15	30	10	0.15	-55.98	-25
3	30	1000	100	777.84	-54.03	-25
4	1000	20000	1000	18947.4	-37.11	-25

41C 16QAM PCC BW=10MHz Ch=41346 RB=50@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.12	-25
2	0.15	30	10	0.15	-55.21	-25
3	30	1000	100	898.8	-53.5	-25
4	1000	20000	1000	19830.27	-38.64	-25

41C 16QAM PCC BW=15MHz Ch=39725 RB=75@0,SCC BW=15MHz Ch=39875 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.73	-25
2	0.15	30	10	0.16	-54.15	-25
3	30	1000	100	877.94	-54.15	-25
4	1000	20000	1000	19573.13	-37.49	-25

41C 16QAM PCC BW=15MHz Ch=39725 RB=1@0,SCC BW=15MHz Ch=39875 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46	-25
2	0.15	30	10	0.15	-56.23	-25
3	30	1000	100	805.68	-53.15	-25
4	1000	20000	1000	19472.43	-38.13	-25

41C 16QAM PCC BW=15MHz Ch=39728 RB=1@0,SCC BW=20MHz Ch=39899 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.22	-25
2	0.15	30	10	0.15	-56.19	-25
3	30	1000	100	807.88	-54.16	-25
4	1000	20000	1000	19029.1	-37.59	-25

41C 16QAM PCC BW=15MHz Ch=40523 RB=1@0,SCC BW=20MHz Ch=40694 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.79	-25
2	0.15	30	10	0.18	-56.13	-25
3	30	1000	100	937.82	-53.67	-25
4	1000	20000	1000	19136.13	-38.99	-25


41C 16QAM PCC BW=15MHz Ch=39728 RB=75@0,SCC BW=20MHz Ch=39899 RB=100@0



41C 16QAM PCC BW=15MHz Ch=40545 RB=75@0,SCC BW=15MHz Ch=40695 RB=75@0




41C 16QAM PCC BW=15MHz Ch=40545 RB=1@0,SCC BW=15MHz Ch=40695 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.51	-25
2	0.15	30	10	0.15	-56.45	-25
3	30	1000	100	883.86	-53.45	-25
4	1000	20000	1000	14336.73	-38.12	-25

41C 16QAM PCC BW=15MHz Ch=40523 RB=75@0,SCC BW=20MHz Ch=40694 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.74	-25
2	0.15	30	10	0.16	-55.58	-25
3	30	1000	100	983.74	-54.05	-25
4	1000	20000	1000	19075.97	-38.36	-25

41C 16QAM PCC BW=15MHz Ch=41319 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.05	-25
2	0.15	30	10	0.16	-55.79	-25
3	30	1000	100	715.95	-54.2	-25
4	1000	20000	1000	19452.8	-37.67	-25

41C 16QAM PCC BW=15MHz Ch=41365 RB=1@0,SCC BW=15MHz Ch=41515 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-45.34	-25
2	0.15	30	10	0.15	-55.65	-25
3	30	1000	100	810.82	-53.88	-25
4	1000	20000	1000	19585.8	-38.61	-25

41C 16QAM PCC BW=15MHz Ch=41319 RB=75@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.14	-25
2	0.15	30	10	0.17	-55.84	-25
3	30	1000	100	838.59	-53.23	-25
4	1000	20000	1000	19326.13	-37.74	-25

41C 16QAM PCC BW=15MHz Ch=41365 RB=75@0,SCC BW=15MHz Ch=41515 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.28	-25
2	0.15	30	10	0.15	-55.72	-25
3	30	1000	100	889.45	-53.38	-25
4	1000	20000	1000	19386.93	-38.05	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=15MHz Ch=39921 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.42	-25
2	0.15	30	10	0.16	-55.77	-25
3	30	1000	100	975.07	-54.25	-25
4	1000	20000	1000	18184.23	-38.83	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=10MHz Ch=39894 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.73	-25
2	0.15	30	10	0.17	-56.24	-25
3	30	1000	100	868.08	-53.96	-25
4	1000	20000	1000	19335	-38.78	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=20MHz Ch=39948 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.28	-25
2	0.15	30	10	0.15	-56.53	-25
3	30	1000	100	870.31	-53.33	-25
4	1000	20000	1000	19193.13	-37.27	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=10MHz Ch=39894 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.95	-25
2	0.15	30	10	0.2	-55.36	-25
3	30	1000	100	910.5	-54.68	-25
4	1000	20000	1000	18847.33	-37.62	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=15MHz Ch=39921 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-45.6	-25
2	0.15	30	10	0.15	-55.74	-25
3	30	1000	100	579.41	-54.02	-25
4	1000	20000	1000	19212.13	-37.93	-25

41C 16QAM PCC BW=20MHz Ch=40521 RB=100@0,SCC BW=20MHz Ch=40719 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.85	-25
2	0.15	30	10	0.15	-54.81	-25
3	30	1000	100	829.89	-52.85	-25
4	1000	20000	1000	19015.17	-38.17	-25

41C 16QAM PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=20MHz Ch=39948 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.29	-25
2	0.15	30	10	0.17	-56.28	-25
3	30	1000	100	557.13	-53.9	-25
4	1000	20000	1000	19241.27	-38.69	-25

41C 16QAM PCC BW=20MHz Ch=40521 RB=1@0,SCC BW=20MHz Ch=40719 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.67	-25
2	0.15	30	10	0.15	-55.28	-25
3	30	1000	100	969.48	-54.08	-25
4	1000	20000	1000	18962.6	-38	-25

41C 16QAM PCC BW=20MHz Ch=40546 RB=1@0,SCC BW=15MHz Ch=40717 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.74	-25
2	0.15	30	10	0.15	-54.3	-25
3	30	1000	100	838.69	-53.54	-25
4	1000	20000	1000	18925.23	-38.51	-25

41C 16QAM PCC BW=20MHz Ch=40546 RB=100@0,SCC BW=15MHz Ch=40717 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.51	-25
2	0.15	30	10	0.15	-54.24	-25
3	30	1000	100	820.45	-52.92	-25
4	1000	20000	1000	18894.2	-38.3	-25


41C 16QAM PCC BW=20MHz Ch=40571 RB=100@0,SCC BW=10MHz Ch=40715 RB=50@0




41C 16QAM PCC BW=20MHz Ch=41292 RB=100@0,SCC BW=20MHz Ch=41490 RB=100@0




41C 16QAM PCC BW=20MHz Ch=40571 RB=1@0,SCC BW=10MHz Ch=40715 RB=1@49



41C 16QAM PCC BW=20MHz Ch=41292 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




41C 16QAM PCC BW=20MHz Ch=41341 RB=1@0,SCC BW=15MHz Ch=41512 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.67	-25
2	0.15	30	10	0.16	-56.91	-25
3	30	1000	100	758.63	-53.82	-25
4	1000	20000	1000	19188.07	-37.64	-25

41C 16QAM PCC BW=20MHz Ch=41341 RB=100@0,SCC BW=15MHz Ch=41512 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.61	-25
2	0.15	30	10	0.15	-52.91	-25
3	30	1000	100	832.71	-53.6	-25
4	1000	20000	1000	19123.47	-37.64	-25

41C 16QAM PCC BW=20MHz Ch=41391 RB=100@0,SCC BW=10MHz Ch=41535 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.41	-25
2	0.15	30	10	0.21	-56.92	-25
3	30	1000	100	854.11	-53.88	-25
4	1000	20000	1000	18768.8	-37.44	-25

41C QPSK PCC BW=10MHz Ch=39705 RB=1@0,SCC BW=20MHz Ch=39849 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.79	-25
2	0.15	30	10	0.15	-55.22	-25
3	30	1000	100	797.56	-53.35	-25
4	1000	20000	1000	19015.8	-38.04	-25

41C 16QAM PCC BW=20MHz Ch=41391 RB=1@0,SCC BW=10MHz Ch=41535 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.69	-25
2	0.15	30	10	0.15	-54.5	-25
3	30	1000	100	857.54	-53.96	-25
4	1000	20000	1000	19346.4	-37.99	-25

41C QPSK PCC BW=10MHz Ch=40526 RB=1@0,SCC BW=20MHz Ch=40670 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.77	-25
2	0.15	30	10	0.15	-53.02	-25
3	30	1000	100	864.3	-53.33	-25
4	1000	20000	1000	19217.83	-37.2	-25

41C QPSK PCC BW=10MHz Ch=39705 RB=50@0,SCC BW=20MHz Ch=39849 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-45	-25
2	0.15	30	10	0.18	-55.61	-25
3	30	1000	100	923.82	-54.26	-25
4	1000	20000	1000	19982.9	-38	-25

41C QPSK PCC BW=10MHz Ch=40526 RB=50@0,SCC BW=20MHz Ch=40670 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-44.61	-25
2	0.15	30	10	0.16	-54.89	-25
3	30	1000	100	937.24	-51.51	-25
4	1000	20000	1000	19364.13	-38	-25

41C QPSK PCC BW=10MHz Ch=41346 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.1	-25
2	0.15	30	10	0.17	-55.68	-25
3	30	1000	100	868.57	-52.98	-25
4	1000	20000	1000	19113.33	-37.76	-25

41C QPSK PCC BW=15MHz Ch=39725 RB=1@0,SCC BW=15MHz Ch=39875 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.32	-25
2	0.15	30	10	0.15	-54.9	-25
3	30	1000	100	945.2	-53.37	-25
4	1000	20000	1000	19325.5	-38.19	-25

41C QPSK PCC BW=10MHz Ch=41346 RB=50@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.5	-25
2	0.15	30	10	0.15	-55.39	-25
3	30	1000	100	744.47	-53.06	-25
4	1000	20000	1000	19164	-37.86	-25

41C QPSK PCC BW=15MHz Ch=39728 RB=1@0,SCC BW=20MHz Ch=39899 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.17	-25
2	0.15	30	10	0.15	-54.9	-25
3	30	1000	100	788.83	-53.95	-25
4	1000	20000	1000	19739.07	-38.12	-25

41C QPSK PCC BW=15MHz Ch=39725 RB=75@0,SCC BW=15MHz Ch=39875 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.45	-25
2	0.15	30	10	0.16	-54.97	-25
3	30	1000	100	884.93	-54.02	-25
4	1000	20000	1000	19148.8	-38.85	-25

41C QPSK PCC BW=15MHz Ch=40523 RB=1@0,SCC BW=20MHz Ch=40694 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42	-25
2	0.15	30	10	0.2	-57	-25
3	30	1000	100	899.12	-54.37	-25
4	1000	20000	1000	19032.27	-38.13	-25

41C QPSK PCC BW=15MHz Ch=39728 RB=75@0,SCC BW=20MHz Ch=39899 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.6	-25
2	0.15	30	10	0.17	-55.32	-25
3	30	1000	100	919.78	-54.32	-25
4	1000	20000	1000	19533.87	-37.99	-25

41C QPSK PCC BW=15MHz Ch=40545 RB=1@0,SCC BW=15MHz Ch=40695 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-44.07	-25
2	0.15	30	10	0.16	-55.37	-25
3	30	1000	100	813.37	-54.12	-25
4	1000	20000	1000	18475.57	-38.3	-25

41C QPSK PCC BW=15MHz Ch=40523 RB=75@0,SCC BW=20MHz Ch=40694 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.09	-25
2	0.15	30	10	0.16	-53.77	-25
3	30	1000	100	879.59	-53.61	-25
4	1000	20000	1000	19445.2	-37.01	-25

41C QPSK PCC BW=15MHz Ch=41319 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.09	-25
2	0.15	30	10	0.15	-54.81	-25
3	30	1000	100	861.06	-52.95	-25
4	1000	20000	1000	19060.13	-37.61	-25


41C QPSK PCC BW=15MHz Ch=40545 RB=75@0,SCC BW=15MHz Ch=40695 RB=75@0



41C QPSK PCC BW=15MHz Ch=41365 RB=75@0,SCC BW=15MHz Ch=41515 RB=75@0




41C QPSK PCC BW=15MHz Ch=41365 RB=1@0,SCC BW=15MHz Ch=41515 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.92	-25
2	0.15	30	10	0.15	-55	-25
3	30	1000	100	915.13	-53.95	-25
4	1000	20000	1000	19053.8	-38.2	-25

41C QPSK PCC BW=15MHz Ch=41319 RB=75@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.97	-25
2	0.15	30	10	0.15	-54.96	-25
3	30	1000	100	876.42	-54.21	-25
4	1000	20000	1000	18960.7	-37.86	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=10MHz Ch=39894 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-43.94	-25
2	0.15	30	10	0.16	-56.03	-25
3	30	1000	100	613.88	-53.28	-25
4	1000	20000	1000	18936.63	-38.69	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=15MHz Ch=39921 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.62	-25
2	0.15	30	10	0.15	-54.35	-25
3	30	1000	100	880.37	-53.43	-25
4	1000	20000	1000	19108.27	-37.72	-25


41C QPSK PCC BW=20MHz Ch=39750 RB=100@0,SCC BW=20MHz Ch=39948 RB=100@0



41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=10MHz Ch=39894 RB=1@49




41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=15MHz Ch=39921 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.74	-25
2	0.15	30	10	0.17	-55.55	-25
3	30	1000	100	930.03	-54.49	-25
4	1000	20000	1000	19049.37	-37.96	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=20MHz Ch=39948 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.95	-25
2	0.15	30	10	0.15	-53.71	-25
3	30	1000	100	754.85	-53.05	-25
4	1000	20000	1000	3879.13	-37.12	-25

41C QPSK PCC BW=20MHz Ch=40521 RB=100@0,SCC BW=20MHz Ch=40719 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.75	-25
2	0.15	30	10	0.15	-56.31	-25
3	30	1000	100	927.09	-53.81	-25
4	1000	20000	1000	19255.2	-37.37	-25

41C QPSK PCC BW=20MHz Ch=40546 RB=100@0,SCC BW=15MHz Ch=40717 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.66	-25
2	0.15	30	10	0.21	-55.56	-25
3	30	1000	100	768.43	-53.44	-25
4	1000	20000	1000	19188.7	-38.07	-25

41C QPSK PCC BW=20MHz Ch=40521 RB=1@0,SCC BW=20MHz Ch=40719 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.9	-25
2	0.15	30	10	0.16	-54.04	-25
3	30	1000	100	986.97	-53.98	-25
4	1000	20000	1000	18901.8	-38.41	-25

41C QPSK PCC BW=20MHz Ch=40546 RB=1@0,SCC BW=15MHz Ch=40717 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.57	-25
2	0.15	30	10	0.15	-55.32	-25
3	30	1000	100	903.36	-53.98	-25
4	1000	20000	1000	19018.97	-38.85	-25


41C QPSK PCC BW=20MHz Ch=40571 RB=100@0,SCC BW=10MHz Ch=40715 RB=50@0



41C QPSK PCC BW=20MHz Ch=41292 RB=100@0,SCC BW=20MHz Ch=41490 RB=100@0




41C QPSK PCC BW=20MHz Ch=40571 RB=1@0,SCC BW=10MHz Ch=40715 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-44.95	-25
2	0.15	30	10	0.15	-53.01	-25
3	30	1000	100	750.26	-53.11	-25
4	1000	20000	1000	19461.03	-38.96	-25

41C QPSK PCC BW=20MHz Ch=41341 RB=100@0,SCC BW=15MHz Ch=41512 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45	-25
2	0.15	30	10	0.18	-55.59	-25
3	30	1000	100	789.19	-53.05	-25
4	1000	20000	1000	18873.3	-38.39	-25

41C QPSK PCC BW=20MHz Ch=41292 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.71	-25
2	0.15	30	10	0.15	-54.74	-25
3	30	1000	100	783.11	-54.04	-25
4	1000	20000	1000	19528.17	-38.2	-25

41C QPSK PCC BW=20MHz Ch=41391 RB=100@0,SCC BW=10MHz Ch=41535 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.55	-25
2	0.15	30	10	0.15	-56.08	-25
3	30	1000	100	867.3	-53.02	-25
4	1000	20000	1000	19305.23	-39.07	-25

41C QPSK PCC BW=20MHz Ch=41341 RB=1@0,SCC BW=15MHz Ch=41512 RB=1@74



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.74	-25
2	0.15	30	10	0.16	-54.75	-25
3	30	1000	100	908.56	-54.05	-25
4	1000	20000	1000	19107.63	-37.94	-25

41C QPSK PCC BW=20MHz Ch=41391 RB=1@0,SCC BW=10MHz Ch=41535 RB=1@49



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.85	-25
2	0.15	30	10	0.16	-56.04	-25
3	30	1000	100	972.58	-54.1	-25
4	1000	20000	1000	19278.63	-37.89	-25