

TABLE OF CONTENTS

*1*Conducted output power2

*2*Frequency stability.....6

*3*Peak-to-Average Ratio7

*4*Occupied bandwidth13

*5*Band edge.....19

*6*Out-of-band emissions.....29

1Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limt (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	23.70	-6.02	-8.17	15.53	38.45	Pass
Band5	1.4	20407	1	#Mid	QPSK	23.72	-6.02	-8.17	15.55	38.45	Pass
Band5	1.4	20407	1	#Max	QPSK	23.66	-6.02	-8.17	15.49	38.45	Pass
Band5	1.4	20407	3	#0	QPSK	23.65	-6.02	-8.17	15.48	38.45	Pass
Band5	1.4	20407	3	#Mid	QPSK	23.61	-6.02	-8.17	15.44	38.45	Pass
Band5	1.4	20407	3	#Max	QPSK	23.65	-6.02	-8.17	15.48	38.45	Pass
Band5	1.4	20407	6	#0	QPSK	22.78	-6.02	-8.17	14.61	38.45	Pass
Band5	1.4	20407	1	#0	QAM16	23.03	-6.02	-8.17	14.86	38.45	Pass
Band5	1.4	20407	1	#Mid	QAM16	22.96	-6.02	-8.17	14.79	38.45	Pass
Band5	1.4	20407	1	#Max	QAM16	23.03	-6.02	-8.17	14.86	38.45	Pass
Band5	1.4	20407	3	#0	QAM16	22.98	-6.02	-8.17	14.81	38.45	Pass
Band5	1.4	20407	3	#Mid	QAM16	23.01	-6.02	-8.17	14.84	38.45	Pass
Band5	1.4	20407	3	#Max	QAM16	22.98	-6.02	-8.17	14.81	38.45	Pass
Band5	1.4	20407	6	#0	QAM16	21.96	-6.02	-8.17	13.79	38.45	Pass
Band5	1.4	20525	1	#0	QPSK	23.74	-6.02	-8.17	15.57	38.45	Pass
Band5	1.4	20525	1	#Mid	QPSK	23.82	-6.02	-8.17	15.65	38.45	Pass
Band5	1.4	20525	1	#Max	QPSK	23.74	-6.02	-8.17	15.57	38.45	Pass
Band5	1.4	20525	3	#0	QPSK	23.59	-6.02	-8.17	15.42	38.45	Pass
Band5	1.4	20525	3	#Mid	QPSK	23.57	-6.02	-8.17	15.40	38.45	Pass
Band5	1.4	20525	3	#Max	QPSK	23.63	-6.02	-8.17	15.46	38.45	Pass
Band5	1.4	20525	6	#0	QPSK	22.82	-6.02	-8.17	14.65	38.45	Pass
Band5	1.4	20525	1	#0	QAM16	22.78	-6.02	-8.17	14.61	38.45	Pass
Band5	1.4	20525	1	#Mid	QAM16	22.75	-6.02	-8.17	14.58	38.45	Pass
Band5	1.4	20525	1	#Max	QAM16	22.80	-6.02	-8.17	14.63	38.45	Pass
Band5	1.4	20525	3	#0	QAM16	22.93	-6.02	-8.17	14.76	38.45	Pass
Band5	1.4	20525	3	#Mid	QAM16	22.92	-6.02	-8.17	14.75	38.45	Pass
Band5	1.4	20525	3	#Max	QAM16	22.94	-6.02	-8.17	14.77	38.45	Pass
Band5	1.4	20525	6	#0	QAM16	21.99	-6.02	-8.17	13.82	38.45	Pass
Band5	1.4	20643	1	#0	QPSK	23.70	-6.02	-8.17	15.53	38.45	Pass
Band5	1.4	20643	1	#Mid	QPSK	23.71	-6.02	-8.17	15.54	38.45	Pass
Band5	1.4	20643	1	#Max	QPSK	23.72	-6.02	-8.17	15.55	38.45	Pass
Band5	1.4	20643	3	#0	QPSK	23.55	-6.02	-8.17	15.38	38.45	Pass
Band5	1.4	20643	3	#Mid	QPSK	23.53	-6.02	-8.17	15.36	38.45	Pass
Band5	1.4	20643	3	#Max	QPSK	23.59	-6.02	-8.17	15.42	38.45	Pass
Band5	1.4	20643	6	#0	QPSK	22.74	-6.02	-8.17	14.57	38.45	Pass
Band5	1.4	20643	1	#0	QAM16	22.89	-6.02	-8.17	14.72	38.45	Pass
Band5	1.4	20643	1	#Mid	QAM16	22.81	-6.02	-8.17	14.64	38.45	Pass

Band5	1.4	20643	1	#Max	QAM16	22.93	-6.02	-8.17	14.76	38.45	Pass
Band5	1.4	20643	3	#0	QAM16	22.88	-6.02	-8.17	14.71	38.45	Pass
Band5	1.4	20643	3	#Mid	QAM16	22.87	-6.02	-8.17	14.70	38.45	Pass
Band5	1.4	20643	3	#Max	QAM16	22.88	-6.02	-8.17	14.71	38.45	Pass
Band5	1.4	20643	6	#0	QAM16	21.90	-6.02	-8.17	13.73	38.45	Pass
Band5	3	20415	1	#0	QPSK	23.81	-6.02	-8.17	15.64	38.45	Pass
Band5	3	20415	1	#Mid	QPSK	23.81	-6.02	-8.17	15.64	38.45	Pass
Band5	3	20415	1	#Max	QPSK	23.75	-6.02	-8.17	15.58	38.45	Pass
Band5	3	20415	8	#0	QPSK	22.88	-6.02	-8.17	14.71	38.45	Pass
Band5	3	20415	8	#Mid	QPSK	22.85	-6.02	-8.17	14.68	38.45	Pass
Band5	3	20415	8	#Max	QPSK	22.86	-6.02	-8.17	14.69	38.45	Pass
Band5	3	20415	15	#0	QPSK	22.86	-6.02	-8.17	14.69	38.45	Pass
Band5	3	20415	1	#0	QAM16	23.23	-6.02	-8.17	15.06	38.45	Pass
Band5	3	20415	1	#Mid	QAM16	23.18	-6.02	-8.17	15.01	38.45	Pass
Band5	3	20415	1	#Max	QAM16	23.17	-6.02	-8.17	15.00	38.45	Pass
Band5	3	20415	8	#0	QAM16	21.90	-6.02	-8.17	13.73	38.45	Pass
Band5	3	20415	8	#Mid	QAM16	21.85	-6.02	-8.17	13.68	38.45	Pass
Band5	3	20415	8	#Max	QAM16	21.84	-6.02	-8.17	13.67	38.45	Pass
Band5	3	20415	15	#0	QAM16	21.88	-6.02	-8.17	13.71	38.45	Pass
Band5	3	20525	1	#0	QPSK	23.70	-6.02	-8.17	15.53	38.45	Pass
Band5	3	20525	1	#Mid	QPSK	23.75	-6.02	-8.17	15.58	38.45	Pass
Band5	3	20525	1	#Max	QPSK	23.70	-6.02	-8.17	15.53	38.45	Pass
Band5	3	20525	8	#0	QPSK	22.90	-6.02	-8.17	14.73	38.45	Pass
Band5	3	20525	8	#Mid	QPSK	22.89	-6.02	-8.17	14.72	38.45	Pass
Band5	3	20525	8	#Max	QPSK	22.91	-6.02	-8.17	14.74	38.45	Pass
Band5	3	20525	15	#0	QPSK	22.94	-6.02	-8.17	14.77	38.45	Pass
Band5	3	20525	1	#0	QAM16	23.16	-6.02	-8.17	14.99	38.45	Pass
Band5	3	20525	1	#Mid	QAM16	23.12	-6.02	-8.17	14.95	38.45	Pass
Band5	3	20525	1	#Max	QAM16	23.09	-6.02	-8.17	14.92	38.45	Pass
Band5	3	20525	8	#0	QAM16	21.95	-6.02	-8.17	13.78	38.45	Pass
Band5	3	20525	8	#Mid	QAM16	21.92	-6.02	-8.17	13.75	38.45	Pass
Band5	3	20525	8	#Max	QAM16	21.93	-6.02	-8.17	13.76	38.45	Pass
Band5	3	20525	15	#0	QAM16	21.88	-6.02	-8.17	13.71	38.45	Pass
Band5	3	20635	1	#0	QPSK	23.74	-6.02	-8.17	15.57	38.45	Pass
Band5	3	20635	1	#Mid	QPSK	23.75	-6.02	-8.17	15.58	38.45	Pass
Band5	3	20635	1	#Max	QPSK	23.78	-6.02	-8.17	15.61	38.45	Pass
Band5	3	20635	8	#0	QPSK	22.77	-6.02	-8.17	14.60	38.45	Pass
Band5	3	20635	8	#Mid	QPSK	22.76	-6.02	-8.17	14.59	38.45	Pass
Band5	3	20635	8	#Max	QPSK	22.76	-6.02	-8.17	14.59	38.45	Pass
Band5	3	20635	15	#0	QPSK	22.81	-6.02	-8.17	14.64	38.45	Pass
Band5	3	20635	1	#0	QAM16	22.71	-6.02	-8.17	14.54	38.45	Pass
Band5	3	20635	1	#Mid	QAM16	22.66	-6.02	-8.17	14.49	38.45	Pass
Band5	3	20635	1	#Max	QAM16	22.70	-6.02	-8.17	14.53	38.45	Pass
Band5	3	20635	8	#0	QAM16	21.80	-6.02	-8.17	13.63	38.45	Pass

Band5	3	20635	8	#Mid	QAM16	21.78	-6.02	-8.17	13.61	38.45	Pass
Band5	3	20635	8	#Max	QAM16	21.78	-6.02	-8.17	13.61	38.45	Pass
Band5	3	20635	15	#0	QAM16	21.84	-6.02	-8.17	13.67	38.45	Pass
Band5	5	20425	1	#0	QPSK	23.98	-6.02	-8.17	15.81	38.45	Pass
Band5	5	20425	1	#Mid	QPSK	23.94	-6.02	-8.17	15.77	38.45	Pass
Band5	5	20425	1	#Max	QPSK	23.90	-6.02	-8.17	15.73	38.45	Pass
Band5	5	20425	12	#0	QPSK	22.94	-6.02	-8.17	14.77	38.45	Pass
Band5	5	20425	12	#Mid	QPSK	22.92	-6.02	-8.17	14.75	38.45	Pass
Band5	5	20425	12	#Max	QPSK	22.90	-6.02	-8.17	14.73	38.45	Pass
Band5	5	20425	25	#0	QPSK	22.97	-6.02	-8.17	14.80	38.45	Pass
Band5	5	20425	1	#0	QAM16	23.43	-6.02	-8.17	15.26	38.45	Pass
Band5	5	20425	1	#Mid	QAM16	23.36	-6.02	-8.17	15.19	38.45	Pass
Band5	5	20425	1	#Max	QAM16	23.39	-6.02	-8.17	15.22	38.45	Pass
Band5	5	20425	12	#0	QAM16	21.94	-6.02	-8.17	13.77	38.45	Pass
Band5	5	20425	12	#Mid	QAM16	21.90	-6.02	-8.17	13.73	38.45	Pass
Band5	5	20425	12	#Max	QAM16	21.90	-6.02	-8.17	13.73	38.45	Pass
Band5	5	20425	25	#0	QAM16	21.89	-6.02	-8.17	13.72	38.45	Pass
Band5	5	20525	1	#0	QPSK	23.81	-6.02	-8.17	15.64	38.45	Pass
Band5	5	20525	1	#Mid	QPSK	23.90	-6.02	-8.17	15.73	38.45	Pass
Band5	5	20525	1	#Max	QPSK	23.82	-6.02	-8.17	15.65	38.45	Pass
Band5	5	20525	12	#0	QPSK	22.97	-6.02	-8.17	14.80	38.45	Pass
Band5	5	20525	12	#Mid	QPSK	22.94	-6.02	-8.17	14.77	38.45	Pass
Band5	5	20525	12	#Max	QPSK	22.92	-6.02	-8.17	14.75	38.45	Pass
Band5	5	20525	25	#0	QPSK	22.98	-6.02	-8.17	14.81	38.45	Pass
Band5	5	20525	1	#0	QAM16	23.35	-6.02	-8.17	15.18	38.45	Pass
Band5	5	20525	1	#Mid	QAM16	23.29	-6.02	-8.17	15.12	38.45	Pass
Band5	5	20525	1	#Max	QAM16	23.32	-6.02	-8.17	15.15	38.45	Pass
Band5	5	20525	12	#0	QAM16	21.94	-6.02	-8.17	13.77	38.45	Pass
Band5	5	20525	12	#Mid	QAM16	21.91	-6.02	-8.17	13.74	38.45	Pass
Band5	5	20525	12	#Max	QAM16	21.92	-6.02	-8.17	13.75	38.45	Pass
Band5	5	20525	25	#0	QAM16	21.99	-6.02	-8.17	13.82	38.45	Pass
Band5	5	20625	1	#0	QPSK	23.78	-6.02	-8.17	15.61	38.45	Pass
Band5	5	20625	1	#Mid	QPSK	23.75	-6.02	-8.17	15.58	38.45	Pass
Band5	5	20625	1	#Max	QPSK	23.73	-6.02	-8.17	15.56	38.45	Pass
Band5	5	20625	12	#0	QPSK	22.85	-6.02	-8.17	14.68	38.45	Pass
Band5	5	20625	12	#Mid	QPSK	22.80	-6.02	-8.17	14.63	38.45	Pass
Band5	5	20625	12	#Max	QPSK	22.81	-6.02	-8.17	14.64	38.45	Pass
Band5	5	20625	25	#0	QPSK	22.84	-6.02	-8.17	14.67	38.45	Pass
Band5	5	20625	1	#0	QAM16	23.18	-6.02	-8.17	15.01	38.45	Pass
Band5	5	20625	1	#Mid	QAM16	23.08	-6.02	-8.17	14.91	38.45	Pass
Band5	5	20625	1	#Max	QAM16	23.13	-6.02	-8.17	14.96	38.45	Pass
Band5	5	20625	12	#0	QAM16	21.88	-6.02	-8.17	13.71	38.45	Pass
Band5	5	20625	12	#Mid	QAM16	21.86	-6.02	-8.17	13.69	38.45	Pass
Band5	5	20625	12	#Max	QAM16	21.84	-6.02	-8.17	13.67	38.45	Pass

Band5	5	20625	25	#0	QAM16	21.81	-6.02	-8.17	13.64	38.45	Pass
Band5	10	20450	1	#0	QPSK	23.93	-6.02	-8.17	15.76	38.45	Pass
Band5	10	20450	1	#Mid	QPSK	23.86	-6.02	-8.17	15.69	38.45	Pass
Band5	10	20450	1	#Max	QPSK	23.86	-6.02	-8.17	15.69	38.45	Pass
Band5	10	20450	25	#0	QPSK	22.98	-6.02	-8.17	14.81	38.45	Pass
Band5	10	20450	25	#Mid	QPSK	22.97	-6.02	-8.17	14.80	38.45	Pass
Band5	10	20450	25	#Max	QPSK	23.01	-6.02	-8.17	14.84	38.45	Pass
Band5	10	20450	50	#0	QPSK	22.98	-6.02	-8.17	14.81	38.45	Pass
Band5	10	20450	1	#0	QAM16	23.24	-6.02	-8.17	15.07	38.45	Pass
Band5	10	20450	1	#Mid	QAM16	23.28	-6.02	-8.17	15.11	38.45	Pass
Band5	10	20450	1	#Max	QAM16	23.44	-6.02	-8.17	15.27	38.45	Pass
Band5	10	20450	25	#0	QAM16	21.96	-6.02	-8.17	13.79	38.45	Pass
Band5	10	20450	25	#Mid	QAM16	21.95	-6.02	-8.17	13.78	38.45	Pass
Band5	10	20450	25	#Max	QAM16	22.00	-6.02	-8.17	13.83	38.45	Pass
Band5	10	20450	50	#0	QAM16	21.96	-6.02	-8.17	13.79	38.45	Pass
Band5	10	20525	1	#0	QPSK	23.82	-6.02	-8.17	15.65	38.45	Pass
Band5	10	20525	1	#Mid	QPSK	23.83	-6.02	-8.17	15.66	38.45	Pass
Band5	10	20525	1	#Max	QPSK	23.78	-6.02	-8.17	15.61	38.45	Pass
Band5	10	20525	25	#0	QPSK	22.96	-6.02	-8.17	14.79	38.45	Pass
Band5	10	20525	25	#Mid	QPSK	22.96	-6.02	-8.17	14.79	38.45	Pass
Band5	10	20525	25	#Max	QPSK	22.95	-6.02	-8.17	14.78	38.45	Pass
Band5	10	20525	50	#0	QPSK	22.97	-6.02	-8.17	14.80	38.45	Pass
Band5	10	20525	1	#0	QAM16	23.15	-6.02	-8.17	14.98	38.45	Pass
Band5	10	20525	1	#Mid	QAM16	23.14	-6.02	-8.17	14.97	38.45	Pass
Band5	10	20525	1	#Max	QAM16	23.08	-6.02	-8.17	14.91	38.45	Pass
Band5	10	20525	25	#0	QAM16	21.95	-6.02	-8.17	13.78	38.45	Pass
Band5	10	20525	25	#Mid	QAM16	21.96	-6.02	-8.17	13.79	38.45	Pass
Band5	10	20525	25	#Max	QAM16	21.92	-6.02	-8.17	13.75	38.45	Pass
Band5	10	20525	50	#0	QAM16	21.97	-6.02	-8.17	13.80	38.45	Pass
Band5	10	20600	1	#0	QPSK	23.88	-6.02	-8.17	15.71	38.45	Pass
Band5	10	20600	1	#Mid	QPSK	23.89	-6.02	-8.17	15.72	38.45	Pass
Band5	10	20600	1	#Max	QPSK	23.86	-6.02	-8.17	15.69	38.45	Pass
Band5	10	20600	25	#0	QPSK	22.90	-6.02	-8.17	14.73	38.45	Pass
Band5	10	20600	25	#Mid	QPSK	22.85	-6.02	-8.17	14.68	38.45	Pass
Band5	10	20600	25	#Max	QPSK	22.78	-6.02	-8.17	14.61	38.45	Pass
Band5	10	20600	50	#0	QPSK	22.86	-6.02	-8.17	14.69	38.45	Pass
Band5	10	20600	1	#0	QAM16	22.84	-6.02	-8.17	14.67	38.45	Pass
Band5	10	20600	1	#Mid	QAM16	22.77	-6.02	-8.17	14.60	38.45	Pass
Band5	10	20600	1	#Max	QAM16	22.73	-6.02	-8.17	14.56	38.45	Pass
Band5	10	20600	25	#0	QAM16	21.90	-6.02	-8.17	13.73	38.45	Pass
Band5	10	20600	25	#Mid	QAM16	21.83	-6.02	-8.17	13.66	38.45	Pass
Band5	10	20600	25	#Max	QAM16	21.76	-6.02	-8.17	13.59	38.45	Pass
Band5	10	20600	50	#0	QAM16	21.83	-6.02	-8.17	13.66	38.45	Pass


2Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band5	10	20450	50	#0	QPSK	-4.20	-0.005	-2.5	2.5	PASS
Band5	10	20450	50	#0	QAM16	-3.04	-0.004	-2.5	2.5	PASS
Band5	10	20525	50	#0	QPSK	-3.69	-0.004	-2.5	2.5	PASS
Band5	10	20525	50	#0	QAM16	-6.86	-0.008	-2.5	2.5	PASS
Band5	10	20600	50	#0	QPSK	-1.67	-0.002	-2.5	2.5	PASS
Band5	10	20600	50	#0	QAM16	-0.22	0.000	-2.5	2.5	PASS


Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.

3Peak-to-Average Ratio


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
Band5	1.4	20525	1	#0	QPSK	4.41	13	PASS
Band5	1.4	20525	1	#0	16QAM	4.88	13	PASS
Band5	3	20525	1	#0	QPSK	4.66	13	PASS
Band5	3	20525	1	#0	16QAM	4.71	13	PASS
Band5	5	20525	1	#0	QPSK	4.31	13	PASS
Band5	5	20525	1	#0	16QAM	4.96	13	PASS
Band5	10	20525	1	#0	QPSK	4.12	13	PASS
Band5	10	20525	1	#0	16QAM	4.83	13	PASS




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0



Band5 16QAM BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=10MHz Channel=20525 RB Size=1 Position=#0

4Occupied bandwidth


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band5	1.4	20525	6	#0	QPSK	1.086	1.221	PASS
Band5	1.4	20525	6	#0	16QAM	1.085	1.249	PASS
Band5	3	20525	15	#0	QPSK	2.683	2.870	PASS
Band5	3	20525	15	#0	16QAM	2.683	2.909	PASS
Band5	5	20525	25	#0	QPSK	4.500	4.774	PASS
Band5	5	20525	25	#0	16QAM	4.520	4.783	PASS
Band5	10	20525	50	#0	QPSK	9.005	9.522	PASS
Band5	10	20525	50	#0	16QAM	8.917	9.650	PASS




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 16QAM BW=10MHz Channel=20525 RB Size=50 Position=#0

5Band edge


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band5	1.4	20407	6	#0	QPSK	824.00	-31.86	-13	PASS
Band5	1.4	20407	6	#0	16QAM	823.98	-31.47	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.00	-29.86	-13	PASS
Band5	1.4	20643	6	#0	16QAM	849.01	-32.24	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-29.68	-13	PASS
Band5	3	20415	15	#0	16QAM	824.00	-32.68	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-34.47	-13	PASS
Band5	3	20635	15	#0	16QAM	849.01	-32.61	-13	PASS
Band5	5	20425	25	#0	QPSK	823.96	-29.84	-13	PASS
Band5	5	20425	25	#0	16QAM	824.00	-31.15	-13	PASS
Band5	5	20625	25	#0	QPSK	849.03	-30.12	-13	PASS
Band5	5	20625	25	#0	16QAM	849.04	-33.92	-13	PASS
Band5	10	20450	50	#0	QPSK	824.00	-33.98	-13	PASS
Band5	10	20450	50	#0	16QAM	823.70	-38.80	-13	PASS
Band5	10	20600	50	#0	QPSK	849.00	-34.96	-13	PASS
Band5	10	20600	50	#0	16QAM	849.04	-38.38	-13	PASS



Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 16QAM BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 16QAM BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0

6Out-of-band emissions


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band5	1.4	20407	6	#0	QPSK	2474.20	-33.85	-13	PASS
Band5	1.4	20407	6	#0	16QAM	2474.20	-35.83	-13	PASS
Band5	1.4	20643	6	#0	QPSK	2545.30	-33.96	-13	PASS
Band5	1.4	20643	6	#0	16QAM	2545.08	-34.35	-13	PASS
Band5	3	20415	15	#0	QPSK	2476.90	-39.81	-13	PASS
Band5	3	20415	15	#0	16QAM	2474.20	-39.58	-13	PASS
Band5	3	20635	15	#0	QPSK	2542.83	-38.36	-13	PASS
Band5	3	20635	15	#0	16QAM	2541.93	-38.70	-13	PASS
Band5	5	20425	25	#0	QPSK	2480.05	-40.92	-13	PASS
Band5	5	20425	25	#0	16QAM	2480.05	-41.51	-13	PASS
Band5	5	20625	25	#0	QPSK	2537.88	-39.60	-13	PASS
Band5	5	20625	25	#0	16QAM	3816.33	-41.36	-13	PASS
Band5	10	20450	50	#0	QPSK	3743.43	-40.47	-13	PASS
Band5	10	20450	50	#0	16QAM	2491.98	-42.82	-13	PASS
Band5	10	20600	50	#0	QPSK	3928.15	-42.01	-13	PASS
Band5	10	20600	50	#0	16QAM	3820.83	-42.31	-13	PASS




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 16QAM BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 16QAM BW=10MHz Channel=20600 RB Size=50 Position=#0

