

TABLE OF CONTENTS

1 Conducted output power for NR FR12

2 Frequency stability for NR FR14

3 Peak-to-Average Ratio for NR FR16

4 Occupied bandwidth for NR FR130

5 Band edge for NR FR141

6 Out-of-band emissions for NR FR151

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limt (dBm)	Verdict
n71	15	5	133100	1@1	DFT_BPSK	22.45	-8.56	-10.71	11.74	34.77	PASS
n71	15	5	133100	25@0	DFT_QPSK	21.53	-8.56	-10.71	10.82	34.77	PASS
n71	15	5	133100	12@6	DFT_QPSK	22.50	-8.56	-10.71	11.79	34.77	PASS
n71	15	5	133100	1@1	DFT_QPSK	22.64	-8.56	-10.71	11.93	34.77	PASS
n71	15	5	133100	1@23	DFT_QPSK	22.63	-8.56	-10.71	11.92	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM16	21.69	-8.56	-10.71	10.98	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM64	20.01	-8.56	-10.71	9.30	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM256	17.99	-8.56	-10.71	7.28	34.77	PASS
n71	15	5	133100	1@1	CP_QPSK	21.06	-8.56	-10.71	10.35	34.77	PASS
n71	15	5	136100	1@1	DFT_BPSK	22.48	-8.56	-10.71	11.77	34.77	PASS
n71	15	5	136100	25@0	DFT_QPSK	21.53	-8.56	-10.71	10.82	34.77	PASS
n71	15	5	136100	12@6	DFT_QPSK	22.49	-8.56	-10.71	11.78	34.77	PASS
n71	15	5	136100	1@1	DFT_QPSK	22.65	-8.56	-10.71	11.94	34.77	PASS
n71	15	5	136100	1@23	DFT_QPSK	22.64	-8.56	-10.71	11.93	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM16	21.72	-8.56	-10.71	11.01	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM64	19.57	-8.56	-10.71	8.86	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM256	18.37	-8.56	-10.71	7.66	34.77	PASS
n71	15	5	136100	1@1	CP_QPSK	21.36	-8.56	-10.71	10.65	34.77	PASS
n71	15	5	139100	1@1	DFT_BPSK	22.49	-8.56	-10.71	11.78	34.77	PASS
n71	15	5	139100	25@0	DFT_QPSK	21.34	-8.56	-10.71	10.63	34.77	PASS
n71	15	5	139100	12@6	DFT_QPSK	22.35	-8.56	-10.71	11.64	34.77	PASS
n71	15	5	139100	1@1	DFT_QPSK	22.35	-8.56	-10.71	11.64	34.77	PASS
n71	15	5	139100	1@23	DFT_QPSK	22.33	-8.56	-10.71	11.62	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM16	21.33	-8.56	-10.71	10.62	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM64	19.77	-8.56	-10.71	9.06	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM256	17.97	-8.56	-10.71	7.26	34.77	PASS
n71	15	5	139100	1@1	CP_QPSK	21.02	-8.56	-10.71	10.31	34.77	PASS
n71	15	15	134100	1@1	DFT_BPSK	22.48	-8.56	-10.71	11.77	34.77	PASS
n71	15	15	134100	75@0	DFT_QPSK	21.49	-8.56	-10.71	10.78	34.77	PASS
n71	15	15	134100	36@18	DFT_QPSK	22.48	-8.56	-10.71	11.77	34.77	PASS
n71	15	15	134100	1@1	DFT_QPSK	22.38	-8.56	-10.71	11.67	34.77	PASS
n71	15	15	134100	1@77	DFT_QPSK	22.41	-8.56	-10.71	11.70	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM16	21.43	-8.56	-10.71	10.72	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM64	20.28	-8.56	-10.71	9.57	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM256	18.05	-8.56	-10.71	7.34	34.77	PASS
n71	15	15	134100	1@1	CP_QPSK	20.80	-8.56	-10.71	10.09	34.77	PASS
n71	15	15	136100	1@1	DFT_BPSK	22.40	-8.56	-10.71	11.69	34.77	PASS

n71	15	15	136100	75@0	DFT_QPSK	21.53	-8.56	-10.71	10.82	34.77	PASS
n71	15	15	136100	36@18	DFT_QPSK	22.49	-8.56	-10.71	11.78	34.77	PASS
n71	15	15	136100	1@1	DFT_QPSK	22.08	-8.56	-10.71	11.37	34.77	PASS
n71	15	15	136100	1@77	DFT_QPSK	22.06	-8.56	-10.71	11.35	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM16	21.78	-8.56	-10.71	11.07	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM64	20.03	-8.56	-10.71	9.32	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM256	17.99	-8.56	-10.71	7.28	34.77	PASS
n71	15	15	136100	1@1	CP_QPSK	21.04	-8.56	-10.71	10.33	34.77	PASS
n71	15	15	138100	1@1	DFT_BPSK	22.32	-8.56	-10.71	11.61	34.77	PASS
n71	15	15	138100	75@0	DFT_QPSK	21.44	-8.56	-10.71	10.73	34.77	PASS
n71	15	15	138100	36@18	DFT_QPSK	22.46	-8.56	-10.71	11.75	34.77	PASS
n71	15	15	138100	1@1	DFT_QPSK	22.25	-8.56	-10.71	11.54	34.77	PASS
n71	15	15	138100	1@77	DFT_QPSK	22.03	-8.56	-10.71	11.32	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM16	21.42	-8.56	-10.71	10.71	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM64	20.12	-8.56	-10.71	9.41	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM256	17.87	-8.56	-10.71	7.16	34.77	PASS
n71	15	15	138100	1@1	CP_QPSK	21.51	-8.56	-10.71	10.80	34.77	PASS
n71	15	20	134600	1@1	DFT_BPSK	22.32	-8.56	-10.71	11.61	34.77	PASS
n71	15	20	134600	100@0	DFT_QPSK	21.49	-8.56	-10.71	10.78	34.77	PASS
n71	15	20	134600	50@25	DFT_QPSK	22.50	-8.56	-10.71	11.79	34.77	PASS
n71	15	20	134600	1@1	DFT_QPSK	22.45	-8.56	-10.71	11.74	34.77	PASS
n71	15	20	134600	1@104	DFT_QPSK	22.53	-8.56	-10.71	11.82	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM16	21.17	-8.56	-10.71	10.46	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM64	19.76	-8.56	-10.71	9.05	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM256	17.83	-8.56	-10.71	7.12	34.77	PASS
n71	15	20	134600	1@1	CP_QPSK	21.40	-8.56	-10.71	10.69	34.77	PASS
n71	15	20	136100	1@1	DFT_BPSK	22.41	-8.56	-10.71	11.70	34.77	PASS
n71	15	20	136100	100@0	DFT_QPSK	21.45	-8.56	-10.71	10.74	34.77	PASS
n71	15	20	136100	50@25	DFT_QPSK	22.53	-8.56	-10.71	11.82	34.77	PASS
n71	15	20	136100	1@1	DFT_QPSK	22.36	-8.56	-10.71	11.65	34.77	PASS
n71	15	20	136100	1@104	DFT_QPSK	22.39	-8.56	-10.71	11.68	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM16	21.42	-8.56	-10.71	10.71	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM64	20.06	-8.56	-10.71	9.35	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM256	18.20	-8.56	-10.71	7.49	34.77	PASS
n71	15	20	136100	1@1	CP_QPSK	20.96	-8.56	-10.71	10.25	34.77	PASS
n71	15	20	137600	1@1	DFT_BPSK	22.20	-8.56	-10.71	11.49	34.77	PASS
n71	15	20	137600	100@0	DFT_QPSK	21.42	-8.56	-10.71	10.71	34.77	PASS
n71	15	20	137600	50@25	DFT_QPSK	22.47	-8.56	-10.71	11.76	34.77	PASS
n71	15	20	137600	1@1	DFT_QPSK	22.51	-8.56	-10.71	11.80	34.77	PASS
n71	15	20	137600	1@104	DFT_QPSK	22.31	-8.56	-10.71	11.60	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM16	21.60	-8.56	-10.71	10.89	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM64	20.22	-8.56	-10.71	9.51	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM256	18.18	-8.56	-10.71	7.47	34.77	PASS
n71	15	20	137600	1@1	CP_QPSK	21.02	-8.56	-10.71	10.31	34.77	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n71	15	5	133100	12@6	DFT_BPSK	-3.34	-0.00502	-2.5	2.5	PASS
n71	15	5	133100	1@1	DFT_BPSK	-0.65	-0.00098	-2.5	2.5	PASS
n71	15	5	133100	1@23	DFT_BPSK	-1.54	-0.00231	-2.5	2.5	PASS
n71	15	5	133100	12@6	DFT_QPSK	-1.22	-0.00183	-2.5	2.5	PASS
n71	15	5	133100	1@1	DFT_QPSK	-1.54	-0.00231	-2.5	2.5	PASS
n71	15	5	133100	1@23	DFT_QPSK	-2.61	-0.00392	-2.5	2.5	PASS
n71	15	5	136100	12@6	DFT_BPSK	-4.13	-0.00607	-2.5	2.5	PASS
n71	15	5	136100	1@1	DFT_BPSK	-3.51	-0.00516	-2.5	2.5	PASS
n71	15	5	136100	1@23	DFT_BPSK	-5.16	-0.00758	-2.5	2.5	PASS
n71	15	5	136100	12@6	DFT_QPSK	-2.93	-0.00431	-2.5	2.5	PASS
n71	15	5	136100	1@1	DFT_QPSK	-2.42	-0.00356	-2.5	2.5	PASS
n71	15	5	136100	1@23	DFT_QPSK	-1.96	-0.00288	-2.5	2.5	PASS
n71	15	5	139100	12@6	DFT_BPSK	-2.83	-0.00407	-2.5	2.5	PASS
n71	15	5	139100	1@1	DFT_BPSK	-1.52	-0.00219	-2.5	2.5	PASS
n71	15	5	139100	1@23	DFT_BPSK	-2.94	-0.00423	-2.5	2.5	PASS
n71	15	5	139100	12@6	DFT_QPSK	-1.67	-0.00240	-2.5	2.5	PASS
n71	15	5	139100	1@1	DFT_QPSK	-3.06	-0.00440	-2.5	2.5	PASS
n71	15	5	139100	1@23	DFT_QPSK	-2.83	-0.00407	-2.5	2.5	PASS
n71	15	15	134100	36@18	DFT_BPSK	-2.56	-0.00382	-2.5	2.5	PASS
n71	15	15	134100	1@1	DFT_BPSK	-2.05	-0.00306	-2.5	2.5	PASS
n71	15	15	134100	1@77	DFT_BPSK	-1.38	-0.00206	-2.5	2.5	PASS
n71	15	15	134100	36@18	DFT_QPSK	-3.73	-0.00556	-2.5	2.5	PASS
n71	15	15	134100	1@1	DFT_QPSK	-2.70	-0.00403	-2.5	2.5	PASS
n71	15	15	134100	1@77	DFT_QPSK	-3.41	-0.00509	-2.5	2.5	PASS
n71	15	15	136100	36@18	DFT_BPSK	0.36	0.00053	-2.5	2.5	PASS
n71	15	15	136100	1@1	DFT_BPSK	0.12	0.00018	-2.5	2.5	PASS
n71	15	15	136100	1@77	DFT_BPSK	-0.53	-0.00078	-2.5	2.5	PASS
n71	15	15	136100	36@18	DFT_QPSK	-0.55	-0.00081	-2.5	2.5	PASS
n71	15	15	136100	1@1	DFT_QPSK	-0.86	-0.00126	-2.5	2.5	PASS
n71	15	15	136100	1@77	DFT_QPSK	-4.18	-0.00614	-2.5	2.5	PASS
n71	15	15	138100	36@18	DFT_BPSK	-1.84	-0.00266	-2.5	2.5	PASS
n71	15	15	138100	1@1	DFT_BPSK	-3.85	-0.00558	-2.5	2.5	PASS
n71	15	15	138100	1@77	DFT_BPSK	-3.84	-0.00556	-2.5	2.5	PASS
n71	15	15	138100	36@18	DFT_QPSK	-2.87	-0.00416	-2.5	2.5	PASS
n71	15	15	138100	1@1	DFT_QPSK	-4.99	-0.00723	-2.5	2.5	PASS
n71	15	15	138100	1@77	DFT_QPSK	-2.94	-0.00426	-2.5	2.5	PASS
n71	15	20	134600	50@25	DFT_BPSK	-1.52	-0.00226	-2.5	2.5	PASS
n71	15	20	134600	1@1	DFT_BPSK	-3.44	-0.00511	-2.5	2.5	PASS

n71	15	20	134600	1@104	DFT_BPSK	-3.73	-0.00554	-2.5	2.5	PASS
n71	15	20	134600	50@25	DFT_QPSK	-0.60	-0.00089	-2.5	2.5	PASS
n71	15	20	134600	1@1	DFT_QPSK	-2.64	-0.00392	-2.5	2.5	PASS
n71	15	20	134600	1@104	DFT_QPSK	-2.40	-0.00357	-2.5	2.5	PASS
n71	15	20	136100	50@25	DFT_BPSK	-0.47	-0.00069	-2.5	2.5	PASS
n71	15	20	136100	1@1	DFT_BPSK	-0.59	-0.00087	-2.5	2.5	PASS
n71	15	20	136100	1@104	DFT_BPSK	-0.85	-0.00125	-2.5	2.5	PASS
n71	15	20	136100	50@25	DFT_QPSK	-1.78	-0.00262	-2.5	2.5	PASS
n71	15	20	136100	1@1	DFT_QPSK	-3.51	-0.00516	-2.5	2.5	PASS
n71	15	20	136100	1@104	DFT_QPSK	-4.63	-0.00680	-2.5	2.5	PASS
n71	15	20	137600	50@25	DFT_BPSK	-1.22	-0.00177	-2.5	2.5	PASS
n71	15	20	137600	1@1	DFT_BPSK	-2.22	-0.00323	-2.5	2.5	PASS
n71	15	20	137600	1@104	DFT_BPSK	-3.13	-0.00455	-2.5	2.5	PASS
n71	15	20	137600	50@25	DFT_QPSK	-2.08	-0.00302	-2.5	2.5	PASS
n71	15	20	137600	1@1	DFT_QPSK	-2.53	-0.00368	-2.5	2.5	PASS
n71	15	20	137600	1@104	DFT_QPSK	-2.47	-0.00359	-2.5	2.5	PASS


Note: (Voltage: 3.78V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n71	30	10	133600	24@0	DFT_BPSK	2.62	13	PASS
n71	30	10	133600	24@0	DFT_QPSK	5.11	13	PASS
n71	30	10	133600	24@0	DFT_QAM16	5.91	13	PASS
n71	30	10	133600	24@0	DFT_QAM64	6.16	13	PASS
n71	30	10	133600	24@0	DFT_QAM256	6.46	13	PASS
n71	30	10	136100	24@0	DFT_BPSK	3.67	13	PASS
n71	30	10	136100	24@0	DFT_QPSK	5.15	13	PASS
n71	30	10	136100	24@0	DFT_QAM16	5.78	13	PASS
n71	30	10	136100	24@0	DFT_QAM64	6.14	13	PASS
n71	30	10	136100	24@0	DFT_QAM256	6.13	13	PASS
n71	30	10	138600	24@0	DFT_BPSK	4.20	13	PASS
n71	30	10	138600	24@0	DFT_QPSK	5.14	13	PASS
n71	30	10	138600	24@0	DFT_QAM16	5.61	13	PASS
n71	30	10	138600	24@0	DFT_QAM64	6.00	13	PASS
n71	30	10	138600	24@0	DFT_QAM256	6.58	13	PASS
n71	30	15	134100	36@0	DFT_BPSK	4.17	13	PASS
n71	30	15	134100	36@0	DFT_QPSK	5.11	13	PASS
n71	30	15	134100	36@0	DFT_QAM16	5.80	13	PASS
n71	30	15	134100	36@0	DFT_QAM64	6.10	13	PASS
n71	30	15	134100	36@0	DFT_QAM256	6.47	13	PASS
n71	30	15	136100	36@0	DFT_BPSK	4.30	13	PASS
n71	30	15	136100	36@0	DFT_QPSK	5.11	13	PASS
n71	30	15	136100	36@0	DFT_QAM16	5.88	13	PASS
n71	30	15	136100	36@0	DFT_QAM64	5.87	13	PASS
n71	30	15	136100	36@0	DFT_QAM256	6.05	13	PASS
n71	30	15	138100	36@0	DFT_BPSK	4.52	13	PASS
n71	30	15	138100	36@0	DFT_QPSK	5.20	13	PASS
n71	30	15	138100	36@0	DFT_QAM16	5.84	13	PASS
n71	30	15	138100	36@0	DFT_QAM64	5.90	13	PASS
n71	30	15	138100	36@0	DFT_QAM256	6.12	13	PASS
n71	30	20	134600	50@0	DFT_BPSK	4.90	13	PASS
n71	30	20	134600	50@0	DFT_QPSK	5.31	13	PASS
n71	30	20	134600	50@0	DFT_QAM16	5.87	13	PASS
n71	30	20	134600	50@0	DFT_QAM64	6.19	13	PASS
n71	30	20	134600	50@0	DFT_QAM256	6.32	13	PASS
n71	30	20	136100	50@0	DFT_BPSK	3.99	13	PASS
n71	30	20	136100	50@0	DFT_QPSK	5.07	13	PASS
n71	30	20	136100	50@0	DFT_QAM16	5.72	13	PASS
n71	30	20	136100	50@0	DFT_QAM64	6.04	13	PASS

n71	30	20	136100	50@0	DFT_QAM256	6.17	13	PASS
n71	30	20	137600	50@0	DFT_BPSK	4.40	13	PASS
n71	30	20	137600	50@0	DFT_QPSK	5.19	13	PASS
n71	30	20	137600	50@0	DFT_QAM16	5.84	13	PASS
n71	30	20	137600	50@0	DFT_QAM64	6.11	13	PASS
n71	30	20	137600	50@0	DFT_QAM256	6.22	13	PASS


n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QAM16 BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QAM16 BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QAM256 BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QAM256 BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QAM256 BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz DFT_QAM256 BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QAM256 BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QAM256 BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QAM64 BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QAM64 BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=134100 RB=36@0



n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=137600 RB=50@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n71	15	5	136100	25@0	DFT_BPSK	4.460	4.620	PASS
n71	15	5	136100	25@0	DFT_QPSK	4.460	4.600	PASS
n71	15	5	136100	25@0	DFT_QAM16	4.440	4.610	PASS
n71	15	5	136100	25@0	DFT_QAM64	4.460	4.660	PASS
n71	15	5	136100	25@0	DFT_QAM256	4.470	4.650	PASS
n71	15	10	136100	50@0	DFT_BPSK	9.190	9.090	PASS
n71	15	10	136100	50@0	DFT_QPSK	9.210	9.140	PASS
n71	15	10	136100	50@0	DFT_QAM16	9.220	9.120	PASS
n71	15	10	136100	50@0	DFT_QAM64	9.160	9.130	PASS
n71	15	10	136100	50@0	DFT_QAM256	9.130	9.170	PASS
n71	15	15	136100	75@0	DFT_BPSK	13.980	13.630	PASS
n71	15	15	136100	75@0	DFT_QPSK	13.980	13.650	PASS
n71	15	15	136100	75@0	DFT_QAM16	13.920	13.640	PASS
n71	15	15	136100	75@0	DFT_QAM64	13.910	13.640	PASS
n71	15	15	136100	75@0	DFT_QAM256	13.970	13.630	PASS
n71	15	20	136100	100@0	DFT_BPSK	18.760	18.160	PASS
n71	15	20	136100	100@0	DFT_QPSK	18.800	18.150	PASS
n71	15	20	136100	100@0	DFT_QAM16	18.760	18.130	PASS
n71	15	20	136100	100@0	DFT_QAM64	18.760	18.130	PASS
n71	15	20	136100	100@0	DFT_QAM256	18.670	18.130	PASS

n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=136100 RB=75@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n71	15	5	133100	25@0	CP_QPSK	662.90	-38.38	-13	PASS
n71	15	5	133100	1@0	CP_QPSK	662.99	-28.37	-13	PASS
n71	15	5	133100	1@24	CP_QPSK	667.63	10.56	30	PASS
n71	15	5	139100	25@0	CP_QPSK	698.24	-38.99	-13	PASS
n71	15	5	139100	1@0	CP_QPSK	693.33	10.59	30	PASS
n71	15	5	139100	1@24	CP_QPSK	698.01	-28.84	-13	PASS
n71	15	15	134100	79@0	CP_QPSK	662.12	-44.68	-13	PASS
n71	15	15	134100	1@0	CP_QPSK	663.51	10.58	30	PASS
n71	15	15	134100	1@78	CP_QPSK	677.48	10.18	30	PASS
n71	15	15	138100	79@0	CP_QPSK	698.34	-44.12	-13	PASS
n71	15	15	138100	1@0	CP_QPSK	683.49	10.48	30	PASS
n71	15	15	138100	1@78	CP_QPSK	697.48	10.52	30	PASS
n71	15	20	134600	106@0	CP_QPSK	662.90	-44.70	-13	PASS
n71	15	20	134600	1@0	CP_QPSK	663.50	10.86	30	PASS
n71	15	20	134600	1@105	CP_QPSK	682.38	10.38	30	PASS
n71	15	20	137600	106@0	CP_QPSK	698.65	-45.04	-13	PASS
n71	15	20	137600	1@0	CP_QPSK	678.55	10.37	30	PASS
n71	15	20	137600	1@105	CP_QPSK	697.48	10.31	30	PASS


n71 SCS=15kHz CP_QPSK BW=15MHz Channel=134100 RB=79@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=138100 RB=1@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=134100 RB=1@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=134100 RB=1@78




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=134600 RB=1@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=134600 RB=1@105




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=137600 RB=106@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=138100 RB=1@78




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=138100 RB=79@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=134600 RB=106@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=137600 RB=1@105




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=137600 RB=1@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=133100 RB=1@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=139100 RB=1@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=133100 RB=1@24



n71 SCS=15kHz CP_QPSK BW=5MHz Channel=139100 RB=1@24




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=139100 RB=25@0




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n71	15	5	133100	25@0	CP_QPSK	3802.83	-38.15	-13	PASS
n71	15	5	133100	1@0	CP_QPSK	3751.75	-38.25	-13	PASS
n71	15	5	133100	1@24	CP_QPSK	2002.83	-37.84	-13	PASS
n71	15	5	139100	25@0	CP_QPSK	3738.25	-38.26	-13	PASS
n71	15	5	139100	1@0	CP_QPSK	3785.95	-38.06	-13	PASS
n71	15	5	139100	1@24	CP_QPSK	3708.10	-38.37	-13	PASS
n71	15	15	134100	79@0	CP_QPSK	3777.63	-38.59	-13	PASS
n71	15	15	134100	1@0	CP_QPSK	3833.88	-38.71	-13	PASS
n71	15	15	134100	1@78	CP_QPSK	2032.75	-35.34	-13	PASS
n71	15	15	138100	79@0	CP_QPSK	3824.65	-39.09	-13	PASS
n71	15	15	138100	1@0	CP_QPSK	4820.28	-38.51	-13	PASS
n71	15	15	138100	1@78	CP_QPSK	3844.23	-38.45	-13	PASS
n71	15	20	134600	106@0	CP_QPSK	3836.35	-38.99	-13	PASS
n71	15	20	134600	1@0	CP_QPSK	3792.25	-38.83	-13	PASS
n71	15	20	134600	1@105	CP_QPSK	2047.83	-38.53	-13	PASS
n71	15	20	137600	106@0	CP_QPSK	3806.65	-38.40	-13	PASS
n71	15	20	137600	1@0	CP_QPSK	2035.68	-36.51	-13	PASS
n71	15	20	137600	1@105	CP_QPSK	2092.15	-37.95	-13	PASS


n71 SCS=15kHz CP_QPSK BW=15MHz Channel=134100 RB=1@78




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=134100 RB=1@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=138100 RB=1@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=134100 RB=79@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=138100 RB=79@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=138100 RB=1@78




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=134600 RB=1@105




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=137600 RB=106@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=134600 RB=106@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=134600 RB=1@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=133100 RB=1@24




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=133100 RB=1@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=137600 RB=1@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=137600 RB=1@105



n71 SCS=15kHz CP_QPSK BW=5MHz Channel=139100 RB=25@0



n71 SCS=15kHz CP_QPSK BW=5MHz Channel=139100 RB=1@24



n71 SCS=15kHz CP_QPSK BW=5MHz Channel=139100 RB=1@0

