

目录

<i>Conducted output power</i>	2
<i>Frequency stability</i>	6
<i>Peak-to-Average Ratio</i>	7
<i>Occupied bandwidth</i>	13
<i>Band edge</i>	19
<i>Out-of-band emissions</i>	29

Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	24.33	-5.2	-7.35	16.98	38.45	PASS
Band5	1.4	20407	1	#Mid	QPSK	24.34	-5.2	-7.35	16.99	38.45	PASS
Band5	1.4	20407	1	#Max	QPSK	24.34	-5.2	-7.35	16.99	38.45	PASS
Band5	1.4	20407	3	#0	QPSK	24.29	-5.2	-7.35	16.94	38.45	PASS
Band5	1.4	20407	3	#Mid	QPSK	24.30	-5.2	-7.35	16.95	38.45	PASS
Band5	1.4	20407	3	#Max	QPSK	24.32	-5.2	-7.35	16.97	38.45	PASS
Band5	1.4	20407	6	#0	QPSK	23.33	-5.2	-7.35	15.98	38.45	PASS
Band5	1.4	20407	1	#0	64QAM	24.34	-5.2	-7.35	16.99	38.45	PASS
Band5	1.4	20407	1	#Mid	64QAM	24.34	-5.2	-7.35	16.99	38.45	PASS
Band5	1.4	20407	1	#Max	64QAM	24.33	-5.2	-7.35	16.98	38.45	PASS
Band5	1.4	20407	3	#0	64QAM	24.31	-5.2	-7.35	16.96	38.45	PASS
Band5	1.4	20407	3	#Mid	64QAM	24.30	-5.2	-7.35	16.95	38.45	PASS
Band5	1.4	20407	3	#Max	64QAM	24.31	-5.2	-7.35	16.96	38.45	PASS
Band5	1.4	20407	6	#0	64QAM	23.33	-5.2	-7.35	15.98	38.45	PASS
Band5	1.4	20525	1	#0	QPSK	24.45	-5.2	-7.35	17.1	38.45	PASS
Band5	1.4	20525	1	#Mid	QPSK	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	1.4	20525	1	#Max	QPSK	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	1.4	20525	3	#0	QPSK	24.44	-5.2	-7.35	17.09	38.45	PASS
Band5	1.4	20525	3	#Mid	QPSK	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	1.4	20525	3	#Max	QPSK	24.44	-5.2	-7.35	17.09	38.45	PASS
Band5	1.4	20525	6	#0	QPSK	23.44	-5.2	-7.35	16.09	38.45	PASS
Band5	1.4	20525	1	#0	64QAM	24.44	-5.2	-7.35	17.09	38.45	PASS
Band5	1.4	20525	1	#Mid	64QAM	24.44	-5.2	-7.35	17.09	38.45	PASS
Band5	1.4	20525	1	#Max	64QAM	24.42	-5.2	-7.35	17.07	38.45	PASS
Band5	1.4	20525	3	#0	64QAM	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	1.4	20525	3	#Mid	64QAM	24.42	-5.2	-7.35	17.07	38.45	PASS
Band5	1.4	20525	3	#Max	64QAM	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	1.4	20525	6	#0	64QAM	23.44	-5.2	-7.35	16.09	38.45	PASS
Band5	1.4	20643	1	#0	QPSK	24.47	-5.2	-7.35	17.12	38.45	PASS
Band5	1.4	20643	1	#Mid	QPSK	24.44	-5.2	-7.35	17.09	38.45	PASS
Band5	1.4	20643	1	#Max	QPSK	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	1.4	20643	3	#0	QPSK	24.45	-5.2	-7.35	17.1	38.45	PASS
Band5	1.4	20643	3	#Mid	QPSK	24.46	-5.2	-7.35	17.11	38.45	PASS
Band5	1.4	20643	3	#Max	QPSK	24.42	-5.2	-7.35	17.07	38.45	PASS
Band5	1.4	20643	6	#0	QPSK	23.43	-5.2	-7.35	16.08	38.45	PASS
Band5	1.4	20643	1	#0	64QAM	24.46	-5.2	-7.35	17.11	38.45	PASS
Band5	1.4	20643	1	#Mid	64QAM	24.44	-5.2	-7.35	17.09	38.45	PASS

Band5	1.4	20643	1	#Max	64QAM	24.44	-5.2	-7.35	17.09	38.45	PASS
Band5	1.4	20643	3	#0	64QAM	24.44	-5.2	-7.35	17.09	38.45	PASS
Band5	1.4	20643	3	#Mid	64QAM	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	1.4	20643	3	#Max	64QAM	24.42	-5.2	-7.35	17.07	38.45	PASS
Band5	1.4	20643	6	#0	64QAM	23.47	-5.2	-7.35	16.12	38.45	PASS
Band5	3	20415	1	#0	QPSK	24.34	-5.2	-7.35	16.99	38.45	PASS
Band5	3	20415	1	#Mid	QPSK	24.35	-5.2	-7.35	17	38.45	PASS
Band5	3	20415	1	#Max	QPSK	24.34	-5.2	-7.35	16.99	38.45	PASS
Band5	3	20415	8	#0	QPSK	23.33	-5.2	-7.35	15.98	38.45	PASS
Band5	3	20415	8	#Mid	QPSK	23.31	-5.2	-7.35	15.96	38.45	PASS
Band5	3	20415	8	#Max	QPSK	23.34	-5.2	-7.35	15.99	38.45	PASS
Band5	3	20415	15	#0	QPSK	23.32	-5.2	-7.35	15.97	38.45	PASS
Band5	3	20415	1	#0	64QAM	24.35	-5.2	-7.35	17	38.45	PASS
Band5	3	20415	1	#Mid	64QAM	24.32	-5.2	-7.35	16.97	38.45	PASS
Band5	3	20415	1	#Max	64QAM	24.33	-5.2	-7.35	16.98	38.45	PASS
Band5	3	20415	8	#0	64QAM	23.32	-5.2	-7.35	15.97	38.45	PASS
Band5	3	20415	8	#Mid	64QAM	23.31	-5.2	-7.35	15.96	38.45	PASS
Band5	3	20415	8	#Max	64QAM	23.32	-5.2	-7.35	15.97	38.45	PASS
Band5	3	20415	15	#0	64QAM	23.32	-5.2	-7.35	15.97	38.45	PASS
Band5	3	20525	1	#0	QPSK	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	3	20525	1	#Mid	QPSK	24.41	-5.2	-7.35	17.06	38.45	PASS
Band5	3	20525	1	#Max	QPSK	24.39	-5.2	-7.35	17.04	38.45	PASS
Band5	3	20525	8	#0	QPSK	23.44	-5.2	-7.35	16.09	38.45	PASS
Band5	3	20525	8	#Mid	QPSK	23.45	-5.2	-7.35	16.1	38.45	PASS
Band5	3	20525	8	#Max	QPSK	23.43	-5.2	-7.35	16.08	38.45	PASS
Band5	3	20525	15	#0	QPSK	23.45	-5.2	-7.35	16.1	38.45	PASS
Band5	3	20525	1	#0	64QAM	24.41	-5.2	-7.35	17.06	38.45	PASS
Band5	3	20525	1	#Mid	64QAM	24.41	-5.2	-7.35	17.06	38.45	PASS
Band5	3	20525	1	#Max	64QAM	24.39	-5.2	-7.35	17.04	38.45	PASS
Band5	3	20525	8	#0	64QAM	23.43	-5.2	-7.35	16.08	38.45	PASS
Band5	3	20525	8	#Mid	64QAM	23.44	-5.2	-7.35	16.09	38.45	PASS
Band5	3	20525	8	#Max	64QAM	23.43	-5.2	-7.35	16.08	38.45	PASS
Band5	3	20525	15	#0	64QAM	23.43	-5.2	-7.35	16.08	38.45	PASS
Band5	3	20635	1	#0	QPSK	24.45	-5.2	-7.35	17.1	38.45	PASS
Band5	3	20635	1	#Mid	QPSK	24.45	-5.2	-7.35	17.1	38.45	PASS
Band5	3	20635	1	#Max	QPSK	24.42	-5.2	-7.35	17.07	38.45	PASS
Band5	3	20635	8	#0	QPSK	23.45	-5.2	-7.35	16.1	38.45	PASS
Band5	3	20635	8	#Mid	QPSK	23.42	-5.2	-7.35	16.07	38.45	PASS
Band5	3	20635	8	#Max	QPSK	23.40	-5.2	-7.35	16.05	38.45	PASS
Band5	3	20635	15	#0	QPSK	23.46	-5.2	-7.35	16.11	38.45	PASS
Band5	3	20635	1	#0	64QAM	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	3	20635	1	#Mid	64QAM	24.45	-5.2	-7.35	17.1	38.45	PASS
Band5	3	20635	1	#Max	64QAM	24.42	-5.2	-7.35	17.07	38.45	PASS
Band5	3	20635	8	#0	64QAM	23.46	-5.2	-7.35	16.11	38.45	PASS

Band5	3	20635	8	#Mid	64QAM	23.42	-5.2	-7.35	16.07	38.45	PASS
Band5	3	20635	8	#Max	64QAM	23.40	-5.2	-7.35	16.05	38.45	PASS
Band5	3	20635	15	#0	64QAM	23.46	-5.2	-7.35	16.11	38.45	PASS
Band5	5	20425	1	#0	QPSK	24.47	-5.2	-7.35	17.12	38.45	PASS
Band5	5	20425	1	#Mid	QPSK	24.52	-5.2	-7.35	17.17	38.45	PASS
Band5	5	20425	1	#Max	QPSK	24.54	-5.2	-7.35	17.19	38.45	PASS
Band5	5	20425	12	#0	QPSK	23.37	-5.2	-7.35	16.02	38.45	PASS
Band5	5	20425	12	#Mid	QPSK	23.38	-5.2	-7.35	16.03	38.45	PASS
Band5	5	20425	12	#Max	QPSK	23.41	-5.2	-7.35	16.06	38.45	PASS
Band5	5	20425	25	#0	QPSK	23.43	-5.2	-7.35	16.08	38.45	PASS
Band5	5	20425	1	#0	64QAM	24.47	-5.2	-7.35	17.12	38.45	PASS
Band5	5	20425	1	#Mid	64QAM	24.51	-5.2	-7.35	17.16	38.45	PASS
Band5	5	20425	1	#Max	64QAM	24.53	-5.2	-7.35	17.18	38.45	PASS
Band5	5	20425	12	#0	64QAM	23.36	-5.2	-7.35	16.01	38.45	PASS
Band5	5	20425	12	#Mid	64QAM	23.39	-5.2	-7.35	16.04	38.45	PASS
Band5	5	20425	12	#Max	64QAM	23.41	-5.2	-7.35	16.06	38.45	PASS
Band5	5	20425	25	#0	64QAM	23.43	-5.2	-7.35	16.08	38.45	PASS
Band5	5	20525	1	#0	QPSK	24.57	-5.2	-7.35	17.22	38.45	PASS
Band5	5	20525	1	#Mid	QPSK	24.54	-5.2	-7.35	17.19	38.45	PASS
Band5	5	20525	1	#Max	QPSK	24.56	-5.2	-7.35	17.21	38.45	PASS
Band5	5	20525	12	#0	QPSK	23.47	-5.2	-7.35	16.12	38.45	PASS
Band5	5	20525	12	#Mid	QPSK	23.45	-5.2	-7.35	16.1	38.45	PASS
Band5	5	20525	12	#Max	QPSK	23.45	-5.2	-7.35	16.1	38.45	PASS
Band5	5	20525	25	#0	QPSK	23.50	-5.2	-7.35	16.15	38.45	PASS
Band5	5	20525	1	#0	64QAM	24.56	-5.2	-7.35	17.21	38.45	PASS
Band5	5	20525	1	#Mid	64QAM	24.53	-5.2	-7.35	17.18	38.45	PASS
Band5	5	20525	1	#Max	64QAM	24.55	-5.2	-7.35	17.2	38.45	PASS
Band5	5	20525	12	#0	64QAM	23.47	-5.2	-7.35	16.12	38.45	PASS
Band5	5	20525	12	#Mid	64QAM	23.45	-5.2	-7.35	16.1	38.45	PASS
Band5	5	20525	12	#Max	64QAM	23.42	-5.2	-7.35	16.07	38.45	PASS
Band5	5	20525	25	#0	64QAM	23.49	-5.2	-7.35	16.14	38.45	PASS
Band5	5	20625	1	#0	QPSK	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	5	20625	1	#Mid	QPSK	24.44	-5.2	-7.35	17.09	38.45	PASS
Band5	5	20625	1	#Max	QPSK	24.39	-5.2	-7.35	17.04	38.45	PASS
Band5	5	20625	12	#0	QPSK	23.51	-5.2	-7.35	16.16	38.45	PASS
Band5	5	20625	12	#Mid	QPSK	23.47	-5.2	-7.35	16.12	38.45	PASS
Band5	5	20625	12	#Max	QPSK	23.45	-5.2	-7.35	16.1	38.45	PASS
Band5	5	20625	25	#0	QPSK	23.51	-5.2	-7.35	16.16	38.45	PASS
Band5	5	20625	1	#0	64QAM	24.43	-5.2	-7.35	17.08	38.45	PASS
Band5	5	20625	1	#Mid	64QAM	24.45	-5.2	-7.35	17.1	38.45	PASS
Band5	5	20625	1	#Max	64QAM	24.48	-5.2	-7.35	17.13	38.45	PASS
Band5	5	20625	12	#0	64QAM	23.50	-5.2	-7.35	16.15	38.45	PASS
Band5	5	20625	12	#Mid	64QAM	23.48	-5.2	-7.35	16.13	38.45	PASS
Band5	5	20625	12	#Max	64QAM	23.45	-5.2	-7.35	16.1	38.45	PASS


Band5	5	20625	25	#0	64QAM	23.51	-5.2	-7.35	16.16	38.45	PASS
Band5	10	20450	1	#0	QPSK	24.39	-5.2	-7.35	17.04	38.45	PASS
Band5	10	20450	1	#Mid	QPSK	24.40	-5.2	-7.35	17.05	38.45	PASS
Band5	10	20450	1	#Max	QPSK	24.42	-5.2	-7.35	17.07	38.45	PASS
Band5	10	20450	25	#0	QPSK	23.38	-5.2	-7.35	16.03	38.45	PASS
Band5	10	20450	25	#Mid	QPSK	23.42	-5.2	-7.35	16.07	38.45	PASS
Band5	10	20450	25	#Max	QPSK	23.44	-5.2	-7.35	16.09	38.45	PASS
Band5	10	20450	50	#0	QPSK	23.41	-5.2	-7.35	16.06	38.45	PASS
Band5	10	20450	1	#0	64QAM	24.39	-5.2	-7.35	17.04	38.45	PASS
Band5	10	20450	1	#Mid	64QAM	24.40	-5.2	-7.35	17.05	38.45	PASS
Band5	10	20450	1	#Max	64QAM	24.42	-5.2	-7.35	17.07	38.45	PASS
Band5	10	20450	25	#0	64QAM	23.40	-5.2	-7.35	16.05	38.45	PASS
Band5	10	20450	25	#Mid	64QAM	23.43	-5.2	-7.35	16.08	38.45	PASS
Band5	10	20450	25	#Max	64QAM	23.46	-5.2	-7.35	16.11	38.45	PASS
Band5	10	20450	50	#0	64QAM	23.42	-5.2	-7.35	16.07	38.45	PASS
Band5	10	20525	1	#0	QPSK	24.40	-5.2	-7.35	17.05	38.45	PASS
Band5	10	20525	1	#Mid	QPSK	24.48	-5.2	-7.35	17.13	38.45	PASS
Band5	10	20525	1	#Max	QPSK	24.47	-5.2	-7.35	17.12	38.45	PASS
Band5	10	20525	25	#0	QPSK	23.47	-5.2	-7.35	16.12	38.45	PASS
Band5	10	20525	25	#Mid	QPSK	23.50	-5.2	-7.35	16.15	38.45	PASS
Band5	10	20525	25	#Max	QPSK	23.49	-5.2	-7.35	16.14	38.45	PASS
Band5	10	20525	50	#0	QPSK	23.49	-5.2	-7.35	16.14	38.45	PASS
Band5	10	20525	1	#0	64QAM	24.41	-5.2	-7.35	17.06	38.45	PASS
Band5	10	20525	1	#Mid	64QAM	24.49	-5.2	-7.35	17.14	38.45	PASS
Band5	10	20525	1	#Max	64QAM	24.46	-5.2	-7.35	17.11	38.45	PASS
Band5	10	20525	25	#0	64QAM	23.48	-5.2	-7.35	16.13	38.45	PASS
Band5	10	20525	25	#Mid	64QAM	23.50	-5.2	-7.35	16.15	38.45	PASS
Band5	10	20525	25	#Max	64QAM	23.49	-5.2	-7.35	16.14	38.45	PASS
Band5	10	20525	50	#0	64QAM	23.49	-5.2	-7.35	16.14	38.45	PASS
Band5	10	20600	1	#0	QPSK	24.55	-5.2	-7.35	17.2	38.45	PASS
Band5	10	20600	1	#Mid	QPSK	24.50	-5.2	-7.35	17.15	38.45	PASS
Band5	10	20600	1	#Max	QPSK	24.48	-5.2	-7.35	17.13	38.45	PASS
Band5	10	20600	25	#0	QPSK	23.49	-5.2	-7.35	16.14	38.45	PASS
Band5	10	20600	25	#Mid	QPSK	23.48	-5.2	-7.35	16.13	38.45	PASS
Band5	10	20600	25	#Max	QPSK	23.48	-5.2	-7.35	16.13	38.45	PASS
Band5	10	20600	50	#0	QPSK	23.50	-5.2	-7.35	16.15	38.45	PASS
Band5	10	20600	1	#0	64QAM	24.54	-5.2	-7.35	17.19	38.45	PASS
Band5	10	20600	1	#Mid	64QAM	24.48	-5.2	-7.35	17.13	38.45	PASS
Band5	10	20600	1	#Max	64QAM	24.49	-5.2	-7.35	17.14	38.45	PASS
Band5	10	20600	25	#0	64QAM	23.51	-5.2	-7.35	16.16	38.45	PASS
Band5	10	20600	25	#Mid	64QAM	23.50	-5.2	-7.35	16.15	38.45	PASS
Band5	10	20600	25	#Max	64QAM	23.48	-5.2	-7.35	16.13	38.45	PASS
Band5	10	20600	50	#0	64QAM	23.50	-5.2	-7.35	16.15	38.45	PASS

Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band5	10	20450	50	#0	QPSK	-2.73	-0.003	-2.5	2.5	PASS
Band5	10	20450	50	#0	64QAM	-1.69	-0.002	-2.5	2.5	PASS
Band5	10	20525	50	#0	QPSK	-1.72	-0.002	-2.5	2.5	PASS
Band5	10	20525	50	#0	64QAM	-5.04	-0.006	-2.5	2.5	PASS
Band5	10	20600	50	#0	QPSK	-2.75	-0.003	-2.5	2.5	PASS
Band5	10	20600	50	#0	64QAM	-3.28	-0.004	-2.5	2.5	PASS

Peak-to-Average Ratio


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
Band5	1.4	20525	1	#0	QPSK	4.49	13	PASS
Band5	1.4	20525	1	#0	64QAM	4.47	13	PASS
Band5	3	20525	1	#0	QPSK	4.40	13	PASS
Band5	3	20525	1	#0	64QAM	4.39	13	PASS
Band5	5	20525	1	#0	QPSK	4.45	13	PASS
Band5	5	20525	1	#0	64QAM	4.46	13	PASS
Band5	10	20525	1	#0	QPSK	4.44	13	PASS
Band5	10	20525	1	#0	64QAM	4.45	13	PASS




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 64QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 64QAM BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0



Band5 64QAM BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 64QAM BW=10MHz Channel=20525 RB Size=1 Position=#0

Occupied bandwidth


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band5	1.4	20525	6	#0	QPSK	1.079	1.279	PASS
Band5	1.4	20525	6	#0	64QAM	1.092	1.289	PASS
Band5	3	20525	15	#0	QPSK	2.687	2.937	PASS
Band5	3	20525	15	#0	64QAM	2.706	2.920	PASS
Band5	5	20525	25	#0	QPSK	4.465	4.962	PASS
Band5	5	20525	25	#0	64QAM	4.491	4.825	PASS
Band5	10	20525	50	#0	QPSK	8.992	9.606	PASS
Band5	10	20525	50	#0	64QAM	8.992	9.901	PASS




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 64QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 64QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 64QAM BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 64QAM BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0

Band edge


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band5	1.4	20407	6	#0	QPSK	824.00	-28.77	-13	PASS
Band5	1.4	20407	6	#0	64QAM	823.98	-30.55	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.02	-30.06	-13	PASS
Band5	1.4	20643	6	#0	64QAM	849.00	-26.06	-13	PASS
Band5	3	20415	15	#0	QPSK	823.99	-27.56	-13	PASS
Band5	3	20415	15	#0	64QAM	823.99	-29.13	-13	PASS
Band5	3	20635	15	#0	QPSK	849.04	-30.81	-13	PASS
Band5	3	20635	15	#0	64QAM	849.00	-30.35	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-30.77	-13	PASS
Band5	5	20425	25	#0	64QAM	823.96	-28.39	-13	PASS
Band5	5	20625	25	#0	QPSK	849.00	-30.77	-13	PASS
Band5	5	20625	25	#0	64QAM	849.01	-29.41	-13	PASS
Band5	10	20450	50	#0	QPSK	823.90	-33.92	-13	PASS
Band5	10	20450	50	#0	64QAM	823.98	-34.57	-13	PASS
Band5	10	20600	50	#0	QPSK	849.04	-32.28	-13	PASS
Band5	10	20600	50	#0	64QAM	849.12	-32.31	-13	PASS



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 64QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 64QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 64QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 64QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 64QAM BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 64QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 64QAM BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 64QAM BW=10MHz Channel=20600 RB Size=50 Position=#0

Out-of-band emissions


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band5	1.4	20407	6	#0	QPSK	2474.20	-32.90	-13	PASS
Band5	1.4	20407	6	#0	64QAM	2474.65	-34.37	-13	PASS
Band5	1.4	20643	6	#0	QPSK	2545.30	-31.80	-13	PASS
Band5	1.4	20643	6	#0	64QAM	2545.98	-33.24	-13	PASS
Band5	3	20415	15	#0	QPSK	2477.35	-36.17	-13	PASS
Band5	3	20415	15	#0	64QAM	2474.65	-38.54	-13	PASS
Band5	3	20635	15	#0	QPSK	2539.90	-36.94	-13	PASS
Band5	3	20635	15	#0	64QAM	2540.35	-37.75	-13	PASS
Band5	5	20425	25	#0	QPSK	2478.48	-39.69	-13	PASS
Band5	5	20425	25	#0	64QAM	2479.83	-38.55	-13	PASS
Band5	5	20625	25	#0	QPSK	2539.23	-39.39	-13	PASS
Band5	5	20625	25	#0	64QAM	2539.68	-38.77	-13	PASS
Band5	10	20450	50	#0	QPSK	3838.15	-41.78	-13	PASS
Band5	10	20450	50	#0	64QAM	2483.43	-41.38	-13	PASS
Band5	10	20600	50	#0	QPSK	2531.35	-41.95	-13	PASS
Band5	10	20600	50	#0	64QAM	3801.93	-41.84	-13	PASS



Band5 64QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.062978325	-61.45	-13
2	0.15	30	10	0.53282625	-57.27	-13
3	30	1000	100	855.179	-48.79	-13
4	1000	10000	1000	2545.975	-33.24	-13

Band5 64QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.063302625	-62.19	-13
2	0.15	30	10	0.53208	-56.87	-13
3	30	1000	100	855.05775	-49.33	-13
4	1000	10000	1000	2545.3	-31.8	-13


Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 64QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 64QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 64QAM BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 64QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.062943075	-61.5	-13
2	0.15	30	10	0.16194	-56.47	-13
3	30	1000	100	990.51825	-57.17	-13
4	1000	10000	1000	2483.425	-41.38	-13

Band5 64QAM BW=10MHz Channel=20450 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.062837325	-60.94	-13
2	0.15	30	10	0.15671625	-58.77	-13
3	30	1000	100	731.81925	-57.08	-13
4	1000	10000	1000	3838.15	-41.78	-13

Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.062632875	-61.8	-13
2	0.15	30	10	0.15597	-56.29	-13
3	30	1000	100	965.468	-56.93	-13
4	1000	10000	1000	3801.925	-41.84	-13

Band5 64QAM BW=10MHz Channel=20600 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0632568	-62.29	-13
2	0.15	30	10	0.18955125	-58.22	-13
3	30	1000	100	774.7175	-56.84	-13
4	1000	10000	1000	2531.35	-41.95	-13

Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0

