

目录

<i>Conducted output power</i>	2
<i>Frequency stability</i>	6
<i>Peak-to-Average Ratio</i>	7
<i>Occupied bandwidth</i>	13
<i>Band edge</i>	19
<i>Out-of-band emissions</i>	29

Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	EIRP (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	24.24	-6.3	-8.45	15.79	34.77	PASS
Band12	1.4	23017	1	#Mid	QPSK	24.23	-6.3	-8.45	15.78	34.77	PASS
Band12	1.4	23017	1	#Max	QPSK	24.21	-6.3	-8.45	15.76	34.77	PASS
Band12	1.4	23017	3	#0	QPSK	24.14	-6.3	-8.45	15.69	34.77	PASS
Band12	1.4	23017	3	#Mid	QPSK	24.14	-6.3	-8.45	15.69	34.77	PASS
Band12	1.4	23017	3	#Max	QPSK	24.16	-6.3	-8.45	15.71	34.77	PASS
Band12	1.4	23017	6	#0	QPSK	23.17	-6.3	-8.45	14.72	34.77	PASS
Band12	1.4	23017	1	#0	64QAM	24.22	-6.3	-8.45	15.77	34.77	PASS
Band12	1.4	23017	1	#Mid	64QAM	24.21	-6.3	-8.45	15.76	34.77	PASS
Band12	1.4	23017	1	#Max	64QAM	24.21	-6.3	-8.45	15.76	34.77	PASS
Band12	1.4	23017	3	#0	64QAM	24.15	-6.3	-8.45	15.7	34.77	PASS
Band12	1.4	23017	3	#Mid	64QAM	24.14	-6.3	-8.45	15.69	34.77	PASS
Band12	1.4	23017	3	#Max	64QAM	24.17	-6.3	-8.45	15.72	34.77	PASS
Band12	1.4	23017	6	#0	64QAM	23.16	-6.3	-8.45	14.71	34.77	PASS
Band12	1.4	23095	1	#0	QPSK	24.00	-6.3	-8.45	15.55	34.77	PASS
Band12	1.4	23095	1	#Mid	QPSK	24.06	-6.3	-8.45	15.61	34.77	PASS
Band12	1.4	23095	1	#Max	QPSK	24.04	-6.3	-8.45	15.59	34.77	PASS
Band12	1.4	23095	3	#0	QPSK	24.04	-6.3	-8.45	15.59	34.77	PASS
Band12	1.4	23095	3	#Mid	QPSK	24.03	-6.3	-8.45	15.58	34.77	PASS
Band12	1.4	23095	3	#Max	QPSK	24.03	-6.3	-8.45	15.58	34.77	PASS
Band12	1.4	23095	6	#0	QPSK	23.01	-6.3	-8.45	14.56	34.77	PASS
Band12	1.4	23095	1	#0	64QAM	23.98	-6.3	-8.45	15.53	34.77	PASS
Band12	1.4	23095	1	#Mid	64QAM	24.07	-6.3	-8.45	15.62	34.77	PASS
Band12	1.4	23095	1	#Max	64QAM	24.03	-6.3	-8.45	15.58	34.77	PASS
Band12	1.4	23095	3	#0	64QAM	24.05	-6.3	-8.45	15.6	34.77	PASS
Band12	1.4	23095	3	#Mid	64QAM	24.04	-6.3	-8.45	15.59	34.77	PASS
Band12	1.4	23095	3	#Max	64QAM	24.05	-6.3	-8.45	15.6	34.77	PASS
Band12	1.4	23095	6	#0	64QAM	23.03	-6.3	-8.45	14.58	34.77	PASS
Band12	1.4	23173	1	#0	QPSK	24.02	-6.3	-8.45	15.57	34.77	PASS
Band12	1.4	23173	1	#Mid	QPSK	24.02	-6.3	-8.45	15.57	34.77	PASS
Band12	1.4	23173	1	#Max	QPSK	24.06	-6.3	-8.45	15.61	34.77	PASS
Band12	1.4	23173	3	#0	QPSK	24.01	-6.3	-8.45	15.56	34.77	PASS
Band12	1.4	23173	3	#Mid	QPSK	24.00	-6.3	-8.45	15.55	34.77	PASS
Band12	1.4	23173	3	#Max	QPSK	24.03	-6.3	-8.45	15.58	34.77	PASS
Band12	1.4	23173	6	#0	QPSK	23.01	-6.3	-8.45	14.56	34.77	PASS
Band12	1.4	23173	1	#0	64QAM	24.03	-6.3	-8.45	15.58	34.77	PASS
Band12	1.4	23173	1	#Mid	64QAM	24.05	-6.3	-8.45	15.6	34.77	PASS

Band12	1.4	23173	1	#Max	64QAM	24.06	-6.3	-8.45	15.61	34.77	PASS
Band12	1.4	23173	3	#0	64QAM	24.02	-6.3	-8.45	15.57	34.77	PASS
Band12	1.4	23173	3	#Mid	64QAM	23.99	-6.3	-8.45	15.54	34.77	PASS
Band12	1.4	23173	3	#Max	64QAM	24.04	-6.3	-8.45	15.59	34.77	PASS
Band12	1.4	23173	6	#0	64QAM	22.99	-6.3	-8.45	14.54	34.77	PASS
Band12	3	23025	1	#0	QPSK	24.27	-6.3	-8.45	15.82	34.77	PASS
Band12	3	23025	1	#Mid	QPSK	24.14	-6.3	-8.45	15.69	34.77	PASS
Band12	3	23025	1	#Max	QPSK	24.13	-6.3	-8.45	15.68	34.77	PASS
Band12	3	23025	8	#0	QPSK	23.19	-6.3	-8.45	14.74	34.77	PASS
Band12	3	23025	8	#Mid	QPSK	23.14	-6.3	-8.45	14.69	34.77	PASS
Band12	3	23025	8	#Max	QPSK	23.11	-6.3	-8.45	14.66	34.77	PASS
Band12	3	23025	15	#0	QPSK	23.14	-6.3	-8.45	14.69	34.77	PASS
Band12	3	23025	1	#0	64QAM	24.27	-6.3	-8.45	15.82	34.77	PASS
Band12	3	23025	1	#Mid	64QAM	24.14	-6.3	-8.45	15.69	34.77	PASS
Band12	3	23025	1	#Max	64QAM	24.11	-6.3	-8.45	15.66	34.77	PASS
Band12	3	23025	8	#0	64QAM	23.18	-6.3	-8.45	14.73	34.77	PASS
Band12	3	23025	8	#Mid	64QAM	23.14	-6.3	-8.45	14.69	34.77	PASS
Band12	3	23025	8	#Max	64QAM	23.11	-6.3	-8.45	14.66	34.77	PASS
Band12	3	23025	15	#0	64QAM	23.15	-6.3	-8.45	14.7	34.77	PASS
Band12	3	23095	1	#0	QPSK	23.98	-6.3	-8.45	15.53	34.77	PASS
Band12	3	23095	1	#Mid	QPSK	24.04	-6.3	-8.45	15.59	34.77	PASS
Band12	3	23095	1	#Max	QPSK	24.01	-6.3	-8.45	15.56	34.77	PASS
Band12	3	23095	8	#0	QPSK	23.04	-6.3	-8.45	14.59	34.77	PASS
Band12	3	23095	8	#Mid	QPSK	23.02	-6.3	-8.45	14.57	34.77	PASS
Band12	3	23095	8	#Max	QPSK	23.03	-6.3	-8.45	14.58	34.77	PASS
Band12	3	23095	15	#0	QPSK	23.06	-6.3	-8.45	14.61	34.77	PASS
Band12	3	23095	1	#0	64QAM	23.96	-6.3	-8.45	15.51	34.77	PASS
Band12	3	23095	1	#Mid	64QAM	24.03	-6.3	-8.45	15.58	34.77	PASS
Band12	3	23095	1	#Max	64QAM	24.00	-6.3	-8.45	15.55	34.77	PASS
Band12	3	23095	8	#0	64QAM	23.04	-6.3	-8.45	14.59	34.77	PASS
Band12	3	23095	8	#Mid	64QAM	23.01	-6.3	-8.45	14.56	34.77	PASS
Band12	3	23095	8	#Max	64QAM	23.04	-6.3	-8.45	14.59	34.77	PASS
Band12	3	23095	15	#0	64QAM	23.06	-6.3	-8.45	14.61	34.77	PASS
Band12	3	23165	1	#0	QPSK	24.02	-6.3	-8.45	15.57	34.77	PASS
Band12	3	23165	1	#Mid	QPSK	24.01	-6.3	-8.45	15.56	34.77	PASS
Band12	3	23165	1	#Max	QPSK	24.08	-6.3	-8.45	15.63	34.77	PASS
Band12	3	23165	8	#0	QPSK	23.02	-6.3	-8.45	14.57	34.77	PASS
Band12	3	23165	8	#Mid	QPSK	22.98	-6.3	-8.45	14.53	34.77	PASS
Band12	3	23165	8	#Max	QPSK	22.98	-6.3	-8.45	14.53	34.77	PASS
Band12	3	23165	15	#0	QPSK	23.01	-6.3	-8.45	14.56	34.77	PASS
Band12	3	23165	1	#0	64QAM	24.03	-6.3	-8.45	15.58	34.77	PASS
Band12	3	23165	1	#Mid	64QAM	24.02	-6.3	-8.45	15.57	34.77	PASS
Band12	3	23165	1	#Max	64QAM	24.08	-6.3	-8.45	15.63	34.77	PASS
Band12	3	23165	8	#0	64QAM	23.02	-6.3	-8.45	14.57	34.77	PASS

Band12	3	23165	8	#Mid	64QAM	22.97	-6.3	-8.45	14.52	34.77	PASS
Band12	3	23165	8	#Max	64QAM	22.99	-6.3	-8.45	14.54	34.77	PASS
Band12	3	23165	15	#0	64QAM	23.02	-6.3	-8.45	14.57	34.77	PASS
Band12	5	23035	1	#0	QPSK	24.38	-6.3	-8.45	15.93	34.77	PASS
Band12	5	23035	1	#Mid	QPSK	24.27	-6.3	-8.45	15.82	34.77	PASS
Band12	5	23035	1	#Max	QPSK	24.19	-6.3	-8.45	15.74	34.77	PASS
Band12	5	23035	12	#0	QPSK	23.21	-6.3	-8.45	14.76	34.77	PASS
Band12	5	23035	12	#Mid	QPSK	23.19	-6.3	-8.45	14.74	34.77	PASS
Band12	5	23035	12	#Max	QPSK	23.15	-6.3	-8.45	14.7	34.77	PASS
Band12	5	23035	25	#0	QPSK	23.24	-6.3	-8.45	14.79	34.77	PASS
Band12	5	23035	1	#0	64QAM	24.33	-6.3	-8.45	15.88	34.77	PASS
Band12	5	23035	1	#Mid	64QAM	24.23	-6.3	-8.45	15.78	34.77	PASS
Band12	5	23035	1	#Max	64QAM	24.18	-6.3	-8.45	15.73	34.77	PASS
Band12	5	23035	12	#0	64QAM	23.20	-6.3	-8.45	14.75	34.77	PASS
Band12	5	23035	12	#Mid	64QAM	23.18	-6.3	-8.45	14.73	34.77	PASS
Band12	5	23035	12	#Max	64QAM	23.15	-6.3	-8.45	14.7	34.77	PASS
Band12	5	23035	25	#0	64QAM	23.24	-6.3	-8.45	14.79	34.77	PASS
Band12	5	23095	1	#0	QPSK	24.10	-6.3	-8.45	15.65	34.77	PASS
Band12	5	23095	1	#Mid	QPSK	24.17	-6.3	-8.45	15.72	34.77	PASS
Band12	5	23095	1	#Max	QPSK	24.15	-6.3	-8.45	15.7	34.77	PASS
Band12	5	23095	12	#0	QPSK	23.08	-6.3	-8.45	14.63	34.77	PASS
Band12	5	23095	12	#Mid	QPSK	23.05	-6.3	-8.45	14.6	34.77	PASS
Band12	5	23095	12	#Max	QPSK	23.08	-6.3	-8.45	14.63	34.77	PASS
Band12	5	23095	25	#0	QPSK	23.15	-6.3	-8.45	14.7	34.77	PASS
Band12	5	23095	1	#0	64QAM	24.11	-6.3	-8.45	15.66	34.77	PASS
Band12	5	23095	1	#Mid	64QAM	24.18	-6.3	-8.45	15.73	34.77	PASS
Band12	5	23095	1	#Max	64QAM	24.20	-6.3	-8.45	15.75	34.77	PASS
Band12	5	23095	12	#0	64QAM	23.07	-6.3	-8.45	14.62	34.77	PASS
Band12	5	23095	12	#Mid	64QAM	23.06	-6.3	-8.45	14.61	34.77	PASS
Band12	5	23095	12	#Max	64QAM	23.09	-6.3	-8.45	14.64	34.77	PASS
Band12	5	23095	25	#0	64QAM	23.14	-6.3	-8.45	14.69	34.77	PASS
Band12	5	23155	1	#0	QPSK	24.01	-6.3	-8.45	15.56	34.77	PASS
Band12	5	23155	1	#Mid	QPSK	23.98	-6.3	-8.45	15.53	34.77	PASS
Band12	5	23155	1	#Max	QPSK	24.07	-6.3	-8.45	15.62	34.77	PASS
Band12	5	23155	12	#0	QPSK	23.06	-6.3	-8.45	14.61	34.77	PASS
Band12	5	23155	12	#Mid	QPSK	23.04	-6.3	-8.45	14.59	34.77	PASS
Band12	5	23155	12	#Max	QPSK	23.01	-6.3	-8.45	14.56	34.77	PASS
Band12	5	23155	25	#0	QPSK	23.07	-6.3	-8.45	14.62	34.77	PASS
Band12	5	23155	1	#0	64QAM	24.01	-6.3	-8.45	15.56	34.77	PASS
Band12	5	23155	1	#Mid	64QAM	24.02	-6.3	-8.45	15.57	34.77	PASS
Band12	5	23155	1	#Max	64QAM	24.05	-6.3	-8.45	15.6	34.77	PASS
Band12	5	23155	12	#0	64QAM	23.05	-6.3	-8.45	14.6	34.77	PASS
Band12	5	23155	12	#Mid	64QAM	23.04	-6.3	-8.45	14.59	34.77	PASS
Band12	5	23155	12	#Max	64QAM	23.00	-6.3	-8.45	14.55	34.77	PASS


Band12	5	23155	25	#0	64QAM	23.07	-6.3	-8.45	14.62	34.77	PASS
Band12	10	23060	1	#0	QPSK	24.28	-6.3	-8.45	15.83	34.77	PASS
Band12	10	23060	1	#Mid	QPSK	24.12	-6.3	-8.45	15.67	34.77	PASS
Band12	10	23060	1	#Max	QPSK	24.12	-6.3	-8.45	15.67	34.77	PASS
Band12	10	23060	25	#0	QPSK	23.15	-6.3	-8.45	14.7	34.77	PASS
Band12	10	23060	25	#Mid	QPSK	23.14	-6.3	-8.45	14.69	34.77	PASS
Band12	10	23060	25	#Max	QPSK	23.10	-6.3	-8.45	14.65	34.77	PASS
Band12	10	23060	50	#0	QPSK	23.15	-6.3	-8.45	14.7	34.77	PASS
Band12	10	23060	1	#0	64QAM	24.28	-6.3	-8.45	15.83	34.77	PASS
Band12	10	23060	1	#Mid	64QAM	24.10	-6.3	-8.45	15.65	34.77	PASS
Band12	10	23060	1	#Max	64QAM	24.12	-6.3	-8.45	15.67	34.77	PASS
Band12	10	23060	25	#0	64QAM	23.16	-6.3	-8.45	14.71	34.77	PASS
Band12	10	23060	25	#Mid	64QAM	23.12	-6.3	-8.45	14.67	34.77	PASS
Band12	10	23060	25	#Max	64QAM	23.10	-6.3	-8.45	14.65	34.77	PASS
Band12	10	23060	50	#0	64QAM	23.14	-6.3	-8.45	14.69	34.77	PASS
Band12	10	23095	1	#0	QPSK	24.13	-6.3	-8.45	15.68	34.77	PASS
Band12	10	23095	1	#Mid	QPSK	24.11	-6.3	-8.45	15.66	34.77	PASS
Band12	10	23095	1	#Max	QPSK	24.05	-6.3	-8.45	15.6	34.77	PASS
Band12	10	23095	25	#0	QPSK	23.11	-6.3	-8.45	14.66	34.77	PASS
Band12	10	23095	25	#Mid	QPSK	23.09	-6.3	-8.45	14.64	34.77	PASS
Band12	10	23095	25	#Max	QPSK	23.12	-6.3	-8.45	14.67	34.77	PASS
Band12	10	23095	50	#0	QPSK	23.14	-6.3	-8.45	14.69	34.77	PASS
Band12	10	23095	1	#0	64QAM	24.13	-6.3	-8.45	15.68	34.77	PASS
Band12	10	23095	1	#Mid	64QAM	24.09	-6.3	-8.45	15.64	34.77	PASS
Band12	10	23095	1	#Max	64QAM	24.06	-6.3	-8.45	15.61	34.77	PASS
Band12	10	23095	25	#0	64QAM	23.11	-6.3	-8.45	14.66	34.77	PASS
Band12	10	23095	25	#Mid	64QAM	23.10	-6.3	-8.45	14.65	34.77	PASS
Band12	10	23095	25	#Max	64QAM	23.12	-6.3	-8.45	14.67	34.77	PASS
Band12	10	23095	50	#0	64QAM	23.13	-6.3	-8.45	14.68	34.77	PASS
Band12	10	23130	1	#0	QPSK	24.09	-6.3	-8.45	15.64	34.77	PASS
Band12	10	23130	1	#Mid	QPSK	24.10	-6.3	-8.45	15.65	34.77	PASS
Band12	10	23130	1	#Max	QPSK	24.09	-6.3	-8.45	15.64	34.77	PASS
Band12	10	23130	25	#0	QPSK	23.09	-6.3	-8.45	14.64	34.77	PASS
Band12	10	23130	25	#Mid	QPSK	23.08	-6.3	-8.45	14.63	34.77	PASS
Band12	10	23130	25	#Max	QPSK	23.05	-6.3	-8.45	14.6	34.77	PASS
Band12	10	23130	50	#0	QPSK	23.06	-6.3	-8.45	14.61	34.77	PASS
Band12	10	23130	1	#0	64QAM	24.09	-6.3	-8.45	15.64	34.77	PASS
Band12	10	23130	1	#Mid	64QAM	24.11	-6.3	-8.45	15.66	34.77	PASS
Band12	10	23130	1	#Max	64QAM	24.09	-6.3	-8.45	15.64	34.77	PASS
Band12	10	23130	25	#0	64QAM	23.09	-6.3	-8.45	14.64	34.77	PASS
Band12	10	23130	25	#Mid	64QAM	23.08	-6.3	-8.45	14.63	34.77	PASS
Band12	10	23130	25	#Max	64QAM	23.05	-6.3	-8.45	14.6	34.77	PASS
Band12	10	23130	50	#0	64QAM	23.06	-6.3	-8.45	14.61	34.77	PASS

Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band12	10	23060	50	#0	QPSK	-3.58	-0.005	-2.5	2.5	PASS
Band12	10	23060	50	#0	64QAM	1.83	0.003	-2.5	2.5	PASS
Band12	10	23095	50	#0	QPSK	-1.59	-0.002	-2.5	2.5	PASS
Band12	10	23095	50	#0	64QAM	-1.93	-0.003	-2.5	2.5	PASS
Band12	10	23130	50	#0	QPSK	-0.36	-0.001	-2.5	2.5	PASS
Band12	10	23130	50	#0	64QAM	-0.99	-0.001	-2.5	2.5	PASS

Peak-to-Average Ratio


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
Band12	1.4	23095	1	#0	QPSK	4.66	13	PASS
Band12	1.4	23095	1	#0	64QAM	4.71	13	PASS
Band12	3	23095	1	#0	QPSK	4.65	13	PASS
Band12	3	23095	1	#0	64QAM	4.51	13	PASS
Band12	5	23095	1	#0	QPSK	4.75	13	PASS
Band12	5	23095	1	#0	64QAM	4.77	13	PASS
Band12	10	23095	1	#0	QPSK	4.63	13	PASS
Band12	10	23095	1	#0	64QAM	4.72	13	PASS




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 64QAM BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 64QAM BW=3MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=5MHz Channel=23095 RB Size=1 Position=#0



Band12 64QAM BW=5MHz Channel=23095 RB Size=1 Position=#0




Band12 64QAM BW=10MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=1 Position=#0

Occupied bandwidth


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band12	1.4	23095	6	#0	QPSK	1.081	1.257	PASS
Band12	1.4	23095	6	#0	64QAM	1.083	1.249	PASS
Band12	3	23095	15	#0	QPSK	2.672	2.925	PASS
Band12	3	23095	15	#0	64QAM	2.698	2.916	PASS
Band12	5	23095	25	#0	QPSK	4.507	4.780	PASS
Band12	5	23095	25	#0	64QAM	4.512	4.870	PASS
Band12	10	23095	50	#0	QPSK	9.017	9.622	PASS
Band12	10	23095	50	#0	64QAM	9.024	9.639	PASS




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 64QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 64QAM BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0



Band12 64QAM BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 64QAM BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0

Band edge


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	6	#0	QPSK	698.69	-25.62	-13	PASS
Band12	1.4	23017	6	#0	64QAM	698.88	-25.43	-13	PASS
Band12	1.4	23173	6	#0	QPSK	716.12	-23.85	-13	PASS
Band12	1.4	23173	6	#0	64QAM	716.23	-25.34	-13	PASS
Band12	3	23025	15	#0	QPSK	698.77	-29.01	-13	PASS
Band12	3	23025	15	#0	64QAM	698.77	-30.15	-13	PASS
Band12	3	23165	15	#0	QPSK	716.50	-30.99	-13	PASS
Band12	3	23165	15	#0	64QAM	716.10	-28.90	-13	PASS
Band12	5	23035	25	#0	QPSK	698.90	-30.45	-13	PASS
Band12	5	23035	25	#0	64QAM	698.85	-31.00	-13	PASS
Band12	5	23155	25	#0	QPSK	716.10	-31.91	-13	PASS
Band12	5	23155	25	#0	64QAM	716.41	-32.85	-13	PASS
Band12	10	23060	50	#0	QPSK	698.90	-34.08	-13	PASS
Band12	10	23060	50	#0	64QAM	698.69	-34.80	-13	PASS
Band12	10	23130	50	#0	QPSK	717.07	-36.36	-13	PASS
Band12	10	23130	50	#0	64QAM	716.10	-36.14	-13	PASS




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0



Band12 64QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0



Band12 64QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0



Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0



Band12 64QAM BW=3MHz Channel=23025 RB Size=15 Position=#0



Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0



Band12 64QAM BW=3MHz Channel=23165 RB Size=15 Position=#0



Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0



Band12 64QAM BW=5MHz Channel=23035 RB Size=25 Position=#0



Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 64QAM BW=5MHz Channel=23155 RB Size=25 Position=#0



Band12 64QAM BW=10MHz Channel=23060 RB Size=50 Position=#0



Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Band12 64QAM BW=10MHz Channel=23130 RB Size=50 Position=#0

Out-of-band emissions


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band12	1.4	23017	6	#0	QPSK	1399.60	-39.34	-13	PASS
Band12	1.4	23017	6	#0	64QAM	2099.13	-36.88	-13	PASS
Band12	1.4	23173	6	#0	QPSK	2145.25	-38.41	-13	PASS
Band12	1.4	23173	6	#0	64QAM	2146.60	-37.33	-13	PASS
Band12	3	23025	15	#0	QPSK	3826.45	-40.85	-13	PASS
Band12	3	23025	15	#0	64QAM	3763.00	-41.45	-13	PASS
Band12	3	23165	15	#0	QPSK	3894.40	-41.66	-13	PASS
Band12	3	23165	15	#0	64QAM	2143.68	-41.24	-13	PASS
Band12	5	23035	25	#0	QPSK	3867.18	-41.92	-13	PASS
Band12	5	23035	25	#0	64QAM	3772.23	-42.31	-13	PASS
Band12	5	23155	25	#0	QPSK	3794.73	-40.91	-13	PASS
Band12	5	23155	25	#0	64QAM	2140.75	-40.21	-13	PASS
Band12	10	23060	50	#0	QPSK	3802.60	-42.55	-13	PASS
Band12	10	23060	50	#0	64QAM	3790.68	-41.98	-13	PASS
Band12	10	23130	50	#0	QPSK	3873.70	-41.16	-13	PASS
Band12	10	23130	50	#0	64QAM	3827.13	-42.16	-13	PASS



Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 64QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.078523575	-65.35	-13
2	0.15	30	10	0.15820875	-58.27	-13
3	30	1000	100	864.4425	-56.91	-13
4	1000	10000	1000	2145.25	-38.41	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0163461	-64.83	-13
2	0.15	30	10	0.15671625	-58.88	-13
3	30	1000	100	753.329	-57.08	-13
4	1000	10000	1000	2146.6	-37.33	-13


Band12 64QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 64QAM BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 64QAM BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 64QAM BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 64QAM BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0



Band12 64QAM BW=10MHz Channel=23060 RB Size=50 Position=#0



Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0



Band12 64QAM BW=10MHz Channel=23130 RB Size=50 Position=#0

