

目录

<i>Conducted output power</i>	2
<i>Frequency stability</i>	6
<i>Peak-to-Average Ratio</i>	7
<i>Occupied bandwidth</i>	13
<i>Band edge</i>	27
<i>Out-of-band emissions</i>	37

Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band42(3450-3550)	5	42115	1	#0	QPSK	19.69	0.42	20.11	30.00	PASS
Band42(3450-3550)	5	42115	1	#Mid	QPSK	19.75	0.42	20.17	30.00	PASS
Band42(3450-3550)	5	42115	1	#Max	QPSK	19.73	0.42	20.15	30.00	PASS
Band42(3450-3550)	5	42115	12	#0	QPSK	18.59	0.42	19.01	30.00	PASS
Band42(3450-3550)	5	42115	12	#Mid	QPSK	18.58	0.42	19	30.00	PASS
Band42(3450-3550)	5	42115	12	#Max	QPSK	18.61	0.42	19.03	30.00	PASS
Band42(3450-3550)	5	42115	25	#0	QPSK	18.62	0.42	19.04	30.00	PASS
Band42(3450-3550)	5	42115	1	#0	QAM64	19.69	0.42	20.11	30.00	PASS
Band42(3450-3550)	5	42115	1	#Mid	QAM64	19.69	0.42	20.11	30.00	PASS
Band42(3450-3550)	5	42115	1	#Max	QAM64	19.71	0.42	20.13	30.00	PASS
Band42(3450-3550)	5	42115	12	#0	QAM64	18.59	0.42	19.01	30.00	PASS
Band42(3450-3550)	5	42115	12	#Mid	QAM64	18.57	0.42	18.99	30.00	PASS
Band42(3450-3550)	5	42115	12	#Max	QAM64	18.62	0.42	19.04	30.00	PASS
Band42(3450-3550)	5	42115	25	#0	QAM64	18.61	0.42	19.03	30.00	PASS
Band42(3450-3550)	5	42590	1	#0	QPSK	19.77	0.42	20.19	30.00	PASS
Band42(3450-3550)	5	42590	1	#Mid	QPSK	19.85	0.42	20.27	30.00	PASS
Band42(3450-3550)	5	42590	1	#Max	QPSK	19.93	0.42	20.35	30.00	PASS
Band42(3450-3550)	5	42590	12	#0	QPSK	18.79	0.42	19.21	30.00	PASS
Band42(3450-3550)	5	42590	12	#Mid	QPSK	18.82	0.42	19.24	30.00	PASS
Band42(3450-3550)	5	42590	12	#Max	QPSK	18.85	0.42	19.27	30.00	PASS
Band42(3450-3550)	5	42590	25	#0	QPSK	18.88	0.42	19.3	30.00	PASS
Band42(3450-3550)	5	42590	1	#0	QAM64	19.79	0.42	20.21	30.00	PASS
Band42(3450-3550)	5	42590	1	#Mid	QAM64	19.86	0.42	20.28	30.00	PASS
Band42(3450-3550)	5	42590	1	#Max	QAM64	19.93	0.42	20.35	30.00	PASS
Band42(3450-3550)	5	42590	12	#0	QAM64	18.80	0.42	19.22	30.00	PASS
Band42(3450-3550)	5	42590	12	#Mid	QAM64	18.84	0.42	19.26	30.00	PASS
Band42(3450-3550)	5	42590	12	#Max	QAM64	18.84	0.42	19.26	30.00	PASS
Band42(3450-3550)	5	42590	25	#0	QAM64	18.87	0.42	19.29	30.00	PASS
Band42(3450-3550)	5	43065	1	#0	QPSK	20.02	0.42	20.44	30.00	PASS
Band42(3450-3550)	5	43065	1	#Mid	QPSK	20.01	0.42	20.43	30.00	PASS
Band42(3450-3550)	5	43065	1	#Max	QPSK	20.07	0.42	20.49	30.00	PASS
Band42(3450-3550)	5	43065	12	#0	QPSK	19.04	0.42	19.46	30.00	PASS
Band42(3450-3550)	5	43065	12	#Mid	QPSK	19.04	0.42	19.46	30.00	PASS
Band42(3450-3550)	5	43065	12	#Max	QPSK	19.07	0.42	19.49	30.00	PASS
Band42(3450-3550)	5	43065	25	#0	QPSK	19.09	0.42	19.51	30.00	PASS
Band42(3450-3550)	5	43065	1	#0	QAM64	20.01	0.42	20.43	30.00	PASS
Band42(3450-3550)	5	43065	1	#Mid	QAM64	20.01	0.42	20.43	30.00	PASS

Band42(3450-3550)	5	43065	1	#Max	QAM64	20.08	0.42	20.5	30.00	PASS
Band42(3450-3550)	5	43065	12	#0	QAM64	19.05	0.42	19.47	30.00	PASS
Band42(3450-3550)	5	43065	12	#Mid	QAM64	19.05	0.42	19.47	30.00	PASS
Band42(3450-3550)	5	43065	12	#Max	QAM64	19.08	0.42	19.5	30.00	PASS
Band42(3450-3550)	5	43065	25	#0	QAM64	19.09	0.42	19.51	30.00	PASS
Band42(3450-3550)	10	42140	1	#0	QPSK	19.67	0.42	20.09	30.00	PASS
Band42(3450-3550)	10	42140	1	#Mid	QPSK	19.60	0.42	20.02	30.00	PASS
Band42(3450-3550)	10	42140	1	#Max	QPSK	19.73	0.42	20.15	30.00	PASS
Band42(3450-3550)	10	42140	25	#0	QPSK	18.62	0.42	19.04	30.00	PASS
Band42(3450-3550)	10	42140	25	#Mid	QPSK	18.62	0.42	19.04	30.00	PASS
Band42(3450-3550)	10	42140	25	#Max	QPSK	18.70	0.42	19.12	30.00	PASS
Band42(3450-3550)	10	42140	50	#0	QPSK	18.63	0.42	19.05	30.00	PASS
Band42(3450-3550)	10	42140	1	#0	QAM64	19.64	0.42	20.06	30.00	PASS
Band42(3450-3550)	10	42140	1	#Mid	QAM64	19.60	0.42	20.02	30.00	PASS
Band42(3450-3550)	10	42140	1	#Max	QAM64	19.73	0.42	20.15	30.00	PASS
Band42(3450-3550)	10	42140	25	#0	QAM64	18.60	0.42	19.02	30.00	PASS
Band42(3450-3550)	10	42140	25	#Mid	QAM64	18.63	0.42	19.05	30.00	PASS
Band42(3450-3550)	10	42140	25	#Max	QAM64	18.69	0.42	19.11	30.00	PASS
Band42(3450-3550)	10	42140	50	#0	QAM64	18.62	0.42	19.04	30.00	PASS
Band42(3450-3550)	10	42590	1	#0	QPSK	19.77	0.42	20.19	30.00	PASS
Band42(3450-3550)	10	42590	1	#Mid	QPSK	19.86	0.42	20.28	30.00	PASS
Band42(3450-3550)	10	42590	1	#Max	QPSK	19.94	0.42	20.36	30.00	PASS
Band42(3450-3550)	10	42590	25	#0	QPSK	18.77	0.42	19.19	30.00	PASS
Band42(3450-3550)	10	42590	25	#Mid	QPSK	18.80	0.42	19.22	30.00	PASS
Band42(3450-3550)	10	42590	25	#Max	QPSK	18.90	0.42	19.32	30.00	PASS
Band42(3450-3550)	10	42590	50	#0	QPSK	18.86	0.42	19.28	30.00	PASS
Band42(3450-3550)	10	42590	1	#0	QAM64	19.78	0.42	20.2	30.00	PASS
Band42(3450-3550)	10	42590	1	#Mid	QAM64	19.86	0.42	20.28	30.00	PASS
Band42(3450-3550)	10	42590	1	#Max	QAM64	19.93	0.42	20.35	30.00	PASS
Band42(3450-3550)	10	42590	25	#0	QAM64	18.76	0.42	19.18	30.00	PASS
Band42(3450-3550)	10	42590	25	#Mid	QAM64	18.79	0.42	19.21	30.00	PASS
Band42(3450-3550)	10	42590	25	#Max	QAM64	18.92	0.42	19.34	30.00	PASS
Band42(3450-3550)	10	42590	50	#0	QAM64	18.85	0.42	19.27	30.00	PASS
Band42(3450-3550)	10	43040	1	#0	QPSK	20.04	0.42	20.46	30.00	PASS
Band42(3450-3550)	10	43040	1	#Mid	QPSK	19.99	0.42	20.41	30.00	PASS
Band42(3450-3550)	10	43040	1	#Max	QPSK	20.14	0.42	20.56	30.00	PASS
Band42(3450-3550)	10	43040	25	#0	QPSK	19.01	0.42	19.43	30.00	PASS
Band42(3450-3550)	10	43040	25	#Mid	QPSK	19.04	0.42	19.46	30.00	PASS
Band42(3450-3550)	10	43040	25	#Max	QPSK	19.11	0.42	19.53	30.00	PASS
Band42(3450-3550)	10	43040	50	#0	QPSK	19.03	0.42	19.45	30.00	PASS
Band42(3450-3550)	10	43040	1	#0	QAM64	20.03	0.42	20.45	30.00	PASS
Band42(3450-3550)	10	43040	1	#Mid	QAM64	20.01	0.42	20.43	30.00	PASS
Band42(3450-3550)	10	43040	1	#Max	QAM64	20.15	0.42	20.57	30.00	PASS
Band42(3450-3550)	10	43040	25	#0	QAM64	19.01	0.42	19.43	30.00	PASS

Band42(3450-3550)	10	43040	25	#Mid	QAM64	19.05	0.42	19.47	30.00	PASS
Band42(3450-3550)	10	43040	25	#Max	QAM64	19.11	0.42	19.53	30.00	PASS
Band42(3450-3550)	10	43040	50	#0	QAM64	19.02	0.42	19.44	30.00	PASS
Band42(3450-3550)	15	42165	1	#0	QPSK	19.62	0.42	20.04	30.00	PASS
Band42(3450-3550)	15	42165	1	#Mid	QPSK	19.68	0.42	20.1	30.00	PASS
Band42(3450-3550)	15	42165	1	#Max	QPSK	19.76	0.42	20.18	30.00	PASS
Band42(3450-3550)	15	42165	36	#0	QPSK	18.60	0.42	19.02	30.00	PASS
Band42(3450-3550)	15	42165	36	#Mid	QPSK	18.62	0.42	19.04	30.00	PASS
Band42(3450-3550)	15	42165	36	#Max	QPSK	18.66	0.42	19.08	30.00	PASS
Band42(3450-3550)	15	42165	75	#0	QPSK	18.64	0.42	19.06	30.00	PASS
Band42(3450-3550)	15	42165	1	#0	QAM64	19.61	0.42	20.03	30.00	PASS
Band42(3450-3550)	15	42165	1	#Mid	QAM64	19.70	0.42	20.12	30.00	PASS
Band42(3450-3550)	15	42165	1	#Max	QAM64	19.75	0.42	20.17	30.00	PASS
Band42(3450-3550)	15	42165	36	#0	QAM64	18.59	0.42	19.01	30.00	PASS
Band42(3450-3550)	15	42165	36	#Mid	QAM64	18.63	0.42	19.05	30.00	PASS
Band42(3450-3550)	15	42165	36	#Max	QAM64	18.67	0.42	19.09	30.00	PASS
Band42(3450-3550)	15	42165	75	#0	QAM64	18.65	0.42	19.07	30.00	PASS
Band42(3450-3550)	15	42590	1	#0	QPSK	19.68	0.42	20.1	30.00	PASS
Band42(3450-3550)	15	42590	1	#Mid	QPSK	19.91	0.42	20.33	30.00	PASS
Band42(3450-3550)	15	42590	1	#Max	QPSK	19.95	0.42	20.37	30.00	PASS
Band42(3450-3550)	15	42590	36	#0	QPSK	18.75	0.42	19.17	30.00	PASS
Band42(3450-3550)	15	42590	36	#Mid	QPSK	18.80	0.42	19.22	30.00	PASS
Band42(3450-3550)	15	42590	36	#Max	QPSK	18.93	0.42	19.35	30.00	PASS
Band42(3450-3550)	15	42590	75	#0	QPSK	18.85	0.42	19.27	30.00	PASS
Band42(3450-3550)	15	42590	1	#0	QAM64	19.69	0.42	20.11	30.00	PASS
Band42(3450-3550)	15	42590	1	#Mid	QAM64	19.90	0.42	20.32	30.00	PASS
Band42(3450-3550)	15	42590	1	#Max	QAM64	19.97	0.42	20.39	30.00	PASS
Band42(3450-3550)	15	42590	36	#0	QAM64	18.74	0.42	19.16	30.00	PASS
Band42(3450-3550)	15	42590	36	#Mid	QAM64	18.81	0.42	19.23	30.00	PASS
Band42(3450-3550)	15	42590	36	#Max	QAM64	18.94	0.42	19.36	30.00	PASS
Band42(3450-3550)	15	42590	75	#0	QAM64	18.87	0.42	19.29	30.00	PASS
Band42(3450-3550)	15	43015	1	#0	QPSK	20.09	0.42	20.51	30.00	PASS
Band42(3450-3550)	15	43015	1	#Mid	QPSK	20.12	0.42	20.54	30.00	PASS
Band42(3450-3550)	15	43015	1	#Max	QPSK	20.27	0.42	20.69	30.00	PASS
Band42(3450-3550)	15	43015	36	#0	QPSK	19.03	0.42	19.45	30.00	PASS
Band42(3450-3550)	15	43015	36	#Mid	QPSK	19.00	0.42	19.42	30.00	PASS
Band42(3450-3550)	15	43015	36	#Max	QPSK	19.07	0.42	19.49	30.00	PASS
Band42(3450-3550)	15	43015	75	#0	QPSK	19.02	0.42	19.44	30.00	PASS
Band42(3450-3550)	15	43015	1	#0	QAM64	20.12	0.42	20.54	30.00	PASS
Band42(3450-3550)	15	43015	1	#Mid	QAM64	20.14	0.42	20.56	30.00	PASS
Band42(3450-3550)	15	43015	1	#Max	QAM64	20.27	0.42	20.69	30.00	PASS
Band42(3450-3550)	15	43015	36	#0	QAM64	19.03	0.42	19.45	30.00	PASS
Band42(3450-3550)	15	43015	36	#Mid	QAM64	19.02	0.42	19.44	30.00	PASS
Band42(3450-3550)	15	43015	36	#Max	QAM64	19.08	0.42	19.5	30.00	PASS

Band42(3450-3550)	15	43015	75	#0	QAM64	19.03	0.42	19.45	30.00	PASS
Band42(3450-3550)	20	42190	1	#0	QPSK	19.61	0.42	20.03	30.00	PASS
Band42(3450-3550)	20	42190	1	#Mid	QPSK	19.66	0.42	20.08	30.00	PASS
Band42(3450-3550)	20	42190	1	#Max	QPSK	19.74	0.42	20.16	30.00	PASS
Band42(3450-3550)	20	42190	50	#0	QPSK	18.65	0.42	19.07	30.00	PASS
Band42(3450-3550)	20	42190	50	#Mid	QPSK	18.71	0.42	19.13	30.00	PASS
Band42(3450-3550)	20	42190	50	#Max	QPSK	18.76	0.42	19.18	30.00	PASS
Band42(3450-3550)	20	42190	100	#0	QPSK	18.71	0.42	19.13	30.00	PASS
Band42(3450-3550)	20	42190	1	#0	QAM64	19.60	0.42	20.02	30.00	PASS
Band42(3450-3550)	20	42190	1	#Mid	QAM64	19.66	0.42	20.08	30.00	PASS
Band42(3450-3550)	20	42190	1	#Max	QAM64	19.74	0.42	20.16	30.00	PASS
Band42(3450-3550)	20	42190	50	#0	QAM64	18.65	0.42	19.07	30.00	PASS
Band42(3450-3550)	20	42190	50	#Mid	QAM64	18.70	0.42	19.12	30.00	PASS
Band42(3450-3550)	20	42190	50	#Max	QAM64	18.75	0.42	19.17	30.00	PASS
Band42(3450-3550)	20	42190	100	#0	QAM64	18.73	0.42	19.15	30.00	PASS
Band42(3450-3550)	20	42590	1	#0	QPSK	19.65	0.42	20.07	30.00	PASS
Band42(3450-3550)	20	42590	1	#Mid	QPSK	19.92	0.42	20.34	30.00	PASS
Band42(3450-3550)	20	42590	1	#Max	QPSK	19.98	0.42	20.4	30.00	PASS
Band42(3450-3550)	20	42590	50	#0	QPSK	18.73	0.42	19.15	30.00	PASS
Band42(3450-3550)	20	42590	50	#Mid	QPSK	18.90	0.42	19.32	30.00	PASS
Band42(3450-3550)	20	42590	50	#Max	QPSK	18.96	0.42	19.38	30.00	PASS
Band42(3450-3550)	20	42590	100	#0	QPSK	18.82	0.42	19.24	30.00	PASS
Band42(3450-3550)	20	42590	1	#0	QAM64	19.68	0.42	20.1	30.00	PASS
Band42(3450-3550)	20	42590	1	#Mid	QAM64	19.92	0.42	20.34	30.00	PASS
Band42(3450-3550)	20	42590	1	#Max	QAM64	20.02	0.42	20.44	30.00	PASS
Band42(3450-3550)	20	42590	50	#0	QAM64	18.75	0.42	19.17	30.00	PASS
Band42(3450-3550)	20	42590	50	#Mid	QAM64	18.89	0.42	19.31	30.00	PASS
Band42(3450-3550)	20	42590	50	#Max	QAM64	18.96	0.42	19.38	30.00	PASS
Band42(3450-3550)	20	42590	100	#0	QAM64	18.85	0.42	19.27	30.00	PASS
Band42(3450-3550)	20	42990	1	#0	QPSK	19.91	0.42	20.33	30.00	PASS
Band42(3450-3550)	20	42990	1	#Mid	QPSK	19.95	0.42	20.37	30.00	PASS
Band42(3450-3550)	20	42990	1	#Max	QPSK	20.07	0.42	20.49	30.00	PASS
Band42(3450-3550)	20	42990	50	#0	QPSK	18.97	0.42	19.39	30.00	PASS
Band42(3450-3550)	20	42990	50	#Mid	QPSK	19.01	0.42	19.43	30.00	PASS
Band42(3450-3550)	20	42990	50	#Max	QPSK	19.05	0.42	19.47	30.00	PASS
Band42(3450-3550)	20	42990	100	#0	QPSK	19.02	0.42	19.44	30.00	PASS
Band42(3450-3550)	20	42990	1	#0	QAM64	19.93	0.42	20.35	30.00	PASS
Band42(3450-3550)	20	42990	1	#Mid	QAM64	19.96	0.42	20.38	30.00	PASS
Band42(3450-3550)	20	42990	1	#Max	QAM64	20.09	0.42	20.51	30.00	PASS
Band42(3450-3550)	20	42990	50	#0	QAM64	18.96	0.42	19.38	30.00	PASS
Band42(3450-3550)	20	42990	50	#Mid	QAM64	19.02	0.42	19.44	30.00	PASS
Band42(3450-3550)	20	42990	50	#Max	QAM64	19.05	0.42	19.47	30.00	PASS
Band42(3450-3550)	20	42990	100	#0	QAM64	19.01	0.42	19.43	30.00	PASS

Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band42(3450-3550)	20	42190	100	#0	QPSK	-4.89	-0.001	-2.5	2.5	PASS
Band42(3450-3550)	20	42190	100	#0	QAM64	-2.86	-0.001	-2.5	2.5	PASS
Band42(3450-3550)	20	42590	100	#0	QPSK	-2.70	-0.001	-2.5	2.5	PASS
Band42(3450-3550)	20	42590	100	#0	QAM64	-4.07	-0.001	-2.5	2.5	PASS
Band42(3450-3550)	20	42990	100	#0	QPSK	-3.36	-0.001	-2.5	2.5	PASS
Band42(3450-3550)	20	42990	100	#0	QAM64	-3.66	-0.001	-2.5	2.5	PASS

Peak-to-Average Ratio


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
Band42(3450-3550)	5	42590	1	#0	QPSK	8.71	13	PASS
Band42(3450-3550)	5	42590	1	#0	QAM64	9.55	13	PASS
Band42(3450-3550)	10	42590	1	#0	QPSK	8.77	13	PASS
Band42(3450-3550)	10	42590	1	#0	QAM64	8.59	13	PASS
Band42(3450-3550)	15	42590	1	#0	QPSK	8.10	13	PASS
Band42(3450-3550)	15	42590	1	#0	QAM64	8.05	13	PASS
Band42(3450-3550)	20	42590	1	#0	QPSK	8.39	13	PASS
Band42(3450-3550)	20	42590	1	#0	QAM64	9.02	13	PASS



Band42(3450-3550) QAM64 BW=10MHz Channel=42590 RB Size=1 Position=#0




Band42(3450-3550) QAM64 BW=15MHz Channel=42590 RB Size=1 Position=#0



Band42(3450-3550) QAM64 BW=20MHz Channel=42590 RB Size=1 Position=#0



Band42(3450-3550) QAM64 BW=5MHz Channel=42590 RB Size=1 Position=#0



Band42(3450-3550) QPSK BW=10MHz Channel=42590 RB Size=1 Position=#0



Band42(3450-3550) QPSK BW=15MHz Channel=42590 RB Size=1 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42590 RB Size=1 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=42590 RB Size=1 Position=#0

Occupied bandwidth


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band42(3450-3550)	5	42115	25	#0	QPSK	4.488	4.867	PASS
Band42(3450-3550)	5	42115	25	#0	QAM64	4.512	4.779	PASS
Band42(3450-3550)	5	42590	25	#0	QPSK	4.451	5.120	PASS
Band42(3450-3550)	5	42590	25	#0	QAM64	4.481	4.883	PASS
Band42(3450-3550)	5	43065	25	#0	QPSK	4.462	4.800	PASS
Band42(3450-3550)	5	43065	25	#0	QAM64	4.505	4.748	PASS
Band42(3450-3550)	10	42140	50	#0	QPSK	8.983	9.615	PASS
Band42(3450-3550)	10	42140	50	#0	QAM64	8.933	9.439	PASS
Band42(3450-3550)	10	42590	50	#0	QPSK	9.015	9.416	PASS
Band42(3450-3550)	10	42590	50	#0	QAM64	8.915	9.597	PASS
Band42(3450-3550)	10	43040	50	#0	QPSK	8.979	9.446	PASS
Band42(3450-3550)	10	43040	50	#0	QAM64	8.921	9.438	PASS
Band42(3450-3550)	15	42165	75	#0	QPSK	13.501	14.112	PASS
Band42(3450-3550)	15	42165	75	#0	QAM64	13.433	14.345	PASS
Band42(3450-3550)	15	42590	75	#0	QPSK	13.538	14.139	PASS
Band42(3450-3550)	15	42590	75	#0	QAM64	13.438	14.304	PASS
Band42(3450-3550)	15	43015	75	#0	QPSK	13.433	14.394	PASS
Band42(3450-3550)	15	43015	75	#0	QAM64	13.470	14.260	PASS
Band42(3450-3550)	20	42190	100	#0	QPSK	17.940	19.125	PASS
Band42(3450-3550)	20	42190	100	#0	QAM64	18.020	20.052	PASS
Band42(3450-3550)	20	42590	100	#0	QPSK	17.899	18.923	PASS
Band42(3450-3550)	20	42590	100	#0	QAM64	18.032	18.913	PASS
Band42(3450-3550)	20	42990	100	#0	QPSK	17.950	19.174	PASS
Band42(3450-3550)	20	42990	100	#0	QAM64	18.021	18.848	PASS




Band42(3450-3550) QAM64 BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QAM64 BW=10MHz Channel=42590 RB Size=50 Position=#0




Band42(3450-3550) QAM64 BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QAM64 BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QAM64 BW=15MHz Channel=42590 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=42115 RB Size=25 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42990 RB Size=100 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42590 RB Size=100 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42190 RB Size=100 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=43015 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=42590 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QAM64 BW=5MHz Channel=43065 RB Size=25 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=42590 RB Size=25 Position=#0




Band42(3450-3550) QAM64 BW=5MHz Channel=42590 RB Size=25 Position=#0




Band42(3450-3550) QAM64 BW=5MHz Channel=42115 RB Size=25 Position=#0




Band42(3450-3550) QAM64 BW=20MHz Channel=42990 RB Size=100 Position=#0




Band42(3450-3550) QAM64 BW=20MHz Channel=42590 RB Size=100 Position=#0




Band42(3450-3550) QAM64 BW=20MHz Channel=42190 RB Size=100 Position=#0



Band42(3450-3550) QAM64 BW=15MHz Channel=43015 RB Size=75 Position=#0



Band42(3450-3550) QPSK BW=10MHz Channel=42590 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=43065 RB Size=25 Position=#0

Band edge


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band42(3450-3550)	5	42115	25	#0	QPSK	3449.94	-30.14	-13	PASS
Band42(3450-3550)	5	42115	25	#0	QAM64	3449.88	-31.38	-13	PASS
Band42(3450-3550)	5	43065	25	#0	QPSK	3550.32	-33.22	-13	PASS
Band42(3450-3550)	5	43065	25	#0	QAM64	3550.16	-30.94	-13	PASS
Band42(3450-3550)	10	42140	50	#0	QPSK	3449.92	-34.67	-13	PASS
Band42(3450-3550)	10	42140	50	#0	QAM64	3449.90	-34.65	-13	PASS
Band42(3450-3550)	10	43040	50	#0	QPSK	3552.70	-36.81	-13	PASS
Band42(3450-3550)	10	43040	50	#0	QAM64	3550.00	-36.23	-13	PASS
Band42(3450-3550)	15	42165	75	#0	QPSK	3449.94	-37.26	-13	PASS
Band42(3450-3550)	15	42165	75	#0	QAM64	3447.81	-35.88	-13	PASS
Band42(3450-3550)	15	43015	75	#0	QPSK	3554.38	-36.33	-13	PASS
Band42(3450-3550)	15	43015	75	#0	QAM64	3552.82	-35.31	-13	PASS
Band42(3450-3550)	20	42190	100	#0	QPSK	3449.36	-36.66	-13	PASS
Band42(3450-3550)	20	42190	100	#0	QAM64	3449.80	-37.80	-13	PASS
Band42(3450-3550)	20	42990	100	#0	QPSK	3550.68	-39.92	-13	PASS
Band42(3450-3550)	20	42990	100	#0	QAM64	3551.52	-40.47	-13	PASS



Band42(3450-3550) QAM64 BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QAM64 BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QAM64 BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QAM64 BW=15MHz Channel=43015 RB Size=75 Position=#0



Band42(3450-3550) QAM64 BW=20MHz Channel=42190 RB Size=100 Position=#0




Band42(3450-3550) QAM64 BW=20MHz Channel=42990 RB Size=100 Position=#0




Band42(3450-3550) QAM64 BW=5MHz Channel=42115 RB Size=25 Position=#0




Band42(3450-3550) QAM64 BW=5MHz Channel=43065 RB Size=25 Position=#0



Band42(3450-3550) QPSK BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=43015 RB Size=75 Position=#0



Band42(3450-3550) QPSK BW=20MHz Channel=42190 RB Size=100 Position=#0



Band42(3450-3550) QPSK BW=20MHz Channel=42990 RB Size=100 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=42115 RB Size=25 Position=#0




Band42(3450-3550) QPSK BW=5MHz Channel=43065 RB Size=25 Position=#0

Out-of-band emissions


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band42(3450-3550)	5	42115	25	#0	QPSK	6902.65	-37.47	-13	PASS
Band42(3450-3550)	5	42115	25	#0	QAM64	3761.43	-37.33	-13	PASS
Band42(3450-3550)	5	43065	25	#0	QPSK	4729.83	-38.48	-13	PASS
Band42(3450-3550)	5	43065	25	#0	QAM64	3677.95	-38.89	-13	PASS
Band42(3450-3550)	10	42140	50	#0	QPSK	3795.85	-37.77	-13	PASS
Band42(3450-3550)	10	42140	50	#0	QAM64	3888.55	-38.40	-13	PASS
Band42(3450-3550)	10	43040	50	#0	QPSK	3839.73	-38.62	-13	PASS
Band42(3450-3550)	10	43040	50	#0	QAM64	3794.05	-38.59	-13	PASS
Band42(3450-3550)	15	42165	75	#0	QPSK	3664.68	-38.86	-13	PASS
Band42(3450-3550)	15	42165	75	#0	QAM64	3804.63	-38.67	-13	PASS
Band42(3450-3550)	15	43015	75	#0	QPSK	3791.35	-37.87	-13	PASS
Band42(3450-3550)	15	43015	75	#0	QAM64	3782.58	-38.75	-13	PASS
Band42(3450-3550)	20	42190	100	#0	QPSK	3826.45	-38.73	-13	PASS
Band42(3450-3550)	20	42190	100	#0	QAM64	4721.95	-37.87	-13	PASS
Band42(3450-3550)	20	42990	100	#0	QPSK	5054.50	-38.30	-13	PASS
Band42(3450-3550)	20	42990	100	#0	QAM64	3798.78	-38.88	-13	PASS




Band42(3450-3550) QAM64 BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QAM64 BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QAM64 BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QAM64 BW=15MHz Channel=43015 RB Size=75 Position=#0




Band42(3450-3550) QAM64 BW=20MHz Channel=42190 RB Size=100 Position=#0




Band42(3450-3550) QAM64 BW=20MHz Channel=42990 RB Size=100 Position=#0




Band42(3450-3550) QAM64 BW=5MHz Channel=42115 RB Size=25 Position=#0




Band42(3450-3550) QAM64 BW=5MHz Channel=43065 RB Size=25 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=42140 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=10MHz Channel=43040 RB Size=50 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=42165 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=15MHz Channel=43015 RB Size=75 Position=#0




Band42(3450-3550) QPSK BW=20MHz Channel=42190 RB Size=100 Position=#0



Band42(3450-3550) QPSK BW=20MHz Channel=42990 RB Size=100 Position=#0



Band42(3450-3550) QPSK BW=5MHz Channel=42115 RB Size=25 Position=#0



Band42(3450-3550) QPSK BW=5MHz Channel=43065 RB Size=25 Position=#0

