

目录

<i>Conducted output power</i>	2
<i>Frequency stability</i>	8
<i>Peak-to-Average Ratio</i>	9
<i>Occupied bandwidth</i>	17
<i>Band edge</i>	25
<i>Out-of-band emissions</i>	39

Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band66	1.4	131979	1	#0	QPSK	23.48	1.7	25.18	30.00	PASS
Band66	1.4	131979	1	#Mid	QPSK	23.49	1.7	25.19	30.00	PASS
Band66	1.4	131979	1	#Max	QPSK	23.49	1.7	25.19	30.00	PASS
Band66	1.4	131979	3	#0	QPSK	23.41	1.7	25.11	30.00	PASS
Band66	1.4	131979	3	#Mid	QPSK	23.42	1.7	25.12	30.00	PASS
Band66	1.4	131979	3	#Max	QPSK	23.44	1.7	25.14	30.00	PASS
Band66	1.4	131979	6	#0	QPSK	22.42	1.7	24.12	30.00	PASS
Band66	1.4	131979	1	#0	64QAM	23.49	1.7	25.19	30.00	PASS
Band66	1.4	131979	1	#Mid	64QAM	23.51	1.7	25.21	30.00	PASS
Band66	1.4	131979	1	#Max	64QAM	23.50	1.7	25.2	30.00	PASS
Band66	1.4	131979	3	#0	64QAM	23.41	1.7	25.11	30.00	PASS
Band66	1.4	131979	3	#Mid	64QAM	23.41	1.7	25.11	30.00	PASS
Band66	1.4	131979	3	#Max	64QAM	23.47	1.7	25.17	30.00	PASS
Band66	1.4	131979	6	#0	64QAM	22.43	1.7	24.13	30.00	PASS
Band66	1.4	132322	1	#0	QPSK	23.44	1.7	25.14	30.00	PASS
Band66	1.4	132322	1	#Mid	QPSK	23.48	1.7	25.18	30.00	PASS
Band66	1.4	132322	1	#Max	QPSK	23.44	1.7	25.14	30.00	PASS
Band66	1.4	132322	3	#0	QPSK	23.46	1.7	25.16	30.00	PASS
Band66	1.4	132322	3	#Mid	QPSK	23.45	1.7	25.15	30.00	PASS
Band66	1.4	132322	3	#Max	QPSK	23.48	1.7	25.18	30.00	PASS
Band66	1.4	132322	6	#0	QPSK	22.48	1.7	24.18	30.00	PASS
Band66	1.4	132322	1	#0	64QAM	23.44	1.7	25.14	30.00	PASS
Band66	1.4	132322	1	#Mid	64QAM	23.46	1.7	25.16	30.00	PASS
Band66	1.4	132322	1	#Max	64QAM	23.44	1.7	25.14	30.00	PASS
Band66	1.4	132322	3	#0	64QAM	23.46	1.7	25.16	30.00	PASS
Band66	1.4	132322	3	#Mid	64QAM	23.45	1.7	25.15	30.00	PASS
Band66	1.4	132322	3	#Max	64QAM	23.48	1.7	25.18	30.00	PASS
Band66	1.4	132322	6	#0	64QAM	22.50	1.7	24.2	30.00	PASS
Band66	1.4	132665	1	#0	QPSK	23.36	1.7	25.06	30.00	PASS
Band66	1.4	132665	1	#Mid	QPSK	23.36	1.7	25.06	30.00	PASS
Band66	1.4	132665	1	#Max	QPSK	23.34	1.7	25.04	30.00	PASS
Band66	1.4	132665	3	#0	QPSK	23.36	1.7	25.06	30.00	PASS
Band66	1.4	132665	3	#Mid	QPSK	23.32	1.7	25.02	30.00	PASS
Band66	1.4	132665	3	#Max	QPSK	23.32	1.7	25.02	30.00	PASS
Band66	1.4	132665	6	#0	QPSK	22.35	1.7	24.05	30.00	PASS
Band66	1.4	132665	1	#0	64QAM	23.35	1.7	25.05	30.00	PASS
Band66	1.4	132665	1	#Mid	64QAM	23.35	1.7	25.05	30.00	PASS

Band66	1.4	132665	1	#Max	64QAM	23.33	1.7	25.03	30.00	PASS
Band66	1.4	132665	3	#0	64QAM	23.35	1.7	25.05	30.00	PASS
Band66	1.4	132665	3	#Mid	64QAM	23.33	1.7	25.03	30.00	PASS
Band66	1.4	132665	3	#Max	64QAM	23.31	1.7	25.01	30.00	PASS
Band66	1.4	132665	6	#0	64QAM	22.35	1.7	24.05	30.00	PASS
Band66	3	131987	1	#0	QPSK	23.48	1.7	25.18	30.00	PASS
Band66	3	131987	1	#Mid	QPSK	23.49	1.7	25.19	30.00	PASS
Band66	3	131987	1	#Max	QPSK	23.45	1.7	25.15	30.00	PASS
Band66	3	131987	8	#0	QPSK	22.45	1.7	24.15	30.00	PASS
Band66	3	131987	8	#Mid	QPSK	22.45	1.7	24.15	30.00	PASS
Band66	3	131987	8	#Max	QPSK	22.46	1.7	24.16	30.00	PASS
Band66	3	131987	15	#0	QPSK	22.45	1.7	24.15	30.00	PASS
Band66	3	131987	1	#0	64QAM	23.50	1.7	25.2	30.00	PASS
Band66	3	131987	1	#Mid	64QAM	23.45	1.7	25.15	30.00	PASS
Band66	3	131987	1	#Max	64QAM	23.45	1.7	25.15	30.00	PASS
Band66	3	131987	8	#0	64QAM	22.44	1.7	24.14	30.00	PASS
Band66	3	131987	8	#Mid	64QAM	22.43	1.7	24.13	30.00	PASS
Band66	3	131987	8	#Max	64QAM	22.45	1.7	24.15	30.00	PASS
Band66	3	131987	15	#0	64QAM	22.46	1.7	24.16	30.00	PASS
Band66	3	132322	1	#0	QPSK	23.46	1.7	25.16	30.00	PASS
Band66	3	132322	1	#Mid	QPSK	23.49	1.7	25.19	30.00	PASS
Band66	3	132322	1	#Max	QPSK	23.47	1.7	25.17	30.00	PASS
Band66	3	132322	8	#0	QPSK	22.50	1.7	24.2	30.00	PASS
Band66	3	132322	8	#Mid	QPSK	22.48	1.7	24.18	30.00	PASS
Band66	3	132322	8	#Max	QPSK	22.49	1.7	24.19	30.00	PASS
Band66	3	132322	15	#0	QPSK	22.49	1.7	24.19	30.00	PASS
Band66	3	132322	1	#0	64QAM	23.44	1.7	25.14	30.00	PASS
Band66	3	132322	1	#Mid	64QAM	23.46	1.7	25.16	30.00	PASS
Band66	3	132322	1	#Max	64QAM	23.46	1.7	25.16	30.00	PASS
Band66	3	132322	8	#0	64QAM	22.47	1.7	24.17	30.00	PASS
Band66	3	132322	8	#Mid	64QAM	22.49	1.7	24.19	30.00	PASS
Band66	3	132322	8	#Max	64QAM	22.47	1.7	24.17	30.00	PASS
Band66	3	132322	15	#0	64QAM	22.49	1.7	24.19	30.00	PASS
Band66	3	132657	1	#0	QPSK	23.36	1.7	25.06	30.00	PASS
Band66	3	132657	1	#Mid	QPSK	23.40	1.7	25.1	30.00	PASS
Band66	3	132657	1	#Max	QPSK	23.37	1.7	25.07	30.00	PASS
Band66	3	132657	8	#0	QPSK	22.35	1.7	24.05	30.00	PASS
Band66	3	132657	8	#Mid	QPSK	22.30	1.7	24	30.00	PASS
Band66	3	132657	8	#Max	QPSK	22.33	1.7	24.03	30.00	PASS
Band66	3	132657	15	#0	QPSK	22.37	1.7	24.07	30.00	PASS
Band66	3	132657	1	#0	64QAM	23.35	1.7	25.05	30.00	PASS
Band66	3	132657	1	#Mid	64QAM	23.41	1.7	25.11	30.00	PASS
Band66	3	132657	1	#Max	64QAM	23.38	1.7	25.08	30.00	PASS
Band66	3	132657	8	#0	64QAM	22.34	1.7	24.04	30.00	PASS

Band66	3	132657	8	#Mid	64QAM	22.32	1.7	24.02	30.00	PASS
Band66	3	132657	8	#Max	64QAM	22.34	1.7	24.04	30.00	PASS
Band66	3	132657	15	#0	64QAM	22.33	1.7	24.03	30.00	PASS
Band66	5	131997	1	#0	QPSK	23.60	1.7	25.3	30.00	PASS
Band66	5	131997	1	#Mid	QPSK	23.63	1.7	25.33	30.00	PASS
Band66	5	131997	1	#Max	QPSK	23.64	1.7	25.34	30.00	PASS
Band66	5	131997	12	#0	QPSK	22.51	1.7	24.21	30.00	PASS
Band66	5	131997	12	#Mid	QPSK	22.51	1.7	24.21	30.00	PASS
Band66	5	131997	12	#Max	QPSK	22.52	1.7	24.22	30.00	PASS
Band66	5	131997	25	#0	QPSK	22.56	1.7	24.26	30.00	PASS
Band66	5	131997	1	#0	64QAM	23.60	1.7	25.3	30.00	PASS
Band66	5	131997	1	#Mid	64QAM	23.66	1.7	25.36	30.00	PASS
Band66	5	131997	1	#Max	64QAM	23.62	1.7	25.32	30.00	PASS
Band66	5	131997	12	#0	64QAM	22.51	1.7	24.21	30.00	PASS
Band66	5	131997	12	#Mid	64QAM	22.52	1.7	24.22	30.00	PASS
Band66	5	131997	12	#Max	64QAM	22.53	1.7	24.23	30.00	PASS
Band66	5	131997	25	#0	64QAM	22.55	1.7	24.25	30.00	PASS
Band66	5	132322	1	#0	QPSK	23.60	1.7	25.3	30.00	PASS
Band66	5	132322	1	#Mid	QPSK	23.60	1.7	25.3	30.00	PASS
Band66	5	132322	1	#Max	QPSK	23.63	1.7	25.33	30.00	PASS
Band66	5	132322	12	#0	QPSK	22.52	1.7	24.22	30.00	PASS
Band66	5	132322	12	#Mid	QPSK	22.51	1.7	24.21	30.00	PASS
Band66	5	132322	12	#Max	QPSK	22.52	1.7	24.22	30.00	PASS
Band66	5	132322	25	#0	QPSK	22.56	1.7	24.26	30.00	PASS
Band66	5	132322	1	#0	64QAM	23.52	1.7	25.22	30.00	PASS
Band66	5	132322	1	#Mid	64QAM	23.63	1.7	25.33	30.00	PASS
Band66	5	132322	1	#Max	64QAM	23.67	1.7	25.37	30.00	PASS
Band66	5	132322	12	#0	64QAM	22.51	1.7	24.21	30.00	PASS
Band66	5	132322	12	#Mid	64QAM	22.50	1.7	24.2	30.00	PASS
Band66	5	132322	12	#Max	64QAM	22.51	1.7	24.21	30.00	PASS
Band66	5	132322	25	#0	64QAM	22.55	1.7	24.25	30.00	PASS
Band66	5	132647	1	#0	QPSK	23.43	1.7	25.13	30.00	PASS
Band66	5	132647	1	#Mid	QPSK	23.47	1.7	25.17	30.00	PASS
Band66	5	132647	1	#Max	QPSK	23.37	1.7	25.07	30.00	PASS
Band66	5	132647	12	#0	QPSK	22.41	1.7	24.11	30.00	PASS
Band66	5	132647	12	#Mid	QPSK	22.38	1.7	24.08	30.00	PASS
Band66	5	132647	12	#Max	QPSK	22.38	1.7	24.08	30.00	PASS
Band66	5	132647	25	#0	QPSK	22.44	1.7	24.14	30.00	PASS
Band66	5	132647	1	#0	64QAM	23.42	1.7	25.12	30.00	PASS
Band66	5	132647	1	#Mid	64QAM	23.40	1.7	25.1	30.00	PASS
Band66	5	132647	1	#Max	64QAM	23.37	1.7	25.07	30.00	PASS
Band66	5	132647	12	#0	64QAM	22.42	1.7	24.12	30.00	PASS
Band66	5	132647	12	#Mid	64QAM	22.37	1.7	24.07	30.00	PASS
Band66	5	132647	12	#Max	64QAM	22.39	1.7	24.09	30.00	PASS

Band66	5	132647	25	#0	64QAM	22.42	1.7	24.12	30.00	PASS
Band66	10	132022	1	#0	QPSK	23.57	1.7	25.27	30.00	PASS
Band66	10	132022	1	#Mid	QPSK	23.51	1.7	25.21	30.00	PASS
Band66	10	132022	1	#Max	QPSK	23.54	1.7	25.24	30.00	PASS
Band66	10	132022	25	#0	QPSK	22.51	1.7	24.21	30.00	PASS
Band66	10	132022	25	#Mid	QPSK	22.51	1.7	24.21	30.00	PASS
Band66	10	132022	25	#Max	QPSK	22.55	1.7	24.25	30.00	PASS
Band66	10	132022	50	#0	QPSK	22.52	1.7	24.22	30.00	PASS
Band66	10	132022	1	#0	64QAM	23.58	1.7	25.28	30.00	PASS
Band66	10	132022	1	#Mid	64QAM	23.54	1.7	25.24	30.00	PASS
Band66	10	132022	1	#Max	64QAM	23.55	1.7	25.25	30.00	PASS
Band66	10	132022	25	#0	64QAM	22.51	1.7	24.21	30.00	PASS
Band66	10	132022	25	#Mid	64QAM	22.50	1.7	24.2	30.00	PASS
Band66	10	132022	25	#Max	64QAM	22.55	1.7	24.25	30.00	PASS
Band66	10	132022	50	#0	64QAM	22.53	1.7	24.23	30.00	PASS
Band66	10	132322	1	#0	QPSK	23.52	1.7	25.22	30.00	PASS
Band66	10	132322	1	#Mid	QPSK	23.48	1.7	25.18	30.00	PASS
Band66	10	132322	1	#Max	QPSK	23.56	1.7	25.26	30.00	PASS
Band66	10	132322	25	#0	QPSK	22.52	1.7	24.22	30.00	PASS
Band66	10	132322	25	#Mid	QPSK	22.50	1.7	24.2	30.00	PASS
Band66	10	132322	25	#Max	QPSK	22.56	1.7	24.26	30.00	PASS
Band66	10	132322	50	#0	QPSK	22.55	1.7	24.25	30.00	PASS
Band66	10	132322	1	#0	64QAM	23.52	1.7	25.22	30.00	PASS
Band66	10	132322	1	#Mid	64QAM	23.49	1.7	25.19	30.00	PASS
Band66	10	132322	1	#Max	64QAM	23.57	1.7	25.27	30.00	PASS
Band66	10	132322	25	#0	64QAM	22.51	1.7	24.21	30.00	PASS
Band66	10	132322	25	#Mid	64QAM	22.53	1.7	24.23	30.00	PASS
Band66	10	132322	25	#Max	64QAM	22.55	1.7	24.25	30.00	PASS
Band66	10	132322	50	#0	64QAM	22.54	1.7	24.24	30.00	PASS
Band66	10	132622	1	#0	QPSK	23.50	1.7	25.2	30.00	PASS
Band66	10	132622	1	#Mid	QPSK	23.44	1.7	25.14	30.00	PASS
Band66	10	132622	1	#Max	QPSK	23.45	1.7	25.15	30.00	PASS
Band66	10	132622	25	#0	QPSK	22.43	1.7	24.13	30.00	PASS
Band66	10	132622	25	#Mid	QPSK	22.40	1.7	24.1	30.00	PASS
Band66	10	132622	25	#Max	QPSK	22.39	1.7	24.09	30.00	PASS
Band66	10	132622	50	#0	QPSK	22.40	1.7	24.1	30.00	PASS
Band66	10	132622	1	#0	64QAM	23.52	1.7	25.22	30.00	PASS
Band66	10	132622	1	#Mid	64QAM	23.46	1.7	25.16	30.00	PASS
Band66	10	132622	1	#Max	64QAM	23.48	1.7	25.18	30.00	PASS
Band66	10	132622	25	#0	64QAM	22.42	1.7	24.12	30.00	PASS
Band66	10	132622	25	#Mid	64QAM	22.40	1.7	24.1	30.00	PASS
Band66	10	132622	25	#Max	64QAM	22.39	1.7	24.09	30.00	PASS
Band66	10	132622	50	#0	64QAM	22.39	1.7	24.09	30.00	PASS
Band66	15	132047	1	#0	QPSK	23.54	1.7	25.24	30.00	PASS

Band66	15	132047	1	#Mid	QPSK	23.59	1.7	25.29	30.00	PASS
Band66	15	132047	1	#Max	QPSK	23.55	1.7	25.25	30.00	PASS
Band66	15	132047	36	#0	QPSK	22.53	1.7	24.23	30.00	PASS
Band66	15	132047	36	#Mid	QPSK	22.51	1.7	24.21	30.00	PASS
Band66	15	132047	36	#Max	QPSK	22.54	1.7	24.24	30.00	PASS
Band66	15	132047	75	#0	QPSK	22.57	1.7	24.27	30.00	PASS
Band66	15	132047	1	#0	64QAM	23.56	1.7	25.26	30.00	PASS
Band66	15	132047	1	#Mid	64QAM	23.59	1.7	25.29	30.00	PASS
Band66	15	132047	1	#Max	64QAM	23.56	1.7	25.26	30.00	PASS
Band66	15	132047	36	#0	64QAM	22.53	1.7	24.23	30.00	PASS
Band66	15	132047	36	#Mid	64QAM	22.50	1.7	24.2	30.00	PASS
Band66	15	132047	36	#Max	64QAM	22.55	1.7	24.25	30.00	PASS
Band66	15	132047	75	#0	64QAM	22.57	1.7	24.27	30.00	PASS
Band66	15	132322	1	#0	QPSK	23.48	1.7	25.18	30.00	PASS
Band66	15	132322	1	#Mid	QPSK	23.56	1.7	25.26	30.00	PASS
Band66	15	132322	1	#Max	QPSK	23.60	1.7	25.3	30.00	PASS
Band66	15	132322	36	#0	QPSK	22.53	1.7	24.23	30.00	PASS
Band66	15	132322	36	#Mid	QPSK	22.53	1.7	24.23	30.00	PASS
Band66	15	132322	36	#Max	QPSK	22.57	1.7	24.27	30.00	PASS
Band66	15	132322	75	#0	QPSK	22.56	1.7	24.26	30.00	PASS
Band66	15	132322	1	#0	64QAM	23.53	1.7	25.23	30.00	PASS
Band66	15	132322	1	#Mid	64QAM	23.59	1.7	25.29	30.00	PASS
Band66	15	132322	1	#Max	64QAM	23.58	1.7	25.28	30.00	PASS
Band66	15	132322	36	#0	64QAM	22.54	1.7	24.24	30.00	PASS
Band66	15	132322	36	#Mid	64QAM	22.53	1.7	24.23	30.00	PASS
Band66	15	132322	36	#Max	64QAM	22.57	1.7	24.27	30.00	PASS
Band66	15	132322	75	#0	64QAM	22.55	1.7	24.25	30.00	PASS
Band66	15	132597	1	#0	QPSK	23.61	1.7	25.31	30.00	PASS
Band66	15	132597	1	#Mid	QPSK	23.56	1.7	25.26	30.00	PASS
Band66	15	132597	1	#Max	QPSK	23.47	1.7	25.17	30.00	PASS
Band66	15	132597	36	#0	QPSK	22.45	1.7	24.15	30.00	PASS
Band66	15	132597	36	#Mid	QPSK	22.44	1.7	24.14	30.00	PASS
Band66	15	132597	36	#Max	QPSK	22.44	1.7	24.14	30.00	PASS
Band66	15	132597	75	#0	QPSK	22.46	1.7	24.16	30.00	PASS
Band66	15	132597	1	#0	64QAM	23.62	1.7	25.32	30.00	PASS
Band66	15	132597	1	#Mid	64QAM	23.58	1.7	25.28	30.00	PASS
Band66	15	132597	1	#Max	64QAM	23.54	1.7	25.24	30.00	PASS
Band66	15	132597	36	#0	64QAM	22.44	1.7	24.14	30.00	PASS
Band66	15	132597	36	#Mid	64QAM	22.44	1.7	24.14	30.00	PASS
Band66	15	132597	36	#Max	64QAM	22.44	1.7	24.14	30.00	PASS
Band66	15	132597	75	#0	64QAM	22.46	1.7	24.16	30.00	PASS
Band66	20	132072	1	#0	QPSK	23.62	1.7	25.32	30.00	PASS
Band66	20	132072	1	#Mid	QPSK	23.58	1.7	25.28	30.00	PASS
Band66	20	132072	1	#Max	QPSK	23.58	1.7	25.28	30.00	PASS


Band66	20	132072	50	#0	QPSK	22.60	1.7	24.3	30.00	PASS
Band66	20	132072	50	#Mid	QPSK	22.60	1.7	24.3	30.00	PASS
Band66	20	132072	50	#Max	QPSK	22.61	1.7	24.31	30.00	PASS
Band66	20	132072	100	#0	QPSK	22.60	1.7	24.3	30.00	PASS
Band66	20	132072	1	#0	64QAM	23.59	1.7	25.29	30.00	PASS
Band66	20	132072	1	#Mid	64QAM	23.62	1.7	25.32	30.00	PASS
Band66	20	132072	1	#Max	64QAM	23.57	1.7	25.27	30.00	PASS
Band66	20	132072	50	#0	64QAM	22.62	1.7	24.32	30.00	PASS
Band66	20	132072	50	#Mid	64QAM	22.60	1.7	24.3	30.00	PASS
Band66	20	132072	50	#Max	64QAM	22.61	1.7	24.31	30.00	PASS
Band66	20	132072	100	#0	64QAM	22.60	1.7	24.3	30.00	PASS
Band66	20	132322	1	#0	QPSK	23.61	1.7	25.31	30.00	PASS
Band66	20	132322	1	#Mid	QPSK	23.66	1.7	25.36	30.00	PASS
Band66	20	132322	1	#Max	QPSK	23.71	1.7	25.41	30.00	PASS
Band66	20	132322	50	#0	QPSK	22.59	1.7	24.29	30.00	PASS
Band66	20	132322	50	#Mid	QPSK	22.62	1.7	24.32	30.00	PASS
Band66	20	132322	50	#Max	QPSK	22.63	1.7	24.33	30.00	PASS
Band66	20	132322	100	#0	QPSK	22.60	1.7	24.3	30.00	PASS
Band66	20	132322	1	#0	64QAM	23.61	1.7	25.31	30.00	PASS
Band66	20	132322	1	#Mid	64QAM	23.69	1.7	25.39	30.00	PASS
Band66	20	132322	1	#Max	64QAM	23.70	1.7	25.4	30.00	PASS
Band66	20	132322	50	#0	64QAM	22.59	1.7	24.29	30.00	PASS
Band66	20	132322	50	#Mid	64QAM	22.63	1.7	24.33	30.00	PASS
Band66	20	132322	50	#Max	64QAM	22.63	1.7	24.33	30.00	PASS
Band66	20	132322	100	#0	64QAM	22.61	1.7	24.31	30.00	PASS
Band66	20	132572	1	#0	QPSK	23.50	1.7	25.2	30.00	PASS
Band66	20	132572	1	#Mid	QPSK	23.46	1.7	25.16	30.00	PASS
Band66	20	132572	1	#Max	QPSK	23.38	1.7	25.08	30.00	PASS
Band66	20	132572	50	#0	QPSK	22.51	1.7	24.21	30.00	PASS
Band66	20	132572	50	#Mid	QPSK	22.51	1.7	24.21	30.00	PASS
Band66	20	132572	50	#Max	QPSK	22.45	1.7	24.15	30.00	PASS
Band66	20	132572	100	#0	QPSK	22.48	1.7	24.18	30.00	PASS
Band66	20	132572	1	#0	64QAM	23.52	1.7	25.22	30.00	PASS
Band66	20	132572	1	#Mid	64QAM	23.48	1.7	25.18	30.00	PASS
Band66	20	132572	1	#Max	64QAM	23.37	1.7	25.07	30.00	PASS
Band66	20	132572	50	#0	64QAM	22.52	1.7	24.22	30.00	PASS
Band66	20	132572	50	#Mid	64QAM	22.50	1.7	24.2	30.00	PASS
Band66	20	132572	50	#Max	64QAM	22.45	1.7	24.15	30.00	PASS
Band66	20	132572	100	#0	64QAM	22.49	1.7	24.19	30.00	PASS

Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band66	20	132072	100	#0	QPSK	-2.42	-0.001	-2.5	2.5	PASS
Band66	20	132072	100	#0	64QAM	-3.63	-0.002	-2.5	2.5	PASS
Band66	20	132322	100	#0	QPSK	-2.19	-0.001	-2.5	2.5	PASS
Band66	20	132322	100	#0	64QAM	-3.86	-0.002	-2.5	2.5	PASS
Band66	20	132572	100	#0	QPSK	-6.62	-0.004	-2.5	2.5	PASS
Band66	20	132572	100	#0	64QAM	-5.05	-0.003	-2.5	2.5	PASS

Peak-to-Average Ratio


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
Band66	1.4	132322	1	#0	QPSK	4.15	13	PASS
Band66	1.4	132322	1	#0	64QAM	4.19	13	PASS
Band66	3	132322	1	#0	QPSK	4.05	13	PASS
Band66	3	132322	1	#0	64QAM	4.04	13	PASS
Band66	5	132322	1	#0	QPSK	4.04	13	PASS
Band66	5	132322	1	#0	64QAM	4.05	13	PASS
Band66	10	132322	1	#0	QPSK	4.00	13	PASS
Band66	10	132322	1	#0	64QAM	4.02	13	PASS
Band66	15	132322	1	#0	QPSK	4.04	13	PASS
Band66	15	132322	1	#0	64QAM	4.00	13	PASS
Band66	20	132322	1	#0	QPSK	4.16	13	PASS
Band66	20	132322	1	#0	64QAM	4.08	13	PASS




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 64QAM BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 64QAM BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 64QAM BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 64QAM BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0



Band66 64QAM BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 64QAM BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0

Occupied bandwidth


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band66	1.4	132322	6	#0	QPSK	1.095	1.281	PASS
Band66	1.4	132322	6	#0	64QAM	1.096	1.303	PASS
Band66	3	132322	15	#0	QPSK	2.699	2.953	PASS
Band66	3	132322	15	#0	64QAM	2.702	2.950	PASS
Band66	5	132322	25	#0	QPSK	4.506	5.809	PASS
Band66	5	132322	25	#0	64QAM	4.518	4.907	PASS
Band66	10	132322	50	#0	QPSK	8.994	9.863	PASS
Band66	10	132322	50	#0	64QAM	9.002	9.747	PASS
Band66	15	132322	75	#0	QPSK	13.470	14.603	PASS
Band66	15	132322	75	#0	64QAM	13.463	14.693	PASS
Band66	20	132322	100	#0	QPSK	17.972	19.497	PASS
Band66	20	132322	100	#0	64QAM	17.994	19.432	PASS




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 64QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 64QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 64QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 64QAM BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0



Band66 64QAM BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 64QAM BW=20MHz Channel=132322 RB Size=100 Position=#0

Band edge


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	1710.00	-31.72	-13	PASS
Band66	1.4	131979	6	#0	64QAM	1710.00	-31.66	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.00	-30.72	-13	PASS
Band66	1.4	132665	6	#0	64QAM	1780.00	-30.72	-13	PASS
Band66	3	131987	15	#0	QPSK	1710.00	-32.03	-13	PASS
Band66	3	131987	15	#0	64QAM	1710.00	-31.12	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-32.15	-13	PASS
Band66	3	132657	15	#0	64QAM	1780.00	-32.52	-13	PASS
Band66	5	131997	25	#0	QPSK	1709.98	-32.04	-13	PASS
Band66	5	131997	25	#0	64QAM	1709.98	-30.03	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.00	-30.57	-13	PASS
Band66	5	132647	25	#0	64QAM	1780.00	-31.31	-13	PASS
Band66	10	132022	50	#0	QPSK	1710.00	-35.58	-13	PASS
Band66	10	132022	50	#0	64QAM	1710.00	-34.59	-13	PASS
Band66	10	132622	50	#0	QPSK	1780.08	-37.07	-13	PASS
Band66	10	132622	50	#0	64QAM	1780.00	-35.47	-13	PASS
Band66	15	132047	75	#0	QPSK	1710.00	-37.25	-13	PASS
Band66	15	132047	75	#0	64QAM	1710.00	-37.68	-13	PASS
Band66	15	132597	75	#0	QPSK	1780.09	-36.28	-13	PASS
Band66	15	132597	75	#0	64QAM	1780.09	-36.69	-13	PASS
Band66	20	132072	100	#0	QPSK	1710.00	-39.31	-13	PASS
Band66	20	132072	100	#0	64QAM	1709.96	-37.40	-13	PASS
Band66	20	132572	100	#0	QPSK	1780.08	-37.96	-13	PASS
Band66	20	132572	100	#0	64QAM	1780.00	-38.89	-13	PASS




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 64QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0



Band66 64QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 64QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 64QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 64QAM BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 64QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 64QAM BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 64QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 64QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 64QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 64QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 64QAM BW=20MHz Channel=132572 RB Size=100 Position=#0


Out-of-band emissions

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	3801.55	-39.41	-13	PASS
Band66	1.4	131979	6	#0	64QAM	3807.73	-39.55	-13	PASS
Band66	1.4	132665	6	#0	QPSK	3558.83	-39.77	-13	PASS
Band66	1.4	132665	6	#0	64QAM	3558.35	-39.93	-13	PASS
Band66	3	131987	15	#0	QPSK	3674.73	-40.22	-13	PASS
Band66	3	131987	15	#0	64QAM	3782.08	-40.28	-13	PASS
Band66	3	132657	15	#0	QPSK	3823.40	-40.55	-13	PASS
Band66	3	132657	15	#0	64QAM	18508.50	-40.79	-13	PASS
Band66	5	131997	25	#0	QPSK	19617.15	-41.03	-13	PASS
Band66	5	131997	25	#0	64QAM	18535.58	-40.69	-13	PASS
Band66	5	132647	25	#0	QPSK	3811.05	-40.79	-13	PASS
Band66	5	132647	25	#0	64QAM	18812.50	-40.14	-13	PASS
Band66	10	132022	50	#0	QPSK	3831.95	-40.55	-13	PASS
Band66	10	132022	50	#0	64QAM	3835.75	-40.91	-13	PASS
Band66	10	132622	50	#0	QPSK	3810.58	-40.57	-13	PASS
Band66	10	132622	50	#0	64QAM	3843.35	-40.74	-13	PASS
Band66	15	132047	75	#0	QPSK	3773.05	-40.30	-13	PASS
Band66	15	132047	75	#0	64QAM	18801.10	-40.26	-13	PASS
Band66	15	132597	75	#0	QPSK	19021.98	-40.29	-13	PASS
Band66	15	132597	75	#0	64QAM	3777.80	-40.43	-13	PASS
Band66	20	132072	100	#0	QPSK	3799.65	-40.98	-13	PASS
Band66	20	132072	100	#0	64QAM	3850.48	-41.36	-13	PASS
Band66	20	132572	100	#0	QPSK	18252.95	-40.74	-13	PASS
Band66	20	132572	100	#0	64QAM	19114.13	-41.17	-13	PASS




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0627633	-61.19	-13
2	0.15	30	10	0.170895	-57.72	-13
3	30	1000	100	892.6695	-55.98	-13
4	1000	20000	1000	3801.55	-39.41	-13

Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.062964225	-60.8	-13
2	0.15	30	10	0.15522375	-54.73	-13
3	30	1000	100	892.35425	-55.82	-13
4	1000	20000	1000	3807.725	-39.55	-13


Band66 64QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 64QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0625518	-60.83	-13
2	0.15	30	10	0.1514925	-57.07	-13
3	30	1000	100	725.61125	-55.94	-13
4	1000	20000	1000	3674.725	-40.22	-13

Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0629043	-59.72	-13
2	0.15	30	10	0.15522375	-57.39	-13
3	30	1000	100	838.8345	-56.13	-13
4	1000	20000	1000	3823.4	-40.55	-13


Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 64QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 64QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 64QAM BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.063196875	-61.03	-13
2	0.15	30	10	0.15074625	-55.18	-13
3	30	1000	100	908.8685	-55.96	-13
4	1000	20000	1000	18812.5	-40.14	-13

Band66 64QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.062625825	-59.96	-13
2	0.15	30	10	0.16194	-57.84	-13
3	30	1000	100	869.12275	-56.5	-13
4	1000	20000	1000	3810.575	-40.57	-13

Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0628479	-60.89	-13
2	0.15	30	10	0.17388	-55.73	-13
3	30	1000	100	938.86575	-55.87	-13
4	1000	20000	1000	3835.75	-40.91	-13

Band66 64QAM BW=10MHz Channel=132022 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.062858475	-59.82	-13
2	0.15	30	10	0.1514925	-57.97	-13
3	30	1000	100	845.30925	-56.61	-13
4	1000	20000	1000	3773.05	-40.3	-13


Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 64QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 64QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 64QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 64QAM BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 64QAM BW=20MHz Channel=132572 RB Size=100 Position=#0

