

Test Information:

Sample No.:	2X9P-3	Test Date:	2025/02/10~2025/02/11
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.4-24.8	Relative Humidity: (%)	34-48	ATM Pressure: (kPa)	101.2-101.6
----------------------	-----------	---------------------------	-------	------------------------	-------------

RF Output Power FCC Part 27

n12

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	24.10	14.95	0.031	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.93	14.78	0.030	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.71	14.56	0.029	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.93	14.78	0.030	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB12@6	23.90	14.75	0.030	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@1	24.20	15.05	0.032	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@23	24.07	14.92	0.031	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB25@0	23.27	14.12	0.026	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.40	13.25	0.021	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 64 QAM_RB25@0	22.09	12.94	0.020	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.86	10.71	0.012	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	22.78	13.63	0.023	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	22.39	13.24	0.021	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	22.63	13.48	0.022	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	21.02	11.87	0.015	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	21.37	12.22	0.017	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	20.99	11.84	0.015	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	17.49	8.34	0.007	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	24.04	14.89	0.031	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.68	14.53	0.028	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	24.17	15.02	0.032	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.51	14.36	0.027	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	24.28	15.13	0.033	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.10	14.95	0.031	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	23.97	14.82	0.030	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	23.07	13.92	0.025	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.12	12.97	0.020	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.60	12.45	0.018	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.56	10.41	0.011	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	22.82	13.67	0.023	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.77	13.62	0.023	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	22.26	13.11	0.020	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	21.08	11.93	0.016	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	20.70	11.55	0.014	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	20.29	11.14	0.013	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	17.54	8.39	0.007	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.75	14.60	0.029	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.18	15.03	0.032	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.69	14.54	0.028	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.56	14.41	0.028	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	23.93	14.78	0.030	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	23.88	14.73	0.030	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	23.46	14.31	0.027	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	22.89	13.74	0.024	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.99	12.84	0.019	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.32	12.17	0.016	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.33	10.18	0.010	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	22.42	13.27	0.021	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	22.50	13.35	0.022	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	22.51	13.36	0.022	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	20.56	11.41	0.014	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	20.95	11.80	0.015	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	20.16	11.01	0.013	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	17.16	8.01	0.006	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.33	15.18	0.033	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.91	14.76	0.030	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	24.11	14.96	0.031	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.32	14.17	0.026	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	23.75	14.60	0.029	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	23.79	14.64	0.029	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	24.40	15.25	0.033	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	22.73	13.58	0.023	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	22.37	13.22	0.021	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	21.93	12.78	0.019	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	19.63	10.48	0.011	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	22.75	13.60	0.023	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	22.47	13.32	0.021	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	22.66	13.51	0.022	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	20.90	11.75	0.015	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	20.88	11.73	0.015	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	20.43	11.28	0.013	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	17.70	8.55	0.007	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.25	15.10	0.032	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.84	14.69	0.029	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.87	14.72	0.030	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.63	14.48	0.028	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.01	14.86	0.031	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	24.02	14.87	0.031	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@12	24.00	14.85	0.031	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB50@0	23.20	14.05	0.025	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	21.96	12.81	0.019	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	21.85	12.70	0.019	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	19.85	10.70	0.012	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.65	13.50	0.022	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	22.58	13.43	0.022	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	22.87	13.72	0.024	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	21.05	11.90	0.015	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	21.19	12.04	0.016	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	20.45	11.30	0.013	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	17.42	8.27	0.007	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.39	15.24	0.033	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.68	14.53	0.028	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.83	14.68	0.029	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.10	13.95	0.025	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@1	24.23	15.08	0.032	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@50	24.03	14.88	0.031	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB25@12	23.74	14.59	0.029	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB50@0	23.00	13.85	0.024	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 16 QAM_RB50@0	21.62	12.47	0.018	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 64 QAM_RB50@0	21.72	12.57	0.018	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 256 QAM_RB50@0	19.42	10.27	0.011	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@1	22.51	13.36	0.022	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@50	22.30	13.15	0.021	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB26@13	22.51	13.36	0.022	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB52@0	21.17	12.02	0.016	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 16 QAM_RB52@0	21.20	12.05	0.016	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 64 QAM_RB52@0	20.38	11.23	0.013	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 256 QAM_RB52@0	17.41	8.26	0.007	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.11	14.96	0.031	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	24.01	14.86	0.031	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.82	14.67	0.029	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.59	14.44	0.028	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	24.50	15.35	0.034	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	24.16	15.01	0.032	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	24.26	15.11	0.032	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	23.19	14.04	0.025	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.92	12.77	0.019	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.42	12.27	0.017	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.43	10.28	0.011	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@1	22.31	13.16	0.021	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@77	22.38	13.23	0.021	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB39@19	22.80	13.65	0.023	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB79@0	21.24	12.09	0.016	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 16 QAM_RB79@0	21.39	12.24	0.017	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_15MHz_15kHz_706.5MHz_CP-OFDM 64 QAM_RB79@0	20.69	11.54	0.014	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 256 QAM_RB79@0	17.13	7.98	0.006	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.16	15.01	0.032	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.89	14.74	0.030	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.95	14.80	0.030	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.53	14.38	0.027	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.23	15.08	0.032	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.80	14.65	0.029	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	23.82	14.67	0.029	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	22.71	13.56	0.023	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.08	12.93	0.020	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.61	12.46	0.018	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.56	10.41	0.011	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.60	13.45	0.022	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	22.19	13.04	0.020	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	22.29	13.14	0.021	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	20.98	11.83	0.015	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	21.07	11.92	0.016	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	20.47	11.32	0.014	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	17.46	8.31	0.007	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.96	14.81	0.030	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK RB1@77	24.29	15.14	0.033	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK RB36@18	24.13	14.98	0.031	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK RB75@0	23.98	14.83	0.030	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK RB1@1	23.87	14.72	0.030	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK RB1@77	24.24	15.09	0.032	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK RB36@18	23.66	14.51	0.028	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK RB75@0	23.03	13.88	0.024	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM RB75@0	22.41	13.26	0.021	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM RB75@0	21.55	12.40	0.017	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM RB75@0	19.52	10.37	0.011	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK RB1@1	22.06	12.91	0.020	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK RB1@77	22.40	13.25	0.021	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK RB39@19	22.38	13.23	0.021	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK RB79@0	21.06	11.91	0.016	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM RB79@0	21.23	12.08	0.016	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM RB79@0	20.67	11.52	0.014	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM RB79@0	17.97	8.82	0.008	3	Pass

Note:

ERP = Conducted Power(dBm) - L_C(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

n12:

1.Ant Gain = -6.5dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB

n7

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.79	11.59	0.014	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	15.87	11.67	0.015	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.91	11.71	0.015	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.50	11.30	0.013	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@1	15.90	11.70	0.015	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@23	15.96	11.76	0.015	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB12@6	16.03	11.83	0.015	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB25@0	15.03	10.83	0.012	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 16 QAM_RB25@0	14.15	9.95	0.010	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 64 QAM_RB25@0	13.66	9.46	0.009	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 256 QAM_RB25@0	11.60	7.40	0.005	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@1	14.58	10.38	0.011	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@23	14.61	10.41	0.011	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB13@6	14.60	10.40	0.011	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB25@0	13.13	8.93	0.008	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 16 QAM_RB25@0	13.11	8.91	0.008	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 64 QAM_RB25@0	12.71	8.51	0.007	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 256 QAM_RB25@0	9.59	5.39	0.003	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.95	11.75	0.015	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.10	11.90	0.015	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.01	11.81	0.015	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.56	11.36	0.014	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	15.97	11.77	0.015	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@23	15.98	11.78	0.015	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB12@6	16.06	11.86	0.015	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@0	15.06	10.86	0.012	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB25@0	14.10	9.90	0.010	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB25@0	13.65	9.45	0.009	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB25@0	11.55	7.35	0.005	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	14.68	10.48	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@23	14.58	10.38	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB13@6	14.59	10.39	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB25@0	13.13	8.93	0.008	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB25@0	13.08	8.88	0.008	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB25@0	12.72	8.52	0.007	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB25@0	9.54	5.34	0.003	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.94	11.74	0.015	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	15.96	11.76	0.015	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.96	11.76	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.48	11.28	0.013	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@1	15.81	11.61	0.014	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@23	15.89	11.69	0.015	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB12@6	15.98	11.78	0.015	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB25@0	14.97	10.77	0.012	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 16 QAM_RB25@0	14.21	10.01	0.010	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 64 QAM_RB25@0	13.65	9.45	0.009	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 256 QAM_RB25@0	11.60	7.40	0.005	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@1	14.53	10.33	0.011	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@23	14.62	10.42	0.011	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB13@6	14.64	10.44	0.011	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB25@0	13.17	8.97	0.008	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 16 QAM_RB25@0	13.09	8.89	0.008	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 64 QAM_RB25@0	12.73	8.53	0.007	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 256 QAM_RB25@0	9.59	5.39	0.003	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	12.16	0.016	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	16.31	12.11	0.016	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.27	12.07	0.016	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.81	11.61	0.014	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@1	16.24	12.04	0.016	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@50	16.22	12.02	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB25@12	16.25	12.05	0.016	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB50@0	15.26	11.06	0.013	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 16 QAM_RB50@0	14.36	10.16	0.010	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 64 QAM_RB50@0	13.84	9.64	0.009	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 256 QAM_RB50@0	11.77	7.57	0.006	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@1	14.77	10.57	0.011	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@50	14.82	10.62	0.012	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB26@13	14.84	10.64	0.012	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB52@0	13.37	9.17	0.008	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 16 QAM_RB52@0	13.35	9.15	0.008	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 64 QAM_RB52@0	12.82	8.62	0.007	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 256 QAM_RB52@0	9.72	5.52	0.004	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.15	11.95	0.016	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	16.24	12.04	0.016	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.22	12.02	0.016	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.74	11.54	0.014	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	16.17	11.97	0.016	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@50	16.19	11.99	0.016	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@12	16.18	11.98	0.016	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@0	15.18	10.98	0.013	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB50@0	14.30	10.10	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB50@0	13.76	9.56	0.009	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB50@0	11.73	7.53	0.006	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	14.77	10.57	0.011	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@50	14.66	10.46	0.011	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB26@13	14.73	10.53	0.011	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB52@0	13.25	9.05	0.008	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB52@0	13.24	9.04	0.008	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB52@0	12.73	8.53	0.007	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB52@0	9.62	5.42	0.003	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.07	11.87	0.015	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	16.10	11.90	0.015	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.02	11.82	0.015	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.63	11.43	0.014	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@1	16.13	11.93	0.016	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@50	16.07	11.87	0.015	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB25@12	16.10	11.90	0.015	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0	15.13	10.93	0.012	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 16 QAM_RB50@0	14.25	10.05	0.010	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 64 QAM_RB50@0	13.71	9.51	0.009	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 256 QAM_RB50@0	11.65	7.45	0.006	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@1	14.80	10.60	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@50	14.86	10.66	0.012	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB26@13	14.66	10.46	0.011	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB52@0	13.22	9.02	0.008	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 16 QAM_RB52@0	13.18	8.98	0.008	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 64 QAM_RB52@0	12.71	8.51	0.007	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 256 QAM_RB52@0	9.61	5.41	0.003	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.14	11.94	0.016	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	16.34	12.14	0.016	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.37	12.17	0.016	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.86	11.66	0.015	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@1	16.36	12.16	0.016	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@77	16.27	12.07	0.016	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB36@18	16.38	12.18	0.017	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0	15.38	11.18	0.013	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 16 QAM_RB75@0	14.42	10.22	0.011	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 64 QAM_RB75@0	13.92	9.72	0.009	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 256 QAM_RB75@0	11.83	7.63	0.006	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@1	14.78	10.58	0.011	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@77	14.89	10.69	0.012	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB39@19	14.96	10.76	0.012	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB79@0	13.48	9.28	0.008	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 16 QAM_RB79@0	13.44	9.24	0.008	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 64 QAM_RB79@0	12.93	8.73	0.007	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 256 QAM_RB79@0	9.88	5.68	0.004	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.28	12.08	0.016	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	16.41	12.21	0.017	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.39	12.19	0.017	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.94	11.74	0.015	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	16.28	12.08	0.016	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@77	16.30	12.10	0.016	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB36@18	16.39	12.19	0.017	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB75@0	15.41	11.21	0.013	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB75@0	14.40	10.20	0.010	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB75@0	13.88	9.68	0.009	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB75@0	11.82	7.62	0.006	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	14.79	10.59	0.011	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@77	14.74	10.54	0.011	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB39@19	14.95	10.75	0.012	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB79@0	13.38	9.18	0.008	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB79@0	13.39	9.19	0.008	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB79@0	12.87	8.67	0.007	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB79@0	9.82	5.62	0.004	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.28	9.08	0.008	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	16.18	11.98	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.26	12.06	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.75	11.55	0.014	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@1	16.18	11.98	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@77	16.12	11.92	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB36@18	16.24	12.04	0.016	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB75@0	15.27	11.07	0.013	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 16 QAM_RB75@0	14.85	10.65	0.012	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 64 QAM_RB75@0	14.39	10.19	0.010	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 256 QAM_RB75@0	12.33	8.13	0.007	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@1	15.28	11.08	0.013	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@77	15.20	11.00	0.013	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB39@19	15.17	10.97	0.013	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB79@0	13.63	9.43	0.009	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 16 QAM_RB79@0	13.66	9.46	0.009	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 64 QAM_RB79@0	13.14	8.94	0.008	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 256 QAM_RB79@0	10.13	5.93	0.004	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.31	12.11	0.016	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.19	11.99	0.016	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.31	12.11	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.29	12.09	0.016	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@1	16.26	12.06	0.016	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@104	16.64	12.44	0.018	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB50@25	16.33	12.13	0.016	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB100@0	15.78	11.58	0.014	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 16 QAM_RB100@0	14.77	10.57	0.011	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 64 QAM_RB100@0	14.32	10.12	0.010	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 256 QAM_RB100@0	12.28	8.08	0.006	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@1	15.23	11.03	0.013	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@104	15.26	11.06	0.013	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB53@26	15.39	11.19	0.013	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB106@0	13.88	9.68	0.009	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 16 QAM_RB106@0	13.76	9.56	0.009	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 64 QAM_RB106@0	13.35	9.15	0.008	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 256 QAM_RB106@0	10.23	6.03	0.004	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.52	12.32	0.017	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.67	12.47	0.018	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.30	12.10	0.016	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.29	12.09	0.016	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	16.62	12.42	0.017	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@104	16.66	12.46	0.018	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@25	16.79	12.59	0.018	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB100@0	15.77	11.57	0.014	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB100@0	14.75	10.55	0.011	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB100@0	14.26	10.06	0.010	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB100@0	12.27	8.07	0.006	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	15.15	10.95	0.012	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@104	15.39	11.19	0.013	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB53@26	15.29	11.09	0.013	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB106@0	13.80	9.60	0.009	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB106@0	13.71	9.51	0.009	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB106@0	13.29	9.09	0.008	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB106@0	10.20	6.00	0.004	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.71	12.51	0.018	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.50	12.30	0.017	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.77	12.57	0.018	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.21	12.01	0.016	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@1	16.64	12.44	0.018	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@104	16.54	12.34	0.017	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB50@25	16.75	12.55	0.018	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB100@0	15.72	11.52	0.014	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 16 QAM_RB100@0	14.71	10.51	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 64 QAM_RB100@0	14.25	10.05	0.010	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 256 QAM_RB100@0	12.20	8.00	0.006	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@1	15.13	10.93	0.012	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@104	15.16	10.96	0.012	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB53@26	15.29	11.09	0.013	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB106@0	13.77	9.57	0.009	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 16 QAM_RB106@0	13.68	9.48	0.009	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 64 QAM_RB106@0	13.26	9.06	0.008	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 256 QAM_RB106@0	10.18	5.98	0.004	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n7:

1.Ant Gain = -3.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 1dB

n38

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.14	11.94	0.016	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.13	11.93	0.016	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.15	11.95	0.016	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.70	11.50	0.014	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@1	16.13	11.93	0.016	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@23	16.07	11.87	0.015	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB12@6	16.23	12.03	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB25@0	15.25	11.05	0.013	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 16 QAM_RB25@0	14.22	10.02	0.010	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 64 QAM_RB25@0	13.75	9.55	0.009	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 256 QAM_RB25@0	11.67	7.47	0.006	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@1	14.64	10.44	0.011	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@23	14.66	10.46	0.011	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB13@6	14.77	10.57	0.011	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB25@0	13.30	9.10	0.008	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 16 QAM_RB25@0	13.17	8.97	0.008	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 64 QAM_RB25@0	12.82	8.62	0.007	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 256 QAM_RB25@0	9.67	5.47	0.004	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.16	11.96	0.016	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.19	11.99	0.016	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.25	12.05	0.016	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.72	11.52	0.014	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	16.14	11.94	0.016	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@23	16.20	12.00	0.016	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	16.25	12.05	0.016	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB25@0	15.23	11.03	0.013	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 16 QAM_RB25@0	14.19	9.99	0.010	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 64 QAM_RB25@0	13.77	9.57	0.009	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 256 QAM_RB25@0	11.71	7.51	0.006	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@1	14.82	10.62	0.012	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@23	14.70	10.50	0.011	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB13@6	14.70	10.50	0.011	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB25@0	13.23	9.03	0.008	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 16 QAM_RB25@0	13.17	8.97	0.008	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 64 QAM_RB25@0	12.81	8.61	0.007	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 256 QAM_RB25@0	9.71	5.51	0.004	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.07	11.87	0.015	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.06	11.86	0.015	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.08	11.88	0.015	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.59	11.39	0.014	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@1	15.98	11.78	0.015	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@23	16.00	11.80	0.015	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB12@6	16.16	11.96	0.016	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB25@0	15.17	10.97	0.013	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 16 QAM_RB25@0	14.27	10.07	0.010	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 64 QAM_RB25@0	13.73	9.53	0.009	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 256 QAM_RB25@0	11.62	7.42	0.006	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@1	14.54	10.34	0.011	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@23	14.76	10.56	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB13@6	14.63	10.43	0.011	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB25@0	13.11	8.91	0.008	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 16 QAM_RB25@0	13.08	8.88	0.008	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 64 QAM_RB25@0	12.70	8.50	0.007	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 256 QAM_RB25@0	9.57	5.37	0.003	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.31	12.11	0.016	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.28	12.08	0.016	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.27	12.07	0.016	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.67	11.47	0.014	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@1	16.28	12.08	0.016	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@22	16.26	12.06	0.016	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB12@6	16.36	12.16	0.016	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB24@0	15.25	11.05	0.013	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 16 QAM_RB24@0	14.24	10.04	0.010	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 64 QAM_RB24@0	13.77	9.57	0.009	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 256 QAM_RB24@0	11.69	7.49	0.006	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@1	14.57	10.37	0.011	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@22	14.80	10.60	0.011	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB12@6	14.59	10.39	0.011	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB24@0	13.35	9.15	0.008	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 16 QAM_RB24@0	13.17	8.97	0.008	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_10MHz_30kHz_2575MHz_CP-OFDM 64 QAM_RB24@0	12.80	8.60	0.007	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 256 QAM_RB24@0	9.58	5.38	0.003	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.17	11.97	0.016	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.22	12.02	0.016	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.20	12.00	0.016	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.66	11.46	0.014	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	16.09	11.89	0.015	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@22	16.23	12.03	0.016	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	16.25	12.05	0.016	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB24@0	15.16	10.96	0.012	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB24@0	14.09	9.89	0.010	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB24@0	13.75	9.55	0.009	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB24@0	11.62	7.42	0.006	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	14.45	10.25	0.011	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@22	14.63	10.43	0.011	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB12@6	14.77	10.57	0.011	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB24@0	13.20	9.00	0.008	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB24@0	13.10	8.90	0.008	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB24@0	12.74	8.54	0.007	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB24@0	9.69	5.49	0.004	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.06	11.86	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.09	11.89	0.015	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.14	11.94	0.016	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.70	11.50	0.014	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@1	16.12	11.92	0.016	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@22	15.96	11.76	0.015	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB12@6	16.21	12.01	0.016	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB24@0	15.13	10.93	0.012	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 16 QAM_RB24@0	14.08	9.88	0.010	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 64 QAM_RB24@0	13.62	9.42	0.009	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 256 QAM_RB24@0	11.54	7.34	0.005	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@1	14.55	10.35	0.011	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@22	14.54	10.34	0.011	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB12@6	14.74	10.54	0.011	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB24@0	13.04	8.84	0.008	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 16 QAM_RB24@0	13.01	8.81	0.008	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 64 QAM_RB24@0	12.65	8.45	0.007	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 256 QAM_RB24@0	9.46	5.26	0.003	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.11	11.91	0.016	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.11	11.91	0.016	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.09	11.89	0.015	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.54	11.34	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@1	16.12	11.92	0.016	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@36	16.12	11.92	0.016	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB18@9	16.10	11.90	0.015	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB36@0	15.17	10.97	0.013	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.13	9.93	0.010	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.70	9.50	0.009	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.54	7.34	0.005	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@1	14.52	10.32	0.011	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@36	14.61	10.41	0.011	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB19@9	14.60	10.40	0.011	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB38@0	13.20	9.00	0.008	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 16 QAM_RB38@0	13.08	8.88	0.008	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 64 QAM_RB38@0	12.54	8.34	0.007	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 256 QAM_RB38@0	9.52	5.32	0.003	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.12	11.92	0.016	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.11	11.91	0.016	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.12	11.92	0.016	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.67	11.47	0.014	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	16.03	11.83	0.015	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@36	16.06	11.86	0.015	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB18@9	16.09	11.89	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@0	15.16	10.96	0.012	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB36@0	14.06	9.86	0.010	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB36@0	13.66	9.46	0.009	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB36@0	11.56	7.36	0.005	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	14.55	10.35	0.011	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@36	14.63	10.43	0.011	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB19@9	14.58	10.38	0.011	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB38@0	13.14	8.94	0.008	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB38@0	13.10	8.90	0.008	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB38@0	12.64	8.44	0.007	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB38@0	9.46	5.26	0.003	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.60	11.40	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.53	11.33	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.56	11.36	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.18	10.98	0.013	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@1	15.62	11.42	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@36	15.54	11.34	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB18@9	15.69	11.49	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB36@0	14.70	10.50	0.011	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.68	9.48	0.009	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.21	9.01	0.008	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.11	6.91	0.005	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@1	14.20	10.00	0.010	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@36	14.11	9.91	0.010	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB19@9	14.23	10.03	0.010	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB38@0	12.68	8.48	0.007	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 16 QAM_RB38@0	12.72	8.52	0.007	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 64 QAM_RB38@0	12.38	8.18	0.007	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 256 QAM_RB38@0	9.16	4.96	0.003	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.80	11.60	0.014	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.76	11.56	0.014	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.82	11.62	0.015	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.42	11.22	0.013	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@1	15.83	11.63	0.015	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@49	15.82	11.62	0.015	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB25@12	15.91	11.71	0.015	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB50@0	14.90	10.70	0.012	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 16 QAM_RB50@0	13.90	9.70	0.009	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 64 QAM_RB50@0	13.40	9.20	0.008	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 256 QAM_RB50@0	11.31	7.11	0.005	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@1	14.33	10.13	0.010	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@49	14.38	10.18	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB25@12	14.42	10.22	0.011	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB51@0	12.87	8.67	0.007	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 16 QAM_RB51@0	12.87	8.67	0.007	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 64 QAM_RB51@0	12.40	8.20	0.007	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 256 QAM_RB51@0	9.28	5.08	0.003	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.82	11.62	0.015	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.95	11.75	0.015	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.99	11.79	0.015	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.52	11.32	0.014	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	15.92	11.72	0.015	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@49	15.89	11.69	0.015	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB25@12	15.97	11.77	0.015	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@0	14.98	10.78	0.012	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB50@0	13.94	9.74	0.009	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB50@0	13.48	9.28	0.008	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB50@0	11.34	7.14	0.005	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	14.39	10.19	0.010	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@49	14.49	10.29	0.011	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB25@12	14.54	10.34	0.011	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB51@0	13.00	8.80	0.008	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB51@0	12.96	8.76	0.008	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_20MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB51@0	12.43	8.23	0.007	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB51@0	9.30	5.10	0.003	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.96	11.76	0.015	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.91	11.71	0.015	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.02	11.82	0.015	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.47	11.27	0.013	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@1	15.94	11.74	0.015	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@49	15.89	11.69	0.015	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB25@12	15.98	11.78	0.015	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB50@0	14.99	10.79	0.012	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 16 QAM_RB50@0	13.95	9.75	0.009	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 64 QAM_RB50@0	13.38	9.18	0.008	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 256 QAM_RB50@0	11.41	7.21	0.005	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@1	14.51	10.31	0.011	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@49	14.39	10.19	0.010	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB25@12	14.57	10.37	0.011	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB51@0	12.91	8.71	0.007	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 16 QAM_RB51@0	12.99	8.79	0.008	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 64 QAM_RB51@0	12.47	8.27	0.007	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 256 QAM_RB51@0	9.37	5.17	0.003	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.83	11.63	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.17	11.97	0.016	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.08	11.88	0.015	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	15.62	11.42	0.014	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@1	16.09	11.89	0.015	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@63	16.06	11.86	0.015	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB32@16	16.06	11.86	0.015	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB64@0	15.12	10.92	0.012	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 16 QAM_RB64@0	14.06	9.86	0.010	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 64 QAM_RB64@0	13.49	9.29	0.008	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 256 QAM_RB64@0	11.49	7.29	0.005	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@1	14.71	10.51	0.011	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@63	14.69	10.49	0.011	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB33@16	14.53	10.33	0.011	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB65@0	13.05	8.85	0.008	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 16 QAM_RB65@0	13.04	8.84	0.008	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 64 QAM_RB65@0	12.52	8.32	0.007	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 256 QAM_RB65@0	9.54	5.34	0.003	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.91	11.71	0.015	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.07	11.87	0.015	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.02	11.82	0.015	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	15.60	11.40	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	16.01	11.81	0.015	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@63	15.99	11.79	0.015	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB32@16	16.07	11.87	0.015	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB64@0	15.06	10.86	0.012	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB64@0	13.98	9.78	0.010	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB64@0	13.51	9.31	0.009	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB64@0	11.46	7.26	0.005	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	14.41	10.21	0.010	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@63	14.42	10.22	0.011	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB33@16	14.46	10.26	0.011	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB65@0	13.03	8.83	0.008	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB65@0	13.02	8.82	0.008	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB65@0	12.43	8.23	0.007	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB65@0	9.52	5.32	0.003	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.00	11.80	0.015	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	15.97	11.77	0.015	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.02	11.82	0.015	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	15.59	11.39	0.014	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@1	16.06	11.86	0.015	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@63	15.97	11.77	0.015	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB32@16	16.00	11.80	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB64@0	14.85	10.65	0.012	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 16 QAM_RB64@0	13.97	9.77	0.009	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 64 QAM_RB64@0	13.47	9.27	0.008	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 256 QAM_RB64@0	11.39	7.19	0.005	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@1	14.43	10.23	0.011	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@63	14.33	10.13	0.010	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB33@16	14.48	10.28	0.011	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB65@0	12.98	8.78	0.008	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 16 QAM_RB65@0	13.03	8.83	0.008	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 64 QAM_RB65@0	12.47	8.27	0.007	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 256 QAM_RB65@0	9.45	5.25	0.003	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.08	11.88	0.015	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.16	11.96	0.016	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.15	11.95	0.016	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.56	11.36	0.014	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@1	16.10	11.90	0.015	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@76	16.21	12.01	0.016	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB36@18	16.11	11.91	0.016	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB75@0	15.13	10.93	0.012	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 16 QAM_RB75@0	14.08	9.88	0.010	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 64 QAM_RB75@0	13.63	9.43	0.009	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 256 QAM_RB75@0	11.60	7.40	0.005	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@1	14.56	10.36	0.011	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@76	14.60	10.40	0.011	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB39@19	14.62	10.42	0.011	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB78@0	13.16	8.96	0.008	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 16 QAM_RB78@0	13.12	8.92	0.008	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 64 QAM_RB78@0	12.73	8.53	0.007	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 256 QAM_RB78@0	9.61	5.41	0.003	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.07	11.87	0.015	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.06	11.86	0.015	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.20	12.00	0.016	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.67	11.47	0.014	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	16.10	11.90	0.015	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@76	16.12	11.92	0.016	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@18	16.08	11.88	0.015	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB75@0	15.10	10.90	0.012	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB75@0	14.08	9.88	0.010	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB75@0	13.68	9.48	0.009	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB75@0	11.63	7.43	0.006	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	14.56	10.36	0.011	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@76	14.60	10.40	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB39@19	14.66	10.46	0.011	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB78@0	13.21	9.01	0.008	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB78@0	13.17	8.97	0.008	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB78@0	12.67	8.47	0.007	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB78@0	9.66	5.46	0.004	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.11	11.91	0.016	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.09	11.89	0.015	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.24	12.04	0.016	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.68	11.48	0.014	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@1	16.08	11.88	0.015	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@76	16.16	11.96	0.016	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB36@18	16.17	11.97	0.016	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB75@0	15.25	11.05	0.013	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 16 QAM_RB75@0	14.13	9.93	0.010	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 64 QAM_RB75@0	13.68	9.48	0.009	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 256 QAM_RB75@0	11.63	7.43	0.006	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@1	14.62	10.42	0.011	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@76	14.84	10.64	0.012	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB39@19	14.92	10.72	0.012	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB78@0	13.28	9.08	0.008	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 16 QAM_RB78@0	13.25	9.05	0.008	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2605MHz_CP-OFDM 64 QAM_RB78@0	12.78	8.58	0.007	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 256 QAM_RB78@0	9.79	5.59	0.004	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.37	12.17	0.016	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.39	12.19	0.017	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.53	12.33	0.017	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.05	11.85	0.015	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@1	16.45	12.25	0.017	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@104	16.42	12.22	0.017	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB50@25	16.51	12.31	0.017	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB100@0	15.47	11.27	0.013	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 16 QAM_RB100@0	14.42	10.22	0.011	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 64 QAM_RB100@0	13.94	9.74	0.009	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 256 QAM_RB100@0	11.93	7.73	0.006	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@1	15.09	10.89	0.012	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@104	15.09	10.89	0.012	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB53@26	14.95	10.75	0.012	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB106@0	13.48	9.28	0.008	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 16 QAM_RB106@0	13.40	9.20	0.008	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 64 QAM_RB106@0	12.97	8.77	0.008	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 256 QAM_RB106@0	9.95	5.75	0.004	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.40	12.20	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.42	12.22	0.017	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.52	12.32	0.017	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.99	11.79	0.015	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	16.37	12.17	0.016	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@104	16.42	12.22	0.017	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@25	16.46	12.26	0.017	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB100@0	15.49	11.29	0.013	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB100@0	14.38	10.18	0.010	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB100@0	13.95	9.75	0.009	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB100@0	11.94	7.74	0.006	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	14.82	10.62	0.012	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@104	14.89	10.69	0.012	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB53@26	14.96	10.76	0.012	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB106@0	13.43	9.23	0.008	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB106@0	13.43	9.23	0.008	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB106@0	12.96	8.76	0.008	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB106@0	9.95	5.75	0.004	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.38	12.18	0.017	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.45	12.25	0.017	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.49	12.29	0.017	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.90	11.70	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@1	16.46	12.26	0.017	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@104	16.42	12.22	0.017	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB50@25	16.54	12.34	0.017	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB100@0	15.50	11.30	0.013	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 16 QAM_RB100@0	14.38	10.18	0.010	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 64 QAM_RB100@0	13.88	9.68	0.009	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 256 QAM_RB100@0	11.82	7.62	0.006	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@1	14.77	10.57	0.011	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@104	14.73	10.53	0.011	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB53@26	14.89	10.69	0.012	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB106@0	13.36	9.16	0.008	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 16 QAM_RB106@0	13.33	9.13	0.008	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 64 QAM_RB106@0	12.82	8.62	0.007	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 256 QAM_RB106@0	9.83	5.63	0.004	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n38:

1.Ant Gain = -3.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 1dB

n41

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.69	11.49	0.014	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.76	11.56	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.75	11.55	0.014	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.27	11.07	0.013	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	15.73	11.53	0.014	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	15.71	11.51	0.014	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	15.81	11.61	0.014	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	14.80	10.60	0.011	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	13.87	9.67	0.009	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	13.35	9.15	0.008	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	11.27	7.07	0.005	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	14.04	9.84	0.010	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	14.08	9.88	0.010	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	14.32	10.12	0.010	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	12.84	8.64	0.007	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	12.78	8.58	0.007	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	12.41	8.21	0.007	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	9.19	4.99	0.003	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.65	11.45	0.014	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.71	11.51	0.014	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.75	11.55	0.014	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.24	11.04	0.013	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	15.64	11.44	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	15.64	11.44	0.014	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	15.82	11.62	0.015	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	14.66	10.46	0.011	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	13.69	9.49	0.009	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	13.30	9.10	0.008	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	11.15	6.95	0.005	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.30	10.10	0.010	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	14.13	9.93	0.010	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	14.25	10.05	0.010	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	12.79	8.59	0.007	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	12.70	8.50	0.007	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	12.30	8.10	0.006	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	9.17	4.97	0.003	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.46	11.26	0.013	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.58	11.38	0.014	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.55	11.35	0.014	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	14.94	10.74	0.012	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	15.49	11.29	0.013	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	15.52	11.32	0.014	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	15.57	11.37	0.014	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	14.57	10.37	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	13.59	9.39	0.009	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	13.07	8.87	0.008	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	11.04	6.84	0.005	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	14.15	9.95	0.010	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	14.03	9.83	0.010	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	14.17	9.97	0.010	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	12.55	8.35	0.007	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	12.58	8.38	0.007	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	12.23	8.03	0.006	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	9.00	4.80	0.003	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.75	11.55	0.014	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.72	11.52	0.014	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.78	11.58	0.014	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.31	11.11	0.013	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	15.69	11.49	0.014	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	15.66	11.46	0.014	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	15.78	11.58	0.014	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	14.84	10.64	0.012	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.78	9.58	0.009	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.38	9.18	0.008	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.24	7.04	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	14.25	10.05	0.010	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	14.17	9.97	0.010	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	14.36	10.16	0.010	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	12.84	8.64	0.007	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	12.83	8.63	0.007	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	12.41	8.21	0.007	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	9.21	5.01	0.003	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.66	11.46	0.014	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.67	11.47	0.014	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.81	11.61	0.014	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.25	11.05	0.013	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	15.69	11.49	0.014	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	15.66	11.46	0.014	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	15.82	11.62	0.015	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	14.83	10.63	0.012	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	13.87	9.67	0.009	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	13.39	9.19	0.008	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	11.23	7.03	0.005	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.37	10.17	0.010	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	14.24	10.04	0.010	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	14.34	10.14	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	12.73	8.53	0.007	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	12.76	8.56	0.007	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	12.30	8.10	0.006	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	9.22	5.02	0.003	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.45	11.25	0.013	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.53	11.33	0.014	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.54	11.34	0.014	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.00	10.80	0.012	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	15.43	11.23	0.013	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	15.57	11.37	0.014	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	15.55	11.35	0.014	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	14.63	10.43	0.011	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	13.64	9.44	0.009	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	13.13	8.93	0.008	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	11.05	6.85	0.005	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	14.01	9.81	0.010	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	14.04	9.84	0.010	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	14.12	9.92	0.010	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	12.64	8.44	0.007	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	12.53	8.33	0.007	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	12.26	8.06	0.006	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	9.01	4.81	0.003	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.77	11.57	0.014	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.77	11.57	0.014	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.93	11.73	0.015	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.36	11.16	0.013	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	15.79	11.59	0.014	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	15.72	11.52	0.014	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	15.86	11.66	0.015	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	14.85	10.65	0.012	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	13.88	9.68	0.009	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	13.35	9.15	0.008	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	9.07	4.87	0.003	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	12.43	8.23	0.007	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	12.60	8.40	0.007	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	12.46	8.26	0.007	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	10.97	6.77	0.005	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	10.98	6.78	0.005	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	10.63	6.43	0.004	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	7.52	3.32	0.002	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.18	9.98	0.010	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	14.37	10.17	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	14.46	10.26	0.011	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	14.06	9.86	0.010	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	14.35	10.15	0.010	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	14.51	10.31	0.011	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	14.54	10.34	0.011	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	13.55	9.35	0.009	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	12.61	8.41	0.007	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	12.13	7.93	0.006	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	9.98	5.78	0.004	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	12.99	8.79	0.008	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	13.13	8.93	0.008	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	13.16	8.96	0.008	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	11.72	7.52	0.006	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	11.65	7.45	0.006	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	11.25	7.05	0.005	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	8.15	3.95	0.002	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.41	10.21	0.010	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	14.56	10.36	0.011	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	14.53	10.33	0.011	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	14.03	9.83	0.010	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	14.45	10.25	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	14.57	10.37	0.011	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	14.58	10.38	0.011	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	13.61	9.41	0.009	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	12.56	8.36	0.007	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	12.05	7.85	0.006	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	10.06	5.86	0.004	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	12.99	8.79	0.008	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	13.14	8.94	0.008	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	13.16	8.96	0.008	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	11.70	7.50	0.006	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	11.66	7.46	0.006	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	11.15	6.95	0.005	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	8.06	3.86	0.002	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.06	10.86	0.012	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.13	10.93	0.012	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.10	10.90	0.012	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	14.79	10.59	0.011	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@1	15.23	11.03	0.013	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@76	15.16	10.96	0.012	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB36@18	15.20	11.00	0.013	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB75@0	14.30	10.10	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 16 QAM_RB75@0	13.29	9.09	0.008	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 64 QAM_RB75@0	12.83	8.63	0.007	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 256 QAM_RB75@0	10.78	6.58	0.005	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@1	13.96	9.76	0.009	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@76	13.83	9.63	0.009	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB39@19	13.81	9.61	0.009	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB78@0	12.34	8.14	0.007	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 16 QAM_RB78@0	12.29	8.09	0.006	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 64 QAM_RB78@0	11.81	7.61	0.006	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 256 QAM_RB78@0	8.76	4.56	0.003	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.11	10.91	0.012	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.18	10.98	0.013	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.24	11.04	0.013	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	14.78	10.58	0.011	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	15.13	10.93	0.012	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@76	15.17	10.97	0.013	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@18	15.22	11.02	0.013	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB75@0	14.26	10.06	0.010	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB75@0	13.25	9.05	0.008	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB75@0	12.79	8.59	0.007	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB75@0	10.80	6.60	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	13.69	9.49	0.009	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@76	13.74	9.54	0.009	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB39@19	13.80	9.60	0.009	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB78@0	12.25	8.05	0.006	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB78@0	12.27	8.07	0.006	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB78@0	11.82	7.62	0.006	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB78@0	8.83	4.63	0.003	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.95	10.75	0.012	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.09	10.89	0.012	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.15	10.95	0.012	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	14.60	10.40	0.011	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@1	14.94	10.74	0.012	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@76	15.15	10.95	0.012	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB36@18	15.11	10.91	0.012	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB75@0	14.11	9.91	0.010	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 16 QAM_RB75@0	13.09	8.89	0.008	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 64 QAM_RB75@0	12.70	8.50	0.007	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 256 QAM_RB75@0	10.67	6.47	0.004	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@1	13.52	9.32	0.009	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@76	13.69	9.49	0.009	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB39@19	13.63	9.43	0.009	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB78@0	12.15	7.95	0.006	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 16 QAM_RB78@0	12.14	7.94	0.006	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 64 QAM_RB78@0	11.72	7.52	0.006	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 256 QAM_RB78@0	8.63	4.43	0.003	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.36	11.16	0.013	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.33	11.13	0.013	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.40	11.20	0.013	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	14.85	10.65	0.012	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	15.33	11.13	0.013	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	15.35	11.15	0.013	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	15.35	11.15	0.013	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	14.39	10.19	0.010	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	13.41	9.21	0.008	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	12.94	8.74	0.007	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	10.94	6.74	0.005	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	13.82	9.62	0.009	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	13.95	9.75	0.009	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	13.91	9.71	0.009	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	12.46	8.26	0.007	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	12.38	8.18	0.007	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	11.90	7.70	0.006	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	8.92	4.72	0.003	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.23	11.03	0.013	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.31	11.11	0.013	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.38	11.18	0.013	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	14.91	10.71	0.012	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	15.27	11.07	0.013	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	15.28	11.08	0.013	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	15.39	11.19	0.013	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	14.36	10.16	0.010	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	13.39	9.19	0.008	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	12.94	8.74	0.007	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	10.88	6.68	0.005	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	13.80	9.60	0.009	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	13.85	9.65	0.009	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	13.90	9.70	0.009	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	12.41	8.21	0.007	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	12.42	8.22	0.007	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	11.92	7.72	0.006	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	8.85	4.65	0.003	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.13	10.93	0.012	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.29	11.09	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.24	11.04	0.013	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	14.71	10.51	0.011	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	15.15	10.95	0.012	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	15.23	11.03	0.013	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	15.23	11.03	0.013	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	14.25	10.05	0.010	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	13.17	8.97	0.008	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	12.76	8.56	0.007	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	10.69	6.49	0.004	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	13.70	9.50	0.009	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	13.81	9.61	0.009	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	13.73	9.53	0.009	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	12.25	8.05	0.006	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	12.25	8.05	0.006	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	11.75	7.55	0.006	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	8.75	4.55	0.003	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.39	11.19	0.013	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.51	11.31	0.014	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.56	11.36	0.014	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.02	10.82	0.012	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	15.45	11.25	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	15.46	11.26	0.013	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	15.47	11.27	0.013	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	14.51	10.31	0.011	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	13.55	9.35	0.009	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	13.06	8.86	0.008	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	11.01	6.81	0.005	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	14.00	9.80	0.010	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	13.98	9.78	0.010	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	14.05	9.85	0.010	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	12.58	8.38	0.007	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	12.47	8.27	0.007	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	11.99	7.79	0.006	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	8.99	4.79	0.003	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.41	11.21	0.013	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.44	11.24	0.013	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.53	11.33	0.014	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.05	10.85	0.012	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	15.41	11.21	0.013	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	15.39	11.19	0.013	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	15.49	11.29	0.013	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	14.50	10.30	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	13.50	9.30	0.009	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	13.10	8.90	0.008	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	11.04	6.84	0.005	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	13.98	9.78	0.010	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	13.95	9.75	0.009	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	14.03	9.83	0.010	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	12.57	8.37	0.007	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	12.50	8.30	0.007	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	11.98	7.78	0.006	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	8.98	4.78	0.003	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.24	11.04	0.013	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.39	11.19	0.013	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.37	11.17	0.013	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	14.84	10.64	0.012	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	15.25	11.05	0.013	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	15.32	11.12	0.013	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	15.37	11.17	0.013	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	14.31	10.11	0.010	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	13.36	9.16	0.008	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	12.92	8.72	0.007	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	10.93	6.73	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	13.81	9.61	0.009	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	13.85	9.65	0.009	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	13.91	9.71	0.009	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	12.40	8.20	0.007	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	12.29	8.09	0.006	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	11.84	7.64	0.006	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	8.80	4.60	0.003	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.39	11.19	0.013	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.45	11.25	0.013	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.55	11.35	0.014	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.03	10.83	0.012	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	15.39	11.19	0.013	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	15.46	11.26	0.013	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	15.51	11.31	0.014	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	14.51	10.31	0.011	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	13.47	9.27	0.008	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	12.96	8.76	0.008	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	10.93	6.73	0.005	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	13.90	9.70	0.009	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	13.95	9.75	0.009	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	14.04	9.84	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	12.51	8.31	0.007	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	12.46	8.26	0.007	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	11.93	7.73	0.006	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	8.92	4.72	0.003	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.47	11.27	0.013	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.41	11.21	0.013	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.64	11.44	0.014	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.11	10.91	0.012	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	15.46	11.26	0.013	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	15.43	11.23	0.013	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	15.56	11.36	0.014	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	14.59	10.39	0.011	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	13.54	9.34	0.009	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	13.08	8.88	0.008	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	11.04	6.84	0.005	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.16	9.96	0.010	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	13.99	9.79	0.010	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	14.09	9.89	0.010	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	12.58	8.38	0.007	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	12.59	8.39	0.007	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	12.05	7.85	0.006	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	9.02	4.82	0.003	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.36	11.16	0.013	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.41	11.21	0.013	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.47	11.27	0.013	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	14.94	10.74	0.012	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	15.32	11.12	0.013	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	15.38	11.18	0.013	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	15.43	11.23	0.013	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	14.39	10.19	0.010	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	13.40	9.20	0.008	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	12.90	8.70	0.007	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	10.90	6.70	0.005	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	13.88	9.68	0.009	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	13.99	9.79	0.010	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	13.90	9.70	0.009	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	12.43	8.23	0.007	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	12.40	8.20	0.007	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	11.86	7.66	0.006	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	8.86	4.66	0.003	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.75	11.55	0.014	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.65	11.45	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.78	11.58	0.014	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.14	10.94	0.012	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	15.72	11.52	0.014	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	15.65	11.45	0.014	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	15.71	11.51	0.014	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	14.66	10.46	0.011	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	13.62	9.42	0.009	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	13.14	8.94	0.008	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	11.13	6.93	0.005	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	14.25	10.05	0.010	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	14.11	9.91	0.010	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	14.21	10.01	0.010	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	12.62	8.42	0.007	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	12.63	8.43	0.007	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	12.07	7.87	0.006	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	9.07	4.87	0.003	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.74	11.54	0.014	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.54	11.34	0.014	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.75	11.55	0.014	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.20	11.00	0.013	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	15.67	11.47	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	15.47	11.27	0.013	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	15.71	11.51	0.014	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	14.74	10.54	0.011	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	13.71	9.51	0.009	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	13.21	9.01	0.008	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	11.21	7.01	0.005	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.18	9.98	0.010	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	14.01	9.81	0.010	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	14.18	9.98	0.010	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	12.70	8.50	0.007	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	12.69	8.49	0.007	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	12.21	8.01	0.006	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	9.18	4.98	0.003	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.62	11.42	0.014	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.51	11.31	0.014	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.53	11.33	0.014	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.05	10.85	0.012	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	15.55	11.35	0.014	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	15.49	11.29	0.013	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	15.49	11.29	0.013	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	14.51	10.31	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	13.51	9.31	0.009	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	13.01	8.81	0.008	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	11.08	6.88	0.005	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	14.11	9.91	0.010	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	14.03	9.83	0.010	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	14.01	9.81	0.010	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	12.55	8.35	0.007	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	12.51	8.31	0.007	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	12.05	7.85	0.006	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	8.98	4.78	0.003	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.71	11.51	0.014	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.65	11.45	0.014	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.78	11.58	0.014	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.12	10.92	0.012	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	15.76	11.56	0.014	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	15.57	11.37	0.014	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	15.78	11.58	0.014	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	14.65	10.45	0.011	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	13.62	9.42	0.009	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	13.10	8.90	0.008	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	11.14	6.94	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	14.22	10.02	0.010	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	14.09	9.89	0.010	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	14.24	10.04	0.010	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	12.60	8.40	0.007	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	12.57	8.37	0.007	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	12.06	7.86	0.006	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	9.05	4.85	0.003	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.75	11.55	0.014	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.53	11.33	0.014	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.75	11.55	0.014	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.26	11.06	0.013	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	15.63	11.43	0.014	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	15.48	11.28	0.013	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	15.74	11.54	0.014	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	14.77	10.57	0.011	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	13.74	9.54	0.009	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	13.31	9.11	0.008	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	11.27	7.07	0.005	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.19	9.99	0.010	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	14.01	9.81	0.010	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	14.23	10.03	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	12.73	8.53	0.007	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	12.73	8.53	0.007	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	12.27	8.07	0.006	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	9.16	4.96	0.003	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.59	11.39	0.014	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.54	11.34	0.014	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.61	11.41	0.014	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.14	10.94	0.012	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	15.62	11.42	0.014	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	15.49	11.29	0.013	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	15.59	11.39	0.014	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	14.61	10.41	0.011	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	13.60	9.40	0.009	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	13.15	8.95	0.008	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	11.20	7.00	0.005	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	14.11	9.91	0.010	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	14.10	9.90	0.010	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	14.06	9.86	0.010	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	12.65	8.45	0.007	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	12.61	8.41	0.007	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	12.07	7.87	0.006	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	9.06	4.86	0.003	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.77	11.57	0.014	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	15.68	11.48	0.014	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.84	11.64	0.015	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.08	10.88	0.012	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	15.72	11.52	0.014	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	15.68	11.48	0.014	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	15.83	11.63	0.015	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	14.63	10.43	0.011	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	13.60	9.40	0.009	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	13.11	8.91	0.008	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	11.10	6.90	0.005	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	14.17	9.97	0.010	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	14.12	9.92	0.010	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	14.22	10.02	0.010	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	12.56	8.36	0.007	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	12.58	8.38	0.007	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	12.03	7.83	0.006	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	9.08	4.88	0.003	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.65	11.45	0.014	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	15.51	11.31	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.74	11.54	0.014	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.26	11.06	0.013	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	15.61	11.41	0.014	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	15.45	11.25	0.013	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	15.72	11.52	0.014	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	14.75	10.55	0.011	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	13.71	9.51	0.009	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	13.28	9.08	0.008	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	11.28	7.08	0.005	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.18	9.98	0.010	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	14.00	9.80	0.010	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	14.24	10.04	0.010	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	12.79	8.59	0.007	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	12.69	8.49	0.007	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	12.25	8.05	0.006	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	9.24	5.04	0.003	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.61	11.41	0.014	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	15.53	11.33	0.014	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.64	11.44	0.014	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.12	10.92	0.012	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	15.58	11.38	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	15.47	11.27	0.013	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	15.62	11.42	0.014	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	14.57	10.37	0.011	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	13.58	9.38	0.009	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	13.10	8.90	0.008	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	11.19	6.99	0.005	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	14.12	9.92	0.010	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	14.09	9.89	0.010	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	14.08	9.88	0.010	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	12.59	8.39	0.007	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	12.52	8.32	0.007	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	12.05	7.85	0.006	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	9.07	4.87	0.003	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n41:

1.Ant Gain = -3.2dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 1dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.24	17.54	0.057	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	19.33	17.63	0.058	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	19.40	17.70	0.059	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	18.90	17.20	0.052	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	19.24	17.54	0.057	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	19.26	17.56	0.057	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	19.40	17.70	0.059	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	18.41	16.71	0.047	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	17.40	15.70	0.037	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	16.98	15.28	0.034	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	14.91	13.21	0.021	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	17.80	16.10	0.041	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	17.89	16.19	0.042	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	17.87	16.17	0.041	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	16.40	14.70	0.030	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	16.36	14.66	0.029	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	16	14.30	0.027	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	12.95	11.25	0.013	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.35	17.65	0.058	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	19.27	17.57	0.057	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	19.32	17.62	0.058	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	18.85	17.15	0.052	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	19.22	17.52	0.056	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	19.21	17.51	0.056	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	19.35	17.65	0.058	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	18.31	16.61	0.046	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	17.35	15.65	0.037	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	16.90	15.20	0.033	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	14.87	13.17	0.021	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	17.78	16.08	0.041	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	17.79	16.09	0.041	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	17.82	16.12	0.041	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	16.39	14.69	0.029	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	16.28	14.58	0.029	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	15.98	14.28	0.027	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	12.90	11.20	0.013	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.11	17.41	0.055	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	19.13	17.43	0.055	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	19.13	17.43	0.055	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	18.63	16.93	0.049	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	19.02	17.32	0.054	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	19.01	17.31	0.054	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	19.16	17.46	0.056	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	18.19	16.49	0.045	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	17.24	15.54	0.036	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	16.69	14.99	0.032	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	14.71	13.01	0.020	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	17.52	15.82	0.038	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	17.60	15.90	0.039	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	17.60	15.90	0.039	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	16.18	14.48	0.028	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	16.12	14.42	0.028	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	15.73	14.03	0.025	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	12.66	10.96	0.012	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.27	17.57	0.057	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	19.32	17.62	0.058	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	19.36	17.66	0.058	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.85	17.15	0.052	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	19.26	17.56	0.057	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	19.24	17.54	0.057	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	19.29	17.59	0.057	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	18.35	16.65	0.046	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	17.40	15.70	0.037	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	16.81	15.11	0.032	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	14.78	13.08	0.020	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	17.77	16.07	0.040	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	17.81	16.11	0.041	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	17.80	16.10	0.041	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	16.40	14.70	0.030	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	16.32	14.62	0.029	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	15.87	14.17	0.026	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	12.79	11.09	0.013	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.29	17.59	0.057	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	19.30	17.60	0.058	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	19.22	17.52	0.056	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.74	17.04	0.051	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	19.17	17.47	0.056	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	19.18	17.48	0.056	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	19.21	17.51	0.056	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	18.23	16.53	0.045	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	17.29	15.59	0.036	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	16.78	15.08	0.032	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	14.73	13.03	0.020	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	17.74	16.04	0.040	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	17.81	16.11	0.041	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	17.69	15.99	0.040	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	16.31	14.61	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	16.27	14.57	0.029	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	15.77	14.07	0.026	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	12.76	11.06	0.013	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.10	17.40	0.055	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	19.10	17.40	0.055	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	19.01	17.31	0.054	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.55	16.85	0.048	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	18.94	17.24	0.053	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	19.03	17.33	0.054	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	18.99	17.29	0.054	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	18.06	16.36	0.043	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	17.04	15.34	0.034	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	16.57	14.87	0.031	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	14.58	12.88	0.019	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	17.60	15.90	0.039	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	17.64	15.94	0.039	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	17.49	15.79	0.038	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	16.12	14.42	0.028	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	16.12	14.42	0.028	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	15.62	13.92	0.025	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	12.59	10.89	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.30	17.60	0.058	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	19.26	17.56	0.057	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	19.31	17.61	0.058	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.82	17.12	0.052	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	19.22	17.52	0.056	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	19.23	17.53	0.057	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	19.29	17.59	0.057	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	18.36	16.66	0.046	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	17.31	15.61	0.036	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	16.85	15.15	0.033	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	14.81	13.11	0.020	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	17.74	16.04	0.040	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	17.78	16.08	0.041	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	17.83	16.13	0.041	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	16.37	14.67	0.029	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	16.36	14.66	0.029	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	15.83	14.13	0.026	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	12.86	11.16	0.013	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.20	17.50	0.056	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	19.22	17.52	0.056	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	19.25	17.55	0.057	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.76	17.06	0.051	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	19.16	17.46	0.056	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	19.16	17.46	0.056	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	19.24	17.54	0.057	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	18.32	16.62	0.046	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	17.31	15.61	0.036	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	16.83	15.13	0.033	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	14.80	13.10	0.020	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	17.76	16.06	0.040	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	17.69	15.99	0.040	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	17.79	16.09	0.041	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	16.31	14.61	0.029	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	16.34	14.64	0.029	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	15.84	14.14	0.026	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	12.83	11.13	0.013	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.02	17.32	0.054	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	19.04	17.34	0.054	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	19.08	17.38	0.055	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.62	16.92	0.049	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	18.99	17.29	0.054	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	18.99	17.29	0.054	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	19.05	17.35	0.054	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	18.14	16.44	0.044	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	17.08	15.38	0.035	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	16.64	14.94	0.031	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	14.67	12.97	0.020	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	17.55	15.85	0.038	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	17.55	15.85	0.038	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	17.60	15.90	0.039	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	16.20	14.50	0.028	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	16.14	14.44	0.028	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	15.65	13.95	0.025	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	12.68	10.98	0.013	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.26	17.56	0.057	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	19.26	17.56	0.057	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	19.31	17.61	0.058	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.79	17.09	0.051	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	19.25	17.55	0.057	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	19.22	17.52	0.056	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	19.33	17.63	0.058	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	18.30	16.60	0.046	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	17.31	15.61	0.036	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	16.83	15.13	0.033	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	14.87	13.17	0.021	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	17.72	16.02	0.040	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	17.99	16.29	0.043	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	17.87	16.17	0.041	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	16.38	14.68	0.029	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	16.30	14.60	0.029	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	15.85	14.15	0.026	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	12.88	11.18	0.013	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.31	17.61	0.058	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	19.26	17.56	0.057	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	19.28	17.58	0.057	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.78	17.08	0.051	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	19.21	17.51	0.056	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	19.21	17.51	0.056	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	19.26	17.56	0.057	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	18.30	16.60	0.046	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	17.30	15.60	0.036	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	16.84	15.14	0.033	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	14.83	13.13	0.021	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	17.79	16.09	0.041	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	17.84	16.14	0.041	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	17.84	16.14	0.041	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	16.35	14.65	0.029	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	16.28	14.58	0.029	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	15.84	14.14	0.026	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	12.86	11.16	0.013	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.22	17.52	0.056	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	19.10	17.40	0.055	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	19.16	17.46	0.056	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.63	16.93	0.049	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	19.16	17.46	0.056	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	19.05	17.35	0.054	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	19.14	17.44	0.055	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	18.12	16.42	0.044	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	17.15	15.45	0.035	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	16.68	14.98	0.031	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	14.67	12.97	0.020	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	17.73	16.03	0.040	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	17.58	15.88	0.039	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	17.67	15.97	0.040	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	16.18	14.48	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	16.11	14.41	0.028	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	15.66	13.96	0.025	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	12.76	11.06	0.013	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.28	17.58	0.057	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	19.21	17.51	0.056	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	19.27	17.57	0.057	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	18.78	17.08	0.051	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	19.20	17.50	0.056	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	19.09	17.39	0.055	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	19.25	17.55	0.057	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	18.28	16.58	0.045	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	17.26	15.56	0.036	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	16.80	15.10	0.032	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	14.83	13.13	0.021	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	17.90	16.20	0.042	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	17.83	16.13	0.041	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	17.82	16.12	0.041	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	16.29	14.59	0.029	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	16.26	14.56	0.029	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	15.76	14.06	0.025	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	12.78	11.08	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.17	17.47	0.056	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	19.25	17.55	0.057	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	19.31	17.61	0.058	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	18.82	17.12	0.052	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	19.12	17.42	0.055	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	19.18	17.48	0.056	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	19.26	17.56	0.057	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	18.31	16.61	0.046	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	17.30	15.60	0.036	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	16.82	15.12	0.033	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	14.85	13.15	0.021	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	17.65	15.95	0.039	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	17.72	16.02	0.040	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	17.83	16.13	0.041	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	16.31	14.61	0.029	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	16.24	14.54	0.028	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	15.79	14.09	0.026	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	12.78	11.08	0.013	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.07	17.37	0.055	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	19.04	17.34	0.054	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	19.16	17.46	0.056	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	18.68	16.98	0.050	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	19.14	17.44	0.055	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	18.92	17.22	0.053	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	19.12	17.42	0.055	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	18.20	16.50	0.045	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	17.21	15.51	0.036	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	16.74	15.04	0.032	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	14.77	13.07	0.020	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	17.71	16.01	0.040	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	17.47	15.77	0.038	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	17.67	15.97	0.040	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	16.21	14.51	0.028	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	16.17	14.47	0.028	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	15.68	13.98	0.025	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	12.69	10.99	0.013	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.29	17.59	0.057	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	19.28	17.58	0.057	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	19.33	17.63	0.058	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	18.83	17.13	0.052	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	19.29	17.59	0.057	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	19.20	17.50	0.056	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	19.28	17.58	0.057	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	18.35	16.65	0.046	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	17.33	15.63	0.037	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	16.86	15.16	0.033	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	14.87	13.17	0.021	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	17.73	16.03	0.040	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	17.97	16.27	0.042	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	17.83	16.13	0.041	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	16.40	14.70	0.030	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	16.34	14.64	0.029	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	15.85	14.15	0.026	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	12.89	11.19	0.013	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.29	17.59	0.057	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	19.29	17.59	0.057	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	19.33	17.63	0.058	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	18.84	17.14	0.052	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	19.26	17.56	0.057	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	19.27	17.57	0.057	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	19.33	17.63	0.058	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	18.36	16.66	0.046	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	17.31	15.61	0.036	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	16.86	15.16	0.033	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	14.86	13.16	0.021	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	17.77	16.07	0.040	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	17.77	16.07	0.040	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	17.85	16.15	0.041	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	16.37	14.67	0.029	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	16.35	14.65	0.029	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	15.88	14.18	0.026	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	12.93	11.23	0.013	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.23	17.53	0.057	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	19.12	17.42	0.055	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	19.27	17.57	0.057	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	18.76	17.06	0.051	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	19.21	17.51	0.056	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	18.98	17.28	0.053	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	19.25	17.55	0.057	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	18.27	16.57	0.045	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	17.26	15.56	0.036	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	16.78	15.08	0.032	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	14.62	12.92	0.020	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	17.55	15.85	0.038	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	17.36	15.66	0.037	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	17.55	15.85	0.038	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	16.11	14.41	0.028	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	16.07	14.37	0.027	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	15.56	13.86	0.024	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	12.57	10.87	0.012	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.20	17.50	0.056	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	19.22	17.52	0.056	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	19.13	17.43	0.055	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	18.64	16.94	0.049	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	19.13	17.43	0.055	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	19.13	17.43	0.055	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	19.13	17.43	0.055	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	18.18	16.48	0.044	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	17.17	15.47	0.035	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	16.66	14.96	0.031	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	14.72	13.02	0.020	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	17.58	15.88	0.039	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	17.68	15.98	0.040	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	17.65	15.95	0.039	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	16.22	14.52	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	16.21	14.51	0.028	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	15.71	14.01	0.025	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	12.74	11.04	0.013	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.17	17.47	0.056	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	18.95	17.25	0.053	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	19.15	17.45	0.056	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	18.64	16.94	0.049	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	19.10	17.40	0.055	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	18.91	17.21	0.053	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	19.16	17.46	0.056	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	18.18	16.48	0.044	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	17.13	15.43	0.035	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	16.65	14.95	0.031	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	14.66	12.96	0.020	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	17.63	15.93	0.039	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	17.45	15.75	0.038	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	17.66	15.96	0.039	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	16.17	14.47	0.028	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	16.15	14.45	0.028	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	15.65	13.95	0.025	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	12.64	10.94	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.08	17.38	0.055	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	18.91	17.21	0.053	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	19.07	17.37	0.055	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	18.57	16.87	0.049	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	19.02	17.32	0.054	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	18.82	17.12	0.052	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	19.04	17.34	0.054	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	18.05	16.35	0.043	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	17.05	15.35	0.034	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	16.54	14.84	0.030	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	14.57	12.87	0.019	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	17.56	15.86	0.039	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	17.31	15.61	0.036	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	17.58	15.88	0.039	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	16.10	14.40	0.028	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	16.06	14.36	0.027	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	15.58	13.88	0.024	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	12.59	10.89	0.012	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n66:

1.Ant Gain = -1.7dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.60	14.00	0.025	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.66	14.06	0.025	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.79	14.19	0.026	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.19	13.59	0.023	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	15.62	14.02	0.025	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	15.79	14.19	0.026	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	16.01	14.41	0.028	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	14.72	13.12	0.021	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	13.83	12.23	0.017	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	13.30	11.70	0.015	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	11.21	9.61	0.009	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	14.05	12.45	0.018	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	14.13	12.53	0.018	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	14.27	12.67	0.018	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	12.76	11.16	0.013	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	12.65	11.05	0.013	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	12.31	10.71	0.012	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	9.24	7.64	0.006	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.69	14.09	0.026	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.61	14.01	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.74	14.14	0.026	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.20	13.60	0.023	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.70	14.10	0.026	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	15.59	13.99	0.025	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	15.58	13.98	0.025	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	14.68	13.08	0.020	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	13.73	12.13	0.016	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	13.22	11.62	0.015	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	11.10	9.50	0.009	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.11	12.51	0.018	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	14.07	12.47	0.018	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	14.13	12.53	0.018	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	12.70	11.10	0.013	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	12.67	11.07	0.013	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	12.14	10.54	0.011	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	9.15	7.55	0.006	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.81	14.21	0.026	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.91	14.31	0.027	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.94	14.34	0.027	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.32	13.72	0.024	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	15.85	14.25	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	15.94	14.34	0.027	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	15.93	14.33	0.027	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	14.84	13.24	0.021	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	13.97	12.37	0.017	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	13.51	11.91	0.016	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	11.33	9.73	0.009	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	14.24	12.64	0.018	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	14.34	12.74	0.019	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	14.37	12.77	0.019	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	12.82	11.22	0.013	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	12.75	11.15	0.013	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	12.47	10.87	0.012	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	9.42	7.82	0.006	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.68	14.08	0.026	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.88	14.28	0.027	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.86	14.26	0.027	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.36	13.76	0.024	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	15.74	14.14	0.026	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	15.97	14.37	0.027	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	15.87	14.27	0.027	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	14.85	13.25	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.77	12.17	0.016	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.34	11.74	0.015	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.38	9.78	0.010	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	14.14	12.54	0.018	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	14.29	12.69	0.019	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	14.35	12.75	0.019	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	12.85	11.25	0.013	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	12.85	11.25	0.013	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	12.38	10.78	0.012	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	9.32	7.72	0.006	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.72	14.12	0.026	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.60	14.00	0.025	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.71	14.11	0.026	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.15	13.55	0.023	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.74	14.14	0.026	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	15.60	14.00	0.025	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	15.82	14.22	0.026	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	14.73	13.13	0.021	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	13.75	12.15	0.016	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	13.15	11.55	0.014	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	11.20	9.60	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.13	12.53	0.018	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	13.98	12.38	0.017	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	14.09	12.49	0.018	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	12.69	11.09	0.013	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	12.70	11.10	0.013	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	12.17	10.57	0.011	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	9.26	7.66	0.006	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.74	14.14	0.026	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.93	14.33	0.027	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.89	14.29	0.027	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.47	13.87	0.024	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	15.79	14.19	0.026	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	15.90	14.30	0.027	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	15.80	14.20	0.026	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	14.85	13.25	0.021	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.87	12.27	0.017	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.38	11.78	0.015	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.37	9.77	0.009	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	14.18	12.58	0.018	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	14.29	12.69	0.019	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	14.25	12.65	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	12.82	11.22	0.013	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	12.84	11.24	0.013	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	12.37	10.77	0.012	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	9.36	7.76	0.006	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.71	14.11	0.026	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.83	14.23	0.026	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.84	14.24	0.027	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.34	13.74	0.024	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	15.69	14.09	0.026	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	15.92	14.32	0.027	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	15.87	14.27	0.027	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	14.82	13.22	0.021	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	13.75	12.15	0.016	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	13.31	11.71	0.015	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	11.24	9.64	0.009	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	13.99	12.39	0.017	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	14.30	12.70	0.019	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	14.27	12.67	0.018	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	12.76	11.16	0.013	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	12.79	11.19	0.013	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	12.30	10.70	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	9.34	7.74	0.006	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.60	14.00	0.025	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.52	13.92	0.025	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.76	14.16	0.026	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.13	13.53	0.023	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.62	14.02	0.025	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	15.57	13.97	0.025	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	15.72	14.12	0.026	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	14.63	13.03	0.020	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	13.62	12.02	0.016	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	13.13	11.53	0.014	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	11.12	9.52	0.009	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.06	12.46	0.018	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	13.96	12.36	0.017	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	14.19	12.59	0.018	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	12.54	10.94	0.012	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	12.69	11.09	0.013	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	12.12	10.52	0.011	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	9.15	7.55	0.006	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.62	14.02	0.025	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.84	14.24	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.72	14.12	0.026	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.36	13.76	0.024	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	15.67	14.07	0.026	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	15.92	14.32	0.027	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	15.92	14.32	0.027	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	14.85	13.25	0.021	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	13.79	12.19	0.017	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	13.30	11.70	0.015	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	11.26	9.66	0.009	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	14.02	12.42	0.017	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	14.24	12.64	0.018	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	14.31	12.71	0.019	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	12.72	11.12	0.013	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	12.79	11.19	0.013	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	12.24	10.64	0.012	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	9.25	7.65	0.006	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.73	14.13	0.026	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.94	14.34	0.027	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.95	14.35	0.027	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.43	13.83	0.024	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	15.80	14.20	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	15.91	14.31	0.027	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	15.93	14.33	0.027	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	14.91	13.31	0.021	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	13.87	12.27	0.017	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	13.37	11.77	0.015	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	11.35	9.75	0.009	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	14.07	12.47	0.018	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	14.19	12.59	0.018	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	14.43	12.83	0.019	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	12.86	11.26	0.013	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	12.95	11.35	0.014	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	12.40	10.80	0.012	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	9.41	7.81	0.006	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.81	14.21	0.026	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.59	13.99	0.025	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.72	14.12	0.026	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.28	13.68	0.023	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.84	14.24	0.027	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	15.64	14.04	0.025	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	15.72	14.12	0.026	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	14.72	13.12	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	13.68	12.08	0.016	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	13.25	11.65	0.015	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	11.22	9.62	0.009	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.22	12.62	0.018	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	13.97	12.37	0.017	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	14.28	12.68	0.019	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	12.76	11.16	0.013	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	12.74	11.14	0.013	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	12.18	10.58	0.011	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	9.21	7.61	0.006	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.65	14.05	0.025	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.92	14.32	0.027	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.83	14.23	0.026	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.45	13.85	0.024	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	15.64	14.04	0.025	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	15.99	14.39	0.027	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	15.85	14.25	0.027	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	14.76	13.16	0.021	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	13.73	12.13	0.016	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	13.30	11.70	0.015	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	11.19	9.59	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	13.99	12.39	0.017	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	14.24	12.64	0.018	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	14.31	12.71	0.019	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	12.82	11.22	0.013	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	12.83	11.23	0.013	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	12.29	10.69	0.012	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	9.28	7.68	0.006	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.71	14.11	0.026	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.81	14.21	0.026	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.99	14.39	0.027	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.39	13.79	0.024	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	15.74	14.14	0.026	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	15.84	14.24	0.027	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	15.94	14.34	0.027	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	14.83	13.23	0.021	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	13.83	12.23	0.017	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	13.39	11.79	0.015	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	11.36	9.76	0.009	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	14.00	12.40	0.017	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	14.15	12.55	0.018	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	14.44	12.84	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	12.85	11.25	0.013	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	12.92	11.32	0.014	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	12.35	10.75	0.012	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	9.33	7.73	0.006	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.92	14.32	0.027	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.63	14.03	0.025	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.78	14.18	0.026	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.22	13.62	0.023	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.92	14.32	0.027	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	15.65	14.05	0.025	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	15.75	14.15	0.026	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	14.74	13.14	0.021	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	13.73	12.13	0.016	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	13.25	11.65	0.015	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	11.20	9.60	0.009	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.19	12.59	0.018	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	13.94	12.34	0.017	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	14.29	12.69	0.019	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	12.73	11.13	0.013	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	12.71	11.11	0.013	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	12.22	10.62	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	9.16	7.56	0.006	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.62	14.02	0.025	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.94	14.34	0.027	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.85	14.25	0.027	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.31	13.71	0.023	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	15.63	14.03	0.025	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	16.04	14.44	0.028	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	15.77	14.17	0.026	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	14.77	13.17	0.021	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	13.77	12.17	0.016	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	13.28	11.68	0.015	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	11.25	9.65	0.009	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	14.03	12.43	0.017	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	14.27	12.67	0.018	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	14.27	12.67	0.018	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	12.80	11.20	0.013	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	12.80	11.20	0.013	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	12.24	10.64	0.012	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	9.29	7.69	0.006	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.75	14.15	0.026	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.77	14.17	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.99	14.39	0.027	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.40	13.80	0.024	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	15.76	14.16	0.026	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	15.80	14.20	0.026	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	15.95	14.35	0.027	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	14.86	13.26	0.021	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	13.86	12.26	0.017	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	13.35	11.75	0.015	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	11.31	9.71	0.009	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	14.03	12.43	0.017	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	13.98	12.38	0.017	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	14.43	12.83	0.019	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	12.81	11.21	0.013	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	12.88	11.28	0.013	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	12.31	10.71	0.012	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	9.33	7.73	0.006	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.93	14.33	0.027	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.65	14.05	0.025	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.81	14.21	0.026	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.19	13.59	0.023	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.96	14.36	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	15.70	14.10	0.026	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	15.80	14.20	0.026	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	14.78	13.18	0.021	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	13.73	12.13	0.016	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	13.23	11.63	0.015	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	11.24	9.64	0.009	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.13	12.53	0.018	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	13.91	12.31	0.017	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	14.25	12.65	0.018	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	12.72	11.12	0.013	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	12.70	11.10	0.013	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	12.21	10.61	0.012	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	9.18	7.58	0.006	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.74	14.14	0.026	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.98	14.38	0.027	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.73	14.13	0.026	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.24	13.64	0.023	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	15.81	14.21	0.026	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	16.01	14.41	0.028	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	15.81	14.21	0.026	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	14.73	13.13	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	13.75	12.15	0.016	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	13.24	11.64	0.015	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	11.23	9.63	0.009	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	14.04	12.44	0.018	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	14.19	12.59	0.018	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	14.23	12.63	0.018	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	12.71	11.11	0.013	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	12.73	11.13	0.013	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	12.20	10.60	0.011	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	9.23	7.63	0.006	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.70	14.10	0.026	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.60	14.00	0.025	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.96	14.36	0.027	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.44	13.84	0.024	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	15.84	14.24	0.027	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	15.72	14.12	0.026	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	15.97	14.37	0.027	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	14.83	13.23	0.021	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	13.82	12.22	0.017	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	13.35	11.75	0.015	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	11.31	9.71	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	14.07	12.47	0.018	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	14.04	12.44	0.018	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	14.42	12.82	0.019	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	12.82	11.22	0.013	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	12.80	11.20	0.013	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	12.28	10.68	0.012	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	9.31	7.71	0.006	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.87	14.27	0.027	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.71	14.11	0.026	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.78	14.18	0.026	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.26	13.66	0.023	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.92	14.32	0.027	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	15.72	14.12	0.026	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	15.79	14.19	0.026	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	14.76	13.16	0.021	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	13.71	12.11	0.016	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	13.20	11.60	0.014	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	11.21	9.61	0.009	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.12	12.52	0.018	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	14.10	12.50	0.018	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	14.22	12.62	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	12.71	11.11	0.013	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	12.65	11.05	0.013	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	12.18	10.58	0.011	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	9.19	7.59	0.006	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.78	14.18	0.026	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.91	14.31	0.027	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.74	14.14	0.026	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.20	13.60	0.023	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	15.84	14.24	0.027	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	16.01	14.41	0.028	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	15.70	14.10	0.026	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	14.73	13.13	0.021	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	13.74	12.14	0.016	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	13.26	11.66	0.015	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	11.24	9.64	0.009	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	14.10	12.50	0.018	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	14.12	12.52	0.018	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	14.23	12.63	0.018	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	12.71	11.11	0.013	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	12.72	11.12	0.013	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	12.19	10.59	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	9.18	7.58	0.006	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.68	14.08	0.026	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.47	13.87	0.024	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.84	14.24	0.027	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.30	13.70	0.023	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	15.65	14.05	0.025	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	15.49	13.89	0.024	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	15.86	14.26	0.027	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	14.80	13.20	0.021	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	13.77	12.17	0.016	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	13.32	11.72	0.015	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	11.30	9.70	0.009	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	14.11	12.51	0.018	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	13.90	12.30	0.017	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	14.37	12.77	0.019	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	12.74	11.14	0.013	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	12.79	11.19	0.013	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	12.26	10.66	0.012	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	9.30	7.70	0.006	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.82	14.22	0.026	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.58	13.98	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.69	14.09	0.026	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.22	13.62	0.023	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.87	14.27	0.027	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	15.69	14.09	0.026	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	15.81	14.21	0.026	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	14.72	13.12	0.021	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	13.73	12.13	0.016	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	13.23	11.63	0.015	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	11.21	9.61	0.009	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.25	12.65	0.018	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	14.01	12.41	0.017	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	14.25	12.65	0.018	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	12.74	11.14	0.013	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	12.71	11.11	0.013	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	12.20	10.60	0.011	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	9.23	7.63	0.006	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.85	14.25	0.027	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.75	14.15	0.026	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.63	14.03	0.025	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.19	13.59	0.023	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	15.87	14.27	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	15.83	14.23	0.026	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	15.65	14.05	0.025	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	14.73	13.13	0.021	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	13.74	12.14	0.016	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	13.23	11.63	0.015	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	11.22	9.62	0.009	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	14.29	12.69	0.019	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	14.20	12.60	0.018	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	14.17	12.57	0.018	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	12.72	11.12	0.013	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	12.74	11.14	0.013	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	12.21	10.61	0.012	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	9.19	7.59	0.006	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.72	14.12	0.026	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.67	14.07	0.026	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.88	14.28	0.027	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.29	13.69	0.023	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	15.74	14.14	0.026	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	15.60	14.00	0.025	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	15.90	14.30	0.027	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	14.79	13.19	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	13.77	12.17	0.016	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	13.27	11.67	0.015	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	11.26	9.66	0.009	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	14.12	12.52	0.018	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	14.02	12.42	0.017	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	14.38	12.78	0.019	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	12.75	11.15	0.013	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	12.77	11.17	0.013	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	12.25	10.65	0.012	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	9.25	7.65	0.006	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.79	14.19	0.026	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.73	14.13	0.026	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.76	14.16	0.026	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.22	13.62	0.023	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.81	14.21	0.026	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	15.74	14.14	0.026	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	15.66	14.06	0.025	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	14.74	13.14	0.021	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	13.73	12.13	0.016	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	13.23	11.63	0.015	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	11.25	9.65	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.24	12.64	0.018	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	14.04	12.44	0.018	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	14.21	12.61	0.018	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	12.70	11.10	0.013	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	12.74	11.14	0.013	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	12.21	10.61	0.012	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	9.19	7.59	0.006	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.93	14.33	0.027	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.86	14.26	0.027	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.68	14.08	0.026	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.22	13.62	0.023	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	15.98	14.38	0.027	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	15.84	14.24	0.027	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	15.69	14.09	0.026	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	14.77	13.17	0.021	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	13.77	12.17	0.016	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	13.24	11.64	0.015	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	11.23	9.63	0.009	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	14.41	12.81	0.019	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	14.22	12.62	0.018	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	14.18	12.58	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	12.72	11.12	0.013	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	12.72	11.12	0.013	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	12.21	10.61	0.012	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	9.20	7.60	0.006	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.61	14.01	0.025	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.65	14.05	0.025	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.82	14.22	0.026	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.19	13.59	0.023	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	15.69	14.09	0.026	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	15.73	14.13	0.026	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	15.86	14.26	0.027	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	14.75	13.15	0.021	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	13.75	12.15	0.016	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	13.24	11.64	0.015	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	11.20	9.60	0.009	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	14.11	12.51	0.018	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	14.04	12.44	0.018	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	14.22	12.62	0.018	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	12.69	11.09	0.013	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	12.69	11.09	0.013	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	12.21	10.61	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	9.22	7.62	0.006	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.69	14.09	0.026	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.75	14.15	0.026	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.75	14.15	0.026	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.26	13.66	0.023	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.77	14.17	0.026	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	15.76	14.16	0.026	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	15.68	14.08	0.026	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	14.76	13.16	0.021	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	13.73	12.13	0.016	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	13.24	11.64	0.015	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	11.22	9.62	0.009	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.13	12.53	0.018	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	14.25	12.65	0.018	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	14.22	12.62	0.018	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	12.76	11.16	0.013	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	12.71	11.11	0.013	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	12.22	10.62	0.012	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	9.19	7.59	0.006	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.75	14.15	0.026	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.75	14.15	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.70	14.10	0.026	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.15	13.55	0.023	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	15.83	14.23	0.026	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	15.68	14.08	0.026	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	15.65	14.05	0.025	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	14.70	13.10	0.020	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	13.68	12.08	0.016	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	13.16	11.56	0.014	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	11.17	9.57	0.009	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	14.13	12.53	0.018	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	14.16	12.56	0.018	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	14.15	12.55	0.018	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	12.63	11.03	0.013	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	12.64	11.04	0.013	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	12.16	10.56	0.011	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	9.11	7.51	0.006	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.49	13.89	0.024	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	15.63	14.03	0.025	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.75	14.15	0.026	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.20	13.60	0.023	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.52	13.92	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	15.87	14.27	0.027	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	15.73	14.13	0.026	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	14.69	13.09	0.020	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	13.69	12.09	0.016	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	13.22	11.62	0.015	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	11.18	9.58	0.009	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.06	12.46	0.018	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	14.15	12.55	0.018	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	14.17	12.57	0.018	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	12.63	11.03	0.013	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	12.68	11.08	0.013	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	12.14	10.54	0.011	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	9.16	7.56	0.006	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_1:

1.Ant Gain = -1.6dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.36	13.76	0.024	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.56	13.96	0.025	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.50	13.90	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.05	13.45	0.022	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	15.36	13.76	0.024	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	15.49	13.89	0.024	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	15.50	13.90	0.025	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	14.54	12.94	0.020	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	13.70	12.10	0.016	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	13.14	11.54	0.014	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	11.07	9.47	0.009	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	13.86	12.26	0.017	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	14.02	12.42	0.017	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	14.06	12.46	0.018	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	12.58	10.98	0.013	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	12.43	10.83	0.012	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	12.14	10.54	0.011	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	9.05	7.45	0.006	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.51	13.91	0.025	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.45	13.85	0.024	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.68	14.08	0.026	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.05	13.45	0.022	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.56	13.96	0.025	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@22	15.53	13.93	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB12@6	15.46	13.86	0.024	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB24@0	14.56	12.96	0.020	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB24@0	13.69	12.09	0.016	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB24@0	13.13	11.53	0.014	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB24@0	11.13	9.53	0.009	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	13.91	12.31	0.017	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@22	13.88	12.28	0.017	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB12@6	14.02	12.42	0.017	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB24@0	12.55	10.95	0.012	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB24@0	12.56	10.96	0.012	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB24@0	12.11	10.51	0.011	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB24@0	9.05	7.45	0.006	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.77	14.17	0.026	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.77	14.17	0.026	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.66	14.06	0.025	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.27	13.67	0.023	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	15.81	14.21	0.026	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@22	15.78	14.18	0.026	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB12@6	15.81	14.21	0.026	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB24@0	14.80	13.20	0.021	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 16 QAM_RB24@0	13.82	12.22	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 64 QAM_RB24@0	13.31	11.71	0.015	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 256 QAM_RB24@0	11.21	9.61	0.009	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@1	14.25	12.65	0.018	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@22	14.19	12.59	0.018	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB12@6	14.18	12.58	0.018	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB24@0	12.66	11.06	0.013	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 16 QAM_RB24@0	12.76	11.16	0.013	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 64 QAM_RB24@0	12.39	10.79	0.012	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 256 QAM_RB24@0	9.22	7.62	0.006	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.36	13.76	0.024	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.65	14.05	0.025	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.65	14.05	0.025	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.11	13.51	0.022	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	15.40	13.80	0.024	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	15.73	14.13	0.026	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	15.63	14.03	0.025	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	14.67	13.07	0.020	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.66	12.06	0.016	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.11	11.51	0.014	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.10	9.50	0.009	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	13.83	12.23	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	14.16	12.56	0.018	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	14.20	12.60	0.018	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	12.61	11.01	0.013	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	12.65	11.05	0.013	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	12.15	10.55	0.011	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	9.18	7.58	0.006	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.61	14.01	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.52	13.92	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.65	14.05	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.06	13.46	0.022	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.60	14.00	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@36	15.50	13.90	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB18@9	15.65	14.05	0.025	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@0	14.61	13.01	0.020	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB36@0	13.64	12.04	0.016	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB36@0	13.11	11.51	0.014	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB36@0	11.11	9.51	0.009	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.08	12.48	0.018	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@36	13.97	12.37	0.017	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB19@9	14.12	12.52	0.018	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB38@0	12.61	11.01	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB38@0	12.63	11.03	0.013	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB38@0	12.11	10.51	0.011	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB38@0	9.14	7.54	0.006	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.79	14.19	0.026	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.78	14.18	0.026	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.78	14.18	0.026	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.36	13.76	0.024	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	15.75	14.15	0.026	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@36	15.83	14.23	0.026	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB18@9	15.89	14.29	0.027	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@0	14.78	13.18	0.021	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.75	12.15	0.016	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.30	11.70	0.015	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.29	9.69	0.009	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	14.11	12.51	0.018	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@36	14.08	12.48	0.018	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB19@9	14.30	12.70	0.019	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB38@0	12.74	11.14	0.013	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 16 QAM_RB38@0	12.82	11.22	0.013	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 64 QAM_RB38@0	12.30	10.70	0.012	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 256 QAM_RB38@0	9.36	7.76	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.41	13.81	0.024	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.75	14.15	0.026	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.72	14.12	0.026	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.13	13.53	0.023	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	15.41	13.81	0.024	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	15.75	14.15	0.026	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	15.68	14.08	0.026	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	14.70	13.10	0.020	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	13.65	12.05	0.016	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	13.13	11.53	0.014	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	11.17	9.57	0.009	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	13.84	12.24	0.017	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	14.26	12.66	0.018	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	14.23	12.63	0.018	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	12.66	11.06	0.013	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	12.69	11.09	0.013	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	12.13	10.53	0.011	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	9.20	7.60	0.006	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.61	14.01	0.025	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.58	13.98	0.025	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.61	14.01	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.09	13.49	0.022	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.63	14.03	0.025	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@49	15.65	14.05	0.025	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB25@12	15.75	14.15	0.026	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@0	14.65	13.05	0.020	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB50@0	13.62	12.02	0.016	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB50@0	13.11	11.51	0.014	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB50@0	11.14	9.54	0.009	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.08	12.48	0.018	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@49	14.00	12.40	0.017	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB25@12	14.13	12.53	0.018	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB51@0	12.51	10.91	0.012	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB51@0	12.63	11.03	0.013	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB51@0	12.12	10.52	0.011	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB51@0	9.13	7.53	0.006	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.72	14.12	0.026	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.77	14.17	0.026	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.74	14.14	0.026	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.33	13.73	0.024	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	15.74	14.14	0.026	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@49	15.84	14.24	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB25@12	15.83	14.23	0.026	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB50@0	14.81	13.21	0.021	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 16 QAM_RB50@0	13.78	12.18	0.017	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 64 QAM_RB50@0	13.24	11.64	0.015	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 256 QAM_RB50@0	11.22	9.62	0.009	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@1	14.09	12.49	0.018	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@49	14.15	12.55	0.018	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB25@12	14.38	12.78	0.019	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB51@0	12.72	11.12	0.013	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 16 QAM_RB51@0	12.70	11.10	0.013	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 64 QAM_RB51@0	12.25	10.65	0.012	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 256 QAM_RB51@0	9.33	7.73	0.006	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.53	13.93	0.025	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.89	14.29	0.027	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.96	14.36	0.027	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.31	13.71	0.023	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	15.57	13.97	0.025	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	15.92	14.32	0.027	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	15.92	14.32	0.027	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	14.87	13.27	0.021	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	13.85	12.25	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	13.32	11.72	0.015	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	11.31	9.71	0.009	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	13.93	12.33	0.017	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	14.25	12.65	0.018	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	14.42	12.82	0.019	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	12.87	11.27	0.013	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	12.86	11.26	0.013	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	12.36	10.76	0.012	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	9.31	7.71	0.006	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.79	14.19	0.026	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.56	13.96	0.025	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.75	14.15	0.026	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.21	13.61	0.023	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.80	14.20	0.026	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@76	15.63	14.03	0.025	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@18	15.73	14.13	0.026	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB75@0	14.71	13.11	0.020	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB75@0	13.68	12.08	0.016	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB75@0	13.20	11.60	0.014	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB75@0	11.17	9.57	0.009	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.15	12.55	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@76	14.00	12.40	0.017	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB39@19	14.15	12.55	0.018	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB78@0	12.65	11.05	0.013	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB78@0	12.68	11.08	0.013	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB78@0	12.21	10.61	0.012	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB78@0	9.16	7.56	0.006	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.45	13.85	0.024	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.83	14.23	0.026	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.93	14.33	0.027	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.29	13.69	0.023	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@1	15.44	13.84	0.024	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@76	15.82	14.22	0.026	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB36@18	15.80	14.20	0.026	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB75@0	14.79	13.19	0.021	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 16 QAM_RB75@0	13.81	12.21	0.017	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 64 QAM_RB75@0	13.30	11.70	0.015	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 256 QAM_RB75@0	11.29	9.69	0.009	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@1	13.85	12.25	0.017	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@76	14.28	12.68	0.019	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB39@19	14.31	12.71	0.019	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB78@0	12.81	11.21	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 16 QAM_RB78@0	12.81	11.21	0.013	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 64 QAM_RB78@0	12.29	10.69	0.012	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 256 QAM_RB78@0	9.30	7.70	0.006	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.53	13.93	0.025	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.82	14.22	0.026	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.90	14.30	0.027	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.32	13.72	0.024	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	15.58	13.98	0.025	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	15.82	14.22	0.026	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	15.96	14.36	0.027	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	14.85	13.25	0.021	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	13.84	12.24	0.017	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	13.34	11.74	0.015	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	11.31	9.71	0.009	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	13.93	12.33	0.017	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	14.17	12.57	0.018	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	14.44	12.84	0.019	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	12.84	11.24	0.013	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	12.84	11.24	0.013	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	12.35	10.75	0.012	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	9.33	7.73	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.82	14.22	0.026	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.70	14.10	0.026	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.71	14.11	0.026	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.26	13.66	0.023	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.89	14.29	0.027	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	15.70	14.10	0.026	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	15.72	14.12	0.026	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	14.70	13.10	0.020	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	13.69	12.09	0.016	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	13.21	11.61	0.014	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	11.15	9.55	0.009	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.20	12.60	0.018	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@104	14.03	12.43	0.017	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB53@26	14.18	12.58	0.018	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB106@0	12.74	11.14	0.013	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	12.74	11.14	0.013	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	12.21	10.61	0.012	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	9.16	7.56	0.006	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.22	13.62	0.023	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.92	14.32	0.027	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.79	14.19	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.20	13.60	0.023	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	15.32	13.72	0.024	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@104	16.00	14.40	0.028	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB50@25	15.79	14.19	0.026	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB100@0	14.76	13.16	0.021	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 16 QAM_RB100@0	13.75	12.15	0.016	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 64 QAM_RB100@0	13.23	11.63	0.015	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 256 QAM_RB100@0	11.19	9.59	0.009	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@1	13.65	12.05	0.016	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@104	14.29	12.69	0.019	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB53@26	14.30	12.70	0.019	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB106@0	12.72	11.12	0.013	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 16 QAM_RB106@0	12.73	11.13	0.013	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 64 QAM_RB106@0	12.24	10.64	0.012	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 256 QAM_RB106@0	9.19	7.59	0.006	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.48	13.88	0.024	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.66	14.06	0.025	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.95	14.35	0.027	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.32	13.72	0.024	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	15.55	13.95	0.025	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	15.65	14.05	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	15.96	14.36	0.027	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	14.89	13.29	0.021	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	13.84	12.24	0.017	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	13.32	11.72	0.015	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	11.30	9.70	0.009	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	13.90	12.30	0.017	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	13.99	12.39	0.017	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	14.43	12.83	0.019	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	12.79	11.19	0.013	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	12.83	11.23	0.013	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	12.30	10.70	0.012	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	9.30	7.70	0.006	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.98	14.38	0.027	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.80	14.20	0.026	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.75	14.15	0.026	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.22	13.62	0.023	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.99	14.39	0.027	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@131	15.82	14.22	0.026	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB64@32	15.75	14.15	0.026	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB128@0	14.75	13.15	0.021	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB128@0	13.77	12.17	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB128@0	13.23	11.63	0.015	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB128@0	11.22	9.62	0.009	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.22	12.62	0.018	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@131	14.13	12.53	0.018	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB67@33	14.23	12.63	0.018	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB133@0	12.72	11.12	0.013	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB133@0	12.76	11.16	0.013	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB133@0	12.24	10.64	0.012	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB133@0	9.24	7.64	0.006	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.10	13.50	0.022	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.82	14.22	0.026	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.67	14.07	0.026	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.11	13.51	0.022	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	15.05	13.45	0.022	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@131	15.89	14.29	0.027	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB64@32	15.71	14.11	0.026	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB128@0	14.65	13.05	0.020	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 16 QAM_RB128@0	13.65	12.05	0.016	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 64 QAM_RB128@0	13.13	11.53	0.014	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 256 QAM_RB128@0	11.13	9.53	0.009	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@1	13.44	11.84	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@131	14.19	12.59	0.018	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB67@33	14.21	12.61	0.018	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB133@0	12.60	11.00	0.013	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 16 QAM_RB133@0	12.62	11.02	0.013	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 64 QAM_RB133@0	12.10	10.50	0.011	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 256 QAM_RB133@0	9.09	7.49	0.006	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.42	13.82	0.024	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.52	13.92	0.025	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.86	14.26	0.027	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.19	13.59	0.023	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	15.46	13.86	0.024	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	15.59	13.99	0.025	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	15.87	14.27	0.027	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	14.72	13.12	0.021	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	13.73	12.13	0.016	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	13.21	11.61	0.014	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	11.20	9.60	0.009	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	13.84	12.24	0.017	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	13.88	12.28	0.017	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	14.31	12.71	0.019	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	12.69	11.09	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	12.66	11.06	0.013	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	12.18	10.58	0.011	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	9.18	7.58	0.006	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.91	14.31	0.027	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.87	14.27	0.027	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.75	14.15	0.026	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.23	13.63	0.023	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.00	14.40	0.028	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@160	15.91	14.31	0.027	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB81@40	15.71	14.11	0.026	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB162@0	14.80	13.20	0.021	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB162@0	13.77	12.17	0.016	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB162@0	13.27	11.67	0.015	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB162@0	11.27	9.67	0.009	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.29	12.69	0.019	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@160	14.32	12.72	0.019	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB81@40	14.16	12.56	0.018	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB162@0	12.75	11.15	0.013	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB162@0	12.75	11.15	0.013	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB162@0	12.22	10.62	0.012	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB162@0	9.18	7.58	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.07	13.47	0.022	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.92	14.32	0.027	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.61	14.01	0.025	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.13	13.53	0.023	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@1	15.11	13.51	0.022	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@160	15.99	14.39	0.027	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB81@40	15.59	13.99	0.025	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB162@0	14.62	13.02	0.020	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 16 QAM_RB162@0	13.57	11.97	0.016	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 64 QAM_RB162@0	13.09	11.49	0.014	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 256 QAM_RB162@0	11.07	9.47	0.009	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@1	13.48	11.88	0.015	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@160	14.26	12.66	0.018	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB81@40	14.11	12.51	0.018	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB162@0	12.57	10.97	0.013	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 16 QAM_RB162@0	12.57	10.97	0.013	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 64 QAM_RB162@0	12.08	10.48	0.011	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 256 QAM_RB162@0	9.09	7.49	0.006	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.39	13.79	0.024	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.46	13.86	0.024	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.79	14.19	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.26	13.66	0.023	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	15.39	13.79	0.024	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	15.44	13.84	0.024	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	15.87	14.27	0.027	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	14.75	13.15	0.021	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	13.73	12.13	0.016	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	13.25	11.65	0.015	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	11.23	9.63	0.009	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	13.91	12.31	0.017	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	13.97	12.37	0.017	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	14.31	12.71	0.019	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	12.78	11.18	0.013	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	12.74	11.14	0.013	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	12.20	10.60	0.011	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	9.21	7.61	0.006	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.89	14.29	0.027	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.87	14.27	0.027	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.69	14.09	0.026	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.36	13.76	0.024	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.91	14.31	0.027	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@187	15.85	14.25	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB90@45	15.66	14.06	0.025	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB180@0	14.86	13.26	0.021	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB180@0	13.86	12.26	0.017	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB180@0	13.34	11.74	0.015	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB180@0	11.32	9.72	0.009	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.42	12.82	0.019	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@187	14.33	12.73	0.019	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB95@47	14.29	12.69	0.019	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB189@0	12.81	11.21	0.013	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB189@0	12.82	11.22	0.013	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB189@0	12.34	10.74	0.012	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB189@0	9.28	7.68	0.006	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.35	13.75	0.024	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.96	14.36	0.027	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.54	13.94	0.025	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.11	13.51	0.022	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@1	15.37	13.77	0.024	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@187	15.98	14.38	0.027	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB90@45	15.48	13.88	0.024	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB180@0	14.63	13.03	0.020	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 16 QAM_RB180@0	13.62	12.02	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 64 QAM_RB180@0	13.10	11.50	0.014	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 256 QAM_RB180@0	11.12	9.52	0.009	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@1	13.68	12.08	0.016	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@187	14.33	12.73	0.019	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB95@47	14.11	12.51	0.018	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB189@0	12.62	11.02	0.013	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 16 QAM_RB189@0	12.64	11.04	0.013	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 64 QAM_RB189@0	12.12	10.52	0.011	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 256 QAM_RB189@0	9.11	7.51	0.006	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.40	13.80	0.024	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.66	14.06	0.025	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.74	14.14	0.026	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.09	13.49	0.022	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	15.43	13.83	0.024	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	15.62	14.02	0.025	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	15.74	14.14	0.026	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	14.76	13.16	0.021	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	13.70	12.10	0.016	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	13.23	11.63	0.015	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	11.24	9.64	0.009	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	13.90	12.30	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	14.11	12.51	0.018	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	14.22	12.62	0.018	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	12.75	11.15	0.013	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	12.75	11.15	0.013	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	12.21	10.61	0.012	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	9.20	7.60	0.006	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.90	14.30	0.027	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.98	14.38	0.027	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.71	14.11	0.026	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.35	13.75	0.024	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.98	14.38	0.027	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@215	15.96	14.36	0.027	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	15.75	14.15	0.026	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	14.91	13.31	0.021	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB216@0	13.87	12.27	0.017	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB216@0	13.37	11.77	0.015	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB216@0	11.36	9.76	0.009	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.44	12.84	0.019	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@215	14.42	12.82	0.019	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB109@54	14.29	12.69	0.019	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB217@0	12.88	11.28	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB217@0	12.86	11.26	0.013	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB217@0	12.36	10.76	0.012	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB217@0	9.36	7.76	0.006	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.56	13.96	0.025	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.94	14.34	0.027	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.56	13.96	0.025	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.13	13.53	0.023	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@1	15.56	13.96	0.025	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@215	15.98	14.38	0.027	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB108@54	15.54	13.94	0.025	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB216@0	14.67	13.07	0.020	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 16 QAM_RB216@0	13.62	12.02	0.016	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 64 QAM_RB216@0	13.08	11.48	0.014	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 256 QAM_RB216@0	11.09	9.49	0.009	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@1	14.08	12.48	0.018	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@215	14.39	12.79	0.019	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB109@54	14.04	12.44	0.018	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB217@0	12.62	11.02	0.013	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 16 QAM_RB217@0	12.60	11.00	0.013	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 64 QAM_RB217@0	12.10	10.50	0.011	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 256 QAM_RB217@0	9.07	7.47	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.33	13.73	0.024	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.72	14.12	0.026	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.75	14.15	0.026	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.21	13.61	0.023	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	15.35	13.75	0.024	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	15.69	14.09	0.026	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	15.72	14.12	0.026	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	14.72	13.12	0.021	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	13.72	12.12	0.016	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	13.27	11.67	0.015	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	11.26	9.66	0.009	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	13.90	12.30	0.017	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	14.23	12.63	0.018	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	14.26	12.66	0.018	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	12.75	11.15	0.013	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	12.74	11.14	0.013	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	12.24	10.64	0.012	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	9.24	7.64	0.006	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.79	14.19	0.026	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.99	14.39	0.027	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.72	14.12	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.39	13.79	0.024	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.88	14.28	0.027	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@243	16.00	14.40	0.028	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB120@60	15.79	14.19	0.026	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB243@0	14.87	13.27	0.021	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB243@0	13.91	12.31	0.017	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB243@0	13.41	11.81	0.015	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB243@0	11.39	9.79	0.010	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.27	12.67	0.018	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@243	14.52	12.92	0.020	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB123@61	14.29	12.69	0.019	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB245@0	12.85	11.25	0.013	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB245@0	12.85	11.25	0.013	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB245@0	12.37	10.77	0.012	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB245@0	9.31	7.71	0.006	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.68	14.08	0.026	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.85	14.25	0.027	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.44	13.84	0.024	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.09	13.49	0.022	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@1	15.63	14.03	0.025	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@243	15.90	14.30	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB120@60	15.39	13.79	0.024	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB243@0	14.58	12.98	0.020	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 16 QAM_RB243@0	13.61	12.01	0.016	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 64 QAM_RB243@0	13.08	11.48	0.014	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 256 QAM_RB243@0	11.03	9.43	0.009	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@1	14.13	12.53	0.018	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@243	14.33	12.73	0.019	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB123@61	13.90	12.30	0.017	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB245@0	12.57	10.97	0.013	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 16 QAM_RB245@0	12.55	10.95	0.012	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 64 QAM_RB245@0	12.06	10.46	0.011	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 256 QAM_RB245@0	8.99	7.39	0.005	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.26	13.66	0.023	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	15.87	14.27	0.027	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.60	14.00	0.025	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.11	13.51	0.022	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.21	13.61	0.023	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	15.86	14.26	0.027	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	15.67	14.07	0.026	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	14.67	13.07	0.020	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	13.64	12.04	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	13.19	11.59	0.014	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	11.15	9.55	0.009	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	13.75	12.15	0.016	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	14.37	12.77	0.019	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	14.14	12.54	0.018	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	12.65	11.05	0.013	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	12.68	11.08	0.013	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	12.16	10.56	0.011	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	9.14	7.54	0.006	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.60	14.00	0.025	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	15.99	14.39	0.027	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.70	14.10	0.026	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.35	13.75	0.024	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	15.67	14.07	0.026	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@271	16.02	14.42	0.028	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	15.69	14.09	0.026	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	14.86	13.26	0.021	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	13.85	12.25	0.017	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	13.39	11.79	0.015	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	11.38	9.78	0.010	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.15	12.55	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@271	14.46	12.86	0.019	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB137@68	14.28	12.68	0.019	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB273@0	12.85	11.25	0.013	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB273@0	12.84	11.24	0.013	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB273@0	12.35	10.75	0.012	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB273@0	9.32	7.72	0.006	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.68	14.08	0.026	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	15.93	14.33	0.027	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.44	13.84	0.024	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.16	13.56	0.023	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@1	15.63	14.03	0.025	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@271	15.90	14.30	0.027	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB135@67	15.45	13.85	0.024	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB270@0	14.63	13.03	0.020	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 16 QAM_RB270@0	13.63	12.03	0.016	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 64 QAM_RB270@0	13.13	11.53	0.014	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 256 QAM_RB270@0	11.12	9.52	0.009	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@1	14.19	12.59	0.018	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@271	14.43	12.83	0.019	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB137@68	13.95	12.35	0.017	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB273@0	12.65	11.05	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 16 QAM_RB273@0	12.66	11.06	0.013	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 64 QAM_RB273@0	12.14	10.54	0.011	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 256 QAM_RB273@0	9.12	7.52	0.006	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_3:

1.Ant Gain = -1.6dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.68	14.08	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.76	14.16	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.66	14.06	0.025	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.32	13.72	0.024	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	15.75	14.15	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	15.80	14.20	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	16.01	14.41	0.028	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	14.76	13.16	0.021	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	13.72	12.12	0.016	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	13.34	11.74	0.015	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	11.20	9.60	0.009	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	14.23	12.63	0.018	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	14.16	12.56	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	14.17	12.57	0.018	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	12.74	11.14	0.013	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	12.79	11.19	0.013	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	12.36	10.76	0.012	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	9.24	7.64	0.006	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.49	13.89	0.024	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.44	13.84	0.024	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.53	13.93	0.025	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.06	13.46	0.022	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.48	13.88	0.024	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	15.43	13.83	0.024	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	15.65	14.05	0.025	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	14.46	12.86	0.019	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	13.48	11.88	0.015	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	13.07	11.47	0.014	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	10.94	9.34	0.009	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	13.86	12.26	0.017	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	13.77	12.17	0.016	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	13.94	12.34	0.017	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	12.51	10.91	0.012	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	12.42	10.82	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	11.99	10.39	0.011	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	8.95	7.35	0.005	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.77	14.17	0.026	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.88	14.28	0.027	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.88	14.28	0.027	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.31	13.71	0.023	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	15.77	14.17	0.026	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	15.95	14.35	0.027	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	16.05	14.45	0.028	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	14.80	13.20	0.021	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	13.85	12.25	0.017	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	13.46	11.86	0.015	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	11.37	9.77	0.009	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	14.23	12.63	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	14.31	12.71	0.019	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	14.24	12.64	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	12.84	11.24	0.013	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	12.83	11.23	0.013	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	12.30	10.70	0.012	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	9.32	7.72	0.006	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.66	14.06	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.80	14.20	0.026	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.82	14.22	0.026	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.29	13.69	0.023	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	15.69	14.09	0.026	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	15.81	14.21	0.026	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	15.82	14.22	0.026	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	14.83	13.23	0.021	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.80	12.20	0.017	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.30	11.70	0.015	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.33	9.73	0.009	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	14.17	12.57	0.018	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	14.20	12.60	0.018	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	14.37	12.77	0.019	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	12.81	11.21	0.013	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	12.79	11.19	0.013	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	12.27	10.67	0.012	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	9.35	7.75	0.006	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.43	13.83	0.024	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.39	13.79	0.024	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.50	13.90	0.025	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.02	13.42	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.48	13.88	0.024	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	15.42	13.82	0.024	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	15.62	14.02	0.025	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	14.44	12.84	0.019	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	13.50	11.90	0.015	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	12.99	11.39	0.014	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	10.95	9.35	0.009	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	13.87	12.27	0.017	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	13.85	12.25	0.017	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	14.03	12.43	0.017	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	12.54	10.94	0.012	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	12.50	10.90	0.012	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	12.00	10.40	0.011	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	9.09	7.49	0.006	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.66	14.06	0.025	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.91	14.31	0.027	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.85	14.25	0.027	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.42	13.82	0.024	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	15.72	14.12	0.026	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	15.96	14.36	0.027	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	15.79	14.19	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	14.80	13.20	0.021	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.87	12.27	0.017	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.34	11.74	0.015	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.34	9.74	0.009	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	14.19	12.59	0.018	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	14.27	12.67	0.018	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	14.33	12.73	0.019	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	12.83	11.23	0.013	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	12.89	11.29	0.013	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	12.36	10.76	0.012	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	9.42	7.82	0.006	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.75	14.15	0.026	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.90	14.30	0.027	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.87	14.27	0.027	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.41	13.81	0.024	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	15.79	14.19	0.026	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	15.94	14.34	0.027	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	15.99	14.39	0.027	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	14.89	13.29	0.021	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	13.86	12.26	0.017	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	13.39	11.79	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	11.33	9.73	0.009	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	14.18	12.58	0.018	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	14.31	12.71	0.019	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	14.40	12.80	0.019	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	12.86	11.26	0.013	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	12.92	11.32	0.014	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	12.41	10.81	0.012	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	9.44	7.84	0.006	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.57	13.97	0.025	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.44	13.84	0.024	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.48	13.88	0.024	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.02	13.42	0.022	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.55	13.95	0.025	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	15.44	13.84	0.024	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	15.56	13.96	0.025	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	14.56	12.96	0.020	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	13.53	11.93	0.016	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	13.03	11.43	0.014	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	11.04	9.44	0.009	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.03	12.43	0.017	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	13.96	12.36	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	14.09	12.49	0.018	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	12.58	10.98	0.013	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	12.49	10.89	0.012	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	12.02	10.42	0.011	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	9.13	7.53	0.006	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.66	14.06	0.025	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.99	14.39	0.027	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.89	14.29	0.027	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.40	13.80	0.024	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	15.79	14.19	0.026	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	16.05	14.45	0.028	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	15.85	14.25	0.027	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	14.87	13.27	0.021	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	13.83	12.23	0.017	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	13.32	11.72	0.015	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	11.33	9.73	0.009	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	14.22	12.62	0.018	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	14.37	12.77	0.019	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	14.39	12.79	0.019	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	12.85	11.25	0.013	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	12.84	11.24	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	12.33	10.73	0.012	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	9.36	7.76	0.006	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.85	14.25	0.027	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.76	14.16	0.026	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.06	14.46	0.028	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.47	13.87	0.024	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	15.87	14.27	0.027	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	15.81	14.21	0.026	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	15.93	14.33	0.027	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	14.94	13.34	0.022	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	13.92	12.32	0.017	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	13.46	11.86	0.015	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	11.38	9.78	0.010	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	14.21	12.61	0.018	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	14.04	12.44	0.018	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	14.43	12.83	0.019	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	12.99	11.39	0.014	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	12.99	11.39	0.014	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	12.43	10.83	0.012	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	9.43	7.83	0.006	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.74	14.14	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.61	14.01	0.025	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.62	14.02	0.025	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.15	13.55	0.023	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.80	14.20	0.026	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	15.50	13.90	0.025	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	15.72	14.12	0.026	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	14.67	13.07	0.020	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	13.69	12.09	0.016	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	13.20	11.60	0.014	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	11.11	9.51	0.009	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.05	12.45	0.018	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	13.97	12.37	0.017	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	14.17	12.57	0.018	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	12.68	11.08	0.013	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	12.70	11.10	0.013	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	12.17	10.57	0.011	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	9.18	7.58	0.006	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.71	14.11	0.026	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.09	14.49	0.028	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.86	14.26	0.027	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.37	13.77	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	15.73	14.13	0.026	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	16.11	14.51	0.028	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	15.87	14.27	0.027	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	14.90	13.30	0.021	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	13.89	12.29	0.017	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	13.42	11.82	0.015	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	11.37	9.77	0.009	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	14.12	12.52	0.018	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	14.44	12.84	0.019	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	14.43	12.83	0.019	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	12.88	11.28	0.013	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	12.94	11.34	0.014	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	12.47	10.87	0.012	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	9.41	7.81	0.006	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.77	14.17	0.026	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.80	14.20	0.026	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.94	14.34	0.027	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.42	13.82	0.024	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	15.96	14.36	0.027	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	15.77	14.17	0.026	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	15.94	14.34	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	14.94	13.34	0.022	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	13.85	12.25	0.017	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	13.41	11.81	0.015	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	11.35	9.75	0.009	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	14.18	12.58	0.018	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	14.14	12.54	0.018	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	14.44	12.84	0.019	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	12.88	11.28	0.013	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	12.90	11.30	0.013	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	12.36	10.76	0.012	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	9.39	7.79	0.006	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.84	14.24	0.027	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.64	14.04	0.025	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.68	14.08	0.026	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.16	13.56	0.023	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.88	14.28	0.027	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	15.63	14.03	0.025	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	15.73	14.13	0.026	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	14.70	13.10	0.020	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	13.68	12.08	0.016	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	13.15	11.55	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	11.16	9.56	0.009	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	13.99	12.39	0.017	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	13.96	12.36	0.017	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	14.15	12.55	0.018	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	12.67	11.07	0.013	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	12.66	11.06	0.013	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	12.17	10.57	0.011	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	9.18	7.58	0.006	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.71	14.11	0.026	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.08	14.48	0.028	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.88	14.28	0.027	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.36	13.76	0.024	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	15.74	14.14	0.026	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	16.06	14.46	0.028	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	15.82	14.22	0.026	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	14.82	13.22	0.021	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	13.82	12.22	0.017	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	13.33	11.73	0.015	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	11.33	9.73	0.009	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	14.04	12.44	0.018	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	14.42	12.82	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	14.33	12.73	0.019	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	12.84	11.24	0.013	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	12.81	11.21	0.013	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	12.32	10.72	0.012	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	9.30	7.70	0.006	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.82	14.22	0.026	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.71	14.11	0.026	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.98	14.38	0.027	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.44	13.84	0.024	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	15.83	14.23	0.026	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	15.65	14.05	0.025	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	15.96	14.36	0.027	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	14.91	13.31	0.021	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	13.87	12.27	0.017	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	13.37	11.77	0.015	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	11.37	9.77	0.009	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	14.15	12.55	0.018	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	13.95	12.35	0.017	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	14.43	12.83	0.019	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	12.86	11.26	0.013	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	12.86	11.26	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	12.34	10.74	0.012	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	9.34	7.74	0.006	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.84	14.24	0.027	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.66	14.06	0.025	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.81	14.21	0.026	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.14	13.54	0.023	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.95	14.35	0.027	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	15.70	14.10	0.026	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	15.70	14.10	0.026	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	14.68	13.08	0.020	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	13.66	12.06	0.016	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	13.17	11.57	0.014	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	11.17	9.57	0.009	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.15	12.55	0.018	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	13.97	12.37	0.017	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	14.15	12.55	0.018	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	12.62	11.02	0.013	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	12.64	11.04	0.013	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	12.13	10.53	0.011	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	9.14	7.54	0.006	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.70	14.10	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.10	14.50	0.028	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.81	14.21	0.026	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.26	13.66	0.023	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	15.70	14.10	0.026	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	16.15	14.55	0.029	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	15.82	14.22	0.026	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	14.79	13.19	0.021	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	13.78	12.18	0.017	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	13.27	11.67	0.015	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	11.30	9.70	0.009	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	14.08	12.48	0.018	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	14.27	12.67	0.018	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	14.24	12.64	0.018	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	12.76	11.16	0.013	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	12.75	11.15	0.013	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	12.22	10.62	0.012	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	9.26	7.66	0.006	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.91	14.31	0.027	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.60	14.00	0.025	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.88	14.28	0.027	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.39	13.79	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	15.95	14.35	0.027	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	15.69	14.09	0.026	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	15.94	14.34	0.027	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	14.84	13.24	0.021	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	13.80	12.20	0.017	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	13.29	11.69	0.015	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	11.31	9.71	0.009	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	14.16	12.56	0.018	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	13.95	12.35	0.017	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	14.32	12.72	0.019	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	12.83	11.23	0.013	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	12.84	11.24	0.013	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	12.28	10.68	0.012	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	9.32	7.72	0.006	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.88	14.28	0.027	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.64	14.04	0.025	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.69	14.09	0.026	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.18	13.58	0.023	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.88	14.28	0.027	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	15.67	14.07	0.026	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	15.63	14.03	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	14.65	13.05	0.020	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	13.65	12.05	0.016	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	13.12	11.52	0.014	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	11.12	9.52	0.009	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.16	12.56	0.018	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	14.14	12.54	0.018	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	14.14	12.54	0.018	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	12.63	11.03	0.013	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	12.61	11.01	0.013	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	12.12	10.52	0.011	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	9.11	7.51	0.006	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.68	14.08	0.026	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.02	14.42	0.028	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.74	14.14	0.026	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.27	13.67	0.023	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	15.75	14.15	0.026	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	16.04	14.44	0.028	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	15.66	14.06	0.025	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	14.69	13.09	0.020	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	13.72	12.12	0.016	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	13.22	11.62	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	11.27	9.67	0.009	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	14.11	12.51	0.018	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	14.31	12.71	0.019	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	14.19	12.59	0.018	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	12.74	11.14	0.013	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	12.71	11.11	0.013	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	12.22	10.62	0.012	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	9.19	7.59	0.006	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.86	14.26	0.027	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.49	13.89	0.024	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.78	14.18	0.026	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.40	13.80	0.024	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	15.89	14.29	0.027	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	15.58	13.98	0.025	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	15.81	14.21	0.026	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	14.81	13.21	0.021	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	13.79	12.19	0.017	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	13.27	11.67	0.015	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	11.28	9.68	0.009	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	14.23	12.63	0.018	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	13.89	12.29	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	14.29	12.69	0.019	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	12.81	11.21	0.013	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	12.80	11.20	0.013	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	12.31	10.71	0.012	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	9.27	7.67	0.006	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.92	14.32	0.027	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.67	14.07	0.026	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.67	14.07	0.026	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.13	13.53	0.023	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.94	14.34	0.027	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	15.75	14.15	0.026	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	15.75	14.15	0.026	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	14.70	13.10	0.020	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	13.66	12.06	0.016	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	13.19	11.59	0.014	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	11.15	9.55	0.009	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.34	12.74	0.019	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	14.07	12.47	0.018	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	14.17	12.57	0.018	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	12.64	11.04	0.013	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	12.68	11.08	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	12.19	10.59	0.011	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	9.12	7.52	0.006	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.81	14.21	0.026	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.97	14.37	0.027	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.71	14.11	0.026	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.23	13.63	0.023	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	15.87	14.27	0.027	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	15.95	14.35	0.027	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	15.83	14.23	0.026	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	14.74	13.14	0.021	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	13.74	12.14	0.016	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	13.25	11.65	0.015	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	11.23	9.63	0.009	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	14.29	12.69	0.019	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	14.28	12.68	0.019	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	14.18	12.58	0.018	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	12.79	11.19	0.013	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	12.76	11.16	0.013	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	12.24	10.64	0.012	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	9.22	7.62	0.006	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.89	14.29	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.66	14.06	0.025	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.77	14.17	0.026	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.27	13.67	0.023	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	15.93	14.33	0.027	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	15.71	14.11	0.026	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	15.81	14.21	0.026	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	14.77	13.17	0.021	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	13.75	12.15	0.016	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	13.29	11.69	0.015	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	11.28	9.68	0.009	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	14.28	12.68	0.019	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	14.00	12.40	0.017	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	14.28	12.68	0.019	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	12.76	11.16	0.013	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	12.80	11.20	0.013	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	12.25	10.65	0.012	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	9.24	7.64	0.006	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.94	14.34	0.027	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.82	14.22	0.026	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.67	14.07	0.026	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.18	13.58	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.95	14.35	0.027	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	15.87	14.27	0.027	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	15.70	14.10	0.026	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	14.69	13.09	0.020	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	13.71	12.11	0.016	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	13.17	11.57	0.014	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	11.16	9.56	0.009	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.26	12.66	0.018	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	14.16	12.56	0.018	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	14.16	12.56	0.018	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	12.64	11.04	0.013	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	12.64	11.04	0.013	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	12.15	10.55	0.011	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	9.13	7.53	0.006	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.91	14.31	0.027	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.90	14.30	0.027	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.65	14.05	0.025	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.15	13.55	0.023	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	15.96	14.36	0.027	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	16.00	14.40	0.028	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	15.65	14.05	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	14.71	13.11	0.020	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	13.71	12.11	0.016	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	13.20	11.60	0.014	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	11.19	9.59	0.009	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	14.26	12.66	0.018	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	14.37	12.77	0.019	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	14.15	12.55	0.018	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	12.69	11.09	0.013	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	12.67	11.07	0.013	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	12.18	10.58	0.011	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	9.15	7.55	0.006	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.80	14.20	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.74	14.14	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.80	14.20	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.19	13.59	0.023	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	15.86	14.26	0.027	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	15.83	14.23	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	15.74	14.14	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	14.76	13.16	0.021	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	13.72	12.12	0.016	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	13.20	11.60	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	11.23	9.63	0.009	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	14.29	12.69	0.019	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	14.10	12.50	0.018	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	14.19	12.59	0.018	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	12.68	11.08	0.013	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	12.67	11.07	0.013	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	12.22	10.62	0.012	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	9.16	7.56	0.006	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.85	14.25	0.027	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.83	14.23	0.026	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.69	14.09	0.026	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.26	13.66	0.023	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.89	14.29	0.027	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	15.90	14.30	0.027	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	15.69	14.09	0.026	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	14.74	13.14	0.021	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	13.73	12.13	0.016	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	13.21	11.61	0.014	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	11.23	9.63	0.009	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.24	12.64	0.018	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	14.30	12.70	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	14.16	12.56	0.018	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	12.69	11.09	0.013	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	12.68	11.08	0.013	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	12.19	10.59	0.011	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	9.18	7.58	0.006	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.90	14.30	0.027	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.99	14.39	0.027	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.80	14.20	0.026	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.17	13.57	0.023	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	16.01	14.41	0.028	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	15.97	14.37	0.027	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	15.71	14.11	0.026	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	14.79	13.19	0.021	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	13.78	12.18	0.017	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	13.26	11.66	0.015	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	11.25	9.65	0.009	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	14.38	12.78	0.019	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	14.49	12.89	0.019	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	14.21	12.61	0.018	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	12.76	11.16	0.013	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	12.76	11.16	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	12.25	10.65	0.012	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	9.18	7.58	0.006	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.85	14.25	0.027	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	15.92	14.32	0.027	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.67	14.07	0.026	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.22	13.62	0.023	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	15.86	14.26	0.027	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	16.00	14.40	0.028	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	15.69	14.09	0.026	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	14.72	13.12	0.021	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	13.69	12.09	0.016	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	13.20	11.60	0.014	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	11.16	9.56	0.009	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.25	12.65	0.018	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	14.23	12.63	0.018	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	14.20	12.60	0.018	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	12.72	11.12	0.013	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	12.68	11.08	0.013	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	12.18	10.58	0.011	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	9.14	7.54	0.006	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n78_1:

1.Ant Gain = -1.6dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.43	13.83	0.024	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.61	14.01	0.025	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.64	14.04	0.025	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.12	13.52	0.022	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	15.44	13.84	0.024	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	15.63	14.03	0.025	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	15.67	14.07	0.026	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	14.67	13.07	0.020	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	13.77	12.17	0.016	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	13.24	11.64	0.015	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	11.10	9.50	0.009	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	13.95	12.35	0.017	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	14.11	12.51	0.018	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	14.10	12.50	0.018	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	12.65	11.05	0.013	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	12.48	10.88	0.012	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	12.20	10.60	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	9.12	7.52	0.006	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.45	13.85	0.024	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.42	13.82	0.024	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	15.55	13.95	0.025	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.06	13.46	0.022	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.55	13.95	0.025	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@22	15.45	13.85	0.024	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB12@6	15.51	13.91	0.025	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB24@0	14.50	12.90	0.019	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB24@0	13.53	11.93	0.016	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB24@0	13.11	11.51	0.014	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB24@0	11.07	9.47	0.009	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	13.99	12.39	0.017	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@22	13.87	12.27	0.017	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB12@6	14.08	12.48	0.018	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB24@0	12.57	10.97	0.013	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB24@0	12.54	10.94	0.012	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB24@0	12.06	10.46	0.011	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB24@0	9.06	7.46	0.006	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.70	14.10	0.026	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	15.82	14.22	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.00	14.40	0.028	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.44	13.84	0.024	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@1	15.75	14.15	0.026	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@22	15.85	14.25	0.027	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB12@6	15.92	14.32	0.027	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB24@0	14.89	13.29	0.021	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 16 QAM_RB24@0	13.82	12.22	0.017	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 64 QAM_RB24@0	13.41	11.81	0.015	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 256 QAM_RB24@0	11.37	9.77	0.009	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@1	14.27	12.67	0.018	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@22	14.29	12.69	0.019	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB12@6	14.31	12.71	0.019	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB24@0	12.88	11.28	0.013	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 16 QAM_RB24@0	12.80	11.20	0.013	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 64 QAM_RB24@0	12.48	10.88	0.012	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 256 QAM_RB24@0	9.34	7.74	0.006	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.01	12.41	0.017	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.68	14.08	0.026	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.71	14.11	0.026	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.19	13.59	0.023	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	15.49	13.89	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	15.70	14.10	0.026	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	15.69	14.09	0.026	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	14.75	13.15	0.021	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.78	12.18	0.017	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.27	11.67	0.015	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.17	9.57	0.009	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	13.98	12.38	0.017	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	14.28	12.68	0.019	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	14.26	12.66	0.018	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	12.76	11.16	0.013	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	12.75	11.15	0.013	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	12.25	10.65	0.012	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	9.21	7.61	0.006	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.51	13.91	0.025	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.45	13.85	0.024	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.53	13.93	0.025	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.10	13.50	0.022	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.52	13.92	0.025	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@36	15.48	13.88	0.024	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB18@9	15.74	14.14	0.026	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@0	14.56	12.96	0.020	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB36@0	13.54	11.94	0.016	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB36@0	13.04	11.44	0.014	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB36@0	11.04	9.44	0.009	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	13.98	12.38	0.017	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@36	13.86	12.26	0.017	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB19@9	14.00	12.40	0.017	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB38@0	12.52	10.92	0.012	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB38@0	12.58	10.98	0.013	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB38@0	12.10	10.50	0.011	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB38@0	9.13	7.53	0.006	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.67	14.07	0.026	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	15.77	14.17	0.026	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	15.88	14.28	0.027	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.31	13.71	0.023	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@1	15.74	14.14	0.026	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@36	15.88	14.28	0.027	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB18@9	15.83	14.23	0.026	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB36@0	14.87	13.27	0.021	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.93	12.33	0.017	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.39	11.79	0.015	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.30	9.70	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@1	14.15	12.55	0.018	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@36	14.32	12.72	0.019	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB19@9	14.34	12.74	0.019	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB38@0	12.84	11.24	0.013	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 16 QAM_RB38@0	12.87	11.27	0.013	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 64 QAM_RB38@0	12.36	10.76	0.012	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 256 QAM_RB38@0	9.38	7.78	0.006	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.05	12.45	0.018	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.77	14.17	0.026	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.71	14.11	0.026	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.22	13.62	0.023	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	15.49	13.89	0.024	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	15.81	14.21	0.026	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	15.83	14.23	0.026	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	14.78	13.18	0.021	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	13.75	12.15	0.016	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	13.23	11.63	0.015	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	11.27	9.67	0.009	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	13.99	12.39	0.017	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	14.33	12.73	0.019	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	14.37	12.77	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	12.72	11.12	0.013	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	12.82	11.22	0.013	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	12.23	10.63	0.012	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	9.29	7.69	0.006	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.48	13.88	0.024	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.49	13.89	0.024	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.55	13.95	0.025	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.09	13.49	0.022	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.50	13.90	0.025	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@49	15.48	13.88	0.024	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB25@12	15.63	14.03	0.025	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@0	14.61	13.01	0.020	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB50@0	13.59	11.99	0.016	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB50@0	13.04	11.44	0.014	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB50@0	11.06	9.46	0.009	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	13.98	12.38	0.017	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@49	13.89	12.29	0.017	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB25@12	14.08	12.48	0.018	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB51@0	12.53	10.93	0.012	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB51@0	12.58	10.98	0.013	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB51@0	12.04	10.44	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB51@0	9.10	7.50	0.006	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.65	14.05	0.025	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	15.91	14.31	0.027	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	15.71	14.11	0.026	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.39	13.79	0.024	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@1	15.66	14.06	0.025	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@49	15.91	14.31	0.027	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB25@12	15.92	14.32	0.027	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB50@0	14.88	13.28	0.021	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 16 QAM_RB50@0	13.82	12.22	0.017	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 64 QAM_RB50@0	13.35	11.75	0.015	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 256 QAM_RB50@0	11.30	9.70	0.009	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@1	14.14	12.54	0.018	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@49	14.39	12.79	0.019	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB25@12	14.40	12.80	0.019	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB51@0	12.80	11.20	0.013	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 16 QAM_RB51@0	12.89	11.29	0.013	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 64 QAM_RB51@0	12.35	10.75	0.012	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 256 QAM_RB51@0	9.33	7.73	0.006	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.60	14.00	0.025	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.83	14.23	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.97	14.37	0.027	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.42	13.82	0.024	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	15.61	14.01	0.025	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	15.86	14.26	0.027	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	15.94	14.34	0.027	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	14.94	13.34	0.022	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	13.92	12.32	0.017	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	13.44	11.84	0.015	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	11.41	9.81	0.010	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	14.08	12.48	0.018	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	14.26	12.66	0.018	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	14.47	12.87	0.019	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	12.93	11.33	0.014	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	12.96	11.36	0.014	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	12.43	10.83	0.012	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	9.43	7.83	0.006	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.59	13.99	0.025	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.48	13.88	0.024	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.72	14.12	0.026	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.10	13.50	0.022	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.65	14.05	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@76	15.55	13.95	0.025	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@18	15.61	14.01	0.025	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB75@0	14.74	13.14	0.021	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB75@0	13.70	12.10	0.016	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB75@0	13.22	11.62	0.015	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB75@0	11.18	9.58	0.009	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.16	12.56	0.018	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@76	14.04	12.44	0.018	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB39@19	14.20	12.60	0.018	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB78@0	12.69	11.09	0.013	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB78@0	12.75	11.15	0.013	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB78@0	12.18	10.58	0.011	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB78@0	9.26	7.66	0.006	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.54	13.94	0.025	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.95	14.35	0.027	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	15.90	14.30	0.027	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.36	13.76	0.024	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@1	15.63	14.03	0.025	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@76	15.99	14.39	0.027	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB36@18	15.86	14.26	0.027	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB75@0	14.90	13.30	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 16 QAM_RB75@0	13.88	12.28	0.017	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 64 QAM_RB75@0	13.41	11.81	0.015	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 256 QAM_RB75@0	11.37	9.77	0.009	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@1	14.07	12.47	0.018	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@76	14.44	12.84	0.019	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB39@19	14.39	12.79	0.019	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB78@0	12.98	11.38	0.014	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 16 QAM_RB78@0	12.95	11.35	0.014	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 64 QAM_RB78@0	12.43	10.83	0.012	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 256 QAM_RB78@0	9.37	7.77	0.006	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.58	13.98	0.025	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.69	14.09	0.026	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.01	14.41	0.028	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.34	13.74	0.024	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	15.46	13.86	0.024	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	15.71	14.11	0.026	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	15.92	14.32	0.027	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	14.91	13.31	0.021	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	13.90	12.30	0.017	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	13.38	11.78	0.015	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	11.38	9.78	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	14.03	12.43	0.017	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	14.20	12.60	0.018	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	14.48	12.88	0.019	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	12.90	11.30	0.013	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	12.91	11.31	0.014	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	12.45	10.85	0.012	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	9.36	7.76	0.006	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.69	14.09	0.026	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.59	13.99	0.025	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.60	14.00	0.025	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.16	13.56	0.023	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.76	14.16	0.026	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@104	15.63	14.03	0.025	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@25	15.68	14.08	0.026	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB100@0	14.71	13.11	0.020	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB100@0	13.72	12.12	0.016	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB100@0	13.18	11.58	0.014	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB100@0	11.17	9.57	0.009	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.21	12.61	0.018	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@104	14.00	12.40	0.017	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB53@26	14.25	12.65	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB106@0	12.64	11.04	0.013	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB106@0	12.72	11.12	0.013	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB106@0	12.21	10.61	0.012	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB106@0	9.15	7.55	0.006	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.53	13.93	0.025	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.93	14.33	0.027	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	15.88	14.28	0.027	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.36	13.76	0.024	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@1	15.46	13.86	0.024	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@104	16.02	14.42	0.028	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB50@25	15.83	14.23	0.026	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB100@0	14.87	13.27	0.021	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 16 QAM_RB100@0	13.79	12.19	0.017	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 64 QAM_RB100@0	13.32	11.72	0.015	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 256 QAM_RB100@0	11.31	9.71	0.009	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@1	14.06	12.46	0.018	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@104	14.42	12.82	0.019	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB53@26	14.34	12.74	0.019	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB106@0	12.80	11.20	0.013	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 16 QAM_RB106@0	12.86	11.26	0.013	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 64 QAM_RB106@0	12.33	10.73	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 256 QAM_RB106@0	9.31	7.71	0.006	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.02	12.42	0.017	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.68	14.08	0.026	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.96	14.36	0.027	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.37	13.77	0.024	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	15.53	13.93	0.025	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	15.62	14.02	0.025	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	15.95	14.35	0.027	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	14.96	13.36	0.022	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	13.90	12.30	0.017	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	13.43	11.83	0.015	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	11.39	9.79	0.010	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	13.90	12.30	0.017	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	14.06	12.46	0.018	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	14.49	12.89	0.019	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	12.87	11.27	0.013	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	12.90	11.30	0.013	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	12.39	10.79	0.012	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	9.42	7.82	0.006	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.83	14.23	0.026	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.60	14.00	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.68	14.08	0.026	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.17	13.57	0.023	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.78	14.18	0.026	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@131	15.67	14.07	0.026	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB64@32	15.75	14.15	0.026	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB128@0	14.78	13.18	0.021	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB128@0	13.80	12.20	0.017	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB128@0	13.25	11.65	0.015	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB128@0	11.25	9.65	0.009	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.16	12.56	0.018	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@131	14.07	12.47	0.018	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB67@33	14.29	12.69	0.019	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB133@0	12.75	11.15	0.013	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB133@0	12.78	11.18	0.013	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB133@0	12.21	10.61	0.012	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB133@0	9.25	7.65	0.006	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.53	13.93	0.025	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.98	14.38	0.027	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	15.84	14.24	0.027	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.27	13.67	0.023	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@1	15.53	13.93	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@131	15.89	14.29	0.027	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB64@32	15.83	14.23	0.026	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB128@0	14.86	13.26	0.021	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 16 QAM_RB128@0	13.87	12.27	0.017	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 64 QAM_RB128@0	13.36	11.76	0.015	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 256 QAM_RB128@0	11.32	9.72	0.009	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@1	14.01	12.41	0.017	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@131	14.33	12.73	0.019	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB67@33	14.35	12.75	0.019	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB133@0	12.85	11.25	0.013	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 16 QAM_RB133@0	12.81	11.21	0.013	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 64 QAM_RB133@0	12.28	10.68	0.012	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 256 QAM_RB133@0	9.29	7.69	0.006	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.45	13.85	0.024	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.51	13.91	0.025	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.84	14.24	0.027	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.26	13.66	0.023	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	15.43	13.83	0.024	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	15.57	13.97	0.025	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	15.79	14.19	0.026	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	14.79	13.19	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	13.79	12.19	0.017	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	13.27	11.67	0.015	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	11.26	9.66	0.009	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	13.93	12.33	0.017	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	14.03	12.43	0.017	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	14.37	12.77	0.019	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	12.80	11.20	0.013	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	12.78	11.18	0.013	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	12.30	10.70	0.012	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	9.26	7.66	0.006	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.76	14.16	0.026	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.72	14.12	0.026	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.68	14.08	0.026	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.19	13.59	0.023	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.79	14.19	0.026	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@160	15.68	14.08	0.026	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB81@40	15.61	14.01	0.025	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB162@0	14.74	13.14	0.021	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB162@0	13.72	12.12	0.016	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB162@0	13.18	11.58	0.014	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB162@0	11.21	9.61	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.16	12.56	0.018	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@160	14.24	12.64	0.018	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB81@40	14.20	12.60	0.018	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB162@0	12.73	11.13	0.013	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB162@0	12.71	11.11	0.013	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB162@0	12.16	10.56	0.011	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB162@0	9.23	7.63	0.006	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.61	14.01	0.025	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.04	14.44	0.028	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	15.67	14.07	0.026	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.25	13.65	0.023	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@1	15.67	14.07	0.026	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@160	16.05	14.45	0.028	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB81@40	15.75	14.15	0.026	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB162@0	14.74	13.14	0.021	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 16 QAM_RB162@0	13.73	12.13	0.016	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 64 QAM_RB162@0	13.25	11.65	0.015	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 256 QAM_RB162@0	11.18	9.58	0.009	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@1	14.07	12.47	0.018	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@160	14.35	12.75	0.019	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB81@40	14.24	12.64	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB162@0	12.73	11.13	0.013	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 16 QAM_RB162@0	12.75	11.15	0.013	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 64 QAM_RB162@0	12.25	10.65	0.012	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 256 QAM_RB162@0	9.23	7.63	0.006	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.48	13.88	0.024	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.54	13.94	0.025	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.80	14.20	0.026	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.19	13.59	0.023	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	15.53	13.93	0.025	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	15.61	14.01	0.025	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	15.79	14.19	0.026	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	14.82	13.22	0.021	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	13.77	12.17	0.016	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	13.27	11.67	0.015	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	11.25	9.65	0.009	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	14.02	12.42	0.017	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	14.05	12.45	0.018	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	14.33	12.73	0.019	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	12.75	11.15	0.013	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	12.74	11.14	0.013	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	12.26	10.66	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	9.27	7.67	0.006	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.61	14.01	0.025	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.57	13.97	0.025	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.61	14.01	0.025	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.07	13.47	0.022	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.73	14.13	0.026	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@187	15.70	14.10	0.026	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB90@45	15.66	14.06	0.025	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB180@0	14.76	13.16	0.021	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB180@0	13.75	12.15	0.016	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB180@0	13.23	11.63	0.015	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB180@0	11.20	9.60	0.009	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.17	12.57	0.018	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@187	14.14	12.54	0.018	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB95@47	14.19	12.59	0.018	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB189@0	12.75	11.15	0.013	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB189@0	12.73	11.13	0.013	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB189@0	12.22	10.62	0.012	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB189@0	9.21	7.61	0.006	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	12.25	10.65	0.012	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.88	14.28	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	15.71	14.11	0.026	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.26	13.66	0.023	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@1	15.70	14.10	0.026	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@187	15.89	14.29	0.027	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB90@45	15.64	14.04	0.025	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB180@0	14.76	13.16	0.021	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 16 QAM_RB180@0	13.76	12.16	0.016	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 64 QAM_RB180@0	13.28	11.68	0.015	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 256 QAM_RB180@0	11.26	9.66	0.009	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@1	14.21	12.61	0.018	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@187	14.37	12.77	0.019	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB95@47	14.22	12.62	0.018	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB189@0	12.84	11.24	0.013	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 16 QAM_RB189@0	12.80	11.20	0.013	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 64 QAM_RB189@0	12.29	10.69	0.012	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 256 QAM_RB189@0	9.27	7.67	0.006	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.47	13.87	0.024	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.58	13.98	0.025	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.73	14.13	0.026	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.21	13.61	0.023	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	15.52	13.92	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	15.71	14.11	0.026	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	15.79	14.19	0.026	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	14.78	13.18	0.021	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	13.79	12.19	0.017	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	13.29	11.69	0.015	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	11.28	9.68	0.009	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	14.04	12.44	0.018	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	14.08	12.48	0.018	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	14.26	12.66	0.018	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	12.75	11.15	0.013	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	12.75	11.15	0.013	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	12.25	10.65	0.012	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	9.26	7.66	0.006	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.70	14.10	0.026	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.78	14.18	0.026	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.72	14.12	0.026	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.23	13.63	0.023	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.74	14.14	0.026	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@215	15.73	14.13	0.026	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB108@54	15.72	14.12	0.026	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB216@0	14.78	13.18	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB216@0	13.78	12.18	0.017	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB216@0	13.25	11.65	0.015	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB216@0	11.20	9.60	0.009	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.17	12.57	0.018	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@215	14.24	12.64	0.018	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB109@54	14.19	12.59	0.018	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB217@0	12.75	11.15	0.013	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB217@0	12.75	11.15	0.013	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB217@0	12.20	10.60	0.011	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB217@0	9.22	7.62	0.006	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.72	14.12	0.026	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.91	14.31	0.027	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	15.66	14.06	0.025	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.22	13.62	0.023	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@1	15.76	14.16	0.026	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@215	15.97	14.37	0.027	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB108@54	15.69	14.09	0.026	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB216@0	14.76	13.16	0.021	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 16 QAM_RB216@0	13.75	12.15	0.016	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 64 QAM_RB216@0	13.26	11.66	0.015	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 256 QAM_RB216@0	11.25	9.65	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@1	14.26	12.66	0.018	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@215	14.41	12.81	0.019	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB109@54	14.22	12.62	0.018	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB217@0	12.76	11.16	0.013	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 16 QAM_RB217@0	12.79	11.19	0.013	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 64 QAM_RB217@0	12.26	10.66	0.012	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 256 QAM_RB217@0	9.24	7.64	0.006	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.00	13.40	0.022	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.71	14.11	0.026	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.81	14.21	0.026	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.15	13.55	0.023	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	15.54	13.94	0.025	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	15.78	14.18	0.026	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	15.78	14.18	0.026	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	14.78	13.18	0.021	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	13.78	12.18	0.017	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	13.29	11.69	0.015	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	11.28	9.68	0.009	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	14.01	12.41	0.017	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	14.22	12.62	0.018	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	14.25	12.65	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	12.76	11.16	0.013	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	12.74	11.14	0.013	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	12.26	10.66	0.012	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	9.23	7.63	0.006	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.53	13.93	0.025	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.81	14.21	0.026	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.71	14.11	0.026	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.25	13.65	0.023	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.56	13.96	0.025	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@243	15.75	14.15	0.026	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB120@60	15.69	14.09	0.026	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB243@0	14.73	13.13	0.021	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB243@0	13.77	12.17	0.016	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB243@0	13.26	11.66	0.015	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB243@0	11.27	9.67	0.009	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	14.05	12.45	0.018	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@243	14.33	12.73	0.019	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB123@61	14.18	12.58	0.018	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB245@0	12.73	11.13	0.013	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB245@0	12.77	11.17	0.013	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB245@0	12.23	10.63	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB245@0	9.23	7.63	0.006	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.70	14.10	0.026	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.85	14.25	0.027	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	15.74	14.14	0.026	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.27	13.67	0.023	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@1	15.65	14.05	0.025	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@243	15.89	14.29	0.027	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB120@60	15.73	14.13	0.026	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB243@0	14.79	13.19	0.021	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 16 QAM_RB243@0	13.79	12.19	0.017	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 64 QAM_RB243@0	13.27	11.67	0.015	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 256 QAM_RB243@0	11.26	9.66	0.009	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@1	14.20	12.60	0.018	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@243	14.48	12.88	0.019	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB123@61	14.17	12.57	0.018	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB245@0	12.77	11.17	0.013	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 16 QAM_RB245@0	12.76	11.16	0.013	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 64 QAM_RB245@0	12.23	10.63	0.012	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 256 QAM_RB245@0	9.28	7.68	0.006	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.42	13.82	0.024	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	15.82	14.22	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	15.70	14.10	0.026	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.16	13.56	0.023	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	15.45	13.85	0.024	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	15.84	14.24	0.027	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	15.70	14.10	0.026	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	14.79	13.19	0.021	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	13.78	12.18	0.017	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	13.28	11.68	0.015	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	11.24	9.64	0.009	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	13.93	12.33	0.017	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	14.28	12.68	0.019	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	14.19	12.59	0.018	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	12.79	11.19	0.013	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	12.75	11.15	0.013	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	12.26	10.66	0.012	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	9.20	7.60	0.006	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_c (dB) + G_T (dBi)

n78_3:

1.Ant Gain = -1.6dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB