



9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	936.058	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1682	-53.68	-13	40.68	Pass	701
1700	1765	1	RMS	1732.013	23.42	60	36.58	Pass	401
1765	3000	1	RMS	2999	-50.62	-13	37.62	Pass	1236
3000	12000	1	RMS	11999	-42.35	-13	29.35	Pass	9002
12000	20000	1	RMS	19409	-35.96	-13	22.96	Pass	8001




**9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	866.912	-65.12	-13	52.12	Pass	9701
1000	1700	1	RMS	1678	-53.7	-13	40.7	Pass	701
1700	1765	1	RMS	1732.01 3	22.55	60	37.45	Pass	401
1765	3000	1	RMS	2959	-50.61	-13	37.61	Pass	1236
3000	12000	1	RMS	12000	-42.5	-13	29.5	Pass	9002
12000	20000	1	RMS	19410	-35.89	-13	22.89	Pass	8001




**9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	994.496	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1681	-53.65	-13	40.65	Pass	701
1700	1765	1	RMS	1753.78 8	23.37	60	36.63	Pass	401
1765	3000	1	RMS	1765	-49.85	-13	36.85	Pass	1236
3000	12000	1	RMS	11999	-42.47	-13	29.47	Pass	9002
12000	20000	1	RMS	19303	-35.92	-13	22.92	Pass	8001




**9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.23	-72.78	-13	59.78	Pass	2986
30	1000	0.1	RMS	992.295	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1679	-53.71	-13	40.71	Pass	701
1700	1765	1	RMS	1753.78 8	22.6	60	37.4	Pass	401
1765	3000	1	RMS	1765	-50.51	-13	37.51	Pass	1236
3000	12000	1	RMS	12000	-42.47	-13	29.47	Pass	9002
12000	20000	1	RMS	19338	-35.92	-13	22.92	Pass	8001




**9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	939.26	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1700	-50.48	-13	37.48	Pass	701
1700	1765	1	RMS	1710.23 8	23.16	60	36.84	Pass	401
1765	3000	1	RMS	2982	-50.61	-13	37.61	Pass	1236
3000	12000	1	RMS	11990	-42.44	-13	29.44	Pass	9002
12000	20000	1	RMS	19303	-35.92	-13	22.92	Pass	8001




**9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	962.275	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	37.74	Pass	701
1700	1765	1	RMS	1710.075	22.49	60	37.51	Pass	401
1765	3000	1	RMS	2998	-50.59	-13	37.59	Pass	1236
3000	12000	1	RMS	11995	-42.46	-13	29.46	Pass	9002
12000	20000	1	RMS	19315	-35.91	-13	22.91	Pass	8001




**9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	842.6	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1680	-53.63	-13	40.63	Pass	701
1700	1765	1	RMS	1731.2	23.22	60	36.78	Pass	401
1765	3000	1	RMS	2974	-50.62	-13	37.62	Pass	1236
3000	12000	1	RMS	12000	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	19368	-35.88	-13	22.88	Pass	8001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	935.357	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1681	-53.66	-13	40.66	Pass	701
1700	1765	1	RMS	1731.2	22.31	60	37.69	Pass	401
1765	3000	1	RMS	2995	-50.6	-13	37.6	Pass	1236
3000	12000	1	RMS	11999	-42.41	-13	29.41	Pass	9002
12000	20000	1	RMS	19295	-35.92	-13	22.92	Pass	8001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	940.661	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1700	-53.67	-13	40.67	Pass	701
1700	1765	1	RMS	1752.163	23.35	60	36.65	Pass	401
1765	3000	1	RMS	2999	-50.55	-13	37.55	Pass	1236
3000	12000	1	RMS	11997	-42.46	-13	29.46	Pass	9002
12000	20000	1	RMS	19426	-35.89	-13	22.89	Pass	8001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	938.159	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1680	-53.66	-13	40.66	Pass	701
1700	1765	1	RMS	1752.163	22.5	60	37.5	Pass	401
1765	3000	1	RMS	2956	-50.61	-13	37.61	Pass	1236
3000	12000	1	RMS	11992	-42.43	-13	29.43	Pass	9002
12000	20000	1	RMS	19345	-35.86	-13	22.86	Pass	8001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	843.2	-65.01	-13	52.01	Pass	9701
1000	1700	1	RMS	1700	-49.48	-13	36.48	Pass	701
1700	1765	1	RMS	1710.238	23.22	60	36.78	Pass	401
1765	3000	1	RMS	2961	-50.59	-13	37.59	Pass	1236
3000	12000	1	RMS	11990	-42.48	-13	29.48	Pass	9002
12000	20000	1	RMS	19388	-35.92	-13	22.92	Pass	8001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.17	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	857.305	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-50.28	-13	37.28	Pass	701
1700	1765	1	RMS	1710.238	22.34	60	37.66	Pass	401
1765	3000	1	RMS	2999	-50.6	-13	37.6	Pass	1236
3000	12000	1	RMS	11993	-42.41	-13	29.41	Pass	9002
12000	20000	1	RMS	19356	-35.87	-13	22.87	Pass	8001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	853.503	-64.98	-13	51.98	Pass	9701
1000	1700	1	RMS	1700	-53.64	-13	40.64	Pass	701
1700	1765	1	RMS	1730.225	23.25	60	36.75	Pass	401
1765	3000	1	RMS	2990	-50.56	-13	37.56	Pass	1236
3000	12000	1	RMS	12000	-42.41	-13	29.41	Pass	9002
12000	20000	1	RMS	19368	-35.92	-13	22.92	Pass	8001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	934.957	-65.05	-13	52.05	Pass	9701
1000	1700	1	RMS	1683	-53.65	-13	40.65	Pass	701
1700	1765	1	RMS	1730.225	22.51	60	37.49	Pass	401
1765	3000	1	RMS	2969	-50.56	-13	37.56	Pass	1236
3000	12000	1	RMS	11993	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	19374	-35.9	-13	22.9	Pass	8001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	878.519	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1680	-53.66	-13	40.66	Pass	701
1700	1765	1	RMS	1750.213	23.3	60	36.7	Pass	401
1765	3000	1	RMS	2996	-50.57	-13	37.57	Pass	1236
3000	12000	1	RMS	11993	-42.52	-13	29.52	Pass	9002
12000	20000	1	RMS	19370	-35.91	-13	22.91	Pass	8001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	995.597	-65.03	-13	52.03	Pass	9701
1000	1700	1	RMS	1681	-53.67	-13	40.67	Pass	701
1700	1765	1	RMS	1750.213	22.65	60	37.35	Pass	401
1765	3000	1	RMS	2967	-50.53	-13	37.53	Pass	1236
3000	12000	1	RMS	11996	-42.38	-13	29.38	Pass	9002
12000	20000	1	RMS	19338	-35.85	-13	22.85	Pass	8001




**9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	58.01	Pass	2986
30	1000	0.1	RMS	977.985	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1693	-49.35	-13	36.35	Pass	701
1700	1765	1	RMS	1710.56 3	22.9	60	37.1	Pass	401
1765	3000	1	RMS	3000	-50.58	-13	37.58	Pass	1236
3000	12000	1	RMS	11997	-42.47	-13	29.47	Pass	9002
12000	20000	1	RMS	19305	-35.89	-13	22.89	Pass	8001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	1000	0.1	RMS	967.178	-65	-13	52	Pass	9701
1000	1700	1	RMS	1693	-50.01	-13	37.01	Pass	701
1700	1765	1	RMS	1710.563	22.21	60	37.79	Pass	401
1765	3000	1	RMS	3000	-50.59	-13	37.59	Pass	1236
3000	12000	1	RMS	11995	-42.43	-13	29.43	Pass	9002
12000	20000	1	RMS	19320	-35.92	-13	22.92	Pass	8001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	982.588	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-53.65	-13	40.65	Pass	701
1700	1765	1	RMS	1727.95	22.92	60	37.08	Pass	401
1765	3000	1	RMS	2971	-50.57	-13	37.57	Pass	1236
3000	12000	1	RMS	11999	-42.4	-13	29.4	Pass	9002
12000	20000	1	RMS	19327	-35.92	-13	22.92	Pass	8001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	844.8	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1700	-53.69	-13	40.69	Pass	701
1700	1765	1	RMS	1727.95	22.05	60	37.95	Pass	401
1765	3000	1	RMS	2961	-50.61	-13	37.61	Pass	1236
3000	12000	1	RMS	11989	-42.48	-13	29.48	Pass	9002
12000	20000	1	RMS	19310	-35.92	-13	22.92	Pass	8001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.18	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	964.677	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1680	-53.68	-13	40.68	Pass	701
1700	1765	1	RMS	1745.5	23.04	60	36.96	Pass	401
1765	3000	1	RMS	2966	-50.61	-13	37.61	Pass	1236
3000	12000	1	RMS	11999	-42.43	-13	29.43	Pass	9002
12000	20000	1	RMS	19316	-35.91	-13	22.91	Pass	8001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	852.402	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1676	-53.68	-13	40.68	Pass	701
1700	1765	1	RMS	1745.5	22.32	60	37.68	Pass	401
1765	3000	1	RMS	2997	-50.59	-13	37.59	Pass	1236
3000	12000	1	RMS	11998	-42.46	-13	29.46	Pass	9002
12000	20000	1	RMS	19321	-35.91	-13	22.91	Pass	8001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	57.86	Pass	2986
30	1000	0.1	RMS	980.987	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-49.92	-13	36.92	Pass	701
1700	1765	1	RMS	1710.725	23.04	60	36.96	Pass	401
1765	3000	1	RMS	2993	-50.57	-13	37.57	Pass	1236
3000	12000	1	RMS	11996	-42.41	-13	29.41	Pass	9002
12000	20000	1	RMS	19398	-35.87	-13	22.87	Pass	8001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.22	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	978.586	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1698	-49.53	-13	36.53	Pass	701
1700	1765	1	RMS	1710.725	22.42	60	37.58	Pass	401
1765	3000	1	RMS	3000	-50.5	-13	37.5	Pass	1236
3000	12000	1	RMS	11989	-42.37	-13	29.37	Pass	9002
12000	20000	1	RMS	19398	-35.89	-13	22.89	Pass	8001




**9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	848.9	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1699	-43.72	-13	30.72	Pass	701
1700	1765	1	RMS	1725.67 5	23.14	60	36.86	Pass	401
1765	3000	1	RMS	2970	-50.54	-13	37.54	Pass	1236
3000	12000	1	RMS	11994	-42.47	-13	29.47	Pass	9002
12000	20000	1	RMS	19460	-35.89	-13	22.89	Pass	8001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	921.548	-65.03	-13	52.03	Pass	9701
1000	1700	1	RMS	1699	-45.49	-13	32.49	Pass	701
1700	1765	1	RMS	1725.838	22.14	60	37.86	Pass	401
1765	3000	1	RMS	2998	-50.57	-13	37.57	Pass	1236
3000	12000	1	RMS	11997	-42.5	-13	29.5	Pass	9002
12000	20000	1	RMS	19289	-35.92	-13	22.92	Pass	8001




**9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.17	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	1000	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1698	-53.7	-13	40.7	Pass	701
1700	1765	1	RMS	1740.78 8	23.2	60	36.8	Pass	401
1765	3000	1	RMS	1767	-38.6	-13	25.6	Pass	1236
3000	12000	1	RMS	11999	-42.46	-13	29.46	Pass	9002
12000	20000	1	RMS	19317	-35.93	-13	22.93	Pass	8001




9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	968.979	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1700	-53.7	-13	40.7	Pass	701
1700	1765	1	RMS	1740.788	22.42	60	37.58	Pass	401
1765	3000	1	RMS	1767	-39.49	-13	26.49	Pass	1236
3000	12000	1	RMS	11991	-42.51	-13	29.51	Pass	9002
12000	20000	1	RMS	19308	-35.95	-13	22.95	Pass	8001




9.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	996.197	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-50.77	-13	37.77	Pass	701
1700	1765	1	RMS	1711.05	22.92	60	37.08	Pass	401
1765	3000	1	RMS	2972	-50.59	-13	37.59	Pass	1236
3000	12000	1	RMS	11992	-42.46	-13	29.46	Pass	9002
12000	20000	1	RMS	19305	-35.85	-13	22.85	Pass	8001




9.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	949.467	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	38.06	Pass	701
1700	1765	1	RMS	1711.05	22.26	60	37.74	Pass	401
1765	3000	1	RMS	2995	-50.56	-13	37.56	Pass	1236
3000	12000	1	RMS	11980	-42.53	-13	29.53	Pass	9002
12000	20000	1	RMS	19328	-35.87	-13	22.87	Pass	8001




**9.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	986.391	-64.92	-13	51.92	Pass	9701
1000	1700	1	RMS	1688	-52.95	-13	39.95	Pass	701
1700	1765	1	RMS	1723.56 3	23.03	60	36.97	Pass	401
1765	3000	1	RMS	2969	-50.59	-13	37.59	Pass	1236
3000	12000	1	RMS	11991	-42.45	-13	29.45	Pass	9002
12000	20000	1	RMS	19353	-35.9	-13	22.9	Pass	8001




9.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	860.808	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1688	-53.19	-13	40.19	Pass	701
1700	1765	1	RMS	1723.563	22.15	60	37.85	Pass	401
1765	3000	1	RMS	2999	-50.61	-13	37.61	Pass	1236
3000	12000	1	RMS	11989	-42.45	-13	29.45	Pass	9002
12000	20000	1	RMS	19446	-35.91	-13	22.91	Pass	8001




**9.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	972.282	-65.02	-13	52.02	Pass	9701
1000	1700	1	RMS	1700	-45.24	-13	32.24	Pass	701
1700	1765	1	RMS	1736.07 5	23.02	60	36.98	Pass	401
1765	3000	1	RMS	1772	-36.19	-13	23.19	Pass	1236
3000	12000	1	RMS	11997	-42.44	-13	29.44	Pass	9002
12000	20000	1	RMS	19350	-35.9	-13	22.9	Pass	8001



9.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	992.895	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-46.39	-13	33.39	Pass	701
1700	1765	1	RMS	1736.075	22.15	60	37.85	Pass	401
1765	3000	1	RMS	1772	-36.43	-13	23.43	Pass	1236
3000	12000	1	RMS	12000	-42.46	-13	29.46	Pass	9002
12000	20000	1	RMS	19348	-35.84	-13	22.84	Pass	8001



10. LTE_Band5


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	813.5	-64.82	-13	51.82	Pass	7841
814	860	0.1	RMS	824.2	19.96	60	40.04	Pass	461
860	1000	0.1	RMS	949.1	-65.02	-13	52.02	Pass	1401
1000	3000	1	RMS	1648	-43.61	-13	30.61	Pass	2001
3000	10000	1	RMS	8743	-44.35	-13	31.35	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	813.6	-65.06	-13	52.06	Pass	7841
814	860	0.1	RMS	824.3	19.04	60	40.96	Pass	461
860	1000	0.1	RMS	944.5	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1648	-44.67	-13	31.67	Pass	2001
3000	10000	1	RMS	8745	-44.29	-13	31.29	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	810.5	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	836.1	20.03	60	39.97	Pass	461
860	1000	0.1	RMS	945.7	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1672	-46.74	-13	33.74	Pass	2001
3000	10000	1	RMS	8742	-44.31	-13	31.31	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	813.3	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	836	18.98	60	41.02	Pass	461
860	1000	0.1	RMS	950	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1672	-47.85	-13	34.85	Pass	2001
3000	10000	1	RMS	8750	-44.34	-13	31.34	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.16	-72.72	-13	59.72	Pass	2986
30	814	0.1	RMS	809.4	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	847.8	19.89	60	40.11	Pass	461
860	1000	0.1	RMS	946.6	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1695	-47.17	-13	34.17	Pass	2001
3000	10000	1	RMS	8746	-44.32	-13	31.32	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.18	-72.09	-13	59.09	Pass	2986
30	814	0.1	RMS	812.7	-65.39	-13	52.39	Pass	7841
814	860	0.1	RMS	847.9	18.95	60	41.05	Pass	461
860	1000	0.1	RMS	981.2	-65.09	-13	52.09	Pass	1401
1000	3000	1	RMS	1695	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	8744	-44.32	-13	31.32	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	813.5	-65	-13	52	Pass	7841
814	860	0.1	RMS	824.2	20	60	40	Pass	461
860	1000	0.1	RMS	978.2	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1648	-43.87	-13	30.87	Pass	2001
3000	10000	1	RMS	8740	-44.38	-13	31.38	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	813.6	-65.2	-13	52.2	Pass	7841
814	860	0.1	RMS	824.2	19.12	60	40.88	Pass	461
860	1000	0.1	RMS	947.4	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1648	-44.74	-13	31.74	Pass	2001
3000	10000	1	RMS	8748	-44.38	-13	31.38	Pass	7001



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	763.2	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	835.2	20.03	60	39.97	Pass	461
860	1000	0.1	RMS	861.2	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1670	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	8743	-44.37	-13	31.37	Pass	7001



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.15	-73.15	-13	60.15	Pass	2986
30	814	0.1	RMS	810.4	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	835.2	19.02	60	40.98	Pass	461
860	1000	0.1	RMS	972.3	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1670	-48.01	-13	35.01	Pass	2001
3000	10000	1	RMS	8742	-44.35	-13	31.35	Pass	7001



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.22	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	812.3	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	846.2	19.93	60	40.07	Pass	461
860	1000	0.1	RMS	900.9	-65.13	-13	52.13	Pass	1401
1000	3000	1	RMS	1692	-44.75	-13	31.75	Pass	2001
3000	10000	1	RMS	8749	-44.35	-13	31.35	Pass	7001



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	806.4	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	846.2	19.07	60	40.93	Pass	461
860	1000	0.1	RMS	945.6	-65.04	-13	52.04	Pass	1401
1000	3000	1	RMS	1692	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	8746	-44.35	-13	31.35	Pass	7001



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	814	0.1	RMS	813.7	-64.57	-13	51.57	Pass	7841
814	860	0.1	RMS	824.3	19.91	60	40.09	Pass	461
860	1000	0.1	RMS	902.3	-65.09	-13	52.09	Pass	1401
1000	3000	1	RMS	1648	-44.18	-13	31.18	Pass	2001
3000	10000	1	RMS	8745	-44.32	-13	31.32	Pass	7001



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	813.6	-65.14	-13	52.14	Pass	7841
814	860	0.1	RMS	824.3	19.01	60	40.99	Pass	461
860	1000	0.1	RMS	994.6	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1648	-45.15	-13	32.15	Pass	2001
3000	10000	1	RMS	8745	-44.33	-13	31.33	Pass	7001



10.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.17	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	806.8	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	834.3	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	860.3	-64.95	-13	51.95	Pass	1401
1000	3000	1	RMS	1668	-48.04	-13	35.04	Pass	2001
3000	10000	1	RMS	8744	-44.27	-13	31.27	Pass	7001



10.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	778.4	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	834.3	19.2	60	40.8	Pass	461
860	1000	0.1	RMS	860.3	-64.89	-13	51.89	Pass	1401
1000	3000	1	RMS	1668	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	8748	-44.37	-13	31.37	Pass	7001



10.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	814	0.1	RMS	811.9	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	844.3	19.96	60	40.04	Pass	461
860	1000	0.1	RMS	995.2	-65.09	-13	52.09	Pass	1401
1000	3000	1	RMS	1688	-43.59	-13	30.59	Pass	2001
3000	10000	1	RMS	8746	-44.29	-13	31.29	Pass	7001



10.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	799	-65.52	-13	52.52	Pass	7841
814	860	0.1	RMS	844.3	19.17	60	40.83	Pass	461
860	1000	0.1	RMS	995.8	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1688	-44.52	-13	31.52	Pass	2001
3000	10000	1	RMS	8744	-44.38	-13	31.38	Pass	7001



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.17	-72.66	-13	59.66	Pass	2986
30	814	0.1	RMS	813.9	-64.93	-13	51.93	Pass	7841
814	860	0.1	RMS	824.6	20.12	60	39.88	Pass	461
860	1000	0.1	RMS	875.3	-64.95	-13	51.95	Pass	1401
1000	3000	1	RMS	1649	-45.3	-13	32.3	Pass	2001
3000	10000	1	RMS	8749	-44.3	-13	31.3	Pass	7001



10.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.22	-71.91	-13	58.91	Pass	2986
30	814	0.1	RMS	813.9	-64.88	-13	51.88	Pass	7841
814	860	0.1	RMS	824.6	19.4	60	40.6	Pass	461
860	1000	0.1	RMS	876.6	-65.11	-13	52.11	Pass	1401
1000	3000	1	RMS	1649	-46.06	-13	33.06	Pass	2001
3000	10000	1	RMS	8745	-44.37	-13	31.37	Pass	7001



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	805.3	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	832.1	20.15	60	39.85	Pass	461
860	1000	0.1	RMS	972.5	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	3000	-50.62	-13	37.62	Pass	2001
3000	10000	1	RMS	8749	-44.36	-13	31.36	Pass	7001



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.22	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	801.5	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	832.1	19.16	60	40.84	Pass	461
860	1000	0.1	RMS	882.8	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	2998	-50.59	-13	37.59	Pass	2001
3000	10000	1	RMS	8743	-44.36	-13	31.36	Pass	7001



10.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	813.9	-65.28	-13	52.28	Pass	7841
814	860	0.1	RMS	839.6	20.02	60	39.98	Pass	461
860	1000	0.1	RMS	886.3	-65.08	-13	52.08	Pass	1401
1000	3000	1	RMS	1679	-44.44	-13	31.44	Pass	2001
3000	10000	1	RMS	8742	-44.29	-13	31.29	Pass	7001



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.21	-73.22	-13	60.22	Pass	2986
30	814	0.1	RMS	812.1	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	839.6	19.07	60	40.93	Pass	461
860	1000	0.1	RMS	945.7	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1679	-45.46	-13	32.46	Pass	2001
3000	10000	1	RMS	8750	-44.36	-13	31.36	Pass	7001



11. LTE_Band7

11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.54	-25	47.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-25	47.47	Pass	2986
30	1000	0.1	RMS	539.6	-63.99	-25	38.99	Pass	9701
1000	2490	1	RMS	2490	-46.34	-25	21.34	Pass	1491
2490	2580	1	RMS	2500.125	22.91	60	37.09	Pass	401
2580	3000	1	RMS	2996	-50.64	-25	25.64	Pass	421
3000	12000	1	RMS	11981	-62.07	-25	37.07	Pass	9002
12000	26000	1	RMS	25503	-47.67	-25	22.67	Pass	14002



11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-25	47.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-25	47.51	Pass	2986
30	1000	0.1	RMS	539.6	-64.32	-25	39.32	Pass	9701
1000	2490	1	RMS	2490	-47.03	-25	22.03	Pass	1491
2490	2580	1	RMS	2500.125	22.02	60	37.98	Pass	401
2580	3000	1	RMS	2999	-50.62	-25	25.62	Pass	421
3000	12000	1	RMS	11979	-62.08	-25	37.08	Pass	9002
12000	26000	1	RMS	25514	-51.34	-25	26.34	Pass	14002

