

4: Duty Cycle

4.1 Test Result

TestMode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factory	1/T [kHz]
11A	Ant1	5180	1.36	1.37	99.27	0.03	0.74
11A	Ant2	5180	1.36	1.37	99.27	0.03	0.74
11A	Ant1	5260	1.36	1.37	99.27	0.03	0.74
11A	Ant2	5260	1.36	1.37	99.27	0.03	0.74
11A	Ant1	5500	1.37	1.38	99.28	0.03	0.73
11A	Ant2	5500	1.36	1.37	99.27	0.03	0.74
11A	Ant1	5745	1.36	1.37	99.27	0.03	0.74
11A	Ant2	5745	1.36	1.37	99.27	0.03	0.74
11N20-CDD	Ant1	5180	1.15	1.16	99.14	0.04	0.87
11N20-CDD	Ant2	5180	1.15	1.16	99.14	0.04	0.87
11N20-CDD	Ant1	5260	1.15	1.16	99.14	0.04	0.87
11N20-CDD	Ant2	5260	1.14	1.15	99.13	0.04	0.88
11N20-CDD	Ant1	5500	1.15	1.16	99.14	0.04	0.87
11N20-CDD	Ant2	5500	1.15	1.16	99.14	0.04	0.87
11N20-CDD	Ant1	5745	1.15	1.16	99.14	0.04	0.87
11N20-CDD	Ant2	5745	1.15	1.16	99.14	0.04	0.87
11N40-CDD	Ant1	5190	0.57	0.58	98.28	0.08	1.75
11N40-CDD	Ant2	5190	0.57	0.58	98.28	0.08	1.75
11N40-CDD	Ant1	5270	0.57	0.58	98.28	0.08	1.75
11N40-CDD	Ant2	5270	0.57	0.58	98.28	0.08	1.75
11N40-CDD	Ant1	5510	0.57	0.58	98.28	0.08	1.75
11N40-CDD	Ant2	5510	0.58	0.59	98.31	0.07	1.72
11N40-CDD	Ant1	5755	0.57	0.58	98.28	0.08	1.75
11N40-CDD	Ant2	5755	0.57	0.58	98.28	0.08	1.75
11AC20-CDD	Ant1	5180	1.15	1.16	99.14	0.04	0.87
11AC20-CDD	Ant2	5180	1.15	1.16	99.14	0.04	0.87
11AC20-CDD	Ant1	5260	1.15	1.16	99.14	0.04	0.87
11AC20-CDD	Ant2	5260	1.16	1.17	99.15	0.04	0.86
11AC20-CDD	Ant1	5500	1.16	1.16	100.00	0.00	0.86
11AC20-CDD	Ant2	5500	1.15	1.16	99.14	0.04	0.87
11AC20-CDD	Ant1	5745	1.15	1.16	99.14	0.04	0.87
11AC20-CDD	Ant2	5745	1.15	1.16	99.14	0.04	0.87
11AC40-CDD	Ant1	5190	0.57	0.58	98.28	0.08	1.75
11AC40-CDD	Ant2	5190	0.58	0.58	100.00	0.00	1.72
11AC40-CDD	Ant1	5270	0.58	0.59	98.31	0.07	1.72
11AC40-CDD	Ant2	5270	0.57	0.58	98.28	0.08	1.75
11AC40-CDD	Ant1	5510	0.58	0.58	100.00	0.00	1.72
11AC40-CDD	Ant2	5510	0.57	0.58	98.28	0.08	1.75
11AC40-CDD	Ant1	5755	0.57	0.58	98.28	0.08	1.75
11AC40-CDD	Ant2	5755	0.57	0.58	98.28	0.08	1.75

11AC80-CDD	Ant1	5210	0.29	0.30	96.67	0.15	3.45
11AC80-CDD	Ant2	5210	0.29	0.30	96.67	0.15	3.45
11AC80-CDD	Ant1	5290	0.29	0.30	96.67	0.15	3.45
11AC80-CDD	Ant2	5290	0.29	0.30	96.67	0.15	3.45
11AC80-CDD	Ant1	5530	0.28	0.29	96.55	0.15	3.57
11AC80-CDD	Ant2	5530	0.29	0.29	100.00	0.00	3.45
11AC80-CDD	Ant1	5775	0.29	0.30	96.67	0.15	3.45
11AC80-CDD	Ant2	5775	0.29	0.30	96.67	0.15	3.45
11AX20-CDD	Ant1	5180	0.99	1.00	99.00	0.04	1.01
11AX20-CDD	Ant2	5180	0.98	0.99	98.99	0.04	1.02
11AX20-CDD	Ant1	5260	0.99	1.00	99.00	0.04	1.01
11AX20-CDD	Ant2	5260	0.98	0.99	98.99	0.04	1.02
11AX20-CDD	Ant1	5500	0.99	0.99	100.00	0.00	1.01
11AX20-CDD	Ant2	5500	0.99	1.00	99.00	0.04	1.01
11AX20-CDD	Ant1	5745	0.99	1.00	99.00	0.04	1.01
11AX20-CDD	Ant2	5745	0.99	1.00	99.00	0.04	1.01
11AX40-CDD	Ant1	5190	0.52	0.53	98.11	0.08	1.92
11AX40-CDD	Ant2	5190	0.52	0.53	98.11	0.08	1.92
11AX40-CDD	Ant1	5270	0.52	0.53	98.11	0.08	1.92
11AX40-CDD	Ant2	5270	0.51	0.52	98.08	0.08	1.96
11AX40-CDD	Ant1	5510	0.52	0.53	98.11	0.08	1.92
11AX40-CDD	Ant2	5510	0.52	0.53	98.11	0.08	1.92
11AX40-CDD	Ant1	5755	0.52	0.53	98.11	0.08	1.92
11AX40-CDD	Ant2	5755	0.52	0.53	98.11	0.08	1.92
11AX80-CDD	Ant1	5210	0.28	0.28	100.00	0.00	3.57
11AX80-CDD	Ant2	5210	0.28	0.29	96.55	0.15	3.57
11AX80-CDD	Ant1	5290	0.28	0.29	96.55	0.15	3.57
11AX80-CDD	Ant2	5290	0.28	0.29	96.55	0.15	3.57
11AX80-CDD	Ant1	5530	0.28	0.29	96.55	0.15	3.57
11AX80-CDD	Ant2	5530	0.28	0.29	96.55	0.15	3.57
11AX80-CDD	Ant1	5775	0.28	0.29	96.55	0.15	3.57
11AX80-CDD	Ant2	5775	0.27	0.28	96.43	0.16	3.70


Note: 1, Duty Cycle= Transmission Duration/ Transmission Period

2, DC Factory= $10 \cdot \log_{10}(1/\text{Duty Cycle})$


3, $1/T=1/\text{Transmission Duration}$

4, RF Conducted test Offset= cable loss+ Attenuator(10dB).


4.2 Test Graphs




NTNV-11A-Ant1-5180




NTNV-11A-Ant2-5180




NTNV-11A-Ant1-5260




NTNV-11A-Ant2-5260




NTNV-11A-Ant1-5500




NTNV-11A-Ant2-5500




NTVN-11A-Ant1-5745




NTVN-11A-Ant2-5745




NTVN-11N20-CDD-Ant1-5180




NTVN-11N20-CDD-Ant2-5180




NTVN-11N20-CDD-Ant1-5260




NTVN-11N20-CDD-Ant2-5260




NTVN-11N20-CDD-Ant1-5500




NTVN-11N20-CDD-Ant2-5500




NTVN-11N20-CDD-Ant1-5745




NTVN-11N20-CDD-Ant2-5745




NTVN-11N40-CDD-Ant1-5190




NTVN-11N40-CDD-Ant2-5190




NTVN-11N40-CDD-Ant1-5270




NTVN-11N40-CDD-Ant2-5270




NTVN-11N40-CDD-Ant1-5510




NTVN-11N40-CDD-Ant2-5510




NTVN-11N40-CDD-Ant1-5755




NTVN-11N40-CDD-Ant2-5755




NTVN-11AC20-CDD-Ant1-5180




NTVN-11AC20-CDD-Ant2-5180




NTVN-11AC20-CDD-Ant1-5260




NTVN-11AC20-CDD-Ant2-5260




NTVN-11AC20-CDD-Ant1-5500




NTVN-11AC20-CDD-Ant2-5500




NTVN-11AC20-CDD-Ant1-5745




NTVN-11AC20-CDD-Ant2-5745




NTVN-11AC40-CDD-Ant1-5190




NTVN-11AC40-CDD-Ant2-5190




NTVN-11AC40-CDD-Ant1-5270




NTVN-11AC40-CDD-Ant2-5270




NTVN-11AC40-CDD-Ant1-5510




NTVN-11AC40-CDD-Ant2-5510




NTVN-11AC40-CDD-Ant1-5755




NTVN-11AC40-CDD-Ant2-5755




NTVN-11AC80-CDD-Ant1-5210




NTVN-11AC80-CDD-Ant2-5210




NTVN-11AC80-CDD-Ant1-5290




NTVN-11AC80-CDD-Ant2-5290




NTVN-11AC80-CDD-Ant1-5530




NTVN-11AC80-CDD-Ant2-5530




NTVN-11AC80-CDD-Ant1-5775




NTVN-11AC80-CDD-Ant2-5775




NTVN-11AX20-CDD-Ant1-5180




NTVN-11AX20-CDD-Ant2-5180




NTVN-11AX20-CDD-Ant1-5260




NTVN-11AX20-CDD-Ant2-5260




NTVN-11AX20-CDD-Ant1-5500




NTVN-11AX20-CDD-Ant2-5500




NTVN-11AX20-CDD-Ant1-5745




NTVN-11AX20-CDD-Ant2-5745




NTVN-11AX40-CDD-Ant1-5190




NTVN-11AX40-CDD-Ant2-5190




NTVN-11AX40-CDD-Ant1-5270




NTVN-11AX40-CDD-Ant2-5270




NTVN-11AX40-CDD-Ant1-5510




NTVN-11AX40-CDD-Ant2-5510




NTVN-11AX40-CDD-Ant1-5755




NTVN-11AX40-CDD-Ant2-5755




NTVN-11AX80-CDD-Ant1-5210




NTVN-11AX80-CDD-Ant2-5210




NTVN-11AX80-CDD-Ant1-5290




NTVN-11AX80-CDD-Ant2-5290




NTVN-11AX80-CDD-Ant1-5530



NTVN-11AX80-CDD-Ant2-5530



NTVN-11AX80-CDD-Ant1-5775



NTVN-11AX80-CDD-Ant2-5775

5: Maximum conducted output power

5.1 Test Result

TestMode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	Verdict
11A	Ant1	5180	16.41	≤24	5.14	21.55	PASS
11A	Ant2	5180	16.82	≤24	4.39	21.21	PASS
11A	Ant1	5200	16.14	≤24	5.14	21.28	PASS
11A	Ant2	5200	16.65	≤24	4.39	21.04	PASS
11A	Ant1	5240	15.91	≤24	5.14	21.05	PASS
11A	Ant2	5240	16.38	≤24	4.39	20.77	PASS
11A	Ant1	5260	16.06	≤24	5.36	21.42	PASS
11A	Ant2	5260	16.38	≤24	5.40	21.78	PASS
11A	Ant1	5280	15.85	≤24	5.36	21.21	PASS
11A	Ant2	5280	16.30	≤24	5.40	21.70	PASS
11A	Ant1	5320	15.13	≤24	5.36	20.49	PASS
11A	Ant2	5320	15.80	≤24	5.40	21.20	PASS
11A	Ant1	5500	16.71	≤24	5.78	22.49	PASS
11A	Ant2	5500	16.61	≤24	5.55	22.16	PASS
11A	Ant1	5580	16.76	≤24	5.78	22.54	PASS
11A	Ant2	5580	16.20	≤24	5.55	21.75	PASS
11A	Ant1	5720_UNII-2C	16.36	≤24	5.78	22.14	PASS
11A	Ant2	5720_UNII-2C	16.22	≤24	5.55	21.77	PASS
11A	Ant1	5720_UNII-3	9.80	≤30.00	5.84	15.64	PASS
11A	Ant2	5720_UNII-3	9.76	≤30.00	5.44	15.20	PASS
11A	Ant1	5745	17.64	≤30.00	5.84	23.48	PASS
11A	Ant2	5745	17.73	≤30.00	5.44	23.17	PASS
11A	Ant1	5785	17.45	≤30.00	5.84	23.29	PASS
11A	Ant2	5785	17.89	≤30.00	5.44	23.33	PASS
11A	Ant1	5825	17.15	≤30.00	5.84	22.99	PASS
11A	Ant2	5825	18.03	≤30.00	5.44	23.47	PASS
11N20-CDD	Ant1	5180	15.43	≤24	5.14	20.57	PASS
11N20-CDD	Ant2	5180	15.45	≤24	4.39	19.84	PASS
11N20-CDD	total	5180	18.45	≤24	7.78	26.23	PASS
11N20-CDD	Ant1	5200	14.77	≤24	5.14	19.91	PASS
11N20-CDD	Ant2	5200	15.16	≤24	4.39	19.55	PASS
11N20-CDD	total	5200	17.98	≤24	7.78	25.76	PASS
11N20-CDD	Ant1	5240	14.63	≤24	5.14	19.77	PASS
11N20-CDD	Ant2	5240	14.85	≤24	4.39	19.24	PASS
11N20-CDD	total	5240	17.75	≤24	7.78	25.53	PASS
11N20-CDD	Ant1	5260	15.18	≤24	5.36	20.54	PASS
11N20-CDD	Ant2	5260	15.24	≤24	5.40	20.64	PASS
11N20-CDD	total	5260	18.22	≤24	8.39	26.61	PASS
11N20-CDD	Ant1	5280	14.59	≤24	5.36	19.95	PASS
11N20-CDD	Ant2	5280	14.86	≤24	5.40	20.26	PASS

11N20-CDD	total	5280	17.74	≤24	8.39	26.13	PASS
11N20-CDD	Ant1	5320	13.93	≤24	5.36	19.29	PASS
11N20-CDD	Ant2	5320	14.16	≤24	5.40	19.56	PASS
11N20-CDD	total	5320	17.06	≤24	8.39	25.45	PASS
11N20-CDD	Ant1	5500	15.28	≤24	5.78	21.06	PASS
11N20-CDD	Ant2	5500	15.22	≤24	5.55	20.77	PASS
11N20-CDD	total	5500	18.26	≤24	8.68	26.94	PASS
11N20-CDD	Ant1	5580	15.32	≤24	5.78	21.10	PASS
11N20-CDD	Ant2	5580	14.66	≤24	5.55	20.21	PASS
11N20-CDD	total	5580	18.01	≤24	8.68	26.69	PASS
11N20-CDD	Ant1	5720_UNII-2C	15.15	≤24	5.78	20.93	PASS
11N20-CDD	Ant2	5720_UNII-2C	14.54	≤24	5.55	20.09	PASS
11N20-CDD	total	5720_UNII-2C	17.87	≤24	8.68	26.55	PASS
11N20-CDD	Ant1	5720_UNII-3	9.04	≤30.00	5.84	14.88	PASS
11N20-CDD	Ant2	5720_UNII-3	8.57	≤30.00	5.44	14.01	PASS
11N20-CDD	total	5720_UNII-3	11.82	≤30.00	8.65	20.47	PASS
11N20-CDD	Ant1	5745	16.34	≤30.00	5.84	22.18	PASS
11N20-CDD	Ant2	5745	16.44	≤30.00	5.44	21.88	PASS
11N20-CDD	total	5745	19.40	≤30.00	8.65	28.05	PASS
11N20-CDD	Ant1	5785	16.18	≤30.00	5.84	22.02	PASS
11N20-CDD	Ant2	5785	16.48	≤30.00	5.44	21.92	PASS
11N20-CDD	total	5785	19.34	≤30.00	8.65	27.99	PASS
11N20-CDD	Ant1	5825	15.85	≤30.00	5.84	21.69	PASS
11N20-CDD	Ant2	5825	16.38	≤30.00	5.44	21.82	PASS
11N20-CDD	total	5825	19.13	≤30.00	8.65	27.78	PASS
11N40-CDD	Ant1	5190	15.09	≤24	5.14	20.23	PASS
11N40-CDD	Ant2	5190	15.45	≤24	4.39	19.84	PASS
11N40-CDD	total	5190	18.28	≤24	7.78	26.06	PASS
11N40-CDD	Ant1	5230	14.77	≤24	5.14	19.91	PASS
11N40-CDD	Ant2	5230	15.07	≤24	4.39	19.46	PASS
11N40-CDD	total	5230	17.93	≤24	7.78	25.71	PASS
11N40-CDD	Ant1	5270	14.98	≤24	5.36	20.34	PASS
11N40-CDD	Ant2	5270	14.99	≤24	5.40	20.39	PASS
11N40-CDD	total	5270	18.00	≤24	8.39	26.39	PASS
11N40-CDD	Ant1	5310	14.22	≤24	5.36	19.58	PASS
11N40-CDD	Ant2	5310	14.44	≤24	5.40	19.84	PASS
11N40-CDD	total	5310	17.34	≤24	8.39	25.73	PASS
11N40-CDD	Ant1	5510	14.18	≤24	5.78	19.96	PASS
11N40-CDD	Ant2	5510	13.90	≤24	5.55	19.45	PASS
11N40-CDD	total	5510	17.05	≤24	8.68	25.73	PASS
11N40-CDD	Ant1	5550	14.81	≤24	5.78	20.59	PASS
11N40-CDD	Ant2	5550	14.35	≤24	5.55	19.90	PASS
11N40-CDD	total	5550	17.60	≤24	8.68	26.28	PASS
11N40-CDD	Ant1	5710_UNII-2C	14.84	≤24	5.78	20.62	PASS
11N40-CDD	Ant2	5710_UNII-2C	14.60	≤24	5.55	20.15	PASS

11N40-CDD	total	5710_UNII-2C	17.73	≤24	8.68	26.41	PASS
11N40-CDD	Ant1	5710_UNII-3	4.12	≤30.00	5.84	9.96	PASS
11N40-CDD	Ant2	5710_UNII-3	4.03	≤30.00	5.44	9.47	PASS
11N40-CDD	total	5710_UNII-3	7.09	≤30.00	8.65	15.74	PASS
11N40-CDD	Ant1	5755	16.31	≤30.00	5.84	22.15	PASS
11N40-CDD	Ant2	5755	16.57	≤30.00	5.44	22.01	PASS
11N40-CDD	total	5755	19.45	≤30.00	8.65	28.10	PASS
11N40-CDD	Ant1	5795	16.23	≤30.00	5.84	22.07	PASS
11N40-CDD	Ant2	5795	16.73	≤30.00	5.44	22.17	PASS
11N40-CDD	total	5795	19.50	≤30.00	8.65	28.15	PASS
11AC20-CDD	Ant1	5180	15.03	≤24	5.14	20.17	PASS
11AC20-CDD	Ant2	5180	15.22	≤24	4.39	19.61	PASS
11AC20-CDD	total	5180	18.14	≤24	7.78	25.92	PASS
11AC20-CDD	Ant1	5200	14.81	≤24	5.14	19.95	PASS
11AC20-CDD	Ant2	5200	14.96	≤24	4.39	19.35	PASS
11AC20-CDD	total	5200	17.90	≤24	7.78	25.68	PASS
11AC20-CDD	Ant1	5240	14.60	≤24	5.14	19.74	PASS
11AC20-CDD	Ant2	5240	14.91	≤24	4.39	19.30	PASS
11AC20-CDD	total	5240	17.77	≤24	7.78	25.55	PASS
11AC20-CDD	Ant1	5260	15.09	≤24	5.36	20.45	PASS
11AC20-CDD	Ant2	5260	15.12	≤24	5.40	20.52	PASS
11AC20-CDD	total	5260	18.12	≤24	8.39	26.51	PASS
11AC20-CDD	Ant1	5280	14.62	≤24	5.36	19.98	PASS
11AC20-CDD	Ant2	5280	15.04	≤24	5.40	20.44	PASS
11AC20-CDD	total	5280	17.85	≤24	8.39	26.24	PASS
11AC20-CDD	Ant1	5320	14.01	≤24	5.36	19.37	PASS
11AC20-CDD	Ant2	5320	14.50	≤24	5.40	19.90	PASS
11AC20-CDD	total	5320	17.27	≤24	8.39	25.66	PASS
11AC20-CDD	Ant1	5500	15.39	≤24	5.78	21.17	PASS
11AC20-CDD	Ant2	5500	15.19	≤24	5.55	20.74	PASS
11AC20-CDD	total	5500	18.30	≤24	8.68	26.98	PASS
11AC20-CDD	Ant1	5580	15.31	≤24	5.78	21.09	PASS
11AC20-CDD	Ant2	5580	14.88	≤24	5.55	20.43	PASS
11AC20-CDD	total	5580	18.11	≤24	8.68	26.79	PASS
11AC20-CDD	Ant1	5720_UNII-2C	15.11	≤24	5.78	20.89	PASS
11AC20-CDD	Ant2	5720_UNII-2C	14.81	≤24	5.55	20.36	PASS
11AC20-CDD	total	5720_UNII-2C	17.97	≤24	8.68	26.65	PASS
11AC20-CDD	Ant1	5720_UNII-3	9.00	≤30.00	5.84	14.84	PASS
11AC20-CDD	Ant2	5720_UNII-3	8.84	≤30.00	5.44	14.28	PASS
11AC20-CDD	total	5720_UNII-3	11.93	≤30.00	8.65	20.58	PASS
11AC20-CDD	Ant1	5745	16.07	≤30.00	5.84	21.91	PASS
11AC20-CDD	Ant2	5745	16.18	≤30.00	5.44	21.62	PASS
11AC20-CDD	total	5745	19.14	≤30.00	8.65	27.79	PASS
11AC20-CDD	Ant1	5785	16.03	≤30.00	5.84	21.87	PASS
11AC20-CDD	Ant2	5785	16.23	≤30.00	5.44	21.67	PASS

11AC20-CDD	total	5785	19.14	≤27.35	8.65	27.79	PASS
11AC20-CDD	Ant1	5825	15.77	≤30.00	5.84	21.61	PASS
11AC20-CDD	Ant2	5825	16.36	≤30.00	5.44	21.80	PASS
11AC20-CDD	total	5825	19.09	≤27.35	8.65	27.74	PASS
11AC40-CDD	Ant1	5190	15.11	≤24	5.14	20.25	PASS
11AC40-CDD	Ant2	5190	15.39	≤24	4.39	19.78	PASS
11AC40-CDD	total	5190	18.26	≤24	7.78	26.04	PASS
11AC40-CDD	Ant1	5230	14.69	≤24	5.14	19.83	PASS
11AC40-CDD	Ant2	5230	14.92	≤24	4.39	19.31	PASS
11AC40-CDD	total	5230	17.82	≤24	7.78	25.60	PASS
11AC40-CDD	Ant1	5270	14.94	≤24	5.36	20.30	PASS
11AC40-CDD	Ant2	5270	15.14	≤24	5.40	20.54	PASS
11AC40-CDD	total	5270	18.05	≤24	8.39	26.44	PASS
11AC40-CDD	Ant1	5310	14.37	≤24	5.36	19.73	PASS
11AC40-CDD	Ant2	5310	14.63	≤24	5.40	20.03	PASS
11AC40-CDD	total	5310	17.51	≤24	8.39	25.90	PASS
11AC40-CDD	Ant1	5510	14.82	≤24	5.78	20.60	PASS
11AC40-CDD	Ant2	5510	14.66	≤24	5.55	20.21	PASS
11AC40-CDD	total	5510	17.75	≤24	8.68	26.43	PASS
11AC40-CDD	Ant1	5550	14.71	≤24	5.78	20.49	PASS
11AC40-CDD	Ant2	5550	14.47	≤24	5.55	20.02	PASS
11AC40-CDD	total	5550	17.60	≤24	8.68	26.28	PASS
11AC40-CDD	Ant1	5710_UNII-2C	14.54	≤24	5.78	20.32	PASS
11AC40-CDD	Ant2	5710_UNII-2C	14.41	≤24	5.55	19.96	PASS
11AC40-CDD	total	5710_UNII-2C	17.49	≤24	8.68	26.17	PASS
11AC40-CDD	Ant1	5710_UNII-3	3.87	≤30.00	5.84	9.71	PASS
11AC40-CDD	Ant2	5710_UNII-3	3.85	≤30.00	5.44	9.29	PASS
11AC40-CDD	total	5710_UNII-3	6.87	≤30.00	8.65	15.52	PASS
11AC40-CDD	Ant1	5755	16.38	≤30.00	5.84	22.22	PASS
11AC40-CDD	Ant2	5755	16.54	≤30.00	5.44	21.98	PASS
11AC40-CDD	total	5755	19.47	≤30.00	8.65	28.12	PASS
11AC40-CDD	Ant1	5795	16.15	≤30.00	5.84	21.99	PASS
11AC40-CDD	Ant2	5795	16.69	≤30.00	5.44	22.13	PASS
11AC40-CDD	total	5795	19.44	≤30.00	8.65	28.09	PASS
11AC80-CDD	Ant1	5210	14.96	≤24	5.14	20.10	PASS
11AC80-CDD	Ant2	5210	15.27	≤24	4.39	19.66	PASS
11AC80-CDD	total	5210	18.13	≤24	7.78	25.91	PASS
11AC80-CDD	Ant1	5290	14.40	≤24	5.36	19.76	PASS
11AC80-CDD	Ant2	5290	14.66	≤24	5.40	20.06	PASS
11AC80-CDD	total	5290	17.54	≤24	8.39	25.93	PASS
11AC80-CDD	Ant1	5530	15.60	≤24	5.78	21.38	PASS
11AC80-CDD	Ant2	5530	14.95	≤24	5.55	20.50	PASS
11AC80-CDD	total	5530	18.30	≤24	8.68	26.98	PASS
11AC80-CDD	Ant1	5610	15.35	≤24	5.78	21.13	PASS
11AC80-CDD	Ant2	5610	14.51	≤24	5.55	20.06	PASS

11AC80-CDD	total	5610	17.96	≤24	8.68	26.64	PASS
11AC80-CDD	Ant1	5690_UNII-2C	15.07	≤24	5.78	20.85	PASS
11AC80-CDD	Ant2	5690_UNII-2C	14.95	≤24	5.55	20.50	PASS
11AC80-CDD	total	5690_UNII-2C	18.02	≤24	8.68	26.70	PASS
11AC80-CDD	Ant1	5690_UNII-3	2.40	≤30.00	5.84	8.24	PASS
11AC80-CDD	Ant2	5690_UNII-3	2.58	≤30.00	5.44	8.02	PASS
11AC80-CDD	total	5690_UNII-3	5.50	≤30.00	8.65	14.15	PASS
11AC80-CDD	Ant1	5775	15.95	≤30.00	5.84	21.79	PASS
11AC80-CDD	Ant2	5775	16.29	≤30.00	5.44	21.73	PASS
11AC80-CDD	total	5775	19.13	≤30.00	8.65	27.78	PASS
11AX20-CDD	Ant1	5180	14.83	≤24	5.14	19.97	PASS
11AX20-CDD	Ant2	5180	15.29	≤24	4.39	19.68	PASS
11AX20-CDD	total	5180	18.08	≤24	7.78	25.86	PASS
11AX20-CDD	Ant1	5200	14.70	≤24	5.14	19.84	PASS
11AX20-CDD	Ant2	5200	15.04	≤24	4.39	19.43	PASS
11AX20-CDD	total	5200	17.88	≤24	7.78	25.66	PASS
11AX20-CDD	Ant1	5240	14.31	≤24	5.14	19.45	PASS
11AX20-CDD	Ant2	5240	14.85	≤24	4.39	19.24	PASS
11AX20-CDD	total	5240	17.60	≤24	7.78	25.38	PASS
11AX20-CDD	Ant1	5260	14.66	≤24	5.36	20.02	PASS
11AX20-CDD	Ant2	5260	14.97	≤24	5.40	20.37	PASS
11AX20-CDD	total	5260	17.83	≤24	8.39	26.22	PASS
11AX20-CDD	Ant1	5280	14.53	≤24	5.36	19.89	PASS
11AX20-CDD	Ant2	5280	14.95	≤24	5.40	20.35	PASS
11AX20-CDD	total	5280	17.76	≤24	8.39	26.15	PASS
11AX20-CDD	Ant1	5320	14.08	≤24	5.36	19.44	PASS
11AX20-CDD	Ant2	5320	14.34	≤24	5.40	19.74	PASS
11AX20-CDD	total	5320	17.22	≤24	8.39	25.61	PASS
11AX20-CDD	Ant1	5500	14.67	≤24	5.78	20.45	PASS
11AX20-CDD	Ant2	5500	14.56	≤24	5.55	20.11	PASS
11AX20-CDD	total	5500	17.63	≤24	8.68	26.31	PASS
11AX20-CDD	Ant1	5580	14.61	≤24	5.78	20.39	PASS
11AX20-CDD	Ant2	5580	14.03	≤24	5.55	19.58	PASS
11AX20-CDD	total	5580	17.34	≤24	8.68	26.02	PASS
11AX20-CDD	Ant1	5720_UNII-2C	15.51	≤24	5.78	21.29	PASS
11AX20-CDD	Ant2	5720_UNII-2C	12.34	≤24	5.55	17.89	PASS
11AX20-CDD	total	5720_UNII-2C	17.22	≤24	8.68	25.90	PASS
11AX20-CDD	Ant1	5720_UNII-3	9.76	≤30.00	5.84	15.60	PASS
11AX20-CDD	Ant2	5720_UNII-3	6.60	≤30.00	5.44	12.04	PASS
11AX20-CDD	total	5720_UNII-3	11.47	≤30.00	8.65	20.12	PASS
11AX20-CDD	Ant1	5745	16.07	≤30.00	5.84	21.91	PASS
11AX20-CDD	Ant2	5745	15.98	≤30.00	5.44	21.42	PASS
11AX20-CDD	total	5745	19.04	≤30.00	8.65	27.69	PASS
11AX20-CDD	Ant1	5785	15.96	≤30.00	5.84	21.80	PASS
11AX20-CDD	Ant2	5785	16.31	≤30.00	5.44	21.75	PASS

11AX20-CDD	total	5785	19.15	≤30.00	8.65	27.80	PASS
11AX20-CDD	Ant1	5825	15.74	≤30.00	5.84	21.58	PASS
11AX20-CDD	Ant2	5825	16.21	≤30.00	5.44	21.65	PASS
11AX20-CDD	total	5825	18.99	≤30.00	8.65	27.64	PASS
11AX40-CDD	Ant1	5190	15.04	≤24	5.14	20.18	PASS
11AX40-CDD	Ant2	5190	15.33	≤24	4.39	19.72	PASS
11AX40-CDD	total	5190	18.20	≤24	7.78	25.98	PASS
11AX40-CDD	Ant1	5230	14.69	≤24	5.14	19.83	PASS
11AX40-CDD	Ant2	5230	15.00	≤24	4.39	19.39	PASS
11AX40-CDD	total	5230	17.86	≤24	7.78	25.64	PASS
11AX40-CDD	Ant1	5270	15.02	≤24	5.36	20.38	PASS
11AX40-CDD	Ant2	5270	15.25	≤24	5.40	20.65	PASS
11AX40-CDD	total	5270	18.15	≤24	8.39	26.54	PASS
11AX40-CDD	Ant1	5310	14.44	≤24	5.36	19.80	PASS
11AX40-CDD	Ant2	5310	14.73	≤24	5.40	20.13	PASS
11AX40-CDD	total	5310	17.60	≤24	8.39	25.99	PASS
11AX40-CDD	Ant1	5510	15.05	≤24	5.78	20.83	PASS
11AX40-CDD	Ant2	5510	14.81	≤24	5.55	20.36	PASS
11AX40-CDD	total	5510	17.94	≤24	8.68	26.62	PASS
11AX40-CDD	Ant1	5550	14.98	≤24	5.78	20.76	PASS
11AX40-CDD	Ant2	5550	14.53	≤24	5.55	20.08	PASS
11AX40-CDD	total	5550	17.77	≤24	8.68	26.45	PASS
11AX40-CDD	Ant1	5710_UNII-2C	14.77	≤24	5.78	20.55	PASS
11AX40-CDD	Ant2	5710_UNII-2C	14.59	≤24	5.55	20.14	PASS
11AX40-CDD	total	5710_UNII-2C	17.69	≤24	8.68	26.37	PASS
11AX40-CDD	Ant1	5710_UNII-3	4.70	≤30.00	5.84	10.54	PASS
11AX40-CDD	Ant2	5710_UNII-3	4.63	≤30.00	5.44	10.07	PASS
11AX40-CDD	total	5710_UNII-3	7.68	≤30.00	8.65	16.33	PASS
11AX40-CDD	Ant1	5755	16.28	≤30.00	5.84	22.12	PASS
11AX40-CDD	Ant2	5755	16.43	≤30.00	5.44	21.87	PASS
11AX40-CDD	total	5755	19.37	≤30.00	8.65	28.02	PASS
11AX40-CDD	Ant1	5795	16.15	≤30.00	5.84	21.99	PASS
11AX40-CDD	Ant2	5795	16.67	≤30.00	5.44	22.11	PASS
11AX40-CDD	total	5795	19.43	≤30.00	8.65	28.08	PASS
11AX80-CDD	Ant1	5210	14.62	≤24	5.14	19.76	PASS
11AX80-CDD	Ant2	5210	15.26	≤24	4.39	19.65	PASS
11AX80-CDD	total	5210	17.96	≤24	7.78	25.74	PASS
11AX80-CDD	Ant1	5290	14.49	≤24	5.36	19.85	PASS
11AX80-CDD	Ant2	5290	14.85	≤24	5.40	20.25	PASS
11AX80-CDD	total	5290	17.68	≤24	8.39	26.07	PASS
11AX80-CDD	Ant1	5530	15.10	≤24	5.78	20.88	PASS
11AX80-CDD	Ant2	5530	14.36	≤24	5.55	19.91	PASS
11AX80-CDD	total	5530	17.76	≤24	8.68	26.44	PASS
11AX80-CDD	Ant1	5610	14.78	≤24	5.78	20.56	PASS
11AX80-CDD	Ant2	5610	13.94	≤24	5.55	19.49	PASS

11AX80-CDD	total	5610	17.39	≤24	8.68	26.07	PASS
11AX80-CDD	Ant1	5690_UNII-2C	14.45	≤24	5.78	20.23	PASS
11AX80-CDD	Ant2	5690_UNII-2C	14.39	≤24	5.55	19.94	PASS
11AX80-CDD	total	5690_UNII-2C	17.43	≤24	8.68	26.11	PASS
11AX80-CDD	Ant1	5690_UNII-3	2.34	≤30.00	5.84	8.18	PASS
11AX80-CDD	Ant2	5690_UNII-3	2.49	≤30.00	5.44	7.93	PASS
11AX80-CDD	total	5690_UNII-3	5.43	≤30.00	8.65	14.08	PASS
11AX80-CDD	Ant1	5775	16.00	≤30.00	5.84	21.84	PASS
11AX80-CDD	Ant2	5775	16.29	≤30.00	5.44	21.73	PASS
11AX80-CDD	total	5775	19.16	≤30.00	8.65	27.81	PASS

Note: RF Conducted test Offset= cable loss+ Attenuator(10dB).

6: Maximum power spectral density

6.1 Test Result

Test Mode	Ant.	Frequency [MHz]	RawData [dBm/MHz]	DC Factory	Result [dBm/MHz]	Limit[dBm/MHz] Limit[dBm/500kHz]	Verdict
			[dBm/500kHz]		[dBm/500kHz]		
11A	Ant1	5180	5.49	0.03	5.52	≤11.00	PASS
11A	Ant2	5180	5.68	0.03	5.71	≤11.00	PASS
11A	Ant1	5200	5.29	0.05	5.34	≤11.00	PASS
11A	Ant2	5200	5.53	0.05	5.58	≤11.00	PASS
11A	Ant1	5240	4.93	0.05	4.98	≤11.00	PASS
11A	Ant2	5240	5.13	0.05	5.18	≤11.00	PASS
11A	Ant1	5260	5.02	0.03	5.05	≤11.00	PASS
11A	Ant2	5260	5.36	0.03	5.39	≤11.00	PASS
11A	Ant1	5280	4.65	0.04	4.69	≤11.00	PASS
11A	Ant2	5280	4.96	0.05	5.01	≤11.00	PASS
11A	Ant1	5320	4.2	0.05	4.25	≤11.00	PASS
11A	Ant2	5320	4.64	0.05	4.69	≤11.00	PASS
11A	Ant1	5500	5.81	0.03	5.84	≤11.00	PASS
11A	Ant2	5500	5.59	0.03	5.62	≤11.00	PASS
11A	Ant1	5580	6.02	0.05	6.07	≤11.00	PASS
11A	Ant2	5580	5.25	0.05	5.30	≤11.00	PASS
11A	Ant1	5720_UNII-2C	6.89	0.05	6.94	≤11.00	PASS
11A	Ant2	5720_UNII-2C	6.72	0.05	6.77	≤11.00	PASS
11A	Ant1	5720_UNII-3	3.64	0.05	3.69	≤30.00	PASS
11A	Ant2	5720_UNII-3	3.46	0.05	3.51	≤30.00	PASS
11A	Ant1	5745	4.23	0.03	4.26	≤30.00	PASS
11A	Ant2	5745	3.92	0.03	3.95	≤30.00	PASS
11A	Ant1	5785	3.85	0.04	3.89	≤30.00	PASS
11A	Ant2	5785	3.96	0.04	4.00	≤30.00	PASS
11A	Ant1	5825	3.48	0.05	3.53	≤30.00	PASS
11A	Ant2	5825	4.22	0.05	4.27	≤30.00	PASS
11N20-CDD	Ant1	5180	4.16	0.04	4.20	≤11.00	PASS
11N20-CDD	Ant2	5180	4.17	0.04	4.21	≤11.00	PASS
11N20-CDD	total	5180	---	---	7.22	≤9.22	PASS
11N20-CDD	Ant1	5200	3.7	0.06	3.76	≤11.00	PASS
11N20-CDD	Ant2	5200	3.89	0.06	3.95	≤11.00	PASS
11N20-CDD	total	5200	---	---	6.87	≤9.22	PASS
11N20-CDD	Ant1	5240	3.42	0.06	3.48	≤11.00	PASS
11N20-CDD	Ant2	5240	3.51	0.06	3.57	≤11.00	PASS
11N20-CDD	total	5240	---	---	6.54	≤9.22	PASS
11N20-CDD	Ant1	5260	3.91	0.04	3.95	≤11.00	PASS
11N20-CDD	Ant2	5260	3.87	0.04	3.91	≤11.00	PASS

11N20-CDD	total	5260	---	---	6.94	≤8.61	PASS
11N20-CDD	Ant1	5280	3.37	0.05	3.42	≤11.00	PASS
11N20-CDD	Ant2	5280	3.24	0.06	3.30	≤11.00	PASS
11N20-CDD	total	5280	---	---	6.37	≤8.61	PASS
11N20-CDD	Ant1	5320	2.71	0.05	2.76	≤11.00	PASS
11N20-CDD	Ant2	5320	2.96	0.05	3.01	≤11.00	PASS
11N20-CDD	total	5320	---	---	5.90	≤8.61	PASS
11N20-CDD	Ant1	5500	4.26	0.04	4.30	≤11.00	PASS
11N20-CDD	Ant2	5500	3.88	0.04	3.92	≤11.00	PASS
11N20-CDD	total	5500	---	---	7.12	≤8.32	PASS
11N20-CDD	Ant1	5580	4.31	0.06	4.37	≤11.00	PASS
11N20-CDD	Ant2	5580	3.3	0.05	3.35	≤11.00	PASS
11N20-CDD	total	5580	---	---	6.90	≤8.32	PASS
11N20-CDD	Ant1	5720_UNII-2C	5.33	0.06	5.39	≤11.00	PASS
11N20-CDD	Ant2	5720_UNII-2C	4.75	0.05	4.80	≤11.00	PASS
11N20-CDD	total	5720_UNII-2C	---	---	8.12	≤8.32	PASS
11N20-CDD	Ant1	5720_UNII-3	1.84	0.06	1.90	≤30.00	PASS
11N20-CDD	Ant2	5720_UNII-3	1.48	0.05	1.53	≤30.00	PASS
11N20-CDD	total	5720_UNII-3	---	---	4.73	≤27.35	PASS
11N20-CDD	Ant1	5745	2.56	0.04	2.60	≤30.00	PASS
11N20-CDD	Ant2	5745	2.29	0.04	2.33	≤30.00	PASS
11N20-CDD	total	5745	---	---	5.48	≤27.35	PASS
11N20-CDD	Ant1	5785	2.18	0.06	2.24	≤30.00	PASS
11N20-CDD	Ant2	5785	2.41	0.05	2.46	≤30.00	PASS
11N20-CDD	total	5785	---	---	5.36	≤27.35	PASS
11N20-CDD	Ant1	5825	1.81	0.06	1.87	≤30.00	PASS
11N20-CDD	Ant2	5825	2.23	0.05	2.28	≤30.00	PASS
11N20-CDD	total	5825	---	---	5.09	≤27.35	PASS
11N40-CDD	Ant1	5190	0.87	0.08	0.95	≤11.00	PASS
11N40-CDD	Ant2	5190	1.09	0.08	1.17	≤11.00	PASS
11N40-CDD	total	5190	---	---	4.07	≤9.22	PASS
11N40-CDD	Ant1	5230	0.52	0.11	0.63	≤11.00	PASS
11N40-CDD	Ant2	5230	0.55	0.11	0.66	≤11.00	PASS
11N40-CDD	total	5230	---	---	3.66	≤9.22	PASS
11N40-CDD	Ant1	5270	0.51	0.08	0.59	≤11.00	PASS
11N40-CDD	Ant2	5270	0.28	0.08	0.36	≤11.00	PASS
11N40-CDD	total	5270	---	---	3.49	≤8.61	PASS
11N40-CDD	Ant1	5310	-0.3	0.09	-0.21	≤11.00	PASS
11N40-CDD	Ant2	5310	-0.15	0.11	-0.04	≤11.00	PASS
11N40-CDD	total	5310	---	---	2.89	≤8.61	PASS
11N40-CDD	Ant1	5510	-0.09	0.08	-0.01	≤11.00	PASS
11N40-CDD	Ant2	5510	-0.49	0.07	-0.42	≤11.00	PASS
11N40-CDD	total	5510	---	---	2.80	≤8.32	PASS
11N40-CDD	Ant1	5550	0.56	0.11	0.67	≤11.00	PASS
11N40-CDD	Ant2	5550	-0.2	0.11	-0.09	≤11.00	PASS

11N40-CDD	total	5550	---	---	3.32	≤8.32	PASS
11N40-CDD	Ant1	5710_UNII-2C	1.63	0.11	1.74	≤11.00	PASS
11N40-CDD	Ant2	5710_UNII-2C	1.4	0.11	1.51	≤11.00	PASS
11N40-CDD	total	5710_UNII-2C	---	---	4.64	≤8.32	PASS
11N40-CDD	Ant1	5710_UNII-3	-2.27	0.11	-2.16	≤30.00	PASS
11N40-CDD	Ant2	5710_UNII-3	-2.38	0.11	-2.27	≤30.00	PASS
11N40-CDD	total	5710_UNII-3	---	---	0.80	≤27.35	PASS
11N40-CDD	Ant1	5755	-0.57	0.08	-0.49	≤30.00	PASS
11N40-CDD	Ant2	5755	-0.47	0.08	-0.39	≤30.00	PASS
11N40-CDD	total	5755	---	---	2.57	≤27.35	PASS
11N40-CDD	Ant1	5795	-0.79	0.11	-0.68	≤30.00	PASS
11N40-CDD	Ant2	5795	-0.62	0.11	-0.51	≤30.00	PASS
11N40-CDD	total	5795	---	---	2.42	≤27.35	PASS
11AC20-CDD	Ant1	5180	3.85	0.04	3.89	≤11.00	PASS
11AC20-CDD	Ant2	5180	4.08	0.04	4.12	≤11.00	PASS
11AC20-CDD	total	5180	---	---	7.02	≤9.22	PASS
11AC20-CDD	Ant1	5200	3.71	0.06	3.77	≤11.00	PASS
11AC20-CDD	Ant2	5200	3.83	0.04	3.87	≤11.00	PASS
11AC20-CDD	total	5200	---	---	6.83	≤9.22	PASS
11AC20-CDD	Ant1	5240	3.35	0.06	3.41	≤11.00	PASS
11AC20-CDD	Ant2	5240	3.52	0.04	3.56	≤11.00	PASS
11AC20-CDD	total	5240	---	---	6.50	≤9.22	PASS
11AC20-CDD	Ant1	5260	3.88	0.04	3.92	≤11.00	PASS
11AC20-CDD	Ant2	5260	3.88	0.04	3.92	≤11.00	PASS
11AC20-CDD	total	5260	---	---	6.93	≤8.61	PASS
11AC20-CDD	Ant1	5280	3.2	0.06	3.26	≤11.00	PASS
11AC20-CDD	Ant2	5280	3.4	0.04	3.44	≤11.00	PASS
11AC20-CDD	total	5280	---	---	6.36	≤8.61	PASS
11AC20-CDD	Ant1	5320	2.86	0.06	2.92	≤11.00	PASS
11AC20-CDD	Ant2	5320	3.06	0.06	3.12	≤11.00	PASS
11AC20-CDD	total	5320	---	---	6.03	≤8.61	PASS
11AC20-CDD	Ant1	5500	4.3	0.00	4.30	≤11.00	PASS
11AC20-CDD	Ant2	5500	3.92	0.04	3.96	≤11.00	PASS
11AC20-CDD	total	5500	---	---	7.14	≤8.32	PASS
11AC20-CDD	Ant1	5580	4.39	0.06	4.45	≤11.00	PASS
11AC20-CDD	Ant2	5580	3.46	0.06	3.52	≤11.00	PASS
11AC20-CDD	total	5580	---	---	7.02	≤8.32	PASS
11AC20-CDD	Ant1	5720_UNII-2C	5.38	0.04	5.42	≤11.00	PASS
11AC20-CDD	Ant2	5720_UNII-2C	5.1	0.06	5.16	≤11.00	PASS
11AC20-CDD	total	5720_UNII-2C	---	---	8.30	≤8.32	PASS
11AC20-CDD	Ant1	5720_UNII-3	1.97	0.04	2.01	≤30.00	PASS
11AC20-CDD	Ant2	5720_UNII-3	1.68	0.06	1.74	≤30.00	PASS
11AC20-CDD	total	5720_UNII-3	---	---	4.89	≤27.35	PASS
11AC20-CDD	Ant1	5745	2.25	0.04	2.29	≤30.00	PASS
11AC20-CDD	Ant2	5745	2.08	0.04	2.12	≤30.00	PASS