

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	ERP Limit (dBm)	Verdict
n71	30	10	133600	12@6	DFT_BPSK	23.73	0.5	22.08	34.77	PASS
n71	30	10	133600	1@1	DFT_BPSK	23.78	0.5	22.13	34.77	PASS
n71	30	10	133600	1@22	DFT_BPSK	23.59	0.5	21.94	34.77	PASS
n71	30	10	133600	24@0	DFT_BPSK	23.24	0.5	21.59	34.77	PASS
n71	30	10	133600	12@6	DFT_QPSK	23.70	0.5	22.05	34.77	PASS
n71	30	10	133600	1@1	DFT_QPSK	23.61	0.5	21.96	34.77	PASS
n71	30	10	133600	1@22	DFT_QPSK	23.57	0.5	21.92	34.77	PASS
n71	30	10	133600	24@0	DFT_QPSK	22.72	0.5	21.07	34.77	PASS
n71	30	10	133600	12@6	DFT_QAM16	22.78	0.5	21.13	34.77	PASS
n71	30	10	133600	1@1	DFT_QAM16	22.71	0.5	21.06	34.77	PASS
n71	30	10	133600	1@22	DFT_QAM16	22.63	0.5	20.98	34.77	PASS
n71	30	10	133600	24@0	DFT_QAM16	21.83	0.5	20.18	34.77	PASS
n71	30	10	133600	12@6	DFT_QAM64	21.13	0.5	19.48	34.77	PASS
n71	30	10	133600	1@1	DFT_QAM64	21.26	0.5	19.61	34.77	PASS
n71	30	10	133600	1@22	DFT_QAM64	21.24	0.5	19.59	34.77	PASS
n71	30	10	133600	24@0	DFT_QAM64	21.17	0.5	19.52	34.77	PASS
n71	30	10	133600	12@6	DFT_QAM256	19.14	0.5	17.49	34.77	PASS
n71	30	10	133600	1@1	DFT_QAM256	19.07	0.5	17.42	34.77	PASS
n71	30	10	133600	1@22	DFT_QAM256	19.13	0.5	17.48	34.77	PASS
n71	30	10	133600	24@0	DFT_QAM256	19.21	0.5	17.56	34.77	PASS
n71	30	10	133600	12@6	CP_QPSK	22.26	0.5	20.61	34.77	PASS
n71	30	10	133600	1@1	CP_QPSK	22.12	0.5	20.47	34.77	PASS
n71	30	10	133600	1@22	CP_QPSK	22.03	0.5	20.38	34.77	PASS
n71	30	10	133600	24@0	CP_QPSK	20.74	0.5	19.09	34.77	PASS
n71	30	10	133600	12@6	CP_QAM16	21.66	0.5	20.01	34.77	PASS
n71	30	10	133600	1@1	CP_QAM16	21.81	0.5	20.16	34.77	PASS
n71	30	10	133600	1@22	CP_QAM16	21.66	0.5	20.01	34.77	PASS
n71	30	10	133600	24@0	CP_QAM16	20.60	0.5	18.95	34.77	PASS
n71	30	10	133600	12@6	CP_QAM64	20.26	0.5	18.61	34.77	PASS
n71	30	10	133600	1@1	CP_QAM64	20.27	0.5	18.62	34.77	PASS
n71	30	10	133600	1@22	CP_QAM64	20.13	0.5	18.48	34.77	PASS
n71	30	10	133600	24@0	CP_QAM64	20.18	0.5	18.53	34.77	PASS
n71	30	10	133600	12@6	CP_QAM256	17.33	0.5	15.68	34.77	PASS
n71	30	10	133600	1@1	CP_QAM256	17.21	0.5	15.56	34.77	PASS
n71	30	10	133600	1@22	CP_QAM256	17.36	0.5	15.71	34.77	PASS
n71	30	10	133600	24@0	CP_QAM256	17.38	0.5	15.73	34.77	PASS
n71	30	10	136100	12@6	DFT_BPSK	23.67	0.5	22.02	34.77	PASS
n71	30	10	136100	1@1	DFT_BPSK	23.61	0.5	21.96	34.77	PASS
n71	30	10	136100	1@22	DFT_BPSK	23.58	0.5	21.93	34.77	PASS
n71	30	10	136100	24@0	DFT_BPSK	23.22	0.5	21.57	34.77	PASS

n71	30	10	136100	12@6	DFT_QPSK	23.66	0.5	22.01	34.77	PASS
n71	30	10	136100	1@1	DFT_QPSK	23.47	0.5	21.82	34.77	PASS
n71	30	10	136100	1@22	DFT_QPSK	23.43	0.5	21.78	34.77	PASS
n71	30	10	136100	24@0	DFT_QPSK	22.69	0.5	21.04	34.77	PASS
n71	30	10	136100	12@6	DFT_QAM16	22.76	0.5	21.11	34.77	PASS
n71	30	10	136100	1@1	DFT_QAM16	23.12	0.5	21.47	34.77	PASS
n71	30	10	136100	1@22	DFT_QAM16	22.84	0.5	21.19	34.77	PASS
n71	30	10	136100	24@0	DFT_QAM16	21.64	0.5	19.99	34.77	PASS
n71	30	10	136100	12@6	DFT_QAM64	21.29	0.5	19.64	34.77	PASS
n71	30	10	136100	1@1	DFT_QAM64	21.12	0.5	19.47	34.77	PASS
n71	30	10	136100	1@22	DFT_QAM64	20.98	0.5	19.33	34.77	PASS
n71	30	10	136100	24@0	DFT_QAM64	21.12	0.5	19.47	34.77	PASS
n71	30	10	136100	12@6	DFT_QAM256	19.11	0.5	17.46	34.77	PASS
n71	30	10	136100	1@1	DFT_QAM256	19.09	0.5	17.44	34.77	PASS
n71	30	10	136100	1@22	DFT_QAM256	18.99	0.5	17.34	34.77	PASS
n71	30	10	136100	24@0	DFT_QAM256	19.19	0.5	17.54	34.77	PASS
n71	30	10	136100	12@6	CP_QPSK	22.26	0.5	20.61	34.77	PASS
n71	30	10	136100	1@1	CP_QPSK	21.86	0.5	20.21	34.77	PASS
n71	30	10	136100	1@22	CP_QPSK	21.93	0.5	20.28	34.77	PASS
n71	30	10	136100	24@0	CP_QPSK	20.73	0.5	19.08	34.77	PASS
n71	30	10	136100	12@6	CP_QAM16	21.50	0.5	19.85	34.77	PASS
n71	30	10	136100	1@1	CP_QAM16	21.67	0.5	20.02	34.77	PASS
n71	30	10	136100	1@22	CP_QAM16	21.36	0.5	19.71	34.77	PASS
n71	30	10	136100	24@0	CP_QAM16	20.65	0.5	19	34.77	PASS
n71	30	10	136100	12@6	CP_QAM64	20.20	0.5	18.55	34.77	PASS
n71	30	10	136100	1@1	CP_QAM64	20.01	0.5	18.36	34.77	PASS
n71	30	10	136100	1@22	CP_QAM64	19.86	0.5	18.21	34.77	PASS
n71	30	10	136100	24@0	CP_QAM64	20.14	0.5	18.49	34.77	PASS
n71	30	10	136100	12@6	CP_QAM256	17.26	0.5	15.61	34.77	PASS
n71	30	10	136100	1@1	CP_QAM256	17.37	0.5	15.72	34.77	PASS
n71	30	10	136100	1@22	CP_QAM256	17.20	0.5	15.55	34.77	PASS
n71	30	10	136100	24@0	CP_QAM256	17.36	0.5	15.71	34.77	PASS
n71	30	10	138600	12@6	DFT_BPSK	23.50	0.5	21.85	34.77	PASS
n71	30	10	138600	1@1	DFT_BPSK	23.37	0.5	21.72	34.77	PASS
n71	30	10	138600	1@22	DFT_BPSK	23.45	0.5	21.8	34.77	PASS
n71	30	10	138600	24@0	DFT_BPSK	23.04	0.5	21.39	34.77	PASS
n71	30	10	138600	12@6	DFT_QPSK	23.43	0.5	21.78	34.77	PASS
n71	30	10	138600	1@1	DFT_QPSK	23.31	0.5	21.66	34.77	PASS
n71	30	10	138600	1@22	DFT_QPSK	23.30	0.5	21.65	34.77	PASS
n71	30	10	138600	24@0	DFT_QPSK	22.46	0.5	20.81	34.77	PASS
n71	30	10	138600	12@6	DFT_QAM16	22.55	0.5	20.9	34.77	PASS
n71	30	10	138600	1@1	DFT_QAM16	22.27	0.5	20.62	34.77	PASS
n71	30	10	138600	1@22	DFT_QAM16	22.21	0.5	20.56	34.77	PASS

n71	30	10	138600	24@0	DFT_QAM16	21.51	0.5	19.86	34.77	PASS
n71	30	10	138600	12@6	DFT_QAM64	20.95	0.5	19.3	34.77	PASS
n71	30	10	138600	1@1	DFT_QAM64	20.91	0.5	19.26	34.77	PASS
n71	30	10	138600	1@22	DFT_QAM64	21.04	0.5	19.39	34.77	PASS
n71	30	10	138600	24@0	DFT_QAM64	20.93	0.5	19.28	34.77	PASS
n71	30	10	138600	12@6	DFT_QAM256	18.97	0.5	17.32	34.77	PASS
n71	30	10	138600	1@1	DFT_QAM256	18.97	0.5	17.32	34.77	PASS
n71	30	10	138600	1@22	DFT_QAM256	18.78	0.5	17.13	34.77	PASS
n71	30	10	138600	24@0	DFT_QAM256	18.95	0.5	17.3	34.77	PASS
n71	30	10	138600	12@6	CP_QPSK	21.99	0.5	20.34	34.77	PASS
n71	30	10	138600	1@1	CP_QPSK	21.99	0.5	20.34	34.77	PASS
n71	30	10	138600	1@22	CP_QPSK	21.86	0.5	20.21	34.77	PASS
n71	30	10	138600	24@0	CP_QPSK	20.47	0.5	18.82	34.77	PASS
n71	30	10	138600	12@6	CP_QAM16	21.47	0.5	19.82	34.77	PASS
n71	30	10	138600	1@1	CP_QAM16	21.78	0.5	20.13	34.77	PASS
n71	30	10	138600	1@22	CP_QAM16	21.74	0.5	20.09	34.77	PASS
n71	30	10	138600	24@0	CP_QAM16	20.52	0.5	18.87	34.77	PASS
n71	30	10	138600	12@6	CP_QAM64	20.14	0.5	18.49	34.77	PASS
n71	30	10	138600	1@1	CP_QAM64	20.04	0.5	18.39	34.77	PASS
n71	30	10	138600	1@22	CP_QAM64	19.90	0.5	18.25	34.77	PASS
n71	30	10	138600	24@0	CP_QAM64	19.91	0.5	18.26	34.77	PASS
n71	30	10	138600	12@6	CP_QAM256	17.06	0.5	15.41	34.77	PASS
n71	30	10	138600	1@1	CP_QAM256	16.84	0.5	15.19	34.77	PASS
n71	30	10	138600	1@22	CP_QAM256	17.11	0.5	15.46	34.77	PASS
n71	30	10	138600	24@0	CP_QAM256	17.08	0.5	15.43	34.77	PASS
n71	30	15	134100	18@9	DFT_BPSK	23.69	0.5	22.04	34.77	PASS
n71	30	15	134100	1@1	DFT_BPSK	23.64	0.5	21.99	34.77	PASS
n71	30	15	134100	1@36	DFT_BPSK	23.48	0.5	21.83	34.77	PASS
n71	30	15	134100	36@0	DFT_BPSK	23.21	0.5	21.56	34.77	PASS
n71	30	15	134100	18@9	DFT_QPSK	23.69	0.5	22.04	34.77	PASS
n71	30	15	134100	1@1	DFT_QPSK	23.64	0.5	21.99	34.77	PASS
n71	30	15	134100	1@36	DFT_QPSK	23.43	0.5	21.78	34.77	PASS
n71	30	15	134100	36@0	DFT_QPSK	22.66	0.5	21.01	34.77	PASS
n71	30	15	134100	18@9	DFT_QAM16	22.62	0.5	20.97	34.77	PASS
n71	30	15	134100	1@1	DFT_QAM16	22.86	0.5	21.21	34.77	PASS
n71	30	15	134100	1@36	DFT_QAM16	22.93	0.5	21.28	34.77	PASS
n71	30	15	134100	36@0	DFT_QAM16	21.67	0.5	20.02	34.77	PASS
n71	30	15	134100	18@9	DFT_QAM64	21.06	0.5	19.41	34.77	PASS
n71	30	15	134100	1@1	DFT_QAM64	21.15	0.5	19.5	34.77	PASS
n71	30	15	134100	1@36	DFT_QAM64	20.98	0.5	19.33	34.77	PASS
n71	30	15	134100	36@0	DFT_QAM64	21.06	0.5	19.41	34.77	PASS
n71	30	15	134100	18@9	DFT_QAM256	19.13	0.5	17.48	34.77	PASS
n71	30	15	134100	1@1	DFT_QAM256	19.18	0.5	17.53	34.77	PASS

n71	30	15	134100	1@36	DFT_QAM256	18.94	0.5	17.29	34.77	PASS
n71	30	15	134100	36@0	DFT_QAM256	19.12	0.5	17.47	34.77	PASS
n71	30	15	134100	19@9	CP_QPSK	22.28	0.5	20.63	34.77	PASS
n71	30	15	134100	1@1	CP_QPSK	22.10	0.5	20.45	34.77	PASS
n71	30	15	134100	1@36	CP_QPSK	21.91	0.5	20.26	34.77	PASS
n71	30	15	134100	38@0	CP_QPSK	20.61	0.5	18.96	34.77	PASS
n71	30	15	134100	19@9	CP_QAM16	21.68	0.5	20.03	34.77	PASS
n71	30	15	134100	1@1	CP_QAM16	21.85	0.5	20.2	34.77	PASS
n71	30	15	134100	1@36	CP_QAM16	21.71	0.5	20.06	34.77	PASS
n71	30	15	134100	38@0	CP_QAM16	20.69	0.5	19.04	34.77	PASS
n71	30	15	134100	19@9	CP_QAM64	20.15	0.5	18.5	34.77	PASS
n71	30	15	134100	1@1	CP_QAM64	19.96	0.5	18.31	34.77	PASS
n71	30	15	134100	1@36	CP_QAM64	19.96	0.5	18.31	34.77	PASS
n71	30	15	134100	38@0	CP_QAM64	20.17	0.5	18.52	34.77	PASS
n71	30	15	134100	19@9	CP_QAM256	17.28	0.5	15.63	34.77	PASS
n71	30	15	134100	1@1	CP_QAM256	17.24	0.5	15.59	34.77	PASS
n71	30	15	134100	1@36	CP_QAM256	17.05	0.5	15.4	34.77	PASS
n71	30	15	134100	38@0	CP_QAM256	17.18	0.5	15.53	34.77	PASS
n71	30	15	136100	18@9	DFT_BPSK	23.60	0.5	21.95	34.77	PASS
n71	30	15	136100	1@1	DFT_BPSK	23.56	0.5	21.91	34.77	PASS
n71	30	15	136100	1@36	DFT_BPSK	23.44	0.5	21.79	34.77	PASS
n71	30	15	136100	36@0	DFT_BPSK	23.09	0.5	21.44	34.77	PASS
n71	30	15	136100	18@9	DFT_QPSK	23.60	0.5	21.95	34.77	PASS
n71	30	15	136100	1@1	DFT_QPSK	23.61	0.5	21.96	34.77	PASS
n71	30	15	136100	1@36	DFT_QPSK	23.36	0.5	21.71	34.77	PASS
n71	30	15	136100	36@0	DFT_QPSK	22.63	0.5	20.98	34.77	PASS
n71	30	15	136100	18@9	DFT_QAM16	22.60	0.5	20.95	34.77	PASS
n71	30	15	136100	1@1	DFT_QAM16	22.53	0.5	20.88	34.77	PASS
n71	30	15	136100	1@36	DFT_QAM16	22.24	0.5	20.59	34.77	PASS
n71	30	15	136100	36@0	DFT_QAM16	21.76	0.5	20.11	34.77	PASS
n71	30	15	136100	18@9	DFT_QAM64	21.07	0.5	19.42	34.77	PASS
n71	30	15	136100	1@1	DFT_QAM64	21.11	0.5	19.46	34.77	PASS
n71	30	15	136100	1@36	DFT_QAM64	20.95	0.5	19.3	34.77	PASS
n71	30	15	136100	36@0	DFT_QAM64	21.12	0.5	19.47	34.77	PASS
n71	30	15	136100	18@9	DFT_QAM256	19.07	0.5	17.42	34.77	PASS
n71	30	15	136100	1@1	DFT_QAM256	19.11	0.5	17.46	34.77	PASS
n71	30	15	136100	1@36	DFT_QAM256	18.87	0.5	17.22	34.77	PASS
n71	30	15	136100	36@0	DFT_QAM256	19.16	0.5	17.51	34.77	PASS
n71	30	15	136100	19@9	CP_QPSK	22.17	0.5	20.52	34.77	PASS
n71	30	15	136100	1@1	CP_QPSK	22.00	0.5	20.35	34.77	PASS
n71	30	15	136100	1@36	CP_QPSK	21.84	0.5	20.19	34.77	PASS
n71	30	15	136100	38@0	CP_QPSK	20.54	0.5	18.89	34.77	PASS
n71	30	15	136100	19@9	CP_QAM16	21.59	0.5	19.94	34.77	PASS

n71	30	15	136100	1@1	CP_QAM16	21.73	0.5	20.08	34.77	PASS
n71	30	15	136100	1@36	CP_QAM16	21.62	0.5	19.97	34.77	PASS
n71	30	15	136100	38@0	CP_QAM16	20.69	0.5	19.04	34.77	PASS
n71	30	15	136100	19@9	CP_QAM64	20.20	0.5	18.55	34.77	PASS
n71	30	15	136100	1@1	CP_QAM64	19.87	0.5	18.22	34.77	PASS
n71	30	15	136100	1@36	CP_QAM64	19.85	0.5	18.2	34.77	PASS
n71	30	15	136100	38@0	CP_QAM64	20.14	0.5	18.49	34.77	PASS
n71	30	15	136100	19@9	CP_QAM256	17.29	0.5	15.64	34.77	PASS
n71	30	15	136100	1@1	CP_QAM256	17.16	0.5	15.51	34.77	PASS
n71	30	15	136100	1@36	CP_QAM256	17.10	0.5	15.45	34.77	PASS
n71	30	15	136100	38@0	CP_QAM256	17.18	0.5	15.53	34.77	PASS
n71	30	15	138100	18@9	DFT_BPSK	23.45	0.5	21.8	34.77	PASS
n71	30	15	138100	1@1	DFT_BPSK	23.51	0.5	21.86	34.77	PASS
n71	30	15	138100	1@36	DFT_BPSK	23.34	0.5	21.69	34.77	PASS
n71	30	15	138100	36@0	DFT_BPSK	22.96	0.5	21.31	34.77	PASS
n71	30	15	138100	18@9	DFT_QPSK	23.48	0.5	21.83	34.77	PASS
n71	30	15	138100	1@1	DFT_QPSK	23.45	0.5	21.8	34.77	PASS
n71	30	15	138100	1@36	DFT_QPSK	23.32	0.5	21.67	34.77	PASS
n71	30	15	138100	36@0	DFT_QPSK	22.48	0.5	20.83	34.77	PASS
n71	30	15	138100	18@9	DFT_QAM16	22.44	0.5	20.79	34.77	PASS
n71	30	15	138100	1@1	DFT_QAM16	22.42	0.5	20.77	34.77	PASS
n71	30	15	138100	1@36	DFT_QAM16	22.53	0.5	20.88	34.77	PASS
n71	30	15	138100	36@0	DFT_QAM16	21.47	0.5	19.82	34.77	PASS
n71	30	15	138100	18@9	DFT_QAM64	20.98	0.5	19.33	34.77	PASS
n71	30	15	138100	1@1	DFT_QAM64	21.05	0.5	19.4	34.77	PASS
n71	30	15	138100	1@36	DFT_QAM64	20.88	0.5	19.23	34.77	PASS
n71	30	15	138100	36@0	DFT_QAM64	20.98	0.5	19.33	34.77	PASS
n71	30	15	138100	18@9	DFT_QAM256	18.95	0.5	17.3	34.77	PASS
n71	30	15	138100	1@1	DFT_QAM256	19.06	0.5	17.41	34.77	PASS
n71	30	15	138100	1@36	DFT_QAM256	18.83	0.5	17.18	34.77	PASS
n71	30	15	138100	36@0	DFT_QAM256	18.95	0.5	17.3	34.77	PASS
n71	30	15	138100	19@9	CP_QPSK	22.03	0.5	20.38	34.77	PASS
n71	30	15	138100	1@1	CP_QPSK	22.00	0.5	20.35	34.77	PASS
n71	30	15	138100	1@36	CP_QPSK	21.80	0.5	20.15	34.77	PASS
n71	30	15	138100	38@0	CP_QPSK	20.38	0.5	18.73	34.77	PASS
n71	30	15	138100	19@9	CP_QAM16	21.51	0.5	19.86	34.77	PASS
n71	30	15	138100	1@1	CP_QAM16	21.73	0.5	20.08	34.77	PASS
n71	30	15	138100	1@36	CP_QAM16	21.65	0.5	20	34.77	PASS
n71	30	15	138100	38@0	CP_QAM16	20.44	0.5	18.79	34.77	PASS
n71	30	15	138100	19@9	CP_QAM64	19.87	0.5	18.22	34.77	PASS
n71	30	15	138100	1@1	CP_QAM64	19.79	0.5	18.14	34.77	PASS
n71	30	15	138100	1@36	CP_QAM64	19.86	0.5	18.21	34.77	PASS
n71	30	15	138100	38@0	CP_QAM64	19.93	0.5	18.28	34.77	PASS

n71	30	15	138100	19@9	CP_QAM256	17.15	0.5	15.5	34.77	PASS
n71	30	15	138100	1@1	CP_QAM256	17.19	0.5	15.54	34.77	PASS
n71	30	15	138100	1@36	CP_QAM256	16.90	0.5	15.25	34.77	PASS
n71	30	15	138100	38@0	CP_QAM256	17.11	0.5	15.46	34.77	PASS
n71	30	20	134600	25@12	DFT_BPSK	23.65	0.5	22	34.77	PASS
n71	30	20	134600	1@1	DFT_BPSK	23.68	0.5	22.03	34.77	PASS
n71	30	20	134600	1@49	DFT_BPSK	23.30	0.5	21.65	34.77	PASS
n71	30	20	134600	50@0	DFT_BPSK	23.07	0.5	21.42	34.77	PASS
n71	30	20	134600	25@12	DFT_QPSK	23.69	0.5	22.04	34.77	PASS
n71	30	20	134600	1@1	DFT_QPSK	23.47	0.5	21.82	34.77	PASS
n71	30	20	134600	1@49	DFT_QPSK	23.28	0.5	21.63	34.77	PASS
n71	30	20	134600	50@0	DFT_QPSK	22.55	0.5	20.9	34.77	PASS
n71	30	20	134600	25@12	DFT_QAM16	22.67	0.5	21.02	34.77	PASS
n71	30	20	134600	1@1	DFT_QAM16	22.50	0.5	20.85	34.77	PASS
n71	30	20	134600	1@49	DFT_QAM16	22.41	0.5	20.76	34.77	PASS
n71	30	20	134600	50@0	DFT_QAM16	21.57	0.5	19.92	34.77	PASS
n71	30	20	134600	25@12	DFT_QAM64	21.07	0.5	19.42	34.77	PASS
n71	30	20	134600	1@1	DFT_QAM64	21.26	0.5	19.61	34.77	PASS
n71	30	20	134600	1@49	DFT_QAM64	21.02	0.5	19.37	34.77	PASS
n71	30	20	134600	50@0	DFT_QAM64	21.04	0.5	19.39	34.77	PASS
n71	30	20	134600	25@12	DFT_QAM256	19.19	0.5	17.54	34.77	PASS
n71	30	20	134600	1@1	DFT_QAM256	19.15	0.5	17.5	34.77	PASS
n71	30	20	134600	1@49	DFT_QAM256	18.91	0.5	17.26	34.77	PASS
n71	30	20	134600	50@0	DFT_QAM256	19.08	0.5	17.43	34.77	PASS
n71	30	20	134600	25@12	CP_QPSK	22.03	0.5	20.38	34.77	PASS
n71	30	20	134600	1@1	CP_QPSK	22.00	0.5	20.35	34.77	PASS
n71	30	20	134600	1@49	CP_QPSK	21.84	0.5	20.19	34.77	PASS
n71	30	20	134600	51@0	CP_QPSK	20.56	0.5	18.91	34.77	PASS
n71	30	20	134600	25@12	CP_QAM16	21.68	0.5	20.03	34.77	PASS
n71	30	20	134600	1@1	CP_QAM16	21.90	0.5	20.25	34.77	PASS
n71	30	20	134600	1@49	CP_QAM16	21.58	0.5	19.93	34.77	PASS
n71	30	20	134600	51@0	CP_QAM16	20.58	0.5	18.93	34.77	PASS
n71	30	20	134600	25@12	CP_QAM64	20.10	0.5	18.45	34.77	PASS
n71	30	20	134600	1@1	CP_QAM64	19.56	0.5	17.91	34.77	PASS
n71	30	20	134600	1@49	CP_QAM64	19.91	0.5	18.26	34.77	PASS
n71	30	20	134600	51@0	CP_QAM64	20.12	0.5	18.47	34.77	PASS
n71	30	20	134600	25@12	CP_QAM256	17.16	0.5	15.51	34.77	PASS
n71	30	20	134600	1@1	CP_QAM256	17.12	0.5	15.47	34.77	PASS
n71	30	20	134600	1@49	CP_QAM256	16.96	0.5	15.31	34.77	PASS
n71	30	20	134600	51@0	CP_QAM256	17.19	0.5	15.54	34.77	PASS
n71	30	20	136100	25@12	DFT_BPSK	23.68	0.5	22.03	34.77	PASS
n71	30	20	136100	1@1	DFT_BPSK	23.54	0.5	21.89	34.77	PASS
n71	30	20	136100	1@49	DFT_BPSK	23.34	0.5	21.69	34.77	PASS

n71	30	20	136100	50@0	DFT_BPSK	23.20	0.5	21.55	34.77	PASS
n71	30	20	136100	25@12	DFT_QPSK	23.59	0.5	21.94	34.77	PASS
n71	30	20	136100	1@1	DFT_QPSK	23.45	0.5	21.8	34.77	PASS
n71	30	20	136100	1@49	DFT_QPSK	23.21	0.5	21.56	34.77	PASS
n71	30	20	136100	50@0	DFT_QPSK	22.73	0.5	21.08	34.77	PASS
n71	30	20	136100	25@12	DFT_QAM16	22.55	0.5	20.9	34.77	PASS
n71	30	20	136100	1@1	DFT_QAM16	22.51	0.5	20.86	34.77	PASS
n71	30	20	136100	1@49	DFT_QAM16	22.43	0.5	20.78	34.77	PASS
n71	30	20	136100	50@0	DFT_QAM16	21.71	0.5	20.06	34.77	PASS
n71	30	20	136100	25@12	DFT_QAM64	21.14	0.5	19.49	34.77	PASS
n71	30	20	136100	1@1	DFT_QAM64	21.18	0.5	19.53	34.77	PASS
n71	30	20	136100	1@49	DFT_QAM64	20.92	0.5	19.27	34.77	PASS
n71	30	20	136100	50@0	DFT_QAM64	21.14	0.5	19.49	34.77	PASS
n71	30	20	136100	25@12	DFT_QAM256	19.12	0.5	17.47	34.77	PASS
n71	30	20	136100	1@1	DFT_QAM256	19.09	0.5	17.44	34.77	PASS
n71	30	20	136100	1@49	DFT_QAM256	18.76	0.5	17.11	34.77	PASS
n71	30	20	136100	50@0	DFT_QAM256	19.22	0.5	17.57	34.77	PASS
n71	30	20	136100	25@12	CP_QPSK	21.99	0.5	20.34	34.77	PASS
n71	30	20	136100	1@1	CP_QPSK	21.93	0.5	20.28	34.77	PASS
n71	30	20	136100	1@49	CP_QPSK	21.76	0.5	20.11	34.77	PASS
n71	30	20	136100	51@0	CP_QPSK	20.68	0.5	19.03	34.77	PASS
n71	30	20	136100	25@12	CP_QAM16	21.64	0.5	19.99	34.77	PASS
n71	30	20	136100	1@1	CP_QAM16	21.70	0.5	20.05	34.77	PASS
n71	30	20	136100	1@49	CP_QAM16	21.57	0.5	19.92	34.77	PASS
n71	30	20	136100	51@0	CP_QAM16	20.64	0.5	18.99	34.77	PASS
n71	30	20	136100	25@12	CP_QAM64	20.13	0.5	18.48	34.77	PASS
n71	30	20	136100	1@1	CP_QAM64	20.06	0.5	18.41	34.77	PASS
n71	30	20	136100	1@49	CP_QAM64	19.76	0.5	18.11	34.77	PASS
n71	30	20	136100	51@0	CP_QAM64	20.20	0.5	18.55	34.77	PASS
n71	30	20	136100	25@12	CP_QAM256	17.23	0.5	15.58	34.77	PASS
n71	30	20	136100	1@1	CP_QAM256	16.96	0.5	15.31	34.77	PASS
n71	30	20	136100	1@49	CP_QAM256	16.77	0.5	15.12	34.77	PASS
n71	30	20	136100	51@0	CP_QAM256	17.29	0.5	15.64	34.77	PASS
n71	30	20	137600	25@12	DFT_BPSK	23.51	0.5	21.86	34.77	PASS
n71	30	20	137600	1@1	DFT_BPSK	23.44	0.5	21.79	34.77	PASS
n71	30	20	137600	1@49	DFT_BPSK	23.28	0.5	21.63	34.77	PASS
n71	30	20	137600	50@0	DFT_BPSK	22.83	0.5	21.18	34.77	PASS
n71	30	20	137600	25@12	DFT_QPSK	23.45	0.5	21.8	34.77	PASS
n71	30	20	137600	1@1	DFT_QPSK	23.35	0.5	21.7	34.77	PASS
n71	30	20	137600	1@49	DFT_QPSK	23.19	0.5	21.54	34.77	PASS
n71	30	20	137600	50@0	DFT_QPSK	22.39	0.5	20.74	34.77	PASS
n71	30	20	137600	25@12	DFT_QAM16	22.47	0.5	20.82	34.77	PASS
n71	30	20	137600	1@1	DFT_QAM16	22.77	0.5	21.12	34.77	PASS

n71	30	20	137600	1@49	DFT_QAM16	22.12	0.5	20.47	34.77	PASS
n71	30	20	137600	50@0	DFT_QAM16	21.37	0.5	19.72	34.77	PASS
n71	30	20	137600	25@12	DFT_QAM64	20.96	0.5	19.31	34.77	PASS
n71	30	20	137600	1@1	DFT_QAM64	21.27	0.5	19.62	34.77	PASS
n71	30	20	137600	1@49	DFT_QAM64	21.05	0.5	19.4	34.77	PASS
n71	30	20	137600	50@0	DFT_QAM64	20.75	0.5	19.1	34.77	PASS
n71	30	20	137600	25@12	DFT_QAM256	19.00	0.5	17.35	34.77	PASS
n71	30	20	137600	1@1	DFT_QAM256	19.01	0.5	17.36	34.77	PASS
n71	30	20	137600	1@49	DFT_QAM256	18.81	0.5	17.16	34.77	PASS
n71	30	20	137600	50@0	DFT_QAM256	18.78	0.5	17.13	34.77	PASS
n71	30	20	137600	25@12	CP_QPSK	21.95	0.5	20.3	34.77	PASS
n71	30	20	137600	1@1	CP_QPSK	21.80	0.5	20.15	34.77	PASS
n71	30	20	137600	1@49	CP_QPSK	21.74	0.5	20.09	34.77	PASS
n71	30	20	137600	51@0	CP_QPSK	20.38	0.5	18.73	34.77	PASS
n71	30	20	137600	25@12	CP_QAM16	21.46	0.5	19.81	34.77	PASS
n71	30	20	137600	1@1	CP_QAM16	21.85	0.5	20.2	34.77	PASS
n71	30	20	137600	1@49	CP_QAM16	21.62	0.5	19.97	34.77	PASS
n71	30	20	137600	51@0	CP_QAM16	20.39	0.5	18.74	34.77	PASS
n71	30	20	137600	25@12	CP_QAM64	19.94	0.5	18.29	34.77	PASS
n71	30	20	137600	1@1	CP_QAM64	20.00	0.5	18.35	34.77	PASS
n71	30	20	137600	1@49	CP_QAM64	19.83	0.5	18.18	34.77	PASS
n71	30	20	137600	51@0	CP_QAM64	19.84	0.5	18.19	34.77	PASS
n71	30	20	137600	25@12	CP_QAM256	17.05	0.5	15.4	34.77	PASS
n71	30	20	137600	1@1	CP_QAM256	17.03	0.5	15.38	34.77	PASS
n71	30	20	137600	1@49	CP_QAM256	16.75	0.5	15.1	34.77	PASS
n71	30	20	137600	51@0	CP_QAM256	16.97	0.5	15.32	34.77	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi).

ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For 5G n71)

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n71	30	20	136100	25@12	DFT_BPSK	3.00	-1.86	0.00	Within authorized band for 5G NR n71	PASS
n71	30	20	136100	25@12	DFT_BPSK	3.87	-6.75	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	4.45	-5.18	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	3.00	-4.30	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	3.87	-6.23	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	4.45	-3.87	-0.01		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n71	30	20	136100	25@12	DFT_BPSK	-30	-5.42	-0.01	Within authorized band for 5G NR n71	PASS
n71	30	20	136100	25@12	DFT_BPSK	-20	-5.68	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	-10	-2.67	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	0	-1.91	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	10	-6.18	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	20	-4.78	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	30	-4.80	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	40	-1.98	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	50	-3.85	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	-30	-6.54	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	-20	-4.84	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	-10	-2.66	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	0	-2.86	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	10	-3.45	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	20	-1.58	0.00		PASS
n71	30	20	136100	25@12	DFT_QPSK	30	-3.68	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	40	-3.96	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	50	-4.71	-0.01		PASS

Note: Only the worst case shown in the report.

3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n71	30	10	136100	24@0	DFT_BPSK	4.35	13	PASS
n71	30	10	136100	24@0	DFT_QPSK	5.21	13	PASS
n71	30	10	136100	24@0	DFT_QAM16	6.04	13	PASS
n71	30	10	136100	24@0	DFT_QAM64	6.22	13	PASS
n71	30	10	136100	24@0	DFT_QAM256	6.62	13	PASS
n71	30	15	136100	36@0	DFT_BPSK	4.64	13	PASS
n71	30	15	136100	36@0	DFT_QPSK	5.57	13	PASS
n71	30	15	136100	36@0	DFT_QAM16	6.25	13	PASS
n71	30	15	136100	36@0	DFT_QAM64	6.64	13	PASS
n71	30	15	136100	36@0	DFT_QAM256	6.94	13	PASS
n71	30	20	136100	50@0	DFT_BPSK	4.77	13	PASS
n71	30	20	136100	50@0	DFT_QPSK	5.64	13	PASS
n71	30	20	136100	50@0	DFT_QAM16	6.48	13	PASS
n71	30	20	136100	50@0	DFT_QAM64	6.71	13	PASS
n71	30	20	136100	50@0	DFT_QAM256	6.82	13	PASS

n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=136100 RB=24@0



n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=136100 RB=24@0



n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=136100 RB=24@0



n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=136100 RB=24@0



n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_QAM256 BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=136100 RB=50@0



n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=136100 RB=50@0



n71 SCS=30kHz DFT_QAM16 BW=20MHz Channel=136100 RB=50@0



n71 SCS=30kHz DFT_QAM64 BW=20MHz Channel=136100 RB=50@0



n71 SCS=30kHz DFT_QAM256 BW=20MHz Channel=136100 RB=50@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n71	30	10	133600	24@0	DFT_BPSK	8.607	9.242	PASS
n71	30	10	133600	24@0	DFT_QPSK	8.679	9.336	PASS
n71	30	10	133600	24@0	DFT_QAM16	8.648	9.218	PASS
n71	30	10	133600	24@0	DFT_QAM64	8.542	9.386	PASS
n71	30	10	133600	24@0	DFT_QAM256	8.582	9.228	PASS
n71	30	10	133600	24@0	CP_QPSK	8.608	9.456	PASS
n71	30	10	136100	24@0	DFT_BPSK	8.678	9.307	PASS
n71	30	10	136100	24@0	DFT_QPSK	8.575	9.382	PASS
n71	30	10	136100	24@0	DFT_QAM16	8.524	9.391	PASS
n71	30	10	136100	24@0	DFT_QAM64	8.637	9.276	PASS
n71	30	10	136100	24@0	DFT_QAM256	8.582	9.175	PASS
n71	30	10	136100	24@0	CP_QPSK	8.672	11.151	PASS
n71	30	10	138600	24@0	DFT_BPSK	8.650	9.302	PASS
n71	30	10	138600	24@0	DFT_QPSK	8.596	9.338	PASS
n71	30	10	138600	24@0	DFT_QAM16	8.630	9.158	PASS
n71	30	10	138600	24@0	DFT_QAM64	8.584	9.288	PASS
n71	30	10	138600	24@0	DFT_QAM256	8.555	9.518	PASS
n71	30	10	138600	24@0	CP_QPSK	8.604	9.495	PASS
n71	30	15	134100	36@0	DFT_BPSK	12.819	13.726	PASS
n71	30	15	134100	36@0	DFT_QPSK	12.913	13.642	PASS
n71	30	15	134100	36@0	DFT_QAM16	12.901	13.912	PASS
n71	30	15	134100	36@0	DFT_QAM64	12.917	13.934	PASS
n71	30	15	134100	36@0	DFT_QAM256	12.853	13.586	PASS
n71	30	15	134100	38@0	CP_QPSK	13.585	14.244	PASS
n71	30	15	136100	36@0	DFT_BPSK	12.948	14.188	PASS
n71	30	15	136100	36@0	DFT_QPSK	12.939	14.037	PASS
n71	30	15	136100	36@0	DFT_QAM16	12.927	13.839	PASS
n71	30	15	136100	36@0	DFT_QAM64	12.909	14.237	PASS
n71	30	15	136100	36@0	DFT_QAM256	12.859	13.931	PASS
n71	30	15	136100	38@0	CP_QPSK	13.633	14.594	PASS
n71	30	15	138100	36@0	DFT_BPSK	12.924	14.065	PASS
n71	30	15	138100	36@0	DFT_QPSK	12.938	13.615	PASS
n71	30	15	138100	36@0	DFT_QAM16	12.883	13.874	PASS
n71	30	15	138100	36@0	DFT_QAM64	12.939	13.750	PASS
n71	30	15	138100	36@0	DFT_QAM256	12.842	14.156	PASS
n71	30	15	138100	38@0	CP_QPSK	13.595	14.359	PASS
n71	30	20	134600	50@0	DFT_BPSK	18.027	19.393	PASS
n71	30	20	134600	50@0	DFT_QPSK	17.983	18.874	PASS
n71	30	20	134600	50@0	DFT_QAM16	17.982	19.265	PASS
n71	30	20	134600	50@0	DFT_QAM64	17.864	19.154	PASS

n71	30	20	134600	50@0	DFT_QAM256	18.017	19.190	PASS
n71	30	20	134600	51@0	CP_QPSK	18.384	19.622	PASS
n71	30	20	136100	50@0	DFT_BPSK	17.853	19.134	PASS
n71	30	20	136100	50@0	DFT_QPSK	17.919	19.223	PASS
n71	30	20	136100	50@0	DFT_QAM16	17.980	20.031	PASS
n71	30	20	136100	50@0	DFT_QAM64	17.909	19.290	PASS
n71	30	20	136100	50@0	DFT_QAM256	17.944	19.076	PASS
n71	30	20	136100	51@0	CP_QPSK	18.255	19.411	PASS
n71	30	20	137600	50@0	DFT_BPSK	17.951	19.175	PASS
n71	30	20	137600	50@0	DFT_QPSK	17.817	18.873	PASS
n71	30	20	137600	50@0	DFT_QAM16	17.882	18.876	PASS
n71	30	20	137600	50@0	DFT_QAM64	17.930	19.185	PASS
n71	30	20	137600	50@0	DFT_QAM256	17.905	18.905	PASS
n71	30	20	137600	51@0	CP_QPSK	18.287	19.450	PASS


n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz CP_QPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz CP_QPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz CP_QPSK BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QAM256 BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz CP_QPSK BW=15MHz Channel=134100 RB=38@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QAM256 BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz CP_QPSK BW=15MHz Channel=136100 RB=38@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QAM256 BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz CP_QPSK BW=15MHz Channel=138100 RB=38@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QAM16 BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QAM64 BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QAM256 BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz CP_QPSK BW=20MHz Channel=134600 RB=51@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QAM16 BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QAM64 BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QAM256 BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz CP_QPSK BW=20MHz Channel=136100 RB=51@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz DFT_QAM16 BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz DFT_QAM64 BW=20MHz Channel=137600 RB=50@0



n71 SCS=30kHz DFT_QAM256 BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz CP_QPSK BW=20MHz Channel=137600 RB=51@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n71	30	10	133600	24@0	DFT_QPSK	662.30	-48.00	-13	PASS
n71	30	10	133600	1@0	DFT_QPSK	662.82	-41.27	-13	PASS
n71	30	10	138600	24@0	DFT_QPSK	698.02	-48.40	-13	PASS
n71	30	10	138600	1@23	DFT_QPSK	698.00	-31.04	-13	PASS
n71	30	20	134600	50@0	DFT_QPSK	662.92	-43.69	-13	PASS
n71	30	20	134600	1@0	DFT_QPSK	663.00	-31.58	-13	PASS
n71	30	20	137600	50@0	DFT_QPSK	698.00	-50.88	-13	PASS
n71	30	20	137600	1@50	DFT_QPSK	698.00	-32.02	-13	PASS


n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=133600 RB=1@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=138600 RB=1@23




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=134600 RB=1@0



n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=137600 RB=1@50




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n71	30	10	133600	24@0	DFT_QPSK	3885.18	-39.02	-13	PASS
n71	30	10	133600	1@0	DFT_QPSK	3846.93	-39.59	-13	PASS
n71	30	10	133600	1@23	DFT_QPSK	3807.78	-39.12	-13	PASS
n71	30	10	136100	24@0	DFT_QPSK	3831.18	-39.33	-13	PASS
n71	30	10	136100	1@0	DFT_QPSK	5055.85	-39.32	-13	PASS
n71	30	10	136100	1@23	DFT_QPSK	5040.10	-39.42	-13	PASS
n71	30	10	138600	24@0	DFT_QPSK	3669.63	-39.35	-13	PASS
n71	30	10	138600	1@0	DFT_QPSK	3780.33	-39.15	-13	PASS
n71	30	10	138600	1@23	DFT_QPSK	3904.30	-38.52	-13	PASS
n71	30	20	134600	50@0	DFT_QPSK	3757.83	-39.38	-13	PASS
n71	30	20	134600	1@0	DFT_QPSK	3804.18	-38.66	-13	PASS
n71	30	20	134600	1@50	DFT_QPSK	3843.55	-38.67	-13	PASS
n71	30	20	136100	50@0	DFT_QPSK	3772.90	-38.84	-13	PASS
n71	30	20	136100	1@0	DFT_QPSK	3757.38	-38.87	-13	PASS
n71	30	20	136100	1@50	DFT_QPSK	5077.45	-39.63	-13	PASS
n71	30	20	137600	50@0	DFT_QPSK	3764.80	-38.26	-13	PASS
n71	30	20	137600	1@0	DFT_QPSK	3806.65	-38.98	-13	PASS
n71	30	20	137600	1@50	DFT_QPSK	3821.50	-38.61	-13	PASS


n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=133600 RB=1@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=133600 RB=1@23




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=136100 RB=1@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=136100 RB=1@23




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=138600 RB=1@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=138600 RB=1@23




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=134600 RB=1@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=134600 RB=1@50




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=136100 RB=1@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=136100 RB=1@50



n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=137600 RB=50@0



n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=137600 RB=1@0



n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=137600 RB=1@50

