


Annex C. Spurious Emission at Antenna Terminals for SA

28. n2 15kHz


**28.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.23	-13	Pass	2985
30	1000	0.1	RMS	870.829	-63.12	-13	Pass	9699
1000	1840	1	RMS	1840	-51.2	-13	Pass	840
1840	1920	1	RMS	1852.6	12.36	60	Pass	401
1920	3000	1	RMS	2863.874	-47.95	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.66	-13	Pass	3500
6500	20000	1	RMS	16399.322	-54.1	-13	Pass	13500




**28.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.59	-13	Pass	2985
30	1000	0.1	RMS	872.731	-63.06	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.22	-13	Pass	840
1840	1920	1	RMS	1852.2	13.56	60	Pass	401
1920	3000	1	RMS	2857.868	-47.97	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.54	-13	Pass	3500
6500	20000	1	RMS	16401.322	-53.98	-13	Pass	13500




**28.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.95	-13	Pass	2985
30	1000	0.1	RMS	870.428	-63.07	-13	Pass	9699
1000	1840	1	RMS	1836.996	-51.33	-13	Pass	840
1840	1920	1	RMS	1880	12.76	60	Pass	401
1920	3000	1	RMS	2873.883	-47.96	-13	Pass	1080
3000	6500	1	RMS	6311.946	-65.6	-13	Pass	3500
6500	20000	1	RMS	16400.322	-54.04	-13	Pass	13500




**28.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.48	-13	Pass	2985
30	1000	0.1	RMS	997.897	-62.92	-13	Pass	9699
1000	1840	1	RMS	1837.998	-51.31	-13	Pass	840
1840	1920	1	RMS	1880.2	13.47	60	Pass	401
1920	3000	1	RMS	2865.876	-47.91	-13	Pass	1080
3000	6500	1	RMS	6310.946	-65.53	-13	Pass	3500
6500	20000	1	RMS	16402.322	-54.06	-13	Pass	13500




**28.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.81	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.01	-13	Pass	2985
30	1000	0.1	RMS	877.037	-63.12	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.27	-13	Pass	840
1840	1920	1	RMS	1907.2	13.42	60	Pass	401
1920	3000	1	RMS	2997.998	-47.91	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.64	-13	Pass	3500
6500	20000	1	RMS	16398.321	-54.11	-13	Pass	13500




**28.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-13	Pass	2985
30	1000	0.1	RMS	880.441	-63.15	-13	Pass	9699
1000	1840	1	RMS	1834.994	-51.28	-13	Pass	840
1840	1920	1	RMS	1907.2	13.3	60	Pass	401
1920	3000	1	RMS	2997.998	-47.91	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.59	-13	Pass	3500
6500	20000	1	RMS	16399.322	-53.98	-13	Pass	13500




**28.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.98	-13	Pass	2985
30	1000	0.1	RMS	870.929	-62.93	-13	Pass	9699
1000	1840	1	RMS	1840	-49.94	-13	Pass	840
1840	1920	1	RMS	1858.4	8.51	60	Pass	401
1920	3000	1	RMS	2868.879	-47.89	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.55	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.01	-13	Pass	13500




**28.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-13	Pass	2985
30	1000	0.1	RMS	997.797	-63.09	-13	Pass	9699
1000	1840	1	RMS	1840	-47.75	-13	Pass	840
1840	1920	1	RMS	1858	8.76	60	Pass	401
1920	3000	1	RMS	2992.994	-47.94	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.56	-13	Pass	3500
6500	20000	1	RMS	16402.322	-53.92	-13	Pass	13500




**28.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	Pass	2985
30	1000	0.1	RMS	869.227	-62.92	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.26	-13	Pass	840
1840	1920	1	RMS	1878	8.78	60	Pass	401
1920	3000	1	RMS	2859.87	-47.92	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.56	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.11	-13	Pass	13500




**28.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.95	-13	Pass	2985
30	1000	0.1	RMS	869.727	-63.03	-13	Pass	9699
1000	1840	1	RMS	1840	-51.25	-13	Pass	840
1840	1920	1	RMS	1877	8.83	60	Pass	401
1920	3000	1	RMS	2994.995	-47.94	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.59	-13	Pass	3500
6500	20000	1	RMS	16403.322	-54.06	-13	Pass	13500




**28.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.84	-13	Pass	2985
30	1000	0.1	RMS	873.733	-62.96	-13	Pass	9699
1000	1840	1	RMS	1840	-51.27	-13	Pass	840
1840	1920	1	RMS	1900	8.78	60	Pass	401
1920	3000	1	RMS	3000	-47.93	-13	Pass	1080
3000	6500	1	RMS	6310.946	-65.53	-13	Pass	3500
6500	20000	1	RMS	16399.322	-54.04	-13	Pass	13500




**28.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.4	-13	Pass	2985
30	1000	0.1	RMS	881.643	-63.01	-13	Pass	9699
1000	1840	1	RMS	1840	-51.28	-13	Pass	840
1840	1920	1	RMS	1900.2	8.81	60	Pass	401
1920	3000	1	RMS	2859.87	-47.89	-13	Pass	1080
3000	6500	1	RMS	5552.729	-65.51	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.08	-13	Pass	13500




**28.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.44	-13	Pass	2985
30	1000	0.1	RMS	867.024	-63.06	-13	Pass	9699
1000	1840	1	RMS	1840	-47.44	-13	Pass	840
1840	1920	1	RMS	1862.4	7.46	60	Pass	401
1920	3000	1	RMS	2988.99	-47.96	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.56	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.08	-13	Pass	13500




**28.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.23	-13	Pass	2985
30	1000	0.1	RMS	868.225	-63.1	-13	Pass	9699
1000	1840	1	RMS	1838.999	-44.89	-13	Pass	840
1840	1920	1	RMS	1861.4	7.43	60	Pass	401
1920	3000	1	RMS	2997.998	-47.91	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.59	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.08	-13	Pass	13500




**28.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2985
30	1000	0.1	RMS	879.54	-62.92	-13	Pass	9699
1000	1840	1	RMS	1835.995	-51.23	-13	Pass	840
1840	1920	1	RMS	1878.8	7.48	60	Pass	401
1920	3000	1	RMS	3000	-47.92	-13	Pass	1080
3000	6500	1	RMS	5558.731	-65.54	-13	Pass	3500
6500	20000	1	RMS	16396.321	-54.08	-13	Pass	13500




**28.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	Pass	2985
30	1000	0.1	RMS	874.734	-63	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.07	-13	Pass	840
1840	1920	1	RMS	1876	7.17	60	Pass	401
1920	3000	1	RMS	2996.997	-47.94	-13	Pass	1080
3000	6500	1	RMS	5552.729	-65.62	-13	Pass	3500
6500	20000	1	RMS	16398.321	-54.03	-13	Pass	13500




**28.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.33	-13	Pass	2985
30	1000	0.1	RMS	870.228	-63.15	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.24	-13	Pass	840
1840	1920	1	RMS	1896	7.48	60	Pass	401
1920	3000	1	RMS	2993.994	-47.89	-13	Pass	1080
3000	6500	1	RMS	6310.946	-65.56	-13	Pass	3500
6500	20000	1	RMS	16403.322	-54.06	-13	Pass	13500



**28.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.57	-13	Pass	2985
30	1000	0.1	RMS	871.73	-62.96	-13	Pass	9699
1000	1840	1	RMS	1840	-51.22	-13	Pass	840
1840	1920	1	RMS	1896	7.37	60	Pass	401
1920	3000	1	RMS	2992.994	-47.91	-13	Pass	1080
3000	6500	1	RMS	5553.73	-65.54	-13	Pass	3500
6500	20000	1	RMS	16402.322	-53.95	-13	Pass	13500



29. n5 15kHz


**29.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.87	-13	Pass	2985
30	814	0.1	RMS	727.689	-63.5	-13	Pass	7840
814	859	0.1	RMS	826.528	2.28	60	Pass	450
859	1000	0.1	RMS	870.908	-63.03	-13	Pass	1410
1000	3000	1	RMS	3000	-47.88	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.56	-13	Pass	7000




**29.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-13	Pass	2985
30	814	0.1	RMS	745.891	-63.57	-13	Pass	7840
814	859	0.1	RMS	826.428	3.43	60	Pass	450
859	1000	0.1	RMS	878.514	-63.03	-13	Pass	1410
1000	3000	1	RMS	3000	-47.91	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.62	-13	Pass	7000




**29.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.52	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.14	-13	Pass	2985
30	814	0.1	RMS	724.689	-63.59	-13	Pass	7840
814	859	0.1	RMS	836.751	2.72	60	Pass	450
859	1000	0.1	RMS	870.908	-63.02	-13	Pass	1410
1000	3000	1	RMS	2866.933	-47.95	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.59	-13	Pass	7000




**29.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.85	-13	Pass	2985
30	814	0.1	RMS	735.59	-63.53	-13	Pass	7840
814	859	0.1	RMS	835.949	2.69	60	Pass	450
859	1000	0.1	RMS	870.008	-63.08	-13	Pass	1410
1000	3000	1	RMS	2995.998	-47.93	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.61	-13	Pass	7000




**29.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.35	-13	Pass	2985
30	814	0.1	RMS	728.489	-63.57	-13	Pass	7840
814	859	0.1	RMS	846.171	2.1	60	Pass	450
859	1000	0.1	RMS	877.113	-62.97	-13	Pass	1410
1000	3000	1	RMS	2872.936	-47.9	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.54	-13	Pass	7000




**29.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	Pass	2985
30	814	0.1	RMS	718.688	-63.56	-13	Pass	7840
814	859	0.1	RMS	846.873	2.4	60	Pass	450
859	1000	0.1	RMS	868.507	-63.03	-13	Pass	1410
1000	3000	1	RMS	2996.998	-47.91	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.62	-13	Pass	7000




**29.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.22	-13	Pass	2985
30	814	0.1	RMS	813.3	-62.52	-13	Pass	7840
814	859	0.1	RMS	828.833	-1.8	60	Pass	450
859	1000	0.1	RMS	872.109	-62.85	-13	Pass	1410
1000	3000	1	RMS	2995.998	-47.93	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.61	-13	Pass	7000




**29.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.56	-13	Pass	2985
30	814	0.1	RMS	814	-59.98	-13	Pass	7840
814	859	0.1	RMS	831.94	-1.35	60	Pass	450
859	1000	0.1	RMS	999.7	-63.15	-13	Pass	1410
1000	3000	1	RMS	2868.934	-47.92	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.52	-13	Pass	7000




**29.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.16	-13	Pass	2985
30	814	0.1	RMS	746.291	-63.66	-13	Pass	7840
814	859	0.1	RMS	836.851	-1.94	60	Pass	450
859	1000	0.1	RMS	877.513	-62.85	-13	Pass	1410
1000	3000	1	RMS	3000	-47.91	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.56	-13	Pass	7000




**29.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.9	-13	Pass	2985
30	814	0.1	RMS	814	-63.31	-13	Pass	7840
814	859	0.1	RMS	836.751	-1.57	60	Pass	450
859	1000	0.1	RMS	876.512	-62.92	-13	Pass	1410
1000	3000	1	RMS	2996.998	-47.96	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.51	-13	Pass	7000




**29.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-13	Pass	2985
30	814	0.1	RMS	738.29	-63.64	-13	Pass	7840
814	859	0.1	RMS	841.06	-1.43	60	Pass	450
859	1000	0.1	RMS	880.515	-63.07	-13	Pass	1410
1000	3000	1	RMS	2869.935	-47.93	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.59	-13	Pass	7000




**29.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-13	Pass	2985
30	814	0.1	RMS	741.491	-63.58	-13	Pass	7840
814	859	0.1	RMS	842.664	-1.67	60	Pass	450
859	1000	0.1	RMS	881.516	-63.01	-13	Pass	1410
1000	3000	1	RMS	2996.998	-47.94	-13	Pass	2000
3000	10000	1	RMS	6878.554	-61.62	-13	Pass	7000




**29.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.57	-13	Pass	2985
30	814	0.1	RMS	813.8	-59.61	-13	Pass	7840
814	859	0.1	RMS	834.445	-2.78	60	Pass	450
859	1000	0.1	RMS	880.415	-63.14	-13	Pass	1410
1000	3000	1	RMS	2991.996	-47.93	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.64	-13	Pass	7000




**29.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.96	-13	Pass	2985
30	814	0.1	RMS	814	-57	-13	Pass	7840
814	859	0.1	RMS	833.343	-2.39	60	Pass	450
859	1000	0.1	RMS	871.009	-63.15	-13	Pass	1410
1000	3000	1	RMS	3000	-47.92	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.67	-13	Pass	7000




**29.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.14	-13	Pass	2985
30	814	0.1	RMS	813	-61.76	-13	Pass	7840
814	859	0.1	RMS	839.457	-2.6	60	Pass	450
859	1000	0.1	RMS	874.811	-62.99	-13	Pass	1410
1000	3000	1	RMS	2857.929	-47.92	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.63	-13	Pass	7000




**29.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2985
30	814	0.1	RMS	813.8	-60.17	-13	Pass	7840
814	859	0.1	RMS	838.053	-2.85	60	Pass	450
859	1000	0.1	RMS	872.209	-62.75	-13	Pass	1410
1000	3000	1	RMS	2873.937	-47.93	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.55	-13	Pass	7000




**29.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.16	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.81	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.23	-13	Pass	7840
814	859	0.1	RMS	840.158	-2.67	60	Pass	450
859	1000	0.1	RMS	876.512	-62.97	-13	Pass	1410
1000	3000	1	RMS	2999	-47.91	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.55	-13	Pass	7000



**29.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.4	-13	Pass	2985
30	814	0.1	RMS	813.5	-60.61	-13	Pass	7840
814	859	0.1	RMS	840.359	-2.51	60	Pass	450
859	1000	0.1	RMS	877.113	-62.71	-13	Pass	1410
1000	3000	1	RMS	2996.998	-47.92	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.68	-13	Pass	7000



30. n12 15kHz


**30.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.57	-13	Pass	2985
30	689	0.1	RMS	471.467	-64.3	-13	Pass	6590
689	726	0.1	RMS	701.303	3.79	60	Pass	401
726	1000	0.1	RMS	884.658	-62.94	-13	Pass	2740
1000	3000	1	RMS	2994.997	-47.91	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.59	-13	Pass	7000




**30.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.49	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.16	-13	Pass	2985
30	689	0.1	RMS	471.167	-64.31	-13	Pass	6590
689	726	0.1	RMS	702.135	3	60	Pass	401
726	1000	0.1	RMS	874.154	-62.84	-13	Pass	2740
1000	3000	1	RMS	2996.998	-47.92	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.62	-13	Pass	7000




**30.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2985
30	689	0.1	RMS	473.567	-64.22	-13	Pass	6590
689	726	0.1	RMS	707.315	3.61	60	Pass	401
726	1000	0.1	RMS	882.657	-62.86	-13	Pass	2740
1000	3000	1	RMS	2999	-47.87	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.56	-13	Pass	7000




**30.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.68	-13	Pass	2985
30	689	0.1	RMS	465.366	-64.06	-13	Pass	6590
689	726	0.1	RMS	708.148	3.67	60	Pass	401
726	1000	0.1	RMS	869.752	-62.91	-13	Pass	2740
1000	3000	1	RMS	2999	-47.95	-13	Pass	2000
3000	10000	1	RMS	6881.555	-61.59	-13	Pass	7000




**30.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.73	-13	Pass	2985
30	689	0.1	RMS	465.866	-64.34	-13	Pass	6590
689	726	0.1	RMS	712.403	2.82	60	Pass	401
726	1000	0.1	RMS	878.656	-62.9	-13	Pass	2740
1000	3000	1	RMS	3000	-47.9	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.46	-13	Pass	7000




**30.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.7	-13	Pass	2985
30	689	0.1	RMS	474.467	-64.34	-13	Pass	6590
689	726	0.1	RMS	714.16	3.4	60	Pass	401
726	1000	0.1	RMS	873.254	-62.77	-13	Pass	2740
1000	3000	1	RMS	2859.93	-47.9	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.58	-13	Pass	7000




**30.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.96	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.86	-13	Pass	2985
30	689	0.1	RMS	689	-64.11	-13	Pass	6590
689	726	0.1	RMS	701.95	0.71	60	Pass	401
726	1000	0.1	RMS	869.352	-62.85	-13	Pass	2740
1000	3000	1	RMS	3000	-47.93	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.6	-13	Pass	7000




**30.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2985
30	689	0.1	RMS	688.8	-63.03	-13	Pass	6590
689	726	0.1	RMS	702.228	0.51	60	Pass	401
726	1000	0.1	RMS	869.152	-62.63	-13	Pass	2740
1000	3000	1	RMS	2999	-47.92	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.55	-13	Pass	7000




**30.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.9	-13	Pass	2985
30	689	0.1	RMS	482.369	-64.3	-13	Pass	6590
689	726	0.1	RMS	708.703	0.65	60	Pass	401
726	1000	0.1	RMS	876.955	-62.72	-13	Pass	2740
1000	3000	1	RMS	3000	-47.93	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.68	-13	Pass	7000




**30.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.65	-13	Pass	2985
30	689	0.1	RMS	689	-64.08	-13	Pass	6590
689	726	0.1	RMS	707.685	0.3	60	Pass	401
726	1000	0.1	RMS	874.654	-62.69	-13	Pass	2740
1000	3000	1	RMS	2997.999	-47.91	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.62	-13	Pass	7000




**30.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.06	-13	Pass	2985
30	689	0.1	RMS	474.167	-64.18	-13	Pass	6590
689	726	0.1	RMS	709.628	0.78	60	Pass	401
726	1000	0.1	RMS	874.154	-63.04	-13	Pass	2740
1000	3000	1	RMS	2996.998	-47.86	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.54	-13	Pass	7000




**30.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.75	-13	Pass	2985
30	689	0.1	RMS	477.768	-64.25	-13	Pass	6590
689	726	0.1	RMS	709.35	0.78	60	Pass	401
726	1000	0.1	RMS	885.058	-62.93	-13	Pass	2740
1000	3000	1	RMS	3000	-47.93	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.5	-13	Pass	7000




**30.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.23	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.04	-13	Pass	2985
30	689	0.1	RMS	689	-63.95	-13	Pass	6590
689	726	0.1	RMS	706.483	-1.11	60	Pass	401
726	1000	0.1	RMS	885.258	-62.82	-13	Pass	2740
1000	3000	1	RMS	3000	-47.94	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.6	-13	Pass	7000




**30.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.49	-13	Pass	2985
30	689	0.1	RMS	688.9	-61.95	-13	Pass	6590
689	726	0.1	RMS	707.963	-1.59	60	Pass	401
726	1000	0.1	RMS	878.055	-62.94	-13	Pass	2740
1000	3000	1	RMS	2995.998	-47.9	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.57	-13	Pass	7000




**30.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.37	-13	Pass	2985
30	689	0.1	RMS	688.3	-63.95	-13	Pass	6590
689	726	0.1	RMS	707.5	-1.25	60	Pass	401
726	1000	0.1	RMS	873.754	-62.95	-13	Pass	2740
1000	3000	1	RMS	3000	-47.91	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.59	-13	Pass	7000




**30.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.11	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.89	-13	Pass	2985
30	689	0.1	RMS	688.6	-62.43	-13	Pass	6590
689	726	0.1	RMS	707.87	-1.59	60	Pass	401
726	1000	0.1	RMS	997.699	-62.79	-13	Pass	2740
1000	3000	1	RMS	2995.998	-47.93	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.59	-13	Pass	7000




**30.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.56	-13	Pass	2985
30	689	0.1	RMS	688.3	-63.6	-13	Pass	6590
689	726	0.1	RMS	709.073	-1.12	60	Pass	401
726	1000	0.1	RMS	870.453	-62.83	-13	Pass	2740
1000	3000	1	RMS	2990.995	-47.96	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.56	-13	Pass	7000



**30.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.52	-13	Pass	2985
30	689	0.1	RMS	688.8	-61.94	-13	Pass	6590
689	726	0.1	RMS	708.888	-0.92	60	Pass	401
726	1000	0.1	RMS	876.855	-62.97	-13	Pass	2740
1000	3000	1	RMS	3000	-47.92	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.65	-13	Pass	7000



31. n25 15kHz


**31.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.17	-65.4	-13	Pass	2986
30	1000	0.1	RMS	878.5	-62	-13	Pass	9701
1000	1840	1	RMS	1839	-50.73	-13	Pass	841
1840	1925	1	RMS	1852.608	11.64	60	Pass	601
1925	3000	1	RMS	2996	-47.17	-13	Pass	1076
3000	6500	1	RMS	5050	-62.87	-13	Pass	3501
6500	20000	1	RMS	19350	-54.74	-13	Pass	13501




**31.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.36	-13	Pass	2986
30	1000	0.1	RMS	877.8	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1925	1	RMS	1852.608	11.67	60	Pass	601
1925	3000	1	RMS	2999	-47.11	-13	Pass	1076
3000	6500	1	RMS	5051	-62.86	-13	Pass	3501
6500	20000	1	RMS	19397	-54.68	-13	Pass	13501




**31.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.84	-13	Pass	2986
30	1000	0.1	RMS	877.6	-61.81	-13	Pass	9701
1000	1840	1	RMS	1839	-50.72	-13	Pass	841
1840	1925	1	RMS	1882.642	11.48	60	Pass	601
1925	3000	1	RMS	3000	-47.2	-13	Pass	1076
3000	6500	1	RMS	5049	-62.86	-13	Pass	3501
6500	20000	1	RMS	19393	-54.79	-13	Pass	13501




**31.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.18	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.3	-13	Pass	2986
30	1000	0.1	RMS	880.4	-61.8	-13	Pass	9701
1000	1840	1	RMS	1839	-50.72	-13	Pass	841
1840	1925	1	RMS	1882.5	11.62	60	Pass	601
1925	3000	1	RMS	2997	-47.14	-13	Pass	1076
3000	6500	1	RMS	5050	-62.8	-13	Pass	3501
6500	20000	1	RMS	19453	-54.67	-13	Pass	13501




**31.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.71	-13	Pass	2986
30	1000	0.1	RMS	881.6	-62.08	-13	Pass	9701
1000	1840	1	RMS	1838	-50.62	-13	Pass	841
1840	1925	1	RMS	1912.25	11.57	60	Pass	601
1925	3000	1	RMS	2998	-47.16	-13	Pass	1076
3000	6500	1	RMS	5050	-62.79	-13	Pass	3501
6500	20000	1	RMS	19443	-54.71	-13	Pass	13501




**31.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.3	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.28	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62	-13	Pass	9701
1000	1840	1	RMS	1839	-50.68	-13	Pass	841
1840	1925	1	RMS	1912.392	11.69	60	Pass	601
1925	3000	1	RMS	3000	-47.16	-13	Pass	1076
3000	6500	1	RMS	5050	-62.82	-13	Pass	3501
6500	20000	1	RMS	19390	-54.63	-13	Pass	13501




**31.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.78	-13	Pass	2986
30	1000	0.1	RMS	920	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-49.7	-13	Pass	841
1840	1925	1	RMS	1858.558	7.01	60	Pass	601
1925	3000	1	RMS	2996	-47.24	-13	Pass	1076
3000	6500	1	RMS	5050	-62.87	-13	Pass	3501
6500	20000	1	RMS	19370	-54.82	-13	Pass	13501




**31.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.07	-13	Pass	2986
30	1000	0.1	RMS	879.2	-62.04	-13	Pass	9701
1000	1840	1	RMS	1839	-47.86	-13	Pass	841
1840	1925	1	RMS	1858.133	7.08	60	Pass	601
1925	3000	1	RMS	2999	-47.25	-13	Pass	1076
3000	6500	1	RMS	5049	-62.9	-13	Pass	3501
6500	20000	1	RMS	19439	-54.82	-13	Pass	13501




**31.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-51.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.15	-13	Pass	2986
30	1000	0.1	RMS	997.4	-61.94	-13	Pass	9701
1000	1840	1	RMS	1836	-50.77	-13	Pass	841
1840	1925	1	RMS	1884.058	6.8	60	Pass	601
1925	3000	1	RMS	3000	-47.18	-13	Pass	1076
3000	6500	1	RMS	5051	-62.84	-13	Pass	3501
6500	20000	1	RMS	19359	-54.69	-13	Pass	13501




**31.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.1	-13	Pass	2986
30	1000	0.1	RMS	881.2	-61.99	-13	Pass	9701
1000	1840	1	RMS	1838	-50.76	-13	Pass	841
1840	1925	1	RMS	1879.808	6.86	60	Pass	601
1925	3000	1	RMS	2998	-47.16	-13	Pass	1076
3000	6500	1	RMS	5050	-62.95	-13	Pass	3501
6500	20000	1	RMS	19379	-54.8	-13	Pass	13501




**31.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:
PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.75	-13	Pass	2986
30	1000	0.1	RMS	999.2	-61.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.16	-13	Pass	841
1840	1925	1	RMS	1904.883	7.28	60	Pass	601
1925	3000	1	RMS	2995	-47.12	-13	Pass	1076
3000	6500	1	RMS	5048	-62.72	-13	Pass	3501
6500	20000	1	RMS	19397	-54.55	-13	Pass	13501




**31.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.99	-13	Pass	2985
30	1000	0.1	RMS	881.943	-62.96	-13	Pass	9699
1000	1840	1	RMS	1840	-51.3	-13	Pass	840
1840	1925	1	RMS	1904.6	8.61	60	Pass	401
1925	3000	1	RMS	3000	-47.9	-13	Pass	1075
3000	6500	1	RMS	5559.731	-65.58	-13	Pass	3500
6500	20000	1	RMS	16406.323	-54.04	-13	Pass	13500




**31.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.13	-13	Pass	2986
30	1000	0.1	RMS	872.9	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-47.05	-13	Pass	841
1840	1925	1	RMS	1860.967	5.85	60	Pass	601
1925	3000	1	RMS	2997	-47.26	-13	Pass	1076
3000	6500	1	RMS	5050	-62.83	-13	Pass	3501
6500	20000	1	RMS	19396	-54.78	-13	Pass	13501




**31.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.06	-13	Pass	2986
30	1000	0.1	RMS	887.7	-61.96	-13	Pass	9701
1000	1840	1	RMS	1840	-44.49	-13	Pass	841
1840	1925	1	RMS	1861.533	5.85	60	Pass	601
1925	3000	1	RMS	2999	-47.23	-13	Pass	1076
3000	6500	1	RMS	5049	-62.96	-13	Pass	3501
6500	20000	1	RMS	19447	-54.83	-13	Pass	13501




**31.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.05	-13	Pass	2986
30	1000	0.1	RMS	921.7	-61.94	-13	Pass	9701
1000	1840	1	RMS	1839	-50.78	-13	Pass	841
1840	1925	1	RMS	1883.633	5.67	60	Pass	601
1925	3000	1	RMS	2997	-47.28	-13	Pass	1076
3000	6500	1	RMS	5050	-63	-13	Pass	3501
6500	20000	1	RMS	19418	-54.81	-13	Pass	13501




**31.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.65	-13	Pass	2986
30	1000	0.1	RMS	880.5	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1925	1	RMS	1880.233	5.66	60	Pass	601
1925	3000	1	RMS	2999	-47.25	-13	Pass	1076
3000	6500	1	RMS	5052	-62.99	-13	Pass	3501
6500	20000	1	RMS	19418	-54.84	-13	Pass	13501




**31.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.06	-13	Pass	2986
30	1000	0.1	RMS	930.5	-61.99	-13	Pass	9701
1000	1840	1	RMS	1838	-50.78	-13	Pass	841
1840	1925	1	RMS	1883.633	5.73	60	Pass	601
1925	3000	1	RMS	2998	-47.29	-13	Pass	1076
3000	6500	1	RMS	5051	-62.99	-13	Pass	3501
6500	20000	1	RMS	19400	-54.7	-13	Pass	13501



**31.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.84	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.02	-13	Pass	2986
30	1000	0.1	RMS	873.1	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.81	-13	Pass	841
1840	1925	1	RMS	1900.917	5.86	60	Pass	601
1925	3000	1	RMS	2995	-47.11	-13	Pass	1076
3000	6500	1	RMS	5050	-62.92	-13	Pass	3501
6500	20000	1	RMS	19414	-54.76	-13	Pass	13501



32. n30 15kHz


**32.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.17	-40	Pass	401
0.15	30	0.01	RMS	1.06	-79.24	-40	Pass	2985
30	1000	0.1	RMS	347.039	-66.04	-40	Pass	9699
1000	2295	1	RMS	2295	-59.59	-40	Pass	1295
2295	2325	1	RMS	2307.3	12.78	60	Pass	401
2325	3000	1	RMS	2865.801	-57.84	-40	Pass	675
3000	6500	1	RMS	6310.946	-55.36	-40	Pass	3500
6500	18000	1	RMS	16399.516	-61.99	-40	Pass	11500
18000	24000	1	RMS	21606.601	-63.83	-40	Pass	6000




**32.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.55	-40	Pass	401
0.15	30	0.01	RMS	0.23	-80.22	-40	Pass	2985
30	1000	0.1	RMS	347.039	-67.44	-40	Pass	9699
1000	2295	1	RMS	1710.549	-56.13	-40	Pass	1295
2295	2325	1	RMS	2307.45	11.83	60	Pass	401
2325	3000	1	RMS	3000	-57.82	-40	Pass	675
3000	6500	1	RMS	5179.623	-52.22	-40	Pass	3500
6500	18000	1	RMS	16396.515	-61.91	-40	Pass	11500
18000	24000	1	RMS	21594.599	-63.71	-40	Pass	6000




**32.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.17	-40	Pass	401
0.15	30	0.01	RMS	0.15	-79.87	-40	Pass	2985
30	1000	0.1	RMS	349.639	-65.86	-40	Pass	9699
1000	2295	1	RMS	2295	-60.1	-40	Pass	1295
2295	2325	1	RMS	2310	12.76	60	Pass	401
2325	3000	1	RMS	2997.997	-57.89	-40	Pass	675
3000	6500	1	RMS	6309.946	-55.39	-40	Pass	3500
6500	18000	1	RMS	16400.516	-62.06	-40	Pass	11500
18000	24000	1	RMS	21601.6	-63.81	-40	Pass	6000




**32.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.77	-40	Pass	401
0.15	30	0.01	RMS	1.06	-78.75	-40	Pass	2985
30	1000	0.1	RMS	349.639	-66.99	-40	Pass	9699
1000	2295	1	RMS	2295	-60.12	-40	Pass	1295
2295	2325	1	RMS	2309.925	11.9	60	Pass	401
2325	3000	1	RMS	2997.997	-57.93	-40	Pass	675
3000	6500	1	RMS	5554.73	-55.46	-40	Pass	3500
6500	18000	1	RMS	16398.516	-62.06	-40	Pass	11500
18000	24000	1	RMS	21598.6	-63.75	-40	Pass	6000




**32.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.74	-40	Pass	401
0.15	30	0.01	RMS	1.05	-75.54	-40	Pass	2985
30	1000	0.1	RMS	352.039	-65.91	-40	Pass	9699
1000	2295	1	RMS	2075.831	-60.25	-40	Pass	1295
2295	2325	1	RMS	2312.475	12.8	60	Pass	401
2325	3000	1	RMS	2357.047	-57.77	-40	Pass	675
3000	6500	1	RMS	6311.946	-55.47	-40	Pass	3500
6500	18000	1	RMS	16399.516	-62.04	-40	Pass	11500
18000	24000	1	RMS	21601.6	-63.82	-40	Pass	6000




**32.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.17	-40	Pass	401
0.15	30	0.01	RMS	1.06	-78.8	-40	Pass	2985
30	1000	0.1	RMS	351.339	-67.47	-40	Pass	9699
1000	2295	1	RMS	2071.828	-60.24	-40	Pass	1295
2295	2325	1	RMS	2312.325	11.88	60	Pass	401
2325	3000	1	RMS	2357.047	-57.91	-40	Pass	675
3000	6500	1	RMS	6309.946	-55.38	-40	Pass	3500
6500	18000	1	RMS	16399.516	-62.05	-40	Pass	11500
18000	24000	1	RMS	21601.6	-63.88	-40	Pass	6000




**32.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.2	-40	Pass	401
0.15	30	0.01	RMS	3.571	-79.37	-40	Pass	2985
30	1000	0.1	RMS	349.539	-68.98	-40	Pass	9699
1000	2295	1	RMS	2292.998	-57.63	-40	Pass	1295
2295	2325	1	RMS	2310.825	10.21	60	Pass	401
2325	3000	1	RMS	2325	-56.88	-40	Pass	675
3000	6500	1	RMS	6310.946	-55.4	-40	Pass	3500
6500	18000	1	RMS	16399.516	-62.05	-40	Pass	11500
18000	24000	1	RMS	21607.601	-63.81	-40	Pass	6000



**32.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.44	-40	Pass	401
0.15	30	0.01	RMS	0.15	-79.85	-40	Pass	2985
30	1000	0.1	RMS	348.939	-69.66	-40	Pass	9699
1000	2295	1	RMS	2295	-56.18	-40	Pass	1295
2295	2325	1	RMS	2309.7	9.27	60	Pass	401
2325	3000	1	RMS	2861.795	-57.95	-40	Pass	675
3000	6500	1	RMS	6309.946	-55.4	-40	Pass	3500
6500	18000	1	RMS	16400.516	-61.98	-40	Pass	11500
18000	24000	1	RMS	21599.6	-63.8	-40	Pass	6000



33. n38 30kHz


**33.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.67	-25	Pass	601
0.15	30	0.01	RMS	0.17	-64.87	-25	Pass	2986
30	1000	0.1	RMS	964.5	-59.19	-25	Pass	9701
1000	2560	1	RMS	2555	-46.51	-25	Pass	1561
2560	2630	1	RMS	2577.5	9.9	60	Pass	601
2630	3000	1	RMS	2999.383	-47.46	-25	Pass	601
3000	6500	1	RMS	5050	-62.4	-25	Pass	3501
6500	27000	1	RMS	26265	-51.3	-25	Pass	20501




**33.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-65.43	-25	Pass	2986
30	1000	0.1	RMS	913.3	-59.18	-25	Pass	9701
1000	2560	1	RMS	2557	-44.6	-25	Pass	1561
2560	2630	1	RMS	2576.333	9.77	60	Pass	601
2630	3000	1	RMS	2995.067	-47.49	-25	Pass	601
3000	6500	1	RMS	5050	-62.71	-25	Pass	3501
6500	27000	1	RMS	26354	-51.43	-25	Pass	20501




**33.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-49.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.85	-25	Pass	2986
30	1000	0.1	RMS	909.9	-58.82	-25	Pass	9701
1000	2560	1	RMS	2544	-47.05	-25	Pass	1561
2560	2630	1	RMS	2592.667	10.01	60	Pass	601
2630	3000	1	RMS	2996.3	-47.39	-25	Pass	601
3000	6500	1	RMS	5049	-62.51	-25	Pass	3501
6500	27000	1	RMS	26267	-51.22	-25	Pass	20501




**33.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.17	-25	Pass	601
0.15	30	0.01	RMS	0.18	-65.13	-25	Pass	2986
30	1000	0.1	RMS	921.6	-58.93	-25	Pass	9701
1000	2560	1	RMS	2535	-47.06	-25	Pass	1561
2560	2630	1	RMS	2595.933	10.03	60	Pass	601
2630	3000	1	RMS	3000	-47.46	-25	Pass	601
3000	6500	1	RMS	5050	-62.79	-25	Pass	3501
6500	27000	1	RMS	26143	-51.15	-25	Pass	20501




**33.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.09	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.81	-25	Pass	2986
30	1000	0.1	RMS	862.9	-59.27	-25	Pass	9701
1000	2560	1	RMS	2481	-47.02	-25	Pass	1561
2560	2630	1	RMS	2607.017	10.02	60	Pass	601
2630	3000	1	RMS	2631.233	-47.21	-25	Pass	601
3000	6500	1	RMS	5054	-62.77	-25	Pass	3501
6500	27000	1	RMS	26359	-51.3	-25	Pass	20501




**33.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.39	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.77	-25	Pass	2986
30	1000	0.1	RMS	875.7	-59.88	-25	Pass	9701
1000	2560	1	RMS	2486	-47.09	-25	Pass	1561
2560	2630	1	RMS	2613.083	10.07	60	Pass	601
2630	3000	1	RMS	2630	-43.83	-25	Pass	601
3000	6500	1	RMS	5052	-62.7	-25	Pass	3501
6500	27000	1	RMS	26244	-51.09	-25	Pass	20501




**33.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.21	-25	Pass	601
0.15	30	0.01	RMS	0.19	-63.37	-25	Pass	2986
30	1000	0.1	RMS	944.8	-60.02	-25	Pass	9701
1000	2560	1	RMS	2557	-42.69	-25	Pass	1561
2560	2630	1	RMS	2580.533	7.4	60	Pass	601
2630	3000	1	RMS	2998.15	-47.48	-25	Pass	601
3000	6500	1	RMS	5551	-62.5	-25	Pass	3501
6500	27000	1	RMS	26163	-50.77	-25	Pass	20501




**33.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.56	-25	Pass	601
0.15	30	0.01	RMS	0.18	-63.09	-25	Pass	2986
30	1000	0.1	RMS	896.2	-59.26	-25	Pass	9701
1000	2560	1	RMS	2560	-40.86	-25	Pass	1561
2560	2630	1	RMS	2579.25	8.62	60	Pass	601
2630	3000	1	RMS	2999.383	-47.45	-25	Pass	601
3000	6500	1	RMS	5054	-62.4	-25	Pass	3501
6500	27000	1	RMS	25684	-50.85	-25	Pass	20501




**33.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.1	-25	Pass	2985
30	1000	0.1	RMS	993.992	-61.18	-25	Pass	9699
1000	2560	1	RMS	2558.999	-48.32	-25	Pass	1560
2560	2630	1	RMS	2590.8	6.75	60	Pass	401
2630	3000	1	RMS	2866.8	-48.1	-25	Pass	401
3000	6500	1	RMS	5555.73	-65.25	-25	Pass	3500
6500	27000	1	RMS	25800.709	-50.67	-25	Pass	20500




**33.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.35	-25	Pass	401
0.15	30	0.01	RMS	0.35	-67.87	-25	Pass	2985
30	1000	0.1	RMS	889.153	-61.02	-25	Pass	9699
1000	2560	1	RMS	2558.999	-46.42	-25	Pass	1560
2560	2630	1	RMS	2589.575	7.55	60	Pass	401
2630	3000	1	RMS	2993.525	-48.02	-25	Pass	401
3000	6500	1	RMS	6312.947	-65.38	-25	Pass	3500
6500	27000	1	RMS	25901.733	-50.24	-25	Pass	20500




**33.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	Pass	2985
30	1000	0.1	RMS	865.722	-60.67	-25	Pass	9699
1000	2560	1	RMS	2553.996	-49.29	-25	Pass	1560
2560	2630	1	RMS	2600.6	7.4	60	Pass	401
2630	3000	1	RMS	2630	-47.87	-25	Pass	401
3000	6500	1	RMS	5560.732	-65.3	-25	Pass	3500
6500	27000	1	RMS	25899.733	-50.27	-25	Pass	20500




**33.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.72	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.28	-25	Pass	2985
30	1000	0.1	RMS	998.298	-60.74	-25	Pass	9699
1000	2560	1	RMS	2557.999	-48.18	-25	Pass	1560
2560	2630	1	RMS	2605.675	7.47	60	Pass	401
2630	3000	1	RMS	2630	-46.29	-25	Pass	401
3000	6500	1	RMS	6307.945	-65.3	-25	Pass	3500
6500	27000	1	RMS	25881.728	-50.69	-25	Pass	20500




**33.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.36	-25	Pass	2985
30	1000	0.1	RMS	885.548	-60.76	-25	Pass	9699
1000	2560	1	RMS	2552.996	-45.45	-25	Pass	1560
2560	2630	1	RMS	2581.525	6.25	60	Pass	401
2630	3000	1	RMS	2874.2	-48.02	-25	Pass	401
3000	6500	1	RMS	6309.946	-65.38	-25	Pass	3500
6500	27000	1	RMS	25859.723	-50.25	-25	Pass	20500




**33.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.97	-25	Pass	2985
30	1000	0.1	RMS	714.684	-61.08	-25	Pass	9699
1000	2560	1	RMS	2554.997	-42.16	-25	Pass	1560
2560	2630	1	RMS	2581.525	6.32	60	Pass	401
2630	3000	1	RMS	2630	-48	-25	Pass	401
3000	6500	1	RMS	5555.73	-65.31	-25	Pass	3500
6500	27000	1	RMS	25817.713	-50.56	-25	Pass	20500




**33.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.42	-25	Pass	2985
30	1000	0.1	RMS	924.3	-60.47	-25	Pass	9699
1000	2560	1	RMS	2557.999	-44.81	-25	Pass	1560
2560	2630	1	RMS	2586.25	6.12	60	Pass	401
2630	3000	1	RMS	2994.45	-48	-25	Pass	401
3000	6500	1	RMS	5549.728	-65.2	-25	Pass	3500
6500	27000	1	RMS	25861.723	-50.65	-25	Pass	20500




**33.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	Pass	2985
30	1000	0.1	RMS	896.062	-60.4	-25	Pass	9699
1000	2560	1	RMS	2554.997	-42.96	-25	Pass	1560
2560	2630	1	RMS	2593.425	6.1	60	Pass	401
2630	3000	1	RMS	2632.775	-47.14	-25	Pass	401
3000	6500	1	RMS	6314.947	-65.06	-25	Pass	3500
6500	27000	1	RMS	25838.718	-50.28	-25	Pass	20500




**33.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.73	-25	Pass	2985
30	1000	0.1	RMS	888.552	-60.86	-25	Pass	9699
1000	2560	1	RMS	2558.999	-47.32	-25	Pass	1560
2560	2630	1	RMS	2591.15	6.04	60	Pass	401
2630	3000	1	RMS	2870.5	-48.02	-25	Pass	401
3000	6500	1	RMS	6309.946	-65.39	-25	Pass	3500
6500	27000	1	RMS	25896.732	-50.31	-25	Pass	20500



**33.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.51	-25	Pass	2985
30	1000	0.1	RMS	884.246	-60.54	-25	Pass	9699
1000	2560	1	RMS	2553.996	-46.87	-25	Pass	1560
2560	2630	1	RMS	2599.375	6.14	60	Pass	401
2630	3000	1	RMS	2630.925	-47.58	-25	Pass	401
3000	6500	1	RMS	5558.731	-65.3	-25	Pass	3500
6500	27000	1	RMS	25907.735	-50.31	-25	Pass	20500



34. n41 30kHz


**34.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.04	-25	Pass	2986
30	1000	0.1	RMS	874.6	-59.21	-25	Pass	9701
1000	2486	1	RMS	2480	-46.63	-25	Pass	1487
2486	2700	1	RMS	2508.113	10.38	60	Pass	601
2700	3000	1	RMS	2989	-47.49	-25	Pass	601
3000	6500	1	RMS	5051	-62.28	-25	Pass	3501
6500	27000	1	RMS	26349	-51.5	-25	Pass	20501




**34.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.12	-25	Pass	601
0.15	30	0.01	RMS	0.18	-63.67	-25	Pass	2986
30	1000	0.1	RMS	879	-59.34	-25	Pass	9701
1000	2486	1	RMS	2482	-44.45	-25	Pass	1487
2486	2700	1	RMS	2506.687	11.48	60	Pass	601
2700	3000	1	RMS	2997.5	-47.51	-25	Pass	601
3000	6500	1	RMS	5051	-62.79	-25	Pass	3501
6500	27000	1	RMS	26431	-51.6	-25	Pass	20501




**34.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-50.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.69	-25	Pass	2986
30	1000	0.1	RMS	879.2	-59.46	-25	Pass	9701
1000	2486	1	RMS	2480	-47.16	-25	Pass	1487
2486	2700	1	RMS	2590.503	11.33	60	Pass	601
2700	3000	1	RMS	2997.5	-47.58	-25	Pass	601
3000	6500	1	RMS	5054	-62.78	-25	Pass	3501
6500	27000	1	RMS	26381	-51.45	-25	Pass	20501




**34.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.2	-25	Pass	601
0.15	30	0.01	RMS	0.16	-65.41	-25	Pass	2986
30	1000	0.1	RMS	967.3	-59.43	-25	Pass	9701
1000	2486	1	RMS	2480	-47.13	-25	Pass	1487
2486	2700	1	RMS	2595.497	11.39	60	Pass	601
2700	3000	1	RMS	2997.5	-47.44	-25	Pass	601
3000	6500	1	RMS	5051	-62.63	-25	Pass	3501
6500	27000	1	RMS	26263	-51.2	-25	Pass	20501




**34.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.61	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64	-25	Pass	2986
30	1000	0.1	RMS	938.1	-59.34	-25	Pass	9701
1000	2486	1	RMS	2485	-47.1	-25	Pass	1487
2486	2700	1	RMS	2681.097	10.73	60	Pass	601
2700	3000	1	RMS	2700.5	-46.48	-25	Pass	601
3000	6500	1	RMS	5553	-62.73	-25	Pass	3501
6500	27000	1	RMS	26152	-51.44	-25	Pass	20501




**34.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.27	-25	Pass	601
0.15	30	0.01	RMS	0.16	-62.34	-25	Pass	2986
30	1000	0.1	RMS	871	-59.73	-25	Pass	9701
1000	2486	1	RMS	2484	-47.16	-25	Pass	1487
2486	2700	1	RMS	2678.957	11.41	60	Pass	601
2700	3000	1	RMS	2700.5	-43.43	-25	Pass	601
3000	6500	1	RMS	5008	-62.7	-25	Pass	3501
6500	27000	1	RMS	26275	-51.12	-25	Pass	20501




**34.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-25	Pass	601
0.15	30	0.01	RMS	0.16	-62.99	-25	Pass	2986
30	1000	0.1	RMS	859.5	-59.62	-25	Pass	9701
1000	2486	1	RMS	2485	-33.53	-25	Pass	1487
2486	2700	1	RMS	2537.717	6.73	60	Pass	601
2700	3000	1	RMS	2998	-47.47	-25	Pass	601
3000	6500	1	RMS	5552	-62.64	-25	Pass	3501
6500	27000	1	RMS	26271	-50.94	-25	Pass	20501




**34.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-50.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-65.07	-25	Pass	2986
30	1000	0.1	RMS	940.7	-59.36	-25	Pass	9701
1000	2486	1	RMS	2482	-37.61	-25	Pass	1487
2486	2700	1	RMS	2532.367	6.77	60	Pass	601
2700	3000	1	RMS	2997	-47.56	-25	Pass	601
3000	6500	1	RMS	5046	-62.86	-25	Pass	3501
6500	27000	1	RMS	26371	-51.17	-25	Pass	20501




**34.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.8	-25	Pass	2986
30	1000	0.1	RMS	944.7	-59.55	-25	Pass	9701
1000	2486	1	RMS	2475	-47.17	-25	Pass	1487
2486	2700	1	RMS	2595.497	6.52	60	Pass	601
2700	3000	1	RMS	2999.5	-47.48	-25	Pass	601
3000	6500	1	RMS	5052	-62.75	-25	Pass	3501
6500	27000	1	RMS	26239	-51.1	-25	Pass	20501




**34.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.49	-25	Pass	601
0.15	30	0.01	RMS	0.17	-64.71	-25	Pass	2986
30	1000	0.1	RMS	851.1	-59.2	-25	Pass	9701
1000	2486	1	RMS	2481	-47.05	-25	Pass	1487
2486	2700	1	RMS	2599.063	6.54	60	Pass	601
2700	3000	1	RMS	2996	-47.44	-25	Pass	601
3000	6500	1	RMS	5051	-62.84	-25	Pass	3501
6500	27000	1	RMS	25663	-51.21	-25	Pass	20501




**34.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-50.96	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.14	-25	Pass	2986
30	1000	0.1	RMS	775.7	-59.74	-25	Pass	9701
1000	2486	1	RMS	2485	-47.22	-25	Pass	1487
2486	2700	1	RMS	2667.187	6.39	60	Pass	601
2700	3000	1	RMS	2701	-41.38	-25	Pass	601
3000	6500	1	RMS	5045	-62.7	-25	Pass	3501
6500	27000	1	RMS	26384	-51.25	-25	Pass	20501




**34.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.91	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64.3	-25	Pass	2986
30	1000	0.1	RMS	946.3	-59.5	-25	Pass	9701
1000	2486	1	RMS	2480	-47.13	-25	Pass	1487
2486	2700	1	RMS	2671.11	4.86	60	Pass	601
2700	3000	1	RMS	2700.5	-38.8	-25	Pass	601
3000	6500	1	RMS	5049	-62.71	-25	Pass	3501
6500	27000	1	RMS	26459	-51.41	-25	Pass	20501




**34.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.42	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.12	-25	Pass	2986
30	1000	0.1	RMS	878.6	-59.19	-25	Pass	9701
1000	2486	1	RMS	2483	-33.08	-25	Pass	1487
2486	2700	1	RMS	2543.78	4.5	60	Pass	601
2700	3000	1	RMS	2996	-47.49	-25	Pass	601
3000	6500	1	RMS	5053	-62.77	-25	Pass	3501
6500	27000	1	RMS	26329	-51.2	-25	Pass	20501




34.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-25	Pass	601
0.15	30	0.01	RMS	0.16	-62.47	-25	Pass	2986
30	1000	0.1	RMS	984.5	-59.15	-25	Pass	9701
1000	2486	1	RMS	2486	-28.94	-25	Pass	1487
2486	2700	1	RMS	2540.927	4.3	60	Pass	601
2700	3000	1	RMS	2997.5	-47.39	-25	Pass	601
3000	6500	1	RMS	5560	-62.76	-25	Pass	3501
6500	27000	1	RMS	26239	-51.51	-25	Pass	20501




**34.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-50.54	-25	Pass	601
0.15	30	0.01	RMS	0.17	-63.44	-25	Pass	2986
30	1000	0.1	RMS	912	-59.61	-25	Pass	9701
1000	2486	1	RMS	2485	-46.12	-25	Pass	1487
2486	2700	1	RMS	2575.167	4.15	60	Pass	601
2700	3000	1	RMS	2709	-47.23	-25	Pass	601
3000	6500	1	RMS	5050	-62.8	-25	Pass	3501
6500	27000	1	RMS	26386	-51.29	-25	Pass	20501




**34.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.72	-25	Pass	2986
30	1000	0.1	RMS	923.8	-59.34	-25	Pass	9701
1000	2486	1	RMS	2480	-44.69	-25	Pass	1487
2486	2700	1	RMS	2571.957	4.24	60	Pass	601
2700	3000	1	RMS	2701	-46.17	-25	Pass	601
3000	6500	1	RMS	5553	-62.71	-25	Pass	3501
6500	27000	1	RMS	26359	-51.05	-25	Pass	20501




**34.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.34	-25	Pass	601
0.15	30	0.01	RMS	0.18	-63.46	-25	Pass	2986
30	1000	0.1	RMS	864.8	-59.71	-25	Pass	9701
1000	2486	1	RMS	2478	-46.83	-25	Pass	1487
2486	2700	1	RMS	2657.557	3.94	60	Pass	601
2700	3000	1	RMS	2700.5	-37.61	-25	Pass	601
3000	6500	1	RMS	5050	-62.63	-25	Pass	3501
6500	27000	1	RMS	26339	-51.38	-25	Pass	20501



**34.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.84	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.98	-25	Pass	2986
30	1000	0.1	RMS	865.3	-59.23	-25	Pass	9701
1000	2486	1	RMS	2482	-46.75	-25	Pass	1487
2486	2700	1	RMS	2658.983	4.05	60	Pass	601
2700	3000	1	RMS	2701	-35.22	-25	Pass	601
3000	6500	1	RMS	5048	-62.64	-25	Pass	3501
6500	27000	1	RMS	26397	-51.07	-25	Pass	20501



35. n48 30kHz


**35.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.2	-40	Pass	2986
30	1000	0.1	RMS	931.4	-62.11	-40	Pass	9701
1000	3000	1	RMS	3000	-46.51	-40	Pass	2001
3000	3500	1	RMS	3275.833	-55.95	-40	Pass	601
3500	3750	1	RMS	3554.583	9.35	60	Pass	601
3750	6500	1	RMS	5050	-52.98	-40	Pass	2751
6500	18000	1	RMS	7107	-46.25	-40	Pass	11501
18000	37000	1	RMS	36997	-48.68	-40	Pass	19001




**35.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-40	Pass	601
0.15	30	0.01	RMS	0.16	-64.11	-40	Pass	2986
30	1000	0.1	RMS	892.6	-62.03	-40	Pass	9701
1000	3000	1	RMS	2999	-46.49	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.95	-40	Pass	601
3500	3750	1	RMS	3554.583	8.96	60	Pass	601
3750	6500	1	RMS	5051	-53.03	-40	Pass	2751
6500	18000	1	RMS	7110	-49.46	-40	Pass	11501
18000	37000	1	RMS	36991	-48.7	-40	Pass	19001




**35.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.84	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.06	-40	Pass	2986
30	1000	0.1	RMS	928.9	-62.04	-40	Pass	9701
1000	3000	1	RMS	2999	-46.45	-40	Pass	2001
3000	3500	1	RMS	3278.333	-55.93	-40	Pass	601
3500	3750	1	RMS	3624.583	8.13	60	Pass	601
3750	6500	1	RMS	5052	-52.89	-40	Pass	2751
6500	18000	1	RMS	17337	-56.7	-40	Pass	11501
18000	37000	1	RMS	36997	-48.57	-40	Pass	19001




**35.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.64	-40	Pass	601
0.15	30	0.01	RMS	0.15	-64.16	-40	Pass	2986
30	1000	0.1	RMS	876.1	-62.07	-40	Pass	9701
1000	3000	1	RMS	2997	-46.4	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.97	-40	Pass	601
3500	3750	1	RMS	3624.583	7.66	60	Pass	601
3750	6500	1	RMS	5050	-52.93	-40	Pass	2751
6500	18000	1	RMS	7252	-54.82	-40	Pass	11501
18000	37000	1	RMS	36988	-48.59	-40	Pass	19001




**35.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.15	-40	Pass	2986
30	1000	0.1	RMS	899.7	-61.98	-40	Pass	9701
1000	3000	1	RMS	2997	-46.38	-40	Pass	2001
3000	3500	1	RMS	3272.5	-55.93	-40	Pass	601
3500	3750	1	RMS	3694.583	8.05	60	Pass	601
3750	6500	1	RMS	5049	-52.9	-40	Pass	2751
6500	18000	1	RMS	17347	-56.66	-40	Pass	11501
18000	37000	1	RMS	36987	-48.63	-40	Pass	19001




**35.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.67	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.33	-40	Pass	2986
30	1000	0.1	RMS	888.3	-61.99	-40	Pass	9701
1000	3000	1	RMS	2999	-46.45	-40	Pass	2001
3000	3500	1	RMS	3270.833	-55.97	-40	Pass	601
3500	3750	1	RMS	3695	7.71	60	Pass	601
3750	6500	1	RMS	5050	-52.89	-40	Pass	2751
6500	18000	1	RMS	17343	-56.6	-40	Pass	11501
18000	37000	1	RMS	36969	-48.59	-40	Pass	19001




**35.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.7	-40	Pass	601
0.15	30	0.01	RMS	0.15	-64.32	-40	Pass	2986
30	1000	0.1	RMS	869.3	-61.94	-40	Pass	9701
1000	3000	1	RMS	3000	-46.39	-40	Pass	2001
3000	3500	1	RMS	3280	-55.84	-40	Pass	601
3500	3750	1	RMS	3557.083	6.29	60	Pass	601
3750	6500	1	RMS	5050	-52.94	-40	Pass	2751
6500	18000	1	RMS	7114	-47.69	-40	Pass	11501
18000	37000	1	RMS	36963	-48.51	-40	Pass	19001




**35.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.67	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.13	-40	Pass	2986
30	1000	0.1	RMS	877.6	-62.09	-40	Pass	9701
1000	3000	1	RMS	3000	-46.36	-40	Pass	2001
3000	3500	1	RMS	3273.333	-55.91	-40	Pass	601
3500	3750	1	RMS	3556.667	5.65	60	Pass	601
3750	6500	1	RMS	5050	-52.94	-40	Pass	2751
6500	18000	1	RMS	7115	-52.21	-40	Pass	11501
18000	37000	1	RMS	36997	-48.62	-40	Pass	19001




**35.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-53.19	-40	Pass	601
0.15	30	0.01	RMS	0.16	-64.9	-40	Pass	2986
30	1000	0.1	RMS	873.3	-62.07	-40	Pass	9701
1000	3000	1	RMS	2999	-46.48	-40	Pass	2001
3000	3500	1	RMS	3272.5	-55.95	-40	Pass	601
3500	3750	1	RMS	3622.083	5.5	60	Pass	601
3750	6500	1	RMS	5050	-52.9	-40	Pass	2751
6500	18000	1	RMS	17354	-56.68	-40	Pass	11501
18000	37000	1	RMS	36914	-48.54	-40	Pass	19001




**35.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.15	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.13	-40	Pass	2986
30	1000	0.1	RMS	865.1	-62.03	-40	Pass	9701
1000	3000	1	RMS	3000	-46.46	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.98	-40	Pass	601
3500	3750	1	RMS	3621.667	4.49	60	Pass	601
3750	6500	1	RMS	5051	-52.94	-40	Pass	2751
6500	18000	1	RMS	17324	-56.69	-40	Pass	11501
18000	37000	1	RMS	36933	-48.57	-40	Pass	19001




**35.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.88	-40	Pass	601
0.15	30	0.01	RMS	0.16	-64.64	-40	Pass	2986
30	1000	0.1	RMS	866.3	-61.88	-40	Pass	9701
1000	3000	1	RMS	2999	-46.38	-40	Pass	2001
3000	3500	1	RMS	3272.5	-55.91	-40	Pass	601
3500	3750	1	RMS	3687.083	4.73	60	Pass	601
3750	6500	1	RMS	5051	-52.87	-40	Pass	2751
6500	18000	1	RMS	17320	-56.6	-40	Pass	11501
18000	37000	1	RMS	36988	-48.49	-40	Pass	19001




**35.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-40	Pass	601
0.15	30	0.01	RMS	0.17	-65.52	-40	Pass	2986
30	1000	0.1	RMS	990.5	-62.04	-40	Pass	9701
1000	3000	1	RMS	3000	-46.34	-40	Pass	2001
3000	3500	1	RMS	3277.5	-55.93	-40	Pass	601
3500	3750	1	RMS	3687.083	4.73	60	Pass	601
3750	6500	1	RMS	5050	-52.88	-40	Pass	2751
6500	18000	1	RMS	17309	-56.69	-40	Pass	11501
18000	37000	1	RMS	36993	-48.52	-40	Pass	19001




**35.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.22	-40	Pass	601
0.15	30	0.01	RMS	0.15	-64.7	-40	Pass	2986
30	1000	0.1	RMS	884.3	-61.87	-40	Pass	9701
1000	3000	1	RMS	2994	-46.39	-40	Pass	2001
3000	3500	1	RMS	3499.167	-54.24	-40	Pass	601
3500	3750	1	RMS	3565	2.81	60	Pass	601
3750	6500	1	RMS	5051	-52.86	-40	Pass	2751
6500	18000	1	RMS	17347	-56.6	-40	Pass	11501
18000	37000	1	RMS	36995	-48.56	-40	Pass	19001




**35.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-40	Pass	601
0.15	30	0.01	RMS	0.16	-65.05	-40	Pass	2986
30	1000	0.1	RMS	874.5	-62.01	-40	Pass	9701
1000	3000	1	RMS	3000	-46.4	-40	Pass	2001
3000	3500	1	RMS	3499.167	-52.54	-40	Pass	601
3500	3750	1	RMS	3573	0.69	60	Pass	251
3750	6500	1	RMS	3754	-60.76	-40	Pass	2751
6500	18000	1	RMS	7131	-55.21	-40	Pass	11501
18000	37000	1	RMS	36972	-48.63	-40	Pass	19001




**35.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.93	-40	Pass	601
0.15	30	0.01	RMS	0.15	-64.36	-40	Pass	2986
30	1000	0.1	RMS	934.7	-62.07	-40	Pass	9701
1000	3000	1	RMS	2997	-46.36	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.93	-40	Pass	601
3500	3750	1	RMS	3616.667	2.53	60	Pass	601
3750	6500	1	RMS	5049	-52.94	-40	Pass	2751
6500	18000	1	RMS	17353	-56.72	-40	Pass	11501
18000	37000	1	RMS	36983	-48.57	-40	Pass	19001




**35.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-40	Pass	601
0.15	30	0.01	RMS	0.15	-64.23	-40	Pass	2986
30	1000	0.1	RMS	880.1	-62.06	-40	Pass	9701
1000	3000	1	RMS	3000	-46.36	-40	Pass	2001
3000	3500	1	RMS	3273.333	-55.91	-40	Pass	601
3500	3750	1	RMS	3616.667	1.66	60	Pass	601
3750	6500	1	RMS	5050	-52.95	-40	Pass	2751
6500	18000	1	RMS	17328	-56.71	-40	Pass	11501
18000	37000	1	RMS	36994	-48.55	-40	Pass	19001




**35.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.69	-40	Pass	601
0.15	30	0.01	RMS	0.16	-65.61	-40	Pass	2986
30	1000	0.1	RMS	883	-62.03	-40	Pass	9701
1000	3000	1	RMS	2999	-46.43	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.95	-40	Pass	601
3500	3750	1	RMS	3674.167	2.05	60	Pass	601
3750	6500	1	RMS	5051	-52.88	-40	Pass	2751
6500	18000	1	RMS	17336	-56.68	-40	Pass	11501
18000	37000	1	RMS	36972	-48.54	-40	Pass	19001



**35.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.48	-40	Pass	2986
30	1000	0.1	RMS	922.1	-62.01	-40	Pass	9701
1000	3000	1	RMS	3000	-46.48	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.93	-40	Pass	601
3500	3750	1	RMS	3679.167	2.07	60	Pass	601
3750	6500	1	RMS	5050	-52.97	-40	Pass	2751
6500	18000	1	RMS	17357	-56.65	-40	Pass	11501
18000	37000	1	RMS	36997	-48.64	-40	Pass	19001



36. n66 15kHz


**36.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.23	-13	Pass	2986
30	1000	0.1	RMS	868.1	-61.86	-13	Pass	9701
1000	1700	1	RMS	1641	-51.21	-13	Pass	701
1700	1790	1	RMS	1712.3	11.76	60	Pass	601
1790	3000	1	RMS	2998	-46.87	-13	Pass	1211
3000	6500	1	RMS	5052	-62.98	-13	Pass	3501
6500	20000	1	RMS	19402	-54.85	-13	Pass	13501




**36.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.98	-13	Pass	2986
30	1000	0.1	RMS	876.7	-62.05	-13	Pass	9701
1000	1700	1	RMS	1667	-51.22	-13	Pass	701
1700	1790	1	RMS	1712.75	11.78	60	Pass	601
1790	3000	1	RMS	2999	-46.81	-13	Pass	1211
3000	6500	1	RMS	5050	-62.91	-13	Pass	3501
6500	20000	1	RMS	19448	-54.78	-13	Pass	13501




**36.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.57	-13	Pass	2986
30	1000	0.1	RMS	878	-62.02	-13	Pass	9701
1000	1700	1	RMS	1633	-51.19	-13	Pass	701
1700	1790	1	RMS	1744.85	11.77	60	Pass	601
1790	3000	1	RMS	2998	-46.91	-13	Pass	1211
3000	6500	1	RMS	5049	-62.92	-13	Pass	3501
6500	20000	1	RMS	19402	-54.76	-13	Pass	13501




**36.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.61	-13	Pass	2986
30	1000	0.1	RMS	877.4	-62.01	-13	Pass	9701
1000	1700	1	RMS	1669	-51.23	-13	Pass	701
1700	1790	1	RMS	1745	11.69	60	Pass	601
1790	3000	1	RMS	2997	-46.91	-13	Pass	1211
3000	6500	1	RMS	5050	-62.9	-13	Pass	3501
6500	20000	1	RMS	19436	-54.77	-13	Pass	13501




**36.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.69	-13	Pass	2986
30	1000	0.1	RMS	872.6	-62.01	-13	Pass	9701
1000	1700	1	RMS	1670	-51.18	-13	Pass	701
1700	1790	1	RMS	1777.4	11.59	60	Pass	601
1790	3000	1	RMS	3000	-46.92	-13	Pass	1211
3000	6500	1	RMS	5051	-62.97	-13	Pass	3501
6500	20000	1	RMS	19396	-54.74	-13	Pass	13501




**36.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.78	-13	Pass	2986
30	1000	0.1	RMS	875.9	-62.11	-13	Pass	9701
1000	1700	1	RMS	1670	-51.15	-13	Pass	701
1700	1790	1	RMS	1777.55	11.48	60	Pass	601
1790	3000	1	RMS	2999	-46.89	-13	Pass	1211
3000	6500	1	RMS	5049	-62.92	-13	Pass	3501
6500	20000	1	RMS	19423	-54.75	-13	Pass	13501




**36.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.22	-13	Pass	2986
30	1000	0.1	RMS	871.7	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.03	-13	Pass	701
1700	1790	1	RMS	1717.55	6.98	60	Pass	601
1790	3000	1	RMS	3000	-46.86	-13	Pass	1211
3000	6500	1	RMS	5050	-62.93	-13	Pass	3501
6500	20000	1	RMS	19419	-54.77	-13	Pass	13501




**36.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.52	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.16	-13	Pass	2986
30	1000	0.1	RMS	875.3	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-47.61	-13	Pass	701
1700	1790	1	RMS	1718	7.04	60	Pass	601
1790	3000	1	RMS	2997	-46.86	-13	Pass	1211
3000	6500	1	RMS	5053	-63	-13	Pass	3501
6500	20000	1	RMS	19426	-54.81	-13	Pass	13501




**36.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.16	-13	Pass	2986
30	1000	0.1	RMS	869.6	-61.98	-13	Pass	9701
1000	1700	1	RMS	1670	-51.14	-13	Pass	701
1700	1790	1	RMS	1745	7.06	60	Pass	601
1790	3000	1	RMS	3000	-46.83	-13	Pass	1211
3000	6500	1	RMS	5051	-62.98	-13	Pass	3501
6500	20000	1	RMS	19436	-54.79	-13	Pass	13501




**36.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.8	-13	Pass	2986
30	1000	0.1	RMS	875.7	-62	-13	Pass	9701
1000	1700	1	RMS	1671	-51.17	-13	Pass	701
1700	1790	1	RMS	1745.45	6.97	60	Pass	601
1790	3000	1	RMS	2999	-46.88	-13	Pass	1211
3000	6500	1	RMS	5049	-62.92	-13	Pass	3501
6500	20000	1	RMS	19429	-54.72	-13	Pass	13501




**36.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.48	-13	Pass	2986
30	1000	0.1	RMS	876.4	-62.01	-13	Pass	9701
1000	1700	1	RMS	1669	-51.19	-13	Pass	701
1700	1790	1	RMS	1772.45	6.86	60	Pass	601
1790	3000	1	RMS	2999	-46.89	-13	Pass	1211
3000	6500	1	RMS	5051	-62.96	-13	Pass	3501
6500	20000	1	RMS	19348	-54.79	-13	Pass	13501




**36.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.66	-13	Pass	2986
30	1000	0.1	RMS	869	-61.98	-13	Pass	9701
1000	1700	1	RMS	1669	-51.2	-13	Pass	701
1700	1790	1	RMS	1772.9	7	60	Pass	601
1790	3000	1	RMS	1791	-46.5	-13	Pass	1211
3000	6500	1	RMS	5050	-62.96	-13	Pass	3501
6500	20000	1	RMS	19357	-54.8	-13	Pass	13501




**36.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.32	-13	Pass	2986
30	1000	0.1	RMS	913.6	-61.81	-13	Pass	9701
1000	1700	1	RMS	1699	-48.01	-13	Pass	701
1700	1790	1	RMS	1721	5.63	60	Pass	601
1790	3000	1	RMS	2998	-46.92	-13	Pass	1211
3000	6500	1	RMS	5050	-62.88	-13	Pass	3501
6500	20000	1	RMS	19451	-54.82	-13	Pass	13501




**36.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.03	-13	Pass	2986
30	1000	0.1	RMS	871.3	-62.03	-13	Pass	9701
1000	1700	1	RMS	1699	-46.21	-13	Pass	701
1700	1790	1	RMS	1721.75	5.68	60	Pass	601
1790	3000	1	RMS	3000	-46.87	-13	Pass	1211
3000	6500	1	RMS	5050	-62.98	-13	Pass	3501
6500	20000	1	RMS	19438	-54.77	-13	Pass	13501




**36.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.59	-13	Pass	2986
30	1000	0.1	RMS	885.2	-61.91	-13	Pass	9701
1000	1700	1	RMS	1640	-51.24	-13	Pass	701
1700	1790	1	RMS	1745.75	5.66	60	Pass	601
1790	3000	1	RMS	3000	-46.88	-13	Pass	1211
3000	6500	1	RMS	5050	-62.91	-13	Pass	3501
6500	20000	1	RMS	19365	-54.76	-13	Pass	13501




**36.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.63	-13	Pass	2986
30	1000	0.1	RMS	881.3	-62.1	-13	Pass	9701
1000	1700	1	RMS	1672	-51.16	-13	Pass	701
1700	1790	1	RMS	1744.1	5.6	60	Pass	601
1790	3000	1	RMS	3000	-46.91	-13	Pass	1211
3000	6500	1	RMS	5050	-62.94	-13	Pass	3501
6500	20000	1	RMS	19430	-54.76	-13	Pass	13501




**36.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.67	-13	Pass	2986
30	1000	0.1	RMS	923.9	-61.99	-13	Pass	9701
1000	1700	1	RMS	1670	-51.19	-13	Pass	701
1700	1790	1	RMS	1771.1	5.48	60	Pass	601
1790	3000	1	RMS	3000	-46.88	-13	Pass	1211
3000	6500	1	RMS	5050	-62.95	-13	Pass	3501
6500	20000	1	RMS	19439	-54.77	-13	Pass	13501



**36.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.32	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.75	-13	Pass	2986
30	1000	0.1	RMS	874.2	-61.86	-13	Pass	9701
1000	1700	1	RMS	1671	-51.14	-13	Pass	701
1700	1790	1	RMS	1771.85	5.61	60	Pass	601
1790	3000	1	RMS	1790	-43.72	-13	Pass	1211
3000	6500	1	RMS	5051	-62.84	-13	Pass	3501
6500	20000	1	RMS	19423	-54.84	-13	Pass	13501



37. n71 15kHz


**37.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.56	-13	Pass	601
0.15	30	0.01	RMS	0.17	-65	-13	Pass	2986
30	653	0.1	RMS	652.7	-64	-13	Pass	6231
653	708	0.1	RMS	666.017	1.65	60	Pass	601
708	1000	0.1	RMS	948.6	-62.43	-13	Pass	2921
1000	3000	1	RMS	3000	-46.46	-13	Pass	2001
3000	10000	1	RMS	9855	-61.56	-13	Pass	7001




**37.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.22	-13	Pass	2986
30	653	0.1	RMS	650.6	-63.81	-13	Pass	6231
653	708	0.1	RMS	665.925	1.56	60	Pass	601
708	1000	0.1	RMS	890.4	-62.41	-13	Pass	2921
1000	3000	1	RMS	3000	-46.46	-13	Pass	2001
3000	10000	1	RMS	9844	-61.51	-13	Pass	7001




**37.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:136100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.58	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.28	-13	Pass	2986
30	653	0.1	RMS	650.9	-64.02	-13	Pass	6231
653	708	0.1	RMS	680.317	2	60	Pass	601
708	1000	0.1	RMS	880.2	-62.42	-13	Pass	2921
1000	3000	1	RMS	2998	-46.53	-13	Pass	2001
3000	10000	1	RMS	9846	-61.54	-13	Pass	7001




**37.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:136100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.37	-13	Pass	2986
30	653	0.1	RMS	651.1	-63.87	-13	Pass	6231
653	708	0.1	RMS	680.592	1.52	60	Pass	601
708	1000	0.1	RMS	899	-62.3	-13	Pass	2921
1000	3000	1	RMS	2998	-46.54	-13	Pass	2001
3000	10000	1	RMS	9853	-61.52	-13	Pass	7001




**37.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.64	-13	Pass	2986
30	653	0.1	RMS	649	-63.93	-13	Pass	6231
653	708	0.1	RMS	695.258	1.47	60	Pass	601
708	1000	0.1	RMS	872	-62.45	-13	Pass	2921
1000	3000	1	RMS	2999	-46.51	-13	Pass	2001
3000	10000	1	RMS	9847	-61.57	-13	Pass	7001




**37.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.28	-13	Pass	2986
30	653	0.1	RMS	631.3	-64.1	-13	Pass	6231
653	708	0.1	RMS	696.083	1.36	60	Pass	601
708	1000	0.1	RMS	862.6	-62.29	-13	Pass	2921
1000	3000	1	RMS	3000	-46.51	-13	Pass	2001
3000	10000	1	RMS	9851	-61.58	-13	Pass	7001




**37.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.43	-13	Pass	2986
30	653	0.1	RMS	651.5	-63.99	-13	Pass	6231
653	708	0.1	RMS	669.225	-1.22	60	Pass	601
708	1000	0.1	RMS	873.3	-62.36	-13	Pass	2921
1000	3000	1	RMS	3000	-46.47	-13	Pass	2001
3000	10000	1	RMS	9860	-61.56	-13	Pass	7001




**37.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.9	-13	Pass	2986
30	653	0.1	RMS	649.7	-64.03	-13	Pass	6231
653	708	0.1	RMS	668.492	-1.33	60	Pass	601
708	1000	0.1	RMS	878.5	-62.27	-13	Pass	2921
1000	3000	1	RMS	2999	-46.52	-13	Pass	2001
3000	10000	1	RMS	9849	-61.56	-13	Pass	7001




**37.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:136100, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.16	-13	Pass	2986
30	653	0.1	RMS	649.6	-64.08	-13	Pass	6231
653	708	0.1	RMS	680.958	-1.38	60	Pass	601
708	1000	0.1	RMS	874	-62.46	-13	Pass	2921
1000	3000	1	RMS	2999	-46.48	-13	Pass	2001
3000	10000	1	RMS	9848	-61.53	-13	Pass	7001




**37.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:136100, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.89	-13	Pass	2986
30	653	0.1	RMS	646.9	-64.01	-13	Pass	6231
653	708	0.1	RMS	679.4	-1.48	60	Pass	601
708	1000	0.1	RMS	857	-62.35	-13	Pass	2921
1000	3000	1	RMS	2997	-46.51	-13	Pass	2001
3000	10000	1	RMS	9854	-61.54	-13	Pass	7001




**37.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.42	-13	Pass	2986
30	653	0.1	RMS	646.3	-63.97	-13	Pass	6231
653	708	0.1	RMS	694.25	-1.57	60	Pass	601
708	1000	0.1	RMS	883.5	-62.2	-13	Pass	2921
1000	3000	1	RMS	2999	-46.51	-13	Pass	2001
3000	10000	1	RMS	9848	-61.58	-13	Pass	7001




**37.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-51.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.18	-13	Pass	2986
30	653	0.1	RMS	611.1	-64	-13	Pass	6231
653	708	0.1	RMS	691.225	-1.68	60	Pass	601
708	1000	0.1	RMS	709.1	-62.05	-13	Pass	2921
1000	3000	1	RMS	2999	-46.5	-13	Pass	2001
3000	10000	1	RMS	9844	-61.53	-13	Pass	7001




**37.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.76	-13	Pass	2986
30	653	0.1	RMS	642.5	-64	-13	Pass	6231
653	708	0.1	RMS	676.008	-4.58	60	Pass	601
708	1000	0.1	RMS	852.8	-62.39	-13	Pass	2921
1000	3000	1	RMS	2999	-46.51	-13	Pass	2001
3000	10000	1	RMS	9849	-61.56	-13	Pass	7001




**37.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.49	-13	Pass	2986
30	653	0.1	RMS	649.8	-64.02	-13	Pass	6231
653	708	0.1	RMS	669.867	-4.3	60	Pass	601
708	1000	0.1	RMS	925.1	-62.19	-13	Pass	2921
1000	3000	1	RMS	2997	-46.53	-13	Pass	2001
3000	10000	1	RMS	9848	-61.54	-13	Pass	7001




**37.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.55	-13	Pass	2986
30	653	0.1	RMS	630.2	-63.98	-13	Pass	6231
653	708	0.1	RMS	680.958	-4.54	60	Pass	601
708	1000	0.1	RMS	874	-62.46	-13	Pass	2921
1000	3000	1	RMS	3000	-46.43	-13	Pass	2001
3000	10000	1	RMS	9852	-61.41	-13	Pass	7001




**37.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.74	-13	Pass	2986
30	653	0.1	RMS	652.1	-64.08	-13	Pass	6231
653	708	0.1	RMS	682.242	-4.33	60	Pass	601
708	1000	0.1	RMS	884.8	-62.27	-13	Pass	2921
1000	3000	1	RMS	3000	-46.53	-13	Pass	2001
3000	10000	1	RMS	9846	-61.55	-13	Pass	7001




**37.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.27	-13	Pass	2986
30	653	0.1	RMS	650	-63.92	-13	Pass	6231
653	708	0.1	RMS	686.825	-4.51	60	Pass	601
708	1000	0.1	RMS	875	-62.39	-13	Pass	2921
1000	3000	1	RMS	2999	-46.51	-13	Pass	2001
3000	10000	1	RMS	9845	-61.54	-13	Pass	7001



**37.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.66	-13	Pass	2986
30	653	0.1	RMS	651.6	-64.06	-13	Pass	6231
653	708	0.1	RMS	685.908	-4.58	60	Pass	601
708	1000	0.1	RMS	708.5	-59.13	-13	Pass	2921
1000	3000	1	RMS	2999	-46.5	-13	Pass	2001
3000	10000	1	RMS	9853	-61.56	-13	Pass	7001



38. n77 30kHz(3450-3550)


**38.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.39	-13	Pass	2986
30	1000	0.1	RMS	821.8	-59.38	-13	Pass	9701
1000	3000	1	RMS	2993	-46.11	-13	Pass	2001
3000	3440	1	RMS	3440	-45.34	-13	Pass	601
3440	3560	1	RMS	3462	11.43	60	Pass	601
3560	6500	1	RMS	3583	-61.89	-13	Pass	2941
6500	40000	1	RMS	38821	-45.77	-13	Pass	33501




**38.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-49.6	-13	Pass	601
0.15	30	0.01	RMS	0.19	-64.36	-13	Pass	2986
30	1000	0.1	RMS	786.9	-59.32	-13	Pass	9701
1000	3000	1	RMS	2987	-46.07	-13	Pass	2001
3000	3440	1	RMS	3437.8	-37.08	-13	Pass	601
3440	3560	1	RMS	3463	10.49	60	Pass	601
3560	6500	1	RMS	3578	-52.17	-13	Pass	2941
6500	40000	1	RMS	38820	-45.63	-13	Pass	33501




**38.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.36	-13	Pass	2986
30	1000	0.1	RMS	945.9	-58.7	-13	Pass	9701
1000	3000	1	RMS	2992	-46.04	-13	Pass	2001
3000	3440	1	RMS	3272.067	-45.72	-13	Pass	601
3440	3560	1	RMS	3502	11.45	60	Pass	601
3560	6500	1	RMS	3595	-60.62	-13	Pass	2941
6500	40000	1	RMS	38829	-45.96	-13	Pass	33501




**38.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.5	-13	Pass	2986
30	1000	0.1	RMS	946.5	-59.38	-13	Pass	9701
1000	3000	1	RMS	2993	-46.23	-13	Pass	2001
3000	3440	1	RMS	3271.333	-45.78	-13	Pass	601
3440	3560	1	RMS	3496.8	10.71	60	Pass	601
3560	6500	1	RMS	3563	-52.82	-13	Pass	2941
6500	40000	1	RMS	38848	-45.88	-13	Pass	33501




**38.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.42	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.69	-13	Pass	2986
30	1000	0.1	RMS	937.9	-59.76	-13	Pass	9701
1000	3000	1	RMS	2997	-46.13	-13	Pass	2001
3000	3440	1	RMS	3270.6	-45.79	-13	Pass	601
3440	3560	1	RMS	3537.6	11.06	60	Pass	601
3560	6500	1	RMS	3568	-39.59	-13	Pass	2941
6500	40000	1	RMS	38813	-45.73	-13	Pass	33501




**38.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.03	-13	Pass	601
0.15	30	0.01	RMS	0.17	-63.67	-13	Pass	2986
30	1000	0.1	RMS	982.2	-59.4	-13	Pass	9701
1000	3000	1	RMS	2988	-45.95	-13	Pass	2001
3000	3440	1	RMS	3272.8	-45.76	-13	Pass	601
3440	3560	1	RMS	3541.2	10.15	60	Pass	601
3560	6500	1	RMS	3569	-39.11	-13	Pass	2941
6500	40000	1	RMS	38833	-45.65	-13	Pass	33501




**38.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.23	-13	Pass	2986
30	1000	0.1	RMS	881.8	-59.19	-13	Pass	9701
1000	3000	1	RMS	2997	-45.96	-13	Pass	2001
3000	3440	1	RMS	3438.533	-40.05	-13	Pass	601
3440	3560	1	RMS	3482.4	6.29	60	Pass	601
3560	6500	1	RMS	3565	-60.56	-13	Pass	2941
6500	40000	1	RMS	38820	-45.73	-13	Pass	33501




**38.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.3	-13	Pass	601
0.15	30	0.01	RMS	0.19	-63.98	-13	Pass	2986
30	1000	0.1	RMS	988.9	-59.57	-13	Pass	9701
1000	3000	1	RMS	2988	-46.11	-13	Pass	2001
3000	3440	1	RMS	3438.533	-35.56	-13	Pass	601
3440	3560	1	RMS	3486.4	6.39	60	Pass	601
3560	6500	1	RMS	3567	-58.83	-13	Pass	2941
6500	40000	1	RMS	38867	-45.5	-13	Pass	33501




**38.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48.38	-13	Pass	601
0.15	30	0.01	RMS	0.19	-64.81	-13	Pass	2986
30	1000	0.1	RMS	833	-56.92	-13	Pass	9701
1000	3000	1	RMS	2997	-45.97	-13	Pass	2001
3000	3440	1	RMS	3276.467	-45.82	-13	Pass	601
3440	3560	1	RMS	3489.2	6.01	60	Pass	601
3560	6500	1	RMS	3566	-48.25	-13	Pass	2941
6500	40000	1	RMS	38850	-45.51	-13	Pass	33501




**38.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.33	-13	Pass	2986
30	1000	0.1	RMS	938.2	-59.22	-13	Pass	9701
1000	3000	1	RMS	2995	-46.31	-13	Pass	2001
3000	3440	1	RMS	3438.533	-39.93	-13	Pass	601
3440	3560	1	RMS	3493	5.28	60	Pass	601
3560	6500	1	RMS	3567	-38.05	-13	Pass	2941
6500	40000	1	RMS	38822	-45.74	-13	Pass	33501




**38.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.68	-13	Pass	601
0.15	30	0.01	RMS	0.18	-64.37	-13	Pass	2986
30	1000	0.1	RMS	878.3	-58.94	-13	Pass	9701
1000	3000	1	RMS	2651	-46.17	-13	Pass	2001
3000	3440	1	RMS	3276.467	-45.66	-13	Pass	601
3440	3560	1	RMS	3512.2	6.16	60	Pass	601
3560	6500	1	RMS	3571	-44.7	-13	Pass	2941
6500	40000	1	RMS	38873	-45.93	-13	Pass	33501




**38.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.57	-13	Pass	2986
30	1000	0.1	RMS	949.8	-59.08	-13	Pass	9701
1000	3000	1	RMS	3000	-45.97	-13	Pass	2001
3000	3440	1	RMS	3279.4	-45.73	-13	Pass	601
3440	3560	1	RMS	3521	4.33	60	Pass	601
3560	6500	1	RMS	3571	-34.91	-13	Pass	2941
6500	40000	1	RMS	38887	-45.98	-13	Pass	33501




**38.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.24	-13	Pass	2986
30	1000	0.1	RMS	950.7	-59.34	-13	Pass	9701
1000	3000	1	RMS	2997	-46.14	-13	Pass	2001
3000	3440	1	RMS	3430.467	-39.28	-13	Pass	601
3440	3560	1	RMS	3483.6	3.96	60	Pass	601
3560	6500	1	RMS	3566	-36.55	-13	Pass	2941
6500	40000	1	RMS	38863	-45.84	-13	Pass	33501



**38.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.53	-13	Pass	601
0.15	30	0.01	RMS	0.18	-63.71	-13	Pass	2986
30	1000	0.1	RMS	993.1	-58.89	-13	Pass	9701
1000	3000	1	RMS	2998	-46.05	-13	Pass	2001
3000	3440	1	RMS	3439.267	-31.28	-13	Pass	601
3440	3560	1	RMS	3495.2	3.67	60	Pass	601
3560	6500	1	RMS	3564	-26.38	-13	Pass	2941
6500	40000	1	RMS	38889	-45.76	-13	Pass	33501



39. n77 30kHz(3700-3980)

**39.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48.43	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.17	-13	Pass	2986
30	1000	0.1	RMS	866.5	-59.52	-13	Pass	9701
1000	3000	1	RMS	2997	-46.09	-13	Pass	2001
3000	3690	1	RMS	3689	-43.52	-13	Pass	691
3690	3990	1	RMS	3706	8.83	60	Pass	601
3990	6500	1	RMS	5049	-62.45	-13	Pass	2511
6500	40000	1	RMS	38812	-45.41	-13	Pass	33501



**39.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.63	-13	Pass	2986
30	1000	0.1	RMS	855.6	-58.38	-13	Pass	9701
1000	3000	1	RMS	2997	-46.04	-13	Pass	2001
3000	3690	1	RMS	3689	-41.26	-13	Pass	691
3690	3990	1	RMS	3711	8.86	60	Pass	601
3990	6500	1	RMS	4020	-61.88	-13	Pass	2511
6500	40000	1	RMS	38817	-45.59	-13	Pass	33501

