

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.25	0.20	23.45	<=33.01	Pass
			2	23.06	0.20	23.26	<=33.01	Pass
			5	23.20	0.20	23.40	<=33.01	Pass
		3	0	23.07	0.20	23.27	<=33.01	Pass
			2	23.08	0.20	23.28	<=33.01	Pass
			3	23.09	0.20	23.29	<=33.01	Pass
		6	0	22.12	0.20	22.32	<=33.01	Pass
	1880	1	0	22.91	0.20	23.11	<=33.01	Pass
			2	22.88	0.20	23.08	<=33.01	Pass
			5	22.98	0.20	23.18	<=33.01	Pass
		3	0	22.88	0.20	23.08	<=33.01	Pass
			2	22.91	0.20	23.11	<=33.01	Pass
			3	22.98	0.20	23.18	<=33.01	Pass
		6	0	21.89	0.20	22.09	<=33.01	Pass
	1909.3	1	0	23.08	0.20	23.28	<=33.01	Pass
			2	23.05	0.20	23.25	<=33.01	Pass
			5	23.09	0.20	23.29	<=33.01	Pass
		3	0	23.16	0.20	23.36	<=33.01	Pass
			2	23.06	0.20	23.26	<=33.01	Pass
			3	23.19	0.20	23.39	<=33.01	Pass
		6	0	22.15	0.20	22.35	<=33.01	Pass
16QAM	1850.7	1	0	22.19	0.20	22.39	<=33.01	Pass
			2	22.28	0.20	22.48	<=33.01	Pass
			5	22.25	0.20	22.45	<=33.01	Pass
		3	0	22.19	0.20	22.39	<=33.01	Pass
			2	22.03	0.20	22.23	<=33.01	Pass
			3	22.21	0.20	22.41	<=33.01	Pass
		6	0	21.20	0.20	21.40	<=33.01	Pass
	1880	1	0	22.29	0.20	22.49	<=33.01	Pass
			2	22.19	0.20	22.39	<=33.01	Pass
			5	22.24	0.20	22.44	<=33.01	Pass
		3	0	21.92	0.20	22.12	<=33.01	Pass
			2	21.88	0.20	22.08	<=33.01	Pass
			3	21.84	0.20	22.04	<=33.01	Pass
		6	0	21.02	0.20	21.22	<=33.01	Pass
	1909.3	1	0	22.35	0.20	22.55	<=33.01	Pass
			2	22.38	0.20	22.58	<=33.01	Pass
			5	22.45	0.20	22.65	<=33.01	Pass
		3	0	22.08	0.20	22.28	<=33.01	Pass
			2	22.08	0.20	22.28	<=33.01	Pass
			3	22.09	0.20	22.29	<=33.01	Pass
		6	0	21.20	0.20	21.40	<=33.01	Pass
64QAM	1850.7	1	0	21.22	0.20	21.42	<=33.01	Pass
			2	21.21	0.20	21.41	<=33.01	Pass
			5	21.27	0.20	21.47	<=33.01	Pass
		3	0	21.21	0.20	21.41	<=33.01	Pass
			2	21.20	0.20	21.40	<=33.01	Pass
			3	21.19	0.20	21.39	<=33.01	Pass
		6	0	20.21	0.20	20.41	<=33.01	Pass

	1880	1	0	21.12	0.20	21.32	<=33.01	Pass
			2	21.09	0.20	21.29	<=33.01	Pass
			5	21.14	0.20	21.34	<=33.01	Pass
		3	0	21.05	0.20	21.25	<=33.01	Pass
			2	21.08	0.20	21.28	<=33.01	Pass
			3	21.04	0.20	21.24	<=33.01	Pass
		6	0	20.01	0.20	20.21	<=33.01	Pass
	1909.3	1	0	21.29	0.20	21.49	<=33.01	Pass
			2	21.34	0.20	21.54	<=33.01	Pass
			5	21.36	0.20	21.56	<=33.01	Pass
		3	0	21.19	0.20	21.39	<=33.01	Pass
			2	21.23	0.20	21.43	<=33.01	Pass
			3	21.27	0.20	21.47	<=33.01	Pass
		6	0	20.20	0.20	20.40	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.17	0.20	23.37	<=33.01	Pass
			7	23.13	0.20	23.33	<=33.01	Pass
			14	23.13	0.20	23.33	<=33.01	Pass
		8	0	22.14	0.20	22.34	<=33.01	Pass
			4	22.14	0.20	22.34	<=33.01	Pass
			7	22.09	0.20	22.29	<=33.01	Pass
		15	0	22.10	0.20	22.30	<=33.01	Pass
	1880	1	0	22.88	0.20	23.08	<=33.01	Pass
			7	22.92	0.20	23.12	<=33.01	Pass
			14	22.90	0.20	23.10	<=33.01	Pass
		8	0	21.89	0.20	22.09	<=33.01	Pass
			4	21.87	0.20	22.07	<=33.01	Pass
			7	21.89	0.20	22.09	<=33.01	Pass
		15	0	21.93	0.20	22.13	<=33.01	Pass
	1908.5	1	0	23.21	0.20	23.41	<=33.01	Pass
			7	23.08	0.20	23.28	<=33.01	Pass
			14	23.05	0.20	23.25	<=33.01	Pass
		8	0	22.15	0.20	22.35	<=33.01	Pass
			4	22.10	0.20	22.30	<=33.01	Pass
			7	22.12	0.20	22.32	<=33.01	Pass
		15	0	22.09	0.20	22.29	<=33.01	Pass
16QAM	1851.5	1	0	22.44	0.20	22.64	<=33.01	Pass
			7	22.31	0.20	22.51	<=33.01	Pass
			14	22.32	0.20	22.52	<=33.01	Pass
		8	0	21.14	0.20	21.34	<=33.01	Pass
			4	21.13	0.20	21.33	<=33.01	Pass
			7	21.16	0.20	21.36	<=33.01	Pass
		15	0	21.11	0.20	21.31	<=33.01	Pass
	1880	1	0	22.22	0.20	22.42	<=33.01	Pass
			7	22.24	0.20	22.44	<=33.01	Pass
			14	22.13	0.20	22.33	<=33.01	Pass
		8	0	21.02	0.20	21.22	<=33.01	Pass
			4	20.98	0.20	21.18	<=33.01	Pass
			7	20.97	0.20	21.17	<=33.01	Pass
		15	0	20.94	0.20	21.14	<=33.01	Pass
	1908.5	1	0	22.29	0.20	22.49	<=33.01	Pass

			7	22.27	0.20	22.47	<=33.01	Pass	
			14	22.39	0.20	22.59	<=33.01	Pass	
		8	0	21.13	0.20	21.33	<=33.01	Pass	
			4	21.09	0.20	21.29	<=33.01	Pass	
			7	21.15	0.20	21.35	<=33.01	Pass	
		15	0	21.11	0.20	21.31	<=33.01	Pass	
64QAM	1851.5	1	0	21.21	0.20	21.41	<=33.01	Pass	
			7	21.26	0.20	21.46	<=33.01	Pass	
			14	21.19	0.20	21.39	<=33.01	Pass	
		8	0	20.30	0.20	20.50	<=33.01	Pass	
			4	20.28	0.20	20.48	<=33.01	Pass	
			7	20.28	0.20	20.48	<=33.01	Pass	
		15	0	20.24	0.20	20.44	<=33.01	Pass	
		1880	1	0	21.12	0.20	21.32	<=33.01	Pass
				7	21.12	0.20	21.32	<=33.01	Pass
	14			21.11	0.20	21.31	<=33.01	Pass	
	8		0	20.07	0.20	20.27	<=33.01	Pass	
			4	20.06	0.20	20.26	<=33.01	Pass	
			7	20.11	0.20	20.31	<=33.01	Pass	
	15		0	20.05	0.20	20.25	<=33.01	Pass	
	1908.5		1	0	21.24	0.20	21.44	<=33.01	Pass
				7	21.35	0.20	21.55	<=33.01	Pass
		14		21.21	0.20	21.41	<=33.01	Pass	
		8	0	20.33	0.20	20.53	<=33.01	Pass	
			4	20.27	0.20	20.47	<=33.01	Pass	
			7	20.27	0.20	20.47	<=33.01	Pass	
		15	0	20.23	0.20	20.43	<=33.01	Pass	
		Note1: EIRP=Conducted Power+Antenna Gain							

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.15	0.20	23.35	<=33.01	Pass
			13	23.19	0.20	23.39	<=33.01	Pass
			24	23.11	0.20	23.31	<=33.01	Pass
		12	0	22.16	0.20	22.36	<=33.01	Pass
			6	22.27	0.20	22.47	<=33.01	Pass
			13	22.19	0.20	22.39	<=33.01	Pass
		25	0	22.19	0.20	22.39	<=33.01	Pass
	1880	1	0	22.91	0.20	23.11	<=33.01	Pass
			13	22.91	0.20	23.11	<=33.01	Pass
			24	22.95	0.20	23.15	<=33.01	Pass
		12	0	22.00	0.20	22.20	<=33.01	Pass
			6	21.93	0.20	22.13	<=33.01	Pass
			13	21.96	0.20	22.16	<=33.01	Pass
		25	0	22.01	0.20	22.21	<=33.01	Pass
	1907.5	1	0	23.29	0.20	23.49	<=33.01	Pass
			13	23.15	0.20	23.35	<=33.01	Pass
			24	23.09	0.20	23.29	<=33.01	Pass
		12	0	22.18	0.20	22.38	<=33.01	Pass
			6	22.15	0.20	22.35	<=33.01	Pass
			13	22.16	0.20	22.36	<=33.01	Pass
		25	0	22.22	0.20	22.42	<=33.01	Pass
16QAM	1852.5	1	0	22.43	0.20	22.63	<=33.01	Pass
			13	22.41	0.20	22.61	<=33.01	Pass

			24	22.39	0.20	22.59	<=33.01	Pass	
		12	0	21.18	0.20	21.38	<=33.01	Pass	
			6	21.21	0.20	21.41	<=33.01	Pass	
			13	21.21	0.20	21.41	<=33.01	Pass	
		25	0	21.15	0.20	21.35	<=33.01	Pass	
	1880	1	0	22.18	0.20	22.38	<=33.01	Pass	
			13	22.22	0.20	22.42	<=33.01	Pass	
			24	22.26	0.20	22.46	<=33.01	Pass	
		12	0	21.02	0.20	21.22	<=33.01	Pass	
			6	21.00	0.20	21.20	<=33.01	Pass	
			13	20.94	0.20	21.14	<=33.01	Pass	
		25	0	20.96	0.20	21.16	<=33.01	Pass	
	1907.5	1	0	22.30	0.20	22.50	<=33.01	Pass	
			13	22.36	0.20	22.56	<=33.01	Pass	
			24	22.33	0.20	22.53	<=33.01	Pass	
		12	0	21.18	0.20	21.38	<=33.01	Pass	
			6	21.18	0.20	21.38	<=33.01	Pass	
			13	21.19	0.20	21.39	<=33.01	Pass	
	25	0	21.20	0.20	21.40	<=33.01	Pass		
	64QAM	1852.5	1	0	21.27	0.20	21.47	<=33.01	Pass
				13	21.18	0.20	21.38	<=33.01	Pass
24				21.28	0.20	21.48	<=33.01	Pass	
12			0	20.31	0.20	20.51	<=33.01	Pass	
			6	20.26	0.20	20.46	<=33.01	Pass	
			13	20.28	0.20	20.48	<=33.01	Pass	
25			0	20.24	0.20	20.44	<=33.01	Pass	
1880		1	0	21.08	0.20	21.28	<=33.01	Pass	
			13	21.11	0.20	21.31	<=33.01	Pass	
			24	21.23	0.20	21.43	<=33.01	Pass	
		12	0	20.13	0.20	20.33	<=33.01	Pass	
			6	20.11	0.20	20.31	<=33.01	Pass	
			13	20.13	0.20	20.33	<=33.01	Pass	
25		0	20.09	0.20	20.29	<=33.01	Pass		
1907.5		1	0	21.36	0.20	21.56	<=33.01	Pass	
			13	21.26	0.20	21.46	<=33.01	Pass	
			24	21.32	0.20	21.52	<=33.01	Pass	
		12	0	20.33	0.20	20.53	<=33.01	Pass	
			6	20.31	0.20	20.51	<=33.01	Pass	
			13	20.32	0.20	20.52	<=33.01	Pass	
		25	0	20.28	0.20	20.48	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.16	0.20	23.36	<=33.01	Pass
			25	23.16	0.20	23.36	<=33.01	Pass
			49	23.09	0.20	23.29	<=33.01	Pass
		25	0	22.13	0.20	22.33	<=33.01	Pass
			13	22.13	0.20	22.33	<=33.01	Pass
			25	22.13	0.20	22.33	<=33.01	Pass
		50	0	22.11	0.20	22.31	<=33.01	Pass
	1880	1	0	23.02	0.20	23.22	<=33.01	Pass
			25	22.88	0.20	23.08	<=33.01	Pass
			49	22.99	0.20	23.19	<=33.01	Pass

		25	0	21.96	0.20	22.16	<=33.01	Pass
			13	21.96	0.20	22.16	<=33.01	Pass
			25	21.95	0.20	22.15	<=33.01	Pass
		50	0	21.99	0.20	22.19	<=33.01	Pass
	1905	1	0	23.11	0.20	23.31	<=33.01	Pass
			25	23.12	0.20	23.32	<=33.01	Pass
			49	23.11	0.20	23.31	<=33.01	Pass
		25	0	22.20	0.20	22.40	<=33.01	Pass
			13	22.19	0.20	22.39	<=33.01	Pass
			25	22.15	0.20	22.35	<=33.01	Pass
50		0	22.16	0.20	22.36	<=33.01	Pass	
16QAM	1855	1	0	22.44	0.20	22.64	<=33.01	Pass
			25	22.39	0.20	22.59	<=33.01	Pass
			49	22.31	0.20	22.51	<=33.01	Pass
		25	0	21.15	0.20	21.35	<=33.01	Pass
			13	21.12	0.20	21.32	<=33.01	Pass
			25	21.10	0.20	21.30	<=33.01	Pass
		50	0	21.11	0.20	21.31	<=33.01	Pass
	1880	1	0	22.29	0.20	22.49	<=33.01	Pass
			25	22.15	0.20	22.35	<=33.01	Pass
			49	22.15	0.20	22.35	<=33.01	Pass
		25	0	20.97	0.20	21.17	<=33.01	Pass
			13	20.94	0.20	21.14	<=33.01	Pass
			25	20.96	0.20	21.16	<=33.01	Pass
		50	0	21.02	0.20	21.22	<=33.01	Pass
	1905	1	0	22.53	0.20	22.73	<=33.01	Pass
			25	22.48	0.20	22.68	<=33.01	Pass
			49	22.38	0.20	22.58	<=33.01	Pass
		25	0	21.21	0.20	21.41	<=33.01	Pass
			13	21.21	0.20	21.41	<=33.01	Pass
			25	21.15	0.20	21.35	<=33.01	Pass
		50	0	21.18	0.20	21.38	<=33.01	Pass
64QAM	1855	1	0	21.32	0.20	21.52	<=33.01	Pass
			25	21.18	0.20	21.38	<=33.01	Pass
			49	21.19	0.20	21.39	<=33.01	Pass
		25	0	20.21	0.20	20.41	<=33.01	Pass
			13	20.17	0.20	20.37	<=33.01	Pass
			25	20.17	0.20	20.37	<=33.01	Pass
		50	0	20.20	0.20	20.40	<=33.01	Pass
	1880	1	0	21.14	0.20	21.34	<=33.01	Pass
			25	21.13	0.20	21.33	<=33.01	Pass
			49	21.14	0.20	21.34	<=33.01	Pass
		25	0	20.03	0.20	20.23	<=33.01	Pass
			13	20.06	0.20	20.26	<=33.01	Pass
			25	20.06	0.20	20.26	<=33.01	Pass
		50	0	20.04	0.20	20.24	<=33.01	Pass
	1905	1	0	21.34	0.20	21.54	<=33.01	Pass
			25	21.27	0.20	21.47	<=33.01	Pass
			49	21.31	0.20	21.51	<=33.01	Pass
		25	0	20.25	0.20	20.45	<=33.01	Pass
			13	20.21	0.20	20.41	<=33.01	Pass
			25	20.23	0.20	20.43	<=33.01	Pass
		50	0	20.26	0.20	20.46	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.30	0.20	23.50	<=33.01	Pass
			38	23.14	0.20	23.34	<=33.01	Pass
			74	23.02	0.20	23.22	<=33.01	Pass
		36	0	22.17	0.20	22.37	<=33.01	Pass
			18	22.12	0.20	22.32	<=33.01	Pass
			39	22.08	0.20	22.28	<=33.01	Pass
		75	0	22.15	0.20	22.35	<=33.01	Pass
	1880	1	0	23.00	0.20	23.20	<=33.01	Pass
			38	22.98	0.20	23.18	<=33.01	Pass
			74	22.97	0.20	23.17	<=33.01	Pass
		36	0	21.99	0.20	22.19	<=33.01	Pass
			18	21.99	0.20	22.19	<=33.01	Pass
			39	22.01	0.20	22.21	<=33.01	Pass
		75	0	22.02	0.20	22.22	<=33.01	Pass
	1902.5	1	0	23.27	0.20	23.47	<=33.01	Pass
			38	23.27	0.20	23.47	<=33.01	Pass
			74	23.27	0.20	23.47	<=33.01	Pass
		36	0	22.18	0.20	22.38	<=33.01	Pass
			18	22.27	0.20	22.47	<=33.01	Pass
			39	22.26	0.20	22.46	<=33.01	Pass
		75	0	22.20	0.20	22.40	<=33.01	Pass
16QAM	1857.5	1	0	22.38	0.20	22.58	<=33.01	Pass
			38	22.25	0.20	22.45	<=33.01	Pass
			74	22.30	0.20	22.50	<=33.01	Pass
		36	0	21.16	0.20	21.36	<=33.01	Pass
			18	21.15	0.20	21.35	<=33.01	Pass
			39	21.11	0.20	21.31	<=33.01	Pass
		75	0	21.14	0.20	21.34	<=33.01	Pass
	1880	1	0	22.16	0.20	22.36	<=33.01	Pass
			38	22.35	0.20	22.55	<=33.01	Pass
			74	22.25	0.20	22.45	<=33.01	Pass
		36	0	21.00	0.20	21.20	<=33.01	Pass
			18	21.03	0.20	21.23	<=33.01	Pass
			39	21.00	0.20	21.20	<=33.01	Pass
		75	0	21.02	0.20	21.22	<=33.01	Pass
	1902.5	1	0	22.48	0.20	22.68	<=33.01	Pass
			38	22.50	0.20	22.70	<=33.01	Pass
			74	22.56	0.20	22.76	<=33.01	Pass
		36	0	21.21	0.20	21.41	<=33.01	Pass
			18	21.23	0.20	21.43	<=33.01	Pass
			39	21.24	0.20	21.44	<=33.01	Pass
		75	0	21.22	0.20	21.42	<=33.01	Pass
64QAM	1857.5	1	0	21.42	0.20	21.62	<=33.01	Pass
			38	21.27	0.20	21.47	<=33.01	Pass
			74	21.12	0.20	21.32	<=33.01	Pass
		36	0	20.26	0.20	20.46	<=33.01	Pass
			18	20.25	0.20	20.45	<=33.01	Pass
			39	20.23	0.20	20.43	<=33.01	Pass
		75	0	20.24	0.20	20.44	<=33.01	Pass
	1880	1	0	21.24	0.20	21.44	<=33.01	Pass
			38	21.13	0.20	21.33	<=33.01	Pass
			74	21.15	0.20	21.35	<=33.01	Pass
		36	0	20.08	0.20	20.28	<=33.01	Pass
			18	20.09	0.20	20.29	<=33.01	Pass
			39	20.11	0.20	20.31	<=33.01	Pass
		75	0	20.05	0.20	20.25	<=33.01	Pass

	1902.5	1	0	21.36	0.20	21.56	<=33.01	Pass
			38	21.42	0.20	21.62	<=33.01	Pass
			74	21.39	0.20	21.59	<=33.01	Pass
		36	0	20.29	0.20	20.49	<=33.01	Pass
			18	20.33	0.20	20.53	<=33.01	Pass
			39	20.33	0.20	20.53	<=33.01	Pass
		75	0	20.33	0.20	20.53	<=33.01	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.25	0.20	23.45	<=33.01	Pass
			50	23.18	0.20	23.38	<=33.01	Pass
			99	23.04	0.20	23.24	<=33.01	Pass
		50	0	22.18	0.20	22.38	<=33.01	Pass
			25	22.19	0.20	22.39	<=33.01	Pass
			50	22.11	0.20	22.31	<=33.01	Pass
		100	0	22.16	0.20	22.36	<=33.01	Pass
	1880	1	0	22.94	0.20	23.14	<=33.01	Pass
			50	23.08	0.20	23.28	<=33.01	Pass
			99	22.97	0.20	23.17	<=33.01	Pass
		50	0	22.06	0.20	22.26	<=33.01	Pass
			25	22.08	0.20	22.28	<=33.01	Pass
			50	22.05	0.20	22.25	<=33.01	Pass
		100	0	22.01	0.20	22.21	<=33.01	Pass
	1900	1	0	23.15	0.20	23.35	<=33.01	Pass
			50	23.23	0.20	23.43	<=33.01	Pass
			99	23.13	0.20	23.33	<=33.01	Pass
		50	0	22.23	0.20	22.43	<=33.01	Pass
			25	22.32	0.20	22.52	<=33.01	Pass
			50	22.23	0.20	22.43	<=33.01	Pass
		100	0	22.25	0.20	22.45	<=33.01	Pass
16QAM	1860	1	0	22.37	0.20	22.57	<=33.01	Pass
			50	22.43	0.20	22.63	<=33.01	Pass
			99	22.25	0.20	22.45	<=33.01	Pass
		50	0	21.18	0.20	21.38	<=33.01	Pass
			25	21.13	0.20	21.33	<=33.01	Pass
			50	21.11	0.20	21.31	<=33.01	Pass
		100	0	21.11	0.20	21.31	<=33.01	Pass
	1880	1	0	22.13	0.20	22.33	<=33.01	Pass
			50	22.20	0.20	22.40	<=33.01	Pass
			99	22.22	0.20	22.42	<=33.01	Pass
		50	0	21.03	0.20	21.23	<=33.01	Pass
			25	21.07	0.20	21.27	<=33.01	Pass
			50	21.06	0.20	21.26	<=33.01	Pass
		100	0	20.99	0.20	21.19	<=33.01	Pass
	1900	1	0	22.46	0.20	22.66	<=33.01	Pass
			50	22.58	0.20	22.78	<=33.01	Pass
			99	22.42	0.20	22.62	<=33.01	Pass
		50	0	21.21	0.20	21.41	<=33.01	Pass
			25	21.28	0.20	21.48	<=33.01	Pass
			50	21.23	0.20	21.43	<=33.01	Pass
		100	0	21.20	0.20	21.40	<=33.01	Pass
64QAM	1860	1	0	21.34	0.20	21.54	<=33.01	Pass

			50	21.28	0.20	21.48	<=33.01	Pass
			99	21.16	0.20	21.36	<=33.01	Pass
		50	0	20.20	0.20	20.40	<=33.01	Pass
			25	20.22	0.20	20.42	<=33.01	Pass
			50	20.21	0.20	20.41	<=33.01	Pass
		100	0	20.21	0.20	20.41	<=33.01	Pass
	1880	1	0	21.11	0.20	21.31	<=33.01	Pass
			50	21.26	0.20	21.46	<=33.01	Pass
			99	21.17	0.20	21.37	<=33.01	Pass
		50	0	20.07	0.20	20.27	<=33.01	Pass
			25	20.08	0.20	20.28	<=33.01	Pass
			50	20.09	0.20	20.29	<=33.01	Pass
	100	0	20.07	0.20	20.27	<=33.01	Pass	
	1900	1	0	21.35	0.20	21.55	<=33.01	Pass
			50	21.47	0.20	21.67	<=33.01	Pass
			99	21.36	0.20	21.56	<=33.01	Pass
		50	0	20.24	0.20	20.44	<=33.01	Pass
			25	20.32	0.20	20.52	<=33.01	Pass
			50	20.29	0.20	20.49	<=33.01	Pass
	100	0	20.24	0.20	20.44	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.3	-6.500	-0.0035	-2.5 to 2.5	Pass
					3.92	1.200	0.0006	-2.5 to 2.5	Pass
					4.53	3.800	0.0021	-2.5 to 2.5	Pass
				-30	3.92	2.300	0.0012	-2.5 to 2.5	Pass
				-20	3.92	3.700	0.0020	-2.5 to 2.5	Pass
				-10	3.92	-3.100	-0.0017	-2.5 to 2.5	Pass
				0	3.92	1.200	0.0006	-2.5 to 2.5	Pass
				10	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				30	3.92	-3.200	-0.0017	-2.5 to 2.5	Pass
				40	3.92	-1.500	-0.0008	-2.5 to 2.5	Pass
				50	3.92	1.300	0.0007	-2.5 to 2.5	Pass
	1880	6	0	20	3.3	-0.600	-0.0003	-2.5 to 2.5	Pass
					3.92	-5.900	-0.0031	-2.5 to 2.5	Pass
					4.53	-2.700	-0.0014	-2.5 to 2.5	Pass
				-30	3.92	-6.000	-0.0032	-2.5 to 2.5	Pass
				-20	3.92	-4.600	-0.0024	-2.5 to 2.5	Pass
				-10	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				0	3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.92	4.800	0.0026	-2.5 to 2.5	Pass
				30	3.92	-1.100	-0.0006	-2.5 to 2.5	Pass
				40	3.92	-1.000	-0.0005	-2.5 to 2.5	Pass
				50	3.92	-6.900	-0.0037	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.3	-6.200	-0.0032	-2.5 to 2.5	Pass
					3.92	-1.700	-0.0009	-2.5 to 2.5	Pass
					4.53	-5.100	-0.0027	-2.5 to 2.5	Pass
				-30	3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
				-20	3.92	-4.800	-0.0025	-2.5 to 2.5	Pass
				-10	3.92	-4.800	-0.0025	-2.5 to 2.5	Pass
				0	3.92	-3.900	-0.0020	-2.5 to 2.5	Pass
				10	3.92	-4.200	-0.0022	-2.5 to 2.5	Pass
				30	3.92	-6.600	-0.0035	-2.5 to 2.5	Pass
				40	3.92	-4.500	-0.0024	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.3	-0.100	-0.0001	-2.5 to 2.5	Pass
					3.92	4.000	0.0022	-2.5 to 2.5	Pass
					4.53	-0.300	-0.0002	-2.5 to 2.5	Pass
				-30	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				-20	3.92	-0.600	-0.0003	-2.5 to 2.5	Pass
				-10	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				0	3.92	0.200	0.0001	-2.5 to 2.5	Pass
				10	3.92	10.300	0.0056	-2.5 to 2.5	Pass
				30	3.92	7.400	0.0040	-2.5 to 2.5	Pass
				40	3.92	5.000	0.0027	-2.5 to 2.5	Pass
				50	3.92	3.100	0.0017	-2.5 to 2.5	Pass
	1880	6	0	20	3.3	-3.000	-0.0016	-2.5 to 2.5	Pass
					3.92	-3.600	-0.0019	-2.5 to 2.5	Pass
					4.53	-0.500	-0.0003	-2.5 to 2.5	Pass

				-30	3.92	-2.700	-0.0014	-2.5 to 2.5	Pass
				-20	3.92	-1.400	-0.0007	-2.5 to 2.5	Pass
				-10	3.92	-4.700	-0.0025	-2.5 to 2.5	Pass
				0	3.92	-2.700	-0.0014	-2.5 to 2.5	Pass
				10	3.92	-0.500	-0.0003	-2.5 to 2.5	Pass
				30	3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
				40	3.92	2.300	0.0012	-2.5 to 2.5	Pass
				50	3.92	-2.800	-0.0015	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.3	2.500	0.0013	-2.5 to 2.5	Pass
					3.92	-3.300	-0.0017	-2.5 to 2.5	Pass
					4.53	-5.500	-0.0029	-2.5 to 2.5	Pass
				-30	3.92	-2.000	-0.0010	-2.5 to 2.5	Pass
				-20	3.92	1.300	0.0007	-2.5 to 2.5	Pass
				-10	3.92	-3.000	-0.0016	-2.5 to 2.5	Pass
				0	3.92	-7.000	-0.0037	-2.5 to 2.5	Pass
				10	3.92	-8.500	-0.0045	-2.5 to 2.5	Pass
				30	3.92	-2.700	-0.0014	-2.5 to 2.5	Pass
				40	3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
				50	3.92	-2.900	-0.0015	-2.5 to 2.5	Pass
64QAM	1850.7	6	0	20	3.3	1.600	0.0009	-2.5 to 2.5	Pass
					3.92	3.400	0.0018	-2.5 to 2.5	Pass
					4.53	5.900	0.0032	-2.5 to 2.5	Pass
				-30	3.92	3.100	0.0017	-2.5 to 2.5	Pass
				-20	3.92	2.700	0.0015	-2.5 to 2.5	Pass
				-10	3.92	5.500	0.0030	-2.5 to 2.5	Pass
				0	3.92	3.500	0.0019	-2.5 to 2.5	Pass
				10	3.92	2.000	0.0011	-2.5 to 2.5	Pass
				30	3.92	7.000	0.0038	-2.5 to 2.5	Pass
				40	3.92	3.100	0.0017	-2.5 to 2.5	Pass
				50	3.92	2.100	0.0011	-2.5 to 2.5	Pass
	1880	6	0	20	3.3	4.300	0.0023	-2.5 to 2.5	Pass
					3.92	3.100	0.0016	-2.5 to 2.5	Pass
					4.53	0.900	0.0005	-2.5 to 2.5	Pass
				-30	3.92	3.000	0.0016	-2.5 to 2.5	Pass
				-20	3.92	4.200	0.0022	-2.5 to 2.5	Pass
				-10	3.92	3.700	0.0020	-2.5 to 2.5	Pass
				0	3.92	0.300	0.0002	-2.5 to 2.5	Pass
				10	3.92	-2.400	-0.0013	-2.5 to 2.5	Pass
				30	3.92	0.900	0.0005	-2.5 to 2.5	Pass
				40	3.92	0.500	0.0003	-2.5 to 2.5	Pass
				50	3.92	1.300	0.0007	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.3	-3.200	-0.0017	-2.5 to 2.5	Pass
					3.92	-2.600	-0.0014	-2.5 to 2.5	Pass
					4.53	0.500	0.0003	-2.5 to 2.5	Pass
				-30	3.92	1.600	0.0008	-2.5 to 2.5	Pass
				-20	3.92	-2.500	-0.0013	-2.5 to 2.5	Pass
				-10	3.92	-1.600	-0.0008	-2.5 to 2.5	Pass
				0	3.92	1.000	0.0005	-2.5 to 2.5	Pass
				10	3.92	2.800	0.0015	-2.5 to 2.5	Pass
				30	3.92	2.700	0.0014	-2.5 to 2.5	Pass
				40	3.92	-1.700	-0.0009	-2.5 to 2.5	Pass
				50	3.92	1.700	0.0009	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz							
Modulation	Frequency	RB Allocation	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)	Verdict

	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	
QPSK	1851.5	15	0	20	3.3	-3.700	-0.0020	-2.5 to 2.5	Pass
					3.92	-3.900	-0.0021	-2.5 to 2.5	Pass
					4.53	0.200	0.0001	-2.5 to 2.5	Pass
				-30	3.92	0.600	0.0003	-2.5 to 2.5	Pass
				-20	3.92	-2.800	-0.0015	-2.5 to 2.5	Pass
				-10	3.92	-1.100	-0.0006	-2.5 to 2.5	Pass
				0	3.92	-1.000	-0.0005	-2.5 to 2.5	Pass
				10	3.92	-4.700	-0.0025	-2.5 to 2.5	Pass
				30	3.92	-6.000	-0.0032	-2.5 to 2.5	Pass
				40	3.92	-3.100	-0.0017	-2.5 to 2.5	Pass
				50	3.92	-3.200	-0.0017	-2.5 to 2.5	Pass
	1880	15	0	20	3.3	-1.200	-0.0006	-2.5 to 2.5	Pass
					3.92	-3.900	-0.0021	-2.5 to 2.5	Pass
					4.53	-7.000	-0.0037	-2.5 to 2.5	Pass
				-30	3.92	-5.000	-0.0027	-2.5 to 2.5	Pass
				-20	3.92	-3.200	-0.0017	-2.5 to 2.5	Pass
				-10	3.92	-0.400	-0.0002	-2.5 to 2.5	Pass
				0	3.92	1.700	0.0009	-2.5 to 2.5	Pass
				10	3.92	-4.200	-0.0022	-2.5 to 2.5	Pass
				30	3.92	-4.800	-0.0026	-2.5 to 2.5	Pass
				40	3.92	-2.100	-0.0011	-2.5 to 2.5	Pass
				50	3.92	-7.500	-0.0040	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.3	0.000	0.0000	-2.5 to 2.5	Pass
					3.92	1.300	0.0007	-2.5 to 2.5	Pass
					4.53	1.800	0.0009	-2.5 to 2.5	Pass
				-30	3.92	2.200	0.0012	-2.5 to 2.5	Pass
				-20	3.92	-1.300	-0.0007	-2.5 to 2.5	Pass
				-10	3.92	4.000	0.0021	-2.5 to 2.5	Pass
				0	3.92	-1.700	-0.0009	-2.5 to 2.5	Pass
				10	3.92	-0.500	-0.0003	-2.5 to 2.5	Pass
				30	3.92	1.400	0.0007	-2.5 to 2.5	Pass
				40	3.92	0.000	0.0000	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.3	-2.300	-0.0012	-2.5 to 2.5	Pass
					3.92	-6.200	-0.0033	-2.5 to 2.5	Pass
					4.53	-1.100	-0.0006	-2.5 to 2.5	Pass
				-30	3.92	-1.900	-0.0010	-2.5 to 2.5	Pass
				-20	3.92	-0.700	-0.0004	-2.5 to 2.5	Pass
				-10	3.92	-2.300	-0.0012	-2.5 to 2.5	Pass
				0	3.92	-0.700	-0.0004	-2.5 to 2.5	Pass
				10	3.92	-1.200	-0.0006	-2.5 to 2.5	Pass
				30	3.92	-4.800	-0.0026	-2.5 to 2.5	Pass
				40	3.92	0.800	0.0004	-2.5 to 2.5	Pass
				50	3.92	-6.700	-0.0036	-2.5 to 2.5	Pass
	1880	15	0	20	3.3	0.000	0.0000	-2.5 to 2.5	Pass
					3.92	-1.100	-0.0006	-2.5 to 2.5	Pass
					4.53	-3.400	-0.0018	-2.5 to 2.5	Pass
				-30	3.92	-2.400	-0.0013	-2.5 to 2.5	Pass
				-20	3.92	-3.300	-0.0018	-2.5 to 2.5	Pass
				-10	3.92	-3.400	-0.0018	-2.5 to 2.5	Pass
				0	3.92	-4.600	-0.0024	-2.5 to 2.5	Pass
				10	3.92	-5.600	-0.0030	-2.5 to 2.5	Pass
				30	3.92	-5.500	-0.0029	-2.5 to 2.5	Pass
				40	3.92	-1.400	-0.0007	-2.5 to 2.5	Pass
				50	3.92	-1.800	-0.0010	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.3	-0.300	-0.0002	-2.5 to 2.5	Pass
					3.92	2.500	0.0013	-2.5 to 2.5	Pass
					4.53	0.400	0.0002	-2.5 to 2.5	Pass

				-30	3.92	2.700	0.0014	-2.5 to 2.5	Pass
				-20	3.92	0.500	0.0003	-2.5 to 2.5	Pass
				-10	3.92	5.400	0.0028	-2.5 to 2.5	Pass
				0	3.92	0.200	0.0001	-2.5 to 2.5	Pass
				10	3.92	0.400	0.0002	-2.5 to 2.5	Pass
				30	3.92	-2.000	-0.0010	-2.5 to 2.5	Pass
				40	3.92	4.100	0.0021	-2.5 to 2.5	Pass
64QAM	1851.5	15	0	50	3.92	1.600	0.0008	-2.5 to 2.5	Pass
				20	3.3	-1.200	-0.0006	-2.5 to 2.5	Pass
					3.92	-1.000	-0.0005	-2.5 to 2.5	Pass
					4.53	2.200	0.0012	-2.5 to 2.5	Pass
				-30	3.92	0.400	0.0002	-2.5 to 2.5	Pass
				-20	3.92	-2.400	-0.0013	-2.5 to 2.5	Pass
				-10	3.92	1.600	0.0009	-2.5 to 2.5	Pass
				0	3.92	4.000	0.0022	-2.5 to 2.5	Pass
				10	3.92	3.700	0.0020	-2.5 to 2.5	Pass
				30	3.92	0.900	0.0005	-2.5 to 2.5	Pass
				40	3.92	-0.200	-0.0001	-2.5 to 2.5	Pass
				50	3.92	-0.400	-0.0002	-2.5 to 2.5	Pass
	1880	15	0	20	3.3	-4.000	-0.0021	-2.5 to 2.5	Pass
					3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
					4.53	-5.100	-0.0027	-2.5 to 2.5	Pass
				-30	3.92	0.500	0.0003	-2.5 to 2.5	Pass
				-20	3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
				-10	3.92	-4.800	-0.0026	-2.5 to 2.5	Pass
				0	3.92	-0.200	-0.0001	-2.5 to 2.5	Pass
				10	3.92	-1.500	-0.0008	-2.5 to 2.5	Pass
				30	3.92	-1.300	-0.0007	-2.5 to 2.5	Pass
				40	3.92	0.400	0.0002	-2.5 to 2.5	Pass
				50	3.92	1.100	0.0006	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.3	-3.300	-0.0017	-2.5 to 2.5	Pass
					3.92	-1.800	-0.0009	-2.5 to 2.5	Pass
					4.53	1.700	0.0009	-2.5 to 2.5	Pass
				-30	3.92	-1.300	-0.0007	-2.5 to 2.5	Pass
				-20	3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
				-10	3.92	5.500	0.0029	-2.5 to 2.5	Pass
				0	3.92	-1.300	-0.0007	-2.5 to 2.5	Pass
				10	3.92	5.000	0.0026	-2.5 to 2.5	Pass
				30	3.92	4.100	0.0021	-2.5 to 2.5	Pass
				40	3.92	-1.200	-0.0006	-2.5 to 2.5	Pass
				50	3.92	-1.600	-0.0008	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.3	-2.200	-0.0012	-2.5 to 2.5	Pass
					3.92	-1.700	-0.0009	-2.5 to 2.5	Pass
					4.53	0.400	0.0002	-2.5 to 2.5	Pass
				-30	3.92	2.000	0.0011	-2.5 to 2.5	Pass
				-20	3.92	2.500	0.0013	-2.5 to 2.5	Pass
				-10	3.92	1.500	0.0008	-2.5 to 2.5	Pass
				0	3.92	-0.300	-0.0002	-2.5 to 2.5	Pass
				10	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				30	3.92	-1.600	-0.0009	-2.5 to 2.5	Pass
				40	3.92	1.300	0.0007	-2.5 to 2.5	Pass

	1880	25	0	50	3.92	0.400	0.0002	-2.5 to 2.5	Pass
				20	3.3	0.500	0.0003	-2.5 to 2.5	Pass
					3.92	1.100	0.0006	-2.5 to 2.5	Pass
					4.53	-0.500	-0.0003	-2.5 to 2.5	Pass
				-30	3.92	0.900	0.0005	-2.5 to 2.5	Pass
				-20	3.92	4.300	0.0023	-2.5 to 2.5	Pass
				-10	3.92	7.100	0.0038	-2.5 to 2.5	Pass
				0	3.92	2.500	0.0013	-2.5 to 2.5	Pass
				10	3.92	4.400	0.0023	-2.5 to 2.5	Pass
				30	3.92	-2.400	-0.0013	-2.5 to 2.5	Pass
				40	3.92	-0.300	-0.0002	-2.5 to 2.5	Pass
				50	3.92	-1.900	-0.0010	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.3	-0.400	-0.0002	-2.5 to 2.5	Pass
					3.92	-3.500	-0.0018	-2.5 to 2.5	Pass
					4.53	-3.900	-0.0020	-2.5 to 2.5	Pass
				-30	3.92	0.500	0.0003	-2.5 to 2.5	Pass
				-20	3.92	-1.600	-0.0008	-2.5 to 2.5	Pass
				-10	3.92	1.400	0.0007	-2.5 to 2.5	Pass
				0	3.92	-1.800	-0.0009	-2.5 to 2.5	Pass
				10	3.92	-4.700	-0.0025	-2.5 to 2.5	Pass
				30	3.92	-6.100	-0.0032	-2.5 to 2.5	Pass
				40	3.92	-3.400	-0.0018	-2.5 to 2.5	Pass
				50	3.92	-0.400	-0.0002	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.3	-5.000	-0.0027	-2.5 to 2.5	Pass
					3.92	-2.100	-0.0011	-2.5 to 2.5	Pass
					4.53	-5.600	-0.0030	-2.5 to 2.5	Pass
				-30	3.92	-3.500	-0.0019	-2.5 to 2.5	Pass
				-20	3.92	-1.200	-0.0006	-2.5 to 2.5	Pass
				-10	3.92	2.500	0.0013	-2.5 to 2.5	Pass
				0	3.92	3.900	0.0021	-2.5 to 2.5	Pass
				10	3.92	1.400	0.0008	-2.5 to 2.5	Pass
				30	3.92	2.200	0.0012	-2.5 to 2.5	Pass
				40	3.92	-6.900	-0.0037	-2.5 to 2.5	Pass
				50	3.92	-0.400	-0.0002	-2.5 to 2.5	Pass
	1880	25	0	20	3.3	-4.800	-0.0026	-2.5 to 2.5	Pass
					3.92	1.200	0.0006	-2.5 to 2.5	Pass
					4.53	4.600	0.0024	-2.5 to 2.5	Pass
				-30	3.92	4.000	0.0021	-2.5 to 2.5	Pass
				-20	3.92	2.500	0.0013	-2.5 to 2.5	Pass
				-10	3.92	4.400	0.0023	-2.5 to 2.5	Pass
				0	3.92	3.000	0.0016	-2.5 to 2.5	Pass
				10	3.92	-0.800	-0.0004	-2.5 to 2.5	Pass
				30	3.92	-0.200	-0.0001	-2.5 to 2.5	Pass
				40	3.92	-4.100	-0.0022	-2.5 to 2.5	Pass
				50	3.92	1.500	0.0008	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.3	-1.700	-0.0009	-2.5 to 2.5	Pass
					3.92	0.200	0.0001	-2.5 to 2.5	Pass
					4.53	-1.700	-0.0009	-2.5 to 2.5	Pass
				-30	3.92	-2.900	-0.0015	-2.5 to 2.5	Pass
				-20	3.92	-1.500	-0.0008	-2.5 to 2.5	Pass
				-10	3.92	-2.800	-0.0015	-2.5 to 2.5	Pass
				0	3.92	-3.500	-0.0018	-2.5 to 2.5	Pass
				10	3.92	-1.300	-0.0007	-2.5 to 2.5	Pass
				30	3.92	-0.600	-0.0003	-2.5 to 2.5	Pass
				40	3.92	-3.800	-0.0020	-2.5 to 2.5	Pass
				50	3.92	-0.600	-0.0003	-2.5 to 2.5	Pass
64QAM	1852.5	25	0	20	3.3	2.400	0.0013	-2.5 to 2.5	Pass
					3.92	0.600	0.0003	-2.5 to 2.5	Pass
					4.53	-2.900	-0.0016	-2.5 to 2.5	Pass

				-30	3.92	-0.600	-0.0003	-2.5 to 2.5	Pass
				-20	3.92	2.300	0.0012	-2.5 to 2.5	Pass
				-10	3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
				0	3.92	0.400	0.0002	-2.5 to 2.5	Pass
				10	3.92	-0.300	-0.0002	-2.5 to 2.5	Pass
				30	3.92	-1.900	-0.0010	-2.5 to 2.5	Pass
				40	3.92	2.700	0.0015	-2.5 to 2.5	Pass
				50	3.92	-0.200	-0.0001	-2.5 to 2.5	Pass
	1880	25	0	20	3.3	-0.800	-0.0004	-2.5 to 2.5	Pass
					3.92	-3.600	-0.0019	-2.5 to 2.5	Pass
					4.53	2.200	0.0012	-2.5 to 2.5	Pass
				-30	3.92	3.100	0.0016	-2.5 to 2.5	Pass
				-20	3.92	2.300	0.0012	-2.5 to 2.5	Pass
				-10	3.92	4.500	0.0024	-2.5 to 2.5	Pass
				0	3.92	7.800	0.0041	-2.5 to 2.5	Pass
				10	3.92	8.200	0.0044	-2.5 to 2.5	Pass
				30	3.92	0.900	0.0005	-2.5 to 2.5	Pass
				40	3.92	5.500	0.0029	-2.5 to 2.5	Pass
				50	3.92	1.200	0.0006	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.3	6.000	0.0031	-2.5 to 2.5	Pass
					3.92	5.500	0.0029	-2.5 to 2.5	Pass
					4.53	1.300	0.0007	-2.5 to 2.5	Pass
				-30	3.92	0.700	0.0004	-2.5 to 2.5	Pass
				-20	3.92	7.400	0.0039	-2.5 to 2.5	Pass
				-10	3.92	5.400	0.0028	-2.5 to 2.5	Pass
				0	3.92	3.000	0.0016	-2.5 to 2.5	Pass
				10	3.92	2.600	0.0014	-2.5 to 2.5	Pass
				30	3.92	8.900	0.0047	-2.5 to 2.5	Pass
				40	3.92	2.100	0.0011	-2.5 to 2.5	Pass
				50	3.92	0.800	0.0004	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.3	-4.700	-0.0025	-2.5 to 2.5	Pass
					3.92	-2.000	-0.0011	-2.5 to 2.5	Pass
					4.53	-8.200	-0.0044	-2.5 to 2.5	Pass
				-30	3.92	-6.500	-0.0035	-2.5 to 2.5	Pass
				-20	3.92	-3.300	-0.0018	-2.5 to 2.5	Pass
				-10	3.92	-2.800	-0.0015	-2.5 to 2.5	Pass
				0	3.92	-5.100	-0.0027	-2.5 to 2.5	Pass
				10	3.92	-2.600	-0.0014	-2.5 to 2.5	Pass
				30	3.92	-4.500	-0.0024	-2.5 to 2.5	Pass
				40	3.92	-9.500	-0.0051	-2.5 to 2.5	Pass
				50	3.92	-2.900	-0.0016	-2.5 to 2.5	Pass
	1880	50	0	20	3.3	0.100	0.0001	-2.5 to 2.5	Pass
					3.92	-0.200	-0.0001	-2.5 to 2.5	Pass
					4.53	2.200	0.0012	-2.5 to 2.5	Pass
				-30	3.92	1.800	0.0010	-2.5 to 2.5	Pass
				-20	3.92	1.800	0.0010	-2.5 to 2.5	Pass
				-10	3.92	-2.000	-0.0011	-2.5 to 2.5	Pass
				0	3.92	-5.200	-0.0028	-2.5 to 2.5	Pass
				10	3.92	0.800	0.0004	-2.5 to 2.5	Pass
				30	3.92	3.300	0.0018	-2.5 to 2.5	Pass
				40	3.92	-2.700	-0.0014	-2.5 to 2.5	Pass

	1905	50	0	50	3.92	-2.000	-0.0011	-2.5 to 2.5	Pass
				20	3.3	0.100	0.0001	-2.5 to 2.5	Pass
					3.92	-4.400	-0.0023	-2.5 to 2.5	Pass
					4.53	2.400	0.0013	-2.5 to 2.5	Pass
				-30	3.92	-4.200	-0.0022	-2.5 to 2.5	Pass
				-20	3.92	0.200	0.0001	-2.5 to 2.5	Pass
				-10	3.92	4.800	0.0025	-2.5 to 2.5	Pass
				0	3.92	1.200	0.0006	-2.5 to 2.5	Pass
				10	3.92	-2.500	-0.0013	-2.5 to 2.5	Pass
				30	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				40	3.92	5.100	0.0027	-2.5 to 2.5	Pass
				50	3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.3	-6.100	-0.0033	-2.5 to 2.5	Pass
					3.92	-2.400	-0.0013	-2.5 to 2.5	Pass
					4.53	-7.200	-0.0039	-2.5 to 2.5	Pass
					3.92	-4.900	-0.0026	-2.5 to 2.5	Pass
				-30	3.92	-4.900	-0.0026	-2.5 to 2.5	Pass
				-20	3.92	-3.700	-0.0020	-2.5 to 2.5	Pass
				-10	3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
				0	3.92	-8.400	-0.0045	-2.5 to 2.5	Pass
				10	3.92	-4.800	-0.0026	-2.5 to 2.5	Pass
				30	3.92	-4.600	-0.0025	-2.5 to 2.5	Pass
				40	3.92	-2.500	-0.0013	-2.5 to 2.5	Pass
				50	3.92	-5.000	-0.0027	-2.5 to 2.5	Pass
	1880	50	0	20	3.3	-5.100	-0.0027	-2.5 to 2.5	Pass
					3.92	1.300	0.0007	-2.5 to 2.5	Pass
					4.53	-2.800	-0.0015	-2.5 to 2.5	Pass
					3.92	0.100	0.0001	-2.5 to 2.5	Pass
				-30	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				-20	3.92	-0.200	-0.0001	-2.5 to 2.5	Pass
				-10	3.92	5.700	0.0030	-2.5 to 2.5	Pass
				0	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				10	3.92	0.600	0.0003	-2.5 to 2.5	Pass
				30	3.92	-0.300	-0.0002	-2.5 to 2.5	Pass
				40	3.92	1.400	0.0007	-2.5 to 2.5	Pass
				50	3.92	1.600	0.0009	-2.5 to 2.5	Pass
	1905	50	0	20	3.3	-0.200	-0.0001	-2.5 to 2.5	Pass
					3.92	3.300	0.0017	-2.5 to 2.5	Pass
					4.53	-1.100	-0.0006	-2.5 to 2.5	Pass
					3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
				-20	3.92	-0.600	-0.0003	-2.5 to 2.5	Pass
				-10	3.92	-3.000	-0.0016	-2.5 to 2.5	Pass
				0	3.92	0.600	0.0003	-2.5 to 2.5	Pass
				10	3.92	3.100	0.0016	-2.5 to 2.5	Pass
				30	3.92	1.200	0.0006	-2.5 to 2.5	Pass
				40	3.92	-6.000	-0.0031	-2.5 to 2.5	Pass
				50	3.92	1.900	0.0010	-2.5 to 2.5	Pass
64QAM	1855	50	0	20	3.3	-1.500	-0.0008	-2.5 to 2.5	Pass
					3.92	-5.500	-0.0030	-2.5 to 2.5	Pass
					4.53	-3.300	-0.0018	-2.5 to 2.5	Pass
					3.92	-2.700	-0.0015	-2.5 to 2.5	Pass
				-30	3.92	-2.700	-0.0015	-2.5 to 2.5	Pass
				-20	3.92	0.300	0.0002	-2.5 to 2.5	Pass
				-10	3.92	-2.900	-0.0016	-2.5 to 2.5	Pass
				0	3.92	-4.200	-0.0023	-2.5 to 2.5	Pass
				10	3.92	-3.100	-0.0017	-2.5 to 2.5	Pass
				30	3.92	0.300	0.0002	-2.5 to 2.5	Pass
				40	3.92	2.100	0.0011	-2.5 to 2.5	Pass
				50	3.92	-0.500	-0.0003	-2.5 to 2.5	Pass
	1880	50	0	20	3.3	8.500	0.0045	-2.5 to 2.5	Pass
					3.92	6.200	0.0033	-2.5 to 2.5	Pass
					4.53	2.900	0.0015	-2.5 to 2.5	Pass

				-30	3.92	-2.400	-0.0013	-2.5 to 2.5	Pass
				-20	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				-10	3.92	-1.000	-0.0005	-2.5 to 2.5	Pass
				0	3.92	5.500	0.0029	-2.5 to 2.5	Pass
				10	3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
				30	3.92	6.300	0.0034	-2.5 to 2.5	Pass
				40	3.92	6.800	0.0036	-2.5 to 2.5	Pass
				50	3.92	2.700	0.0014	-2.5 to 2.5	Pass
	1905	50	0	20	3.3	2.800	0.0015	-2.5 to 2.5	Pass
					3.92	2.500	0.0013	-2.5 to 2.5	Pass
					4.53	6.200	0.0033	-2.5 to 2.5	Pass
				-30	3.92	0.400	0.0002	-2.5 to 2.5	Pass
				-20	3.92	-1.800	-0.0009	-2.5 to 2.5	Pass
				-10	3.92	-2.300	-0.0012	-2.5 to 2.5	Pass
				0	3.92	2.700	0.0014	-2.5 to 2.5	Pass
				10	3.92	0.700	0.0004	-2.5 to 2.5	Pass
				30	3.92	3.100	0.0016	-2.5 to 2.5	Pass
				40	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				50	3.92	-1.100	-0.0006	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.3	3.100	0.0017	-2.5 to 2.5	Pass
					3.92	1.900	0.0010	-2.5 to 2.5	Pass
					4.53	0.300	0.0002	-2.5 to 2.5	Pass
				-30	3.92	1.700	0.0009	-2.5 to 2.5	Pass
				-20	3.92	-3.000	-0.0016	-2.5 to 2.5	Pass
				-10	3.92	0.400	0.0002	-2.5 to 2.5	Pass
				0	3.92	0.700	0.0004	-2.5 to 2.5	Pass
				10	3.92	-1.300	-0.0007	-2.5 to 2.5	Pass
				30	3.92	-3.900	-0.0021	-2.5 to 2.5	Pass
				40	3.92	-0.700	-0.0004	-2.5 to 2.5	Pass
				50	3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
	1880	75	0	20	3.3	-0.100	-0.0001	-2.5 to 2.5	Pass
					3.92	-5.100	-0.0027	-2.5 to 2.5	Pass
					4.53	-4.300	-0.0023	-2.5 to 2.5	Pass
				-30	3.92	-1.500	-0.0008	-2.5 to 2.5	Pass
				-20	3.92	-0.800	-0.0004	-2.5 to 2.5	Pass
				-10	3.92	-2.800	-0.0015	-2.5 to 2.5	Pass
				0	3.92	-5.700	-0.0030	-2.5 to 2.5	Pass
				10	3.92	-1.600	-0.0009	-2.5 to 2.5	Pass
				30	3.92	-2.300	-0.0012	-2.5 to 2.5	Pass
				40	3.92	-2.500	-0.0013	-2.5 to 2.5	Pass
				50	3.92	-4.400	-0.0023	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.3	-5.300	-0.0028	-2.5 to 2.5	Pass
					3.92	-8.400	-0.0044	-2.5 to 2.5	Pass
					4.53	-7.500	-0.0039	-2.5 to 2.5	Pass
				-30	3.92	-7.300	-0.0038	-2.5 to 2.5	Pass
				-20	3.92	-4.300	-0.0023	-2.5 to 2.5	Pass
				-10	3.92	-2.100	-0.0011	-2.5 to 2.5	Pass
				0	3.92	-3.000	-0.0016	-2.5 to 2.5	Pass
				10	3.92	-4.600	-0.0024	-2.5 to 2.5	Pass
				30	3.92	-2.700	-0.0014	-2.5 to 2.5	Pass
				40	3.92	-6.600	-0.0035	-2.5 to 2.5	Pass

16QAM	1857.5	75	0	50	3.92	-0.400	-0.0002	-2.5 to 2.5	Pass
				20	3.3	0.100	0.0001	-2.5 to 2.5	Pass
					3.92	-1.200	-0.0006	-2.5 to 2.5	Pass
					4.53	-3.200	-0.0017	-2.5 to 2.5	Pass
				-30	3.92	1.200	0.0006	-2.5 to 2.5	Pass
				-20	3.92	0.900	0.0005	-2.5 to 2.5	Pass
				-10	3.92	-0.700	-0.0004	-2.5 to 2.5	Pass
				0	3.92	-3.200	-0.0017	-2.5 to 2.5	Pass
				10	3.92	1.300	0.0007	-2.5 to 2.5	Pass
				30	3.92	-2.700	-0.0015	-2.5 to 2.5	Pass
	1880	75	0	40	3.92	-2.600	-0.0014	-2.5 to 2.5	Pass
				50	3.92	1.200	0.0006	-2.5 to 2.5	Pass
				20	3.3	0.900	0.0005	-2.5 to 2.5	Pass
					3.92	-4.400	-0.0023	-2.5 to 2.5	Pass
					4.53	-1.000	-0.0005	-2.5 to 2.5	Pass
				-30	3.92	-0.700	-0.0004	-2.5 to 2.5	Pass
				-20	3.92	-1.200	-0.0006	-2.5 to 2.5	Pass
				-10	3.92	-1.800	-0.0010	-2.5 to 2.5	Pass
				0	3.92	-2.800	-0.0015	-2.5 to 2.5	Pass
				10	3.92	-0.500	-0.0003	-2.5 to 2.5	Pass
	1902.5	75	0	30	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				40	3.92	-2.000	-0.0011	-2.5 to 2.5	Pass
				50	3.92	-3.800	-0.0020	-2.5 to 2.5	Pass
				20	3.3	-1.800	-0.0009	-2.5 to 2.5	Pass
					3.92	-3.400	-0.0018	-2.5 to 2.5	Pass
					4.53	-2.400	-0.0013	-2.5 to 2.5	Pass
				-30	3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
				-20	3.92	-0.600	-0.0003	-2.5 to 2.5	Pass
				-10	3.92	-5.800	-0.0030	-2.5 to 2.5	Pass
				0	3.92	-5.700	-0.0030	-2.5 to 2.5	Pass
64QAM	1857.5	75	0	10	3.92	-3.200	-0.0017	-2.5 to 2.5	Pass
				30	3.92	-0.500	-0.0003	-2.5 to 2.5	Pass
				40	3.92	-1.800	-0.0009	-2.5 to 2.5	Pass
				50	3.92	-5.300	-0.0028	-2.5 to 2.5	Pass
				20	3.3	0.500	0.0003	-2.5 to 2.5	Pass
					3.92	4.600	0.0025	-2.5 to 2.5	Pass
					4.53	-2.600	-0.0014	-2.5 to 2.5	Pass
				-30	3.92	2.200	0.0012	-2.5 to 2.5	Pass
				-20	3.92	-7.500	-0.0040	-2.5 to 2.5	Pass
				-10	3.92	-0.200	-0.0001	-2.5 to 2.5	Pass
	1880	75	0	0	3.92	1.500	0.0008	-2.5 to 2.5	Pass
				10	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				30	3.92	-0.400	-0.0002	-2.5 to 2.5	Pass
				40	3.92	1.000	0.0005	-2.5 to 2.5	Pass
				50	3.92	-5.000	-0.0027	-2.5 to 2.5	Pass
				20	3.3	1.800	0.0010	-2.5 to 2.5	Pass
					3.92	-2.300	-0.0012	-2.5 to 2.5	Pass
					4.53	-4.300	-0.0023	-2.5 to 2.5	Pass
				-30	3.92	-0.500	-0.0003	-2.5 to 2.5	Pass
				-20	3.92	0.500	0.0003	-2.5 to 2.5	Pass
				-10	3.92	-3.900	-0.0021	-2.5 to 2.5	Pass
	1902.5	75	0	0	3.92	-0.500	-0.0003	-2.5 to 2.5	Pass
				10	3.92	-2.900	-0.0015	-2.5 to 2.5	Pass
				30	3.92	1.700	0.0009	-2.5 to 2.5	Pass
				40	3.92	-3.100	-0.0016	-2.5 to 2.5	Pass
				50	3.92	-3.000	-0.0016	-2.5 to 2.5	Pass
				20	3.3	0.100	0.0001	-2.5 to 2.5	Pass
					3.92	-2.000	-0.0011	-2.5 to 2.5	Pass
					4.53	-0.500	-0.0003	-2.5 to 2.5	Pass

				-30	3.92	0.200	0.0001	-2.5 to 2.5	Pass
				-20	3.92	0.300	0.0002	-2.5 to 2.5	Pass
				-10	3.92	2.100	0.0011	-2.5 to 2.5	Pass
				0	3.92	-4.200	-0.0022	-2.5 to 2.5	Pass
				10	3.92	-2.000	-0.0011	-2.5 to 2.5	Pass
				30	3.92	-1.600	-0.0008	-2.5 to 2.5	Pass
				40	3.92	-3.400	-0.0018	-2.5 to 2.5	Pass
				50	3.92	-5.500	-0.0029	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.3	-2.900	-0.0016	-2.5 to 2.5	Pass
					3.92	-0.300	-0.0002	-2.5 to 2.5	Pass
					4.53	2.300	0.0012	-2.5 to 2.5	Pass
				-30	3.92	-2.700	-0.0015	-2.5 to 2.5	Pass
				-20	3.92	-1.800	-0.0010	-2.5 to 2.5	Pass
				-10	3.92	-2.400	-0.0013	-2.5 to 2.5	Pass
				0	3.92	0.200	0.0001	-2.5 to 2.5	Pass
				10	3.92	-1.600	-0.0009	-2.5 to 2.5	Pass
				30	3.92	-1.000	-0.0005	-2.5 to 2.5	Pass
				40	3.92	-5.900	-0.0032	-2.5 to 2.5	Pass
				50	3.92	-1.500	-0.0008	-2.5 to 2.5	Pass
	1880	100	0	20	3.3	3.600	0.0019	-2.5 to 2.5	Pass
					3.92	-1.500	-0.0008	-2.5 to 2.5	Pass
					4.53	0.100	0.0001	-2.5 to 2.5	Pass
				-30	3.92	3.800	0.0020	-2.5 to 2.5	Pass
				-20	3.92	-1.700	-0.0009	-2.5 to 2.5	Pass
				-10	3.92	5.200	0.0028	-2.5 to 2.5	Pass
				0	3.92	6.100	0.0032	-2.5 to 2.5	Pass
				10	3.92	2.100	0.0011	-2.5 to 2.5	Pass
				30	3.92	3.000	0.0016	-2.5 to 2.5	Pass
				40	3.92	-0.400	-0.0002	-2.5 to 2.5	Pass
				50	3.92	1.100	0.0006	-2.5 to 2.5	Pass
	1900	100	0	20	3.3	2.200	0.0012	-2.5 to 2.5	Pass
					3.92	2.500	0.0013	-2.5 to 2.5	Pass
					4.53	-0.500	-0.0003	-2.5 to 2.5	Pass
				-30	3.92	-0.300	-0.0002	-2.5 to 2.5	Pass
				-20	3.92	-0.300	-0.0002	-2.5 to 2.5	Pass
				-10	3.92	2.100	0.0011	-2.5 to 2.5	Pass
				0	3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
				10	3.92	4.200	0.0022	-2.5 to 2.5	Pass
				30	3.92	2.200	0.0012	-2.5 to 2.5	Pass
				40	3.92	1.300	0.0007	-2.5 to 2.5	Pass
				50	3.92	2.700	0.0014	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.3	0.900	0.0005	-2.5 to 2.5	Pass
					3.92	-5.700	-0.0031	-2.5 to 2.5	Pass
					4.53	-3.900	-0.0021	-2.5 to 2.5	Pass
				-30	3.92	-1.100	-0.0006	-2.5 to 2.5	Pass
				-20	3.92	-4.000	-0.0022	-2.5 to 2.5	Pass
				-10	3.92	0.600	0.0003	-2.5 to 2.5	Pass
				0	3.92	-4.600	-0.0025	-2.5 to 2.5	Pass
				10	3.92	0.900	0.0005	-2.5 to 2.5	Pass
				30	3.92	-3.700	-0.0020	-2.5 to 2.5	Pass
				40	3.92	-3.300	-0.0018	-2.5 to 2.5	Pass

				50	3.92	-4.300	-0.0023	-2.5 to 2.5	Pass
	1880	100	0	20	3.3	4.400	0.0023	-2.5 to 2.5	Pass
					3.92	1.500	0.0008	-2.5 to 2.5	Pass
					4.53	0.900	0.0005	-2.5 to 2.5	Pass
					-30	3.92	0.000	0.0000	-2.5 to 2.5
				-20	3.92	-1.100	-0.0006	-2.5 to 2.5	Pass
				-10	3.92	-1.500	-0.0008	-2.5 to 2.5	Pass
				0	3.92	5.400	0.0029	-2.5 to 2.5	Pass
				10	3.92	2.900	0.0015	-2.5 to 2.5	Pass
				30	3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
				40	3.92	1.700	0.0009	-2.5 to 2.5	Pass
	50	3.92	-1.800	-0.0010	-2.5 to 2.5	Pass			
	1900	100	0	20	3.3	3.300	0.0017	-2.5 to 2.5	Pass
					3.92	2.700	0.0014	-2.5 to 2.5	Pass
					4.53	3.900	0.0021	-2.5 to 2.5	Pass
				-30	3.92	4.000	0.0021	-2.5 to 2.5	Pass
				-20	3.92	0.800	0.0004	-2.5 to 2.5	Pass
				-10	3.92	-0.400	-0.0002	-2.5 to 2.5	Pass
				0	3.92	3.100	0.0016	-2.5 to 2.5	Pass
				10	3.92	2.600	0.0014	-2.5 to 2.5	Pass
				30	3.92	1.000	0.0005	-2.5 to 2.5	Pass
				40	3.92	1.700	0.0009	-2.5 to 2.5	Pass
50	3.92	-0.500	-0.0003	-2.5 to 2.5	Pass				
64QAM	1860	100	0	20	3.3	0.800	0.0004	-2.5 to 2.5	Pass
					3.92	-0.900	-0.0005	-2.5 to 2.5	Pass
					4.53	-5.700	-0.0031	-2.5 to 2.5	Pass
				-30	3.92	-2.200	-0.0012	-2.5 to 2.5	Pass
				-20	3.92	-3.100	-0.0017	-2.5 to 2.5	Pass
				-10	3.92	-10.500	-0.0056	-2.5 to 2.5	Pass
				0	3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.92	2.200	0.0012	-2.5 to 2.5	Pass
				30	3.92	1.900	0.0010	-2.5 to 2.5	Pass
				40	3.92	-10.600	-0.0057	-2.5 to 2.5	Pass
	50	3.92	-11.700	-0.0063	-2.5 to 2.5	Pass			
	1880	100	0	20	3.3	0.300	0.0002	-2.5 to 2.5	Pass
					3.92	-3.400	-0.0018	-2.5 to 2.5	Pass
					4.53	-2.900	-0.0015	-2.5 to 2.5	Pass
				-30	3.92	-4.600	-0.0024	-2.5 to 2.5	Pass
				-20	3.92	-3.500	-0.0019	-2.5 to 2.5	Pass
				-10	3.92	-1.300	-0.0007	-2.5 to 2.5	Pass
				0	3.92	0.200	0.0001	-2.5 to 2.5	Pass
				10	3.92	-3.800	-0.0020	-2.5 to 2.5	Pass
				30	3.92	-0.600	-0.0003	-2.5 to 2.5	Pass
				40	3.92	-3.600	-0.0019	-2.5 to 2.5	Pass
	50	3.92	-2.200	-0.0012	-2.5 to 2.5	Pass			
	1900	100	0	20	3.3	3.500	0.0018	-2.5 to 2.5	Pass
					3.92	4.400	0.0023	-2.5 to 2.5	Pass
					4.53	3.500	0.0018	-2.5 to 2.5	Pass
				-30	3.92	-0.200	-0.0001	-2.5 to 2.5	Pass
				-20	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				-10	3.92	2.400	0.0013	-2.5 to 2.5	Pass
				0	3.92	4.300	0.0023	-2.5 to 2.5	Pass
				10	3.92	0.200	0.0001	-2.5 to 2.5	Pass
				30	3.92	1.900	0.0010	-2.5 to 2.5	Pass
				40	3.92	3.700	0.0019	-2.5 to 2.5	Pass
	50	3.92	2.500	0.0013	-2.5 to 2.5	Pass			

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.116	/	Pass
		1880	6	0	1.113	/	Pass
		1909.3	6	0	1.110	/	Pass
	16QAM	1850.7	6	0	1.117	/	Pass
		1880	6	0	1.119	/	Pass
		1909.3	6	0	1.123	/	Pass
	64QAM	1850.7	6	0	1.118	/	Pass
		1880	6	0	1.121	/	Pass
		1909.3	6	0	1.114	/	Pass
3	QPSK	1851.5	15	0	2.736	/	Pass
		1880	15	0	2.719	/	Pass
		1908.5	15	0	2.724	/	Pass
	16QAM	1851.5	15	0	2.723	/	Pass
		1880	15	0	2.730	/	Pass
		1908.5	15	0	2.725	/	Pass
	64QAM	1851.5	15	0	2.723	/	Pass
		1880	15	0	2.729	/	Pass
		1908.5	15	0	2.722	/	Pass
5	QPSK	1852.5	25	0	4.564	/	Pass
		1880	25	0	4.545	/	Pass
		1907.5	25	0	4.540	/	Pass
	16QAM	1852.5	25	0	4.535	/	Pass
		1880	25	0	4.535	/	Pass
		1907.5	25	0	4.541	/	Pass
	64QAM	1852.5	25	0	4.546	/	Pass
		1880	25	0	4.542	/	Pass
		1907.5	25	0	4.542	/	Pass
10	QPSK	1855	50	0	9.031	/	Pass
		1880	50	0	9.048	/	Pass
		1905	50	0	9.068	/	Pass
	16QAM	1855	50	0	9.042	/	Pass
		1880	50	0	9.044	/	Pass
		1905	50	0	9.008	/	Pass
	64QAM	1855	50	0	9.041	/	Pass
		1880	50	0	9.052	/	Pass
		1905	50	0	9.043	/	Pass
15	QPSK	1857.5	75	0	13.588	/	Pass
		1880	75	0	13.594	/	Pass
		1902.5	75	0	13.565	/	Pass
	16QAM	1857.5	75	0	13.583	/	Pass
		1880	75	0	13.590	/	Pass
		1902.5	75	0	13.533	/	Pass
	64QAM	1857.5	75	0	13.562	/	Pass
		1880	75	0	13.575	/	Pass
		1902.5	75	0	13.513	/	Pass
20	QPSK	1860	100	0	18.040	/	Pass
		1880	100	0	18.083	/	Pass
		1900	100	0	18.009	/	Pass
	16QAM	1860	100	0	18.079	/	Pass

	64QAM	1880	100	0	18.148	/	Pass
		1900	100	0	18.057	/	Pass
		1860	100	0	18.080	/	Pass
		1880	100	0	18.060	/	Pass
		1900	100	0	18.028	/	Pass


3.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.325	/	Pass
		1880	6	0	1.300	/	Pass
		1909.3	6	0	1.297	/	Pass
	16QAM	1850.7	6	0	1.325	/	Pass
		1880	6	0	1.324	/	Pass
		1909.3	6	0	1.332	/	Pass
	64QAM	1850.7	6	0	1.347	/	Pass
		1880	6	0	1.341	/	Pass
		1909.3	6	0	1.329	/	Pass
3	QPSK	1851.5	15	0	3.034	/	Pass
		1880	15	0	3.006	/	Pass
		1908.5	15	0	3.018	/	Pass
	16QAM	1851.5	15	0	3.018	/	Pass
		1880	15	0	3.028	/	Pass
		1908.5	15	0	3.017	/	Pass
	64QAM	1851.5	15	0	3.010	/	Pass
		1880	15	0	3.015	/	Pass
		1908.5	15	0	3.018	/	Pass
5	QPSK	1852.5	25	0	5.007	/	Pass
		1880	25	0	5.061	/	Pass
		1907.5	25	0	5.052	/	Pass
	16QAM	1852.5	25	0	5.073	/	Pass
		1880	25	0	5.026	/	Pass
		1907.5	25	0	4.976	/	Pass
	64QAM	1852.5	25	0	5.009	/	Pass
		1880	25	0	5.034	/	Pass
		1907.5	25	0	5.023	/	Pass
10	QPSK	1855	50	0	9.974	/	Pass
		1880	50	0	9.946	/	Pass
		1905	50	0	9.919	/	Pass
	16QAM	1855	50	0	9.952	/	Pass
		1880	50	0	9.901	/	Pass
		1905	50	0	9.914	/	Pass
	64QAM	1855	50	0	9.953	/	Pass
		1880	50	0	9.985	/	Pass
		1905	50	0	9.948	/	Pass
15	QPSK	1857.5	75	0	14.925	/	Pass
		1880	75	0	14.955	/	Pass
		1902.5	75	0	15.525	/	Pass
	16QAM	1857.5	75	0	15.025	/	Pass
		1880	75	0	14.912	/	Pass
		1902.5	75	0	14.900	/	Pass
	64QAM	1857.5	75	0	14.841	/	Pass
		1880	75	0	14.922	/	Pass
		1902.5	75	0	14.933	/	Pass
20	QPSK	1860	100	0	19.825	/	Pass


		1880	100	0	19.689	/	Pass
		1900	100	0	19.693	/	Pass
	16QAM	1860	100	0	19.692	/	Pass
		1880	100	0	19.767	/	Pass
		1900	100	0	19.735	/	Pass
	64QAM	1860	100	0	19.826	/	Pass
		1880	100	0	19.790	/	Pass
		1900	100	0	19.770	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 64QAM MCH 1880MHz RB 15 0 NTNV




Band2_3MHz_64QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTN




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2 5MHz 64QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 64QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 64QAM HCH 1907.5MHz RB 25 0 NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2 10MHz QPSK MCH 1880MHz RB 50_0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50_0 NTN




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 64QAM LCH 1857.5MHz RB 75 0 NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2 15MHz 64QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




Band2_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV




Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV




Band2_20MHz_64QAM_HCH_1900MHz_RB_100_0_NTNV




3.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 64QAM MCH 1880MHz RB 15 0 NTNV




Band2_3MHz_64QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2 5MHz 64QAM HCH 1907.5MHz RB 25 0 NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 64QAM LCH 1857.5MHz RB 75 0 NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2 15MHz 64QAM HCH 1902.5MHz RB 75 0 NTN




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTN




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 64QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTN



Band2_20MHz_64QAM_HCH_1900MHz_RB_100_0 NTN



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	4.93	<=13	Pass
	1880	6	0	5.10	<=13	Pass
	1909.3	6	0	4.89	<=13	Pass
16QAM	1850.7	6	0	5.75	<=13	Pass
	1880	6	0	5.90	<=13	Pass
	1909.3	6	0	5.74	<=13	Pass
64QAM	1850.7	6	0	6.16	<=13	Pass
	1880	6	0	6.24	<=13	Pass
	1909.3	6	0	6.21	<=13	Pass

4.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.02	<=13	Pass
	1880	15	0	5.20	<=13	Pass
	1908.5	15	0	5.06	<=13	Pass
16QAM	1851.5	15	0	5.88	<=13	Pass
	1880	15	0	6.01	<=13	Pass
	1908.5	15	0	5.90	<=13	Pass
64QAM	1851.5	15	0	6.20	<=13	Pass
	1880	15	0	6.29	<=13	Pass
	1908.5	15	0	6.24	<=13	Pass

4.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.22	<=13	Pass
	1880	25	0	5.35	<=13	Pass
	1907.5	25	0	5.23	<=13	Pass
16QAM	1852.5	25	0	5.94	<=13	Pass
	1880	25	0	6.01	<=13	Pass
	1907.5	25	0	5.91	<=13	Pass
64QAM	1852.5	25	0	6.29	<=13	Pass
	1880	25	0	6.34	<=13	Pass
	1907.5	25	0	6.28	<=13	Pass

4.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.36	<=13	Pass
	1880	50	0	5.40	<=13	Pass
	1905	50	0	5.30	<=13	Pass
16QAM	1855	50	0	6.01	<=13	Pass
	1880	50	0	6.06	<=13	Pass
	1905	50	0	5.97	<=13	Pass
64QAM	1855	50	0	6.31	<=13	Pass
	1880	50	0	6.34	<=13	Pass
	1905	50	0	6.28	<=13	Pass

4.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.17	<=13	Pass
	1880	75	0	5.19	<=13	Pass
	1902.5	75	0	5.15	<=13	Pass
16QAM	1857.5	75	0	5.92	<=13	Pass
	1880	75	0	5.91	<=13	Pass
	1902.5	75	0	5.86	<=13	Pass
64QAM	1857.5	75	0	6.30	<=13	Pass
	1880	75	0	6.27	<=13	Pass
	1902.5	75	0	6.25	<=13	Pass

4.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.25	<=13	Pass
	1880	100	0	5.29	<=13	Pass
	1900	100	0	5.28	<=13	Pass
16QAM	1860	100	0	6.03	<=13	Pass
	1880	100	0	6.03	<=13	Pass
	1900	100	0	6.06	<=13	Pass
64QAM	1860	100	0	6.32	<=13	Pass
	1880	100	0	6.33	<=13	Pass
	1900	100	0	6.36	<=13	Pass

4.2 Test Graph


4.2.1 B2_1.4MHz




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM HCH 1909.3MHz RB 6 0 NTV




4.2.2 B2_3MHz




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTN




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTN




Band2 3MHz 64QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 64QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 64QAM HCH 1908.5MHz RB 15 0 NTNV




4.2.3 B2_5MHz




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV



Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2 5MHz 64QAM HCH 1907.5MHz RB 25 0 NTV




4.2.4 B2_10MHz


Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTN




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2 10MHz 64QAM HCH 1905MHz RB 50 0 NTNV




4.2.5 B2_15MHz




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 64QAM LCH 1857.5MHz RB 75 0 NTNV



Band2 15MHz 64QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 64QAM HCH 1902.5MHz RB 75 0 NTNV




4.2.6 B2_20MHz


Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




Band2_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV



Band2 20MHz 64QAM HCH 1900MHz RB 100 0 NTV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
64QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
64QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
64QAM	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
	50	0	Refer To Test Graph		Pass	
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
	50	0	Refer To Test Graph		Pass	
64QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
	50	0	Refer To Test Graph		Pass	

5.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass


		75	0	Refer To Test Graph	Pass
16QAM	1857.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1902.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
64QAM	1857.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1902.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1860	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass
		1	99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
16QAM	1860	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass
		1	99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
64QAM	1860	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass
		1	99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-28.29	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-31.15	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-28.42	-13	Pass
1911	1913	1	CHP	2	1911.500	-40.47	-13	Pass

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.005	-32.38	-13	Pass
1911	1913	1	CHP	2	1911.500	-27.91	-13	Pass

Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.498	-37.88	-13	Pass
1849	1850	0.003	/	2	1849.985	-26.70	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV



Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-29.38	-13	Pass
1849	1850	0.013	CHP	2	1849.990	-32.00	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV



Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.014	-27.16	-13	Pass
1911	1913	1	CHP	2	1911.500	-40.53	-13	Pass

Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.015	-32.59	-13	Pass
1911	1913	1	CHP	2	1911.500	-29.46	-13	Pass

Band2 1.4MHz 64QAM LCH 1850.7MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-41.98	-13	Pass
1849	1850	0.003	/	2	1849.993	-31.85	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2 1.4MHz 64QAM LCH 1850.7MHz RB 1 0 NTNV



Band2 1.4MHz 64QAM LCH 1850.7MHz RB 1 0 NTV



Band2 1.4MHz 64QAM LCH 1850.7MHz RB 6 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-31.04	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-34.91	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/