

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	23.67	PASS
Band2	1.4	18607	1	#Mid	QPSK	23.58	PASS
Band2	1.4	18607	1	#Max	QPSK	23.25	PASS
Band2	1.4	18607	3	#0	QPSK	23.53	PASS
Band2	1.4	18607	3	#Mid	QPSK	23.58	PASS
Band2	1.4	18607	3	#Max	QPSK	23.52	PASS
Band2	1.4	18607	6	#0	QPSK	22.46	PASS
Band2	1.4	18607	1	#0	QAM16	23.47	PASS
Band2	1.4	18607	1	#Mid	QAM16	23.47	PASS
Band2	1.4	18607	1	#Max	QAM16	23.49	PASS
Band2	1.4	18607	3	#0	QAM16	22.74	PASS
Band2	1.4	18607	3	#Mid	QAM16	22.76	PASS
Band2	1.4	18607	3	#Max	QAM16	22.71	PASS
Band2	1.4	18607	6	#0	QAM16	21.60	PASS
Band2	1.4	18900	1	#0	QPSK	23.66	PASS
Band2	1.4	18900	1	#Mid	QPSK	23.62	PASS
Band2	1.4	18900	1	#Max	QPSK	23.69	PASS
Band2	1.4	18900	3	#0	QPSK	23.56	PASS
Band2	1.4	18900	3	#Mid	QPSK	23.61	PASS
Band2	1.4	18900	3	#Max	QPSK	23.55	PASS
Band2	1.4	18900	6	#0	QPSK	22.50	PASS
Band2	1.4	18900	1	#0	QAM16	22.70	PASS
Band2	1.4	18900	1	#Mid	QAM16	22.58	PASS
Band2	1.4	18900	1	#Max	QAM16	22.60	PASS
Band2	1.4	18900	3	#0	QAM16	22.56	PASS
Band2	1.4	18900	3	#Mid	QAM16	22.61	PASS
Band2	1.4	18900	3	#Max	QAM16	22.55	PASS
Band2	1.4	18900	6	#0	QAM16	21.62	PASS
Band2	1.4	19193	1	#0	QPSK	23.81	PASS
Band2	1.4	19193	1	#Mid	QPSK	23.76	PASS
Band2	1.4	19193	1	#Max	QPSK	23.76	PASS
Band2	1.4	19193	3	#0	QPSK	23.68	PASS
Band2	1.4	19193	3	#Mid	QPSK	23.67	PASS
Band2	1.4	19193	3	#Max	QPSK	23.69	PASS
Band2	1.4	19193	6	#0	QPSK	22.64	PASS
Band2	1.4	19193	1	#0	QAM16	22.98	PASS
Band2	1.4	19193	1	#Mid	QAM16	23.02	PASS
Band2	1.4	19193	1	#Max	QAM16	22.96	PASS
Band2	1.4	19193	3	#0	QAM16	23.07	PASS
Band2	1.4	19193	3	#Mid	QAM16	22.97	PASS
Band2	1.4	19193	3	#Max	QAM16	22.96	PASS

Band2	1.4	19193	6	#0	QAM16	21.89	PASS
Band2	3	18615	1	#0	QPSK	23.52	PASS
Band2	3	18615	1	#Mid	QPSK	23.57	PASS
Band2	3	18615	1	#Max	QPSK	22.69	PASS
Band2	3	18615	8	#0	QPSK	22.45	PASS
Band2	3	18615	8	#Mid	QPSK	22.47	PASS
Band2	3	18615	8	#Max	QPSK	22.44	PASS
Band2	3	18615	15	#0	QPSK	22.43	PASS
Band2	3	18615	1	#0	QAM16	23.52	PASS
Band2	3	18615	1	#Mid	QAM16	23.42	PASS
Band2	3	18615	1	#Max	QAM16	23.45	PASS
Band2	3	18615	8	#0	QAM16	21.42	PASS
Band2	3	18615	8	#Mid	QAM16	21.48	PASS
Band2	3	18615	8	#Max	QAM16	21.35	PASS
Band2	3	18615	15	#0	QAM16	21.62	PASS
Band2	3	18900	1	#0	QPSK	23.69	PASS
Band2	3	18900	1	#Mid	QPSK	23.62	PASS
Band2	3	18900	1	#Max	QPSK	23.69	PASS
Band2	3	18900	8	#0	QPSK	22.55	PASS
Band2	3	18900	8	#Mid	QPSK	22.61	PASS
Band2	3	18900	8	#Max	QPSK	22.59	PASS
Band2	3	18900	15	#0	QPSK	22.58	PASS
Band2	3	18900	1	#0	QAM16	22.66	PASS
Band2	3	18900	1	#Mid	QAM16	22.66	PASS
Band2	3	18900	1	#Max	QAM16	22.67	PASS
Band2	3	18900	8	#0	QAM16	21.68	PASS
Band2	3	18900	8	#Mid	QAM16	21.68	PASS
Band2	3	18900	8	#Max	QAM16	21.98	PASS
Band2	3	18900	15	#0	QAM16	21.51	PASS
Band2	3	19185	1	#0	QPSK	23.78	PASS
Band2	3	19185	1	#Mid	QPSK	23.81	PASS
Band2	3	19185	1	#Max	QPSK	23.77	PASS
Band2	3	19185	8	#0	QPSK	22.56	PASS
Band2	3	19185	8	#Mid	QPSK	22.61	PASS
Band2	3	19185	8	#Max	QPSK	22.61	PASS
Band2	3	19185	15	#0	QPSK	22.61	PASS
Band2	3	19185	1	#0	QAM16	23.03	PASS
Band2	3	19185	1	#Mid	QAM16	23.04	PASS
Band2	3	19185	1	#Max	QAM16	23.02	PASS
Band2	3	19185	8	#0	QAM16	21.68	PASS
Band2	3	19185	8	#Mid	QAM16	21.71	PASS
Band2	3	19185	8	#Max	QAM16	21.74	PASS
Band2	3	19185	15	#0	QAM16	21.71	PASS
Band2	5	18625	1	#0	QPSK	23.40	PASS

Band2	5	18625	1	#Mid	QPSK	23.34	PASS
Band2	5	18625	1	#Max	QPSK	23.35	PASS
Band2	5	18625	12	#0	QPSK	22.53	PASS
Band2	5	18625	12	#Mid	QPSK	22.41	PASS
Band2	5	18625	12	#Max	QPSK	22.44	PASS
Band2	5	18625	25	#0	QPSK	22.53	PASS
Band2	5	18625	1	#0	QAM16	22.80	PASS
Band2	5	18625	1	#Mid	QAM16	22.65	PASS
Band2	5	18625	1	#Max	QAM16	22.72	PASS
Band2	5	18625	12	#0	QAM16	21.44	PASS
Band2	5	18625	12	#Mid	QAM16	21.36	PASS
Band2	5	18625	12	#Max	QAM16	21.45	PASS
Band2	5	18625	25	#0	QAM16	21.58	PASS
Band2	5	18900	1	#0	QPSK	23.64	PASS
Band2	5	18900	1	#Mid	QPSK	23.63	PASS
Band2	5	18900	1	#Max	QPSK	23.64	PASS
Band2	5	18900	12	#0	QPSK	22.51	PASS
Band2	5	18900	12	#Mid	QPSK	22.60	PASS
Band2	5	18900	12	#Max	QPSK	22.50	PASS
Band2	5	18900	25	#0	QPSK	22.56	PASS
Band2	5	18900	1	#0	QAM16	22.24	PASS
Band2	5	18900	1	#Mid	QAM16	22.27	PASS
Band2	5	18900	1	#Max	QAM16	22.23	PASS
Band2	5	18900	12	#0	QAM16	21.47	PASS
Band2	5	18900	12	#Mid	QAM16	21.54	PASS
Band2	5	18900	12	#Max	QAM16	21.82	PASS
Band2	5	18900	25	#0	QAM16	21.70	PASS
Band2	5	19175	1	#0	QPSK	23.50	PASS
Band2	5	19175	1	#Mid	QPSK	23.49	PASS
Band2	5	19175	1	#Max	QPSK	23.51	PASS
Band2	5	19175	12	#0	QPSK	22.57	PASS
Band2	5	19175	12	#Mid	QPSK	22.58	PASS
Band2	5	19175	12	#Max	QPSK	22.53	PASS
Band2	5	19175	25	#0	QPSK	22.73	PASS
Band2	5	19175	1	#0	QAM16	22.64	PASS
Band2	5	19175	1	#Mid	QAM16	22.62	PASS
Band2	5	19175	1	#Max	QAM16	22.66	PASS
Band2	5	19175	12	#0	QAM16	21.72	PASS
Band2	5	19175	12	#Mid	QAM16	21.72	PASS
Band2	5	19175	12	#Max	QAM16	21.64	PASS
Band2	5	19175	25	#0	QAM16	21.67	PASS
Band2	10	18650	1	#0	QPSK	23.46	PASS
Band2	10	18650	1	#Mid	QPSK	23.49	PASS
Band2	10	18650	1	#Max	QPSK	23.52	PASS

Band2	10	18650	25	#0	QPSK	22.36	PASS
Band2	10	18650	25	#Mid	QPSK	22.44	PASS
Band2	10	18650	25	#Max	QPSK	22.51	PASS
Band2	10	18650	50	#0	QPSK	22.46	PASS
Band2	10	18650	1	#0	QAM16	23.62	PASS
Band2	10	18650	1	#Mid	QAM16	23.65	PASS
Band2	10	18650	1	#Max	QAM16	23.75	PASS
Band2	10	18650	25	#0	QAM16	21.40	PASS
Band2	10	18650	25	#Mid	QAM16	21.43	PASS
Band2	10	18650	25	#Max	QAM16	21.80	PASS
Band2	10	18650	50	#0	QAM16	21.58	PASS
Band2	10	18900	1	#0	QPSK	23.50	PASS
Band2	10	18900	1	#Mid	QPSK	23.50	PASS
Band2	10	18900	1	#Max	QPSK	23.59	PASS
Band2	10	18900	25	#0	QPSK	22.60	PASS
Band2	10	18900	25	#Mid	QPSK	22.51	PASS
Band2	10	18900	25	#Max	QPSK	22.59	PASS
Band2	10	18900	50	#0	QPSK	22.67	PASS
Band2	10	18900	1	#0	QAM16	22.62	PASS
Band2	10	18900	1	#Mid	QAM16	22.59	PASS
Band2	10	18900	1	#Max	QAM16	22.71	PASS
Band2	10	18900	25	#0	QAM16	21.90	PASS
Band2	10	18900	25	#Mid	QAM16	21.65	PASS
Band2	10	18900	25	#Max	QAM16	21.62	PASS
Band2	10	18900	50	#0	QAM16	21.72	PASS
Band2	10	19150	1	#0	QPSK	23.89	PASS
Band2	10	19150	1	#Mid	QPSK	23.85	PASS
Band2	10	19150	1	#Max	QPSK	23.84	PASS
Band2	10	19150	25	#0	QPSK	22.57	PASS
Band2	10	19150	25	#Mid	QPSK	22.55	PASS
Band2	10	19150	25	#Max	QPSK	22.62	PASS
Band2	10	19150	50	#0	QPSK	22.66	PASS
Band2	10	19150	1	#0	QAM16	22.65	PASS
Band2	10	19150	1	#Mid	QAM16	22.63	PASS
Band2	10	19150	1	#Max	QAM16	22.66	PASS
Band2	10	19150	25	#0	QAM16	21.66	PASS
Band2	10	19150	25	#Mid	QAM16	21.64	PASS
Band2	10	19150	25	#Max	QAM16	21.69	PASS
Band2	10	19150	50	#0	QAM16	21.64	PASS
Band2	15	18675	1	#0	QPSK	23.52	PASS
Band2	15	18675	1	#Mid	QPSK	23.44	PASS
Band2	15	18675	1	#Max	QPSK	23.50	PASS
Band2	15	18675	36	#0	QPSK	22.51	PASS
Band2	15	18675	36	#Mid	QPSK	22.52	PASS

Band2	15	18675	36	#Max	QPSK	22.55	PASS
Band2	15	18675	75	#0	QPSK	22.56	PASS
Band2	15	18675	1	#0	QAM16	23.68	PASS
Band2	15	18675	1	#Mid	QAM16	23.63	PASS
Band2	15	18675	1	#Max	QAM16	23.71	PASS
Band2	15	18675	36	#0	QAM16	21.56	PASS
Band2	15	18675	36	#Mid	QAM16	21.86	PASS
Band2	15	18675	36	#Max	QAM16	21.60	PASS
Band2	15	18675	75	#0	QAM16	21.90	PASS
Band2	15	18900	1	#0	QPSK	23.61	PASS
Band2	15	18900	1	#Mid	QPSK	23.73	PASS
Band2	15	18900	1	#Max	QPSK	23.68	PASS
Band2	15	18900	36	#0	QPSK	22.47	PASS
Band2	15	18900	36	#Mid	QPSK	22.56	PASS
Band2	15	18900	36	#Max	QPSK	22.58	PASS
Band2	15	18900	75	#0	QPSK	22.46	PASS
Band2	15	18900	1	#0	QAM16	22.57	PASS
Band2	15	18900	1	#Mid	QAM16	22.66	PASS
Band2	15	18900	1	#Max	QAM16	22.64	PASS
Band2	15	18900	36	#0	QAM16	22.03	PASS
Band2	15	18900	36	#Mid	QAM16	21.66	PASS
Band2	15	18900	36	#Max	QAM16	21.73	PASS
Band2	15	18900	75	#0	QAM16	21.55	PASS
Band2	15	19125	1	#0	QPSK	23.51	PASS
Band2	15	19125	1	#Mid	QPSK	23.56	PASS
Band2	15	19125	1	#Max	QPSK	23.50	PASS
Band2	15	19125	36	#0	QPSK	22.65	PASS
Band2	15	19125	36	#Mid	QPSK	22.53	PASS
Band2	15	19125	36	#Max	QPSK	22.67	PASS
Band2	15	19125	75	#0	QPSK	22.57	PASS
Band2	15	19125	1	#0	QAM16	23.28	PASS
Band2	15	19125	1	#Mid	QAM16	23.22	PASS
Band2	15	19125	1	#Max	QAM16	23.26	PASS
Band2	15	19125	36	#0	QAM16	21.68	PASS
Band2	15	19125	36	#Mid	QAM16	21.67	PASS
Band2	15	19125	36	#Max	QAM16	21.70	PASS
Band2	15	19125	75	#0	QAM16	21.76	PASS
Band2	20	18700	1	#0	QPSK	23.61	PASS
Band2	20	18700	1	#Mid	QPSK	23.59	PASS
Band2	20	18700	1	#Max	QPSK	23.71	PASS
Band2	20	18700	50	#0	QPSK	22.57	PASS
Band2	20	18700	50	#Mid	QPSK	22.55	PASS
Band2	20	18700	50	#Max	QPSK	22.54	PASS
Band2	20	18700	100	#0	QPSK	22.50	PASS

Band2	20	18700	1	#0	QAM16	22.18	PASS
Band2	20	18700	1	#Mid	QAM16	22.19	PASS
Band2	20	18700	1	#Max	QAM16	22.26	PASS
Band2	20	18700	50	#0	QAM16	21.67	PASS
Band2	20	18700	50	#Mid	QAM16	21.67	PASS
Band2	20	18700	50	#Max	QAM16	22.10	PASS
Band2	20	18700	100	#0	QAM16	21.62	PASS
Band2	20	18900	1	#0	QPSK	23.50	PASS
Band2	20	18900	1	#Mid	QPSK	23.57	PASS
Band2	20	18900	1	#Max	QPSK	23.61	PASS
Band2	20	18900	50	#0	QPSK	22.58	PASS
Band2	20	18900	50	#Mid	QPSK	22.62	PASS
Band2	20	18900	50	#Max	QPSK	22.56	PASS
Band2	20	18900	100	#0	QPSK	22.57	PASS
Band2	20	18900	1	#0	QAM16	22.14	PASS
Band2	20	18900	1	#Mid	QAM16	22.20	PASS
Band2	20	18900	1	#Max	QAM16	22.30	PASS
Band2	20	18900	50	#0	QAM16	21.70	PASS
Band2	20	18900	50	#Mid	QAM16	21.58	PASS
Band2	20	18900	50	#Max	QAM16	21.61	PASS
Band2	20	18900	100	#0	QAM16	21.54	PASS
Band2	20	19100	1	#0	QPSK	23.76	PASS
Band2	20	19100	1	#Mid	QPSK	23.75	PASS
Band2	20	19100	1	#Max	QPSK	23.78	PASS
Band2	20	19100	50	#0	QPSK	22.74	PASS
Band2	20	19100	50	#Mid	QPSK	22.63	PASS
Band2	20	19100	50	#Max	QPSK	22.56	PASS
Band2	20	19100	100	#0	QPSK	22.63	PASS
Band2	20	19100	1	#0	QAM16	22.54	PASS
Band2	20	19100	1	#Mid	QAM16	22.45	PASS
Band2	20	19100	1	#Max	QAM16	22.55	PASS
Band2	20	19100	50	#0	QAM16	21.69	PASS
Band2	20	19100	50	#Mid	QAM16	21.66	PASS
Band2	20	19100	50	#Max	QAM16	21.67	PASS
Band2	20	19100	100	#0	QAM16	21.71	PASS
Band4	1.4	19957	1	#0	QPSK	23.41	PASS
Band4	1.4	19957	1	#Mid	QPSK	23.41	PASS
Band4	1.4	19957	1	#Max	QPSK	23.46	PASS
Band4	1.4	19957	3	#0	QPSK	23.47	PASS
Band4	1.4	19957	3	#Mid	QPSK	23.42	PASS
Band4	1.4	19957	3	#Max	QPSK	23.36	PASS
Band4	1.4	19957	6	#0	QPSK	22.31	PASS
Band4	1.4	19957	1	#0	QAM16	23.41	PASS
Band4	1.4	19957	1	#Mid	QAM16	23.35	PASS

Band4	1.4	19957	1	#Max	QAM16	23.40	PASS
Band4	1.4	19957	3	#0	QAM16	22.57	PASS
Band4	1.4	19957	3	#Mid	QAM16	22.59	PASS
Band4	1.4	19957	3	#Max	QAM16	22.54	PASS
Band4	1.4	19957	6	#0	QAM16	21.48	PASS
Band4	1.4	20175	1	#0	QPSK	23.36	PASS
Band4	1.4	20175	1	#Mid	QPSK	23.40	PASS
Band4	1.4	20175	1	#Max	QPSK	23.37	PASS
Band4	1.4	20175	3	#0	QPSK	23.46	PASS
Band4	1.4	20175	3	#Mid	QPSK	23.39	PASS
Band4	1.4	20175	3	#Max	QPSK	23.43	PASS
Band4	1.4	20175	6	#0	QPSK	22.37	PASS
Band4	1.4	20175	1	#0	QAM16	23.02	PASS
Band4	1.4	20175	1	#Mid	QAM16	22.97	PASS
Band4	1.4	20175	1	#Max	QAM16	22.98	PASS
Band4	1.4	20175	3	#0	QAM16	22.50	PASS
Band4	1.4	20175	3	#Mid	QAM16	22.48	PASS
Band4	1.4	20175	3	#Max	QAM16	22.45	PASS
Band4	1.4	20175	6	#0	QAM16	21.32	PASS
Band4	1.4	20393	1	#0	QPSK	23.67	PASS
Band4	1.4	20393	1	#Mid	QPSK	23.59	PASS
Band4	1.4	20393	1	#Max	QPSK	23.68	PASS
Band4	1.4	20393	3	#0	QPSK	23.42	PASS
Band4	1.4	20393	3	#Mid	QPSK	23.48	PASS
Band4	1.4	20393	3	#Max	QPSK	23.43	PASS
Band4	1.4	20393	6	#0	QPSK	22.33	PASS
Band4	1.4	20393	1	#0	QAM16	22.82	PASS
Band4	1.4	20393	1	#Mid	QAM16	22.82	PASS
Band4	1.4	20393	1	#Max	QAM16	22.89	PASS
Band4	1.4	20393	3	#0	QAM16	22.81	PASS
Band4	1.4	20393	3	#Mid	QAM16	22.67	PASS
Band4	1.4	20393	3	#Max	QAM16	22.64	PASS
Band4	1.4	20393	6	#0	QAM16	21.52	PASS
Band4	3	19965	1	#0	QPSK	23.37	PASS
Band4	3	19965	1	#Mid	QPSK	23.41	PASS
Band4	3	19965	1	#Max	QPSK	22.15	PASS
Band4	3	19965	8	#0	QPSK	22.37	PASS
Band4	3	19965	8	#Mid	QPSK	22.37	PASS
Band4	3	19965	8	#Max	QPSK	22.36	PASS
Band4	3	19965	15	#0	QPSK	22.33	PASS
Band4	3	19965	1	#0	QAM16	23.42	PASS
Band4	3	19965	1	#Mid	QAM16	23.40	PASS
Band4	3	19965	1	#Max	QAM16	23.38	PASS
Band4	3	19965	8	#0	QAM16	21.34	PASS

Band4	3	19965	8	#Mid	QAM16	21.32	PASS
Band4	3	19965	8	#Max	QAM16	21.32	PASS
Band4	3	19965	15	#0	QAM16	21.53	PASS
Band4	3	20175	1	#0	QPSK	23.38	PASS
Band4	3	20175	1	#Mid	QPSK	23.35	PASS
Band4	3	20175	1	#Max	QPSK	23.39	PASS
Band4	3	20175	8	#0	QPSK	22.27	PASS
Band4	3	20175	8	#Mid	QPSK	22.28	PASS
Band4	3	20175	8	#Max	QPSK	22.33	PASS
Band4	3	20175	15	#0	QPSK	22.38	PASS
Band4	3	20175	1	#0	QAM16	23.04	PASS
Band4	3	20175	1	#Mid	QAM16	22.94	PASS
Band4	3	20175	1	#Max	QAM16	22.97	PASS
Band4	3	20175	8	#0	QAM16	21.64	PASS
Band4	3	20175	8	#Mid	QAM16	21.60	PASS
Band4	3	20175	8	#Max	QAM16	21.58	PASS
Band4	3	20175	15	#0	QAM16	21.47	PASS
Band4	3	20385	1	#0	QPSK	23.65	PASS
Band4	3	20385	1	#Mid	QPSK	23.68	PASS
Band4	3	20385	1	#Max	QPSK	23.68	PASS
Band4	3	20385	8	#0	QPSK	22.35	PASS
Band4	3	20385	8	#Mid	QPSK	22.42	PASS
Band4	3	20385	8	#Max	QPSK	22.43	PASS
Band4	3	20385	15	#0	QPSK	22.40	PASS
Band4	3	20385	1	#0	QAM16	22.84	PASS
Band4	3	20385	1	#Mid	QAM16	22.87	PASS
Band4	3	20385	1	#Max	QAM16	22.86	PASS
Band4	3	20385	8	#0	QAM16	21.47	PASS
Band4	3	20385	8	#Mid	QAM16	21.45	PASS
Band4	3	20385	8	#Max	QAM16	21.42	PASS
Band4	3	20385	15	#0	QAM16	21.49	PASS
Band4	5	19975	1	#0	QPSK	23.19	PASS
Band4	5	19975	1	#Mid	QPSK	23.24	PASS
Band4	5	19975	1	#Max	QPSK	23.30	PASS
Band4	5	19975	12	#0	QPSK	22.31	PASS
Band4	5	19975	12	#Mid	QPSK	22.31	PASS
Band4	5	19975	12	#Max	QPSK	22.40	PASS
Band4	5	19975	25	#0	QPSK	22.33	PASS
Band4	5	19975	1	#0	QAM16	22.65	PASS
Band4	5	19975	1	#Mid	QAM16	22.70	PASS
Band4	5	19975	1	#Max	QAM16	22.68	PASS
Band4	5	19975	12	#0	QAM16	21.29	PASS
Band4	5	19975	12	#Mid	QAM16	21.38	PASS
Band4	5	19975	12	#Max	QAM16	21.34	PASS

Band4	5	19975	25	#0	QAM16	21.43	PASS
Band4	5	20175	1	#0	QPSK	23.52	PASS
Band4	5	20175	1	#Mid	QPSK	23.49	PASS
Band4	5	20175	1	#Max	QPSK	23.47	PASS
Band4	5	20175	12	#0	QPSK	22.37	PASS
Band4	5	20175	12	#Mid	QPSK	22.44	PASS
Band4	5	20175	12	#Max	QPSK	22.44	PASS
Band4	5	20175	25	#0	QPSK	22.31	PASS
Band4	5	20175	1	#0	QAM16	22.02	PASS
Band4	5	20175	1	#Mid	QAM16	22.02	PASS
Band4	5	20175	1	#Max	QAM16	22.04	PASS
Band4	5	20175	12	#0	QAM16	21.32	PASS
Band4	5	20175	12	#Mid	QAM16	21.31	PASS
Band4	5	20175	12	#Max	QAM16	21.30	PASS
Band4	5	20175	25	#0	QAM16	21.45	PASS
Band4	5	20375	1	#0	QPSK	23.35	PASS
Band4	5	20375	1	#Mid	QPSK	23.37	PASS
Band4	5	20375	1	#Max	QPSK	23.38	PASS
Band4	5	20375	12	#0	QPSK	22.38	PASS
Band4	5	20375	12	#Mid	QPSK	22.37	PASS
Band4	5	20375	12	#Max	QPSK	22.50	PASS
Band4	5	20375	25	#0	QPSK	22.47	PASS
Band4	5	20375	1	#0	QAM16	22.70	PASS
Band4	5	20375	1	#Mid	QAM16	22.70	PASS
Band4	5	20375	1	#Max	QAM16	22.71	PASS
Band4	5	20375	12	#0	QAM16	21.45	PASS
Band4	5	20375	12	#Mid	QAM16	21.51	PASS
Band4	5	20375	12	#Max	QAM16	21.48	PASS
Band4	5	20375	25	#0	QAM16	21.48	PASS
Band4	10	20000	1	#0	QPSK	23.38	PASS
Band4	10	20000	1	#Mid	QPSK	23.36	PASS
Band4	10	20000	1	#Max	QPSK	23.39	PASS
Band4	10	20000	25	#0	QPSK	22.42	PASS
Band4	10	20000	25	#Mid	QPSK	22.49	PASS
Band4	10	20000	25	#Max	QPSK	22.48	PASS
Band4	10	20000	50	#0	QPSK	22.40	PASS
Band4	10	20000	1	#0	QAM16	23.56	PASS
Band4	10	20000	1	#Mid	QAM16	23.60	PASS
Band4	10	20000	1	#Max	QAM16	23.57	PASS
Band4	10	20000	25	#0	QAM16	21.41	PASS
Band4	10	20000	25	#Mid	QAM16	21.34	PASS
Band4	10	20000	25	#Max	QAM16	21.39	PASS
Band4	10	20000	50	#0	QAM16	21.39	PASS
Band4	10	20175	1	#0	QPSK	23.39	PASS

Band4	10	20175	1	#Mid	QPSK	23.42	PASS
Band4	10	20175	1	#Max	QPSK	23.45	PASS
Band4	10	20175	25	#0	QPSK	22.38	PASS
Band4	10	20175	25	#Mid	QPSK	22.35	PASS
Band4	10	20175	25	#Max	QPSK	22.37	PASS
Band4	10	20175	50	#0	QPSK	22.39	PASS
Band4	10	20175	1	#0	QAM16	22.41	PASS
Band4	10	20175	1	#Mid	QAM16	22.43	PASS
Band4	10	20175	1	#Max	QAM16	22.44	PASS
Band4	10	20175	25	#0	QAM16	21.44	PASS
Band4	10	20175	25	#Mid	QAM16	21.42	PASS
Band4	10	20175	25	#Max	QAM16	21.44	PASS
Band4	10	20175	50	#0	QAM16	21.49	PASS
Band4	10	20350	1	#0	QPSK	23.61	PASS
Band4	10	20350	1	#Mid	QPSK	23.61	PASS
Band4	10	20350	1	#Max	QPSK	23.67	PASS
Band4	10	20350	25	#0	QPSK	22.35	PASS
Band4	10	20350	25	#Mid	QPSK	22.26	PASS
Band4	10	20350	25	#Max	QPSK	22.37	PASS
Band4	10	20350	50	#0	QPSK	22.38	PASS
Band4	10	20350	1	#0	QAM16	22.62	PASS
Band4	10	20350	1	#Mid	QAM16	22.48	PASS
Band4	10	20350	1	#Max	QAM16	22.53	PASS
Band4	10	20350	25	#0	QAM16	21.48	PASS
Band4	10	20350	25	#Mid	QAM16	21.38	PASS
Band4	10	20350	25	#Max	QAM16	21.50	PASS
Band4	10	20350	50	#0	QAM16	21.39	PASS
Band4	15	20025	1	#0	QPSK	23.33	PASS
Band4	15	20025	1	#Mid	QPSK	23.36	PASS
Band4	15	20025	1	#Max	QPSK	23.42	PASS
Band4	15	20025	36	#0	QPSK	22.37	PASS
Band4	15	20025	36	#Mid	QPSK	22.46	PASS
Band4	15	20025	36	#Max	QPSK	22.42	PASS
Band4	15	20025	75	#0	QPSK	22.37	PASS
Band4	15	20025	1	#0	QAM16	23.57	PASS
Band4	15	20025	1	#Mid	QAM16	23.55	PASS
Band4	15	20025	1	#Max	QAM16	23.52	PASS
Band4	15	20025	36	#0	QAM16	21.37	PASS
Band4	15	20025	36	#Mid	QAM16	21.45	PASS
Band4	15	20025	36	#Max	QAM16	21.45	PASS
Band4	15	20025	75	#0	QAM16	21.53	PASS
Band4	15	20175	1	#0	QPSK	23.40	PASS
Band4	15	20175	1	#Mid	QPSK	23.41	PASS
Band4	15	20175	1	#Max	QPSK	23.46	PASS

Band4	15	20175	36	#0	QPSK	22.43	PASS
Band4	15	20175	36	#Mid	QPSK	22.40	PASS
Band4	15	20175	36	#Max	QPSK	22.41	PASS
Band4	15	20175	75	#0	QPSK	22.26	PASS
Band4	15	20175	1	#0	QAM16	22.46	PASS
Band4	15	20175	1	#Mid	QAM16	22.41	PASS
Band4	15	20175	1	#Max	QAM16	22.43	PASS
Band4	15	20175	36	#0	QAM16	21.58	PASS
Band4	15	20175	36	#Mid	QAM16	21.58	PASS
Band4	15	20175	36	#Max	QAM16	21.55	PASS
Band4	15	20175	75	#0	QAM16	21.33	PASS
Band4	15	20325	1	#0	QPSK	23.21	PASS
Band4	15	20325	1	#Mid	QPSK	23.23	PASS
Band4	15	20325	1	#Max	QPSK	23.27	PASS
Band4	15	20325	36	#0	QPSK	22.32	PASS
Band4	15	20325	36	#Mid	QPSK	22.38	PASS
Band4	15	20325	36	#Max	QPSK	22.41	PASS
Band4	15	20325	75	#0	QPSK	22.33	PASS
Band4	15	20325	1	#0	QAM16	22.91	PASS
Band4	15	20325	1	#Mid	QAM16	22.97	PASS
Band4	15	20325	1	#Max	QAM16	23.04	PASS
Band4	15	20325	36	#0	QAM16	21.38	PASS
Band4	15	20325	36	#Mid	QAM16	21.39	PASS
Band4	15	20325	36	#Max	QAM16	21.39	PASS
Band4	15	20325	75	#0	QAM16	21.50	PASS
Band4	20	20050	1	#0	QPSK	23.43	PASS
Band4	20	20050	1	#Mid	QPSK	23.50	PASS
Band4	20	20050	1	#Max	QPSK	23.57	PASS
Band4	20	20050	50	#0	QPSK	22.40	PASS
Band4	20	20050	50	#Mid	QPSK	22.41	PASS
Band4	20	20050	50	#Max	QPSK	22.38	PASS
Band4	20	20050	100	#0	QPSK	22.36	PASS
Band4	20	20050	1	#0	QAM16	22.02	PASS
Band4	20	20050	1	#Mid	QAM16	22.07	PASS
Band4	20	20050	1	#Max	QAM16	22.12	PASS
Band4	20	20050	50	#0	QAM16	21.50	PASS
Band4	20	20050	50	#Mid	QAM16	21.54	PASS
Band4	20	20050	50	#Max	QAM16	21.56	PASS
Band4	20	20050	100	#0	QAM16	21.39	PASS
Band4	20	20175	1	#0	QPSK	23.31	PASS
Band4	20	20175	1	#Mid	QPSK	23.30	PASS
Band4	20	20175	1	#Max	QPSK	23.41	PASS
Band4	20	20175	50	#0	QPSK	22.43	PASS
Band4	20	20175	50	#Mid	QPSK	22.41	PASS

Band4	20	20175	50	#Max	QPSK	22.37	PASS
Band4	20	20175	100	#0	QPSK	22.39	PASS
Band4	20	20175	1	#0	QAM16	22.41	PASS
Band4	20	20175	1	#Mid	QAM16	22.49	PASS
Band4	20	20175	1	#Max	QAM16	22.57	PASS
Band4	20	20175	50	#0	QAM16	21.45	PASS
Band4	20	20175	50	#Mid	QAM16	21.34	PASS
Band4	20	20175	50	#Max	QAM16	21.48	PASS
Band4	20	20175	100	#0	QAM16	21.33	PASS
Band4	20	20300	1	#0	QPSK	23.25	PASS
Band4	20	20300	1	#Mid	QPSK	23.32	PASS
Band4	20	20300	1	#Max	QPSK	23.34	PASS
Band4	20	20300	50	#0	QPSK	22.42	PASS
Band4	20	20300	50	#Mid	QPSK	22.40	PASS
Band4	20	20300	50	#Max	QPSK	22.41	PASS
Band4	20	20300	100	#0	QPSK	22.35	PASS
Band4	20	20300	1	#0	QAM16	22.36	PASS
Band4	20	20300	1	#Mid	QAM16	22.43	PASS
Band4	20	20300	1	#Max	QAM16	22.51	PASS
Band4	20	20300	50	#0	QAM16	21.35	PASS
Band4	20	20300	50	#Mid	QAM16	21.40	PASS
Band4	20	20300	50	#Max	QAM16	21.39	PASS
Band4	20	20300	100	#0	QAM16	21.42	PASS
Band7	5	20775	1	#0	QPSK	24.40	PASS
Band7	5	20775	1	#Mid	QPSK	24.38	PASS
Band7	5	20775	1	#Max	QPSK	24.40	PASS
Band7	5	20775	12	#0	QPSK	23.34	PASS
Band7	5	20775	12	#Mid	QPSK	23.35	PASS
Band7	5	20775	12	#Max	QPSK	23.44	PASS
Band7	5	20775	25	#0	QPSK	23.40	PASS
Band7	5	20775	1	#0	QAM16	23.54	PASS
Band7	5	20775	1	#Mid	QAM16	23.54	PASS
Band7	5	20775	1	#Max	QAM16	23.58	PASS
Band7	5	20775	12	#0	QAM16	22.32	PASS
Band7	5	20775	12	#Mid	QAM16	22.28	PASS
Band7	5	20775	12	#Max	QAM16	22.31	PASS
Band7	5	20775	25	#0	QAM16	22.47	PASS
Band7	5	21100	1	#0	QPSK	24.33	PASS
Band7	5	21100	1	#Mid	QPSK	24.29	PASS
Band7	5	21100	1	#Max	QPSK	24.34	PASS
Band7	5	21100	12	#0	QPSK	23.47	PASS
Band7	5	21100	12	#Mid	QPSK	23.40	PASS
Band7	5	21100	12	#Max	QPSK	23.43	PASS
Band7	5	21100	25	#0	QPSK	23.46	PASS

Band7	5	21100	1	#0	QAM16	23.64	PASS
Band7	5	21100	1	#Mid	QAM16	23.65	PASS
Band7	5	21100	1	#Max	QAM16	23.66	PASS
Band7	5	21100	12	#0	QAM16	22.50	PASS
Band7	5	21100	12	#Mid	QAM16	22.53	PASS
Band7	5	21100	12	#Max	QAM16	22.53	PASS
Band7	5	21100	25	#0	QAM16	22.51	PASS
Band7	5	21425	1	#0	QPSK	24.44	PASS
Band7	5	21425	1	#Mid	QPSK	24.41	PASS
Band7	5	21425	1	#Max	QPSK	24.48	PASS
Band7	5	21425	12	#0	QPSK	23.38	PASS
Band7	5	21425	12	#Mid	QPSK	23.49	PASS
Band7	5	21425	12	#Max	QPSK	23.36	PASS
Band7	5	21425	25	#0	QPSK	23.37	PASS
Band7	5	21425	1	#0	QAM16	23.51	PASS
Band7	5	21425	1	#Mid	QAM16	23.52	PASS
Band7	5	21425	1	#Max	QAM16	23.52	PASS
Band7	5	21425	12	#0	QAM16	22.39	PASS
Band7	5	21425	12	#Mid	QAM16	22.42	PASS
Band7	5	21425	12	#Max	QAM16	22.36	PASS
Band7	5	21425	25	#0	QAM16	22.65	PASS
Band7	10	20800	1	#0	QPSK	24.30	PASS
Band7	10	20800	1	#Mid	QPSK	24.25	PASS
Band7	10	20800	1	#Max	QPSK	24.26	PASS
Band7	10	20800	25	#0	QPSK	23.40	PASS
Band7	10	20800	25	#Mid	QPSK	23.40	PASS
Band7	10	20800	25	#Max	QPSK	23.42	PASS
Band7	10	20800	50	#0	QPSK	23.37	PASS
Band7	10	20800	1	#0	QAM16	24.47	PASS
Band7	10	20800	1	#Mid	QAM16	24.48	PASS
Band7	10	20800	1	#Max	QAM16	24.46	PASS
Band7	10	20800	25	#0	QAM16	22.30	PASS
Band7	10	20800	25	#Mid	QAM16	22.36	PASS
Band7	10	20800	25	#Max	QAM16	22.37	PASS
Band7	10	20800	50	#0	QAM16	22.44	PASS
Band7	10	21100	1	#0	QPSK	24.41	PASS
Band7	10	21100	1	#Mid	QPSK	24.45	PASS
Band7	10	21100	1	#Max	QPSK	24.48	PASS
Band7	10	21100	25	#0	QPSK	23.40	PASS
Band7	10	21100	25	#Mid	QPSK	23.39	PASS
Band7	10	21100	25	#Max	QPSK	23.53	PASS
Band7	10	21100	50	#0	QPSK	23.45	PASS
Band7	10	21100	1	#0	QAM16	24.14	PASS
Band7	10	21100	1	#Mid	QAM16	24.19	PASS

Band7	10	21100	1	#Max	QAM16	24.17	PASS
Band7	10	21100	25	#0	QAM16	22.51	PASS
Band7	10	21100	25	#Mid	QAM16	22.53	PASS
Band7	10	21100	25	#Max	QAM16	22.55	PASS
Band7	10	21100	50	#0	QAM16	22.60	PASS
Band7	10	21400	1	#0	QPSK	24.67	PASS
Band7	10	21400	1	#Mid	QPSK	24.70	PASS
Band7	10	21400	1	#Max	QPSK	24.69	PASS
Band7	10	21400	25	#0	QPSK	23.39	PASS
Band7	10	21400	25	#Mid	QPSK	23.32	PASS
Band7	10	21400	25	#Max	QPSK	23.41	PASS
Band7	10	21400	50	#0	QPSK	23.49	PASS
Band7	10	21400	1	#0	QAM16	23.52	PASS
Band7	10	21400	1	#Mid	QAM16	23.47	PASS
Band7	10	21400	1	#Max	QAM16	23.57	PASS
Band7	10	21400	25	#0	QAM16	22.52	PASS
Band7	10	21400	25	#Mid	QAM16	22.48	PASS
Band7	10	21400	25	#Max	QAM16	22.63	PASS
Band7	10	21400	50	#0	QAM16	22.53	PASS
Band7	15	20825	1	#0	QPSK	24.32	PASS
Band7	15	20825	1	#Mid	QPSK	24.29	PASS
Band7	15	20825	1	#Max	QPSK	24.38	PASS
Band7	15	20825	36	#0	QPSK	23.31	PASS
Band7	15	20825	36	#Mid	QPSK	23.30	PASS
Band7	15	20825	36	#Max	QPSK	23.35	PASS
Band7	15	20825	75	#0	QPSK	23.33	PASS
Band7	15	20825	1	#0	QAM16	24.48	PASS
Band7	15	20825	1	#Mid	QAM16	24.47	PASS
Band7	15	20825	1	#Max	QAM16	24.60	PASS
Band7	15	20825	36	#0	QAM16	22.41	PASS
Band7	15	20825	36	#Mid	QAM16	22.44	PASS
Band7	15	20825	36	#Max	QAM16	22.48	PASS
Band7	15	20825	75	#0	QAM16	22.49	PASS
Band7	15	21100	1	#0	QPSK	24.51	PASS
Band7	15	21100	1	#Mid	QPSK	24.49	PASS
Band7	15	21100	1	#Max	QPSK	24.49	PASS
Band7	15	21100	36	#0	QPSK	23.42	PASS
Band7	15	21100	36	#Mid	QPSK	23.42	PASS
Band7	15	21100	36	#Max	QPSK	23.45	PASS
Band7	15	21100	75	#0	QPSK	23.52	PASS
Band7	15	21100	1	#0	QAM16	23.43	PASS
Band7	15	21100	1	#Mid	QAM16	23.40	PASS
Band7	15	21100	1	#Max	QAM16	23.38	PASS
Band7	15	21100	36	#0	QAM16	22.57	PASS

Band7	15	21100	36	#Mid	QAM16	22.62	PASS
Band7	15	21100	36	#Max	QAM16	22.60	PASS
Band7	15	21100	75	#0	QAM16	22.53	PASS
Band7	15	21375	1	#0	QPSK	24.38	PASS
Band7	15	21375	1	#Mid	QPSK	24.38	PASS
Band7	15	21375	1	#Max	QPSK	24.35	PASS
Band7	15	21375	36	#0	QPSK	23.43	PASS
Band7	15	21375	36	#Mid	QPSK	23.39	PASS
Band7	15	21375	36	#Max	QPSK	23.40	PASS
Band7	15	21375	75	#0	QPSK	23.36	PASS
Band7	15	21375	1	#0	QAM16	24.17	PASS
Band7	15	21375	1	#Mid	QAM16	24.19	PASS
Band7	15	21375	1	#Max	QAM16	24.20	PASS
Band7	15	21375	36	#0	QAM16	22.45	PASS
Band7	15	21375	36	#Mid	QAM16	22.47	PASS
Band7	15	21375	36	#Max	QAM16	22.55	PASS
Band7	15	21375	75	#0	QAM16	22.62	PASS
Band7	20	20850	1	#0	QPSK	24.33	PASS
Band7	20	20850	1	#Mid	QPSK	24.24	PASS
Band7	20	20850	1	#Max	QPSK	24.44	PASS
Band7	20	20850	50	#0	QPSK	23.29	PASS
Band7	20	20850	50	#Mid	QPSK	23.24	PASS
Band7	20	20850	50	#Max	QPSK	23.39	PASS
Band7	20	20850	100	#0	QPSK	23.30	PASS
Band7	20	20850	1	#0	QAM16	23.15	PASS
Band7	20	20850	1	#Mid	QAM16	23.09	PASS
Band7	20	20850	1	#Max	QAM16	23.25	PASS
Band7	20	20850	50	#0	QAM16	22.51	PASS
Band7	20	20850	50	#Mid	QAM16	22.59	PASS
Band7	20	20850	50	#Max	QAM16	22.65	PASS
Band7	20	20850	100	#0	QAM16	22.46	PASS
Band7	20	21100	1	#0	QPSK	24.27	PASS
Band7	20	21100	1	#Mid	QPSK	24.35	PASS
Band7	20	21100	1	#Max	QPSK	24.31	PASS
Band7	20	21100	50	#0	QPSK	23.52	PASS
Band7	20	21100	50	#Mid	QPSK	23.49	PASS
Band7	20	21100	50	#Max	QPSK	23.36	PASS
Band7	20	21100	100	#0	QPSK	23.40	PASS
Band7	20	21100	1	#0	QAM16	23.80	PASS
Band7	20	21100	1	#Mid	QAM16	23.64	PASS
Band7	20	21100	1	#Max	QAM16	23.74	PASS
Band7	20	21100	50	#0	QAM16	22.56	PASS
Band7	20	21100	50	#Mid	QAM16	22.57	PASS
Band7	20	21100	50	#Max	QAM16	22.45	PASS


Band7	20	21100	100	#0	QAM16	22.40	PASS
Band7	20	21350	1	#0	QPSK	24.40	PASS
Band7	20	21350	1	#Mid	QPSK	24.34	PASS
Band7	20	21350	1	#Max	QPSK	24.51	PASS
Band7	20	21350	50	#0	QPSK	23.42	PASS
Band7	20	21350	50	#Mid	QPSK	23.47	PASS
Band7	20	21350	50	#Max	QPSK	23.50	PASS
Band7	20	21350	100	#0	QPSK	23.45	PASS
Band7	20	21350	1	#0	QAM16	23.44	PASS
Band7	20	21350	1	#Mid	QAM16	23.37	PASS
Band7	20	21350	1	#Max	QAM16	23.41	PASS
Band7	20	21350	50	#0	QAM16	22.44	PASS
Band7	20	21350	50	#Mid	QAM16	22.50	PASS
Band7	20	21350	50	#Max	QAM16	22.54	PASS
Band7	20	21350	100	#0	QAM16	22.46	PASS

3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18900	1	#0	QPSK	5.01	13	PASS
Band2	1.4	18900	1	#0	QAM16	5.66	13	PASS
Band2	3	18900	1	#0	QPSK	4.94	13	PASS
Band2	3	18900	1	#0	QAM16	5.89	13	PASS
Band2	5	18900	1	#0	QPSK	5.35	13	PASS
Band2	5	18900	1	#0	QAM16	6.02	13	PASS
Band2	10	18900	1	#0	QPSK	5.27	13	PASS
Band2	10	18900	1	#0	QAM16	6.06	13	PASS
Band2	15	18900	1	#0	QPSK	5.36	13	PASS
Band2	15	18900	1	#0	QAM16	6.19	13	PASS
Band2	20	18900	1	#0	QPSK	5.28	13	PASS
Band2	20	18900	1	#0	QAM16	5.89	13	PASS
Band4	1.4	20175	1	#0	QPSK	4.99	13	PASS
Band4	1.4	20175	1	#0	QAM16	5.46	13	PASS
Band4	3	20175	1	#0	QPSK	4.86	13	PASS
Band4	3	20175	1	#0	QAM16	5.94	13	PASS
Band4	5	20175	1	#0	QPSK	5.10	13	PASS
Band4	5	20175	1	#0	QAM16	5.98	13	PASS
Band4	10	20175	1	#0	QPSK	5.01	13	PASS
Band4	10	20175	1	#0	QAM16	5.94	13	PASS
Band4	15	20175	1	#0	QPSK	5.17	13	PASS
Band4	15	20175	1	#0	QAM16	6.12	13	PASS
Band4	20	20175	1	#0	QPSK	4.99	13	PASS
Band4	20	20175	1	#0	QAM16	5.89	13	PASS
Band7	5	21100	1	#0	QPSK	5.08	13	PASS

Band7	5	21100	1	#0	QAM16	5.73	13	PASS
Band7	10	21100	1	#0	QPSK	4.84	13	PASS
Band7	10	21100	1	#0	QAM16	5.84	13	PASS
Band7	15	21100	1	#0	QPSK	4.71	13	PASS
Band7	15	21100	1	#0	QAM16	5.70	13	PASS
Band7	20	21100	1	#0	QPSK	4.36	13	PASS
Band7	20	21100	1	#0	QAM16	5.35	13	PASS


Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=20MHz Channel=20175 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




4 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18900	6	#0	QPSK	1.099	1.266	PASS
Band2	1.4	18900	6	#0	QAM16	1.105	1.275	PASS
Band2	3	18900	15	#0	QPSK	2.717	3.068	PASS
Band2	3	18900	15	#0	QAM16	2.694	3.042	PASS
Band2	5	18900	25	#0	QPSK	4.525	5.266	PASS
Band2	5	18900	25	#0	QAM16	4.516	5.065	PASS
Band2	10	18900	50	#0	QPSK	9.007	9.923	PASS
Band2	10	18900	50	#0	QAM16	8.974	9.774	PASS
Band2	15	18900	75	#0	QPSK	13.467	15.132	PASS
Band2	15	18900	75	#0	QAM16	13.476	14.833	PASS
Band2	20	18900	100	#0	QPSK	18.030	19.808	PASS
Band2	20	18900	100	#0	QAM16	17.961	19.885	PASS
Band4	1.4	20175	6	#0	QPSK	1.091	1.271	PASS
Band4	1.4	20175	6	#0	QAM16	1.103	1.267	PASS
Band4	3	20175	15	#0	QPSK	2.713	3.049	PASS
Band4	3	20175	15	#0	QAM16	2.705	3.037	PASS
Band4	5	20175	25	#0	QPSK	4.529	5.036	PASS
Band4	5	20175	25	#0	QAM16	4.511	5.180	PASS
Band4	10	20175	50	#0	QPSK	9.011	9.762	PASS
Band4	10	20175	50	#0	QAM16	9.008	9.839	PASS
Band4	15	20175	75	#0	QPSK	13.501	15.168	PASS

Band4	15	20175	75	#0	QAM16	13.511	14.780	PASS
Band4	20	20175	100	#0	QPSK	17.993	19.565	PASS
Band4	20	20175	100	#0	QAM16	17.933	19.914	PASS
Band7	5	21100	25	#0	QPSK	4.519	5.032	PASS
Band7	5	21100	25	#0	QAM16	4.524	5.302	PASS
Band7	10	21100	50	#0	QPSK	9.016	9.874	PASS
Band7	10	21100	50	#0	QAM16	8.988	9.838	PASS
Band7	15	21100	75	#0	QPSK	13.491	15.227	PASS
Band7	15	21100	75	#0	QAM16	13.440	15.001	PASS
Band7	20	21100	100	#0	QPSK	18.042	19.672	PASS
Band7	20	21100	100	#0	QAM16	17.986	19.907	PASS


Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 QAM16 BW=20MHz Channel=20175 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	1850.00	-26.13	-13	PASS
Band2	1.4	18607	1	#Max	QPSK	1850.00	-39.44	-13	PASS
Band2	1.4	18607	6	#0	QPSK	1849.99	-35.32	-13	PASS
Band2	1.4	18607	1	#0	QAM16	1849.99	-27.18	-13	PASS
Band2	1.4	18607	1	#Max	QAM16	1849.99	-37.55	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1849.96	-36.59	-13	PASS
Band2	1.4	19193	1	#0	QPSK	1910.02	-36.96	-13	PASS
Band2	1.4	19193	1	#Max	QPSK	1910.01	-29.18	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.00	-34.47	-13	PASS
Band2	1.4	19193	1	#0	QAM16	1910.06	-39.04	-13	PASS
Band2	1.4	19193	1	#Max	QAM16	1910.01	-27.87	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.03	-35.25	-13	PASS
Band2	3	18615	1	#0	QPSK	1850.00	-15.48	-13	PASS
Band2	3	18615	1	#Max	QPSK	1850.00	-28.86	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-24.52	-13	PASS
Band2	3	18615	1	#0	QAM16	1850.00	-15.83	-13	PASS
Band2	3	18615	1	#Max	QAM16	1850.00	-29.22	-13	PASS
Band2	3	18615	15	#0	QAM16	1850.00	-25.42	-13	PASS
Band2	3	19185	1	#0	QPSK	1910.01	-29.35	-13	PASS
Band2	3	19185	1	#Max	QPSK	1910.00	-14.76	-13	PASS


Band2	3	19185	15	#0	QPSK	1910.00	-25.71	-13	PASS
Band2	3	19185	1	#0	QAM16	1910.00	-28.15	-13	PASS
Band2	3	19185	1	#Max	QAM16	1910.00	-16.60	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.00	-25.39	-13	PASS
Band2	5	18625	1	#0	QPSK	1849.98	-19.80	-13	PASS
Band2	5	18625	1	#Max	QPSK	1849.90	-37.91	-13	PASS
Band2	5	18625	25	#0	QPSK	1849.93	-30.35	-13	PASS
Band2	5	18625	1	#0	QAM16	1850.00	-22.40	-13	PASS
Band2	5	18625	1	#Max	QAM16	1849.99	-36.65	-13	PASS
Band2	5	18625	25	#0	QAM16	1849.97	-29.84	-13	PASS
Band2	5	19175	1	#0	QPSK	1910.02	-37.04	-13	PASS
Band2	5	19175	1	#Max	QPSK	1910.01	-20.58	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.01	-30.20	-13	PASS
Band2	5	19175	1	#0	QAM16	1910.01	-37.25	-13	PASS
Band2	5	19175	1	#Max	QAM16	1910.02	-18.16	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.00	-31.08	-13	PASS
Band2	10	18650	1	#0	QPSK	1850.00	-23.08	-13	PASS
Band2	10	18650	1	#Max	QPSK	1850.00	-39.02	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-33.77	-13	PASS
Band2	10	18650	1	#0	QAM16	1850.00	-21.82	-13	PASS
Band2	10	18650	1	#Max	QAM16	1849.88	-37.94	-13	PASS
Band2	10	18650	50	#0	QAM16	1849.92	-35.35	-13	PASS
Band2	10	19150	1	#0	QPSK	1910.26	-39.53	-13	PASS
Band2	10	19150	1	#Max	QPSK	1910.00	-21.71	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.02	-31.84	-13	PASS
Band2	10	19150	1	#0	QAM16	1910.08	-39.32	-13	PASS
Band2	10	19150	1	#Max	QAM16	1910.00	-23.48	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.00	-36.26	-13	PASS
Band2	15	18675	1	#0	QPSK	1849.97	-20.73	-13	PASS
Band2	15	18675	1	#Max	QPSK	1850.00	-36.94	-13	PASS
Band2	15	18675	75	#0	QPSK	1850.00	-33.16	-13	PASS
Band2	15	18675	1	#0	QAM16	1850.00	-21.89	-13	PASS
Band2	15	18675	1	#Max	QAM16	1849.52	-43.37	-13	PASS
Band2	15	18675	75	#0	QAM16	1849.97	-34.44	-13	PASS
Band2	15	19125	1	#0	QPSK	1910.81	-40.88	-13	PASS
Band2	15	19125	1	#Max	QPSK	1910.00	-20.38	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.00	-34.67	-13	PASS
Band2	15	19125	1	#0	QAM16	1910.21	-39.87	-13	PASS
Band2	15	19125	1	#Max	QAM16	1910.00	-19.96	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.12	-36.30	-13	PASS
Band2	20	18700	1	#0	QPSK	1850.00	-27.04	-13	PASS
Band2	20	18700	1	#Max	QPSK	1849.16	-38.18	-13	PASS
Band2	20	18700	100	#0	QPSK	1849.60	-39.55	-13	PASS
Band2	20	18700	1	#0	QAM16	1850.00	-27.01	-13	PASS

Band2	20	18700	1	#Max	QAM16	1848.52	-39.31	-13	PASS
Band2	20	18700	100	#0	QAM16	1849.68	-39.58	-13	PASS
Band2	20	19100	1	#0	QPSK	1910.52	-39.57	-13	PASS
Band2	20	19100	1	#Max	QPSK	1910.00	-21.57	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.04	-32.39	-13	PASS
Band2	20	19100	1	#0	QAM16	1912.08	-43.38	-13	PASS
Band2	20	19100	1	#Max	QAM16	1910.04	-24.72	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.04	-37.23	-13	PASS
Band4	1.4	19957	1	#0	QPSK	1710.00	-26.78	-13	PASS
Band4	1.4	19957	1	#Max	QPSK	1710.00	-38.74	-13	PASS
Band4	1.4	19957	6	#0	QPSK	1709.98	-31.78	-13	PASS
Band4	1.4	19957	1	#0	QAM16	1709.95	-29.14	-13	PASS
Band4	1.4	19957	1	#Max	QAM16	1709.98	-36.86	-13	PASS
Band4	1.4	19957	6	#0	QAM16	1710.00	-31.71	-13	PASS
Band4	1.4	20393	1	#0	QPSK	1755.07	-38.39	-13	PASS
Band4	1.4	20393	1	#Max	QPSK	1755.00	-28.21	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1755.02	-32.52	-13	PASS
Band4	1.4	20393	1	#0	QAM16	1755.00	-38.62	-13	PASS
Band4	1.4	20393	1	#Max	QAM16	1755.00	-27.82	-13	PASS
Band4	1.4	20393	6	#0	QAM16	1755.05	-33.09	-13	PASS
Band4	3	19965	1	#0	QPSK	1710.00	-16.22	-13	PASS
Band4	3	19965	1	#Max	QPSK	1709.99	-29.88	-13	PASS
Band4	3	19965	15	#0	QPSK	1709.99	-24.92	-13	PASS
Band4	3	19965	1	#0	QAM16	1710.00	-15.30	-13	PASS
Band4	3	19965	1	#Max	QAM16	1710.00	-28.91	-13	PASS
Band4	3	19965	15	#0	QAM16	1710.00	-26.48	-13	PASS
Band4	3	20385	1	#0	QPSK	1755.00	-29.36	-13	PASS
Band4	3	20385	1	#Max	QPSK	1755.00	-16.02	-13	PASS
Band4	3	20385	15	#0	QPSK	1755.00	-25.43	-13	PASS
Band4	3	20385	1	#0	QAM16	1755.01	-28.71	-13	PASS
Band4	3	20385	1	#Max	QAM16	1755.01	-16.22	-13	PASS
Band4	3	20385	15	#0	QAM16	1755.00	-26.01	-13	PASS
Band4	5	19975	1	#0	QPSK	1709.98	-21.92	-13	PASS
Band4	5	19975	1	#Max	QPSK	1709.99	-36.07	-13	PASS
Band4	5	19975	25	#0	QPSK	1709.97	-28.88	-13	PASS
Band4	5	19975	1	#0	QAM16	1710.00	-21.62	-13	PASS
Band4	5	19975	1	#Max	QAM16	1710.00	-39.42	-13	PASS
Band4	5	19975	25	#0	QAM16	1710.00	-30.20	-13	PASS
Band4	5	20375	1	#0	QPSK	1755.01	-33.24	-13	PASS
Band4	5	20375	1	#Max	QPSK	1755.00	-19.10	-13	PASS
Band4	5	20375	25	#0	QPSK	1755.01	-29.15	-13	PASS
Band4	5	20375	1	#0	QAM16	1755.01	-36.76	-13	PASS
Band4	5	20375	1	#Max	QAM16	1755.00	-20.12	-13	PASS
Band4	5	20375	25	#0	QAM16	1755.08	-31.54	-13	PASS


Band4	10	20000	1	#0	QPSK	1710.00	-22.23	-13	PASS
Band4	10	20000	1	#Max	QPSK	1709.20	-40.79	-13	PASS
Band4	10	20000	50	#0	QPSK	1709.94	-33.83	-13	PASS
Band4	10	20000	1	#0	QAM16	1710.00	-22.66	-13	PASS
Band4	10	20000	1	#Max	QAM16	1709.56	-39.01	-13	PASS
Band4	10	20000	50	#0	QAM16	1710.00	-32.38	-13	PASS
Band4	10	20350	1	#0	QPSK	1755.04	-35.23	-13	PASS
Band4	10	20350	1	#Max	QPSK	1755.00	-20.69	-13	PASS
Band4	10	20350	50	#0	QPSK	1755.00	-31.56	-13	PASS
Band4	10	20350	1	#0	QAM16	1755.06	-37.12	-13	PASS
Band4	10	20350	1	#Max	QAM16	1755.00	-25.17	-13	PASS
Band4	10	20350	50	#0	QAM16	1755.00	-31.90	-13	PASS
Band4	15	20025	1	#0	QPSK	1710.00	-22.49	-13	PASS
Band4	15	20025	1	#Max	QPSK	1709.85	-40.95	-13	PASS
Band4	15	20025	75	#0	QPSK	1709.85	-33.48	-13	PASS
Band4	15	20025	1	#0	QAM16	1710.00	-21.83	-13	PASS
Band4	15	20025	1	#Max	QAM16	1709.55	-40.33	-13	PASS
Band4	15	20025	75	#0	QAM16	1710.00	-32.68	-13	PASS
Band4	15	20325	1	#0	QPSK	1755.12	-39.57	-13	PASS
Band4	15	20325	1	#Max	QPSK	1755.00	-22.86	-13	PASS
Band4	15	20325	75	#0	QPSK	1755.06	-32.38	-13	PASS
Band4	15	20325	1	#0	QAM16	1755.39	-37.52	-13	PASS
Band4	15	20325	1	#Max	QAM16	1755.00	-21.29	-13	PASS
Band4	15	20325	75	#0	QAM16	1755.15	-33.50	-13	PASS
Band4	20	20050	1	#0	QPSK	1709.96	-20.09	-13	PASS
Band4	20	20050	1	#Max	QPSK	1709.92	-35.77	-13	PASS
Band4	20	20050	100	#0	QPSK	1709.20	-35.69	-13	PASS
Band4	20	20050	1	#0	QAM16	1709.92	-23.36	-13	PASS
Band4	20	20050	1	#Max	QAM16	1709.28	-41.47	-13	PASS
Band4	20	20050	100	#0	QAM16	1710.00	-35.67	-13	PASS
Band4	20	20300	1	#0	QPSK	1755.44	-28.10	-13	PASS
Band4	20	20300	1	#Max	QPSK	1755.00	-23.83	-13	PASS
Band4	20	20300	100	#0	QPSK	1755.12	-31.99	-13	PASS
Band4	20	20300	1	#0	QAM16	1755.44	-28.62	-13	PASS
Band4	20	20300	1	#Max	QAM16	1755.12	-26.19	-13	PASS
Band4	20	20300	100	#0	QAM16	1755.64	-34.33	-13	PASS
Band7	5	20775	1	#0	QPSK	2499.00	-10.25	-10	PASS
Band7	5	20775	1	#Max	QPSK	2493.24	-40.74	-25	PASS
Band7	5	20775	25	#0	QPSK	2499.00	-24.31	-10	PASS
Band7	5	20775	1	#0	QAM16	2499.00	-10.96	-10	PASS
Band7	5	20775	1	#Max	QAM16	2478.55	-40.68	-25	PASS
Band7	5	20775	25	#0	QAM16	2499.00	-25.50	-10	PASS
Band7	5	21425	1	#0	QPSK	2588.81	-40.27	-25	PASS
Band7	5	21425	1	#Max	QPSK	2571.00	-11.52	-10	PASS

Band7	5	21425	25	#0	QPSK	2571.02	-25.18	-10	PASS
Band7	5	21425	1	#0	QAM16	2587.48	-40.30	-25	PASS
Band7	5	21425	1	#Max	QAM16	2571.00	-12.36	-10	PASS
Band7	5	21425	25	#0	QAM16	2594.26	-40.20	-25	PASS
Band7	10	20800	1	#0	QPSK	2498.99	-19.83	-10	PASS
Band7	10	20800	1	#Max	QPSK	2476.83	-40.64	-25	PASS
Band7	10	20800	50	#0	QPSK	2489.58	-40.55	-25	PASS
Band7	10	20800	1	#0	QAM16	2498.99	-21.96	-10	PASS
Band7	10	20800	1	#Max	QAM16	2481.84	-40.73	-25	PASS
Band7	10	20800	50	#0	QAM16	2488.32	-40.46	-25	PASS
Band7	10	21400	1	#0	QPSK	2582.30	-40.12	-25	PASS
Band7	10	21400	1	#Max	QPSK	2571.02	-21.95	-10	PASS
Band7	10	21400	50	#0	QPSK	2588.19	-40.25	-25	PASS
Band7	10	21400	1	#0	QAM16	2580.14	-40.20	-25	PASS
Band7	10	21400	1	#Max	QAM16	2571.00	-22.87	-10	PASS
Band7	10	21400	50	#0	QAM16	2580.47	-40.30	-25	PASS
Band7	15	20825	1	#0	QPSK	2482.85	-40.64	-25	PASS
Band7	15	20825	1	#Max	QPSK	2478.55	-40.79	-25	PASS
Band7	15	20825	75	#0	QPSK	2478.80	-40.69	-25	PASS
Band7	15	20825	1	#0	QAM16	2484.29	-40.69	-25	PASS
Band7	15	20825	1	#Max	QAM16	2479.60	-40.67	-25	PASS
Band7	15	20825	75	#0	QAM16	2481.44	-40.70	-25	PASS
Band7	15	21375	1	#0	QPSK	2585.33	-40.39	-25	PASS
Band7	15	21375	1	#Max	QPSK	2588.28	-40.25	-25	PASS
Band7	15	21375	75	#0	QPSK	2589.55	-40.24	-25	PASS
Band7	15	21375	1	#0	QAM16	2592.05	-40.36	-25	PASS
Band7	15	21375	1	#Max	QAM16	2589.93	-40.32	-25	PASS
Band7	15	21375	75	#0	QAM16	2593.65	-40.30	-25	PASS
Band7	20	20850	1	#0	QPSK	2478.61	-40.76	-25	PASS
Band7	20	20850	1	#Max	QPSK	2479.08	-40.63	-25	PASS
Band7	20	20850	100	#0	QPSK	2477.75	-40.79	-25	PASS
Band7	20	20850	1	#0	QAM16	2476.31	-40.69	-25	PASS
Band7	20	20850	1	#Max	QAM16	2478.40	-40.39	-25	PASS
Band7	20	20850	100	#0	QAM16	2478.83	-40.59	-25	PASS
Band7	20	21350	1	#0	QPSK	2591.10	-40.24	-25	PASS
Band7	20	21350	1	#Max	QPSK	2593.91	-40.44	-25	PASS
Band7	20	21350	100	#0	QPSK	2594.03	-40.40	-25	PASS
Band7	20	21350	1	#0	QAM16	2593.68	-40.27	-25	PASS
Band7	20	21350	1	#Max	QAM16	2594.84	-40.29	-25	PASS
Band7	20	21350	100	#0	QAM16	2594.18	-40.35	-25	PASS


Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#Max




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#Max



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#Max



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#0



Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#Max



Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#0



Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0



Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#Max




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0



Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#Max




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#0



Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#Max




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#0



Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#Max




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0



Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=1 Position=#0



Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#Max




Band4 QAM16 BW=3MHz Channel=19965 RB Size=1 Position=#0



Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 QAM16 BW=3MHz Channel=19965 RB Size=1 Position=#Max




Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#0



Band4 QAM16 BW=3MHz Channel=19965 RB Size=15 Position=#0



Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#Max



Band4 QAM16 BW=3MHz Channel=20385 RB Size=1 Position=#0