

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.68	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.68	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.64	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	22.80	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	22.79	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	22.76	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	21.80	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.72	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.72	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.67	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.78	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.78	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	22.77	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.76	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.61	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.61	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.58	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	22.73	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.72	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	22.71	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.71	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.56	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	21.63	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	21.57	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	21.59	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	21.61	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	21.59	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.82	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.49	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.56	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.53	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	21.61	PASS

Band2	1.4MHz	16QAM	18900	3RB#1	21.60	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	21.58	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.61	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	21.30	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.32	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	21.30	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.45	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	21.46	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	21.43	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.69	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.59	PASS
Band2	3MHz	QPSK	18615	1RB#8	22.66	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.55	PASS
Band2	3MHz	QPSK	18615	8RB#0	21.81	PASS
Band2	3MHz	QPSK	18615	8RB#4	21.79	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.81	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.80	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.56	PASS
Band2	3MHz	QPSK	18900	1RB#8	22.68	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.62	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.70	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.70	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.74	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.75	PASS
Band2	3MHz	QPSK	19185	1RB#0	22.53	PASS
Band2	3MHz	QPSK	19185	1RB#8	22.62	PASS
Band2	3MHz	QPSK	19185	1RB#14	22.50	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.71	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.69	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.68	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.71	PASS
Band2	3MHz	16QAM	18615	1RB#0	21.58	PASS
Band2	3MHz	16QAM	18615	1RB#8	21.65	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.60	PASS
Band2	3MHz	16QAM	18615	8RB#0	20.81	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.84	PASS
Band2	3MHz	16QAM	18615	8RB#7	20.79	PASS

Band2	3MHz	16QAM	18615	15RB#0	20.78	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.48	PASS
Band2	3MHz	16QAM	18900	1RB#8	21.47	PASS
Band2	3MHz	16QAM	18900	1RB#14	21.41	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.68	PASS
Band2	3MHz	16QAM	18900	8RB#4	20.73	PASS
Band2	3MHz	16QAM	18900	8RB#7	20.75	PASS
Band2	3MHz	16QAM	18900	15RB#0	20.71	PASS
Band2	3MHz	16QAM	19185	1RB#0	21.26	PASS
Band2	3MHz	16QAM	19185	1RB#8	21.36	PASS
Band2	3MHz	16QAM	19185	1RB#14	21.18	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.70	PASS
Band2	3MHz	16QAM	19185	8RB#4	20.65	PASS
Band2	3MHz	16QAM	19185	8RB#7	20.67	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.64	PASS
Band2	5MHz	QPSK	18625	1RB#0	22.86	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.00	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.95	PASS
Band2	5MHz	QPSK	18625	12RB#0	21.88	PASS
Band2	5MHz	QPSK	18625	12RB#6	21.82	PASS
Band2	5MHz	QPSK	18625	12RB#13	21.87	PASS
Band2	5MHz	QPSK	18625	25RB#0	21.92	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.83	PASS
Band2	5MHz	QPSK	18900	1RB#12	22.92	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.79	PASS
Band2	5MHz	QPSK	18900	12RB#0	21.83	PASS
Band2	5MHz	QPSK	18900	12RB#6	21.79	PASS
Band2	5MHz	QPSK	18900	12RB#13	21.83	PASS
Band2	5MHz	QPSK	18900	25RB#0	21.84	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.84	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.89	PASS
Band2	5MHz	QPSK	19175	1RB#24	22.76	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.78	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.77	PASS
Band2	5MHz	QPSK	19175	12RB#13	21.74	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.83	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.78	PASS

Band2	5MHz	16QAM	18625	1RB#12	21.93	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.87	PASS
Band2	5MHz	16QAM	18625	12RB#0	20.83	PASS
Band2	5MHz	16QAM	18625	12RB#6	20.85	PASS
Band2	5MHz	16QAM	18625	12RB#13	20.87	PASS
Band2	5MHz	16QAM	18625	25RB#0	20.93	PASS
Band2	5MHz	16QAM	18900	1RB#0	21.92	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.00	PASS
Band2	5MHz	16QAM	18900	1RB#24	21.88	PASS
Band2	5MHz	16QAM	18900	12RB#0	20.84	PASS
Band2	5MHz	16QAM	18900	12RB#6	20.86	PASS
Band2	5MHz	16QAM	18900	12RB#13	20.89	PASS
Band2	5MHz	16QAM	18900	25RB#0	20.85	PASS
Band2	5MHz	16QAM	19175	1RB#0	21.72	PASS
Band2	5MHz	16QAM	19175	1RB#12	21.80	PASS
Band2	5MHz	16QAM	19175	1RB#24	21.70	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.79	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.80	PASS
Band2	5MHz	16QAM	19175	12RB#13	20.75	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.84	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.91	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.97	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.99	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.87	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.84	PASS
Band2	10MHz	QPSK	18650	25RB#25	21.95	PASS
Band2	10MHz	QPSK	18650	50RB#0	21.94	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.94	PASS
Band2	10MHz	QPSK	18900	1RB#24	22.97	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.94	PASS
Band2	10MHz	QPSK	18900	25RB#0	21.82	PASS
Band2	10MHz	QPSK	18900	25RB#12	21.80	PASS
Band2	10MHz	QPSK	18900	25RB#25	21.90	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.85	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.89	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.92	PASS
Band2	10MHz	QPSK	19150	1RB#49	22.83	PASS

Band2	10MHz	QPSK	19150	25RB#0	21.80	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.84	PASS
Band2	10MHz	QPSK	19150	25RB#25	21.88	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.83	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.91	PASS
Band2	10MHz	16QAM	18650	1RB#24	21.97	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.06	PASS
Band2	10MHz	16QAM	18650	25RB#0	20.91	PASS
Band2	10MHz	16QAM	18650	25RB#12	20.89	PASS
Band2	10MHz	16QAM	18650	25RB#25	20.98	PASS
Band2	10MHz	16QAM	18650	50RB#0	20.99	PASS
Band2	10MHz	16QAM	18900	1RB#0	21.78	PASS
Band2	10MHz	16QAM	18900	1RB#24	21.75	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.74	PASS
Band2	10MHz	16QAM	18900	25RB#0	20.88	PASS
Band2	10MHz	16QAM	18900	25RB#12	20.88	PASS
Band2	10MHz	16QAM	18900	25RB#25	20.93	PASS
Band2	10MHz	16QAM	18900	50RB#0	20.93	PASS
Band2	10MHz	16QAM	19150	1RB#0	21.66	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.64	PASS
Band2	10MHz	16QAM	19150	1RB#49	21.61	PASS
Band2	10MHz	16QAM	19150	25RB#0	20.83	PASS
Band2	10MHz	16QAM	19150	25RB#12	20.86	PASS
Band2	10MHz	16QAM	19150	25RB#25	20.93	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.90	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.84	PASS
Band2	15MHz	QPSK	18675	1RB#38	23.02	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.98	PASS
Band2	15MHz	QPSK	18675	38RB#0	21.86	PASS
Band2	15MHz	QPSK	18675	38RB#18	22.08	PASS
Band2	15MHz	QPSK	18675	38RB#37	22.02	PASS
Band2	15MHz	QPSK	18675	75RB#0	21.98	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.81	PASS
Band2	15MHz	QPSK	18900	1RB#38	22.88	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.78	PASS
Band2	15MHz	QPSK	18900	38RB#0	21.93	PASS
Band2	15MHz	QPSK	18900	38RB#18	21.98	PASS

Band2	15MHz	QPSK	18900	38RB#37	21.95	PASS
Band2	15MHz	QPSK	18900	75RB#0	21.88	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.84	PASS
Band2	15MHz	QPSK	19125	1RB#38	22.90	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.79	PASS
Band2	15MHz	QPSK	19125	38RB#0	21.59	PASS
Band2	15MHz	QPSK	19125	38RB#18	21.69	PASS
Band2	15MHz	QPSK	19125	38RB#37	21.55	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.87	PASS
Band2	15MHz	16QAM	18675	1RB#0	21.83	PASS
Band2	15MHz	16QAM	18675	1RB#38	22.04	PASS
Band2	15MHz	16QAM	18675	1RB#74	21.99	PASS
Band2	15MHz	16QAM	18675	38RB#0	21.86	PASS
Band2	15MHz	16QAM	18675	38RB#18	22.00	PASS
Band2	15MHz	16QAM	18675	38RB#37	22.00	PASS
Band2	15MHz	16QAM	18675	75RB#0	20.95	PASS
Band2	15MHz	16QAM	18900	1RB#0	21.95	PASS
Band2	15MHz	16QAM	18900	1RB#38	21.99	PASS
Band2	15MHz	16QAM	18900	1RB#74	21.93	PASS
Band2	15MHz	16QAM	18900	38RB#0	21.94	PASS
Band2	15MHz	16QAM	18900	38RB#18	22.00	PASS
Band2	15MHz	16QAM	18900	38RB#37	21.96	PASS
Band2	15MHz	16QAM	18900	75RB#0	20.90	PASS
Band2	15MHz	16QAM	19125	1RB#0	21.59	PASS
Band2	15MHz	16QAM	19125	1RB#38	21.65	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.51	PASS
Band2	15MHz	16QAM	19125	38RB#0	21.59	PASS
Band2	15MHz	16QAM	19125	38RB#18	21.63	PASS
Band2	15MHz	16QAM	19125	38RB#37	21.49	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.91	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.79	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.08	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.00	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.91	PASS
Band2	20MHz	QPSK	18700	50RB#25	21.93	PASS
Band2	20MHz	QPSK	18700	50RB#50	22.06	PASS
Band2	20MHz	QPSK	18700	100RB#0	21.99	PASS


Band2	20MHz	QPSK	18900	1RB#0	22.83	PASS
Band2	20MHz	QPSK	18900	1RB#49	22.91	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.83	PASS
Band2	20MHz	QPSK	18900	50RB#0	21.86	PASS
Band2	20MHz	QPSK	18900	50RB#25	21.85	PASS
Band2	20MHz	QPSK	18900	50RB#50	21.91	PASS
Band2	20MHz	QPSK	18900	100RB#0	21.86	PASS
Band2	20MHz	QPSK	19100	1RB#0	22.73	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.93	PASS
Band2	20MHz	QPSK	19100	1RB#99	22.69	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.91	PASS
Band2	20MHz	QPSK	19100	50RB#25	21.90	PASS
Band2	20MHz	QPSK	19100	50RB#50	21.97	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.91	PASS
Band2	20MHz	16QAM	18700	1RB#0	21.67	PASS
Band2	20MHz	16QAM	18700	1RB#49	21.99	PASS
Band2	20MHz	16QAM	18700	1RB#99	21.81	PASS
Band2	20MHz	16QAM	18700	50RB#0	20.94	PASS
Band2	20MHz	16QAM	18700	50RB#25	20.93	PASS
Band2	20MHz	16QAM	18700	50RB#50	21.03	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.02	PASS
Band2	20MHz	16QAM	18900	1RB#0	21.91	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.09	PASS
Band2	20MHz	16QAM	18900	1RB#99	21.98	PASS
Band2	20MHz	16QAM	18900	50RB#0	20.87	PASS
Band2	20MHz	16QAM	18900	50RB#25	20.90	PASS
Band2	20MHz	16QAM	18900	50RB#50	20.97	PASS
Band2	20MHz	16QAM	18900	100RB#0	20.90	PASS
Band2	20MHz	16QAM	19100	1RB#0	21.52	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.71	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.55	PASS
Band2	20MHz	16QAM	19100	50RB#0	20.97	PASS
Band2	20MHz	16QAM	19100	50RB#25	20.99	PASS
Band2	20MHz	16QAM	19100	50RB#50	20.97	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.92	PASS


Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	8.43	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	8.43	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	8.46	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	8.46	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	8.46	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	8.46	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	8.43	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	8.43	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	8.46	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	8.49	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	8.46	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	8.46	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	8.46	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	8.43	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	8.46	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	8.46	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	8.46	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	8.46	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.43	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.43	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.46	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.46	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.46	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.46	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	8.46	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	8.43	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	8.41	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	8.49	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	8.43	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	8.46	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	8.46	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	8.46	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	8.46	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	8.52	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	8.43	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	8.43	13	PASS

Test Graphs







Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-25RB#0



Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-25RB#0



Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-18900-50RB#0



Band2-10MHz-QPSK-19150-50RB#0



Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-18900-50RB#0




Band2-10MHz-16QAM-19150-50RB#0



Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-18900-75RB#0



Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-18900-75RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-18900-100RB#0




Band2-20MHz-QPSK-19100-100RB#0



Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-18900-100RB#0



Band2-20MHz-16QAM-19100-100RB#0



Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.093	1.275	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.093	1.285	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.098	1.285	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.098	1.295	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.103	1.305	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.098	1.290	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.696	2.960	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.696	2.970	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.696	2.970	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.686	3.000	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.686	3.000	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.676	3.000	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.505	4.980	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.505	4.930	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.505	4.940	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.496	4.910	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.496	4.910	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.496	4.920	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.985	9.833	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.985	9.833	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.985	9.867	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.985	9.800	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.985	9.800	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.985	9.767	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.478	14.700	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.478	15.800	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.478	14.800	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.478	14.700	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.478	14.700	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.478	14.750	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.97	19.733	PASS
Band2	20MHz	QPSK	18900	100RB#0	18.103	19.800	PASS
Band2	20MHz	QPSK	19100	100RB#0	18.037	19.733	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.037	19.667	PASS


Band2	20MHz	16QAM	18900	100RB#0	18.037	19.667	PASS
Band2	20MHz	16QAM	19100	100RB#0	18.103	19.733	PASS

Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-QPSK-18900-6RB#0




Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-25RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-18900-50RB#0




Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-18900-50RB#0




Band2-10MHz-16QAM-19150-50RB#0




Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-18900-75RB#0




Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-18900-75RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-18900-100RB#0




Band2-20MHz-QPSK-19100-100RB#0




Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-18900-100RB#0



Band2-20MHz-16QAM-19100-100RB#0




Appendix D: Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	-26.80	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-27.90	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	-25.96	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	-26.91	PASS
Band2	3MHz	QPSK	18615	15RB#0	-24.98	PASS
Band2	3MHz	QPSK	19185	15RB#0	-24.04	PASS
Band2	3MHz	16QAM	18615	15RB#0	-25.34	PASS
Band2	3MHz	16QAM	19185	15RB#0	-25.33	PASS
Band2	5MHz	QPSK	18625	25RB#0	-28.14	PASS
Band2	5MHz	QPSK	19175	25RB#0	-28.97	PASS
Band2	5MHz	16QAM	18625	25RB#0	-28.31	PASS
Band2	5MHz	16QAM	19175	25RB#0	-28.77	PASS
Band2	10MHz	QPSK	18650	50RB#0	-28.98	PASS
Band2	10MHz	QPSK	19150	50RB#0	-30.42	PASS
Band2	10MHz	16QAM	18650	50RB#0	-29.43	PASS
Band2	10MHz	16QAM	19150	50RB#0	-30.53	PASS
Band2	15MHz	QPSK	18675	75RB#0	-29.67	PASS
Band2	15MHz	QPSK	19125	75RB#0	-30.91	PASS
Band2	15MHz	16QAM	18675	75RB#0	-29.32	PASS
Band2	15MHz	16QAM	19125	75RB#0	-30.50	PASS
Band2	20MHz	QPSK	18700	100RB#0	-27.42	PASS
Band2	20MHz	QPSK	19100	100RB#0	-28.58	PASS
Band2	20MHz	16QAM	18700	100RB#0	-27.46	PASS
Band2	20MHz	16QAM	19100	100RB#0	-28.82	PASS

Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0



Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-6RB#0



Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-19185-15RB#0



Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-19185-15RB#0



Band2-5MHz-QPSK-18625-25RB#0



Band2-5MHz-QPSK-19175-25RB#0



Band2-5MHz-16QAM-18625-25RB#0



Band2-5MHz-16QAM-19175-25RB#0



Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-19150-50RB#0



Band2-10MHz-16QAM-18650-50RB#0



Band2-10MHz-16QAM-19150-50RB#0



Band2-15MHz-QPSK-18675-75RB#0



Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0



Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-19100-100RB#0



Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-19100-100RB#0



Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	Range1:30~1000MHz	-27.98	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	Range2:1000~2000MHz	-25.07	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	Range3:2000~20000MHz	-26.52	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	Range1:30~1000MHz	-27.64	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	Range2:1000~2000MHz	-25.03	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	Range3:2000~20000MHz	-26.24	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	Range1:30~1000MHz	-27.2	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	Range2:1000~2000MHz	-24.94	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	Range3:2000~20000MHz	-26.61	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	Range1:30~1000MHz	-27.17	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	Range2:1000~2000MHz	-25.16	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	Range3:2000~20000MHz	-26.23	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	Range1:30~1000MHz	-27.79	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	Range2:1000~2000MHz	-25.26	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	Range3:2000~20000MHz	-26.93	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	Range1:30~1000MHz	-27.91	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	Range2:1000~2000MHz	-25.32	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	Range3:2000~20000MHz	-25.59	PASS
Band2	3MHz	QPSK	18615	6RB#0	Range1:30~1000MHz	-27.83	PASS
Band2	3MHz	QPSK	18615	6RB#0	Range2:1000~2000MHz	-25.31	PASS
Band2	3MHz	QPSK	18615	6RB#0	Range3:2000~20000MHz	-25.84	PASS
Band2	3MHz	QPSK	18900	6RB#0	Range1:30~1000MHz	-26.92	PASS
Band2	3MHz	QPSK	18900	6RB#0	Range2:1000~2000MHz	-24.96	PASS
Band2	3MHz	QPSK	18900	6RB#0	Range3:2000~20000MHz	-25.77	PASS
Band2	3MHz	QPSK	19185	6RB#0	Range1:30~1000MHz	-27.54	PASS
Band2	3MHz	QPSK	19185	6RB#0	Range2:1000~2000MHz	-25.4	PASS
Band2	3MHz	QPSK	19185	6RB#0	Range3:2000~20000MHz	-25.17	PASS
Band2	3MHz	16QAM	18615	6RB#0	Range1:30~1000MHz	-27.76	PASS
Band2	3MHz	16QAM	18615	6RB#0	Range2:1000~2000MHz	-25.36	PASS
Band2	3MHz	16QAM	18615	6RB#0	Range3:2000~20000MHz	-26.21	PASS
Band2	3MHz	16QAM	18900	6RB#0	Range1:30~1000MHz	-27.86	PASS
Band2	3MHz	16QAM	18900	6RB#0	Range2:1000~2000MHz	-25.23	PASS
Band2	3MHz	16QAM	18900	6RB#0	Range3:2000~20000MHz	-26.46	PASS
Band2	3MHz	16QAM	19185	6RB#0	Range1:30~1000MHz	-27.3	PASS
Band2	3MHz	16QAM	19185	6RB#0	Range2:1000~2000MHz	-25.45	PASS

Band2	3MHz	16QAM	19185	6RB#0	Range3:2000~20000MHz	-24.53	PASS
Band2	5MHz	QPSK	18625	25RB#0	Range1:30~1000MHz	-27.99	PASS
Band2	5MHz	QPSK	18625	25RB#0	Range2:1000~2000MHz	-25.42	PASS
Band2	5MHz	QPSK	18625	25RB#0	Range3:2000~20000MHz	-26.52	PASS
Band2	5MHz	QPSK	18900	25RB#0	Range1:30~1000MHz	-27.89	PASS
Band2	5MHz	QPSK	18900	25RB#0	Range2:1000~2000MHz	-25.35	PASS
Band2	5MHz	QPSK	18900	25RB#0	Range3:2000~20000MHz	-26.46	PASS
Band2	5MHz	QPSK	19175	25RB#0	Range1:30~1000MHz	-27.87	PASS
Band2	5MHz	QPSK	19175	25RB#0	Range2:1000~2000MHz	-25.2	PASS
Band2	5MHz	QPSK	19175	25RB#0	Range3:2000~20000MHz	-25.61	PASS
Band2	5MHz	16QAM	18625	25RB#0	Range1:30~1000MHz	-27.85	PASS
Band2	5MHz	16QAM	18625	25RB#0	Range2:1000~2000MHz	-25.25	PASS
Band2	5MHz	16QAM	18625	25RB#0	Range3:2000~20000MHz	-26.21	PASS
Band2	5MHz	16QAM	18900	25RB#0	Range1:30~1000MHz	-27.86	PASS
Band2	5MHz	16QAM	18900	25RB#0	Range2:1000~2000MHz	-25.51	PASS
Band2	5MHz	16QAM	18900	25RB#0	Range3:2000~20000MHz	-26.85	PASS
Band2	5MHz	16QAM	19175	25RB#0	Range1:30~1000MHz	-28.26	PASS
Band2	5MHz	16QAM	19175	25RB#0	Range2:1000~2000MHz	-25.02	PASS
Band2	5MHz	16QAM	19175	25RB#0	Range3:2000~20000MHz	-24.49	PASS
Band2	10MHz	QPSK	18650	50RB#0	Range1:30~1000MHz	-27.7	PASS
Band2	10MHz	QPSK	18650	50RB#0	Range2:1000~2000MHz	-25.78	PASS
Band2	10MHz	QPSK	18650	50RB#0	Range3:2000~20000MHz	-26.67	PASS
Band2	10MHz	QPSK	18900	50RB#0	Range1:30~1000MHz	-28.11	PASS
Band2	10MHz	QPSK	18900	50RB#0	Range2:1000~2000MHz	-25.06	PASS
Band2	10MHz	QPSK	18900	50RB#0	Range3:2000~20000MHz	-26.82	PASS
Band2	10MHz	QPSK	19150	50RB#0	Range1:30~1000MHz	-27.74	PASS
Band2	10MHz	QPSK	19150	50RB#0	Range2:1000~2000MHz	-25.13	PASS
Band2	10MHz	QPSK	19150	50RB#0	Range3:2000~20000MHz	-25.52	PASS
Band2	10MHz	16QAM	18650	50RB#0	Range1:30~1000MHz	-27.57	PASS
Band2	10MHz	16QAM	18650	50RB#0	Range2:1000~2000MHz	-25.74	PASS
Band2	10MHz	16QAM	18650	50RB#0	Range3:2000~20000MHz	-26.07	PASS
Band2	10MHz	16QAM	18900	50RB#0	Range1:30~1000MHz	-27.81	PASS
Band2	10MHz	16QAM	18900	50RB#0	Range2:1000~2000MHz	-24.82	PASS
Band2	10MHz	16QAM	18900	50RB#0	Range3:2000~20000MHz	-26.5	PASS
Band2	10MHz	16QAM	19150	50RB#0	Range1:30~1000MHz	-27.49	PASS
Band2	10MHz	16QAM	19150	50RB#0	Range2:1000~2000MHz	-25.24	PASS
Band2	10MHz	16QAM	19150	50RB#0	Range3:2000~20000MHz	-25.49	PASS
Band2	15MHz	QPSK	18675	75RB#0	Range1:30~1000MHz	-27.39	PASS
Band2	15MHz	QPSK	18675	75RB#0	Range2:1000~2000MHz	-25.03	PASS
Band2	15MHz	QPSK	18675	75RB#0	Range3:2000~20000MHz	-26.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	Range1:30~1000MHz	-27.48	PASS
Band2	15MHz	QPSK	18900	75RB#0	Range2:1000~2000MHz	-25.31	PASS
Band2	15MHz	QPSK	18900	75RB#0	Range3:2000~20000MHz	-25.81	PASS


Band2	15MHz	QPSK	19125	75RB#0	Range1:30~1000MHz	-27.78	PASS
Band2	15MHz	QPSK	19125	75RB#0	Range2:1000~2000MHz	-25.03	PASS
Band2	15MHz	QPSK	19125	75RB#0	Range3:2000~20000MHz	-25.91	PASS
Band2	15MHz	16QAM	18675	75RB#0	Range1:30~1000MHz	-27.89	PASS
Band2	15MHz	16QAM	18675	75RB#0	Range2:1000~2000MHz	-25.16	PASS
Band2	15MHz	16QAM	18675	75RB#0	Range3:2000~20000MHz	-26.04	PASS
Band2	15MHz	16QAM	18900	75RB#0	Range1:30~1000MHz	-27.63	PASS
Band2	15MHz	16QAM	18900	75RB#0	Range2:1000~2000MHz	-25.34	PASS
Band2	15MHz	16QAM	18900	75RB#0	Range3:2000~20000MHz	-25.76	PASS
Band2	15MHz	16QAM	19125	75RB#0	Range1:30~1000MHz	-27.49	PASS
Band2	15MHz	16QAM	19125	75RB#0	Range2:1000~2000MHz	-25.32	PASS
Band2	15MHz	16QAM	19125	75RB#0	Range3:2000~20000MHz	-25.34	PASS
Band2	20MHz	QPSK	18700	100RB#0	Range1:30~1000MHz	-28.15	PASS
Band2	20MHz	QPSK	18700	100RB#0	Range2:1000~2000MHz	-25.74	PASS
Band2	20MHz	QPSK	18700	100RB#0	Range3:2000~20000MHz	-26.96	PASS
Band2	20MHz	QPSK	18900	100RB#0	Range1:30~1000MHz	-26.55	PASS
Band2	20MHz	QPSK	18900	100RB#0	Range2:1000~2000MHz	-24.73	PASS
Band2	20MHz	QPSK	18900	100RB#0	Range3:2000~20000MHz	-26.67	PASS
Band2	20MHz	QPSK	19100	100RB#0	Range1:30~1000MHz	-27.03	PASS
Band2	20MHz	QPSK	19100	100RB#0	Range2:1000~2000MHz	-24.81	PASS
Band2	20MHz	QPSK	19100	100RB#0	Range3:2000~20000MHz	-25.88	PASS
Band2	20MHz	16QAM	18700	100RB#0	Range1:30~1000MHz	-28.13	PASS
Band2	20MHz	16QAM	18700	100RB#0	Range2:1000~2000MHz	-25.44	PASS
Band2	20MHz	16QAM	18700	100RB#0	Range3:2000~20000MHz	-26.24	PASS
Band2	20MHz	16QAM	18900	100RB#0	Range1:30~1000MHz	-27.93	PASS
Band2	20MHz	16QAM	18900	100RB#0	Range2:1000~2000MHz	-24.83	PASS
Band2	20MHz	16QAM	18900	100RB#0	Range3:2000~20000MHz	-26.73	PASS
Band2	20MHz	16QAM	19100	100RB#0	Range1:30~1000MHz	-27.53	PASS
Band2	20MHz	16QAM	19100	100RB#0	Range2:1000~2000MHz	-25.72	PASS
Band2	20MHz	16QAM	19100	100RB#0	Range3:2000~20000MHz	-25.56	PASS

Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-QPSK-18607-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-QPSK-18607-6RB#0-Range3:2000~20000MHz




Band2-1.4MHz-QPSK-18900-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-QPSK-18900-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-QPSK-18900-6RB#0-Range3:2000~20000MHz




Band2-1.4MHz-QPSK-19193-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-QPSK-19193-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-QPSK-19193-6RB#0-Range3:2000~20000MHz




Band2-1.4MHz-16QAM-18607-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-16QAM-18607-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-16QAM-18607-6RB#0-Range3:2000~20000MHz




Band2-1.4MHz-16QAM-18900-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-16QAM-18900-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-16QAM-18900-6RB#0-Range3:2000~20000MHz




Band2-1.4MHz-16QAM-19193-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-16QAM-19193-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-16QAM-19193-6RB#0-Range3:2000~20000MHz




Band2-3MHz-QPSK-18615-6RB#0-Range1:30~1000MHz




Band2-3MHz-QPSK-18615-6RB#0-Range2:1000~2000MHz




Band2-3MHz-QPSK-18615-6RB#0-Range3:2000~20000MHz




Band2-3MHz-QPSK-18900-6RB#0-Range1:30~1000MHz




Band2-3MHz-QPSK-18900-6RB#0-Range2:1000~2000MHz




Band2-3MHz-QPSK-18900-6RB#0-Range3:2000~20000MHz




Band2-3MHz-QPSK-19185-6RB#0-Range1:30~1000MHz




Band2-3MHz-QPSK-19185-6RB#0-Range2:1000~2000MHz




Band2-3MHz-QPSK-19185-6RB#0-Range3:2000~20000MHz




Band2-3MHz-16QAM-18615-6RB#0-Range1:30~1000MHz




Band2-3MHz-16QAM-18615-6RB#0-Range2:1000~2000MHz




Band2-3MHz-16QAM-18615-6RB#0-Range3:2000~20000MHz




Band2-3MHz-16QAM-18900-6RB#0-Range1:30~1000MHz




Band2-3MHz-16QAM-18900-6RB#0-Range2:1000~2000MHz




Band2-3MHz-16QAM-18900-6RB#0-Range3:2000~20000MHz




Band2-3MHz-16QAM-19185-6RB#0-Range1:30~1000MHz




Band2-3MHz-16QAM-19185-6RB#0-Range2:1000~2000MHz




Band2-3MHz-16QAM-19185-6RB#0-Range3:2000~20000MHz




Band2-5MHz-QPSK-18625-25RB#0-Range1:30~1000MHz




Band2-5MHz-QPSK-18625-25RB#0-Range2:1000~2000MHz




Band2-5MHz-QPSK-18625-25RB#0-Range3:2000~20000MHz




Band2-5MHz-QPSK-18900-25RB#0-Range1:30~1000MHz




Band2-5MHz-QPSK-18900-25RB#0-Range2:1000~2000MHz




Band2-5MHz-QPSK-18900-25RB#0-Range3:2000~20000MHz




Band2-5MHz-QPSK-19175-25RB#0-Range1:30~1000MHz




Band2-5MHz-QPSK-19175-25RB#0-Range2:1000~2000MHz




Band2-5MHz-QPSK-19175-25RB#0-Range3:2000~20000MHz




Band2-5MHz-16QAM-18625-25RB#0-Range1:30~1000MHz




Band2-5MHz-16QAM-18625-25RB#0-Range2:1000~2000MHz




Band2-5MHz-16QAM-18625-25RB#0-Range3:2000~20000MHz




Band2-5MHz-16QAM-18900-25RB#0-Range1:30~1000MHz




Band2-5MHz-16QAM-18900-25RB#0-Range2:1000~2000MHz




Band2-5MHz-16QAM-18900-25RB#0-Range3:2000~20000MHz




Band2-5MHz-16QAM-19175-25RB#0-Range1:30~1000MHz




Band2-5MHz-16QAM-19175-25RB#0-Range2:1000~2000MHz




Band2-5MHz-16QAM-19175-25RB#0-Range3:2000~20000MHz




Band2-10MHz-QPSK-18650-50RB#0-Range1:30~1000MHz




Band2-10MHz-QPSK-18650-50RB#0-Range2:1000~2000MHz




Band2-10MHz-QPSK-18650-50RB#0-Range3:2000~20000MHz




Band2-10MHz-QPSK-18900-50RB#0-Range1:30~1000MHz




Band2-10MHz-QPSK-18900-50RB#0-Range2:1000~2000MHz




Band2-10MHz-QPSK-18900-50RB#0-Range3:2000~20000MHz




Band2-10MHz-QPSK-19150-50RB#0-Range1:30~1000MHz




Band2-10MHz-QPSK-19150-50RB#0-Range2:1000~2000MHz




Band2-10MHz-QPSK-19150-50RB#0-Range3:2000~20000MHz




Band2-10MHz-16QAM-18650-50RB#0-Range1:30~1000MHz




Band2-10MHz-16QAM-18650-50RB#0-Range2:1000~2000MHz




Band2-10MHz-16QAM-18650-50RB#0-Range3:2000~20000MHz




Band2-10MHz-16QAM-18900-50RB#0-Range1:30~1000MHz




Band2-10MHz-16QAM-18900-50RB#0-Range2:1000~2000MHz




Band2-10MHz-16QAM-18900-50RB#0-Range3:2000~20000MHz




Band2-10MHz-16QAM-19150-50RB#0-Range1:30~1000MHz




Band2-10MHz-16QAM-19150-50RB#0-Range2:1000~2000MHz




Band2-10MHz-16QAM-19150-50RB#0-Range3:2000~20000MHz




Band2-15MHz-QPSK-18675-75RB#0-Range1:30~1000MHz



Band2-15MHz-QPSK-18675-75RB#0-Range2:1000~2000MHz



Band2-15MHz-QPSK-18675-75RB#0-Range3:2000~20000MHz



Band2-15MHz-QPSK-18900-75RB#0-Range1:30~1000MHz

The screenshot shows a Spectrum Analyzer interface with the following settings and data:

- Ref Level:** 25.00 dBm
- Att:** 35 dB
- SWT:** 1 ms
- VBW:** 3 MHz
- Mode:** Auto Sweep
- Count:** 3/3
- TDF:** (checked)

The main display area shows a spectrum plot with a noise floor around -30 dBm. Two weak signals are identified:

- M1[1]:** -24.93 dBm at 1.634500 GHz
- M2[1]:** -25.31 dBm at 1.743744 GHz

A red line at -13.000 dBm is labeled "D1". The x-axis ranges from 1.0 GHz to 2.0 GHz with a 1000 pts span. The y-axis ranges from -70 dBm to 20 dBm.

Spectrum

Ref Level 15.00 dBm Att 25 dB SWT 72 ms RBW 1 MHz VBW 3 MHz Mode Auto Sweep Count 3/3 TDF

1Pk View

M1[1] -25.81 dBm 17.825150 GHz


-01 -13.000 dBm

M3


Start 2.0 GHz 20000 pts Stop 20.0 GHz

Date: 27.JUL.2024 12:53:00


Band2-15MHz-QPSK-19125-75RB#0-Range1:30~1000MHz




Band2-15MHz-QPSK-19125-75RB#0-Range2:1000~2000MHz




Band2-15MHz-QPSK-19125-75RB#0-Range3:2000~20000MHz




Band2-15MHz-16QAM-18675-75RB#0-Range1:30~1000MHz




Band2-15MHz-16QAM-18675-75RB#0-Range2:1000~2000MHz




Band2-15MHz-16QAM-18675-75RB#0-Range3:2000~20000MHz




Band2-15MHz-16QAM-18900-75RB#0-Range1:30~1000MHz




Band2-15MHz-16QAM-18900-75RB#0-Range2:1000~2000MHz




Band2-15MHz-16QAM-18900-75RB#0-Range3:2000~20000MHz




Band2-15MHz-16QAM-19125-75RB#0-Range1:30~1000MHz




Band2-15MHz-16QAM-19125-75RB#0-Range2:1000~2000MHz




Band2-15MHz-16QAM-19125-75RB#0-Range3:2000~20000MHz




Band2-20MHz-QPSK-18700-100RB#0-Range1:30~1000MHz




Band2-20MHz-QPSK-18700-100RB#0-Range2:1000~2000MHz




Band2-20MHz-QPSK-18700-100RB#0-Range3:2000~20000MHz




Band2-20MHz-QPSK-18900-100RB#0-Range1:30~1000MHz




Band2-20MHz-QPSK-18900-100RB#0-Range2:1000~2000MHz




Band2-20MHz-QPSK-18900-100RB#0-Range3:2000~20000MHz




Band2-20MHz-QPSK-19100-100RB#0-Range1:30~1000MHz




Band2-20MHz-QPSK-19100-100RB#0-Range2:1000~2000MHz




Band2-20MHz-QPSK-19100-100RB#0-Range3:2000~20000MHz




Band2-20MHz-16QAM-18700-100RB#0-Range1:30~1000MHz




Band2-20MHz-16QAM-18700-100RB#0-Range2:1000~2000MHz




Band2-20MHz-16QAM-18700-100RB#0-Range3:2000~20000MHz




Band2-20MHz-16QAM-18900-100RB#0-Range1:30~1000MHz




Band2-20MHz-16QAM-18900-100RB#0-Range2:1000~2000MHz




Band2-20MHz-16QAM-18900-100RB#0-Range3:2000~20000MHz



Band2-20MHz-16QAM-19100-100RB#0-Range1:30~1000MHz



Band2-20MHz-16QAM-19100-100RB#0-Range2:1000~2000MHz



Band2-20MHz-16QAM-19100-100RB#0-Range3:2000~20000MHz

