

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.36	-0.15	23.21	<=33.01	Pass
			2	23.27	-0.15	23.12	<=33.01	Pass
			5	22.95	-0.15	22.80	<=33.01	Pass
		3	0	23.19	-0.15	23.04	<=33.01	Pass
			2	23.48	-0.15	23.33	<=33.01	Pass
			3	23.39	-0.15	23.24	<=33.01	Pass
		6	0	22.29	-0.15	22.14	<=33.01	Pass
	1880	1	0	23.48	-0.15	23.33	<=33.01	Pass
			2	23.22	-0.15	23.07	<=33.01	Pass
			5	23.33	-0.15	23.18	<=33.01	Pass
		3	0	23.41	-0.15	23.26	<=33.01	Pass
			2	23.54	-0.15	23.39	<=33.01	Pass
			3	23.02	-0.15	22.87	<=33.01	Pass
		6	0	22.42	-0.15	22.27	<=33.01	Pass
	1909.3	1	0	23.39	-0.15	23.24	<=33.01	Pass
			2	23.48	-0.15	23.33	<=33.01	Pass
			5	23.76	-0.15	23.61	<=33.01	Pass
		3	0	23.48	-0.15	23.33	<=33.01	Pass
			2	23.48	-0.15	23.33	<=33.01	Pass
			3	23.72	-0.15	23.57	<=33.01	Pass
		6	0	22.66	-0.15	22.51	<=33.01	Pass
16QAM	1850.7	1	0	22.57	-0.15	22.42	<=33.01	Pass
			2	22.59	-0.15	22.44	<=33.01	Pass
			5	22.19	-0.15	22.04	<=33.01	Pass
		3	0	22.32	-0.15	22.17	<=33.01	Pass
			2	22.68	-0.15	22.53	<=33.01	Pass
			3	22.76	-0.15	22.61	<=33.01	Pass
		6	0	21.39	-0.15	21.24	<=33.01	Pass
	1880	1	0	22.73	-0.15	22.58	<=33.01	Pass
			2	22.83	-0.15	22.68	<=33.01	Pass
			5	23.04	-0.15	22.89	<=33.01	Pass
		3	0	22.65	-0.15	22.50	<=33.01	Pass
			2	22.70	-0.15	22.55	<=33.01	Pass
			3	22.46	-0.15	22.31	<=33.01	Pass
		6	0	21.56	-0.15	21.41	<=33.01	Pass
	1909.3	1	0	23.10	-0.15	22.95	<=33.01	Pass
			2	23.09	-0.15	22.94	<=33.01	Pass
			5	23.31	-0.15	23.16	<=33.01	Pass
		3	0	22.77	-0.15	22.62	<=33.01	Pass
			2	22.98	-0.15	22.83	<=33.01	Pass
			3	22.69	-0.15	22.54	<=33.01	Pass
		6	0	21.85	-0.15	21.70	<=33.01	Pass
64QAM	1850.7	1	0	22.15	-0.15	22.00	<=33.01	Pass
			2	22.16	-0.15	22.01	<=33.01	Pass
			5	22.11	-0.15	21.96	<=33.01	Pass
		3	0	22.30	-0.15	22.15	<=33.01	Pass
			2	22.08	-0.15	21.93	<=33.01	Pass
			3	22.46	-0.15	22.31	<=33.01	Pass
		6	0	21.35	-0.15	21.20	<=33.01	Pass

	1880	1	0	22.18	-0.15	22.03	<=33.01	Pass
			2	22.72	-0.15	22.57	<=33.01	Pass
			5	22.60	-0.15	22.45	<=33.01	Pass
		3	0	22.64	-0.15	22.49	<=33.01	Pass
			2	22.72	-0.15	22.57	<=33.01	Pass
			3	22.47	-0.15	22.32	<=33.01	Pass
		6	0	21.45	-0.15	21.30	<=33.01	Pass
	1909.3	1	0	22.22	-0.15	22.07	<=33.01	Pass
			2	22.12	-0.15	21.97	<=33.01	Pass
			5	22.59	-0.15	22.44	<=33.01	Pass
		3	0	22.92	-0.15	22.77	<=33.01	Pass
			2	22.86	-0.15	22.71	<=33.01	Pass
			3	22.85	-0.15	22.70	<=33.01	Pass
		6	0	21.82	-0.15	21.67	<=33.01	Pass
256QAM	1850.7	1	0	18.44	-0.15	18.29	<=33.01	Pass
			2	18.55	-0.15	18.40	<=33.01	Pass
			5	18.41	-0.15	18.26	<=33.01	Pass
		3	0	18.46	-0.15	18.31	<=33.01	Pass
			2	18.22	-0.15	18.07	<=33.01	Pass
			3	18.29	-0.15	18.14	<=33.01	Pass
		6	0	18.21	-0.15	18.06	<=33.01	Pass
	1880	1	0	18.58	-0.15	18.43	<=33.01	Pass
			2	18.56	-0.15	18.41	<=33.01	Pass
			5	18.51	-0.15	18.36	<=33.01	Pass
		3	0	18.68	-0.15	18.53	<=33.01	Pass
			2	18.61	-0.15	18.46	<=33.01	Pass
			3	18.49	-0.15	18.34	<=33.01	Pass
		6	0	18.55	-0.15	18.40	<=33.01	Pass
	1909.3	1	0	18.96	-0.15	18.81	<=33.01	Pass
			2	18.81	-0.15	18.66	<=33.01	Pass
			5	18.73	-0.15	18.58	<=33.01	Pass
		3	0	18.90	-0.15	18.75	<=33.01	Pass
			2	18.89	-0.15	18.74	<=33.01	Pass
			3	18.79	-0.15	18.64	<=33.01	Pass
		6	0	18.75	-0.15	18.60	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.55	-0.15	23.40	<=33.01	Pass
			7	23.29	-0.15	23.14	<=33.01	Pass
			14	23.51	-0.15	23.36	<=33.01	Pass
		8	0	22.45	-0.15	22.30	<=33.01	Pass
			4	22.46	-0.15	22.31	<=33.01	Pass
			7	22.40	-0.15	22.25	<=33.01	Pass
		15	0	22.48	-0.15	22.33	<=33.01	Pass
	1880	1	0	23.35	-0.15	23.20	<=33.01	Pass
			7	23.71	-0.15	23.56	<=33.01	Pass
			14	23.42	-0.15	23.27	<=33.01	Pass
		8	0	22.18	-0.15	22.03	<=33.01	Pass
			4	22.44	-0.15	22.29	<=33.01	Pass
			7	22.49	-0.15	22.34	<=33.01	Pass
		15	0	22.42	-0.15	22.27	<=33.01	Pass
	1908.5	1	0	23.60	-0.15	23.45	<=33.01	Pass

		8	7	24.11	-0.15	23.96	<=33.01	Pass
			14	23.59	-0.15	23.44	<=33.01	Pass
			0	22.76	-0.15	22.61	<=33.01	Pass
			4	22.81	-0.15	22.66	<=33.01	Pass
			7	22.81	-0.15	22.66	<=33.01	Pass
		15	0	22.84	-0.15	22.69	<=33.01	Pass
16QAM	1851.5	1	0	22.43	-0.15	22.28	<=33.01	Pass
			7	22.54	-0.15	22.39	<=33.01	Pass
			14	22.95	-0.15	22.80	<=33.01	Pass
		8	0	21.12	-0.15	20.97	<=33.01	Pass
			4	21.46	-0.15	21.31	<=33.01	Pass
			7	21.38	-0.15	21.23	<=33.01	Pass
		15	0	21.38	-0.15	21.23	<=33.01	Pass
	1880	1	0	22.18	-0.15	22.03	<=33.01	Pass
			7	22.76	-0.15	22.61	<=33.01	Pass
			14	22.73	-0.15	22.58	<=33.01	Pass
		8	0	21.39	-0.15	21.24	<=33.01	Pass
			4	21.39	-0.15	21.24	<=33.01	Pass
			7	21.62	-0.15	21.47	<=33.01	Pass
		15	0	21.35	-0.15	21.20	<=33.01	Pass
	1908.5	1	0	22.79	-0.15	22.64	<=33.01	Pass
			7	22.73	-0.15	22.58	<=33.01	Pass
			14	23.04	-0.15	22.89	<=33.01	Pass
		8	0	22.00	-0.15	21.85	<=33.01	Pass
			4	21.94	-0.15	21.79	<=33.01	Pass
			7	21.97	-0.15	21.82	<=33.01	Pass
		15	0	21.89	-0.15	21.74	<=33.01	Pass
64QAM	1851.5	1	0	22.47	-0.15	22.32	<=33.01	Pass
			7	22.45	-0.15	22.30	<=33.01	Pass
			14	22.36	-0.15	22.21	<=33.01	Pass
		8	0	21.27	-0.15	21.12	<=33.01	Pass
			4	21.33	-0.15	21.18	<=33.01	Pass
			7	21.39	-0.15	21.24	<=33.01	Pass
		15	0	21.39	-0.15	21.24	<=33.01	Pass
	1880	1	0	22.64	-0.15	22.49	<=33.01	Pass
			7	22.08	-0.15	21.93	<=33.01	Pass
			14	22.54	-0.15	22.39	<=33.01	Pass
		8	0	21.49	-0.15	21.34	<=33.01	Pass
			4	21.54	-0.15	21.39	<=33.01	Pass
			7	21.52	-0.15	21.37	<=33.01	Pass
		15	0	21.24	-0.15	21.09	<=33.01	Pass
	1908.5	1	0	22.93	-0.15	22.78	<=33.01	Pass
			7	22.91	-0.15	22.76	<=33.01	Pass
			14	22.80	-0.15	22.65	<=33.01	Pass
		8	0	21.34	-0.15	21.19	<=33.01	Pass
			4	21.74	-0.15	21.59	<=33.01	Pass
			7	22.00	-0.15	21.85	<=33.01	Pass
		15	0	21.83	-0.15	21.68	<=33.01	Pass
256QAM	1851.5	1	0	18.62	-0.15	18.47	<=33.01	Pass
			7	18.60	-0.15	18.45	<=33.01	Pass
			14	18.35	-0.15	18.20	<=33.01	Pass
		8	0	18.48	-0.15	18.33	<=33.01	Pass
			4	18.44	-0.15	18.29	<=33.01	Pass
			7	18.39	-0.15	18.24	<=33.01	Pass
		15	0	18.43	-0.15	18.28	<=33.01	Pass
	1880	1	0	18.18	-0.15	18.03	<=33.01	Pass
			7	18.75	-0.15	18.60	<=33.01	Pass
			14	18.65	-0.15	18.50	<=33.01	Pass
		8	0	18.45	-0.15	18.30	<=33.01	Pass

		15	4	18.52	-0.15	18.37	<=33.01	Pass
			7	18.57	-0.15	18.42	<=33.01	Pass
			0	18.40	-0.15	18.25	<=33.01	Pass
	1908.5	1	0	18.85	-0.15	18.70	<=33.01	Pass
			7	19.01	-0.15	18.86	<=33.01	Pass
			14	18.88	-0.15	18.73	<=33.01	Pass
		8	0	18.71	-0.15	18.56	<=33.01	Pass
			4	18.90	-0.15	18.75	<=33.01	Pass
			7	18.91	-0.15	18.76	<=33.01	Pass
		15	0	18.82	-0.15	18.67	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.37	-0.15	23.22	<=33.01	Pass
			13	23.76	-0.15	23.61	<=33.01	Pass
			24	23.40	-0.15	23.25	<=33.01	Pass
		12	0	22.29	-0.15	22.14	<=33.01	Pass
			6	22.41	-0.15	22.26	<=33.01	Pass
			13	22.45	-0.15	22.30	<=33.01	Pass
		25	0	22.42	-0.15	22.27	<=33.01	Pass
	1880	1	0	23.22	-0.15	23.07	<=33.01	Pass
			13	23.34	-0.15	23.19	<=33.01	Pass
			24	23.65	-0.15	23.50	<=33.01	Pass
		12	0	22.43	-0.15	22.28	<=33.01	Pass
			6	22.43	-0.15	22.28	<=33.01	Pass
			13	22.51	-0.15	22.36	<=33.01	Pass
		25	0	22.36	-0.15	22.21	<=33.01	Pass
	1907.5	1	0	23.65	-0.15	23.50	<=33.01	Pass
			13	24.12	-0.15	23.97	<=33.01	Pass
			24	23.84	-0.15	23.69	<=33.01	Pass
		12	0	22.81	-0.15	22.66	<=33.01	Pass
			6	22.85	-0.15	22.70	<=33.01	Pass
			13	22.82	-0.15	22.67	<=33.01	Pass
		25	0	22.84	-0.15	22.69	<=33.01	Pass
16QAM	1852.5	1	0	22.61	-0.15	22.46	<=33.01	Pass
			13	22.42	-0.15	22.27	<=33.01	Pass
			24	22.63	-0.15	22.48	<=33.01	Pass
		12	0	21.29	-0.15	21.14	<=33.01	Pass
			6	21.53	-0.15	21.38	<=33.01	Pass
			13	21.61	-0.15	21.46	<=33.01	Pass
		25	0	21.36	-0.15	21.21	<=33.01	Pass
	1880	1	0	22.62	-0.15	22.47	<=33.01	Pass
			13	23.17	-0.15	23.02	<=33.01	Pass
			24	23.27	-0.15	23.12	<=33.01	Pass
		12	0	21.42	-0.15	21.27	<=33.01	Pass
			6	21.45	-0.15	21.30	<=33.01	Pass
			13	21.60	-0.15	21.45	<=33.01	Pass
		25	0	21.51	-0.15	21.36	<=33.01	Pass
	1907.5	1	0	23.15	-0.15	23.00	<=33.01	Pass
			13	23.17	-0.15	23.02	<=33.01	Pass
			24	23.16	-0.15	23.01	<=33.01	Pass
		12	0	22.04	-0.15	21.89	<=33.01	Pass
			6	21.93	-0.15	21.78	<=33.01	Pass

			13	21.97	-0.15	21.82	<=33.01	Pass	
		25	0	21.93	-0.15	21.78	<=33.01	Pass	
64QAM	1852.5	1	0	22.54	-0.15	22.39	<=33.01	Pass	
			13	22.53	-0.15	22.38	<=33.01	Pass	
			24	22.11	-0.15	21.96	<=33.01	Pass	
			0	21.32	-0.15	21.17	<=33.01	Pass	
		12	6	21.44	-0.15	21.29	<=33.01	Pass	
			13	21.35	-0.15	21.20	<=33.01	Pass	
			25	0	21.30	-0.15	21.15	<=33.01	Pass
		1880	1	0	22.56	-0.15	22.41	<=33.01	Pass
				13	22.41	-0.15	22.26	<=33.01	Pass
				24	22.63	-0.15	22.48	<=33.01	Pass
	0			21.32	-0.15	21.17	<=33.01	Pass	
	12		6	21.54	-0.15	21.39	<=33.01	Pass	
			13	21.52	-0.15	21.37	<=33.01	Pass	
			25	0	21.42	-0.15	21.27	<=33.01	Pass
	1907.5		1	0	22.81	-0.15	22.66	<=33.01	Pass
		13		22.76	-0.15	22.61	<=33.01	Pass	
		24		22.39	-0.15	22.24	<=33.01	Pass	
		0		21.83	-0.15	21.68	<=33.01	Pass	
		12	6	21.92	-0.15	21.77	<=33.01	Pass	
			13	21.80	-0.15	21.65	<=33.01	Pass	
			25	0	21.88	-0.15	21.73	<=33.01	Pass
		256QAM	1852.5	1	0	18.44	-0.15	18.29	<=33.01
	13				18.56	-0.15	18.41	<=33.01	Pass
24	18.19				-0.15	18.04	<=33.01	Pass	
12	0			18.35	-0.15	18.20	<=33.01	Pass	
	6			18.57	-0.15	18.42	<=33.01	Pass	
	13			18.37	-0.15	18.22	<=33.01	Pass	
25	0			18.46	-0.15	18.31	<=33.01	Pass	
1880	1		0	18.01	-0.15	17.86	<=33.01	Pass	
			13	18.70	-0.15	18.55	<=33.01	Pass	
			24	18.57	-0.15	18.42	<=33.01	Pass	
	12		0	18.43	-0.15	18.28	<=33.01	Pass	
			6	18.53	-0.15	18.38	<=33.01	Pass	
			13	18.60	-0.15	18.45	<=33.01	Pass	
	25		0	18.43	-0.15	18.28	<=33.01	Pass	
1907.5	1		0	18.56	-0.15	18.41	<=33.01	Pass	
			13	18.94	-0.15	18.79	<=33.01	Pass	
			24	19.02	-0.15	18.87	<=33.01	Pass	
	12		0	18.63	-0.15	18.48	<=33.01	Pass	
			6	18.88	-0.15	18.73	<=33.01	Pass	
			13	18.76	-0.15	18.61	<=33.01	Pass	
	25		0	18.85	-0.15	18.70	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.12	-0.15	22.97	<=33.01	Pass
			25	23.52	-0.15	23.37	<=33.01	Pass
			49	23.34	-0.15	23.19	<=33.01	Pass
		25	0	22.48	-0.15	22.33	<=33.01	Pass
			13	22.62	-0.15	22.47	<=33.01	Pass
			25	22.25	-0.15	22.10	<=33.01	Pass

		50	0	22.36	-0.15	22.21	<=33.01	Pass	
		1880	1	0	23.38	-0.15	23.23	<=33.01	Pass
				25	23.39	-0.15	23.24	<=33.01	Pass
				49	23.26	-0.15	23.11	<=33.01	Pass
				0	22.19	-0.15	22.04	<=33.01	Pass
			25	13	22.36	-0.15	22.21	<=33.01	Pass
				25	22.57	-0.15	22.42	<=33.01	Pass
		50	0	22.40	-0.15	22.25	<=33.01	Pass	
		1905	1	0	24.19	-0.15	24.04	<=33.01	Pass
				25	23.53	-0.15	23.38	<=33.01	Pass
				49	23.97	-0.15	23.82	<=33.01	Pass
			25	0	22.86	-0.15	22.71	<=33.01	Pass
				13	22.91	-0.15	22.76	<=33.01	Pass
				25	22.90	-0.15	22.75	<=33.01	Pass
			50	0	22.83	-0.15	22.68	<=33.01	Pass
16QAM	1855		1	0	22.59	-0.15	22.44	<=33.01	Pass
		25		22.27	-0.15	22.12	<=33.01	Pass	
		49		22.39	-0.15	22.24	<=33.01	Pass	
		25	0	21.49	-0.15	21.34	<=33.01	Pass	
			13	21.34	-0.15	21.19	<=33.01	Pass	
			25	21.47	-0.15	21.32	<=33.01	Pass	
		50	0	21.53	-0.15	21.38	<=33.01	Pass	
	1880	1	0	22.69	-0.15	22.54	<=33.01	Pass	
			25	22.71	-0.15	22.56	<=33.01	Pass	
			49	22.67	-0.15	22.52	<=33.01	Pass	
		25	0	21.51	-0.15	21.36	<=33.01	Pass	
			13	21.46	-0.15	21.31	<=33.01	Pass	
			25	21.26	-0.15	21.11	<=33.01	Pass	
	50	0	21.62	-0.15	21.47	<=33.01	Pass		
	1905	1	0	23.13	-0.15	22.98	<=33.01	Pass	
			25	22.91	-0.15	22.76	<=33.01	Pass	
			49	23.04	-0.15	22.89	<=33.01	Pass	
		25	0	21.95	-0.15	21.80	<=33.01	Pass	
			13	21.98	-0.15	21.83	<=33.01	Pass	
			25	21.93	-0.15	21.78	<=33.01	Pass	
		50	0	21.88	-0.15	21.73	<=33.01	Pass	
64QAM	1855	1	0	22.43	-0.15	22.28	<=33.01	Pass	
			25	22.39	-0.15	22.24	<=33.01	Pass	
			49	22.42	-0.15	22.27	<=33.01	Pass	
		25	0	21.44	-0.15	21.29	<=33.01	Pass	
			13	21.43	-0.15	21.28	<=33.01	Pass	
			25	21.50	-0.15	21.35	<=33.01	Pass	
		50	0	21.40	-0.15	21.25	<=33.01	Pass	
	1880	1	0	22.59	-0.15	22.44	<=33.01	Pass	
			25	22.49	-0.15	22.34	<=33.01	Pass	
			49	22.60	-0.15	22.45	<=33.01	Pass	
		25	0	21.47	-0.15	21.32	<=33.01	Pass	
			13	21.48	-0.15	21.33	<=33.01	Pass	
			25	21.63	-0.15	21.48	<=33.01	Pass	
	50	0	21.56	-0.15	21.41	<=33.01	Pass		
	1905	1	0	23.05	-0.15	22.90	<=33.01	Pass	
25			23.19	-0.15	23.04	<=33.01	Pass		
49			22.91	-0.15	22.76	<=33.01	Pass		
25		0	21.87	-0.15	21.72	<=33.01	Pass		
		13	21.97	-0.15	21.82	<=33.01	Pass		
		25	21.90	-0.15	21.75	<=33.01	Pass		
50		0	21.86	-0.15	21.71	<=33.01	Pass		
256QAM	1855	1	0	18.60	-0.15	18.45	<=33.01	Pass	
			25	18.41	-0.15	18.26	<=33.01	Pass	

			49	18.53	-0.15	18.38	<=33.01	Pass
		25	0	18.45	-0.15	18.30	<=33.01	Pass
			13	18.43	-0.15	18.28	<=33.01	Pass
			25	18.47	-0.15	18.32	<=33.01	Pass
		50	0	18.40	-0.15	18.25	<=33.01	Pass
	1880	1	0	18.28	-0.15	18.13	<=33.01	Pass
			25	18.62	-0.15	18.47	<=33.01	Pass
			49	18.70	-0.15	18.55	<=33.01	Pass
		25	0	18.49	-0.15	18.34	<=33.01	Pass
			13	18.37	-0.15	18.22	<=33.01	Pass
			25	18.59	-0.15	18.44	<=33.01	Pass
		50	0	18.56	-0.15	18.41	<=33.01	Pass
	1905	1	0	19.19	-0.15	19.04	<=33.01	Pass
			25	18.88	-0.15	18.73	<=33.01	Pass
			49	18.90	-0.15	18.75	<=33.01	Pass
		25	0	18.92	-0.15	18.77	<=33.01	Pass
			13	18.96	-0.15	18.81	<=33.01	Pass
			25	18.89	-0.15	18.74	<=33.01	Pass
		50	0	18.87	-0.15	18.72	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.35	-0.15	23.20	<=33.01	Pass
			38	23.20	-0.15	23.05	<=33.01	Pass
			74	23.26	-0.15	23.11	<=33.01	Pass
		36	0	22.36	-0.15	22.21	<=33.01	Pass
			18	22.24	-0.15	22.09	<=33.01	Pass
			39	22.43	-0.15	22.28	<=33.01	Pass
		75	0	22.50	-0.15	22.35	<=33.01	Pass
	1880	1	0	23.47	-0.15	23.32	<=33.01	Pass
			38	23.64	-0.15	23.49	<=33.01	Pass
			74	23.50	-0.15	23.35	<=33.01	Pass
		36	0	22.39	-0.15	22.24	<=33.01	Pass
			18	22.55	-0.15	22.40	<=33.01	Pass
			39	22.63	-0.15	22.48	<=33.01	Pass
		75	0	22.47	-0.15	22.32	<=33.01	Pass
	1902.5	1	0	24.07	-0.15	23.92	<=33.01	Pass
			38	23.91	-0.15	23.76	<=33.01	Pass
			74	23.67	-0.15	23.52	<=33.01	Pass
		36	0	22.83	-0.15	22.68	<=33.01	Pass
			18	22.83	-0.15	22.68	<=33.01	Pass
			39	22.85	-0.15	22.70	<=33.01	Pass
		75	0	22.80	-0.15	22.65	<=33.01	Pass
16QAM	1857.5	1	0	22.57	-0.15	22.42	<=33.01	Pass
			38	22.58	-0.15	22.43	<=33.01	Pass
			74	22.32	-0.15	22.17	<=33.01	Pass
		36	0	21.33	-0.15	21.18	<=33.01	Pass
			18	21.50	-0.15	21.35	<=33.01	Pass
			39	21.43	-0.15	21.28	<=33.01	Pass
		75	0	21.43	-0.15	21.28	<=33.01	Pass
	1880	1	0	22.46	-0.15	22.31	<=33.01	Pass
			38	22.40	-0.15	22.25	<=33.01	Pass
			74	23.00	-0.15	22.85	<=33.01	Pass

		36	0	21.21	-0.15	21.06	<=33.01	Pass
			18	21.49	-0.15	21.34	<=33.01	Pass
			39	21.70	-0.15	21.55	<=33.01	Pass
		75	0	21.39	-0.15	21.24	<=33.01	Pass
	1902.5	1	0	22.94	-0.15	22.79	<=33.01	Pass
			38	23.29	-0.15	23.14	<=33.01	Pass
			74	23.01	-0.15	22.86	<=33.01	Pass
		36	0	21.81	-0.15	21.66	<=33.01	Pass
			18	21.92	-0.15	21.77	<=33.01	Pass
			39	21.90	-0.15	21.75	<=33.01	Pass
		75	0	21.81	-0.15	21.66	<=33.01	Pass
64QAM		1857.5	1	0	22.54	-0.15	22.39	<=33.01
	38			22.46	-0.15	22.31	<=33.01	Pass
	74			22.52	-0.15	22.37	<=33.01	Pass
	36		0	21.35	-0.15	21.20	<=33.01	Pass
			18	21.36	-0.15	21.21	<=33.01	Pass
			39	21.39	-0.15	21.24	<=33.01	Pass
	75		0	21.33	-0.15	21.18	<=33.01	Pass
	1880	1	0	22.53	-0.15	22.38	<=33.01	Pass
			38	22.32	-0.15	22.17	<=33.01	Pass
			74	22.52	-0.15	22.37	<=33.01	Pass
		36	0	21.49	-0.15	21.34	<=33.01	Pass
			18	21.50	-0.15	21.35	<=33.01	Pass
			39	21.54	-0.15	21.39	<=33.01	Pass
		75	0	21.45	-0.15	21.30	<=33.01	Pass
	1902.5	1	0	22.74	-0.15	22.59	<=33.01	Pass
			38	22.84	-0.15	22.69	<=33.01	Pass
			74	22.66	-0.15	22.51	<=33.01	Pass
		36	0	21.73	-0.15	21.58	<=33.01	Pass
			18	21.80	-0.15	21.65	<=33.01	Pass
			39	21.88	-0.15	21.73	<=33.01	Pass
		75	0	21.61	-0.15	21.46	<=33.01	Pass
256QAM		1857.5	1	0	18.33	-0.15	18.18	<=33.01
	38			18.49	-0.15	18.34	<=33.01	Pass
	74			18.26	-0.15	18.11	<=33.01	Pass
	36		0	18.18	-0.15	18.03	<=33.01	Pass
			18	18.54	-0.15	18.39	<=33.01	Pass
			39	18.43	-0.15	18.28	<=33.01	Pass
	75		0	18.36	-0.15	18.21	<=33.01	Pass
	1880	1	0	18.42	-0.15	18.27	<=33.01	Pass
			38	18.59	-0.15	18.44	<=33.01	Pass
			74	18.41	-0.15	18.26	<=33.01	Pass
		36	0	18.42	-0.15	18.27	<=33.01	Pass
			18	18.44	-0.15	18.29	<=33.01	Pass
			39	18.61	-0.15	18.46	<=33.01	Pass
		75	0	18.42	-0.15	18.27	<=33.01	Pass
	1902.5	1	0	18.81	-0.15	18.66	<=33.01	Pass
			38	18.90	-0.15	18.75	<=33.01	Pass
			74	18.43	-0.15	18.28	<=33.01	Pass
		36	0	18.71	-0.15	18.56	<=33.01	Pass
			18	18.84	-0.15	18.69	<=33.01	Pass
			39	18.86	-0.15	18.71	<=33.01	Pass
		75	0	18.73	-0.15	18.58	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.36	-0.15	23.21	<=33.01	Pass
			50	23.21	-0.15	23.06	<=33.01	Pass
			99	23.69	-0.15	23.54	<=33.01	Pass
		50	0	22.24	-0.15	22.09	<=33.01	Pass
			25	22.43	-0.15	22.28	<=33.01	Pass
			50	22.46	-0.15	22.31	<=33.01	Pass
		100	0	22.66	-0.15	22.51	<=33.01	Pass
	1880	1	0	23.14	-0.15	22.99	<=33.01	Pass
			50	23.47	-0.15	23.32	<=33.01	Pass
			99	23.52	-0.15	23.37	<=33.01	Pass
		50	0	22.39	-0.15	22.24	<=33.01	Pass
			25	22.44	-0.15	22.29	<=33.01	Pass
			50	22.58	-0.15	22.43	<=33.01	Pass
		100	0	22.42	-0.15	22.27	<=33.01	Pass
	1900	1	0	24.11	-0.15	23.96	<=33.01	Pass
			50	24.43	-0.15	24.28	<=33.01	Pass
			99	24.38	-0.15	24.23	<=33.01	Pass
		50	0	22.81	-0.15	22.66	<=33.01	Pass
			25	22.97	-0.15	22.82	<=33.01	Pass
			50	22.93	-0.15	22.78	<=33.01	Pass
		100	0	22.94	-0.15	22.79	<=33.01	Pass
16QAM	1860	1	0	22.59	-0.15	22.44	<=33.01	Pass
			50	22.27	-0.15	22.12	<=33.01	Pass
			99	22.50	-0.15	22.35	<=33.01	Pass
		50	0	21.19	-0.15	21.04	<=33.01	Pass
			25	21.49	-0.15	21.34	<=33.01	Pass
			50	21.42	-0.15	21.27	<=33.01	Pass
		100	0	21.45	-0.15	21.30	<=33.01	Pass
	1880	1	0	22.60	-0.15	22.45	<=33.01	Pass
			50	22.40	-0.15	22.25	<=33.01	Pass
			99	22.75	-0.15	22.60	<=33.01	Pass
		50	0	21.38	-0.15	21.23	<=33.01	Pass
			25	21.49	-0.15	21.34	<=33.01	Pass
			50	21.68	-0.15	21.53	<=33.01	Pass
		100	0	21.34	-0.15	21.19	<=33.01	Pass
	1900	1	0	22.90	-0.15	22.75	<=33.01	Pass
			50	22.70	-0.15	22.55	<=33.01	Pass
			99	22.82	-0.15	22.67	<=33.01	Pass
		50	0	21.83	-0.15	21.68	<=33.01	Pass
			25	21.91	-0.15	21.76	<=33.01	Pass
			50	21.86	-0.15	21.71	<=33.01	Pass
		100	0	21.61	-0.15	21.46	<=33.01	Pass
64QAM	1860	1	0	22.77	-0.15	22.62	<=33.01	Pass
			50	22.47	-0.15	22.32	<=33.01	Pass
			99	22.59	-0.15	22.44	<=33.01	Pass
		50	0	21.11	-0.15	20.96	<=33.01	Pass
			25	21.26	-0.15	21.11	<=33.01	Pass
			50	21.33	-0.15	21.18	<=33.01	Pass
		100	0	21.18	-0.15	21.03	<=33.01	Pass
	1880	1	0	22.21	-0.15	22.06	<=33.01	Pass
			50	22.40	-0.15	22.25	<=33.01	Pass
			99	22.65	-0.15	22.50	<=33.01	Pass
		50	0	21.41	-0.15	21.26	<=33.01	Pass
			25	21.52	-0.15	21.37	<=33.01	Pass
			50	21.63	-0.15	21.48	<=33.01	Pass
		100	0	21.43	-0.15	21.28	<=33.01	Pass

	1900	1	0	22.56	-0.15	22.41	<=33.01	Pass		
			50	22.37	-0.15	22.22	<=33.01	Pass		
			99	22.76	-0.15	22.61	<=33.01	Pass		
		50	0	21.82	-0.15	21.67	<=33.01	Pass		
			25	21.92	-0.15	21.77	<=33.01	Pass		
			50	21.87	-0.15	21.72	<=33.01	Pass		
		100	0	21.81	-0.15	21.66	<=33.01	Pass		
		256QAM	1860	1	0	18.29	-0.15	18.14	<=33.01	Pass
					50	18.72	-0.15	18.57	<=33.01	Pass
99	18.51				-0.15	18.36	<=33.01	Pass		
50	0			18.17	-0.15	18.02	<=33.01	Pass		
	25			18.42	-0.15	18.27	<=33.01	Pass		
	50			18.52	-0.15	18.37	<=33.01	Pass		
100	0			18.30	-0.15	18.15	<=33.01	Pass		
1880	1			0	18.20	-0.15	18.05	<=33.01	Pass	
				50	18.66	-0.15	18.51	<=33.01	Pass	
			99	18.80	-0.15	18.65	<=33.01	Pass		
	50		0	18.45	-0.15	18.30	<=33.01	Pass		
			25	18.42	-0.15	18.27	<=33.01	Pass		
			50	18.54	-0.15	18.39	<=33.01	Pass		
	100		0	18.46	-0.15	18.31	<=33.01	Pass		
	1900		1	0	18.74	-0.15	18.59	<=33.01	Pass	
				50	18.68	-0.15	18.53	<=33.01	Pass	
99				18.90	-0.15	18.75	<=33.01	Pass		
50			0	18.71	-0.15	18.56	<=33.01	Pass		
			25	18.87	-0.15	18.72	<=33.01	Pass		
			50	18.86	-0.15	18.71	<=33.01	Pass		
100			0	18.85	-0.15	18.70	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	LV	2.100	0.0011	-2.5 to 2.5	Pass
					HV	2.100	0.0011	-2.5 to 2.5	Pass
					NV	-0.300	-0.0002	-2.5 to 2.5	Pass
				-30	NV	1.700	0.0009	-2.5 to 2.5	Pass
				-20	NV	0.200	0.0001	-2.5 to 2.5	Pass
				-10	NV	3.600	0.0019	-2.5 to 2.5	Pass
				0	NV	2.400	0.0013	-2.5 to 2.5	Pass
				10	NV	-0.300	-0.0002	-2.5 to 2.5	Pass
				30	NV	0.700	0.0004	-2.5 to 2.5	Pass
				40	NV	-0.500	-0.0003	-2.5 to 2.5	Pass
				50	NV	0.800	0.0004	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.134	/	Pass
	16QAM	1880	6	0	1.130	/	Pass
3	QPSK	1880	15	0	2.744	/	Pass
	16QAM	1880	15	0	2.744	/	Pass
5	QPSK	1880	25	0	4.565	/	Pass
	16QAM	1880	25	0	4.569	/	Pass
10	QPSK	1880	50	0	9.090	/	Pass
	16QAM	1880	50	0	9.095	/	Pass
15	QPSK	1880	75	0	13.623	/	Pass
	16QAM	1880	75	0	13.620	/	Pass
20	QPSK	1880	100	0	18.145	/	Pass
	16QAM	1880	100	0	18.133	/	Pass

3.1.2 Band2_XDB


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.432	/	Pass
	16QAM	1880	6	0	1.531	/	Pass
3	QPSK	1880	15	0	3.076	/	Pass
	16QAM	1880	15	0	3.123	/	Pass
5	QPSK	1880	25	0	5.328	/	Pass
	16QAM	1880	25	0	5.218	/	Pass
10	QPSK	1880	50	0	10.171	/	Pass
	16QAM	1880	50	0	10.147	/	Pass
15	QPSK	1880	75	0	15.385	/	Pass
	16QAM	1880	75	0	15.252	/	Pass
20	QPSK	1880	100	0	20.276	/	Pass
	16QAM	1880	100	0	20.065	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTN




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




3.2.2 Band2_XDB




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTN




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTV



Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	4.61	<=13	Pass
16QAM	1880	100	0	5.72	<=13	Pass
64QAM	1880	100	0	5.68	<=13	Pass
256QAM	1880	100	0	6.66	<=13	Pass

4.2 Test Graph


4.2.1 B2_20MHz



Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 256QAM MCH 1880MHz RB 100 0 NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-35.95	-13	Pass
1849	1850	0.014	CHP	2	1849.995	-24.72	-13	Pass
1850	1853	0.014	CHP	/	/	/	/	/


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-24.50	-13	Pass
1911	1913	1	CHP	2	1911.500	-32.50	-13	Pass

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.014	CHP	/	/	/	/	/
1910	1911	0.014	CHP	1	1910.005	-26.15	-13	Pass
1911	1913	1	CHP	2	1911.500	-34.00	-13	Pass


5.2.2 B2_3MHz



Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTN




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-22.52	-13	Pass
1849	1850	0.031	CHP	2	1849.976	-24.37	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN



Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.027	-27.28	-13	Pass
1911	1913	1	CHP	2	1911.500	-33.91	-13	Pass

Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.031	CHP	/	/	/	/	/
1910	1911	0.031	CHP	1	1910.006	-24.25	-13	Pass
1911	1913	1	CHP	2	1911.500	-28.20	-13	Pass


5.2.3 B2_5MHz



Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-25.29	-13	Pass
1849	1850	0.053	CHP	2	1849.940	-27.28	-13	Pass
1850	1855	0.053	CHP	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-31.55	-13	Pass
1911	1915	1	CHP	2	1911.500	-34.56	-13	Pass

Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.053	CHP	/	/	/	/	/
1910	1911	0.053	CHP	1	1910.010	-26.00	-13	Pass
1911	1915	1	CHP	2	1911.500	-26.44	-13	Pass


5.2.4 B2_10MHz



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.460	-24.20	-13	Pass
1849	1850	0.102	CHP	2	1849.980	-29.05	-13	Pass
1850	1860	0.102	CHP	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2 10MHz QPSK HCH 1905MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.004	-43.46	-13	Pass
1911	1920	1	CHP	2	1911.501	-37.14	-13	Pass

Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.102	CHP	/	/	/	/	/
1910	1911	0.102	CHP	1	1910.100	-28.06	-13	Pass
1911	1920	1	CHP	2	1911.500	-23.47	-13	Pass


5.2.5 B2_15MHz



Band2 15MHz QPSK LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-25.27	-13	Pass
1849	1850	0.154	CHP	2	1849.970	-29.09	-13	Pass
1850	1865	0.154	CHP	/	/	/	/	/


Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.020	-43.10	-13	Pass
1911	1925	1	CHP	2	1911.500	-40.96	-13	Pass

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.154	CHP	/	/	/	/	/
1910	1911	0.154	CHP	1	1910.180	-29.80	-13	Pass
1911	1925	1	CHP	2	1911.500	-24.85	-13	Pass


5.2.6 B2_20MHz



Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-23.50	-13	Pass
1849	1850	0.203	CHP	2	1849.920	-27.92	-13	Pass
1850	1870	0.203	CHP	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN



Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN




Band2 20MHz QPSK HCH 1900MHz RB 1 99 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-44.45	-13	Pass
1911	1930	1	CHP	2	1911.500	-40.24	-13	Pass

Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.203	CHP	/	/	/	/	/
1910	1911	0.203	CHP	1	1910.040	-28.88	-13	Pass
1911	1930	1	CHP	2	1911.520	-23.79	-13	Pass