# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 B17_5MHz_ERP

| Band: 17 / Bandwidth: 5MHz / NTNV | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Modulation | Frequency (MHz) | RB Allocation | | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) | | Verdict |
| | | Size | Offset | | | Result | Limit | |
| QPSK | 706.5 | 1 | 0 | 23.79 | -2.75 | 18.89 | <=34.77 | Pass |
| | | | 13 | 23.82 | -2.75 | 18.92 | <=34.77 | Pass |
| | | | 24 | 23.61 | -2.75 | 18.71 | <=34.77 | Pass |
| | | 12 | 0 | 22.96 | -2.75 | 18.06 | <=34.77 | Pass |
| | | | 6 | 22.98 | -2.75 | 18.08 | <=34.77 | Pass |
| | | | 13 | 22.91 | -2.75 | 18.01 | <=34.77 | Pass |
| | | 25 | 0 | 22.92 | -2.75 | 18.02 | <=34.77 | Pass |
| | 710 | 1 | 0 | 24.15 | -2.75 | 19.25 | <=34.77 | Pass |
| | | | 13 | 24.00 | -2.75 | 19.10 | <=34.77 | Pass |
| | | | 24 | 23.95 | -2.75 | 19.05 | <=34.77 | Pass |
| | | 12 | 0 | 22.97 | -2.75 | 18.07 | <=34.77 | Pass |
| | | | 6 | 22.88 | -2.75 | 17.98 | <=34.77 | Pass |
| | | | 13 | 22.92 | -2.75 | 18.02 | <=34.77 | Pass |
| | | 25 | 0 | 22.95 | -2.75 | 18.05 | <=34.77 | Pass |
| | 713.5 | 1 | 0 | 23.95 | -2.75 | 19.05 | <=34.77 | Pass |
| | | | 13 | 23.42 | -2.75 | 18.52 | <=34.77 | Pass |
| | | | 24 | 23.16 | -2.75 | 18.26 | <=34.77 | Pass |
| | | 12 | 0 | 22.96 | -2.75 | 18.06 | <=34.77 | Pass |
| | | | 6 | 22.90 | -2.75 | 18.00 | <=34.77 | Pass |
| | | | 13 | 22.80 | -2.75 | 17.90 | <=34.77 | Pass |
| | | 25 | 0 | 22.87 | -2.75 | 17.97 | <=34.77 | Pass |
| 16QAM | 706.5 | 1 | 0 | 23.07 | -2.75 | 18.17 | <=34.77 | Pass |
| | | | 13 | 23.08 | -2.75 | 18.18 | <=34.77 | Pass |
| | | | 24 | 22.77 | -2.75 | 17.87 | <=34.77 | Pass |
| | | 12 | 0 | 21.99 | -2.75 | 17.09 | <=34.77 | Pass |
| | | | 6 | 21.98 | -2.75 | 17.08 | <=34.77 | Pass |
| | | | 13 | 21.98 | -2.75 | 17.08 | <=34.77 | Pass |
| | | 25 | 0 | 22.00 | -2.75 | 17.10 | <=34.77 | Pass |
| | 710 | 1 | 0 | 23.23 | -2.75 | 18.33 | <=34.77 | Pass |
| | | | 13 | 23.23 | -2.75 | 18.33 | <=34.77 | Pass |
| | | | 24 | 22.79 | -2.75 | 17.89 | <=34.77 | Pass |
| | | 12 | 0 | 22.01 | -2.75 | 17.11 | <=34.77 | Pass |
| | | | 6 | 22.04 | -2.75 | 17.14 | <=34.77 | Pass |
| | | | 13 | 21.95 | -2.75 | 17.05 | <=34.77 | Pass |
| | | 25 | 0 | 21.87 | -2.75 | 16.97 | <=34.77 | Pass |
| | 713.5 | 1 | 0 | 22.95 | -2.75 | 18.05 | <=34.77 | Pass |
| | | | 13 | 22.54 | -2.75 | 17.64 | <=34.77 | Pass |
| | | | 24 | 22.96 | -2.75 | 18.06 | <=34.77 | Pass |
| | | 12 | 0 | 21.98 | -2.75 | 17.08 | <=34.77 | Pass |
| | | | 6 | 22.00 | -2.75 | 17.10 | <=34.77 | Pass |
| | | | 13 | 21.83 | -2.75 | 16.93 | <=34.77 | Pass |
| | | 25 | 0 | 21.90 | -2.75 | 17.00 | <=34.77 | Pass |
| 64QAM | 706.5 | 1 | 0 | 22.78 | -2.75 | 17.88 | <=34.77 | Pass |
| | | | 13 | 22.11 | -2.75 | 17.21 | <=34.77 | Pass |
| | | | 24 | 21.70 | -2.75 | 16.80 | <=34.77 | Pass |
| | | 12 | 0 | 22.00 | -2.75 | 17.10 | <=34.77 | Pass |
| | | | 6 | 22.03 | -2.75 | 17.13 | <=34.77 | Pass |
| | | | 13 | 21.95 | -2.75 | 17.05 | <=34.77 | Pass |
| | | 25 | 0 | 22.00 | -2.75 | 17.10 | <=34.77 | Pass |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 710 | 1 | 0 | 22.68 | -2.75 | 17.78 | <=34.77 | Pass |
| | | | 13 | 22.88 | -2.75 | 17.98 | <=34.77 | Pass |
| | | | 24 | 22.64 | -2.75 | 17.74 | <=34.77 | Pass |
| | | 12 | 0 | 21.89 | -2.75 | 16.99 | <=34.77 | Pass |
| | | | 6 | 22.01 | -2.75 | 17.11 | <=34.77 | Pass |
| | | | 13 | 21.93 | -2.75 | 17.03 | <=34.77 | Pass |
| | | 25 | 0 | 21.97 | -2.75 | 17.07 | <=34.77 | Pass |
| | 713.5 | 1 | 0 | 22.87 | -2.75 | 17.97 | <=34.77 | Pass |
| | | | 13 | 22.73 | -2.75 | 17.83 | <=34.77 | Pass |
| | | | 24 | 22.74 | -2.75 | 17.84 | <=34.77 | Pass |
| | | 12 | 0 | 21.94 | -2.75 | 17.04 | <=34.77 | Pass |
| | | | 6 | 21.91 | -2.75 | 17.01 | <=34.77 | Pass |
| | | | 13 | 21.83 | -2.75 | 16.93 | <=34.77 | Pass |
| | | 25 | 0 | 21.89 | -2.75 | 16.99 | <=34.77 | Pass |
| 256QAM | 706.5 | 1 | 0 | 19.09 | -2.75 | 14.19 | <=34.77 | Pass |
| | | | 13 | 18.89 | -2.75 | 13.99 | <=34.77 | Pass |
| | | | 24 | 18.92 | -2.75 | 14.02 | <=34.77 | Pass |
| | | 12 | 0 | 18.99 | -2.75 | 14.09 | <=34.77 | Pass |
| | | | 6 | 19.01 | -2.75 | 14.11 | <=34.77 | Pass |
| | | | 13 | 18.98 | -2.75 | 14.08 | <=34.77 | Pass |
| | | 25 | 0 | 18.94 | -2.75 | 14.04 | <=34.77 | Pass |
| | 710 | 1 | 0 | 18.93 | -2.75 | 14.03 | <=34.77 | Pass |
| | | | 13 | 18.93 | -2.75 | 14.03 | <=34.77 | Pass |
| | | | 24 | 18.75 | -2.75 | 13.85 | <=34.77 | Pass |
| | | 12 | 0 | 18.93 | -2.75 | 14.03 | <=34.77 | Pass |
| | | | 6 | 18.92 | -2.75 | 14.02 | <=34.77 | Pass |
| | | | 13 | 18.96 | -2.75 | 14.06 | <=34.77 | Pass |
| | | 25 | 0 | 18.93 | -2.75 | 14.03 | <=34.77 | Pass |
| | 713.5 | 1 | 0 | 18.69 | -2.75 | 13.79 | <=34.77 | Pass |
| | | | 13 | 18.98 | -2.75 | 14.08 | <=34.77 | Pass |
| | | | 24 | 18.83 | -2.75 | 13.93 | <=34.77 | Pass |
| | | 12 | 0 | 18.92 | -2.75 | 14.02 | <=34.77 | Pass |
| | | | 6 | 18.91 | -2.75 | 14.01 | <=34.77 | Pass |
| | | | 13 | 18.83 | -2.75 | 13.93 | <=34.77 | Pass |
| | | 25 | 0 | 18.81 | -2.75 | 13.91 | <=34.77 | Pass |
| Note1: ERP=Conducted Power+Antenna Gain-2.15 | | | | | | | | |

## 1.1.2 B17_10MHz_ERP

| Band: 17 / Bandwidth: 10MHz / NTNV | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Modulation | Frequency (MHz) | RB Allocation | | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) | | Verdict |
| | | Size | Offset | | | Result | Limit | |
| QPSK | 709 | 1 | 0 | 24.01 | -2.75 | 19.11 | <=34.77 | Pass |
| | | | 25 | 23.66 | -2.75 | 18.76 | <=34.77 | Pass |
| | | | 49 | 23.54 | -2.75 | 18.64 | <=34.77 | Pass |
| | | 25 | 0 | 22.96 | -2.75 | 18.06 | <=34.77 | Pass |
| | | | 13 | 23.00 | -2.75 | 18.10 | <=34.77 | Pass |
| | | | 25 | 22.97 | -2.75 | 18.07 | <=34.77 | Pass |
| | | 50 | 0 | 22.99 | -2.75 | 18.09 | <=34.77 | Pass |
| | 710 | 1 | 0 | 23.93 | -2.75 | 19.03 | <=34.77 | Pass |
| | | | 25 | 23.81 | -2.75 | 18.91 | <=34.77 | Pass |
| | | | 49 | 23.28 | -2.75 | 18.38 | <=34.77 | Pass |
| | | 25 | 0 | 22.93 | -2.75 | 18.03 | <=34.77 | Pass |
| | | | 13 | 22.98 | -2.75 | 18.08 | <=34.77 | Pass |
| | | | 25 | 22.89 | -2.75 | 17.99 | <=34.77 | Pass |
| | | 50 | 0 | 22.85 | -2.75 | 17.95 | <=34.77 | Pass |
| | 711 | 1 | 0 | 23.97 | -2.75 | 19.07 | <=34.77 | Pass |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | 25 | 23.60 | -2.75 | 18.70 | <=34.77 | Pass |
| | | | 49 | 23.35 | -2.75 | 18.45 | <=34.77 | Pass |
| | | 25 | 0 | 23.01 | -2.75 | 18.11 | <=34.77 | Pass |
| | | | 13 | 22.95 | -2.75 | 18.05 | <=34.77 | Pass |
| | | | 25 | 22.87 | -2.75 | 17.97 | <=34.77 | Pass |
| | | 50 | 0 | 22.92 | -2.75 | 18.02 | <=34.77 | Pass |
| 16QAM | 709 | 1 | 0 | 22.73 | -2.75 | 17.83 | <=34.77 | Pass |
| | | | 25 | 23.25 | -2.75 | 18.35 | <=34.77 | Pass |
| | | | 49 | 22.72 | -2.75 | 17.82 | <=34.77 | Pass |
| | | 25 | 0 | 21.94 | -2.75 | 17.04 | <=34.77 | Pass |
| | | | 13 | 22.08 | -2.75 | 17.18 | <=34.77 | Pass |
| | | | 25 | 21.99 | -2.75 | 17.09 | <=34.77 | Pass |
| | | 50 | 0 | 21.93 | -2.75 | 17.03 | <=34.77 | Pass |
| | 710 | 1 | 0 | 23.22 | -2.75 | 18.32 | <=34.77 | Pass |
| | | | 25 | 22.96 | -2.75 | 18.06 | <=34.77 | Pass |
| | | | 49 | 22.51 | -2.75 | 17.61 | <=34.77 | Pass |
| | | 25 | 0 | 21.94 | -2.75 | 17.04 | <=34.77 | Pass |
| | | | 13 | 22.02 | -2.75 | 17.12 | <=34.77 | Pass |
| | | | 25 | 21.91 | -2.75 | 17.01 | <=34.77 | Pass |
| | | 50 | 0 | 21.87 | -2.75 | 16.97 | <=34.77 | Pass |
| | 711 | 1 | 0 | 21.94 | -2.75 | 17.04 | <=34.77 | Pass |
| | | | 25 | 23.19 | -2.75 | 18.29 | <=34.77 | Pass |
| | | | 49 | 22.51 | -2.75 | 17.61 | <=34.77 | Pass |
| | | 25 | 0 | 22.03 | -2.75 | 17.13 | <=34.77 | Pass |
| | | | 13 | 22.05 | -2.75 | 17.15 | <=34.77 | Pass |
| | | | 25 | 21.89 | -2.75 | 16.99 | <=34.77 | Pass |
| | | 50 | 0 | 21.96 | -2.75 | 17.06 | <=34.77 | Pass |
| 64QAM | 709 | 1 | 0 | 23.05 | -2.75 | 18.15 | <=34.77 | Pass |
| | | | 25 | 22.59 | -2.75 | 17.69 | <=34.77 | Pass |
| | | | 49 | 22.61 | -2.75 | 17.71 | <=34.77 | Pass |
| | | 25 | 0 | 21.96 | -2.75 | 17.06 | <=34.77 | Pass |
| | | | 13 | 22.06 | -2.75 | 17.16 | <=34.77 | Pass |
| | | | 25 | 21.98 | -2.75 | 17.08 | <=34.77 | Pass |
| | | 50 | 0 | 22.01 | -2.75 | 17.11 | <=34.77 | Pass |
| | 710 | 1 | 0 | 22.73 | -2.75 | 17.83 | <=34.77 | Pass |
| | | | 25 | 23.43 | -2.75 | 18.53 | <=34.77 | Pass |
| | | | 49 | 22.72 | -2.75 | 17.82 | <=34.77 | Pass |
| | | 25 | 0 | 21.92 | -2.75 | 17.02 | <=34.77 | Pass |
| | | | 13 | 21.97 | -2.75 | 17.07 | <=34.77 | Pass |
| | | | 25 | 21.94 | -2.75 | 17.04 | <=34.77 | Pass |
| | | 50 | 0 | 21.88 | -2.75 | 16.98 | <=34.77 | Pass |
| | 711 | 1 | 0 | 22.43 | -2.75 | 17.53 | <=34.77 | Pass |
| | | | 25 | 22.68 | -2.75 | 17.78 | <=34.77 | Pass |
| | | | 49 | 22.86 | -2.75 | 17.96 | <=34.77 | Pass |
| | | 25 | 0 | 21.93 | -2.75 | 17.03 | <=34.77 | Pass |
| | | | 13 | 22.14 | -2.75 | 17.24 | <=34.77 | Pass |
| | | | 25 | 21.85 | -2.75 | 16.95 | <=34.77 | Pass |
| | | 50 | 0 | 21.92 | -2.75 | 17.02 | <=34.77 | Pass |
| 256QAM | 709 | 1 | 0 | 18.86 | -2.75 | 13.96 | <=34.77 | Pass |
| | | | 25 | 19.06 | -2.75 | 14.16 | <=34.77 | Pass |
| | | | 49 | 18.69 | -2.75 | 13.79 | <=34.77 | Pass |
| | | 25 | 0 | 18.99 | -2.75 | 14.09 | <=34.77 | Pass |
| | | | 13 | 18.97 | -2.75 | 14.07 | <=34.77 | Pass |
| | | | 25 | 18.93 | -2.75 | 14.03 | <=34.77 | Pass |
| | | 50 | 0 | 18.93 | -2.75 | 14.03 | <=34.77 | Pass |
| | 710 | 1 | 0 | 18.83 | -2.75 | 13.93 | <=34.77 | Pass |
| | | | 25 | 19.18 | -2.75 | 14.28 | <=34.77 | Pass |
| | | | 49 | 18.64 | -2.75 | 13.74 | <=34.77 | Pass |
| | | 25 | 0 | 18.86 | -2.75 | 13.96 | <=34.77 | Pass |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | 13 | 18.60 | -2.75 | 13.70 | <=34.77 | Pass |
| | | | 25 | 18.79 | -2.75 | 13.89 | <=34.77 | Pass |
| | | 50 | 0 | 18.89 | -2.75 | 13.99 | <=34.77 | Pass |
| | 711 | 1 | 0 | 18.59 | -2.75 | 13.69 | <=34.77 | Pass |
| | | | 25 | 18.65 | -2.75 | 13.75 | <=34.77 | Pass |
| | | | 49 | 18.89 | -2.75 | 13.99 | <=34.77 | Pass |
| | | 25 | 0 | 18.93 | -2.75 | 14.03 | <=34.77 | Pass |
| | | | 13 | 18.93 | -2.75 | 14.03 | <=34.77 | Pass |
| | | | 25 | 18.87 | -2.75 | 13.97 | <=34.77 | Pass |
| | | 50 | 0 | 18.96 | -2.75 | 14.06 | <=34.77 | Pass |
| Note1: ERP=Conducted Power+Antenna Gain-2.15 | | | | | | | | |

# 2. Frequency Stability

## 2.1 Test Result

### 2.1.1 B17_10MHz

| Band: 17 / Bandwidth: 10MHz | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Modulation | Frequency (MHz) | RB Allocation | | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) | | Verdict |
| | | Size | Offset | | | | Result | Limit | |
| QPSK | 710 | 50 | 0 | 20 | LV | -0.100 | -0.0001 | -2.5 to 2.5 | Pass |
| | | | | | HV | -0.200 | -0.0003 | -2.5 to 2.5 | Pass |
| | | | | | NV | -0.500 | -0.0007 | -2.5 to 2.5 | Pass |
| | | | | -30 | NV | -0.500 | -0.0007 | -2.5 to 2.5 | Pass |
| | | | | -20 | NV | 0.000 | 0.0000 | -2.5 to 2.5 | Pass |
| | | | | -10 | NV | -0.600 | -0.0008 | -2.5 to 2.5 | Pass |
| | | | | 0 | NV | -0.600 | -0.0008 | -2.5 to 2.5 | Pass |
| | | | | 10 | NV | -2.300 | -0.0032 | -2.5 to 2.5 | Pass |
| | | | | 30 | NV | -0.300 | -0.0004 | -2.5 to 2.5 | Pass |
| | | | | 40 | NV | 0.400 | 0.0006 | -2.5 to 2.5 | Pass |
| | | | | 50 | NV | 1.100 | 0.0015 | -2.5 to 2.5 | Pass |

# 3. 99% & 26dB Bandwidth

## 3.1 Test Result

### 3.1.1 Band17_OBW

| Band: 17 / NTNV | | | | | | | |
|---|---|---|---|---|---|---|---|
| Bandwidth (MHz) | Modulation | Frequency (MHz) | RB Allocation | | 99% Occupied Bandwidth (MHz) | | Verdict |
| | | | Size | Offset | Result | Limit | |
| 5 | QPSK | 710 | 25 | 0 | 4.554 | / | Pass |
| | 16QAM | 710 | 25 | 0 | 4.539 | / | Pass |
| 10 | QPSK | 710 | 50 | 0 | 9.098 | / | Pass |
| | 16QAM | 710 | 50 | 0 | 9.075 | / | Pass |

### 3.1.2 Band17_XDB

| Band: 17 / NTNV | | | | | | | |
|---|---|---|---|---|---|---|---|
| Bandwidth (MHz) | Modulation | Frequency (MHz) | RB Allocation | | 26dB Bandwidth (MHz) | | Verdict |
| | | | Size | Offset | Result | Limit | |
| 5 | QPSK | 710 | 25 | 0 | 5.198 | / | Pass |
| | 16QAM | 710 | 25 | 0 | 5.201 | / | Pass |
| 10 | QPSK | 710 | 50 | 0 | 10.189 | / | Pass |
| | 16QAM | 710 | 50 | 0 | 10.241 | / | Pass |

## 3.2 Test Graph

### 3.2.1 Band17_OBW

| Band17_5MHz_QPSK_MCH_710MHz_RB_25_0_NTNV |
| --- |
|  |
| Band17_5MHz_16QAM_MCH_710MHz_RB_25_0_NTNV |
|  |

Band17_10MHz_QPSK_MCH_710MHz_RB_50_0_NTNV




Band17_10MHz_16QAM_MCH_710MHz_RB_50_0_NTNV



## 3.2.2 Band17_XDB

| Band17_5MHz_QPSK_MCH_710MHz_RB_25_0_NTNV |
| --- |
|  |
| Band17_5MHz_16QAM_MCH_710MHz_RB_25_0_NTNV |
|  |

| Band17_10MHz_QPSK_MCH_710MHz_RB_50_0_NTNV |
| --- |
|  |



| Band17_10MHz_16QAM_MCH_710MHz_RB_50_0_NTNV |
| --- |
|  |

# 4. Peak-Average Ratio

## 4.1 Test Result

### 4.1.1 B17_10MHz

| Band: 17 / Bandwidth: 10MHz / NTNV | | | | | | |
|---|---|---|---|---|---|---|
| Modulation | Frequency (MHz) | RB Allocation | | Peak-Average Ratio (dB) | | Verdict |
| | | Size | Offset | Result | Limit | |
| QPSK | 710 | 50 | 0 | 4.84 | <=13 | Pass |
| 16QAM | 710 | 50 | 0 | 5.87 | <=13 | Pass |
| 64QAM | 710 | 50 | 0 | 5.86 | <=13 | Pass |
| 256QAM | 710 | 50 | 0 | 6.73 | <=13 | Pass |

## 4.2 Test Graph

### 4.2.1 B17_10MHz

Band17_10MHz_QPSK_MCH_710MHz_RB_50_0_NTNV




Band17_10MHz_16QAM_MCH_710MHz_RB_50_0_NTNV



Band17_10MHz_64QAM_MCH_710MHz_RB_50_0_NTNV




Band17_10MHz_256QAM_MCH_710MHz_RB_50_0_NTNV



# 5. Spurious Emission

## 5.1 Test Result

### 5.1.1 B17_5MHz

| Band: 17 / Bandwidth: 5MHz / NTNV | | | | | | |
|---|---|---|---|---|---|---|
| Modulation | Frequency (MHz) | RB Allocation | | Spurious Emission | | Verdict |
| | | Size | Offset | Result | Limit | |
| QPSK | 706.5 | 1 | 0 | Refer To Test Graph | | Pass |
| | | 25 | 0 | Refer To Test Graph | | Pass |
| | 710 | 1 | 0 | Refer To Test Graph | | Pass |
| | 713.5 | 1 | 0 | Refer To Test Graph | | Pass |
| | | | 24 | Refer To Test Graph | | Pass |
| | | 25 | 0 | Refer To Test Graph | | Pass |

### 5.1.2 B17_10MHz

| Band: 17 / Bandwidth: 10MHz / NTNV | | | | | | |
|---|---|---|---|---|---|---|
| Modulation | Frequency (MHz) | RB Allocation | | Spurious Emission | | Verdict |
| | | Size | Offset | Result | Limit | |
| QPSK | 709 | 1 | 0 | Refer To Test Graph | | Pass |
| | | 50 | 0 | Refer To Test Graph | | Pass |
| | 710 | 1 | 0 | Refer To Test Graph | | Pass |
| | 711 | 1 | 0 | Refer To Test Graph | | Pass |
| | | | 49 | Refer To Test Graph | | Pass |
| | | 50 | 0 | Refer To Test Graph | | Pass |

## 5.2 Test Graph

### 5.2.1 B17_5MHz

Band17_5MHz_QPSK_LCH_706.5MHz_RB_1_0_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|---|---|---|---|---|---|---|---|---|
| 699 | 703.9 | 0.1 | CHP | 1 | 703.840 | -33.63 | -13 | Pass |
| 703.9 | 704 | 0.03 | / | 2 | 703.990 | -24.79 | -13 | Pass |
| 704 | 709 | 0.03 | / | / | / | / | / | / |

Band17_5MHz_QPSK_LCH_706.5MHz_RB_1_0_NTNV



Band17_5MHz_QPSK_LCH_706.5MHz_RB_25_0_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|---|---|---|---|---|---|---|---|---|
| 699 | 703.9 | 0.1 | CHP | 1 | 703.840 | -28.74 | -13 | Pass |
| 703.9 | 704 | 0.03 | / | 2 | 703.990 | -27.20 | -13 | Pass |
| 704 | 709 | 0.03 | / | / | / | / | / | / |

Band17_5MHz_QPSK_MCH_710MHz_RB_1_0_NTNV



Band17_5MHz_QPSK_HCH_713.5MHz_RB_1_0_NTNV




Band17_5MHz_QPSK_HCH_713.5MHz_RB_1_24_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|---|---|---|---|---|---|---|---|---|
| 711 | 716 | 0.03 | / | / | / | / | / | / |
| 716 | 716.1 | 0.03 | / | 1 | 716.010 | -25.81 | -13 | Pass |
| 716.1 | 721 | 0.1 | CHP | 2 | 716.160 | -33.04 | -13 | Pass |

Band17_5MHz_QPSK_HCH_713.5MHz_RB_25_0_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|---|---|---|---|---|---|---|---|---|
| 711 | 716 | 0.03 | / | / | / | / | / | / |
| 716 | 716.1 | 0.03 | / | 1 | 716.010 | -28.42 | -13 | Pass |
| 716.1 | 721 | 0.1 | CHP | 2 | 716.160 | -28.83 | -13 | Pass |

## 5.2.2 B17_10MHz

Band17_10MHz_QPSK_LCH_709MHz_RB_1_0_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|---|---|---|---|---|---|---|---|---|
| 694 | 703.9 | 0.1 | CHP | 1 | 703.842 | -39.35 | -13 | Pass |
| 703.9 | 704 | 0.03 | / | 2 | 703.977 | -37.30 | -13 | Pass |
| 704 | 714 | 0.03 | / | / | / | / | / | / |

Band17_10MHz_QPSK_LCH_709MHz_RB_1_0_NTNV



Band17_10MHz_QPSK_LCH_709MHz_RB_50_0_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|---|---|---|---|---|---|---|---|---|
| 694 | 703.9 | 0.1 | CHP | 1 | 703.707 | -32.45 | -13 | Pass |
| 703.9 | 704 | 0.03 | / | 2 | 703.992 | -34.66 | -13 | Pass |
| 704 | 714 | 0.03 | / | / | / | / | / | / |

Band17_10MHz_QPSK_MCH_710MHz_RB_1_0_NTNV



Band17_10MHz_QPSK_HCH_711MHz_RB_1_0_NTNV




Band17_10MHz_QPSK_HCH_711MHz_RB_1_49_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|---|---|---|---|---|---|---|---|---|
| 706 | 716 | 0.03 | / | / | / | / | / | / |
| 716 | 716.1 | 0.03 | / | 1 | 716.023 | -35.55 | -13 | Pass |
| 716.1 | 726 | 0.1 | CHP | 2 | 716.218 | -39.43 | -13 | Pass |

Band17_10MHz_QPSK_HCH_711MHz_RB_50_0_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|---|---|---|---|---|---|---|---|---|
| 706 | 716 | 0.03 | / | / | / | / | / | / |
| 716 | 716.1 | 0.03 | / | 1 | 716.008 | -32.37 | -13 | Pass |
| 716.1 | 726 | 0.1 | CHP | 2 | 716.158 | -31.38 | -13 | Pass |