




11AX160MIMO_Ant1_6665




11AX160MIMO_Ant2_6665




11AX160MIMO_Ant3_6665




11AX160MIMO_Ant4_6665




11AX160MIMO_Ant1_6825




11AX160MIMO_Ant2_6825




11AX160MIMO_Ant3_6825




11AX160MIMO_Ant4_6825




11AX160MIMO_Ant1_6985




11AX160MIMO_Ant2_6985



11AX160MIMO_Ant3_6985



11AX160MIMO_Ant4_6985



3.5 Frequency Stability Measurement

3.5.1 Limit

Manufactures of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

3.5.2 Test Procedure

Frequency Stability Under Temperature Variations:


The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 20°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to highest. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C decreased per stage until the lowest temperature reached.

Frequency Stability Under Voltage Variations:

Set chamber temperature to 20°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation ($\pm 15\%$) and endpoint, record the maximum frequency change.

3.5.3 Test Setup



3.5.4 The Result

Test Mode	Antenna	Frequency[MHz]	Voltage [Vdc]	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AX20MIMO	Ant1	5955	NV	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	5955	LV	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant1	5955	HV	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant2	5955	NV	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant2	5955	LV	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant2	5955	HV	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant3	5955	NV	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant3	5955	LV	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant3	5955	HV	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant4	5955	NV	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant4	5955	LV	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant4	5955	HV	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant1	6175	NV	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6175	LV	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6175	HV	0.00	0.000000	20	PASS
11AX20MIMO	Ant2	6175	NV	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant2	6175	LV	0.00	0.000000	20	PASS
11AX20MIMO	Ant2	6175	HV	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant3	6175	NV	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant3	6175	LV	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant3	6175	HV	-40000.00	-6.477733	20	PASS
11AX20MIMO	Ant4	6175	NV	-40000.00	-6.477733	20	PASS
11AX20MIMO	Ant4	6175	LV	-40000.00	-6.477733	20	PASS
11AX20MIMO	Ant4	6175	HV	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant1	6415	NV	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant1	6415	LV	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant1	6415	HV	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant2	6415	NV	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant2	6415	LV	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant2	6415	HV	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant3	6415	NV	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant3	6415	LV	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant3	6415	HV	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant4	6415	NV	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant4	6415	LV	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant4	6415	HV	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant1	6435	NV	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant1	6435	LV	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant1	6435	HV	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant2	6435	NV	-20000.00	-3.108003	20	PASS

11AX20MIMO	Ant2	6435	LV	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant2	6435	HV	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant3	6435	NV	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant3	6435	LV	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant3	6435	HV	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant4	6435	NV	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant4	6435	LV	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant4	6435	HV	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant1	6475	HV	-20000.00	-3.088803	20	PASS
11AX20MIMO	Ant2	6475	NV	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant2	6475	LV	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant2	6475	HV	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant3	6475	NV	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant3	6475	LV	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant3	6475	HV	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant4	6475	NV	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant4	6475	LV	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant4	6475	HV	-20000.00	-3.088803	20	PASS
11AX20MIMO	Ant1	6475	NV	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant1	6475	LV	-20000.00	-3.088803	20	PASS
11AX20MIMO	Ant1	6515	NV	-40000.00	-6.139678	20	PASS
11AX20MIMO	Ant1	6515	LV	-40000.00	-6.139678	20	PASS
11AX20MIMO	Ant1	6515	HV	-40000.00	-6.139678	20	PASS
11AX20MIMO	Ant2	6515	NV	-40000.00	-6.139678	20	PASS
11AX20MIMO	Ant2	6515	LV	-40000.00	-6.139678	20	PASS
11AX20MIMO	Ant2	6515	HV	-40000.00	-6.139678	20	PASS
11AX20MIMO	Ant3	6515	NV	-40000.00	-6.139678	20	PASS
11AX20MIMO	Ant3	6515	LV	-20000.00	-3.069839	20	PASS
11AX20MIMO	Ant3	6515	HV	-40000.00	-6.139678	20	PASS
11AX20MIMO	Ant4	6515	NV	-20000.00	-3.069839	20	PASS
11AX20MIMO	Ant4	6515	LV	-40000.00	-6.139678	20	PASS
11AX20MIMO	Ant4	6515	HV	-40000.00	-6.139678	20	PASS
11AX20MIMO	Ant1	6535	NV	-40000.00	-6.120888	20	PASS
11AX20MIMO	Ant1	6535	LV	-40000.00	-6.120888	20	PASS
11AX20MIMO	Ant1	6535	HV	-40000.00	-6.120888	20	PASS
11AX20MIMO	Ant2	6535	NV	-40000.00	-6.120888	20	PASS
11AX20MIMO	Ant2	6535	LV	-40000.00	-6.120888	20	PASS
11AX20MIMO	Ant2	6535	HV	-40000.00	-6.120888	20	PASS
11AX20MIMO	Ant3	6535	NV	-20000.00	-3.060444	20	PASS
11AX20MIMO	Ant3	6535	LV	-40000.00	-6.120888	20	PASS
11AX20MIMO	Ant3	6535	HV	-40000.00	-6.120888	20	PASS
11AX20MIMO	Ant4	6535	NV	-40000.00	-6.120888	20	PASS
11AX20MIMO	Ant4	6535	LV	-40000.00	-6.120888	20	PASS

11AX20MIMO	Ant4	6535	HV	-40000.00	-6.120888	20	PASS
11AX20MIMO	Ant1	6695	NV	-20000.00	-2.987304	20	PASS
11AX20MIMO	Ant1	6695	LV	-20000.00	-2.987304	20	PASS
11AX20MIMO	Ant1	6695	HV	-20000.00	-2.987304	20	PASS
11AX20MIMO	Ant2	6695	NV	-40000.00	-5.974608	20	PASS
11AX20MIMO	Ant2	6695	LV	-40000.00	-5.974608	20	PASS
11AX20MIMO	Ant2	6695	HV	-40000.00	-5.974608	20	PASS
11AX20MIMO	Ant3	6695	NV	-20000.00	-2.987304	20	PASS
11AX20MIMO	Ant3	6695	LV	-20000.00	-2.987304	20	PASS
11AX20MIMO	Ant3	6695	HV	-20000.00	-2.987304	20	PASS
11AX20MIMO	Ant4	6695	NV	-40000.00	-5.974608	20	PASS
11AX20MIMO	Ant4	6695	LV	-20000.00	-2.987304	20	PASS
11AX20MIMO	Ant4	6695	HV	-40000.00	-5.974608	20	PASS
11AX20MIMO	Ant1	6855	NV	-20000.00	-2.917578	20	PASS
11AX20MIMO	Ant1	6855	LV	-20000.00	-2.917578	20	PASS
11AX20MIMO	Ant1	6855	HV	-20000.00	-2.917578	20	PASS
11AX20MIMO	Ant2	6855	NV	-40000.00	-5.835157	20	PASS
11AX20MIMO	Ant2	6855	LV	-40000.00	-5.835157	20	PASS
11AX20MIMO	Ant2	6855	HV	-40000.00	-5.835157	20	PASS
11AX20MIMO	Ant4	6855	NV	-40000.00	-5.835157	20	PASS
11AX20MIMO	Ant4	6855	LV	-40000.00	-5.835157	20	PASS
11AX20MIMO	Ant4	6855	HV	-40000.00	-5.835157	20	PASS
11AX20MIMO	Ant3	6855	NV	-40000.00	-5.835157	20	PASS
11AX20MIMO	Ant3	6855	LV	-40000.00	-5.835157	20	PASS
11AX20MIMO	Ant3	6855	HV	-40000.00	-5.835157	20	PASS
11AX20MIMO	Ant1	6875	NV	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6875	LV	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6875	HV	-20000.00	-2.909091	20	PASS
11AX20MIMO	Ant2	6875	NV	-40000.00	-5.818182	20	PASS
11AX20MIMO	Ant2	6875	LV	-40000.00	-5.818182	20	PASS
11AX20MIMO	Ant2	6875	HV	-40000.00	-5.818182	20	PASS
11AX20MIMO	Ant3	6875	NV	-40000.00	-5.818182	20	PASS
11AX20MIMO	Ant3	6875	LV	-40000.00	-5.818182	20	PASS
11AX20MIMO	Ant3	6875	HV	-20000.00	-2.909091	20	PASS
11AX20MIMO	Ant4	6875	NV	-40000.00	-5.818182	20	PASS
11AX20MIMO	Ant4	6875	LV	-40000.00	-5.818182	20	PASS
11AX20MIMO	Ant4	6875	HV	-40000.00	-5.818182	20	PASS
11AX20MIMO	Ant1	6895	NV	-20000.00	-2.900653	20	PASS
11AX20MIMO	Ant1	6895	LV	-20000.00	-2.900653	20	PASS
11AX20MIMO	Ant1	6895	HV	-40000.00	-5.801305	20	PASS
11AX20MIMO	Ant2	6895	NV	-40000.00	-5.801305	20	PASS
11AX20MIMO	Ant2	6895	LV	-40000.00	-5.801305	20	PASS
11AX20MIMO	Ant2	6895	HV	-40000.00	-5.801305	20	PASS

11AX20MIMO	Ant3	6895	NV	-40000.00	-5.801305	20	PASS
11AX20MIMO	Ant3	6895	LV	-20000.00	-2.900653	20	PASS
11AX20MIMO	Ant3	6895	HV	-40000.00	-5.801305	20	PASS
11AX20MIMO	Ant4	6895	NV	-40000.00	-5.718370	20	PASS
11AX20MIMO	Ant4	6895	LV	-20000.00	-2.859185	20	PASS
11AX20MIMO	Ant4	6895	HV	-20000.00	-2.818887	20	PASS
11AX20MIMO	Ant3	6995	HV	-20000.00	-2.900653	20	PASS
11AX20MIMO	Ant4	6995	NV	-20000.00	-2.900653	20	PASS
11AX20MIMO	Ant4	6995	LV	-20000.00	-2.900653	20	PASS
11AX20MIMO	Ant4	6995	HV	-20000.00	-2.859185	20	PASS
11AX20MIMO	Ant1	6995	NV	-20000.00	-2.859185	20	PASS
11AX20MIMO	Ant1	6995	LV	-40000.00	-5.718370	20	PASS
11AX20MIMO	Ant1	6995	HV	-40000.00	-5.718370	20	PASS
11AX20MIMO	Ant2	6995	NV	-40000.00	-5.718370	20	PASS
11AX20MIMO	Ant2	6995	LV	-40000.00	-5.718370	20	PASS
11AX20MIMO	Ant2	6995	HV	-20000.00	-2.859185	20	PASS
11AX20MIMO	Ant3	6995	NV	-40000.00	-5.718370	20	PASS
11AX20MIMO	Ant3	6995	LV	-20000.00	-2.859185	20	PASS
11AX20MIMO	Ant1	7115	NV	-20000.00	-2.818887	20	PASS
11AX20MIMO	Ant1	7115	LV	-20000.00	-2.818887	20	PASS
11AX20MIMO	Ant1	7115	HV	-40000.00	-5.637773	20	PASS
11AX20MIMO	Ant2	7115	NV	-40000.00	-5.637773	20	PASS
11AX20MIMO	Ant2	7115	LV	-40000.00	-5.637773	20	PASS
11AX20MIMO	Ant2	7115	HV	-40000.00	-5.637773	20	PASS
11AX20MIMO	Ant3	7115	NV	-40000.00	-5.637773	20	PASS
11AX20MIMO	Ant3	7115	LV	-40000.00	-5.637773	20	PASS
11AX20MIMO	Ant3	7115	HV	-40000.00	-5.637773	20	PASS
11AX20MIMO	Ant4	7115	NV	-40000.00	-5.637773	20	PASS
11AX20MIMO	Ant4	7115	LV	-40000.00	-5.637773	20	PASS
11AX20MIMO	Ant4	7115	HV	-40000.00	-5.637773	20	PASS
11AX40MIMO	Ant1	5965	NV	0.00	0.000000	20	PASS
11AX40MIMO	Ant1	5965	LV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant1	5965	HV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant2	5965	NV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant2	5965	LV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant2	5965	HV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant3	5965	NV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant3	5965	LV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant3	5965	HV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant4	5965	NV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant4	5965	LV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant4	5965	HV	-40000.00	-6.705784	20	PASS
11AX40MIMO	Ant1	6165	NV	-40000.00	-6.488240	20	PASS

11AX40MIMO	Ant1	6165	LV	0.00	0.000000	20	PASS
11AX40MIMO	Ant1	6165	HV	-40000.00	-6.488240	20	PASS
11AX40MIMO	Ant2	6165	NV	-40000.00	-6.488240	20	PASS
11AX40MIMO	Ant2	6165	LV	-40000.00	-6.488240	20	PASS
11AX40MIMO	Ant2	6165	HV	-40000.00	-6.488240	20	PASS
11AX40MIMO	Ant3	6165	NV	-40000.00	-6.488240	20	PASS
11AX40MIMO	Ant3	6165	LV	-40000.00	-6.488240	20	PASS
11AX40MIMO	Ant3	6165	HV	-40000.00	-6.488240	20	PASS
11AX40MIMO	Ant4	6165	NV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant4	6165	LV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant4	6165	HV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant1	6405	NV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant1	6405	LV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant1	6405	HV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant2	6405	NV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant2	6405	LV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant2	6405	HV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant3	6405	NV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant3	6405	LV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant3	6405	HV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant4	6405	NV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant4	6405	LV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant4	6405	HV	-40000.00	-6.245121	20	PASS
11AX40MIMO	Ant1	6445	NV	-40000.00	-6.206362	20	PASS
11AX40MIMO	Ant1	6445	LV	-40000.00	-6.206362	20	PASS
11AX40MIMO	Ant1	6445	HV	-40000.00	-6.206362	20	PASS
11AX40MIMO	Ant2	6445	NV	-40000.00	-6.206362	20	PASS
11AX40MIMO	Ant2	6445	LV	-40000.00	-6.206362	20	PASS
11AX40MIMO	Ant2	6445	HV	-40000.00	-6.206362	20	PASS
11AX40MIMO	Ant3	6445	NV	-40000.00	-6.206362	20	PASS
11AX40MIMO	Ant3	6445	LV	-40000.00	-6.206362	20	PASS
11AX40MIMO	Ant3	6445	HV	-40000.00	-6.206362	20	PASS
11AX40MIMO	Ant4	6445	NV	-80000.00	-12.185834	20	PASS
11AX40MIMO	Ant4	6445	LV	-40000.00	-6.092917	20	PASS
11AX40MIMO	Ant4	6445	HV	-80000.00	-12.185834	20	PASS
11AX40MIMO	Ant1	6485	NV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant1	6485	LV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant1	6485	HV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant2	6485	NV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant2	6485	LV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant2	6485	HV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant3	6485	NV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant3	6485	LV	-40000.00	-6.168080	20	PASS

11AX40MIMO	Ant3	6485	HV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant4	6485	NV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant4	6485	LV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant4	6485	HV	-40000.00	-6.168080	20	PASS
11AX40MIMO	Ant1	6525	NV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant1	6525	LV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant1	6525	HV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant2	6525	NV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant2	6525	LV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant2	6525	HV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant3	6525	NV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant3	6525	LV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant3	6525	HV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant4	6525	NV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant4	6525	LV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant4	6525	HV	-40000.00	-6.130268	20	PASS
11AX40MIMO	Ant1	6565	NV	-40000.00	-6.092917	20	PASS
11AX40MIMO	Ant1	6565	LV	-40000.00	-6.092917	20	PASS
11AX40MIMO	Ant1	6565	HV	-40000.00	-6.092917	20	PASS
11AX40MIMO	Ant2	6565	NV	-80000.00	-12.185834	20	PASS
11AX40MIMO	Ant2	6565	LV	-40000.00	-6.092917	20	PASS
11AX40MIMO	Ant2	6565	HV	-80000.00	-12.185834	20	PASS
11AX40MIMO	Ant3	6565	NV	-40000.00	-6.092917	20	PASS
11AX40MIMO	Ant3	6565	LV	-80000.00	-12.185834	20	PASS
11AX40MIMO	Ant3	6565	HV	-80000.00	-12.185834	20	PASS
11AX40MIMO	Ant4	6565	NV	-40000.00	-6.092917	20	PASS
11AX40MIMO	Ant4	6565	LV	-80000.00	-12.185834	20	PASS
11AX40MIMO	Ant4	6565	HV	-80000.00	-12.185834	20	PASS
11AX40MIMO	Ant1	6685	NV	-40000.00	-5.983545	20	PASS
11AX40MIMO	Ant1	6685	LV	0.00	0.000000	20	PASS
11AX40MIMO	Ant1	6685	HV	0.00	0.000000	20	PASS
11AX40MIMO	Ant2	6685	NV	-40000.00	-5.983545	20	PASS
11AX40MIMO	Ant2	6685	LV	-40000.00	-5.983545	20	PASS
11AX40MIMO	Ant2	6685	HV	-40000.00	-5.983545	20	PASS
11AX40MIMO	Ant3	6685	NV	-40000.00	-5.983545	20	PASS
11AX40MIMO	Ant3	6685	LV	-40000.00	-5.983545	20	PASS
11AX40MIMO	Ant3	6685	HV	-40000.00	-5.983545	20	PASS
11AX40MIMO	Ant4	6685	NV	-40000.00	-5.983545	20	PASS
11AX40MIMO	Ant4	6685	LV	-40000.00	-5.983545	20	PASS
11AX40MIMO	Ant4	6685	HV	-40000.00	-5.983545	20	PASS
11AX40MIMO	Ant1	6845	NV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant1	6845	LV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant1	6845	HV	-40000.00	-5.843682	20	PASS

11AX40MIMO	Ant2	6845	NV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant2	6845	LV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant2	6845	HV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant3	6845	NV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant3	6845	LV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant3	6845	HV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant4	6845	NV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant4	6845	LV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant4	6845	HV	-40000.00	-5.843682	20	PASS
11AX40MIMO	Ant1	6885	NV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant1	6885	LV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant1	6885	HV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant2	6885	NV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant2	6885	LV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant2	6885	HV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant3	6885	NV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant3	6885	LV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant3	6885	HV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant4	6885	NV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant4	6885	LV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant4	6885	HV	-40000.00	-5.809731	20	PASS
11AX40MIMO	Ant1	6925	NV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant1	6925	LV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant1	6925	HV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant2	6925	NV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant2	6925	LV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant2	6925	HV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant3	6925	NV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant3	6925	LV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant3	6925	HV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant4	6925	NV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant4	6925	LV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant4	6925	HV	-40000.00	-5.776173	20	PASS
11AX40MIMO	Ant1	6965	NV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant1	6965	LV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant1	6965	HV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant2	6965	NV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant2	6965	LV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant2	6965	HV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant3	6965	NV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant3	6965	LV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant3	6965	HV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant4	6965	NV	-40000.00	-5.743001	20	PASS

11AX40MIMO	Ant4	6965	LV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant4	6965	HV	-40000.00	-5.743001	20	PASS
11AX40MIMO	Ant1	7085	NV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant1	7085	LV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant1	7085	HV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant2	7085	NV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant2	7085	LV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant2	7085	HV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant3	7085	NV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant3	7085	LV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant3	7085	HV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant4	7085	NV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant4	7085	LV	-40000.00	-5.645730	20	PASS
11AX40MIMO	Ant4	7085	HV	-40000.00	-5.645730	20	PASS
11AX80MIMO	Ant1	5985	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	5985	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	5985	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	5985	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	5985	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	5985	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	5985	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	5985	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	5985	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	5985	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	5985	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	5985	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6145	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6145	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6145	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6145	NV	-80000.00	-13.018714	20	PASS
11AX80MIMO	Ant2	6145	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6145	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6145	NV	-80000.00	-13.018714	20	PASS
11AX80MIMO	Ant3	6145	LV	-80000.00	-13.018714	20	PASS
11AX80MIMO	Ant3	6145	HV	-80000.00	-13.018714	20	PASS
11AX80MIMO	Ant4	6145	NV	-80000.00	-13.018714	20	PASS
11AX80MIMO	Ant4	6145	LV	-80000.00	-13.018714	20	PASS
11AX80MIMO	Ant4	6145	HV	-80000.00	-13.018714	20	PASS
11AX80MIMO	Ant1	6385	NV	-80000.00	-12.529366	20	PASS
11AX80MIMO	Ant1	6385	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6385	HV	-80000.00	-12.529366	20	PASS
11AX80MIMO	Ant2	6385	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6385	LV	-80000.00	-12.529366	20	PASS

11AX80MIMO	Ant2	6385	HV	-80000.00	-12.529366	20	PASS
11AX80MIMO	Ant3	6385	NV	-80000.00	-12.529366	20	PASS
11AX80MIMO	Ant3	6385	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6385	HV	-80000.00	-12.529366	20	PASS
11AX80MIMO	Ant4	6385	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6385	LV	-80000.00	-12.529366	20	PASS
11AX80MIMO	Ant4	6385	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6465	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6465	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6465	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6465	NV	-80000.00	-12.374323	20	PASS
11AX80MIMO	Ant2	6465	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6465	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6465	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6465	LV	-80000.00	-12.374323	20	PASS
11AX80MIMO	Ant3	6465	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6465	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6465	LV	-80000.00	-12.374323	20	PASS
11AX80MIMO	Ant4	6465	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6545	NV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant1	6545	LV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant1	6545	HV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant2	6545	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6545	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6545	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6545	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6545	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6545	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6545	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6545	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6545	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6625	NV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant1	6625	LV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant1	6625	HV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant2	6625	NV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant2	6625	LV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant2	6625	HV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant3	6625	NV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant3	6625	LV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant3	6625	HV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant4	6625	NV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant4	6625	LV	-80000.00	-12.075472	20	PASS
11AX80MIMO	Ant4	6625	HV	-80000.00	-12.075472	20	PASS

11AX80MIMO	Ant1	6705	NV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant1	6705	LV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant1	6705	HV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant2	6705	NV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant2	6705	LV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant2	6705	HV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant3	6705	NV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant3	6705	LV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant3	6705	HV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant4	6705	NV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant4	6705	LV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant4	6705	HV	-80000.00	-11.931394	20	PASS
11AX80MIMO	Ant1	6785	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6785	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6785	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6785	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6785	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6785	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6785	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6785	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6785	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6785	NV	-80000.00	-11.790715	20	PASS
11AX80MIMO	Ant4	6785	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6785	HV	-80000.00	-11.790715	20	PASS
11AX80MIMO	Ant1	6865	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6865	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6865	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6865	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6865	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6865	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6865	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6865	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6865	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6865	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6865	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6865	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6945	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6945	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	6945	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6945	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6945	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	6945	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	6945	NV	0.00	0.000000	20	PASS

11AX80MIMO	Ant3	6945	LV	-80000.00	-11.519078	20	PASS
11AX80MIMO	Ant3	6945	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6945	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6945	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	6945	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	7025	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	7025	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant1	7025	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	7025	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	7025	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant2	7025	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	7025	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	7025	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant3	7025	HV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	7025	NV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	7025	LV	0.00	0.000000	20	PASS
11AX80MIMO	Ant4	7025	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6025	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6025	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6025	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6025	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6025	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6025	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6025	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6025	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6025	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6025	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6025	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6025	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6185	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6185	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6185	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6185	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6185	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6185	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6185	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6185	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6185	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6185	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6185	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6185	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6345	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6345	LV	0.00	0.000000	20	PASS

11AX160MIMO	Ant1	6345	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6345	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6345	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6345	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6345	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6345	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6345	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6345	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6345	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6345	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6505	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6505	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6505	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6505	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6505	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6505	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6505	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6505	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6505	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6505	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6505	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6505	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6665	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6665	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6665	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6665	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6665	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6665	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6665	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6665	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6665	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6665	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6665	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6665	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6825	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6825	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6825	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6825	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6825	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6825	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6825	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6825	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6825	HV	0.00	0.000000	20	PASS

11AX160MIMO	Ant4	6825	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6825	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6825	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6985	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6985	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant1	6985	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6985	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6985	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant2	6985	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6985	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6985	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant3	6985	HV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6985	NV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6985	LV	0.00	0.000000	20	PASS
11AX160MIMO	Ant4	6985	HV	0.00	0.000000	20	PASS

Test Mode	Antenna	Frequency[MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AX20MIMO	Ant1	5955	NV	0	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant1	5955	NV	5	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant1	5955	NV	10	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant1	5955	NV	15	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant1	5955	NV	20	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant1	5955	NV	25	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant1	5955	NV	30	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant1	5955	NV	40	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant1	5955	NV	45	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant2	5955	NV	0	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant2	5955	NV	5	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant2	5955	NV	10	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant2	5955	NV	15	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant2	5955	NV	20	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant2	5955	NV	25	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant2	5955	NV	30	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant2	5955	NV	40	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant2	5955	NV	45	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant3	5955	NV	0	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant3	5955	NV	5	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant3	5955	NV	10	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant3	5955	NV	15	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant3	5955	NV	20	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant3	5955	NV	25	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant3	5955	NV	30	-20000.00	-3.358522	20	PASS

11AX20MIMO	Ant3	5955	NV	40	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant3	5955	NV	45	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant4	5955	NV	0	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant4	5955	NV	5	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant4	5955	NV	10	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant4	5955	NV	15	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant4	5955	NV	20	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant4	5955	NV	25	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant4	5955	NV	30	-20000.00	-3.358522	20	PASS
11AX20MIMO	Ant4	5955	NV	40	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant4	5955	NV	45	-40000.00	-6.717045	20	PASS
11AX20MIMO	Ant4	6175	NV	0	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant4	6175	NV	5	-40000.00	-6.477733	20	PASS
11AX20MIMO	Ant1	6175	NV	10	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6175	NV	15	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6175	NV	20	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6175	NV	25	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant1	6175	NV	30	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6175	NV	40	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6175	NV	45	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6175	NV	0	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	6175	NV	5	0.00	0.000000	20	PASS
11AX20MIMO	Ant2	6175	NV	10	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant2	6175	NV	15	0.00	0.000000	20	PASS
11AX20MIMO	Ant2	6175	NV	20	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant2	6175	NV	25	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant2	6175	NV	30	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant2	6175	NV	40	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant2	6175	NV	45	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant2	6175	NV	0	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant2	6175	NV	5	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant3	6175	NV	10	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant3	6175	NV	15	-40000.00	-6.477733	20	PASS
11AX20MIMO	Ant3	6175	NV	20	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant3	6175	NV	25	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant3	6175	NV	30	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant3	6175	NV	40	-40000.00	-6.477733	20	PASS
11AX20MIMO	Ant3	6175	NV	45	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant3	6175	NV	0	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant3	6175	NV	5	-40000.00	-6.477733	20	PASS
11AX20MIMO	Ant4	6175	NV	10	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant4	6175	NV	15	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant4	6175	NV	20	-40000.00	-6.477733	20	PASS

11AX20MIMO	Ant4	6175	NV	25	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant4	6175	NV	30	-20000.00	-3.238866	20	PASS
11AX20MIMO	Ant4	6175	NV	40	-40000.00	-6.477733	20	PASS
11AX20MIMO	Ant4	6175	NV	45	-40000.00	-6.477733	20	PASS
11AX20MIMO	Ant1	6415	NV	0	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant1	6415	NV	5	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant1	6415	NV	10	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant1	6415	NV	15	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant1	6415	NV	20	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant1	6415	NV	25	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant1	6415	NV	30	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant1	6415	NV	40	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant1	6415	NV	45	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant2	6415	NV	0	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant2	6415	NV	5	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant2	6415	NV	10	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant2	6415	NV	15	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant2	6415	NV	20	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant2	6415	NV	25	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant2	6415	NV	30	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant2	6415	NV	40	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant2	6415	NV	45	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant3	6415	NV	0	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant3	6415	NV	5	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant3	6415	NV	10	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant3	6415	NV	15	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant3	6415	NV	20	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant3	6415	NV	25	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant3	6415	NV	30	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant3	6415	NV	40	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant3	6415	NV	45	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant4	6415	NV	0	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant4	6415	NV	5	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant4	6415	NV	10	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant4	6415	NV	15	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant4	6415	NV	20	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant4	6415	NV	25	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant4	6415	NV	30	-40000.00	-6.235386	20	PASS
11AX20MIMO	Ant4	6415	NV	40	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant4	6415	NV	45	-20000.00	-3.117693	20	PASS
11AX20MIMO	Ant1	6435	NV	0	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant1	6435	NV	5	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant1	6435	NV	10	-20000.00	-3.108003	20	PASS

11AX20MIMO	Ant1	6435	NV	15	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant1	6435	NV	20	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant1	6435	NV	25	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant1	6435	NV	30	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant1	6435	NV	40	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant1	6435	NV	45	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant2	6435	NV	0	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant2	6435	NV	5	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant2	6435	NV	10	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant2	6435	NV	15	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant2	6435	NV	20	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant2	6435	NV	25	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant2	6435	NV	30	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant2	6435	NV	40	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant2	6435	NV	45	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant3	6435	NV	0	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant3	6435	NV	5	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant3	6435	NV	10	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant3	6435	NV	15	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant3	6435	NV	20	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant3	6435	NV	25	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant3	6435	NV	30	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant3	6435	NV	40	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant3	6435	NV	45	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant4	6435	NV	0	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant4	6435	NV	5	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant4	6435	NV	10	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant4	6435	NV	15	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant4	6435	NV	20	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant4	6435	NV	25	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant4	6435	NV	30	-40000.00	-6.216006	20	PASS
11AX20MIMO	Ant4	6435	NV	40	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant4	6435	NV	45	-20000.00	-3.108003	20	PASS
11AX20MIMO	Ant1	6475	NV	0	-20000.00	-3.088803	20	PASS
11AX20MIMO	Ant1	6475	NV	5	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant1	6475	NV	10	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant1	6475	NV	15	-20000.00	-3.088803	20	PASS
11AX20MIMO	Ant1	6475	NV	20	-20000.00	-3.088803	20	PASS
11AX20MIMO	Ant1	6475	NV	25	-20000.00	-3.088803	20	PASS
11AX20MIMO	Ant1	6475	NV	30	-20000.00	-3.088803	20	PASS
11AX20MIMO	Ant1	6475	NV	40	-40000.00	-6.177606	20	PASS
11AX20MIMO	Ant1	6475	NV	45	-20000.00	-3.088803	20	PASS
11AX20MIMO	Ant2	6475	NV	0	-40000.00	-6.177606	20	PASS