


5.Duty Cycle (x)


Test Mode	Test Channel	Ant	Duty Cycle[%]	10log(1/x) Factor[dB]
11A	5180	Ant1	98.85	0.05
11A	5180	Ant2	98.09	0.08
11A	5200	Ant1	98.94	0.05
11A	5200	Ant2	98.09	0.08
11A	5240	Ant1	98.85	0.05
11A	5240	Ant2	98.09	0.08
11A	5260	Ant1	98.85	0.05
11A	5260	Ant2	98.09	0.08
11A	5300	Ant1	98.85	0.05
11A	5300	Ant2	98.09	0.08
11A	5320	Ant1	98.85	0.05
11A	5320	Ant2	98.09	0.08
11A	5500	Ant1	98.85	0.05
11A	5500	Ant2	98.09	0.08
11A	5580	Ant1	98.94	0.05
11A	5580	Ant2	98.09	0.08
11A	5600	Ant1	98.85	0.05
11A	5600	Ant2	98.09	0.08
11A	5700	Ant1	98.94	0.05
11A	5700	Ant2	98.09	0.08
11A	5745	Ant1	98.85	0.05
11A	5745	Ant2	97.62	0.1
11A	5785	Ant1	98.85	0.05
11A	5785	Ant2	98.09	0.08
11A	5825	Ant1	98.85	0.05
11A	5825	Ant2	98.09	0.08
11N20	5180	Ant1	97.94	0.09
11N20	5180	Ant2	97.95	0.09
11N20	5200	Ant1	97.95	0.09
11N20	5200	Ant2	97.94	0.09


11N20	5240	Ant1	97.94	0.09
11N20	5240	Ant2	97.94	0.09
11N20	5260	Ant1	97.95	0.09
11N20	5260	Ant2	97.95	0.09
11N20	5300	Ant1	97.95	0.09
11N20	5300	Ant2	97.94	0.09
11N20	5320	Ant1	97.94	0.09
11N20	5320	Ant2	97.94	0.09
11N20	5500	Ant1	97.95	0.09
11N20	5500	Ant2	97.94	0.09
11N20	5580	Ant1	97.95	0.09
11N20	5580	Ant2	97.95	0.09
11N20	5600	Ant1	97.95	0.09
11N20	5600	Ant2	97.95	0.09
11N20	5700	Ant1	97.95	0.09
11N20	5700	Ant2	97.94	0.09
11N20	5745	Ant1	97.95	0.09
11N20	5745	Ant2	97.95	0.09
11N20	5785	Ant1	97.94	0.09
11N20	5785	Ant2	97.94	0.09
11N20	5825	Ant1	97.94	0.09
11N20	5825	Ant2	97.95	0.09
11N40	5190	Ant1	95.88	0.18
11N40	5190	Ant2	95.83	0.18
11N40	5230	Ant1	95.88	0.18
11N40	5230	Ant2	94.79	0.23
11N40	5270	Ant1	95.88	0.18
11N40	5270	Ant2	94.85	0.23
11N40	5310	Ant1	95.88	0.18
11N40	5310	Ant2	94.85	0.23
11N40	5510	Ant1	95.88	0.18
11N40	5510	Ant2	93.81	0.28
11N40	5550	Ant1	95.88	0.18
11N40	5550	Ant2	94.85	0.23


11N40	5590	Ant1	94.85	0.23
11N40	5590	Ant2	94.85	0.23
11N40	5670	Ant1	95.83	0.18
11N40	5670	Ant2	94.79	0.23
11N40	5755	Ant1	94.85	0.23
11N40	5755	Ant2	94.79	0.23
11N40	5795	Ant1	94.85	0.23
11N40	5795	Ant2	94.85	0.23
11AC20	5180	Ant1	97.95	0.09
11AC20	5180	Ant2	97.95	0.09
11AC20	5200	Ant1	97.95	0.09
11AC20	5200	Ant2	97.95	0.09
11AC20	5240	Ant1	97.96	0.09
11AC20	5240	Ant2	97.95	0.09
11AC20	5260	Ant1	97.95	0.09
11AC20	5260	Ant2	97.96	0.09
11AC20	5300	Ant1	97.96	0.09
11AC20	5300	Ant2	97.95	0.09
11AC20	5320	Ant1	97.96	0.09
11AC20	5320	Ant2	97.95	0.09
11AC20	5500	Ant1	97.95	0.09
11AC20	5500	Ant2	97.96	0.09
11AC20	5580	Ant1	97.95	0.09
11AC20	5580	Ant2	97.95	0.09
11AC20	5600	Ant1	97.96	0.09
11AC20	5600	Ant2	97.96	0.09
11AC20	5700	Ant1	97.96	0.09
11AC20	5700	Ant2	97.95	0.09
11AC20	5745	Ant1	97.95	0.09
11AC20	5745	Ant2	97.95	0.09
11AC20	5785	Ant1	97.95	0.09
11AC20	5785	Ant2	97.95	0.09
11AC20	5825	Ant1	97.95	0.09
11AC20	5825	Ant2	97.95	0.09


11AC40	5190	Ant1	93.94	0.27
11AC40	5190	Ant2	94.9	0.23
11AC40	5230	Ant1	93.94	0.27
11AC40	5230	Ant2	94.85	0.23
11AC40	5270	Ant1	93.81	0.28
11AC40	5270	Ant2	93.88	0.27
11AC40	5310	Ant1	95.88	0.18
11AC40	5310	Ant2	93.88	0.27
11AC40	5510	Ant1	95.88	0.18
11AC40	5510	Ant2	93.88	0.27
11AC40	5550	Ant1	95.92	0.18
11AC40	5550	Ant2	94.85	0.23
11AC40	5590	Ant1	95.88	0.18
11AC40	5590	Ant2	94.85	0.23
11AC40	5670	Ant1	95.88	0.18
11AC40	5670	Ant2	94.85	0.23
11AC40	5755	Ant1	94.9	0.23
11AC40	5755	Ant2	94.85	0.23
11AC40	5795	Ant1	94.9	0.23
11AC40	5795	Ant2	95.88	0.18
11AC80	5210	Ant1	91.67	0.38
11AC80	5210	Ant2	89.58	0.48
11AC80	5290	Ant1	91.67	0.38
11AC80	5290	Ant2	89.58	0.48
11AC80	5530	Ant1	91.67	0.38
11AC80	5530	Ant2	91.67	0.38
11AC80	5610	Ant1	91.67	0.38
11AC80	5610	Ant2	91.67	0.38
11AC80	5775	Ant1	89.58	0.48
11AC80	5775	Ant2	89.58	0.48































































































































































































6. (DFS: Channel Move Time; DFS: Channel Closing Transmission Time)
Test plots as follows:

Remark: Only the data of Ant.1 is recorded.


Radar Waveform Calibration Result
Radar Type 0 (80MHz / 5290MHz)

Radar Type 0 (80MHz / 5530MHz)



Test Data:


BW/Channel	Test Item	Test Result	Limit	Results
80MHz/5290MHz	Channel Move Time	0.4165s	<10s	Pass
	Channel Closing Transmission Time	2.5ms	<60ms	Pass
80MHz/5530MHz	Channel Move Time	0.5246s	<10s	Pass
	Channel Closing Transmission Time	3.0ms	<60ms	Pass

Test plots as follows:



80MHz/5290MHz








80MHz/5530MHz





7. Frequency Stability

Remark: Only the data of Ant.1 is recorded.

Test mode:	802.11a	Frequency(MHz):	5180
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5179.8828	Pass
30		5179.8832	Pass
20		5179.8835	Pass
10		5179.8830	Pass
0		5179.8825	Pass
25		138	5179.8823
	120	5179.8832	Pass
	102	5179.8840	Pass

Test mode:	802.11a	Frequency(MHz):	5200
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5200.1118	Pass
30		5200.1127	Pass
20		5200.1132	Pass
10		5200.1130	Pass
0		5200.1126	Pass
25		138	5200.1122
	120	5200.1127	Pass
	102	5200.1137	Pass

Test mode:	802.11a	Frequency(MHz):	5240
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5239.2719	Pass
30		5239.2725	Pass
20		5239.2731	Pass
10		5239.2726	Pass
0		5239.2724	Pass
25	138	5239.2724	Pass
	120	5239.2725	Pass
	102	5239.2734	Pass

Test mode:	802.11a	Frequency(MHz):	5260
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5262.0204	Pass
30		5262.0205	Pass
20		5262.0215	Pass
10		5262.0211	Pass
0		5262.0204	Pass
25	138	5262.0203	Pass
	120	5262.0205	Pass
	102	5262.0214	Pass

Test mode:	802.11a	Frequency(MHz):	5300
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5300.0630	Pass
30		5300.0635	Pass
20		5300.0645	Pass
10		5300.0637	Pass
0		5300.0629	Pass
25	138	5300.0632	Pass
	120	5300.0635	Pass
	102	5300.0642	Pass

Test mode:	802.11a	Frequency(MHz):	5320
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5319.1881	Pass
30		5319.1885	Pass
20		5319.1892	Pass
10		5319.1882	Pass
0		5319.1880	Pass
25	138	5319.1878	Pass
	120	5319.1885	Pass
	102	5319.1891	Pass

Test mode:	802.11a	Frequency(MHz):	5500
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5498.1100	Pass
30		5498.1107	Pass
20		5498.1113	Pass
10		5498.1108	Pass
0		5498.1103	Pass
25	138	5498.1104	Pass
	120	5498.1107	Pass
	102	5498.1108	Pass

Test mode:	802.11a	Frequency(MHz):	5600
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5600.4827	Pass
30		5600.4836	Pass
20		5600.4846	Pass
10		5600.4839	Pass
0		5600.4835	Pass
25	138	5600.4829	Pass
	120	5600.4836	Pass
	102	5600.4837	Pass

Test mode:	802.11a	Frequency(MHz):	5700
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5698.7886	Pass
30		5698.7889	Pass
20		5698.7896	Pass
10		5698.7887	Pass
0		5698.7885	Pass
25	138	5698.7886	Pass
	120	5698.7889	Pass
	102	5698.7899	Pass

Test mode:	802.11a	Frequency(MHz):	5745
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5745.3905	Pass
30		5745.3914	Pass
20		5745.3921	Pass
10		5745.3916	Pass
0		5745.3911	Pass
25	138	5745.3908	Pass
	120	5745.3914	Pass
	102	5745.3921	Pass

Test mode:	802.11a	Frequency(MHz):	5785
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5784.5999	Pass
30		5784.6004	Pass
20		5784.6008	Pass
10		5784.6004	Pass
0		5784.6001	Pass
25	138	5784.6001	Pass
	120	5784.6004	Pass
	102	5784.6007	Pass

Test mode:	802.11a	Frequency(MHz):	5825
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5823.5383	Pass
30		5823.5389	Pass
20		5823.5396	Pass
10		5823.5386	Pass
0		5823.5382	Pass
25	138	5823.5386	Pass
	120	5823.5389	Pass
	102	5823.5398	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5180
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5179.5833	Pass
30		5179.5840	Pass
20		5179.5842	Pass
10		5179.5839	Pass
0		5179.5832	Pass
25	138	5179.5834	Pass
	120	5179.5840	Pass
	102	5179.5841	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5200
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5201.1862	Pass
30		5201.1865	Pass
20		5201.1872	Pass
10		5201.1869	Pass
0		5201.1868	Pass
25	138	5201.1858	Pass
	120	5201.1865	Pass
	102	5201.1873	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5240
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5239.1220	Pass
30		5239.1230	Pass
20		5239.1236	Pass
10		5239.1230	Pass
0		5239.1224	Pass
25	138	5239.1221	Pass
	120	5239.1230	Pass
	102	5239.1235	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5260
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5261.9277	Pass
30		5261.9283	Pass
20		5261.9287	Pass
10		5261.9281	Pass
0		5261.9274	Pass
25	138	5261.9278	Pass
	120	5261.9283	Pass
	102	5261.9292	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5300
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5298.6861	Pass
30		5298.6865	Pass
20		5298.6870	Pass
10		5298.6860	Pass
0		5298.6851	Pass
25	138	5298.6862	Pass
	120	5298.6865	Pass
	102	5298.6866	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5320
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5320.5115	Pass
30		5320.5123	Pass
20		5320.5126	Pass
10		5320.5117	Pass
0		5320.5115	Pass
25	138	5320.5117	Pass
	120	5320.5123	Pass
	102	5320.5125	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5500
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5500.2391	Pass
30		5500.2398	Pass
20		5500.2407	Pass
10		5500.2400	Pass
0		5500.2392	Pass
25	138	5500.2391	Pass
	120	5500.2398	Pass
	102	5500.2407	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5600
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5599.3516	Pass
30		5599.3525	Pass
20		5599.3533	Pass
10		5599.3529	Pass
0		5599.3524	Pass
25	138	5599.3515	Pass
	120	5599.3525	Pass
	102	5599.3534	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5700
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5700.8522	Pass
30		5700.8525	Pass
20		5700.8534	Pass
10		5700.8527	Pass
0		5700.8521	Pass
25	138	5700.8518	Pass
	120	5700.8525	Pass
	102	5700.8530	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5745
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5745.5548	Pass
30		5745.5553	Pass
20		5745.5560	Pass
10		5745.5552	Pass
0		5745.5546	Pass
25	138	5745.5551	Pass
	120	5745.5553	Pass
	102	5745.5557	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5785
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5786.6674	Pass
30		5786.6680	Pass
20		5786.6688	Pass
10		5786.6678	Pass
0		5786.6674	Pass
25	138	5786.6675	Pass
	120	5786.6680	Pass
	102	5786.6683	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5825
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5824.9932	Pass
30		5824.9939	Pass
20		5824.9945	Pass
10		5824.9942	Pass
0		5824.9934	Pass
25	138	5824.9937	Pass
	120	5824.9939	Pass
	102	5824.9940	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5190
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5189.2373	Pass
30		5189.2377	Pass
20		5189.2381	Pass
10		5189.2375	Pass
0		5189.2367	Pass
25	138	5189.2368	Pass
	120	5189.2377	Pass
	102	5189.2385	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5230
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5231.8744	Pass
30		5231.8750	Pass
20		5231.8757	Pass
10		5231.8753	Pass
0		5231.8745	Pass
25	138	5231.8748	Pass
	120	5231.8750	Pass
	102	5231.8757	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5270
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5271.0527	Pass
30		5271.0533	Pass
20		5271.0537	Pass
10		5271.0533	Pass
0		5271.0527	Pass
25	138	5271.0523	Pass
	120	5271.0533	Pass
	102	5271.0535	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5310
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5308.9054	Pass
30		5308.9057	Pass
20		5308.9061	Pass
10		5308.9051	Pass
0		5308.9048	Pass
25		138 5308.9048	Pass
	120	5308.9057	Pass
	102	5308.9062	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5510
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5509.6327	Pass
30		5509.6332	Pass
20		5509.6334	Pass
10		5509.6329	Pass
0		5509.6320	Pass
25		138 5509.6326	Pass
	120	5509.6332	Pass
	102	5509.6335	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5590
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5588.8970	Pass
30		5588.8975	Pass
20		5588.8984	Pass
10		5588.8975	Pass
0		5588.8966	Pass
25		138 5588.8967	Pass
	120	5588.8975	Pass
	102	5588.8985	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5670
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5671.0324	Pass
30		5671.0328	Pass
20		5671.0330	Pass
10		5671.0326	Pass
0		5671.0321	Pass
25	138	5671.0318	Pass
	120	5671.0328	Pass
	102	5671.0329	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5755
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5753.8803	Pass
30		5753.8811	Pass
20		5753.8813	Pass
10		5753.8809	Pass
0		5753.8805	Pass
25	138	5753.8804	Pass
	120	5753.8811	Pass
	102	5753.8813	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5795
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5793.8355	Pass
30		5793.8361	Pass
20		5793.8368	Pass
10		5793.8360	Pass
0		5793.8358	Pass
25	138	5793.8354	Pass
	120	5793.8361	Pass
	102	5793.8369	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5180
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5180.3073	Pass
30		5180.3074	Pass
20		5180.3081	Pass
10		5180.3075	Pass
0		5180.3068	Pass
25		138 5180.3066	Pass
	120	5180.3074	Pass
	102	5180.3077	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5200
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5199.7066	Pass
30		5199.7070	Pass
20		5199.7073	Pass
10		5199.7065	Pass
0		5199.7055	Pass
25		138 5199.7060	Pass
	120	5199.7070	Pass
	102	5199.7079	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5240
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5240.8949	Pass
30		5240.8955	Pass
20		5240.8962	Pass
10		5240.8953	Pass
0		5240.8950	Pass
25		138 5240.8947	Pass
	120	5240.8955	Pass
	102	5240.8960	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5260
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5261.4234	Pass
30		5261.4242	Pass
20		5261.4244	Pass
10		5261.4239	Pass
0		5261.4231	Pass
25	138	5261.4239	Pass
	120	5261.4242	Pass
	102	5261.4245	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5300
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5301.5203	Pass
30		5301.5205	Pass
20		5301.5209	Pass
10		5301.5202	Pass
0		5301.5195	Pass
25	138	5301.5203	Pass
	120	5301.5205	Pass
	102	5301.5208	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5320
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5319.1179	Pass
30		5319.1189	Pass
20		5319.1190	Pass
10		5319.1184	Pass
0		5319.1176	Pass
25	138	5319.1181	Pass
	120	5319.1189	Pass
	102	5319.1197	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5500
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5500.3311	Pass
30		5500.3320	Pass
20		5500.3328	Pass
10		5500.3321	Pass
0		5500.3315	Pass
25	138	5500.3315	Pass
	120	5500.3320	Pass
	102	5500.3322	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5600
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5599.6530	Pass
30		5599.6537	Pass
20		5599.6546	Pass
10		5599.6540	Pass
0		5599.6538	Pass
25	138	5599.6533	Pass
	120	5599.6537	Pass
	102	5599.6544	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5700
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5699.6429	Pass
30		5699.6434	Pass
20		5699.6436	Pass
10		5699.6434	Pass
0		5699.6431	Pass
25	138	5699.6428	Pass
	120	5699.6434	Pass
	102	5699.6438	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5745
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5744.7593	Pass
30		5744.7602	Pass
20		5744.7607	Pass
10		5744.7598	Pass
0		5744.7593	Pass
25	138	5744.7593	Pass
	120	5744.7602	Pass
	102	5744.7610	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5785
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5785.7742	Pass
30		5785.7746	Pass
20		5785.7750	Pass
10		5785.7748	Pass
0		5785.7743	Pass
25	138	5785.7737	Pass
	120	5785.7746	Pass
	102	5785.7756	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5825
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5825.3106	Pass
30		5825.3115	Pass
20		5825.3124	Pass
10		5825.3122	Pass
0		5825.3114	Pass
25	138	5825.3113	Pass
	120	5825.3115	Pass
	102	5825.3125	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5190
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5188.8372	Pass
30		5188.8381	Pass
20		5188.8386	Pass
10		5188.8379	Pass
0		5188.8376	Pass
25	138	5188.8377	Pass
	120	5188.8381	Pass
	102	5188.8383	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5230
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5228.8234	Pass
30		5228.8238	Pass
20		5228.8242	Pass
10		5228.8235	Pass
0		5228.8232	Pass
25	138	5228.8236	Pass
	120	5228.8238	Pass
	102	5228.8245	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5270
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5270.2741	Pass
30		5270.2746	Pass
20		5270.2749	Pass
10		5270.2745	Pass
0		5270.2736	Pass
25	138	5270.2745	Pass
	120	5270.2746	Pass
	102	5270.2752	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5310
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5308.4707	Pass
30		5308.4713	Pass
20		5308.4722	Pass
10		5308.4714	Pass
0		5308.4706	Pass
25		138 5308.4709	Pass
	120	5308.4713	Pass
	102	5308.4722	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5510
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5508.8666	Pass
30		5508.8668	Pass
20		5508.8675	Pass
10		5508.8666	Pass
0		5508.8660	Pass
25		138 5508.8662	Pass
	120	5508.8668	Pass
	102	5508.8676	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5590
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5588.4562	Pass
30		5588.4570	Pass
20		5588.4579	Pass
10		5588.4578	Pass
0		5588.4570	Pass
25		138 5588.4567	Pass
	120	5588.4570	Pass
	102	5588.4571	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5670
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5670.0955	Pass
30		5670.0963	Pass
20		5670.0965	Pass
10		5670.0961	Pass
0		5670.0958	Pass
25	138	5670.0960	Pass
	120	5670.0963	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5755
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5755.3003	Pass
30		5755.3012	Pass
20		5755.3014	Pass
10		5755.3009	Pass
0		5755.3007	Pass
25	138	5755.3009	Pass
	120	5755.3012	Pass
	102	5755.3019	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5795
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5795.3803	Pass
30		5795.3811	Pass
20		5795.3813	Pass
10		5795.3805	Pass
0		5795.3803	Pass
25	138	5795.3802	Pass
	120	5795.3811	Pass
	102	5795.3821	Pass

Test mode:	802.11ac(HT80)	Frequency(MHz):	5210
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5210.6388	Pass
30		5210.6393	Pass
20		5210.6400	Pass
10		5210.6393	Pass
0		5210.6386	Pass
25		138 120 102	5210.6392 5210.6393 5210.6403
			Pass Pass Pass

Test mode:	802.11ac(HT80)	Frequency(MHz):	5290
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5291.4650	Pass
30		5291.4652	Pass
20		5291.4654	Pass
10		5291.4645	Pass
0		5291.4641	Pass
25		138 120 102	5291.4642 5291.4652 5291.4659
			Pass Pass Pass

Test mode:	802.11ac(HT80)	Frequency(MHz):	5530
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5528.4562	Pass
30		5528.4570	Pass
20		5528.4579	Pass
10		5528.4571	Pass
0		5528.4568	Pass
25		138 120 102	5528.4560 5528.4570 5528.4575
			Pass Pass Pass



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM170600589105
Page: 700 of 700

Test mode:	802.11ac(HT80)	Frequency(MHz):	5610
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5610.2334	Pass
30		5610.2336	Pass
20		5610.2343	Pass
10		5610.2340	Pass
0		5610.2339	Pass
25	138	5610.2332	Pass
	120	5610.2336	Pass
	102	5610.2339	Pass

Test mode:	802.11ac(HT80)	Frequency(MHz):	5775
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5773.2619	Pass
30		5773.2623	Pass
20		5773.2625	Pass
10		5773.2618	Pass
0		5773.2615	Pass
25	138	5773.2622	Pass
	120	5773.2623	Pass
	102	5773.2625	Pass