





ACLRResults

Plot 7-1483. Ant M0 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1484. Ant M0 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 818 of 999	



ACEResults


Plot 7-1485. Ant M0 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)

ACEResults



Plot 7-1486. Ant M0 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 819 of 999

ACLRResults

Plot 7-1487. Ant M0 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1488. Ant M0 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 820 of 999	

PASS


 Center Freq: 37 GHz
 Span: 1000 MHz
 Trace: AVERAGE
 Detector: RMS
 SWP Count: 100
 RBW: 1 MHz
 VBW: 3 MHz
 SWP: 2001

Plot 7-1489. Ant M0 Lower Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK Full RB)
PASS

 Center Freq: 37 GHz
 Span: 1000 MHz
 Trace: AVERAGE
 Detector: RMS
 SWP Count: 100
 RBW: 1 MHz
 VBW: 3 MHz
 SWP: 2001

Plot 7-1490. Ant M0 Lower Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764	 PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 821 of 999




Plot 7-1491. Ant M0 Upper Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1492. Ant M0 Upper Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764	 PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 822 of 999




Plot 7-1493. Ant M0 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1494. Ant M0 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764	element PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 823 of 999




Plot 7-1495. Ant M0 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1496. Ant M0 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device			Page 824 of 999




Plot 7-1497. Ant M0 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1498. Ant M0 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764	element PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 825 of 999





Plot 7-1499. Ant M0 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)





Plot 7-1500. Ant M0 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764	element PART 30 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 826 of 999

ACLRResults

Plot 7-1501. Ant M0 Lower Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1502. Ant M0 Lower Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 827 of 999	

ACLRResults

Plot 7-1503. Ant M0 Upper Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1504. Ant M0 Upper Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 828 of 999	

ACLRResults

Plot 7-1505. Ant M0 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1506. Ant M0 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 829 of 999	

ACLRResults

Plot 7-1507. Ant M0 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1508. Ant M0 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 830 of 999

ACLRResults

Plot 7-1509. Ant M0 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1510. Ant M0 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 831 of 999	

ACLRResults

Plot 7-1511. Ant M0 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1512. Ant M0 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 832 of 999

7.5.11 Band n260 – Ant M2

Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Antenna Diversity	Waveform	Modulation	Beam Polarization	Beam ID	RB Config	Average EIRP [dBm]	TRP Limit [dBm]	Margin [dB]
50	1	Low	37025.04	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-18.53	-13	-5.53
		Low	37025.04	MIMO	CP-OFDM	QPSK	H	51 + 179	1 Low	-10.38	-5	-5.38
		High	39975.00	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-19.31	-13	-6.31
		High	39975.00	MIMO	CP-OFDM	QPSK	H	51 + 179	1 High	-14.56	-5	-9.56
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-22.96	-13	-9.96
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 Low	-8.31	-5	-3.31
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-23.74	-13	-10.74
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 High	-15.23	-5	-10.23
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-17.11	-13	-4.11
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 Low	-7.16	-5	-2.16
50+50	2	High	39975.00	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-19.02	-13	-6.02
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 High	-15.64	-5	-10.64
		Low	37050.06	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-29.11	-13	-16.11
		Low	37050.06	MIMO	CP-OFDM	QPSK	H	51 + 179	1 Low	-25.82	-13	-12.82
		High	39949.98	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-32.08	-13	-19.08
		High	39949.98	MIMO	CP-OFDM	QPSK	H	51 + 179	1 High	-25.20	-13	-12.20
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-31.47	-13	-18.47
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 Low	-25.64	-13	-12.64
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-33.72	-13	-20.72
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 High	-28.50	-13	-15.50
50+50+50	3	Low	37050.06	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-31.20	-13	-18.20
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 Low	-25.43	-13	-12.43
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-33.36	-13	-20.36
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 High	-26.99	-13	-13.99
		Low	37075.08	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-31.48	-13	-18.48
		Low	37075.08	MIMO	CP-OFDM	QPSK	H	51 + 179	1 Low	-28.39	-13	-15.39
		High	39924.96	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-33.10	-13	-20.10
		High	39924.96	MIMO	CP-OFDM	QPSK	H	51 + 179	1 High	-26.20	-13	-13.20
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-31.48	-13	-18.48
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 Low	-26.19	-13	-13.19
50+50+50	4	High	39924.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-34.13	-13	-21.13
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 High	-27.36	-13	-14.36
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-31.30	-13	-18.30
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 Low	-24.54	-13	-11.54
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-33.83	-13	-20.83
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 High	-26.81	-13	-13.81
		Low	37100.10	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-31.11	-13	-18.11
		Low	37100.10	MIMO	CP-OFDM	QPSK	H	51 + 179	1 Low	-15.73	-13	-2.73
		High	39899.94	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-33.77	-13	-20.77
		High	39899.94	MIMO	CP-OFDM	QPSK	H	51 + 179	1 High	-27.79	-13	-14.79
50+50+50+50	4	Low	37100.10	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-31.00	-13	-18.00
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 Low	-17.08	-13	-4.08
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-34.14	-13	-21.14
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 High	-29.70	-13	-16.70
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-30.71	-13	-17.71
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 Low	-16.25	-13	-3.25
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-33.58	-13	-20.58
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 High	-25.24	-13	-12.24

Table 7-155. Ant M2 – Band Edge Measurement Table (Band n260 – 50MHz)



FCC ID: BCGA2764	PART 30 MEASUREMENT REPORT (CERTIFICATION)				Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device			Page 833 of 999
© 2022 ELEMENT					V2.0 5/30/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Antenna Diversity	Waveform	Modulation	Beam Polarization	Beam ID	RB Config	Average EIRP [dBm]	TRP Limit [dBm]	Margin [dB]
100	1		Low	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-20.45	-13	-7.45
			Low	MIMO	CP-OFDM	QPSK	H	51 + 179	1 Low	-21.43	-5	-16.43
			High	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-22.21	-13	-9.21
			High	MIMO	CP-OFDM	QPSK	H	51 + 179	1 High	-33.63	-13	-20.63
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-24.84	-13	-11.84
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 Low	-12.26	-5	-7.26
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-26.68	-13	-13.68
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 High	-23.83	-5	-18.83
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-20.62	-13	-7.62
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 Low	-12.43	-5	-7.43
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-21.67	-13	-8.67
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 High	-23.96	-5	-18.96
			Low	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-31.73	-13	-18.73
			Low	MIMO	CP-OFDM	QPSK	H	51 + 179	1 Low	-23.65	-13	-10.65
100+100	2		High	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-33.17	-13	-20.17
			High	MIMO	CP-OFDM	QPSK	H	51 + 179	1 High	-29.62	-13	-16.62
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-31.61	-13	-18.61
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 Low	-25.89	-13	-12.89
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-34.18	-13	-21.18
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 High	-32.82	-13	-19.82
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-31.71	-13	-18.71
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 Low	-22.38	-13	-9.38
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-33.97	-13	-20.97
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 High	-31.06	-13	-18.06
			Low	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-31.68	-13	-18.68
			Low	MIMO	CP-OFDM	QPSK	H	51 + 179	1 Low	-20.02	-13	-7.02
100+100+100	3		High	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-33.56	-13	-20.56
			High	MIMO	CP-OFDM	QPSK	H	51 + 179	1 High	-24.28	-13	-11.28
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-31.05	-13	-18.05
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 Low	-19.55	-13	-6.55
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-33.99	-13	-20.99
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 High	-25.95	-13	-12.95
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-31.15	-13	-18.15
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 Low	-18.70	-13	-5.70
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-34.16	-13	-21.16
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 High	-26.50	-13	-13.50
			Low	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-31.82	-13	-18.82
			Low	MIMO	CP-OFDM	QPSK	H	51 + 179	1 Low	-20.29	-13	-7.29
100+100+100+100	4		High	MIMO	CP-OFDM	QPSK	H	51 + 179	Full	-33.55	-13	-20.55
			High	MIMO	CP-OFDM	QPSK	H	51 + 179	1 High	-21.88	-13	-8.88
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-31.69	-13	-18.69
			Low	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 Low	-19.24	-13	-6.24
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	Full	-34.00	-13	-21.00
			High	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	51 + 179	1 High	-23.01	-13	-10.01
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-31.52	-13	-18.52
			Low	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 Low	-18.70	-13	-5.70
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	Full	-33.64	-13	-20.64
			High	SISO Dual Pol	DFT-s-OFDM	QPSK	H	51 + 179	1 High	-21.40	-13	-8.40

Table 7-156. Ant M2 – Band Edge Measurement Table (Band n260 – 100MHz)



FCC ID: BCGA2764	PART 30 MEASUREMENT REPORT (CERTIFICATION)					Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:				Page 834 of 999
1C2205090028-06-R1.BCG	5/30/2022 – 9/24/2022	Tablet Device				

ACLRResults

Plot 7-1513. Ant M2 Lower Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1514. Ant M2 Lower Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 835 of 999

ACLRResults

Plot 7-1515. Ant M2 Upper Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1516. Ant M2 Upper Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 836 of 999

ACLRResults

Plot 7-1517. Ant M2 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1518. Ant M2 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 837 of 999

ACLRResults

Plot 7-1519. Ant M2 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1520. Ant M2 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 838 of 999


ACLRResults

Plot 7-1521. Ant M2 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1522. Ant M2 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 839 of 999

ACLRResults

Plot 7-1523. Ant M2 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1524. Ant M2 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 840 of 999

ACLRResults





Plot 7-1525. Ant M2 Lower Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK Full RB)

ACLRResults




Plot 7-1526. Ant M2 Lower Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764	 element	PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 841 of 999


ACLRResults

Plot 7-1527. Ant M2 Upper Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1528. Ant M2 Upper Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 842 of 999	



ACEResults


Plot 7-1529. Ant M2 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)


ACEResults


Plot 7-1530. Ant M2 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)


FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 843 of 999

ACLRResults

Plot 7-1531. Ant M2 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1532. Ant M2 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 844 of 999





Plot 7-1533. Ant M2 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1534. Ant M2 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 845 of 999


ACLRResults

Plot 7-1535. Ant M2 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1536. Ant M2 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 846 of 999	



ACLRResults


Plot 7-1537. Ant M2 Lower Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK Full RB)

ACLRResults



Plot 7-1538. Ant M2 Lower Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 847 of 999


ACLRResults

Plot 7-1539. Ant M2 Upper Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1540. Ant M2 Upper Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 848 of 999



ACEResults


Plot 7-1541. Ant M2 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)

ACEResults



Plot 7-1542. Ant M2 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 849 of 999	


ACLRResults

Plot 7-1543. Ant M2 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1544. Ant M2 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 850 of 999	



ACEResults


Plot 7-1545. Ant M2 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)



ACEResults


Plot 7-1546. Ant M2 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 851 of 999	

ACLRResults

Plot 7-1547. Ant M2 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1548. Ant M2 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764	 element		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 852 of 999	

ACLRResults

Plot 7-1549. Ant M2 Lower Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1550. Ant M2 Lower Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764	 element	PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 853 of 999

ACLRResults

Plot 7-1551. Ant M2 Upper Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1552. Ant M2 Upper Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 854 of 999

ACLRResults

Plot 7-1553. Ant M2 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1554. Ant M2 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 855 of 999	

ACLRResults

Plot 7-1555. Ant M2 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1556. Ant M2 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 856 of 999	

ACLRResults

Plot 7-1557. Ant M2 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1558. Ant M2 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 857 of 999	

ACLRResults

Plot 7-1559. Ant M2 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1560. Ant M2 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 858 of 999	

ACLRResults

Plot 7-1561. Ant M2 Lower Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1562. Ant M2 Lower Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device		Page 859 of 999

ACLRResults

Plot 7-1563. Ant M2 Upper Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1564. Ant M2 Upper Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 860 of 999

ACLRResults

Plot 7-1565. Ant M2 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1566. Ant M2 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)



FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 861 of 999

ACLRResults

Plot 7-1567. Ant M2 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)
ACLRResults

Plot 7-1568. Ant M2 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 862 of 999


ACLRResults

Plot 7-1569. Ant M2 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1570. Ant M2 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 863 of 999	


ACLRResults

Plot 7-1571. Ant M2 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1572. Ant M2 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 864 of 999	



ACLRResults


Plot 7-1573. Ant M2 Lower Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK Full RB)

ACLRResults


Plot 7-1574. Ant M2 Lower Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 865 of 999	

ACLRResults

Plot 7-1575. Ant M2 Upper Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK Full RB)
ACLRResults

Plot 7-1576. Ant M2 Upper Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2764		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090028-06-R1.BCG	Test Dates: 5/30/2022 – 9/24/2022	EUT Type: Tablet Device	Page 866 of 999	