

Appendix B.1

E-UTRA Band 2

1. Main Test Instruments

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12
Spectrum Analyzer (20Hz-43GHz)	Rohde & Schwarz	FSU43	SEM004-08	2019/3/2	2020/3/1
BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-01	2017/6/27	2020/6/26
Horn Antenna (800MHz-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12
Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2017/10/17	2020/10/16
Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2018/9/2	2019/9/2
Low Noise Amplifier (100MHz-18GHz)	Black Diamond Series	BDLNA-0118-352810	SEM005-05	2018/9/2	2019/9/2
Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	EMC2063	2018/10/20	2019/10/19
Pre-amplifier (26-40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2019/3/2	2020/3/1
Band filter	N/A	N/A	N/A	N/A	N/A
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2019/6/12	2020/6/11
Wideband Radio Communication Tester	Anritsu	MT8821C	6201462742	2019/4/3	2020/4/3
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	W005-02	2019/1/13	2020/1/12
RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)
Dual Output Mobile Communication DC Source	Agilent Technologies Inc	66311B	W009-09	2018/11/2	2019/11/1
Signal Analyzer	Rohde & Schwarz	FSV	W005-02	2019/3/2	2020/3/1
Coaxial Cable	SGS	N/A	SEM031-01	2019/6/12	2020/6/11
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2018/11/2	2019/11/1
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	W006-17	2018/11/2	2019/11/1
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2018/11/2	2019/11/1
Wideband Radio Communication Tester	Anritsu	MT8821C	6201462742	2019/3/2	2020/3/1
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	W005-02	2018/11/2	2019/11/1

2. Measurement Uncertainty

For a 95% confidence level ($k = 2$), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

Test Item	Extended Uncertainty	Data
Transmit Output Power Data	Power [dBm]	$U = \pm 0.37 \text{ dB}$
Bandwidth	Magnitude [%]	$U = \pm 0.2\%$
Band Edge Compliance	Disturbance Power [dBm]	$U = \pm 2.0 \text{ dB}$
Spurious Emissions, Conducted	Disturbance Power [dBm]	$U = \pm 2.0 \text{ dB}$
Frequency Stability	Frequency Accuracy [ppm]	$U = \pm 0.24 \text{ ppm}$

3. Effective (Isotropic) Radiated Power

3.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.46	21.66	33.00	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.64	21.84	33.00	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.48	21.68	33.00	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	22.60	21.80	33.00	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	22.65	21.85	33.00	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	22.73	21.93	33.00	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	21.66	20.86	33.00	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.68	21.88	33.00	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.82	22.02	33.00	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.62	21.82	33.00	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.81	22.01	33.00	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.96	22.16	33.00	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	22.91	22.11	33.00	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.86	21.06	33.00	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.50	21.70	33.00	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.54	21.74	33.00	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.34	21.54	33.00	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	22.68	21.88	33.00	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.57	21.77	33.00	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	22.55	21.75	33.00	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.64	20.84	33.00	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.23	20.43	33.00	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	20.98	20.18	33.00	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	21.24	20.44	33.00	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	21.69	20.89	33.00	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	21.59	20.79	33.00	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	21.57	20.77	33.00	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.35	19.55	33.00	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.43	20.63	33.00	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.61	20.81	33.00	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.84	21.04	33.00	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	21.77	20.97	33.00	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	21.99	21.19	33.00	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	21.96	21.16	33.00	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.73	19.93	33.00	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	21.70	20.90	33.00	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.30	20.50	33.00	PASS

Band2	1.4MHz	16QAM	19193	1RB#5	21.47	20.67	33.00	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.66	20.86	33.00	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	21.54	20.74	33.00	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	21.61	20.81	33.00	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.63	19.83	33.00	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.48	21.68	33.00	PASS
Band2	3MHz	QPSK	18615	1RB#8	22.61	21.81	33.00	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.78	21.98	33.00	PASS
Band2	3MHz	QPSK	18615	8RB#0	21.69	20.89	33.00	PASS
Band2	3MHz	QPSK	18615	8RB#4	21.75	20.95	33.00	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.72	20.92	33.00	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.71	20.91	33.00	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.62	21.82	33.00	PASS
Band2	3MHz	QPSK	18900	1RB#8	22.98	22.18	33.00	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.65	21.85	33.00	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.76	20.96	33.00	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.83	21.03	33.00	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.81	21.01	33.00	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.78	20.98	33.00	PASS
Band2	3MHz	QPSK	19185	1RB#0	22.70	21.90	33.00	PASS
Band2	3MHz	QPSK	19185	1RB#8	22.62	21.82	33.00	PASS
Band2	3MHz	QPSK	19185	1RB#14	22.32	21.52	33.00	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.66	20.86	33.00	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.52	20.72	33.00	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.67	20.87	33.00	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.66	20.86	33.00	PASS
Band2	3MHz	16QAM	18615	1RB#0	20.94	20.14	33.00	PASS
Band2	3MHz	16QAM	18615	1RB#8	21.99	21.19	33.00	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.03	20.23	33.00	PASS
Band2	3MHz	16QAM	18615	8RB#0	20.38	19.58	33.00	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.88	20.08	33.00	PASS
Band2	3MHz	16QAM	18615	8RB#7	20.61	19.81	33.00	PASS
Band2	3MHz	16QAM	18615	15RB#0	20.68	19.88	33.00	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.40	20.60	33.00	PASS
Band2	3MHz	16QAM	18900	1RB#8	21.45	20.65	33.00	PASS
Band2	3MHz	16QAM	18900	1RB#14	21.38	20.58	33.00	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.98	20.18	33.00	PASS
Band2	3MHz	16QAM	18900	8RB#4	20.74	19.94	33.00	PASS
Band2	3MHz	16QAM	18900	8RB#7	20.78	19.98	33.00	PASS
Band2	3MHz	16QAM	18900	15RB#0	20.56	19.76	33.00	PASS
Band2	3MHz	16QAM	19185	1RB#0	21.29	20.49	33.00	PASS
Band2	3MHz	16QAM	19185	1RB#8	21.43	20.63	33.00	PASS
Band2	3MHz	16QAM	19185	1RB#14	21.23	20.43	33.00	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.75	19.95	33.00	PASS

Band2	3MHz	16QAM	19185	8RB#4	20.50	19.70	33.00	PASS
Band2	3MHz	16QAM	19185	8RB#7	20.51	19.71	33.00	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.47	19.67	33.00	PASS
Band2	5MHz	QPSK	18625	1RB#0	22.23	21.43	33.00	PASS
Band2	5MHz	QPSK	18625	1RB#12	22.41	21.61	33.00	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.52	21.72	33.00	PASS
Band2	5MHz	QPSK	18625	12RB#0	21.71	20.91	33.00	PASS
Band2	5MHz	QPSK	18625	12RB#6	21.64	20.84	33.00	PASS
Band2	5MHz	QPSK	18625	12RB#13	21.76	20.96	33.00	PASS
Band2	5MHz	QPSK	18625	25RB#0	21.61	20.81	33.00	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.54	21.74	33.00	PASS
Band2	5MHz	QPSK	18900	1RB#12	22.47	21.67	33.00	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.33	21.53	33.00	PASS
Band2	5MHz	QPSK	18900	12RB#0	21.72	20.92	33.00	PASS
Band2	5MHz	QPSK	18900	12RB#6	21.72	20.92	33.00	PASS
Band2	5MHz	QPSK	18900	12RB#13	21.73	20.93	33.00	PASS
Band2	5MHz	QPSK	18900	25RB#0	21.67	20.87	33.00	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.60	21.80	33.00	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.30	21.50	33.00	PASS
Band2	5MHz	QPSK	19175	1RB#24	22.05	21.25	33.00	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.65	20.85	33.00	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.47	20.67	33.00	PASS
Band2	5MHz	QPSK	19175	12RB#13	21.51	20.71	33.00	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.47	20.67	33.00	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.83	21.03	33.00	PASS
Band2	5MHz	16QAM	18625	1RB#12	21.09	20.29	33.00	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.46	20.66	33.00	PASS
Band2	5MHz	16QAM	18625	12RB#0	20.43	19.63	33.00	PASS
Band2	5MHz	16QAM	18625	12RB#6	20.43	19.63	33.00	PASS
Band2	5MHz	16QAM	18625	12RB#13	20.63	19.83	33.00	PASS
Band2	5MHz	16QAM	18625	25RB#0	20.63	19.83	33.00	PASS
Band2	5MHz	16QAM	18900	1RB#0	21.18	20.38	33.00	PASS
Band2	5MHz	16QAM	18900	1RB#12	21.27	20.47	33.00	PASS
Band2	5MHz	16QAM	18900	1RB#24	21.47	20.67	33.00	PASS
Band2	5MHz	16QAM	18900	12RB#0	20.51	19.71	33.00	PASS
Band2	5MHz	16QAM	18900	12RB#6	20.50	19.70	33.00	PASS
Band2	5MHz	16QAM	18900	12RB#13	20.35	19.55	33.00	PASS
Band2	5MHz	16QAM	18900	25RB#0	20.70	19.90	33.00	PASS
Band2	5MHz	16QAM	19175	1RB#0	21.37	20.57	33.00	PASS
Band2	5MHz	16QAM	19175	1RB#12	21.68	20.88	33.00	PASS
Band2	5MHz	16QAM	19175	1RB#24	20.96	20.16	33.00	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.70	19.90	33.00	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.19	19.39	33.00	PASS
Band2	5MHz	16QAM	19175	12RB#13	20.36	19.56	33.00	PASS

Band2	5MHz	16QAM	19175	25RB#0	20.39	19.59	33.00	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.36	21.56	33.00	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.90	22.10	33.00	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.55	21.75	33.00	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.55	20.75	33.00	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.82	21.02	33.00	PASS
Band2	10MHz	QPSK	18650	25RB#25	21.74	20.94	33.00	PASS
Band2	10MHz	QPSK	18650	50RB#0	21.64	20.84	33.00	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.64	21.84	33.00	PASS
Band2	10MHz	QPSK	18900	1RB#24	22.67	21.87	33.00	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.56	21.76	33.00	PASS
Band2	10MHz	QPSK	18900	25RB#0	21.79	20.99	33.00	PASS
Band2	10MHz	QPSK	18900	25RB#12	21.71	20.91	33.00	PASS
Band2	10MHz	QPSK	18900	25RB#25	21.73	20.93	33.00	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.76	20.96	33.00	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.60	21.80	33.00	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.77	21.97	33.00	PASS
Band2	10MHz	QPSK	19150	1RB#49	22.44	21.64	33.00	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.74	20.94	33.00	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.73	20.93	33.00	PASS
Band2	10MHz	QPSK	19150	25RB#25	21.55	20.75	33.00	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.70	20.90	33.00	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.94	21.14	33.00	PASS
Band2	10MHz	16QAM	18650	1RB#24	21.73	20.93	33.00	PASS
Band2	10MHz	16QAM	18650	1RB#49	21.95	21.15	33.00	PASS
Band2	10MHz	16QAM	18650	25RB#0	20.75	19.95	33.00	PASS
Band2	10MHz	16QAM	18650	25RB#12	20.86	20.06	33.00	PASS
Band2	10MHz	16QAM	18650	25RB#25	20.66	19.86	33.00	PASS
Band2	10MHz	16QAM	18650	50RB#0	20.65	19.85	33.00	PASS
Band2	10MHz	16QAM	18900	1RB#0	21.86	21.06	33.00	PASS
Band2	10MHz	16QAM	18900	1RB#24	21.98	21.18	33.00	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.41	20.61	33.00	PASS
Band2	10MHz	16QAM	18900	25RB#0	20.85	20.05	33.00	PASS
Band2	10MHz	16QAM	18900	25RB#12	20.95	20.15	33.00	PASS
Band2	10MHz	16QAM	18900	25RB#25	20.83	20.03	33.00	PASS
Band2	10MHz	16QAM	18900	50RB#0	20.89	20.09	33.00	PASS
Band2	10MHz	16QAM	19150	1RB#0	21.45	20.65	33.00	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.50	20.70	33.00	PASS
Band2	10MHz	16QAM	19150	1RB#49	21.68	20.88	33.00	PASS
Band2	10MHz	16QAM	19150	25RB#0	20.72	19.92	33.00	PASS
Band2	10MHz	16QAM	19150	25RB#12	20.79	19.99	33.00	PASS
Band2	10MHz	16QAM	19150	25RB#25	20.49	19.69	33.00	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.70	19.90	33.00	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.49	21.69	33.00	PASS

Band2	15MHz	QPSK	18675	1RB#38	22.88	22.08	33.00	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.89	22.09	33.00	PASS
Band2	15MHz	QPSK	18675	36RB#0	21.74	20.94	33.00	PASS
Band2	15MHz	QPSK	18675	36RB#18	21.90	21.10	33.00	PASS
Band2	15MHz	QPSK	18675	36RB#39	21.74	20.94	33.00	PASS
Band2	15MHz	QPSK	18675	75RB#0	21.76	20.96	33.00	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.68	21.88	33.00	PASS
Band2	15MHz	QPSK	18900	1RB#38	22.49	21.69	33.00	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.60	21.80	33.00	PASS
Band2	15MHz	QPSK	18900	36RB#0	21.82	21.02	33.00	PASS
Band2	15MHz	QPSK	18900	36RB#18	21.73	20.93	33.00	PASS
Band2	15MHz	QPSK	18900	36RB#39	21.58	20.78	33.00	PASS
Band2	15MHz	QPSK	18900	75RB#0	21.74	20.94	33.00	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.33	21.53	33.00	PASS
Band2	15MHz	QPSK	19125	1RB#38	22.65	21.85	33.00	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.57	21.77	33.00	PASS
Band2	15MHz	QPSK	19125	36RB#0	21.76	20.96	33.00	PASS
Band2	15MHz	QPSK	19125	36RB#18	21.70	20.90	33.00	PASS
Band2	15MHz	QPSK	19125	36RB#39	21.56	20.76	33.00	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.63	20.83	33.00	PASS
Band2	15MHz	16QAM	18675	1RB#0	21.13	20.33	33.00	PASS
Band2	15MHz	16QAM	18675	1RB#38	21.97	21.17	33.00	PASS
Band2	15MHz	16QAM	18675	1RB#74	21.29	20.49	33.00	PASS
Band2	15MHz	16QAM	18675	36RB#0	20.54	19.74	33.00	PASS
Band2	15MHz	16QAM	18675	36RB#18	20.74	19.94	33.00	PASS
Band2	15MHz	16QAM	18675	36RB#39	20.59	19.79	33.00	PASS
Band2	15MHz	16QAM	18675	75RB#0	20.69	19.89	33.00	PASS
Band2	15MHz	16QAM	18900	1RB#0	21.99	21.19	33.00	PASS
Band2	15MHz	16QAM	18900	1RB#38	21.37	20.57	33.00	PASS
Band2	15MHz	16QAM	18900	1RB#74	21.13	20.33	33.00	PASS
Band2	15MHz	16QAM	18900	36RB#0	20.77	19.97	33.00	PASS
Band2	15MHz	16QAM	18900	36RB#18	20.71	19.91	33.00	PASS
Band2	15MHz	16QAM	18900	36RB#39	20.64	19.84	33.00	PASS
Band2	15MHz	16QAM	18900	75RB#0	20.61	19.81	33.00	PASS
Band2	15MHz	16QAM	19125	1RB#0	21.43	20.63	33.00	PASS
Band2	15MHz	16QAM	19125	1RB#38	21.82	21.02	33.00	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.39	20.59	33.00	PASS
Band2	15MHz	16QAM	19125	36RB#0	20.71	19.91	33.00	PASS
Band2	15MHz	16QAM	19125	36RB#18	20.68	19.88	33.00	PASS
Band2	15MHz	16QAM	19125	36RB#39	20.54	19.74	33.00	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.71	19.91	33.00	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.28	21.48	33.00	PASS
Band2	20MHz	QPSK	18700	1RB#49	22.86	22.06	33.00	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.85	22.05	33.00	PASS

Band2	20MHz	QPSK	18700	50RB#0	21.75	20.95	33.00	PASS
Band2	20MHz	QPSK	18700	50RB#25	21.71	20.91	33.00	PASS
Band2	20MHz	QPSK	18700	50RB#50	21.81	21.01	33.00	PASS
Band2	20MHz	QPSK	18700	100RB#0	21.70	20.90	33.00	PASS
Band2	20MHz	QPSK	18900	1RB#0	22.76	21.96	33.00	PASS
Band2	20MHz	QPSK	18900	1RB#49	22.91	22.11	33.00	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.29	21.49	33.00	PASS
Band2	20MHz	QPSK	18900	50RB#0	21.62	20.82	33.00	PASS
Band2	20MHz	QPSK	18900	50RB#25	21.74	20.94	33.00	PASS
Band2	20MHz	QPSK	18900	50RB#50	21.64	20.84	33.00	PASS
Band2	20MHz	QPSK	18900	100RB#0	21.82	21.02	33.00	PASS
Band2	20MHz	QPSK	19100	1RB#0	22.24	21.44	33.00	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.90	22.10	33.00	PASS
Band2	20MHz	QPSK	19100	1RB#99	22.56	21.76	33.00	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.70	20.90	33.00	PASS
Band2	20MHz	QPSK	19100	50RB#25	21.79	20.99	33.00	PASS
Band2	20MHz	QPSK	19100	50RB#50	21.73	20.93	33.00	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.81	21.01	33.00	PASS
Band2	20MHz	16QAM	18700	1RB#0	21.34	20.54	33.00	PASS
Band2	20MHz	16QAM	18700	1RB#49	21.68	20.88	33.00	PASS
Band2	20MHz	16QAM	18700	1RB#99	21.40	20.60	33.00	PASS
Band2	20MHz	16QAM	18700	50RB#0	20.89	20.09	33.00	PASS
Band2	20MHz	16QAM	18700	50RB#25	20.72	19.92	33.00	PASS
Band2	20MHz	16QAM	18700	50RB#50	20.82	20.02	33.00	PASS
Band2	20MHz	16QAM	18700	100RB#0	20.67	19.87	33.00	PASS
Band2	20MHz	16QAM	18900	1RB#0	21.71	20.91	33.00	PASS
Band2	20MHz	16QAM	18900	1RB#49	21.96	21.16	33.00	PASS
Band2	20MHz	16QAM	18900	1RB#99	21.86	21.06	33.00	PASS
Band2	20MHz	16QAM	18900	50RB#0	20.76	19.96	33.00	PASS
Band2	20MHz	16QAM	18900	50RB#25	20.73	19.93	33.00	PASS
Band2	20MHz	16QAM	18900	50RB#50	20.55	19.75	33.00	PASS
Band2	20MHz	16QAM	18900	100RB#0	20.64	19.84	33.00	PASS
Band2	20MHz	16QAM	19100	1RB#0	21.50	20.70	33.00	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.46	20.66	33.00	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.28	20.48	33.00	PASS
Band2	20MHz	16QAM	19100	50RB#0	20.63	19.83	33.00	PASS
Band2	20MHz	16QAM	19100	50RB#25	20.71	19.91	33.00	PASS
Band2	20MHz	16QAM	19100	50RB#50	20.81	20.01	33.00	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.68	19.88	33.00	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power), the following formula should be taken to calculate it,

ERP [dBm] = Conducted Power [dBm] + Gain [dBd]

EIRP [dBm] = Conducted Power [dBm] + Gain [dBi]

4. Peak-to-Average Ratio(CCDF)


4.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18700	100RB#0	5.10	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	4.90	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	4.99	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	6.00	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	5.74	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	5.91	13	PASS


4.2. Test Plots




Band2_20MHz_QPSK_19100_100RB#0




Band2_20MHz_16QAM_18700_100RB#0



Band2_20MHz_16QAM_18900_100RB#0






5. Modulation Characteristics

5.1. Test BAND = LTE Band 2


5.2. Test Mode = LTE /TM1 20MHz

5.2.1. Test Channel = MCH



5.3. Test Mode = LTE /TM2 20MHz

5.3.1. Test Channel = MCH




6. 26dB Bandwidth and Occupied Bandwidth

6.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.094	1.290	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.094	1.311	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.091	1.296	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.088	1.296	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.091	1.278	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.091	1.284	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.697	2.988	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.691	3.000	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.697	2.994	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.685	2.970	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.685	2.964	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.685	2.976	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.476	4.930	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.476	4.930	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.476	4.910	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.486	4.960	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.496	4.960	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.486	4.960	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.911	9.700	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.911	9.720	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.911	9.660	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.931	9.780	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.931	9.740	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.911	9.700	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.427	14.700	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.427	14.670	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.397	14.730	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.427	14.700	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.397	14.760	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.367	14.700	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.822	19.360	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.822	19.360	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.822	19.360	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.822	19.280	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.822	19.360	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.822	19.320	PASS


6.2. Test Plots

Band2_1.4MHz_QPSK_18607_6RB#0




Date: 6 JUL 2019 10:56:19

Band2_1.4MHz_QPSK_18900_6RB#0




Date: 6 JUL 2019 10:56:51

Band2_1.4MHz_QPSK_19193_6RB#0




Date: 6 JUL 2019 10:57:22


Band2_1.4MHz_16QAM_18607_6RB#0




Band2_1.4MHz_16QAM_18900_6RB#0




Band2_1.4MHz_16QAM_19193_6RB#0




Band2_3MHz_QPSK_18615_15RB#0




Band2_3MHz_QPSK_18900_15RB#0



Band2_3MHz_QPSK_19185_15RB#0




Band2_3MHz_16QAM_18615_15RB#0




Date: 6 JUL 2019 10:58:14

Band2_3MHz_16QAM_18900_15RB#0




Date: 6 JUL 2019 10:58:45

Band2_3MHz_16QAM_19185_15RB#0




Date: 6 JUL 2019 10:59:17


Band2_5MHz_QPSK_18625_25RB#0




Band2_5MHz_QPSK_18900_25RB#0



Band2_5MHz_QPSK_19175_25RB#0




Band2_5MHz_16QAM_18625_25RB#0




Date: 6 JUL 2019 11:50:07

Band2_5MHz_16QAM_18900_25RB#0




Date: 6 JUL 2019 11:50:53

Band2_5MHz_16QAM_19175_25RB#0




Date: 6 JUL 2019 11:51:38


Band2_10MHz_QPSK_18650_50RB#0




Band2_10MHz_QPSK_18900_50RB#0




Band2_10MHz_QPSK_19150_50RB#0




Band2_10MHz_16QAM_18650_50RB#0




Band2_10MHz_16QAM_18900_50RB#0



Band2_10MHz_16QAM_19150_50RB#0




Band2_15MHz_QPSK_18675_75RB#0




Date: 6 JUL 2019 11:03:38

Band2_15MHz_QPSK_18900_75RB#0




Date: 6 JUL 2019 11:04:09

Band2_15MHz_QPSK_19125_75RB#0




Date: 6 JUL 2019 11:04:41

Band2_15MHz_16QAM_18675_75RB#0




Date: 6 JUL 2019 11:03:53

Band2_15MHz_16QAM_18900_75RB#0




Date: 6 JUL 2019 11:04:25

Band2_15MHz_16QAM_19125_75RB#0




Date: 6 JUL 2019 11:04:56

Band2_20MHz_QPSK_18700_100RB#0




Date: 6 JUL 2019 11:05:17

Band2_20MHz_QPSK_18900_100RB#0




Date: 6 JUL 2019 11:05:48

Band2_20MHz_QPSK_19100_100RB#0




Date: 6 JUL 2019 11:06:20

Band2_20MHz_16QAM_18700_100RB#0




Date: 6 JUL 2019 11:05:32

Band2_20MHz_16QAM_18900_100RB#0



Date: 6 JUL 2019 11:06:04

Band2_20MHz_16QAM_19100_100RB#0




Date: 6 JUL 2019 11:06:35

7. Band Edge Compliance


7.1. Test Plots




Band2_1.4MHz_QPSK_19193_1RB#5




Band2_1.4MHz_QPSK_19193_6RB#0




Band2_1.4MHz_16QAM_18607_1RB#0




Band2_1.4MHz_16QAM_18607_6RB#0




Band2_1.4MHz_16QAM_19193_1RB#5




Band2_1.4MHz_16QAM_19193_6RB#0




Band2_3MHz_QPSK_18615_1RB#0




Band2_3MHz_QPSK_18615_15RB#0




Band2_3MHz_QPSK_19185_1RB#14




Band2_3MHz_QPSK_19185_15RB#0




Band2_3MHz_16QAM_18615_1RB#0




Band2_3MHz_16QAM_18615_15RB#0




Band2_3MHz_16QAM_19185_1RB#14




Band2_3MHz_16QAM_19185_15RB#0




Band2_5MHz_QPSK_18625_1RB#0




Band2_5MHz_QPSK_18625_25RB#0




Band2_5MHz_QPSK_19175_1RB#24




Band2_5MHz_QPSK_19175_25RB#0




Band2_5MHz_16QAM_18625_1RB#0




Band2_5MHz_16QAM_18625_25RB#0




Band2_5MHz_16QAM_19175_1RB#24




Band2_5MHz_16QAM_19175_25RB#0




Band2_10MHz_QPSK_18650_1RB#0




Band2_10MHz_QPSK_18650_50RB#0




Band2_10MHz_QPSK_19150_1RB#49




Band2_10MHz_QPSK_19150_50RB#0




Band2_10MHz_16QAM_18650_1RB#0




Band2_10MHz_16QAM_18650_50RB#0




Band2_10MHz_16QAM_19150_1RB#49




Band2_10MHz_16QAM_19150_50RB#0




Band2_15MHz_QPSK_18675_1RB#0




Band2_15MHz_QPSK_18675_75RB#0




Band2_15MHz_QPSK_19125_1RB#74




Band2_15MHz_QPSK_19125_75RB#0




Band2_15MHz_16QAM_18675_1RB#0




Band2_15MHz_16QAM_18675_75RB#0




Band2_15MHz_16QAM_19125_1RB#74




Band2_15MHz_16QAM_19125_75RB#0




Band2_20MHz_QPSK_18700_1RB#0




Band2_20MHz_QPSK_18700_100RB#0




Band2_20MHz_QPSK_19100_1RB#99




Band2_20MHz_QPSK_19100_100RB#0




Band2_20MHz_16QAM_18700_1RB#0




Band2_20MHz_16QAM_18700_100RB#0



Band2_20MHz_16QAM_19100_1RB#99





8. Spurious Emission at Antenna Terminal


Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (\text{Span} / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Remark2: only the worst case data displayed in this report.


8.1. Test Plots




Band2_20MHz_QPSK_18900_1RB#0




Band2_20MHz_QPSK_18900_1RB#0




Band2_20MHz_QPSK_19100_1RB#0




Band2_20MHz_QPSK_19100_1RB#0




Band2_20MHz_16QAM_18700_1RB#0




Band2_20MHz_16QAM_18700_1RB#0




Band2_20MHz_16QAM_18900_1RB#0




Band2_20MHz_16QAM_18900_1RB#0



Band2_20MHz_16QAM_19100_1RB#0





9. Frequency Stability

9.1. Frequency Vs Voltage

Voltage										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	20MHz	QPSK	18700	100RB#0	VL	NT	1.00	0.000538	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	VN	NT	0.60	0.000323	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	VH	NT	1.30	0.000699	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	VL	NT	-3.60	-0.001915	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	VN	NT	-4.50	-0.002394	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	VH	NT	-2.60	-0.001383	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	VL	NT	-4.00	-0.002105	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	VN	NT	-3.20	-0.001684	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	VH	NT	-3.10	-0.001632	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	VL	NT	2.60	0.001398	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	VN	NT	0.90	0.000484	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	VH	NT	0.70	0.000376	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	VL	NT	-3.20	-0.001702	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	VN	NT	-3.70	-0.001968	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	VH	NT	-4.00	-0.002128	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	VL	NT	-2.00	-0.001053	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	VN	NT	-3.10	-0.001632	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	VH	NT	-1.50	-0.000789	±2.5	PASS

9.2. Frequency Vs Temperature

Temperature										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	20MHz	QPSK	18700	100RB#0	NV	-30	1.20	0.000645	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	-20	-0.10	-0.000054	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	0	-0.50	-0.000269	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	10	0.80	0.000430	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	20	-0.50	-0.000269	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	30	1.80	0.000968	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	40	0.60	0.000323	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	50	0.40	0.000215	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-30	-4.20	-0.002234	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-20	-3.50	-0.001862	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	0	-3.40	-0.001809	±2.5	PASS

Band2	20MHz	QPSK	18900	100RB#0	NV	10	-2.40	-0.001277	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	20	-2.20	-0.001170	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	30	-1.60	-0.000851	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	40	-3.20	-0.001702	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	50	-2.80	-0.001489	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	-30	-2.90	-0.001526	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	-20	-4.40	-0.002316	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	0	-4.10	-0.002158	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	10	-3.70	-0.001947	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	20	-1.10	-0.000579	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	30	-3.00	-0.001579	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	40	-2.60	-0.001368	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	50	-1.90	-0.001000	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	-30	0.80	0.000430	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	-20	2.60	0.001398	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	0	1.30	0.000699	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	10	-0.20	-0.000108	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	20	0.40	0.000215	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	30	1.80	0.000968	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	40	1.90	0.001022	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	50	0.60	0.000323	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	-30	-2.60	-0.001383	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	-20	-3.60	-0.001915	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	0	-3.30	-0.001755	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	10	-4.70	-0.002500	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	20	-2.60	-0.001383	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	30	-3.20	-0.001702	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	40	-4.10	-0.002181	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	50	-4.10	-0.002181	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	-30	-1.40	-0.000737	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	-20	-3.00	-0.001579	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	0	-2.90	-0.001526	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	10	-3.10	-0.001632	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	20	-3.30	-0.001737	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	30	-2.30	-0.001211	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	40	-2.60	-0.001368	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	50	-1.10	-0.000579	±2.5	PASS

The End