

Appendix-D LTE Band 26(814-824)

Transmitter Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	Limit (dBm)	Verdict
26(814-824)	1.4MHz	QPSK	26697	1RB#0	24.09	50	PASS
26(814-824)	1.4MHz	QPSK	26697	1RB#2	24.19	50	PASS
26(814-824)	1.4MHz	QPSK	26697	1RB#5	24.20	50	PASS
26(814-824)	1.4MHz	QPSK	26697	3RB#0	24.23	50	PASS
26(814-824)	1.4MHz	QPSK	26697	3RB#1	24.16	50	PASS
26(814-824)	1.4MHz	QPSK	26697	3RB#3	24.14	50	PASS
26(814-824)	1.4MHz	QPSK	26697	6RB#0	23.09	50	PASS
26(814-824)	1.4MHz	16QAM	26697	1RB#0	23.71	50	PASS
26(814-824)	1.4MHz	16QAM	26697	1RB#2	23.43	50	PASS
26(814-824)	1.4MHz	16QAM	26697	1RB#5	23.66	50	PASS
26(814-824)	1.4MHz	16QAM	26697	3RB#0	23.48	50	PASS
26(814-824)	1.4MHz	16QAM	26697	3RB#1	23.22	50	PASS
26(814-824)	1.4MHz	16QAM	26697	3RB#3	23.35	50	PASS
26(814-824)	1.4MHz	16QAM	26697	6RB#0	22.37	50	PASS
26(814-824)	1.4MHz	64QAM	26697	1RB#0	22.14	50	PASS
26(814-824)	1.4MHz	64QAM	26697	1RB#2	22.09	50	PASS
26(814-824)	1.4MHz	64QAM	26697	1RB#5	22.18	50	PASS
26(814-824)	1.4MHz	64QAM	26697	3RB#0	22.36	50	PASS
26(814-824)	1.4MHz	64QAM	26697	3RB#1	22.44	50	PASS
26(814-824)	1.4MHz	64QAM	26697	3RB#3	22.24	50	PASS
26(814-824)	1.4MHz	64QAM	26697	6RB#0	21.01	50	PASS
26(814-824)	1.4MHz	256QAM	26697	1RB#0	18.66	50	PASS
26(814-824)	1.4MHz	256QAM	26697	1RB#2	19.05	50	PASS
26(814-824)	1.4MHz	256QAM	26697	1RB#5	18.91	50	PASS
26(814-824)	1.4MHz	256QAM	26697	3RB#0	18.85	50	PASS
26(814-824)	1.4MHz	256QAM	26697	3RB#1	18.67	50	PASS
26(814-824)	1.4MHz	256QAM	26697	3RB#3	18.64	50	PASS
26(814-824)	1.4MHz	256QAM	26697	6RB#0	18.73	50	PASS
26(814-824)	1.4MHz	QPSK	26740	1RB#0	24.08	50	PASS
26(814-824)	1.4MHz	QPSK	26740	1RB#2	24.02	50	PASS
26(814-824)	1.4MHz	QPSK	26740	1RB#5	24.18	50	PASS
26(814-824)	1.4MHz	QPSK	26740	3RB#0	24.15	50	PASS
26(814-824)	1.4MHz	QPSK	26740	3RB#1	24.05	50	PASS
26(814-824)	1.4MHz	QPSK	26740	3RB#3	23.92	50	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	23.07	50	PASS
26(814-824)	1.4MHz	16QAM	26740	1RB#0	23.46	50	PASS
26(814-824)	1.4MHz	16QAM	26740	1RB#2	23.64	50	PASS
26(814-824)	1.4MHz	16QAM	26740	1RB#5	23.48	50	PASS

26(814-824)	1.4MHz	16QAM	26740	3RB#0	23.25	50	PASS
26(814-824)	1.4MHz	16QAM	26740	3RB#1	23.23	50	PASS
26(814-824)	1.4MHz	16QAM	26740	3RB#3	23.33	50	PASS
26(814-824)	1.4MHz	16QAM	26740	6RB#0	22.24	50	PASS
26(814-824)	1.4MHz	64QAM	26740	1RB#0	22.29	50	PASS
26(814-824)	1.4MHz	64QAM	26740	1RB#2	22.36	50	PASS
26(814-824)	1.4MHz	64QAM	26740	1RB#5	22.21	50	PASS
26(814-824)	1.4MHz	64QAM	26740	3RB#0	22.14	50	PASS
26(814-824)	1.4MHz	64QAM	26740	3RB#1	22.18	50	PASS
26(814-824)	1.4MHz	64QAM	26740	3RB#3	22.31	50	PASS
26(814-824)	1.4MHz	64QAM	26740	6RB#0	20.96	50	PASS
26(814-824)	1.4MHz	256QAM	26740	1RB#0	18.48	50	PASS
26(814-824)	1.4MHz	256QAM	26740	1RB#2	18.92	50	PASS
26(814-824)	1.4MHz	256QAM	26740	1RB#5	18.23	50	PASS
26(814-824)	1.4MHz	256QAM	26740	3RB#0	18.92	50	PASS
26(814-824)	1.4MHz	256QAM	26740	3RB#1	18.83	50	PASS
26(814-824)	1.4MHz	256QAM	26740	3RB#3	18.87	50	PASS
26(814-824)	1.4MHz	256QAM	26740	6RB#0	18.74	50	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#0	24.20	50	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#2	24.33	50	PASS
26(814-824)	1.4MHz	QPSK	26783	1RB#5	24.11	50	PASS
26(814-824)	1.4MHz	QPSK	26783	3RB#0	24.21	50	PASS
26(814-824)	1.4MHz	QPSK	26783	3RB#1	24.27	50	PASS
26(814-824)	1.4MHz	QPSK	26783	3RB#3	24.24	50	PASS
26(814-824)	1.4MHz	QPSK	26783	6RB#0	23.17	50	PASS
26(814-824)	1.4MHz	16QAM	26783	1RB#0	23.53	50	PASS
26(814-824)	1.4MHz	16QAM	26783	1RB#2	23.84	50	PASS
26(814-824)	1.4MHz	16QAM	26783	1RB#5	23.51	50	PASS
26(814-824)	1.4MHz	16QAM	26783	3RB#0	23.47	50	PASS
26(814-824)	1.4MHz	16QAM	26783	3RB#1	23.48	50	PASS
26(814-824)	1.4MHz	16QAM	26783	3RB#3	23.64	50	PASS
26(814-824)	1.4MHz	16QAM	26783	6RB#0	22.34	50	PASS
26(814-824)	1.4MHz	64QAM	26783	1RB#0	22.34	50	PASS
26(814-824)	1.4MHz	64QAM	26783	1RB#2	22.31	50	PASS
26(814-824)	1.4MHz	64QAM	26783	1RB#5	22.30	50	PASS
26(814-824)	1.4MHz	64QAM	26783	3RB#0	22.33	50	PASS
26(814-824)	1.4MHz	64QAM	26783	3RB#1	22.13	50	PASS
26(814-824)	1.4MHz	64QAM	26783	3RB#3	22.27	50	PASS
26(814-824)	1.4MHz	64QAM	26783	6RB#0	21.21	50	PASS
26(814-824)	1.4MHz	256QAM	26783	1RB#0	19.00	50	PASS
26(814-824)	1.4MHz	256QAM	26783	1RB#2	18.66	50	PASS
26(814-824)	1.4MHz	256QAM	26783	1RB#5	18.88	50	PASS
26(814-824)	1.4MHz	256QAM	26783	3RB#0	18.89	50	PASS
26(814-824)	1.4MHz	256QAM	26783	3RB#1	18.97	50	PASS
26(814-824)	1.4MHz	256QAM	26783	3RB#3	19.08	50	PASS
26(814-824)	1.4MHz	256QAM	26783	6RB#0	18.81	50	PASS

26(814-824)	3MHz	QPSK	26705	1RB#0	24.15	50	PASS
26(814-824)	3MHz	QPSK	26705	1RB#8	24.30	50	PASS
26(814-824)	3MHz	QPSK	26705	1RB#14	24.15	50	PASS
26(814-824)	3MHz	QPSK	26705	8RB#0	23.17	50	PASS
26(814-824)	3MHz	QPSK	26705	8RB#4	23.24	50	PASS
26(814-824)	3MHz	QPSK	26705	8RB#7	22.93	50	PASS
26(814-824)	3MHz	QPSK	26705	15RB#0	23.24	50	PASS
26(814-824)	3MHz	16QAM	26705	1RB#0	23.62	50	PASS
26(814-824)	3MHz	16QAM	26705	1RB#8	23.85	50	PASS
26(814-824)	3MHz	16QAM	26705	1RB#14	23.31	50	PASS
26(814-824)	3MHz	16QAM	26705	8RB#0	22.35	50	PASS
26(814-824)	3MHz	16QAM	26705	8RB#4	22.21	50	PASS
26(814-824)	3MHz	16QAM	26705	8RB#7	22.22	50	PASS
26(814-824)	3MHz	16QAM	26705	15RB#0	22.14	50	PASS
26(814-824)	3MHz	64QAM	26705	1RB#0	22.24	50	PASS
26(814-824)	3MHz	64QAM	26705	1RB#8	22.54	50	PASS
26(814-824)	3MHz	64QAM	26705	1RB#14	22.10	50	PASS
26(814-824)	3MHz	64QAM	26705	8RB#0	21.15	50	PASS
26(814-824)	3MHz	64QAM	26705	8RB#4	21.09	50	PASS
26(814-824)	3MHz	64QAM	26705	8RB#7	21.15	50	PASS
26(814-824)	3MHz	64QAM	26705	15RB#0	21.16	50	PASS
26(814-824)	3MHz	256QAM	26705	1RB#0	18.44	50	PASS
26(814-824)	3MHz	256QAM	26705	1RB#8	18.87	50	PASS
26(814-824)	3MHz	256QAM	26705	1RB#14	18.54	50	PASS
26(814-824)	3MHz	256QAM	26705	8RB#0	18.68	50	PASS
26(814-824)	3MHz	256QAM	26705	8RB#4	18.90	50	PASS
26(814-824)	3MHz	256QAM	26705	8RB#7	18.65	50	PASS
26(814-824)	3MHz	256QAM	26705	15RB#0	18.66	50	PASS
26(814-824)	3MHz	QPSK	26740	1RB#0	24.17	50	PASS
26(814-824)	3MHz	QPSK	26740	1RB#8	24.28	50	PASS
26(814-824)	3MHz	QPSK	26740	1RB#14	24.19	50	PASS
26(814-824)	3MHz	QPSK	26740	8RB#0	23.19	50	PASS
26(814-824)	3MHz	QPSK	26740	8RB#4	23.21	50	PASS
26(814-824)	3MHz	QPSK	26740	8RB#7	23.15	50	PASS
26(814-824)	3MHz	QPSK	26740	15RB#0	23.17	50	PASS
26(814-824)	3MHz	16QAM	26740	1RB#0	23.52	50	PASS
26(814-824)	3MHz	16QAM	26740	1RB#8	23.71	50	PASS
26(814-824)	3MHz	16QAM	26740	1RB#14	23.48	50	PASS
26(814-824)	3MHz	16QAM	26740	8RB#0	22.26	50	PASS
26(814-824)	3MHz	16QAM	26740	8RB#4	22.32	50	PASS
26(814-824)	3MHz	16QAM	26740	8RB#7	22.18	50	PASS
26(814-824)	3MHz	16QAM	26740	15RB#0	22.26	50	PASS
26(814-824)	3MHz	64QAM	26740	1RB#0	22.19	50	PASS
26(814-824)	3MHz	64QAM	26740	1RB#8	22.44	50	PASS
26(814-824)	3MHz	64QAM	26740	1RB#14	22.09	50	PASS
26(814-824)	3MHz	64QAM	26740	8RB#0	21.23	50	PASS

26(814-824)	3MHz	64QAM	26740	8RB#4	21.05	50	PASS
26(814-824)	3MHz	64QAM	26740	8RB#7	21.13	50	PASS
26(814-824)	3MHz	64QAM	26740	15RB#0	21.11	50	PASS
26(814-824)	3MHz	256QAM	26740	1RB#0	18.89	50	PASS
26(814-824)	3MHz	256QAM	26740	1RB#8	19.18	50	PASS
26(814-824)	3MHz	256QAM	26740	1RB#14	18.53	50	PASS
26(814-824)	3MHz	256QAM	26740	8RB#0	18.73	50	PASS
26(814-824)	3MHz	256QAM	26740	8RB#4	18.85	50	PASS
26(814-824)	3MHz	256QAM	26740	8RB#7	18.70	50	PASS
26(814-824)	3MHz	256QAM	26740	15RB#0	18.79	50	PASS
26(814-824)	3MHz	QPSK	26775	1RB#0	24.17	50	PASS
26(814-824)	3MHz	QPSK	26775	1RB#8	24.23	50	PASS
26(814-824)	3MHz	QPSK	26775	1RB#14	24.28	50	PASS
26(814-824)	3MHz	QPSK	26775	8RB#0	23.24	50	PASS
26(814-824)	3MHz	QPSK	26775	8RB#4	23.30	50	PASS
26(814-824)	3MHz	QPSK	26775	8RB#7	23.22	50	PASS
26(814-824)	3MHz	QPSK	26775	15RB#0	23.27	50	PASS
26(814-824)	3MHz	16QAM	26775	1RB#0	23.57	50	PASS
26(814-824)	3MHz	16QAM	26775	1RB#8	23.61	50	PASS
26(814-824)	3MHz	16QAM	26775	1RB#14	23.55	50	PASS
26(814-824)	3MHz	16QAM	26775	8RB#0	22.41	50	PASS
26(814-824)	3MHz	16QAM	26775	8RB#4	22.39	50	PASS
26(814-824)	3MHz	16QAM	26775	8RB#7	22.29	50	PASS
26(814-824)	3MHz	16QAM	26775	15RB#0	22.12	50	PASS
26(814-824)	3MHz	64QAM	26775	1RB#0	22.41	50	PASS
26(814-824)	3MHz	64QAM	26775	1RB#8	22.55	50	PASS
26(814-824)	3MHz	64QAM	26775	1RB#14	22.26	50	PASS
26(814-824)	3MHz	64QAM	26775	8RB#0	21.23	50	PASS
26(814-824)	3MHz	64QAM	26775	8RB#4	21.38	50	PASS
26(814-824)	3MHz	64QAM	26775	8RB#7	21.21	50	PASS
26(814-824)	3MHz	64QAM	26775	15RB#0	21.19	50	PASS
26(814-824)	3MHz	256QAM	26775	1RB#0	18.62	50	PASS
26(814-824)	3MHz	256QAM	26775	1RB#8	18.89	50	PASS
26(814-824)	3MHz	256QAM	26775	1RB#14	18.79	50	PASS
26(814-824)	3MHz	256QAM	26775	8RB#0	18.76	50	PASS
26(814-824)	3MHz	256QAM	26775	8RB#4	18.91	50	PASS
26(814-824)	3MHz	256QAM	26775	8RB#7	18.71	50	PASS
26(814-824)	3MHz	256QAM	26775	15RB#0	18.83	50	PASS
26(814-824)	5MHz	QPSK	26715	1RB#0	24.14	50	PASS
26(814-824)	5MHz	QPSK	26715	1RB#12	24.19	50	PASS
26(814-824)	5MHz	QPSK	26715	1RB#24	24.08	50	PASS
26(814-824)	5MHz	QPSK	26715	12RB#0	23.13	50	PASS
26(814-824)	5MHz	QPSK	26715	12RB#6	23.26	50	PASS
26(814-824)	5MHz	QPSK	26715	12RB#13	23.14	50	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	23.18	50	PASS
26(814-824)	5MHz	16QAM	26715	1RB#0	23.37	50	PASS

26(814-824)	5MHz	16QAM	26715	1RB#12	23.68	50	PASS
26(814-824)	5MHz	16QAM	26715	1RB#24	23.54	50	PASS
26(814-824)	5MHz	16QAM	26715	12RB#0	22.16	50	PASS
26(814-824)	5MHz	16QAM	26715	12RB#6	22.25	50	PASS
26(814-824)	5MHz	16QAM	26715	12RB#13	22.19	50	PASS
26(814-824)	5MHz	16QAM	26715	25RB#0	22.16	50	PASS
26(814-824)	5MHz	64QAM	26715	1RB#0	22.36	50	PASS
26(814-824)	5MHz	64QAM	26715	1RB#12	22.19	50	PASS
26(814-824)	5MHz	64QAM	26715	1RB#24	22.32	50	PASS
26(814-824)	5MHz	64QAM	26715	12RB#0	21.10	50	PASS
26(814-824)	5MHz	64QAM	26715	12RB#6	21.17	50	PASS
26(814-824)	5MHz	64QAM	26715	12RB#13	21.13	50	PASS
26(814-824)	5MHz	64QAM	26715	25RB#0	21.08	50	PASS
26(814-824)	5MHz	256QAM	26715	1RB#0	18.74	50	PASS
26(814-824)	5MHz	256QAM	26715	1RB#12	19.03	50	PASS
26(814-824)	5MHz	256QAM	26715	1RB#24	18.68	50	PASS
26(814-824)	5MHz	256QAM	26715	12RB#0	18.79	50	PASS
26(814-824)	5MHz	256QAM	26715	12RB#6	18.87	50	PASS
26(814-824)	5MHz	256QAM	26715	12RB#13	18.82	50	PASS
26(814-824)	5MHz	256QAM	26715	25RB#0	18.90	50	PASS
26(814-824)	5MHz	QPSK	26740	1RB#0	24.18	50	PASS
26(814-824)	5MHz	QPSK	26740	1RB#12	24.27	50	PASS
26(814-824)	5MHz	QPSK	26740	1RB#24	24.06	50	PASS
26(814-824)	5MHz	QPSK	26740	12RB#0	23.16	50	PASS
26(814-824)	5MHz	QPSK	26740	12RB#6	23.27	50	PASS
26(814-824)	5MHz	QPSK	26740	12RB#13	23.15	50	PASS
26(814-824)	5MHz	QPSK	26740	25RB#0	23.20	50	PASS
26(814-824)	5MHz	16QAM	26740	1RB#0	23.64	50	PASS
26(814-824)	5MHz	16QAM	26740	1RB#12	23.48	50	PASS
26(814-824)	5MHz	16QAM	26740	1RB#24	23.40	50	PASS
26(814-824)	5MHz	16QAM	26740	12RB#0	22.15	50	PASS
26(814-824)	5MHz	16QAM	26740	12RB#6	22.24	50	PASS
26(814-824)	5MHz	16QAM	26740	12RB#13	22.17	50	PASS
26(814-824)	5MHz	16QAM	26740	25RB#0	22.14	50	PASS
26(814-824)	5MHz	64QAM	26740	1RB#0	22.33	50	PASS
26(814-824)	5MHz	64QAM	26740	1RB#12	22.36	50	PASS
26(814-824)	5MHz	64QAM	26740	1RB#24	22.21	50	PASS
26(814-824)	5MHz	64QAM	26740	12RB#0	21.05	50	PASS
26(814-824)	5MHz	64QAM	26740	12RB#6	21.23	50	PASS
26(814-824)	5MHz	64QAM	26740	12RB#13	21.05	50	PASS
26(814-824)	5MHz	64QAM	26740	25RB#0	21.12	50	PASS
26(814-824)	5MHz	256QAM	26740	1RB#0	18.55	50	PASS
26(814-824)	5MHz	256QAM	26740	1RB#12	18.86	50	PASS
26(814-824)	5MHz	256QAM	26740	1RB#24	18.86	50	PASS
26(814-824)	5MHz	256QAM	26740	12RB#0	18.87	50	PASS
26(814-824)	5MHz	256QAM	26740	12RB#6	18.81	50	PASS


26(814-824)	5MHz	256QAM	26740	12RB#13	18.77	50	PASS
26(814-824)	5MHz	256QAM	26740	25RB#0	18.80	50	PASS
26(814-824)	5MHz	QPSK	26765	1RB#0	24.30	50	PASS
26(814-824)	5MHz	QPSK	26765	1RB#12	24.09	50	PASS
26(814-824)	5MHz	QPSK	26765	1RB#24	24.21	50	PASS
26(814-824)	5MHz	QPSK	26765	12RB#0	23.27	50	PASS
26(814-824)	5MHz	QPSK	26765	12RB#6	23.35	50	PASS
26(814-824)	5MHz	QPSK	26765	12RB#13	23.22	50	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	23.25	50	PASS
26(814-824)	5MHz	16QAM	26765	1RB#0	23.55	50	PASS
26(814-824)	5MHz	16QAM	26765	1RB#12	23.76	50	PASS
26(814-824)	5MHz	16QAM	26765	1RB#24	23.43	50	PASS
26(814-824)	5MHz	16QAM	26765	12RB#0	22.25	50	PASS
26(814-824)	5MHz	16QAM	26765	12RB#6	22.38	50	PASS
26(814-824)	5MHz	16QAM	26765	12RB#13	22.28	50	PASS
26(814-824)	5MHz	16QAM	26765	25RB#0	22.31	50	PASS
26(814-824)	5MHz	64QAM	26765	1RB#0	22.34	50	PASS
26(814-824)	5MHz	64QAM	26765	1RB#12	22.61	50	PASS
26(814-824)	5MHz	64QAM	26765	1RB#24	22.24	50	PASS
26(814-824)	5MHz	64QAM	26765	12RB#0	21.13	50	PASS
26(814-824)	5MHz	64QAM	26765	12RB#6	21.31	50	PASS
26(814-824)	5MHz	64QAM	26765	12RB#13	21.13	50	PASS
26(814-824)	5MHz	64QAM	26765	25RB#0	21.18	50	PASS
26(814-824)	5MHz	256QAM	26765	1RB#0	19.02	50	PASS
26(814-824)	5MHz	256QAM	26765	1RB#12	18.76	50	PASS
26(814-824)	5MHz	256QAM	26765	1RB#24	18.71	50	PASS
26(814-824)	5MHz	256QAM	26765	12RB#0	18.80	50	PASS
26(814-824)	5MHz	256QAM	26765	12RB#6	18.88	50	PASS
26(814-824)	5MHz	256QAM	26765	12RB#13	18.71	50	PASS
26(814-824)	5MHz	256QAM	26765	25RB#0	18.85	50	PASS
26(814-824)	10MHz	QPSK	26740	1RB#0	24.02	50	PASS
26(814-824)	10MHz	QPSK	26740	1RB#24	24.00	50	PASS
26(814-824)	10MHz	QPSK	26740	1RB#49	24.00	50	PASS
26(814-824)	10MHz	QPSK	26740	25RB#0	23.15	50	PASS
26(814-824)	10MHz	QPSK	26740	25RB#12	23.21	50	PASS
26(814-824)	10MHz	QPSK	26740	25RB#25	23.15	50	PASS
26(814-824)	10MHz	QPSK	26740	50RB#0	23.22	50	PASS
26(814-824)	10MHz	16QAM	26740	1RB#0	23.25	50	PASS
26(814-824)	10MHz	16QAM	26740	1RB#24	23.34	50	PASS
26(814-824)	10MHz	16QAM	26740	1RB#49	23.23	50	PASS
26(814-824)	10MHz	16QAM	26740	25RB#0	22.11	50	PASS
26(814-824)	10MHz	16QAM	26740	25RB#12	22.20	50	PASS
26(814-824)	10MHz	16QAM	26740	25RB#25	22.13	50	PASS
26(814-824)	10MHz	16QAM	26740	50RB#0	22.17	50	PASS
26(814-824)	10MHz	64QAM	26740	1RB#0	22.07	50	PASS
26(814-824)	10MHz	64QAM	26740	1RB#24	22.40	50	PASS

26(814-824)	10MHz	64QAM	26740	1RB#49	22.34	50	PASS
26(814-824)	10MHz	64QAM	26740	25RB#0	21.10	50	PASS
26(814-824)	10MHz	64QAM	26740	25RB#12	21.12	50	PASS
26(814-824)	10MHz	64QAM	26740	25RB#25	21.12	50	PASS
26(814-824)	10MHz	64QAM	26740	50RB#0	21.05	50	PASS
26(814-824)	10MHz	256QAM	26740	1RB#0	18.74	50	PASS
26(814-824)	10MHz	256QAM	26740	1RB#24	18.70	50	PASS
26(814-824)	10MHz	256QAM	26740	1RB#49	18.82	50	PASS
26(814-824)	10MHz	256QAM	26740	25RB#0	18.73	50	PASS
26(814-824)	10MHz	256QAM	26740	25RB#12	18.79	50	PASS
26(814-824)	10MHz	256QAM	26740	25RB#25	18.88	50	PASS
26(814-824)	10MHz	256QAM	26740	50RB#0	18.83	50	PASS

Peak-to-Average Ratio(CCDF)**Test Result**

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
26(814-824)	10MHz	QPSK	26740	50RB#0	4.32	13	PASS
26(814-824)	10MHz	16QAM	26740	50RB#0	5.30	13	PASS
26(814-824)	10MHz	64QAM	26740	50RB#0	6.05	13	PASS
26(814-824)	10MHz	256QAM	26740	100RB#0	6.74	13	PASS

Test Graphs




26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	OBW (MHz)	26dB EBW (MHz)	Verdict
26(814-824)	1.4MHz	QPSK	26697	6RB#0	1.0980	1.353	PASS
26(814-824)	1.4MHz	16QAM	26697	6RB#0	1.1029	1.369	PASS
26(814-824)	1.4MHz	64QAM	26697	6RB#0	1.0963	1.339	PASS
26(814-824)	1.4MHz	256QAM	26697	6RB#0	1.1000	1.354	PASS
26(814-824)	1.4MHz	QPSK	26740	6RB#0	1.1039	1.334	PASS
26(814-824)	1.4MHz	16QAM	26740	6RB#0	1.1049	1.327	PASS
26(814-824)	1.4MHz	64QAM	26740	6RB#0	1.1021	1.349	PASS
26(814-824)	1.4MHz	256QAM	26740	6RB#0	1.1017	1.357	PASS
26(814-824)	1.4MHz	QPSK	26783	6RB#0	1.0948	1.325	PASS
26(814-824)	1.4MHz	16QAM	26783	6RB#0	1.1011	1.325	PASS
26(814-824)	1.4MHz	64QAM	26783	6RB#0	1.1012	1.312	PASS
26(814-824)	1.4MHz	256QAM	26783	6RB#0	1.0993	1.326	PASS
26(814-824)	3MHz	QPSK	26705	15RB#0	2.6903	3.029	PASS
26(814-824)	3MHz	16QAM	26705	15RB#0	2.7022	3.043	PASS
26(814-824)	3MHz	64QAM	26705	15RB#0	2.7019	3.027	PASS
26(814-824)	3MHz	256QAM	26705	15RB#0	2.7012	3.068	PASS
26(814-824)	3MHz	QPSK	26740	15RB#0	2.6964	3.044	PASS
26(814-824)	3MHz	16QAM	26740	15RB#0	2.6912	3.024	PASS
26(814-824)	3MHz	64QAM	26740	15RB#0	2.6996	3.052	PASS
26(814-824)	3MHz	256QAM	26740	15RB#0	2.6916	2.979	PASS
26(814-824)	3MHz	QPSK	26775	15RB#0	2.6964	3.033	PASS
26(814-824)	3MHz	16QAM	26775	15RB#0	2.6947	3.049	PASS
26(814-824)	3MHz	64QAM	26775	15RB#0	2.6981	3.027	PASS
26(814-824)	3MHz	256QAM	26775	15RB#0	2.7026	3.032	PASS
26(814-824)	5MHz	QPSK	26715	25RB#0	4.5074	5.059	PASS
26(814-824)	5MHz	16QAM	26715	25RB#0	4.5090	5.141	PASS
26(814-824)	5MHz	64QAM	26715	25RB#0	4.4935	5.133	PASS
26(814-824)	5MHz	256QAM	26715	25RB#0	4.5075	5.091	PASS
26(814-824)	5MHz	QPSK	26740	25RB#0	4.5082	5.111	PASS
26(814-824)	5MHz	16QAM	26740	25RB#0	4.5046	5.090	PASS
26(814-824)	5MHz	64QAM	26740	25RB#0	4.5002	5.141	PASS
26(814-824)	5MHz	256QAM	26740	25RB#0	4.5028	5.120	PASS
26(814-824)	5MHz	QPSK	26765	25RB#0	4.5008	5.085	PASS
26(814-824)	5MHz	16QAM	26765	25RB#0	4.4977	5.072	PASS
26(814-824)	5MHz	64QAM	26765	25RB#0	4.5025	5.109	PASS
26(814-824)	5MHz	256QAM	26765	25RB#0	4.5090	5.128	PASS
26(814-824)	10MHz	QPSK	26740	50RB#0	8.9977	9.990	PASS
26(814-824)	10MHz	16QAM	26740	50RB#0	8.9859	10.02	PASS
26(814-824)	10MHz	64QAM	26740	50RB#0	8.9896	9.962	PASS
26(814-824)	10MHz	256QAM	26740	50RB#0	8.9872	10.01	PASS


Test Graphs




26(814-824)-1.4MHz-QPSK-26697-6RB#0-PASS




26(814-824)-1.4MHz-16QAM-26697-6RB#0-PASS




26(814-824)-1.4MHz-64QAM-26697-6RB#0-PASS




26(814-824)-1.4MHz-256QAM-26697-6RB#0-PASS




26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS




26(814-824)-1.4MHz-16QAM-26740-6RB#0-PASS




26(814-824)-1.4MHz-64QAM-26740-6RB#0-PASS




26(814-824)-1.4MHz-256QAM-26740-6RB#0-PASS




26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS




26(814-824)-1.4MHz-16QAM-26783-6RB#0-PASS




26(814-824)-1.4MHz-64QAM-26783-6RB#0-PASS




26(814-824)-1.4MHz-256QAM-26783-6RB#0-PASS




26(814-824)-3MHz-QPSK-26705-15RB#0-PASS




26(814-824)-3MHz-16QAM-26705-15RB#0-PASS




26(814-824)-3MHz-64QAM-26705-15RB#0-PASS




26(814-824)-3MHz-256QAM-26705-15RB#0-PASS




26(814-824)-3MHz-QPSK-26740-15RB#0-PASS




26(814-824)-3MHz-16QAM-26740-15RB#0-PASS




26(814-824)-3MHz-64QAM-26740-15RB#0-PASS




26(814-824)-3MHz-256QAM-26740-15RB#0-PASS



26(814-824)-3MHz-QPSK-26775-15RB#0-PASS




26(814-824)-3MHz-16QAM-26775-15RB#0-PASS




26(814-824)-3MHz-64QAM-26775-15RB#0-PASS




26(814-824)-3MHz-256QAM-26775-15RB#0-PASS




26(814-824)-5MHz-QPSK-26715-25RB#0-PASS




26(814-824)-5MHz-16QAM-26715-25RB#0-PASS




26(814-824)-5MHz-64QAM-26715-25RB#0-PASS




26(814-824)-5MHz-256QAM-26715-25RB#0-PASS




26(814-824)-5MHz-QPSK-26740-25RB#0-PASS




26(814-824)-5MHz-16QAM-26740-25RB#0-PASS




26(814-824)-5MHz-64QAM-26740-25RB#0-PASS




26(814-824)-5MHz-256QAM-26740-25RB#0-PASS



26(814-824)-5MHz-QPSK-26765-25RB#0-PASS




26(814-824)-5MHz-16QAM-26765-25RB#0-PASS




26(814-824)-5MHz-64QAM-26765-25RB#0-PASS




26(814-824)-5MHz-256QAM-26765-25RB#0-PASS




26(814-824)-10MHz-QPSK-26740-50RB#0-PASS



26(814-824)-10MHz-16QAM-26740-50RB#0-PASS




26(814-824)-10MHz-64QAM-26740-50RB#0-PASS




26(814-824)-10MHz-256QAM-26740-50RB#0-PASS

Band Edge

Test Graphs







26(814-824)-3MHz-QPSK-26705-1RB#0-PASS




26(814-824)-3MHz-QPSK-26705-15RB#0-PASS



26(814-824)-3MHz-QPSK-26775-1RB#14-PASS




26(814-824)-3MHz-QPSK-26775-15RB#0-PASS




26(814-824)-5MHz-QPSK-26715-1RB#0-PASS




26(814-824)-5MHz-QPSK-26715-25RB#0-PASS




26(814-824)-5MHz-QPSK-26765-1RB#24-PASS




26(814-824)-5MHz-QPSK-26765-25RB#0-PASS




26(814-824)-10MHz-QPSK-26740-1RB#0-PASS



26(814-824)-10MHz-QPSK-26740-1RB#49-PASS





26(814-824)-10MHz-QPSK-26740-50RB#0-PASS



Conducted Spurious Emission

Test Graphs





Frequency Stability

Test Result

Voltage									
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
26(814-824)	10MHz	QPSK	26740	100RB#0	VN	NT	3.60	0.004396	PASS
26(814-824)	10MHz	QPSK	26740	100RB#0	VL	NT	2.00	0.002442	PASS
26(814-824)	10MHz	QPSK	26740	100RB#0	VH	NT	0.90	0.001099	PASS

Temperature									
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
26(814-824)	10MHz	QPSK	26740	100RB#0	NV	-30	0.70	0.000855	PASS
26(814-824)	10MHz	QPSK	26740	100RB#0	NV	-20	2.10	0.002564	PASS
26(814-824)	10MHz	QPSK	26740	100RB#0	NV	-10	0.50	0.000611	PASS
26(814-824)	10MHz	QPSK	26740	100RB#0	NV	0	1.20	0.001465	PASS
26(814-824)	10MHz	QPSK	26740	100RB#0	NV	10	2.40	0.002930	PASS
26(814-824)	10MHz	QPSK	26740	100RB#0	NV	20	-1.30	-0.001587	PASS
26(814-824)	10MHz	QPSK	26740	100RB#0	NV	30	-0.70	-0.000855	PASS
26(814-824)	10MHz	QPSK	26740	100RB#0	NV	40	0.40	0.000488	PASS
26(814-824)	10MHz	QPSK	26740	100RB#0	NV	50	1.60	0.001954	PASS

~The End~