

Appendix-D LTE Band 26(824-849)

Effective Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	24.21	19.16	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#2	24.10	19.05	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#5	24.28	19.23	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#0	24.10	19.05	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#1	24.11	19.06	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#3	24.08	19.03	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	23.12	18.07	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	23.94	18.89	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#2	23.62	18.57	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#5	23.63	18.58	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#0	23.28	18.23	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#1	23.31	18.26	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#3	23.36	18.31	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	22.10	17.05	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#0	22.38	17.33	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#2	22.42	17.37	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#5	22.32	17.27	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	3RB#0	22.36	17.31	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	3RB#1	22.30	17.25	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	3RB#3	22.30	17.25	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	6RB#0	21.24	16.19	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#0	18.58	13.53	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#2	19.13	14.08	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#5	19.10	14.05	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	3RB#0	18.90	13.85	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	3RB#1	18.80	13.75	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	3RB#3	19.02	13.97	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	6RB#0	18.90	13.85	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	23.94	18.89	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#2	24.21	19.16	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#5	24.22	19.17	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#0	24.17	19.12	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#1	24.15	19.1	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#3	24.21	19.16	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	23.13	18.08	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	23.41	18.36	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#2	23.49	18.44	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#5	23.57	18.52	38.45	PASS

Band26(824-849)	1.4MHz	16QAM	26915	3RB#0	23.32	18.27	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#1	23.21	18.16	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#3	23.39	18.34	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	22.17	17.12	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#0	22.31	17.26	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#2	22.26	17.21	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#5	22.24	17.19	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	3RB#0	22.18	17.13	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	3RB#1	22.30	17.25	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	3RB#3	22.20	17.15	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	6RB#0	21.29	16.24	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#0	18.92	13.87	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#2	18.83	13.78	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#5	18.80	13.75	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	3RB#0	18.77	13.72	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	3RB#1	18.76	13.71	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	3RB#3	18.83	13.78	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	6RB#0	18.55	13.5	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	23.87	18.82	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#2	23.88	18.83	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#5	23.95	18.9	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#0	23.86	18.81	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#1	23.85	18.8	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#3	23.92	18.87	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	22.85	17.8	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	23.38	18.33	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#2	23.34	18.29	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#5	23.20	18.15	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#0	23.04	17.99	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#1	22.98	17.93	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#3	23.01	17.96	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	21.90	16.85	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#0	21.93	16.88	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#2	22.19	17.14	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#5	22.17	17.12	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	3RB#0	22.07	17.02	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	3RB#1	21.97	16.92	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	3RB#3	22.06	17.01	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	6RB#0	20.76	15.71	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#0	18.57	13.52	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#2	18.28	13.23	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#5	18.70	13.65	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	3RB#0	18.65	13.6	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	3RB#1	18.62	13.57	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	3RB#3	18.72	13.67	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	6RB#0	18.26	13.21	38.45	PASS

Band26(824-849)	3MHz	QPSK	26805	1RB#0	24.23	19.18	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#8	24.20	19.15	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#14	24.10	19.05	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#0	23.10	18.05	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#4	23.25	18.2	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#7	23.20	18.15	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	23.24	18.19	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	23.57	18.52	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#8	23.72	18.67	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#14	23.59	18.54	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#0	22.24	17.19	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#4	22.37	17.32	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#7	22.30	17.25	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	22.22	17.17	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#0	22.47	17.42	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#8	22.45	17.4	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#14	22.37	17.32	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	8RB#0	21.20	16.15	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	8RB#4	21.25	16.2	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	8RB#7	21.31	16.26	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	15RB#0	21.24	16.19	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	24.24	19.19	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#8	24.27	19.22	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#14	24.29	19.24	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#0	23.13	18.08	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#4	23.31	18.26	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#7	23.23	18.18	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	23.17	18.12	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	23.42	18.37	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#8	23.80	18.75	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#14	23.51	18.46	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#0	22.27	17.22	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#4	22.32	17.27	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#7	22.36	17.31	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	22.08	17.03	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#0	22.41	17.36	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#8	22.51	17.46	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#14	22.46	17.41	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	8RB#0	21.23	16.18	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	8RB#4	21.31	16.26	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	8RB#7	21.27	16.22	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	15RB#0	21.14	16.09	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	23.83	18.78	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#8	23.85	18.8	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#14	23.87	18.82	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#0	22.70	17.65	38.45	PASS

Band26(824-849)	3MHz	QPSK	27025	8RB#4	22.95	17.9	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#7	22.96	17.91	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	22.94	17.89	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	23.13	18.08	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#8	23.39	18.34	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#14	23.23	18.18	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#0	21.93	16.88	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#4	21.97	16.92	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#7	22.04	16.99	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	21.95	16.9	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#0	22.21	17.16	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#8	22.02	16.97	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#14	21.97	16.92	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	8RB#0	20.93	15.88	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	8RB#4	20.97	15.92	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	8RB#7	20.94	15.89	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	15RB#0	20.95	15.9	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	24.20	19.15	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#12	24.32	19.27	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#24	24.16	19.11	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#0	23.14	18.09	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#6	23.24	18.19	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#13	23.24	18.19	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	23.15	18.1	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	23.37	18.32	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#12	23.68	18.63	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#24	23.49	18.44	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#0	22.17	17.12	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#6	22.39	17.34	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#13	22.25	17.2	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	22.22	17.17	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#0	22.64	17.59	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#12	22.41	17.36	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#24	22.22	17.17	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	12RB#0	21.23	16.18	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	12RB#6	21.24	16.19	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	12RB#13	21.14	16.09	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	25RB#0	21.23	16.18	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#0	18.66	13.61	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#12	18.90	13.85	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#24	18.72	13.67	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	12RB#0	18.73	13.68	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	12RB#6	18.96	13.91	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	12RB#13	18.81	13.76	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	25RB#0	18.94	13.89	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	24.27	19.22	38.45	PASS

Band26(824-849)	5MHz	QPSK	26915	1RB#12	24.27	19.22	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#24	24.12	19.07	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#0	23.18	18.13	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#6	23.15	18.1	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#13	23.23	18.18	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	23.22	18.17	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	23.69	18.64	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#12	23.51	18.46	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#24	23.48	18.43	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#0	22.21	17.16	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#6	22.25	17.2	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#13	22.20	17.15	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	22.17	17.12	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#0	22.49	17.44	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#12	22.45	17.4	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#24	22.06	17.01	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	12RB#0	21.18	16.13	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	12RB#6	21.12	16.07	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	12RB#13	21.21	16.16	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	25RB#0	21.15	16.1	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#0	18.94	13.89	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#12	19.04	13.99	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#24	18.79	13.74	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	12RB#0	18.76	13.71	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	12RB#6	18.81	13.76	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	12RB#13	18.80	13.75	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	25RB#0	18.73	13.68	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	24.08	19.03	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#12	24.06	19.01	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#24	23.91	18.86	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#0	22.91	17.86	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#6	22.97	17.92	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#13	22.91	17.86	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	22.83	17.78	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	23.30	18.25	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#12	23.48	18.43	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#24	23.11	18.06	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#0	21.87	16.82	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#6	21.96	16.91	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#13	21.90	16.85	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	21.91	16.86	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#0	22.17	17.12	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#12	22.05	17	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#24	22.25	17.2	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	12RB#0	20.99	15.94	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	12RB#6	20.96	15.91	38.45	PASS

Band26(824-849)	5MHz	64QAM	27015	12RB#13	20.95	15.9	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	25RB#0	20.89	15.84	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#0	18.79	13.74	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#12	18.74	13.69	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#24	18.73	13.68	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	12RB#0	18.57	13.52	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	12RB#6	18.73	13.68	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	12RB#13	18.67	13.62	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	25RB#0	18.56	13.51	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	24.12	19.07	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#24	24.15	19.1	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#49	24.08	19.03	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#0	23.29	18.24	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#12	23.31	18.26	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#25	23.35	18.3	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	23.33	18.28	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	23.42	18.37	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#24	23.59	18.54	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#49	23.53	18.48	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#0	22.27	17.22	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#12	22.38	17.33	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#25	22.41	17.36	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	22.41	17.36	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#0	22.51	17.46	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#24	22.63	17.58	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#49	22.34	17.29	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	25RB#0	21.21	16.16	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	25RB#12	21.34	16.29	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	25RB#25	21.21	16.16	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	50RB#0	21.38	16.33	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#0	18.75	13.7	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#24	19.23	14.18	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#49	19.09	14.04	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	25RB#0	18.86	13.81	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	25RB#12	19.01	13.96	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	25RB#25	18.89	13.84	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	50RB#0	18.96	13.91	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	24.31	19.26	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#24	24.03	18.98	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#49	24.07	19.02	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#0	23.19	18.14	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#12	23.21	18.16	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#25	23.24	18.19	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	23.15	18.1	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	23.61	18.56	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#24	23.29	18.24	38.45	PASS

Band26(824-849)	10MHz	16QAM	26915	1RB#49	23.36	18.31	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#0	22.15	17.1	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#12	22.21	17.16	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#25	22.18	17.13	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	22.23	17.18	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#0	22.24	17.19	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#24	22.43	17.38	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#49	22.31	17.26	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	25RB#0	21.18	16.13	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	25RB#12	21.26	16.21	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	25RB#25	21.23	16.18	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	50RB#0	21.07	16.02	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#0	18.76	13.71	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#24	18.83	13.78	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#49	19.20	14.15	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	25RB#0	18.78	13.73	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	25RB#12	18.76	13.71	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	25RB#25	18.78	13.73	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	50RB#0	18.73	13.68	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	24.04	18.99	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#24	23.90	18.85	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#49	23.92	18.87	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#0	23.01	17.96	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#12	23.06	18.01	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#25	23.01	17.96	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	23.03	17.98	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	23.34	18.29	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#24	23.08	18.03	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#49	23.22	18.17	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#0	22.01	16.96	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#12	22.11	17.06	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#25	22.08	17.03	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	22.03	16.98	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#0	22.21	17.16	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#24	21.98	16.93	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#49	22.22	17.17	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	25RB#0	21.03	15.98	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	25RB#12	21.02	15.97	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	25RB#25	21.01	15.96	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	50RB#0	21.10	16.05	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#0	18.74	13.69	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#24	18.37	13.32	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#49	18.58	13.53	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	25RB#0	18.58	13.53	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	25RB#12	18.68	13.63	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	25RB#25	18.56	13.51	38.45	PASS


Band26(824-849)	10MHz	256QAM	26990	50RB#0	18.63	13.58	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	24.28	19.23	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#38	24.22	19.17	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#74	24.12	19.07	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#0	24.13	19.08	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#18	24.09	19.04	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#37	24.16	19.11	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	23.30	18.25	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	23.44	18.39	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#38	24.11	19.06	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#74	23.42	18.37	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#0	23.39	18.34	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#18	23.28	18.23	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#37	23.64	18.59	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	22.32	17.27	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#0	23.04	17.99	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#38	22.48	17.43	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#74	22.54	17.49	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	38RB#0	22.38	17.33	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	38RB#18	22.66	17.61	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	38RB#37	22.49	17.44	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	75RB#0	21.26	16.21	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#0	18.85	13.8	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#38	18.89	13.84	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#74	18.93	13.88	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	38RB#0	18.80	13.75	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	38RB#18	19.10	14.05	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	38RB#37	18.88	13.83	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	75RB#0	18.82	13.77	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	24.03	18.98	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#38	24.30	19.25	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#74	23.95	18.9	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#0	24.04	18.99	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#18	24.24	19.19	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#37	24.22	19.17	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	23.09	18.04	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	23.29	18.24	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#38	23.30	18.25	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#74	23.44	18.39	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#0	23.37	18.32	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#18	23.63	18.58	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#37	23.96	18.91	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	22.13	17.08	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#0	22.40	17.35	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#38	22.34	17.29	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#74	22.20	17.15	38.45	PASS

Band26(824-849)	15MHz	64QAM	26915	38RB#0	22.21	17.16	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	38RB#18	22.22	17.17	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	38RB#37	22.36	17.31	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	21.18	16.13	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#0	18.91	13.86	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#38	19.01	13.96	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#74	18.72	13.67	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	38RB#0	18.81	13.76	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	38RB#18	18.94	13.89	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	38RB#37	18.72	13.67	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	18.70	13.65	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	24.02	18.97	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#38	24.51	19.46	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#74	23.99	18.94	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#0	23.90	18.85	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#18	24.01	18.96	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#37	24.49	19.44	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	23.07	18.02	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	23.08	18.03	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#38	23.10	18.05	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#74	23.24	18.19	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#0	23.26	18.21	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#18	23.28	18.23	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#37	23.33	18.28	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	22.10	17.05	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#0	22.41	17.36	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#38	22.15	17.1	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#74	22.10	17.05	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	38RB#0	22.28	17.23	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	38RB#18	22.29	17.24	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	38RB#37	22.16	17.11	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	75RB#0	21.15	16.1	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#0	18.86	13.81	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#38	19.08	14.03	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#74	18.79	13.74	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	38RB#0	18.73	13.68	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	38RB#18	18.88	13.83	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	38RB#37	18.95	13.9	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	75RB#0	18.81	13.76	38.45	PASS

Peak-to-Average Ratio(CCDF)**Test Result**

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
Band26(824-849)	15MHz	QPSK	26865	75RB#0	4.71	13	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	4.73	13	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	4.67	13	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	5.69	13	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	5.74	13	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	5.68	13	PASS
Band26(824-849)	15MHz	64QAM	26865	75RB#0	6.20	13	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	6.24	13	PASS
Band26(824-849)	15MHz	64QAM	26965	75RB#0	6.20	13	PASS
Band26(824-849)	15MHz	256QAM	26865	75RB#0	6.66	13	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	6.69	13	PASS
Band26(824-849)	15MHz	256QAM	26965	75RB#0	6.63	13	PASS

Test Graphs






Band26(824-849)-15MHz-16QAM-26915-75RB#0-PASS

Band26(824-849)-15MHz-16QAM-26965-75RB#0-PASS





Band26(824-849)-15MHz-64QAM-26865-75RB#0-PASS

Band26(824-849)-15MHz-64QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-64QAM-26965-75RB#0-PASS

Band26(824-849)-15MHz-256QAM-26865-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26915-75RB#0-PASS

Band26(824-849)-15MHz-256QAM-26965-75RB#0-PASS


26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	OBW (MHz)	26dB EBW (MHz)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	1.0987	1.344	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	1.0989	1.313	PASS
Band26(824-849)	1.4MHz	64QAM	26797	6RB#0	1.1006	1.322	PASS
Band26(824-849)	1.4MHz	256QAM	26797	6RB#0	1.0974	1.330	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.0994	1.338	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.1014	1.396	PASS
Band26(824-849)	1.4MHz	64QAM	26915	6RB#0	1.0999	1.350	PASS
Band26(824-849)	1.4MHz	256QAM	26915	6RB#0	1.0994	1.355	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	1.0965	1.347	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	1.1061	1.370	PASS
Band26(824-849)	1.4MHz	64QAM	27033	6RB#0	1.1028	1.331	PASS
Band26(824-849)	1.4MHz	256QAM	27033	6RB#0	1.0983	1.348	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	2.7051	3.029	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	2.7070	3.033	PASS
Band26(824-849)	3MHz	64QAM	26805	15RB#0	2.6988	3.009	PASS
Band26(824-849)	3MHz	256QAM	26805	15RB#0	2.7019	3.019	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	2.7013	3.074	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	2.7032	3.000	PASS
Band26(824-849)	3MHz	64QAM	26915	15RB#0	2.7002	3.051	PASS
Band26(824-849)	3MHz	256QAM	26915	15RB#0	2.6979	3.040	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	2.6994	3.048	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	2.7007	2.994	PASS
Band26(824-849)	3MHz	64QAM	27025	15RB#0	2.7060	3.025	PASS
Band26(824-849)	3MHz	256QAM	27025	15RB#0	2.7006	3.057	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	4.4944	5.156	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	4.5067	5.135	PASS
Band26(824-849)	5MHz	64QAM	26815	25RB#0	4.5001	5.117	PASS
Band26(824-849)	5MHz	256QAM	26815	25RB#0	4.4886	5.106	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	4.5085	5.138	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	4.5015	5.105	PASS
Band26(824-849)	5MHz	64QAM	26915	25RB#0	4.5012	5.107	PASS
Band26(824-849)	5MHz	256QAM	26915	25RB#0	4.5116	5.086	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	4.5019	5.110	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	4.4991	5.116	PASS
Band26(824-849)	5MHz	64QAM	27015	25RB#0	4.5030	5.173	PASS
Band26(824-849)	5MHz	256QAM	27015	25RB#0	4.4953	5.113	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	8.9918	9.957	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	8.9753	10.05	PASS
Band26(824-849)	10MHz	64QAM	26840	50RB#0	8.9812	10.01	PASS

Band26(824-849)	10MHz	256QAM	26840	50RB#0	8.9770	10.00	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	9.0036	10.10	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	8.9940	10.06	PASS
Band26(824-849)	10MHz	64QAM	26915	50RB#0	8.9857	9.975	PASS
Band26(824-849)	10MHz	256QAM	26915	50RB#0	9.0008	10.00	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	8.9947	9.979	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	8.9959	10.01	PASS
Band26(824-849)	10MHz	64QAM	26990	50RB#0	8.9855	10.05	PASS
Band26(824-849)	10MHz	256QAM	26990	50RB#0	8.9799	9.993	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	13.514	14.92	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	13.511	14.97	PASS
Band26(824-849)	15MHz	64QAM	26865	75RB#0	13.481	14.98	PASS
Band26(824-849)	15MHz	256QAM	26865	75RB#0	13.482	14.79	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	13.493	14.95	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	13.482	14.81	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	13.499	14.86	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	13.524	14.97	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	13.457	14.83	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	13.460	14.82	PASS
Band26(824-849)	15MHz	64QAM	26965	75RB#0	13.472	14.93	PASS
Band26(824-849)	15MHz	256QAM	26965	75RB#0	13.463	14.94	PASS


Test Graphs




Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PASS




Band26(824-849)-1.4MHz-64QAM-26797-6RB#0-PASS




Band26(824-849)-1.4MHz-256QAM-26797-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-64QAM-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-256QAM-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-64QAM-27033-6RB#0-PASS



Band26(824-849)-1.4MHz-256QAM-27033-6RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-64QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-256QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26915-15RB#0-PASS




Band26(824-849)-3MHz-64QAM-26915-15RB#0-PASS




Band26(824-849)-3MHz-256QAM-26915-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-27025-15RB#0-PASS




Band26(824-849)-3MHz-64QAM-27025-15RB#0-PASS




Band26(824-849)-3MHz-256QAM-27025-15RB#0-PASS




Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26815-25RB#0-PASS




Band26(824-849)-5MHz-64QAM-26815-25RB#0-PASS




Band26(824-849)-5MHz-256QAM-26815-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-26915-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26915-25RB#0-PASS




Band26(824-849)-5MHz-64QAM-26915-25RB#0-PASS




Band26(824-849)-5MHz-256QAM-26915-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-27015-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-27015-25RB#0-PASS




Band26(824-849)-5MHz-64QAM-27015-25RB#0-PASS




Band26(824-849)-5MHz-256QAM-27015-25RB#0-PASS




Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS




Band26(824-849)-10MHz-16QAM-26840-50RB#0-PASS




Band26(824-849)-10MHz-64QAM-26840-50RB#0-PASS




Band26(824-849)-10MHz-256QAM-26840-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26915-50RB#0-PASS




Band26(824-849)-10MHz-16QAM-26915-50RB#0-PASS




Band26(824-849)-10MHz-64QAM-26915-50RB#0-PASS




Band26(824-849)-10MHz-256QAM-26915-50RB#0-PASS




Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS




Band26(824-849)-10MHz-16QAM-26990-50RB#0-PASS




Band26(824-849)-10MHz-64QAM-26990-50RB#0-PASS




Band26(824-849)-10MHz-256QAM-26990-50RB#0-PASS




Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS




Band26(824-849)-15MHz-16QAM-26865-75RB#0-PASS




Band26(824-849)-15MHz-64QAM-26865-75RB#0-PASS




Band26(824-849)-15MHz-256QAM-26865-75RB#0-PASS




Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS



Band26(824-849)-15MHz-16QAM-26915-75RB#0-PASS




Band26(824-849)-15MHz-64QAM-26915-75RB#0-PASS




Band26(824-849)-15MHz-256QAM-26915-75RB#0-PASS




Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS



Band26(824-849)-15MHz-16QAM-26965-75RB#0-PASS




Band26(824-849)-15MHz-64QAM-26965-75RB#0-PASS




Band26(824-849)-15MHz-256QAM-26965-75RB#0-PASS

Band Edge

Test Graphs






Band26(824-849)-3MHz-QPSK-26805-1RB#0-PASS





Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-27025-1RB#14-PASS



Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS






Band26(824-849)-10MHz-QPSK-26840-1RB#0-PASS




Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26990-1RB#49-PASS




Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS



Band26(824-849)-15MHz-QPSK-26865-1RB#0-PASS



Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS




Band26(824-849)-15MHz-QPSK-26965-1RB#74-PASS





Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS

Conducted Spurious Emission

Test Graphs







Band26(824-849)-15MHz-QPSK-26915-1RB#0-
1000~3000-PASS

Band26(824-849)-15MHz-QPSK-26915-1RB#0-
3000~10000-PASS



Band26(824-849)-15MHz-QPSK-26965-1RB#0-
0.009~0.15-PASS



Band26(824-849)-15MHz-QPSK-26965-1RB#0-0.15~30-
PASS




Band26(824-849)-15MHz-QPSK-26965-1RB#0-30~1000-
PASS



Band26(824-849)-15MHz-QPSK-26965-1RB#0-
1000~3000-PASS



Band26(824-849)-15MHz-QPSK-26965-1RB#0-
3000~10000-PASS



Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26(824-849)	15MHz	QPSK	26915	75RB#0	VN	NT	0.00	0.000000	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	VL	NT	-1.40	-0.001674	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	VH	NT	-0.30	-0.000359	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-30	-1.10	-0.001315	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-20	0.80	0.000956	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-10	-1.70	-0.002032	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	0	0.40	0.000478	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	10	-0.90	-0.001076	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	20	-0.60	-0.000717	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	30	-0.70	-0.000837	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	40	-0.80	-0.000956	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	50	-2.00	-0.002391	±2.5	PASS

~The End~