


Project Information			
Mode:	802.11be80 484T-66	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8047.95	37.25	0.38	37.63	54.00	16.37	Vertical	PASS
2	11445.55	35.17	5.09	40.26	54.00	13.74	Vertical	PASS
3	17978.15	32.34	13.47	45.81	54.00	8.19	Vertical	PASS
4	6327.66	35.17	17.06	52.23	68.20	15.97	Vertical	PASS
5	13672.79	40.32	9.22	49.54	68.20	18.66	Vertical	PASS
6	17993.87	39.65	13.71	53.36	74.00	20.64	Vertical	PASS

Project Information			
Mode:	802.11be80 484T-66	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.68	31.79	14.55	46.34	-	-	Horizontal	NA
2	8337.38	36.40	0.94	37.34	54.00	16.66	Horizontal	PASS
3	12646.95	34.26	6.11	40.37	54.00	13.63	Horizontal	PASS
4	17985.43	32.10	13.58	45.68	54.00	8.32	Horizontal	PASS
5	5322.23	38.43	14.55	52.98	-	-	Horizontal	NA
6	6292.83	35.09	16.68	51.77	68.20	16.43	Horizontal	PASS
7	15088.10	40.95	9.07	50.02	68.20	18.18	Horizontal	PASS
8	17977.38	39.61	13.46	53.07	74.00	20.93	Horizontal	PASS

Project Information			
Mode:	802.11be80 484T-66	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.04	35.68	14.55	50.23	-	-	Vertical	NA
2	8087.82	37.35	0.49	37.84	54.00	16.16	Vertical	PASS
3	12054.30	34.72	5.41	40.13	54.00	13.87	Vertical	PASS
4	17837.08	32.46	13.44	45.90	54.00	8.10	Vertical	PASS
5	5322.04	42.47	14.55	57.02	-	-	Vertical	NA
6	6334.81	34.69	17.13	51.82	68.20	16.38	Vertical	PASS
7	15255.63	40.38	9.76	50.14	68.20	18.06	Vertical	PASS
8	17878.10	39.04	13.63	52.67	74.00	21.33	Vertical	PASS

Project Information			
Mode:	802.11be80 484T-65	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5594.12	31.08	14.72	45.80	-	-	Horizontal	NA
2	8338.91	36.55	0.96	37.51	54.00	16.49	Horizontal	PASS
3	11444.40	35.21	5.11	40.32	54.00	13.68	Horizontal	PASS
4	17848.96	31.43	13.95	45.38	54.00	8.62	Horizontal	PASS
5	5594.30	37.70	14.72	52.42	-	-	Horizontal	NA
6	6399.35	35.76	16.46	52.22	68.20	15.98	Horizontal	PASS
7	14354.38	40.98	8.96	49.94	68.20	18.26	Horizontal	PASS
8	17835.93	39.03	13.39	52.42	74.00	21.58	Horizontal	PASS

Project Information			
Mode:	802.11be80 484T-65	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5593.94	34.82	14.72	49.54	-	-	Vertical	NA
2	8028.78	37.08	0.27	37.35	54.00	16.65	Vertical	PASS
3	12045.48	34.74	5.42	40.16	54.00	13.84	Vertical	PASS
4	17842.44	31.89	13.66	45.55	54.00	8.45	Vertical	PASS
5	5594.67	41.60	14.72	56.32	-	-	Vertical	NA
6	6489.92	34.58	17.14	51.72	68.20	16.48	Vertical	PASS
7	15077.75	40.83	9.11	49.94	68.20	18.26	Vertical	PASS
8	17985.05	39.26	13.57	52.83	74.00	21.17	Vertical	PASS

Project Information			
Mode:	802.11be80 484T-65	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8113.12	37.48	0.60	38.08	54.00	15.92	Horizontal	PASS
2	11473.53	35.45	4.95	40.40	54.00	13.60	Horizontal	PASS
3	17891.51	32.83	13.45	46.28	54.00	7.72	Horizontal	PASS
4	6455.45	35.75	16.88	52.63	68.20	15.57	Horizontal	PASS
5	15072.77	40.65	9.13	49.78	68.20	18.42	Horizontal	PASS
6	17983.90	39.58	13.56	53.14	74.00	20.86	Horizontal	PASS

Project Information			
Mode:	802.11be80 484T-65	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8139.19	37.11	0.76	37.87	54.00	16.13	Vertical	PASS
2	11501.13	35.10	4.81	39.91	54.00	14.09	Vertical	PASS
3	17996.55	32.00	13.74	45.74	54.00	8.26	Vertical	PASS
4	6423.18	35.29	16.66	51.95	68.20	16.25	Vertical	PASS
5	15250.26	40.65	9.94	50.59	68.20	17.61	Vertical	PASS
6	17863.91	38.86	13.81	52.67	74.00	21.33	Vertical	PASS

Project Information			
Mode:	802.11be160 996T-67	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5175.92	31.07	13.90	44.97	-	-	Horizontal	NA
2	8466.57	36.34	1.33	37.67	54.00	16.33	Horizontal	PASS
3	11453.98	35.27	5.05	40.32	54.00	13.68	Horizontal	PASS
4	17863.15	31.96	13.82	45.78	54.00	8.22	Horizontal	PASS
5	5178.67	37.93	13.90	51.83	-	-	Horizontal	NA
6	6321.61	35.28	17.01	52.29	68.20	15.91	Horizontal	PASS
7	14352.46	40.93	8.98	49.91	68.20	18.29	Horizontal	PASS
8	17884.61	39.43	13.54	52.97	74.00	21.03	Horizontal	PASS

Project Information			
Mode:	802.11be160 996T-67	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5189.31	34.95	13.91	48.86	-	-	Vertical	NA
2	8485.35	36.13	1.51	37.64	54.00	16.36	Vertical	PASS
3	12656.16	34.23	6.15	40.38	54.00	13.62	Vertical	PASS
4	17995.40	31.95	13.72	45.67	54.00	8.33	Vertical	PASS
5	5188.94	42.45	13.91	56.36	-	-	Vertical	NA
6	6347.46	34.56	17.26	51.82	68.20	16.38	Vertical	PASS
7	14171.14	41.40	8.16	49.56	68.20	18.64	Vertical	PASS
8	17991.18	39.42	13.66	53.08	74.00	20.92	Vertical	PASS

Project Information			
Mode:	802.11be160 996T-68	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	114
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8348.88	36.10	1.09	37.19	54.00	16.81	Horizontal	PASS
2	12198.82	34.77	5.26	40.03	54.00	13.97	Horizontal	PASS
3	17991.57	32.24	13.67	45.91	54.00	8.09	Horizontal	PASS
4	6292.83	35.75	16.59	52.34	68.20	15.86	Horizontal	PASS
5	15235.31	40.45	9.45	49.90	68.20	18.30	Horizontal	PASS
6	17840.91	39.08	13.60	52.68	74.00	21.32	Horizontal	PASS

Project Information			
Mode:	802.11be160 996T-68	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	114
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8110.05	36.84	0.58	37.42	54.00	16.58	Vertical	PASS
2	10778.14	35.74	4.36	40.10	54.00	13.90	Vertical	PASS
3	17968.57	32.46	13.33	45.79	54.00	8.21	Vertical	PASS
4	6358.65	34.56	17.09	51.65	68.20	16.55	Vertical	PASS
5	15988.20	43.38	6.30	49.68	74.00	24.32	Vertical	PASS
6	17981.60	39.86	13.53	53.39	74.00	20.61	Vertical	PASS

Project Information			
Mode:	802.11be20 106+26 MRU L	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5172.81	39.86	13.90	53.76	-	-	Horizontal	NA
2	8136.12	37.64	0.73	38.37	54.00	15.63	Horizontal	PASS
3	12059.29	34.97	5.39	40.36	54.00	13.64	Horizontal	PASS
4	17871.96	31.40	13.70	45.10	54.00	8.90	Horizontal	PASS
5	5175.74	47.23	13.90	61.13	-	-	Horizontal	NA
6	6362.86	34.43	17.09	51.52	68.20	16.68	Horizontal	PASS
7	13700.77	41.70	9.38	51.08	68.20	17.12	Horizontal	PASS
8	17971.25	39.40	13.37	52.77	74.00	21.23	Horizontal	PASS

Project Information			
Mode:	802.11be20 106+26 MRU L	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5178.31	44.52	13.90	58.42	-	-	Vertical	NA
2	8133.44	37.25	0.72	37.97	54.00	16.03	Vertical	PASS
3	12048.55	34.89	5.43	40.32	54.00	13.68	Vertical	PASS
4	17978.92	32.65	13.49	46.14	54.00	7.86	Vertical	PASS
5	5175.19	51.73	13.90	65.63	-	-	Vertical	NA
6	6283.29	34.85	16.51	51.36	68.20	16.84	Vertical	PASS
7	13713.04	40.70	8.75	49.45	68.20	18.75	Vertical	PASS
8	17860.85	39.47	13.85	53.32	74.00	20.68	Vertical	PASS

Project Information			
Mode:	802.11be20 106+26 MRU L	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8256.88	38.94	0.53	39.47	54.00	14.53	Horizontal	PASS
2	11400.70	34.76	5.39	40.15	54.00	13.85	Horizontal	PASS
3	17977.77	32.20	13.47	45.67	54.00	8.33	Horizontal	PASS
4	6359.38	35.53	17.15	52.68	68.20	15.52	Horizontal	PASS
5	15068.55	40.33	9.15	49.48	68.20	18.72	Horizontal	PASS
6	17976.23	39.80	13.44	53.24	74.00	20.76	Horizontal	PASS

Project Information			
Mode:	802.11be20 106+26 MRU L	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8133.44	36.15	0.72	36.87	54.00	17.13	Vertical	PASS
2	10795.39	35.27	4.37	39.64	54.00	14.36	Vertical	PASS
3	17842.83	31.40	13.69	45.09	54.00	8.91	Vertical	PASS
4	6313.36	34.70	16.92	51.62	68.20	16.58	Vertical	PASS
5	14452.13	40.73	7.86	48.59	68.20	19.61	Vertical	PASS
6	17361.35	39.17	12.20	51.37	68.20	16.83	Vertical	PASS

Project Information			
Mode:	802.11be20 106+26 MRU_H	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5708.16	35.89	14.90	50.79	-	-	Horizontal	NA
2	8081.30	36.89	0.47	37.36	54.00	16.64	Horizontal	PASS
3	11425.61	34.86	5.22	40.08	54.00	13.92	Horizontal	PASS
4	17981.98	32.23	13.53	45.76	54.00	8.24	Horizontal	PASS
5	5707.97	45.10	14.90	60.00	-	-	Horizontal	NA
6	6354.06	35.00	17.16	52.16	68.20	16.04	Horizontal	PASS
7	15084.65	41.18	9.08	50.26	68.20	17.94	Horizontal	PASS
8	17988.12	39.70	13.62	53.32	74.00	20.68	Horizontal	PASS

Project Information			
Mode:	802.11be20 106+26 MRU_H	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5704.12	38.94	14.89	53.83	-	-	Vertical	NA
2	8106.60	36.88	0.56	37.44	54.00	16.56	Vertical	PASS
3	12054.30	35.16	5.41	40.57	54.00	13.43	Vertical	PASS
4	17846.66	32.56	13.84	46.40	54.00	7.60	Vertical	PASS
5	5703.57	45.84	14.89	60.73	-	-	Vertical	NA
6	6345.26	34.08	17.18	51.26	68.20	16.94	Vertical	PASS
7	15247.96	39.79	9.88	49.67	68.20	18.53	Vertical	PASS
8	17975.47	39.14	13.43	52.57	74.00	21.43	Vertical	PASS

Project Information			
Mode:	802.11be20 106+26 MRU L	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5741.89	32.65	15.67	48.32	-	-	Horizontal	NA
2	8023.03	37.42	0.23	37.65	-	-	Horizontal	NA
3	11451.30	35.17	5.06	40.23	54.00	13.77	Horizontal	PASS
4	17989.65	32.23	13.64	45.87	54.00	8.13	Horizontal	PASS
5	5741.71	39.76	15.67	55.43	-	-	Horizontal	NA
6	6358.65	34.62	17.02	51.64	68.20	16.56	Horizontal	PASS
7	15240.29	41.02	9.62	50.64	68.20	17.56	Horizontal	PASS
8	17845.13	39.52	13.78	53.30	74.00	20.70	Horizontal	PASS

Project Information			
Mode:	802.11be20 106+26 MRU L	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5741.71	33.23	15.67	48.90	-	-	Vertical	NA
2	8100.47	37.00	0.52	37.52	54.00	16.48	Vertical	PASS
3	11445.16	35.58	5.10	40.68	54.00	13.32	Vertical	PASS
4	17865.83	31.98	13.78	45.76	54.00	8.24	Vertical	PASS
5	5742.26	39.64	15.67	55.31	-	-	Vertical	NA
6	6461.68	34.68	16.96	51.64	68.20	16.56	Vertical	PASS
7	15066.64	41.35	9.16	50.51	68.20	17.69	Vertical	PASS
8	17980.83	39.97	13.51	53.48	74.00	20.52	Vertical	PASS

Project Information			
Mode:	802.11be40 106+26 MRU L	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5174.27	39.04	13.90	52.94	-	-	Horizontal	NA
2	8143.79	36.56	0.79	37.35	54.00	16.65	Horizontal	PASS
3	10916.53	35.47	4.90	40.37	54.00	13.63	Horizontal	PASS
4	17848.58	31.64	13.93	45.57	54.00	8.43	Horizontal	PASS
5	5173.17	46.57	13.90	60.47	-	-	Horizontal	NA
6	6363.60	34.73	17.08	51.81	68.20	16.39	Horizontal	PASS
7	14130.50	41.75	8.44	50.19	68.20	18.01	Horizontal	PASS
8	17840.53	38.98	13.59	52.57	74.00	21.43	Horizontal	PASS

Project Information			
Mode:	802.11be40 106+26 MRU L	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5174.46	44.11	13.90	58.01	-	-	Vertical	NA
2	8414.81	36.36	0.99	37.35	54.00	16.65	Vertical	PASS
3	11460.88	35.20	5.01	40.21	54.00	13.79	Vertical	PASS
4	17995.78	32.02	13.73	45.75	54.00	8.25	Vertical	PASS
5	5172.62	52.42	13.90	66.32	-	-	Vertical	NA
6	6345.08	34.70	17.23	51.93	68.20	16.27	Vertical	PASS
7	14137.79	41.11	8.50	49.61	68.20	18.59	Vertical	PASS
8	17355.60	40.33	12.23	52.56	68.20	15.64	Vertical	PASS

Project Information			
Mode:	802.11be40 106+26 MRU L	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8269.14	38.14	0.51	38.65	54.00	15.35	Horizontal	PASS
2	11453.60	34.93	5.05	39.98	54.00	14.02	Horizontal	PASS
3	17862.00	32.23	13.83	46.06	54.00	7.94	Horizontal	PASS
4	6367.08	34.65	17.04	51.69	68.20	16.51	Horizontal	PASS
5	15248.72	39.90	9.91	49.81	68.20	18.39	Horizontal	PASS
6	17912.60	39.46	13.27	52.73	74.00	21.27	Horizontal	PASS

Project Information			
Mode:	802.11be40 106+26 MRU L	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8116.95	36.93	0.62	37.55	54.00	16.45	Vertical	PASS
2	12208.02	34.86	5.28	40.14	54.00	13.86	Vertical	PASS
3	17903.40	32.34	13.32	45.66	54.00	8.34	Vertical	PASS
4	6296.86	34.94	16.74	51.68	68.20	16.52	Vertical	PASS
5	13680.84	40.88	9.28	50.16	68.20	18.04	Vertical	PASS
6	17843.21	39.19	13.70	52.89	74.00	21.11	Vertical	PASS

Project Information			
Mode:	802.11be40 106+26 MRU_H	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5683.41	39.98	14.91	54.89	-	-	Horizontal	NA
2	8021.50	37.28	0.22	37.50	-	-	Horizontal	NA
3	12679.54	34.73	6.03	40.76	54.00	13.24	Horizontal	PASS
4	17857.40	31.79	13.89	45.68	54.00	8.32	Horizontal	PASS
5	5680.29	48.19	14.92	63.11	-	-	Horizontal	NA
6	6352.96	34.16	17.18	51.34	68.20	16.86	Horizontal	PASS
7	15067.02	40.69	9.16	49.85	68.20	18.35	Horizontal	PASS
8	17980.83	39.76	13.51	53.27	74.00	20.73	Horizontal	PASS

Project Information			
Mode:	802.11be40 106+26 MRU_H	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5681.21	39.82	14.92	54.74	-	-	Vertical	NA
2	8122.70	36.86	0.66	37.52	54.00	16.48	Vertical	PASS
3	12048.17	34.81	5.42	40.23	54.00	13.77	Vertical	PASS
4	17837.46	32.34	13.45	45.79	54.00	8.21	Vertical	PASS
5	5681.39	49.16	14.92	64.08	-	-	Vertical	NA
6	6316.11	34.96	16.87	51.83	68.20	16.37	Vertical	PASS
7	13679.69	40.37	9.27	49.64	68.20	18.56	Vertical	PASS
8	17976.23	40.23	13.44	53.67	74.00	20.33	Vertical	PASS

Project Information			
Mode:	802.11be40 106+26 MRU_H	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8303.64	36.94	0.51	37.45	54.00	16.55	Horizontal	PASS
2	12056.22	34.76	5.40	40.16	54.00	13.84	Horizontal	PASS
3	6320.69	34.60	16.76	51.36	68.20	16.84	Horizontal	PASS
4	15233.77	40.22	9.41	49.63	68.20	18.57	Horizontal	PASS
5	17851.26	38.21	13.97	52.18	74.00	21.82	Horizontal	PASS
6	17851.26	38.21	13.97	52.18	74.00	21.82	Horizontal	PASS

Project Information			
Mode:	802.11be40 106+26 MRU_H	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8		

### Test Graph



### Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8438.20	36.52	1.11	37.63	54.00	16.37	Vertical	PASS
2	12553.04	35.07	5.18	40.25	54.00	13.75	Vertical	PASS
3	17862.00	32.06	13.83	45.89	54.00	8.11	Vertical	PASS
4	6332.79	34.92	16.92	51.84	68.20	16.36	Vertical	PASS
5	13691.96	40.31	9.36	49.67	68.20	18.53	Vertical	PASS
6	17838.61	39.00	13.51	52.51	74.00	21.49	Vertical	PASS

## Radiated Band Edge

### Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5130.46	31.89	12.34	44.23	54.00	9.77	Horizontal	PASS
2	5143.70	31.89	12.43	44.32	54.00	9.68	Horizontal	PASS
3	5148.77	31.83	12.48	44.31	54.00	9.69	Horizontal	PASS
4	5130.04	43.16	12.34	55.50	74.00	18.50	Horizontal	PASS
5	5143.53	43.11	12.43	55.54	74.00	18.46	Horizontal	PASS
6	5149.22	43.33	12.48	55.81	74.00	18.19	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.22	31.76	12.36	44.12	54.00	9.88	Vertical	PASS
2	5142.85	31.98	12.43	44.41	54.00	9.59	Vertical	PASS
3	5149.48	32.00	12.48	44.48	54.00	9.52	Vertical	PASS
4	5132.61	42.76	12.36	55.12	74.00	18.88	Vertical	PASS
5	5142.69	42.95	12.43	55.38	74.00	18.62	Vertical	PASS
6	5149.55	42.91	12.48	55.39	74.00	18.61	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.91	28.45	12.69	41.14	54.00	12.86	Horizontal	PASS
2	5364.50	28.33	12.76	41.09	54.00	12.91	Horizontal	PASS
3	5372.33	28.11	12.81	40.92	54.00	13.08	Horizontal	PASS
4	5351.20	39.24	12.69	51.93	74.00	22.07	Horizontal	PASS
5	5364.33	39.38	12.76	52.14	74.00	21.86	Horizontal	PASS
6	5372.27	38.91	12.81	51.72	74.00	22.28	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.23	28.98	12.69	41.67	54.00	12.33	Vertical	PASS
2	5364.79	28.27	12.77	41.04	54.00	12.96	Vertical	PASS
3	5373.02	28.30	12.81	41.11	54.00	12.89	Vertical	PASS
4	5350.87	40.52	12.69	53.21	74.00	20.79	Vertical	PASS
5	5364.72	38.92	12.76	51.68	74.00	22.32	Vertical	PASS
6	5372.76	39.79	12.81	52.60	74.00	21.40	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.08	28.04	12.70	40.74	54.00	13.26	Horizontal	PASS
2	5456.69	27.98	12.75	40.73	54.00	13.27	Horizontal	PASS
3	5458.61	28.15	12.78	40.93	54.00	13.07	Horizontal	PASS
4	5453.03	38.48	12.69	51.17	74.00	22.83	Horizontal	PASS
5	5456.63	38.62	12.75	51.37	74.00	22.63	Horizontal	PASS
6	5463.81	40.10	12.86	52.96	68.20	15.24	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.10	28.16	12.67	40.83	54.00	13.17	Vertical	PASS
2	5456.78	28.50	12.75	41.25	54.00	12.75	Vertical	PASS
3	5459.69	28.45	12.80	41.25	54.00	12.75	Vertical	PASS
4	5451.17	39.01	12.66	51.67	74.00	22.33	Vertical	PASS
5	5456.69	38.97	12.75	51.72	74.00	22.28	Vertical	PASS
6	5465.46	39.62	12.89	52.51	68.20	15.69	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.56	38.82	13.34	52.16	68.20	16.04	Horizontal	PASS
2	5734.09	39.49	13.22	52.71	68.20	15.49	Horizontal	PASS
3	5746.19	39.46	13.02	52.48	68.20	15.72	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.75	39.12	13.36	52.48	68.20	15.72	Vertical	PASS
2	5736.82	39.17	13.18	52.35	68.20	15.85	Vertical	PASS
3	5742.71	38.87	13.08	51.95	68.20	16.25	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5863.31	39.51	13.37	52.88	68.20	15.32	Horizontal	PASS
2	5918.15	38.84	13.86	52.70	68.20	15.50	Horizontal	PASS
3	5973.26	38.82	13.85	52.67	68.20	15.53	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.88	39.14	13.35	52.49	68.20	15.71	Vertical	PASS
2	5919.50	38.94	13.87	52.81	68.20	15.39	Vertical	PASS
3	5968.66	38.80	13.90	52.70	68.20	15.50	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.46	31.76	12.34	44.10	54.00	9.90	Horizontal	PASS
2	5143.18	31.86	12.43	44.29	54.00	9.71	Horizontal	PASS
3	5149.09	32.03	12.48	44.51	54.00	9.49	Horizontal	PASS
4	5131.18	42.38	12.34	54.72	74.00	19.28	Horizontal	PASS
5	5142.56	42.89	12.43	55.32	74.00	18.68	Horizontal	PASS
6	5149.91	43.15	12.48	55.63	74.00	18.37	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5128.41	31.70	12.33	44.03	54.00	9.97	Vertical	PASS
2	5136.67	31.79	12.39	44.18	54.00	9.82	Vertical	PASS
3	5149.48	31.98	12.48	44.46	54.00	9.54	Vertical	PASS
4	5128.51	42.59	12.33	54.92	74.00	19.08	Vertical	PASS
5	5137.26	43.15	12.39	55.54	74.00	18.46	Vertical	PASS
6	5150.01	42.28	12.48	54.76	-	-	Vertical	NA

Project Information			
Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.56	28.51	12.69	41.20	54.00	12.80	Horizontal	PASS
2	5357.64	28.24	12.72	40.96	54.00	13.04	Horizontal	PASS
3	5370.42	28.31	12.80	41.11	54.00	12.89	Horizontal	PASS
4	5351.00	38.86	12.69	51.55	74.00	22.45	Horizontal	PASS
5	5357.41	38.98	12.73	51.71	74.00	22.29	Horizontal	PASS
6	5370.12	39.32	12.80	52.12	74.00	21.88	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.20	28.82	12.69	41.51	54.00	12.49	Vertical	PASS
2	5364.07	28.28	12.76	41.04	54.00	12.96	Vertical	PASS
3	5371.81	28.28	12.81	41.09	54.00	12.91	Vertical	PASS
4	5350.87	39.68	12.69	52.37	74.00	21.63	Vertical	PASS
5	5364.17	39.06	12.76	51.82	74.00	22.18	Vertical	PASS
6	5371.36	39.28	12.81	52.09	74.00	21.91	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.28	27.99	12.67	40.66	54.00	13.34	Horizontal	PASS
2	5455.64	27.91	12.73	40.64	54.00	13.36	Horizontal	PASS
3	5452.10	38.54	12.67	51.21	74.00	22.79	Horizontal	PASS
4	5456.18	39.42	12.74	52.16	74.00	21.84	Horizontal	PASS
5	5469.42	39.76	12.96	52.72	68.20	15.48	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.59	28.26	12.67	40.93	54.00	13.07	Vertical	PASS
2	5456.12	28.91	12.74	41.65	54.00	12.35	Vertical	PASS
3	5452.97	39.14	12.69	51.83	74.00	22.17	Vertical	PASS
4	5455.49	38.93	12.73	51.66	74.00	22.34	Vertical	PASS
5	5464.98	39.69	12.88	52.57	68.20	15.63	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.35	39.30	13.35	52.65	68.20	15.55	Horizontal	PASS
2	5734.09	39.34	13.22	52.56	68.20	15.64	Horizontal	PASS
3	5742.50	39.23	13.08	52.31	68.20	15.89	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.49	39.25	13.33	52.58	68.20	15.62	Vertical	PASS
2	5731.03	38.99	13.27	52.26	68.20	15.94	Vertical	PASS
3	5739.55	39.69	13.13	52.82	68.20	15.38	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.70	39.23	13.26	52.49	68.20	15.71	Horizontal	PASS
2	5914.10	38.53	13.83	52.36	68.20	15.84	Horizontal	PASS
3	5964.88	38.41	13.93	52.34	68.20	15.86	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5856.29	39.26	13.30	52.56	68.20	15.64	Vertical	PASS
2	5920.31	38.27	13.88	52.15	68.20	16.05	Vertical	PASS
3	5960.56	38.37	13.98	52.35	68.20	15.85	Vertical	PASS


Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11be20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.76	31.93	12.34	44.27	54.00	9.73	Horizontal	PASS
2	5139.14	31.89	12.41	44.30	54.00	9.70	Horizontal	PASS
3	5148.35	32.01	12.47	44.48	54.00	9.52	Horizontal	PASS
4	5130.43	42.88	12.34	55.22	74.00	18.78	Horizontal	PASS
5	5139.44	42.69	12.41	55.10	74.00	18.90	Horizontal	PASS
6	5148.74	42.60	12.47	55.07	74.00	18.93	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.06	31.59	12.36	43.95	54.00	10.05	Vertical	PASS
2	5137.29	31.76	12.39	44.15	54.00	9.85	Vertical	PASS
3	5149.87	31.98	12.48	44.46	54.00	9.54	Vertical	PASS
4	5131.73	43.30	12.36	55.66	74.00	18.34	Vertical	PASS
5	5137.75	43.68	12.39	56.07	74.00	17.93	Vertical	PASS
6	5149.65	42.34	12.48	54.82	74.00	19.18	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.81	28.48	12.69	41.17	54.00	12.83	Horizontal	PASS
2	5359.03	28.20	12.73	40.93	54.00	13.07	Horizontal	PASS
3	5370.42	28.28	12.80	41.08	54.00	12.92	Horizontal	PASS
4	5350.65	39.73	12.69	52.42	74.00	21.58	Horizontal	PASS
5	5359.68	39.21	12.74	51.95	74.00	22.05	Horizontal	PASS
6	5370.58	39.11	12.80	51.91	74.00	22.09	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.13	28.71	12.68	41.39	54.00	12.61	Vertical	PASS
2	5361.41	28.44	12.75	41.19	54.00	12.81	Vertical	PASS
3	5373.31	28.54	12.81	41.35	54.00	12.65	Vertical	PASS
4	5350.35	39.05	12.68	51.73	74.00	22.27	Vertical	PASS
5	5360.86	39.61	12.74	52.35	74.00	21.65	Vertical	PASS
6	5373.63	39.70	12.81	52.51	74.00	21.49	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.88	28.03	12.69	40.72	54.00	13.28	Horizontal	PASS
2	5455.97	28.04	12.74	40.78	54.00	13.22	Horizontal	PASS
3	5452.43	38.93	12.67	51.60	74.00	22.40	Horizontal	PASS
4	5457.17	39.34	12.75	52.09	74.00	21.91	Horizontal	PASS
5	5465.10	38.66	12.88	51.54	68.20	16.66	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.58	28.27	12.69	40.96	54.00	13.04	Vertical	PASS
2	5459.36	28.65	12.80	41.45	54.00	12.55	Vertical	PASS
3	5452.58	39.37	12.69	52.06	74.00	21.94	Vertical	PASS
4	5458.22	39.06	12.77	51.83	74.00	22.17	Vertical	PASS
5	5468.67	39.54	12.94	52.48	68.20	15.72	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.66	39.30	13.36	52.66	68.20	15.54	Horizontal	PASS
2	5740.16	39.39	13.12	52.51	68.20	15.69	Horizontal	PASS
3	5745.14	39.41	13.04	52.45	68.20	15.75	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.45	39.84	13.36	53.20	68.20	15.00	Vertical	PASS
2	5734.06	39.41	13.22	52.63	68.20	15.57	Vertical	PASS
3	5740.97	39.33	13.11	52.44	68.20	15.76	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5862.23	38.51	13.36	51.87	68.20	16.33	Horizontal	PASS
2	5939.22	38.79	14.01	52.80	68.20	15.40	Horizontal	PASS
3	5999.19	38.88	13.57	52.45	68.20	15.75	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5862.77	38.94	13.37	52.31	68.20	15.89	Vertical	PASS
2	5913.56	38.55	13.83	52.38	68.20	15.82	Vertical	PASS
3	5947.59	38.94	14.08	53.02	68.20	15.18	Vertical	PASS


Project Information			
Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

## Test Graph




Project Information			
Mode:	802.11be20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5129.51	27.67	12.34	40.01	54.00	13.99	Horizontal	PASS
2	5143.07	28.31	12.43	40.74	54.00	13.26	Horizontal	PASS
3	5147.79	28.55	12.46	41.01	54.00	12.99	Horizontal	PASS
4	5131.29	38.60	12.35	50.95	74.00	23.05	Horizontal	PASS
5	5140.65	39.05	12.41	51.46	74.00	22.54	Horizontal	PASS
6	5147.49	39.36	12.46	51.82	74.00	22.18	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.91	28.21	12.36	40.57	54.00	13.43	Vertical	PASS
2	5140.10	28.22	12.41	40.63	54.00	13.37	Vertical	PASS
3	5149.15	29.94	12.48	42.42	54.00	11.58	Vertical	PASS
4	5132.87	38.74	12.36	51.10	74.00	22.90	Vertical	PASS
5	5139.71	39.22	12.41	51.63	74.00	22.37	Vertical	PASS
6	5149.24	40.50	12.48	52.98	74.00	21.02	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.44	29.26	12.69	41.95	54.00	12.05	Horizontal	PASS
2	5358.63	29.82	12.73	42.55	54.00	11.45	Horizontal	PASS
3	5366.54	28.75	12.78	41.53	54.00	12.47	Horizontal	PASS
4	5351.10	40.13	12.69	52.82	74.00	21.18	Horizontal	PASS
5	5358.50	40.94	12.73	53.67	74.00	20.33	Horizontal	PASS
6	5367.64	39.78	12.78	52.56	74.00	21.44	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.13	29.89	12.68	42.57	54.00	11.43	Vertical	PASS
2	5358.84	29.99	12.73	42.72	54.00	11.28	Vertical	PASS
3	5370.54	28.99	12.80	41.79	54.00	12.21	Vertical	PASS
4	5350.89	40.26	12.69	52.95	74.00	21.05	Vertical	PASS
5	5359.14	41.39	12.73	54.12	74.00	19.88	Vertical	PASS
6	5370.37	39.32	12.80	52.12	74.00	21.88	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5453.12	28.71	12.69	41.40	54.00	12.60	Horizontal	PASS
2	5460.33	29.05	12.81	41.86	-	-	Horizontal	NA
3	5451.88	39.09	12.67	51.76	74.00	22.24	Horizontal	PASS
4	5459.28	39.51	12.79	52.30	74.00	21.70	Horizontal	PASS
5	5462.09	40.54	12.83	53.37	68.20	14.83	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.92	28.49	12.70	41.19	54.00	12.81	Vertical	PASS
2	5457.56	28.68	12.77	41.45	54.00	12.55	Vertical	PASS
3	5453.88	39.25	12.70	51.95	74.00	22.05	Vertical	PASS
4	5456.60	39.44	12.75	52.19	74.00	21.81	Vertical	PASS
5	5465.53	42.10	12.89	54.99	68.20	13.21	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.84	39.17	13.31	52.48	68.20	15.72	Horizontal	PASS
2	5742.20	39.39	13.09	52.48	68.20	15.72	Horizontal	PASS
3	5746.65	39.11	13.01	52.12	68.20	16.08	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.89	39.30	13.36	52.66	68.20	15.54	Vertical	PASS
2	5737.49	39.35	13.17	52.52	68.20	15.68	Vertical	PASS
3	5746.85	39.38	13.01	52.39	68.20	15.81	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5868.44	39.20	13.42	52.62	68.20	15.58	Horizontal	PASS
2	5890.33	39.60	13.64	53.24	68.20	14.96	Horizontal	PASS
3	5951.65	38.96	14.07	53.03	68.20	15.17	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.53	39.13	13.33	52.46	68.20	15.74	Vertical	PASS
2	5921.66	38.47	13.88	52.35	68.20	15.85	Vertical	PASS
3	5993.52	38.80	13.63	52.43	68.20	15.77	Vertical	PASS


Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph

