


**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.34	17.00
CH46	5230	7.28	17.00

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.00	0.06	6.06	30.00
CH157	5785	6.90	0.06	6.96	30.00
CH165	5825	7.38	0.06	7.44	30.00

**TX CH149**




Date: 27.SEP.2016 11:16:45

### TX CH157



Date: 27.SEP.2016 11:17:41

### TX CH165




Date: 27.SEP.2016 11:18:35

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.52	0.06	5.58	30.00
CH157	5785	6.11	0.06	6.17	30.00
CH165	5825	5.98	0.06	6.04	30.00

**TX CH149**




Date: 27.SEP.2016 11:58:41

### TX CH157



Date: 27.SEP.2016 11:59:27

### TX CH165



Date: 27.SEP.2016 12:00:15


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.84	30.00
CH157	5785	9.59	30.00
CH165	5825	9.81	30.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.80	0.11	2.91	30.00
CH159	5795	3.51	0.11	3.62	30.00

### TX CH151



Date: 27.SEP.2016 11:35:55

### TX CH159




Date: 27.SEP.2016 11:36:45

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.03	0.11	2.14	30.00
CH159	5795	2.45	0.11	2.56	30.00

### TX CH151



Date: 27.SEP.2016 12:17:47

### TX CH159



Date: 27.SEP.2016 12:18:37

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.55	30.00
CH159	5795	6.13	30.00


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.05	0.06	8.11	17.00
CH40	5200	7.92	0.06	7.98	17.00
CH48	5240	7.58	0.06	7.64	17.00




Date: 27.SEP.2016 11:19:28

### CH40



Date: 27.SEP.2016 11:20:21

### CH48



Date: 27.SEP.2016 11:21:06


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.87	0.06	7.93	17.00
CH40	5200	7.93	0.06	7.99	17.00
CH48	5240	7.83	0.06	7.89	17.00




Date: 27.SEP.2016 12:01:07

### CH40



Date: 27.SEP.2016 12:01:49

### CH48



Date: 27.SEP.2016 12:02:29


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.03	17.00
CH40	5200	11.00	17.00
CH48	5240	10.78	17.00

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.30	0.11	4.41	17.00
CH46	5230	4.01	0.11	4.12	17.00

### CH38



Date: 27.SEP.2016 11:37:42

### CH46




Date: 27.SEP.2016 11:38:28

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.21	0.11	4.32	17.00
CH46	5230	4.22	0.11	4.33	17.00

### CH38



Date: 27.SEP.2016 12:19:39

### CH46



Date: 27.SEP.2016 12:20:21

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.38	17.00
CH46	5230	7.24	17.00

**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.79	0.22	-0.57	17.00



Date: 27.SEP.2016 11:45:35

**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.64	0.22	-0.42	17.00



Date: 27.SEP.2016 12:27:33


**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	2.52	17.00

**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.06	0.06	6.12	30.00
CH157	5785	6.91	0.06	6.97	30.00
CH165	5825	7.30	0.06	7.36	30.00

**TX CH149**




Date: 27.SEP.2016 11:27:00

### TX CH157



Date: 27.SEP.2016 11:27:48

### TX CH165




Date: 27.SEP.2016 11:28:34

**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.54	0.06	5.60	30.00
CH157	5785	6.17	0.06	6.23	30.00
CH165	5825	6.16	0.06	6.22	30.00

**TX CH149**




Date: 27.SEP.2016 12:08:56

### TX CH157



Date: 27.SEP.2016 12:09:46

### TX CH165



Date: 27.SEP.2016 12:10:34


**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.88	30.00
CH157	5785	9.63	30.00
CH165	5825	9.84	30.00

**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.78	0.11	2.89	30.00
CH159	5795	3.44	0.11	3.55	30.00

### TX CH151



Date: 27.SEP.2016 11:43:40

### TX CH159




Date: 27.SEP.2016 11:44:32

**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.04	0.11	2.15	30.00
CH159	5795	2.44	0.11	2.55	30.00

### TX CH151



Date: 27.SEP.2016 12:25:41

### TX CH159



Date: 27.SEP.2016 12:26:30


**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.55	30.00
CH159	5795	6.09	30.00

**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-1.52	0.22	-1.30	30.00

**TX CH155**




Date: 27.SEP.2016 11:50:15

**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.26	0.22	-2.04	30.00

**TX CH155**



Date: 27.SEP.2016 12:31:24


**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.36	30.00

**Test Mode: TX AC Wave2(160 MHz) Mode / CH45(UNII-1)+CH155 (UNII-3)\_Ant 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH45	5210	-0.72	0.17	-0.57	17.00
CH155	5775	-3.53	0.17	-3.38	30.00

### TX CH45



Date: 14.NOV.2016 14:49:36

### TX CH155




Date: 14.NOV.2016 14:50:27

**Test Mode: TX AC Wave2(160 MHz) Mode / CH45(UNII-1)+CH155 (UNII-3)\_Ant 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH45	5210	-1.40	0.17	-1.25	17.00
CH155	5775	-4.59	0.17	-4.44	30.00

### TX CH45



Date: 14.NOV.2016 14:46:23

### TX CH155



Date: 14.NOV.2016 14:48:03

**Test Mode: TX AC Wave2(160 MHz) Mode / CH45(UNII-1)+CH155 (UNII-3)\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH45	5210	2.12	17.00
CH155	5775	-0.86	30.00

## For 3TX Beamforming


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.27	0.06	4.33	17.00
CH40	5200	4.28	0.06	4.34	17.00
CH48	5240	3.87	0.06	3.93	17.00




Date: 27.SEP.2016 14:23:29

### CH40



Date: 27.SEP.2016 14:25:31

### CH48




Date: 27.SEP.2016 14:26:21

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.29	0.06	4.35	17.00
CH40	5200	4.35	0.06	4.41	17.00
CH48	5240	4.24	0.06	4.30	17.00

**CH36**




Date: 27.SEP.2016 15:05:29

### CH40



Date: 27.SEP.2016 15:06:15

### CH48



Date: 27.SEP.2016 15:07:03


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.39	0.06	4.45	17.00
CH40	5200	4.17	0.06	4.23	17.00
CH48	5240	3.71	0.06	3.77	17.00




Date: 27.SEP.2016 15:52:06

### CH40



Date: 27.SEP.2016 15:52:48

### CH48



Date: 27.SEP.2016 15:53:36


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.15	17.00
CH40	5200	9.10	17.00
CH48	5240	8.78	17.00

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.44	0.11	1.55	17.00
CH46	5230	1.21	0.11	1.32	17.00

### CH38



Date: 27.SEP.2016 14:44:24

### CH46




Date: 27.SEP.2016 14:45:20

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.41	0.11	1.52	17.00
CH46	5230	1.46	0.11	1.57	17.00

### CH38



Date: 27.SEP.2016 15:24:41

### CH46




Date: 27.SEP.2016 15:25:29

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.38	0.11	1.49	17.00
CH46	5230	1.08	0.11	1.19	17.00

### CH38



Date: 27.SEP.2016 16:11:32

### CH46



Date: 27.SEP.2016 16:12:19


**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.29	17.00
CH46	5230	6.13	17.00

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.13	0.06	2.19	30.00
CH157	5785	3.02	0.06	3.08	30.00
CH165	5825	3.70	0.06	3.76	30.00

**TX CH149**




Date: 27.SEP.2016 14:32:10

### TX CH157



Date: 27.SEP.2016 14:33:04

### TX CH165




Date: 27.SEP.2016 14:33:50

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.72	0.06	1.78	30.00
CH157	5785	2.29	0.06	2.35	30.00
CH165	5825	2.12	0.06	2.18	30.00

**TX CH149**




Date: 27.SEP.2016 15:12:40

### TX CH157



Date: 27.SEP.2016 15:13:29

### TX CH165




Date: 27.SEP.2016 15:14:16

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.89	0.06	1.95	30.00
CH157	5785	2.61	0.06	2.67	30.00
CH165	5825	3.06	0.06	3.12	30.00

**TX CH149**




Date: 27.SEP.2016 15:59:23

### TX CH157



Date: 27.SEP.2016 16:00:18

### TX CH165



Date: 27.SEP.2016 16:01:08


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.75	30.00
CH157	5785	7.48	30.00
CH165	5825	7.84	30.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.31	0.11	-0.20	30.00
CH159	5795	0.49	0.11	0.60	30.00

### TX CH151



Date: 27.SEP.2016 14:50:27

### TX CH159




Date: 27.SEP.2016 14:51:21

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.92	0.11	-0.81	30.00
CH159	5795	-0.37	0.11	-0.26	30.00

### TX CH151



Date: 27.SEP.2016 15:30:31

### TX CH159




Date: 27.SEP.2016 15:31:24

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.66	0.11	-0.55	30.00
CH159	5795	0.08	0.11	0.19	30.00

### TX CH151



Date: 27.SEP.2016 16:17:36

### TX CH159



Date: 27.SEP.2016 16:18:27

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.26	30.00
CH159	5795	4.96	30.00


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.28	0.06	4.34	17.00
CH40	5200	4.18	0.06	4.24	17.00
CH48	5240	3.89	0.06	3.95	17.00




Date: 27.SEP.2016 14:34:44

### CH40



Date: 27.SEP.2016 14:35:30

### CH48



Date: 27.SEP.2016 14:36:16


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.29	0.06	4.35	17.00
CH40	5200	4.40	0.06	4.46	17.00
CH48	5240	4.23	0.06	4.29	17.00




Date: 27.SEP.2016 15:15:07

### CH40



Date: 27.SEP.2016 15:15:50

### CH48



Date: 27.SEP.2016 15:16:37


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.42	0.06	4.48	17.00
CH40	5200	4.17	0.06	4.23	17.00
CH48	5240	3.78	0.06	3.84	17.00




Date: 27.SEP.2016 16:02:02

### CH40



Date: 27.SEP.2016 16:02:44

### CH48



Date: 27.SEP.2016 16:03:29


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.16	17.00
CH40	5200	9.08	17.00
CH48	5240	8.80	17.00

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.37	0.11	1.48	17.00
CH46	5230	1.28	0.11	1.39	17.00

### CH38



Date: 27.SEP.2016 14:52:22

### CH46




Date: 27.SEP.2016 14:53:17

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.40	0.11	1.51	17.00
CH46	5230	1.57	0.11	1.68	17.00

### CH38



Date: 27.SEP.2016 15:38:29

### CH46




Date: 27.SEP.2016 15:39:22

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.36	0.11	1.47	17.00
CH46	5230	0.92	0.11	1.03	17.00

### CH38



Date: 27.SEP.2016 16:19:32

### CH46



Date: 27.SEP.2016 16:20:20

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.26	17.00
CH46	5230	6.15	17.00

**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.64	0.22	-2.42	17.00



Date: 27.SEP.2016 15:00:20

**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.25	0.22	-2.03	17.00



Date: 27.SEP.2016 15:46:44

**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.43	0.22	-2.21	17.00



Date: 27.SEP.2016 16:27:15


**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	2.55	17.00

**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.23	0.06	2.29	30.00
CH157	5785	3.00	0.06	3.06	30.00
CH165	5825	3.71	0.06	3.77	30.00

**TX CH149**




Date: 27.SEP.2016 14:41:44

### TX CH157



Date: 27.SEP.2016 14:42:34

### TX CH165




Date: 27.SEP.2016 14:43:20

**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.68	0.06	1.74	30.00
CH157	5785	2.23	0.06	2.29	30.00
CH165	5825	2.15	0.06	2.21	30.00

**TX CH149**




Date: 27.SEP.2016 15:22:07

### TX CH157



Date: 27.SEP.2016 15:22:57

### TX CH165




Date: 27.SEP.2016 15:23:46

**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.89	0.06	1.95	30.00
CH157	5785	2.74	0.06	2.80	30.00
CH165	5825	2.99	0.06	3.05	30.00

**TX CH149**




Date: 27.SEP.2016 16:09:01

### TX CH157



Date: 27.SEP.2016 16:09:50

### TX CH165



Date: 27.SEP.2016 16:10:38


**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.77	30.00
CH157	5785	7.50	30.00
CH165	5825	7.83	30.00

**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.30	0.11	-0.19	30.00
CH159	5795	0.40	0.11	0.51	30.00

### TX CH151



Date: 27.SEP.2016 14:58:30

### TX CH159




Date: 27.SEP.2016 14:59:19

**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.77	0.11	-0.66	30.00
CH159	5795	-0.52	0.11	-0.41	30.00

### TX CH151



Date: 27.SEP.2016 15:44:40

### TX CH159




Date: 27.SEP.2016 15:45:44

**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.64	0.11	-0.53	30.00
CH159	5795	0.02	0.11	0.13	30.00

### TX CH151



Date: 27.SEP.2016 16:25:26

### TX CH159



Date: 27.SEP.2016 16:26:17


**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.32	30.00
CH159	5795	4.86	30.00

**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.63	0.22	-3.41	30.00

**TX CH155**




Date: 27.SEP.2016 15:04:10

**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.30	0.22	-4.08	30.00

**TX CH155**




Date: 27.SEP.2016 15:50:31

**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.97	0.22	-3.75	30.00

**TX CH155**



Date: 27.SEP.2016 16:31:00


**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.03	30.00

## For 4TX Beamforming


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.16	0.06	2.22	17.00
CH40	5200	2.18	0.06	2.24	17.00
CH48	5240	1.82	0.06	1.88	17.00




Date: 27.SEP.2016 16:45:35

### CH40



Date: 27.SEP.2016 16:46:21

### CH48



Date: 27.SEP.2016 16:47:06


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.23	0.06	2.29	17.00
CH40	5200	2.37	0.06	2.43	17.00
CH48	5240	2.26	0.06	2.32	17.00




Date: 27.SEP.2016 17:29:56

### CH40



Date: 27.SEP.2016 17:30:40

### CH48




Date: 27.SEP.2016 17:31:27

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.61	0.06	2.67	17.00
CH40	5200	2.35	0.06	2.41	17.00
CH48	5240	1.97	0.06	2.03	17.00

**CH36**




Date: 27.SEP.2016 18:10:12

### CH40



Date: 27.SEP.2016 18:10:53

### CH48




Date: 27.SEP.2016 18:11:36

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.87	0.06	2.93	17.00
CH40	5200	3.00	0.06	3.06	17.00
CH48	5240	3.00	0.06	3.06	17.00

**CH36**




Date: 27.SEP.2016 19:19:15

### CH40



Date: 27.SEP.2016 19:19:56

### CH48



Date: 27.SEP.2016 19:20:44


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.56	17.00
CH40	5200	8.57	17.00
CH48	5240	8.37	17.00

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.69	0.11	-0.58	17.00
CH46	5230	-0.80	0.11	-0.69	17.00

### CH38



Date: 27.SEP.2016 17:04:31

### CH46




Date: 27.SEP.2016 17:05:21

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.63	0.11	-0.52	17.00
CH46	5230	-0.51	0.11	-0.40	17.00

### CH38



Date: 27.SEP.2016 17:48:55

### CH46




Date: 27.SEP.2016 17:49:43

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.38	0.11	-0.27	17.00
CH46	5230	-1.00	0.11	-0.89	17.00

### CH38



Date: 27.SEP.2016 18:29:39

### CH46




Date: 27.SEP.2016 18:30:28

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.10	0.11	0.01	17.00
CH46	5230	0.12	0.11	0.23	17.00

### CH38



Date: 27.SEP.2016 19:38:05

### CH46



Date: 27.SEP.2016 19:38:52


**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.68	17.00
CH46	5230	5.60	17.00

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.30	0.06	0.36	30.00
CH157	5785	1.02	0.06	1.08	30.00
CH165	5825	1.41	0.06	1.47	30.00

**TX CH149**




Date: 27.SEP.2016 16:52:37

### TX CH157



Date: 27.SEP.2016 16:53:26

### TX CH165




Date: 27.SEP.2016 16:54:14

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.02	0.06	0.04	30.00
CH157	5785	0.50	0.06	0.56	30.00
CH165	5825	0.45	0.06	0.51	30.00

**TX CH149**




Date: 27.SEP.2016 17:36:49

### TX CH157



Date: 27.SEP.2016 17:37:38

### TX CH165




Date: 27.SEP.2016 17:38:27

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.12	0.06	-0.06	30.00
CH157	5785	0.67	0.06	0.73	30.00
CH165	5825	1.04	0.06	1.10	30.00

**TX CH149**




Date: 27.SEP.2016 18:16:50

### TX CH157



Date: 27.SEP.2016 18:17:39

### TX CH165




Date: 27.SEP.2016 18:18:26

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.35	0.06	1.41	30.00
CH157	5785	1.36	0.06	1.42	30.00
CH165	5825	0.61	0.06	0.67	30.00

**TX CH149**




Date: 27.SEP.2016 19:26:10

### TX CH157



Date: 27.SEP.2016 19:26:59

### TX CH165



Date: 27.SEP.2016 19:27:46


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.50	30.00
CH157	5785	6.98	30.00
CH165	5825	6.97	30.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.18	0.11	-2.07	30.00
CH159	5795	-1.60	0.11	-1.49	30.00

### TX CH151



Date: 27.SEP.2016 17:10:19

### TX CH159




Date: 27.SEP.2016 17:11:10

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.71	0.11	-2.60	30.00
CH159	5795	-2.21	0.11	-2.10	30.00

### TX CH151



Date: 27.SEP.2016 17:55:55

### TX CH159




Date: 27.SEP.2016 17:56:46

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.70	0.11	-2.59	30.00
CH159	5795	-2.05	0.11	-1.94	30.00

### TX CH151



Date: 27.SEP.2016 19:05:02

### TX CH159




Date: 27.SEP.2016 19:05:54

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.47	0.11	-1.36	30.00
CH159	5795	-1.50	0.11	-1.39	30.00

### TX CH151



Date: 27.SEP.2016 19:43:55

### TX CH159



Date: 27.SEP.2016 19:44:51

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.89	30.00
CH159	5795	4.30	30.00


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.16	0.06	2.22	17.00
CH40	5200	2.05	0.06	2.11	17.00
CH48	5240	1.82	0.06	1.88	17.00




Date: 27.SEP.2016 16:55:09

### CH40



Date: 27.SEP.2016 16:55:55


### CH48



Date: 27.SEP.2016 16:56:39


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.24	0.06	2.30	17.00
CH40	5200	2.24	0.06	2.30	17.00
CH48	5240	2.20	0.06	2.26	17.00




Date: 27.SEP.2016 17:39:19

### CH40



Date: 27.SEP.2016 17:40:04

### CH48



Date: 27.SEP.2016 17:40:50


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.51	0.06	2.57	17.00
CH40	5200	2.35	0.06	2.41	17.00
CH48	5240	1.94	0.06	2.00	17.00




Date: 27.SEP.2016 18:19:18

### CH40



Date: 27.SEP.2016 18:20:04


### CH48



Date: 27.SEP.2016 18:20:47


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.82	0.06	2.88	17.00
CH40	5200	2.97	0.06	3.03	17.00
CH48	5240	2.94	0.06	3.00	17.00




Date: 27.SEP.2016 19:28:36

### CH40



Date: 27.SEP.2016 19:29:22

### CH48



Date: 27.SEP.2016 19:30:06


**Test Mode: UNII-1/TX AC Wave2(20 MHz) Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.52	17.00
CH40	5200	8.50	17.00
CH48	5240	8.33	17.00

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.06	0.11	0.05	17.00
CH46	5230	-0.83	0.11	-0.72	17.00

### CH38



Date: 27.SEP.2016 17:12:12

### CH46




Date: 27.SEP.2016 17:13:01

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.77	0.11	-0.66	17.00
CH46	5230	-0.50	0.11	-0.39	17.00

### CH38



Date: 27.SEP.2016 17:57:41

### CH46



Date: 27.SEP.2016 17:58:29

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.55	0.11	-0.44	17.00
CH46	5230	-0.94	0.11	-0.83	17.00



**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.04	0.11	0.15	17.00
CH46	5230	0.05	0.11	0.16	17.00

### CH38



Date: 27.SEP.2016 19:45:51

### CH46




Date: 27.SEP.2016 19:46:38

**Test Mode: UNII-1/TX AC Wave2(40 MHz) Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.43	17.00
CH46	5230	4.12	17.00

**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.77	0.22	-4.55	17.00



Date: 27.SEP.2016 17:19:48

**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.49	0.22	-4.27	17.00



Date: 27.SEP.2016 18:05:14

**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.73	0.22	-4.51	17.00



Date: 27.SEP.2016 19:14:18

**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.02	0.22	-3.80	17.00



Date: 27.SEP.2016 19:53:33


**Test Mode: UNII-1/TX AC Wave2(80 MHz) Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.75	17.00

**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.33	0.06	0.39	30.00
CH157	5785	1.09	0.06	1.15	30.00
CH165	5825	1.42	0.06	1.48	30.00

**TX CH149**




Date: 27.SEP.2016 17:01:57

### TX CH157



Date: 27.SEP.2016 17:02:47

### TX CH165




Date: 27.SEP.2016 17:03:35

**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.06	0.06	0.00	30.00
CH157	5785	0.44	0.06	0.50	30.00
CH165	5825	0.41	0.06	0.47	30.00

**TX CH149**




Date: 27.SEP.2016 17:46:11

### TX CH157



Date: 27.SEP.2016 17:47:01

### TX CH165




Date: 27.SEP.2016 17:47:47

**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.15	0.06	-0.09	30.00
CH157	5785	0.76	0.06	0.82	30.00
CH165	5825	1.18	0.06	1.24	30.00

**TX CH149**




Date: 27.SEP.2016 18:26:51

### TX CH157



Date: 27.SEP.2016 18:27:39

### TX CH165




Date: 27.SEP.2016 18:28:34

**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.37	0.06	1.43	30.00
CH157	5785	1.25	0.06	1.31	30.00
CH165	5825	0.59	0.06	0.65	30.00

**TX CH149**




Date: 27.SEP.2016 19:35:31

### TX CH157



Date: 27.SEP.2016 19:36:21

### TX CH165



Date: 27.SEP.2016 19:37:08


**Test Mode: UNII-3/ TX AC Wave2(20 MHz) Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.50	30.00
CH157	5785	6.98	30.00
CH165	5825	7.00	30.00

**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.26	0.11	-2.15	30.00
CH159	5795	-1.71	0.11	-1.60	30.00

### TX CH151



Date: 27.SEP.2016 17:18:01

### TX CH159




Date: 27.SEP.2016 17:18:51

**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.56	0.11	-2.45	30.00
CH159	5795	-2.33	0.11	-2.22	30.00

### TX CH151



Date: 27.SEP.2016 18:03:25

### TX CH159




Date: 27.SEP.2016 18:04:13

**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.82	0.11	-2.71	30.00
CH159	5795	-2.13	0.11	-2.02	30.00

### TX CH151



Date: 27.SEP.2016 19:12:35

### TX CH159




Date: 27.SEP.2016 19:13:23

**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.44	0.11	-1.33	30.00
CH159	5795	-1.48	0.11	-1.37	30.00

### TX CH151



Date: 27.SEP.2016 19:51:49

### TX CH159



Date: 27.SEP.2016 19:52:38


**Test Mode: UNII-3/ TX AC Wave2(40 MHz) Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.89	30.00
CH159	5795	4.23	30.00

**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.52	0.22	-5.30	30.00

**TX CH155**




Date: 27.SEP.2016 17:23:24

**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-6.21	0.22	-5.99	30.00

**TX CH155**




Date: 27.SEP.2016 18:08:59

**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-6.08	0.22	-5.86	30.00

**TX CH155**




Date: 27.SEP.2016 19:18:08

**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.22	0.22	-5.00	30.00

**TX CH155**



Date: 27.SEP.2016 19:57:11

**Test Mode: UNII-3/ TX AC Wave2(80 MHz) Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.50	30.00

## ATTACHMENT H - FREQUENCY STABILITY

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0032
120	5180.0036
108	5180.0036
Max. Deviation (MHz)	0.0036
Max. Deviation (ppm)	0.6950

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0036
5	5180.0036
15	5180.0036
25	5180.0036
35	5180.0040
45	5180.0040
50	5180.0040
Max. Deviation (MHz)	0.0040
Max. Deviation (ppm)	0.7722

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0044
120	5745.0044
108	5745.0044
Max. Deviation (MHz)	0.0044
Max. Deviation (ppm)	0.7659

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0044
5	5745.0044
15	5745.0048
25	5745.0048
35	5745.0048
45	5745.0048
50	5745.0048
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.8355