



**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.61	0.06	3.67	10.42
CH60	5300	3.12	0.06	3.18	10.42
CH64	5320	3.26	0.06	3.32	10.42




Date: 20.DEC.2016 14:52:55

### CH60



Date: 20.DEC.2016 14:56:41


### CH64



Date: 20.DEC.2016 15:20:26


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.62	0.06	2.68	10.42
CH60	5300	2.08	0.06	2.14	10.42
CH64	5320	2.36	0.06	2.42	10.42




Date: 20.DEC.2016 14:51:53

### CH60



Date: 20.DEC.2016 15:13:56


### CH64



Date: 20.DEC.2016 15:19:24


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.53	0.06	3.59	10.42
CH60	5300	3.32	0.06	3.38	10.42
CH64	5320	3.53	0.06	3.59	10.42




Date: 20.DEC.2016 14:50:33

### CH60



Date: 20.DEC.2016 15:16:51

### CH64



Date: 20.DEC.2016 15:18:10


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.17	10.42
CH60	5300	8.75	10.42
CH64	5320	8.96	10.42

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.60	0.14	2.74	10.42
CH62	5310	3.39	0.14	3.53	10.42

### CH54



Date: 20.DEC.2016 16:59:34

### CH62




Date: 20.DEC.2016 17:10:45

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.65	0.14	3.79	10.42
CH62	5310	4.33	0.14	4.47	10.42

### CH54



Date: 20.DEC.2016 17:01:21

### CH62




Date: 20.DEC.2016 17:09:11

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.52	0.14	2.66	10.42
CH62	5310	3.27	0.14	3.41	10.42

### CH54



Date: 20.DEC.2016 17:02:48

### CH62




Date: 20.DEC.2016 17:07:45

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.82	0.14	3.96	10.42
CH62	5310	4.47	0.14	4.61	10.42

### CH54



Date: 20.DEC.2016 17:04:17

### CH62




Date: 20.DEC.2016 17:05:51

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	9.35	10.42
CH62	5310	10.06	10.42




### CH60



Date: 20.DEC.2016 15:55:37


### CH64



Date: 20.DEC.2016 16:11:06


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.53	0.06	3.59	10.42
CH60	5300	3.09	0.06	3.15	10.42
CH64	5320	3.26	0.06	3.32	10.42




Date: 20.DEC.2016 15:48:18

### CH60



Date: 20.DEC.2016 15:58:51


### CH64



Date: 20.DEC.2016 16:09:07


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.60	0.06	2.66	10.42
CH60	5300	2.06	0.06	2.12	10.42
CH64	5320	2.33	0.06	2.39	10.42




Date: 20.DEC.2016 15:47:10

### CH60



Date: 20.DEC.2016 16:01:48


### CH64



Date: 20.DEC.2016 16:05:44


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.53	0.06	3.59	10.42
CH60	5300	3.10	0.06	3.16	10.42
CH64	5320	3.48	0.06	3.54	10.42




Date: 20.DEC.2016 15:45:57

### CH60



Date: 20.DEC.2016 16:03:17

### CH64



Date: 20.DEC.2016 16:04:35


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.15	10.42
CH60	5300	8.69	10.42
CH64	5320	8.94	10.42

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.67	0.14	2.81	10.42
CH62	5310	3.37	0.14	3.51	10.42

### CH54



Date: 20.DEC.2016 18:35:44

### CH62




Date: 20.DEC.2016 18:50:29

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.64	0.14	3.78	10.42
CH62	5310	4.31	0.14	4.45	10.42

### CH54



Date: 20.DEC.2016 18:37:19

### CH62




Date: 20.DEC.2016 18:45:48

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.65	0.14	2.79	10.42
CH62	5310	3.26	0.14	3.40	10.42

### CH54



Date: 20.DEC.2016 18:38:52

### CH62




Date: 20.DEC.2016 18:44:27

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.83	0.14	3.97	10.42
CH62	5310	4.42	0.14	4.56	10.42

### CH54



Date: 20.DEC.2016 18:40:22

### CH62




Date: 20.DEC.2016 18:42:48

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	7.92	10.42
CH62	5310	8.59	10.42

**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	2.39	0.22	2.61	10.42



Date: 20.DEC.2016 19:21:12

**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	3.26	0.22	3	10.42



Date: 20.DEC.2016 19:19:45

**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	2.16	0.22	2.38	10.42



Date: 20.DEC.2016 19:18:05




**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	9.08	10.42


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.94	0.14	4.08	10.42
CH116	5580	3.40	0.14	3.54	10.42
CH140	5700	2.64	0.14	2.78	10.42




Date: 20.DEC.2016 14:27:30

### CH116



Date: 20.DEC.2016 14:41:37


### CH140



Date: 20.DEC.2016 14:43:48




### CH116



Date: 20.DEC.2016 14:40:32


### CH140



Date: 20.DEC.2016 14:44:55


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.59	0.14	3.73	10.42
CH116	5580	3.11	0.14	3.25	10.42
CH140	5700	2.71	0.14	2.85	10.42




Date: 20.DEC.2016 14:31:54

### CH116



Date: 20.DEC.2016 14:39:06


### CH140



Date: 20.DEC.2016 14:46:07




### CH116



Date: 20.DEC.2016 14:37:24

### CH140




Date: 20.DEC.2016 14:47:20

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.82	10.42
CH116	5580	9.61	10.42
CH140	5700	9.23	10.42


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.74	0.06	3.80	10.42
CH116	5580	3.13	0.06	3.19	10.42
CH140	5700	2.31	0.06	2.37	10.42

**CH100**



Date: 20.DEC.2016 15:23:11

### CH116



Date: 20.DEC.2016 15:32:09


### CH140



Date: 20.DEC.2016 15:37:04


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.14	0.06	3.20	10.42
CH116	5580	3.01	0.06	3.07	10.42
CH140	5700	2.86	0.06	2.92	10.42

**CH100**



Date: 20.DEC.2016 15:24:15

### CH116



Date: 20.DEC.2016 15:30:29


### CH140



Date: 20.DEC.2016 15:39:36


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.46	0.06	3.46	10.42
CH116	5580	3.08	0.06	5.50	10.42
CH140	5700	2.57	0.06	2.63	10.42

**CH100**



Date: 20.DEC.2016 15:25:38

### CH116



Date: 20.DEC.2016 15:29:23


### CH140



Date: 20.DEC.2016 15:42:37


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.69	0.06	3.75	10.42
CH116	5580	3.93	0.06	3.99	10.42
CH140	5700	3.70	0.06	3.76	10.42

**CH100**



Date: 20.DEC.2016 15:26:42

### CH116



Date: 20.DEC.2016 15:28:19

### CH140




Date: 20.DEC.2016 15:43:45

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.58	10.42
CH116	5580	10.07	10.42
CH140	5700	8.97	10.42


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.83	0.14	3.97	10.42
CH110	5550	3.79	0.14	3.93	10.42
CH134	5670	3.10	0.14	3.24	10.42




Date: 20.DEC.2016 17:23:14

### CH110



Date: 20.DEC.2016 17:33:59


### CH134



Date: 20.DEC.2016 18:33:40


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.14	0.14	3.28	10.42
CH110	5550	3.49	0.14	3.63	10.42
CH134	5670	3.61	0.14	3.75	10.42




Date: 20.DEC.2016 17:21:49

### CH110



Date: 20.DEC.2016 18:21:54


### CH134



Date: 20.DEC.2016 18:31:35


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.32	0.14	3.46	10.42
CH110	5550	3.41	0.14	3.55	10.42
CH134	5670	3.11	0.14	3.25	10.42




Date: 20.DEC.2016 17:20:28

### CH110



Date: 20.DEC.2016 18:23:23


### CH134



Date: 20.DEC.2016 18:30:16


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.57	0.14	3.71	10.42
CH110	5550	4.03	0.14	4.17	10.42
CH134	5670	4.40	0.14	4.54	10.42




Date: 20.DEC.2016 17:18:44

### CH110



Date: 20.DEC.2016 18:26:52

### CH134




Date: 20.DEC.2016 18:28:08

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	9.63	10.42
CH110	5550	9.85	10.42
CH134	5670	9.75	10.42


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.83	0.06	3.89	10.42
CH116	5580	3.22	0.06	3.28	10.42
CH140	5700	2.38	0.06	2.44	10.42




Date: 20.DEC.2016 16:22:09

### CH116



Date: 20.DEC.2016 16:25:46


### CH140



Date: 20.DEC.2016 16:36:12


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.03	0.06	3.09	10.42
CH116	5580	3.03	0.06	3.09	10.42
CH140	5700	2.81	0.06	2.87	10.42




Date: 20.DEC.2016 16:21:09

### CH116



Date: 20.DEC.2016 16:26:59


### CH140



Date: 20.DEC.2016 16:34:51


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.46	0.06	3.52	10.42
CH116	5580	3.08	0.06	3.14	10.42
CH140	5700	2.36	0.06	2.42	10.42




Date: 20.DEC.2016 16:20:03

### CH116



Date: 20.DEC.2016 16:28:18


### CH140



Date: 20.DEC.2016 16:33:26


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.74	0.06	3.80	10.42
CH116	5580	3.90	0.06	3.96	10.42
CH140	5700	2.36	0.06	2.42	10.42




Date: 20.DEC.2016 16:18:39

### CH116



Date: 20.DEC.2016 16:29:34

### CH140




Date: 20.DEC.2016 16:31:56

**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.61	10.42
CH116	5580	9.40	10.42
CH140	5700	8.56	10.42


**Test Mode: UNII-2C/TX AC Wave2(40 MHz)\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.83	0.14	3.97	10.42
CH110	5550	3.80	0.14	3.94	10.42
CH134	5670	3.13	0.14	3.27	10.42




Date: 20.DEC.2016 18:54:47

### CH110



Date: 20.DEC.2016 19:08:29


### CH134



Date: 20.DEC.2016 19:09:57


**Test Mode: UNII-2C/TX AC Wave2(40 MHz)\_CH102/CH110/CH134\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.30	0.14	3.44	10.42
CH110	5550	3.49	0.14	3.63	10.42
CH134	5670	3.44	0.14	3.58	10.42




Date: 20.DEC.2016 18:56:43

### CH110



Date: 20.DEC.2016 19:06:42


### CH134



Date: 20.DEC.2016 19:11:37


**Test Mode: UNII-2C/TX AC Wave2(40 MHz)\_CH102/CH110/CH134\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.33	0.14	3.47	10.42
CH110	5550	3.33	0.14	3.47	10.42
CH134	5670	3.08	0.14	3.22	10.42




Date: 20.DEC.2016 18:58:25

### CH110



Date: 20.DEC.2016 19:03:40


### CH134



Date: 20.DEC.2016 19:12:54


**Test Mode: UNII-2C/TX AC Wave2(40 MHz)\_CH102/CH110/CH134\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.54	0.14	3.68	10.42
CH110	5550	3.92	0.14	4.06	10.42
CH134	5670	4.21	0.14	4.35	10.42




Date: 20.DEC.2016 18:59:47

### CH110



Date: 20.DEC.2016 19:02:18

### CH134



Date: 20.DEC.2016 19:14:03


**Test Mode: UNII-2C/TX AC Wave2(40 MHz)\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	8.41	10.42
CH110	5550	8.46	10.42
CH134	5670	8.13	10.42

**Test Mode: UNII-2C/TX AC Wave2(80 MHz)\_CH106/CH122\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	2.75	0.22	2.97	10.42
CH122	5610	0.55	0.22	0.77	10.42

### CH106



Date: 20.DEC.2016 19:22:41

### CH122




Date: 20.DEC.2016 19:41:17

**Test Mode: UNII-2C/TX AC Wave2(80 MHz)\_CH106/CH122\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.90	0.22	1.12	10.42
CH122	5610	0.34	0.22	0.56	10.42

### CH106



Date: 20.DEC.2016 19:27:02

### CH122




Date: 20.DEC.2016 19:38:23

**Test Mode: UNII-2C/TX AC Wave2(80 MHz)\_CH106/CH122\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.90	0.22	2.12	10.42
CH122	5610	-0.08	0.22	0.14	10.42

### CH106



Date: 20.DEC.2016 19:30:11

### CH122




Date: 20.DEC.2016 19:36:06

**Test Mode: UNII-2C/TX AC Wave2(80 MHz)\_CH106/CH122\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.38	0.22	1.60	10.42
CH122	5610	1.13	0.22	1.35	10.42

### CH106



Date: 20.DEC.2016 19:32:15

### CH122



Date: 20.DEC.2016 19:33:58


**Test Mode: UNII-2C/TX AC Wave2(80 MHz)\_CH106/CH122\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	8.03	10.42
CH122	5610	6.75	10.42

## For 2TX Beamforming


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.49	0.06	2.55	7.42
CH60	5300	3.25	0.06	3.31	7.42
CH64	5320	2.47	0.06	2.53	7.42




Date: 29.DEC.2016 10:28:13

### CH60



Date: 29.DEC.2016 10:32:21


### CH64



Date: 29.DEC.2016 10:39:07


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.34	0.06	3.40	7.42
CH60	5300	3.95	0.06	4.01	7.42
CH64	5320	3.23	0.06	3.29	7.42




Date: 29.DEC.2016 10:30:10

### CH60



Date: 29.DEC.2016 10:33:29

### CH64



Date: 29.DEC.2016 10:36:45


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.01	7.42
CH60	5300	6.68	7.42
CH64	5320	5.94	7.42

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.48	0.14	2.62	7.42
CH62	5310	3.13	0.14	3.27	7.42

### CH54



Date: 29.DEC.2016 13:21:00

### CH62




Date: 29.DEC.2016 13:22:36

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.30	0.14	3.44	7.42
CH62	5310	3.12	0.14	3.26	7.42

### CH54



Date: 29.DEC.2016 13:18:56

### CH62




Date: 29.DEC.2016 13:25:08

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.06	7.42
CH62	5310	6.28	7.42


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.74	0.06	2.80	7.42
CH60	5300	3.45	0.06	3.51	7.42
CH64	5320	2.62	0.06	2.68	7.42




Date: 29.DEC.2016 11:20:29

### CH60



Date: 29.DEC.2016 11:22:29


### CH64



Date: 29.DEC.2016 11:27:56


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.68	0.06	3.74	7.42
CH60	5300	3.31	0.06	3.37	7.42
CH64	5320	3.57	0.06	3.63	7.42




Date: 29.DEC.2016 11:19:25

### CH60



Date: 29.DEC.2016 11:25:13

### CH64



Date: 29.DEC.2016 11:26:53


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.31	7.42
CH60	5300	6.45	7.42
CH64	5320	6.19	7.42

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.67	0.14	2.81	7.42
CH62	5310	2.29	0.14	2.43	7.42

### CH54



Date: 29.DEC.2016 13:55:00

### CH62




Date: 29.DEC.2016 14:01:32

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.43	0.14	3.57	7.42
CH62	5310	3.22	0.14	3.36	7.42

### CH54



Date: 29.DEC.2016 13:57:16

### CH62




Date: 29.DEC.2016 14:00:15

**Test Mode: UNII-2A/TX AC Wave2(40 MHz)\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.22	7.42
CH62	5310	5.93	7.42

**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.81	0.22	-0.59	7.42



Date: 29.DEC.2016 14:17:17

**Test Mode: UNII-2A/TX AC Wave2(80 MHz)\_CH58\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.19	0.22	0.41	7.42



Date: 29.DEC.2016 14:15:11