



Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.55	0.06	7.61	11.00
CH60	5300	8.42	0.06	8.48	11.00
CH64	5320	8.97	0.06	9.03	11.00




Date: 21.SEP.2016 22:01:36

CH60



Date: 21.SEP.2016 22:02:43

CH64




Date: 21.SEP.2016 22:03:15

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.06	0.11	4.17	11.00
CH62	5310	5.17	0.11	5.28	11.00

CH54



Date: 21.SEP.2016 22:20:44


CH62



Date: 21.SEP.2016 22:21:37


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.60	0.06	7.66	11.00
CH60	5300	8.46	0.06	8.52	11.00
CH64	5320	8.92	0.06	8.98	11.00




Date: 21.SEP.2016 22:11:16

CH60



Date: 21.SEP.2016 22:12:05

CH64




Date: 21.SEP.2016 22:12:47

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.08	0.11	4.19	11.00
CH62	5310	4.90	0.11	5.01	11.00

CH54



Date: 22.SEP.2016 19:58:23


CH62



Date: 22.SEP.2016 19:59:41


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.31	0.14	10.45	11.00
CH116	5580	7.83	0.14	7.97	11.00
CH140	5700	8.61	0.14	8.75	11.00




Date: 21.SEP.2016 21:47:40

CH116



Date: 21.SEP.2016 21:50:01


CH140



Date: 21.SEP.2016 21:50:47


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.11	0.06	10.17	11.00
CH116	5580	7.57	0.06	7.63	11.00
CH140	5700	8.37	0.06	8.43	11.00




Date: 21.SEP.2016 22:04:03

CH116



Date: 21.SEP.2016 22:04:53


CH140



Date: 21.SEP.2016 22:05:25


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.44	0.11	6.55	11.00
CH110	5550	4.96	0.11	5.07	11.00
CH134	5670	4.25	0.11	4.36	11.00




Date: 21.SEP.2016 22:22:38

CH110



Date: 21.SEP.2016 22:23:41


CH134



Date: 21.SEP.2016 22:24:31


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.09	0.06	10.15	11.00
CH116	5580	7.59	0.06	7.65	11.00
CH140	5700	8.40	0.06	8.46	11.00




Date: 21.SEP.2016 22:13:37

CH116



Date: 21.SEP.2016 22:14:37


CH140



Date: 21.SEP.2016 22:15:08


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.44	0.11	6.55	11.00
CH110	5550	5.20	0.11	5.31	11.00
CH134	5670	4.23	0.11	4.34	11.00




Date: 22.SEP.2016 20:00:47

CH110



Date: 22.SEP.2016 20:01:51

CH134




Date: 22.SEP.2016 20:02:46

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.71	0.22	1.93	11.00
CH122	5610	-0.64	0.22	-0.42	11.00

CH106



Date: 22.SEP.2016 20:10:30


CH122



Date: 22.SEP.2016 20:12:07


Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.73	0.13	-1.60	10.42
CH122	5610	-1.53	0.13	-1.40	10.42



Date: 4.JAN.2017 13:29:58

CH122




Date: 4.JAN.2017 13:35:22

For 2TX Non-Beamforming


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.37	0.14	7.51	11.00
CH60	5300	6.46	0.14	6.60	11.00
CH64	5320	6.90	0.14	7.04	11.00




Date: 30.DEC.2016 14:03:41

CH60



Date: 30.DEC.2016 14:09:32


CH64



Date: 30.DEC.2016 14:10:45


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.14	0.14	7.28	11.00
CH60	5300	7.13	0.14	7.27	11.00
CH64	5320	6.50	0.14	6.64	11.00




Date: 30.DEC.2016 14:05:54

CH60



Date: 30.DEC.2016 14:08:25

CH64




Date: 30.DEC.2016 14:12:38

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.41	11.00
CH60	5300	9.96	11.00
CH64	5320	9.85	11.00


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.30	0.06	6.36	11.00
CH60	5300	6.30	0.06	6.36	11.00
CH64	5320	4.84	0.06	4.90	11.00




Date: 30.DEC.2016 15:05:55

CH60



Date: 30.DEC.2016 15:09:21


CH64



Date: 30.DEC.2016 15:28:31


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.78	0.06	6.84	11.00
CH60	5300	6.75	0.06	6.81	11.00
CH64	5320	5.03	0.06	5.09	11.00




Date: 30.DEC.2016 15:04:40

CH60



Date: 30.DEC.2016 15:13:13

CH64



Date: 30.DEC.2016 15:26:16


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.62	11.00
CH60	5300	9.60	11.00
CH64	5320	8.01	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.05	0.11	6.16	11.00
CH62	5310	-2.13	0.11	-2.02	11.00

CH54



Date: 30.DEC.2016 16:07:12

CH62




Date: 30.DEC.2016 16:10:38

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.29	0.11	6.40	11.00
CH62	5310	-1.79	0.11	-1.68	11.00

CH54



Date: 30.DEC.2016 16:06:12

CH62




Date: 30.DEC.2016 16:11:48

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	9.29	11.00
CH62	5310	1.16	11.00


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.48	0.06	6.54	11.00
CH60	5300	6.36	0.06	6.42	11.00
CH64	5320	4.96	0.06	5.02	11.00




Date: 30.DEC.2016 15:42:16

CH60



Date: 30.DEC.2016 15:44:07


CH64



Date: 30.DEC.2016 15:47:22


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.00	0.06	7.06	11.00
CH60	5300	6.75	0.06	6.81	11.00
CH64	5320	5.02	0.06	5.08	11.00




Date: 30.DEC.2016 15:41:15

CH60



Date: 30.DEC.2016 15:45:07

CH64



Date: 30.DEC.2016 15:46:29


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.82	11.00
CH60	5300	9.63	11.00
CH64	5320	8.06	11.00

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.17	0.11	6.28	11.00
CH62	5310	-2.24	0.11	-2.13	11.00

CH54



Date: 30.DEC.2016 16:21:05

CH62




Date: 30.DEC.2016 16:31:40

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.25	0.11	6.36	11.00
CH62	5310	-1.75	0.11	-1.64	11.00

CH54



Date: 30.DEC.2016 16:21:58

CH62




Date: 30.DEC.2016 16:23:16

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	9.33	11.00
CH62	5310	1.13	11.00

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.17	0.22	-5.95	11.00



Date: 30.DEC.2016 18:23:34

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-5.93	0.22	-5.71	11.00




Date: 30.DEC.2016 18:22:08

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.82	11.00


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.11	0.14	7.25	11.00
CH116	5580	7.20	0.14	7.34	11.00
CH140	5700	7.12	0.14	7.26	11.00




Date: 30.DEC.2016 14:14:53

CH116



Date: 30.DEC.2016 14:17:35


CH140



Date: 30.DEC.2016 14:21:04


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.98	0.14	6.12	11.00
CH116	5580	6.42	0.14	6.56	11.00
CH140	5700	6.28	0.14	6.42	11.00




Date: 30.DEC.2016 14:14:00

CH116



Date: 30.DEC.2016 14:18:27

CH140




Date: 30.DEC.2016 14:20:01

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.73	11.00
CH116	5580	9.98	11.00
CH140	5700	9.87	11.00


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.89	0.06	4.95	11.00
CH116	5580	7.02	0.06	7.08	11.00
CH140	5700	4.02	0.06	4.08	11.00

CH100



Date: 30.DEC.2016 15:29:35

CH116



Date: 30.DEC.2016 15:33:13


CH140



Date: 30.DEC.2016 15:34:32


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.51	0.06	3.57	11.00
CH116	5580	6.25	0.06	6.31	11.00
CH140	5700	3.19	0.06	3.25	11.00

CH100



Date: 30.DEC.2016 15:31:04

CH116



Date: 30.DEC.2016 15:32:22

CH140




Date: 30.DEC.2016 15:35:27

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.32	11.00
CH116	5580	9.72	11.00
CH140	5700	6.70	11.00


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.29	0.11	-2.18	11.00
CH110	5550	4.79	0.11	4.90	11.00
CH134	5670	2.43	0.11	2.54	11.00




Date: 30.DEC.2016 16:14:08

CH110



Date: 30.DEC.2016 16:15:27


CH134



Date: 30.DEC.2016 16:18:41


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.60	0.11	-3.49	11.00
CH110	5550	3.64	0.11	3.75	11.00
CH134	5670	1.89	0.11	2.00	11.00




Date: 30.DEC.2016 16:13:09

CH110



Date: 30.DEC.2016 16:16:25

CH134




Date: 30.DEC.2016 16:17:49

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.22	11.00
CH110	5550	7.37	11.00
CH134	5670	5.29	11.00


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.45	0.06	5.51	11.00
CH116	5580	7.08	0.06	7.14	11.00
CH140	5700	4.90	0.06	4.96	11.00




Date: 30.DEC.2016 15:48:24

CH116



Date: 30.DEC.2016 15:51:16


CH140



Date: 30.DEC.2016 15:52:38


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.53	0.06	4.59	11.00
CH116	5580	6.22	0.06	6.28	11.00
CH140	5700	4.17	0.06	4.23	11.00




Date: 30.DEC.2016 15:49:15

CH116



Date: 30.DEC.2016 15:50:28

CH140




Date: 30.DEC.2016 15:53:40

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.08	11.00
CH116	5580	9.74	11.00
CH140	5700	7.62	11.00


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.19	0.11	-1.08	11.00
CH110	5550	4.74	0.11	4.85	11.00
CH134	5670	2.45	0.11	2.56	11.00




Date: 30.DEC.2016 17:33:51

CH110



Date: 30.DEC.2016 18:12:58


CH134



Date: 30.DEC.2016 18:14:50


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.81	0.11	-2.70	11.00
CH110	5550	3.37	0.11	3.48	11.00
CH134	5670	1.65	0.11	1.76	11.00




Date: 30.DEC.2016 18:09:16

CH110



Date: 30.DEC.2016 18:11:35

CH134



Date: 30.DEC.2016 18:15:52


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.20	11.00
CH110	5550	7.23	11.00
CH134	5670	5.19	11.00

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.84	0.22	-5.62	11.00
CH122	5610	0.74	0.22	0.96	11.00

CH106



Date: 30.DEC.2016 18:27:10

CH122




Date: 30.DEC.2016 18:33:39

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.87	0.22	-7.65	11.00
CH122	5610	-0.44	0.22	-0.22	11.00

CH106



Date: 30.DEC.2016 18:29:38

CH122




Date: 30.DEC.2016 18:32:13

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.51	11.00
CH122	5610	3.42	11.00


Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.56	0.13	-1.43	11.00
CH122	5610	-1.55	0.13	-1.42	11.00



Date: 4.JAN.2017 13:41:13


CH122



Date: 4.JAN.2017 13:46:48


Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.15	0.13	-1.02	11.00
CH122	5610	-0.81	0.13	-0.68	11.00



Date: 4.JAN.2017 13:43:22

CH122



Date: 4.JAN.2017 13:44:59


Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.79	11.00
CH122	5610	1.98	11.00

For 3TX Non-Beamforming


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.53	0.14	4.67	11.00
CH60	5300	4.57	0.14	4.71	11.00
CH64	5320	5.04	0.14	5.18	11.00




Date: 2.JAN.2017 13:39:57

CH60



Date: 2.JAN.2017 13:40:47


CH64



Date: 2.JAN.2017 13:41:59


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.12	0.14	5.26	11.00
CH60	5300	5.05	0.14	5.19	11.00
CH64	5320	5.39	0.14	5.53	11.00




Date: 2.JAN.2017 13:45:59

CH60



Date: 2.JAN.2017 13:46:55


CH64



Date: 2.JAN.2017 13:47:58


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.65	0.14	4.79	11.00
CH60	5300	4.53	0.14	4.67	11.00
CH64	5320	5.12	0.14	5.26	11.00




Date: 2.JAN.2017 13:51:52

CH60



Date: 2.JAN.2017 13:52:46

CH64




Date: 2.JAN.2017 13:53:34

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.69	11.00
CH60	5300	9.63	11.00
CH64	5320	10.10	11.00


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.19	0.06	4.25	11.00
CH60	5300	4.31	0.06	4.37	11.00
CH64	5320	3.83	0.06	3.89	11.00




Date: 2.JAN.2017 14:02:56

CH60



Date: 2.JAN.2017 14:06:26


CH64



Date: 2.JAN.2017 14:07:12


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.58	0.06	4.64	11.00
CH60	5300	4.67	0.06	4.73	11.00
CH64	5320	3.96	0.06	4.02	11.00




Date: 2.JAN.2017 14:10:55

CH60



Date: 2.JAN.2017 14:11:51


CH64



Date: 2.JAN.2017 14:12:37


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.52	0.06	4.58	11.00
CH60	5300	4.32	0.06	4.38	11.00
CH64	5320	3.69	0.06	3.75	11.00




Date: 2.JAN.2017 14:16:15

CH60



Date: 2.JAN.2017 14:17:02

CH64



Date: 2.JAN.2017 14:17:48


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.26	11.00
CH60	5300	9.27	11.00
CH64	5320	8.66	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.58	0.11	3.69	11.00
CH62	5310	-3.89	0.11	-3.78	11.00

CH54



Date: 2.JAN.2017 14:49:43

CH62




Date: 2.JAN.2017 14:50:44

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.18	0.11	4.29	11.00
CH62	5310	-3.49	0.11	-3.38	11.00

CH54



Date: 2.JAN.2017 14:57:14

CH62




Date: 2.JAN.2017 14:58:17

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.90	0.11	4.01	11.00
CH62	5310	-3.59	0.11	-3.48	11.00

CH54



Date: 2.JAN.2017 15:02:45

CH62




Date: 2.JAN.2017 15:03:40

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	8.77	11.00
CH62	5310	1.23	11.00


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.53	0.06	4.59	11.00
CH60	5300	4.85	0.06	4.91	11.00
CH64	5320	3.83	0.06	3.89	11.00




Date: 2.JAN.2017 14:25:59

CH60



Date: 2.JAN.2017 14:26:50


CH64



Date: 2.JAN.2017 14:27:38


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.91	0.06	4.97	11.00
CH60	5300	4.68	0.06	4.74	11.00
CH64	5320	3.97	0.06	4.03	11.00




Date: 2.JAN.2017 14:33:42

CH60



Date: 2.JAN.2017 14:34:38


CH64



Date: 2.JAN.2017 14:35:26


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.49	0.06	4.55	11.00
CH60	5300	4.83	0.06	4.89	11.00
CH64	5320	4.01	0.06	4.07	11.00




Date: 2.JAN.2017 14:38:57

CH60



Date: 2.JAN.2017 14:39:53

CH64



Date: 2.JAN.2017 14:40:44


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.48	11.00
CH60	5300	9.62	11.00
CH64	5320	8.77	11.00

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.92	0.11	4.03	11.00
CH62	5310	-4.35	0.11	-4.24	11.00

CH54



Date: 2.JAN.2017 15:09:45

CH62




Date: 2.JAN.2017 15:10:49

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.29	0.11	4.40	11.00
CH62	5310	-3.55	0.11	-3.44	11.00

CH54



Date: 2.JAN.2017 15:14:35

CH62




Date: 2.JAN.2017 15:15:35

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.82	0.11	3.93	11.00
CH62	5310	-3.31	0.11	-3.20	11.00

CH54



Date: 2.JAN.2017 15:20:06

CH62




Date: 2.JAN.2017 15:20:55

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	8.90	11.00
CH62	5310	1.17	11.00

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-8.56	0.22	-8.34	11.00



Date: 2.JAN.2017 15:27:12

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-8.20	0.22	-7.98	11.00




Date: 2.JAN.2017 15:35:10

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.06	11.00


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.94	0.14	5.08	11.00
CH116	5580	5.22	0.14	5.36	11.00
CH140	5700	5.20	0.14	5.34	11.00




Date: 2.JAN.2017 13:42:48

CH116



Date: 2.JAN.2017 13:43:45


CH140



Date: 2.JAN.2017 13:44:38


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.63	0.14	3.77	11.00
CH116	5580	4.38	0.14	4.52	11.00
CH140	5700	4.03	0.14	4.17	11.00




Date: 2.JAN.2017 13:48:55

CH116



Date: 2.JAN.2017 13:49:45


CH140



Date: 2.JAN.2017 13:50:36


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.95	0.14	5.09	11.00
CH116	5580	5.39	0.14	5.53	11.00
CH140	5700	5.17	0.14	5.31	11.00




Date: 2.JAN.2017 13:54:32

CH116



Date: 2.JAN.2017 13:56:40

CH140




Date: 2.JAN.2017 13:57:36

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.46	11.00
CH116	5580	9.93	11.00
CH140	5700	9.74	11.00


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.47	0.06	3.53	11.00
CH116	5580	4.82	0.06	4.88	11.00
CH140	5700	3.77	0.06	3.83	11.00




Date: 2.JAN.2017 14:08:01

CH116



Date: 2.JAN.2017 14:08:57


CH140



Date: 2.JAN.2017 14:09:45


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.22	0.06	2.28	11.00
CH116	5580	4.08	0.06	4.14	11.00
CH140	5700	2.75	0.06	2.81	11.00

CH100



Date: 2.JAN.2017 14:13:21

CH116



Date: 2.JAN.2017 14:14:14


CH140



Date: 2.JAN.2017 14:15:02


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.66	0.06	3.72	11.00
CH116	5580	5.17	0.06	5.23	11.00
CH140	5700	3.87	0.06	3.93	11.00




Date: 2.JAN.2017 14:18:33

CH116



Date: 2.JAN.2017 14:19:25

CH140




Date: 2.JAN.2017 14:20:10

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.99	11.00
CH116	5580	9.54	11.00
CH140	5700	8.32	11.00


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.08	0.11	-3.97	11.00
CH110	5550	2.89	0.11	3.00	11.00
CH134	5670	1.79	0.11	1.90	11.00




Date: 2.JAN.2017 14:51:50

CH110



Date: 2.JAN.2017 14:52:48


CH134



Date: 2.JAN.2017 14:56:03


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-5.65	0.11	-5.54	11.00
CH110	5550	1.94	0.11	2.05	11.00
CH134	5670	1.09	0.11	1.20	11.00




Date: 2.JAN.2017 14:59:10

CH110



Date: 2.JAN.2017 15:00:21


CH134



Date: 2.JAN.2017 15:01:37


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.05	0.11	-3.94	11.00
CH110	5550	3.41	0.11	3.52	11.00
CH134	5670	1.70	0.11	1.81	11.00




Date: 2.JAN.2017 15:04:28

CH110



Date: 2.JAN.2017 15:05:15

CH134




Date: 2.JAN.2017 15:06:04

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.35	11.00
CH110	5550	7.67	11.00
CH134	5670	6.42	11.00


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.75	0.06	3.81	11.00
CH116	5580	4.32	0.06	4.38	11.00
CH140	5700	3.24	0.06	3.30	11.00




Date: 2.JAN.2017 14:28:22

CH116



Date: 2.JAN.2017 14:32:25


CH140



Date: 2.JAN.2017 14:30:22


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.75	0.06	2.81	11.00
CH116	5580	3.42	0.06	3.48	11.00
CH140	5700	1.97	0.06	2.03	11.00




Date: 2.JAN.2017 14:36:14

CH116



Date: 2.JAN.2017 14:37:04


CH140



Date: 2.JAN.2017 14:37:52


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.67	0.06	3.73	11.00
CH116	5580	4.23	0.06	4.29	11.00
CH140	5700	2.81	0.06	2.87	11.00




Date: 2.JAN.2017 14:41:27

CH116



Date: 2.JAN.2017 14:42:16

CH140




Date: 2.JAN.2017 14:43:01

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.24	11.00
CH116	5580	8.84	11.00
CH140	5700	7.54	11.00


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.20	0.11	-4.09	11.00
CH110	5550	3.49	0.11	3.60	11.00
CH134	5670	1.40	0.11	1.51	11.00




Date: 2.JAN.2017 15:11:41

CH110



Date: 2.JAN.2017 15:12:24


CH134



Date: 2.JAN.2017 15:13:36


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-5.79	0.11	-5.68	11.00
CH110	5550	2.09	0.11	2.20	11.00
CH134	5670	0.83	0.11	0.94	11.00




Date: 2.JAN.2017 15:16:32

CH110



Date: 2.JAN.2017 15:17:46


CH134



Date: 2.JAN.2017 15:18:36


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.29	0.11	-4.18	11.00
CH110	5550	3.26	0.11	3.37	11.00
CH134	5670	1.35	0.11	1.46	11.00




Date: 2.JAN.2017 15:21:44

CH110



Date: 2.JAN.2017 15:22:42

CH134



Date: 2.JAN.2017 15:23:29


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.18	11.00
CH110	5550	7.87	11.00
CH134	5670	6.08	11.00

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.68	0.22	-9.46	11.00
CH122	5610	-1.71	0.22	-1.49	11.00

CH106



Date: 2.JAN.2017 15:28:10

CH122




Date: 2.JAN.2017 15:29:36

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-11.35	0.22	-11.13	11.00
CH122	5610	-1.77	0.22	-1.55	11.00

CH106



Date: 2.JAN.2017 15:32:06

CH122




Date: 2.JAN.2017 15:33:46

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.61	0.22	-9.39	11.00
CH122	5610	-1.82	0.22	-1.60	11.00

CH106



Date: 2.JAN.2017 15:36:07

CH122



Date: 2.JAN.2017 15:37:01


Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.15	11.00
CH122	5610	3.22	11.00

For 4TX Non-Beamforming


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.52	0.14	2.66	11.00
CH60	5300	2.45	0.14	2.59	11.00
CH64	5320	3.01	0.14	3.15	11.00




Date: 2.JAN.2017 16:10:44

CH60



Date: 2.JAN.2017 16:11:39


CH64



Date: 2.JAN.2017 16:41:43


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.08	0.14	3.22	11.00
CH60	5300	2.87	0.14	3.01	11.00
CH64	5320	3.27	0.14	3.41	11.00




Date: 2.JAN.2017 16:16:15

CH60



Date: 2.JAN.2017 16:17:36


CH64



Date: 2.JAN.2017 16:40:38


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.71	0.14	2.85	11.00
CH60	5300	2.66	0.14	2.80	11.00
CH64	5320	3.22	0.14	3.36	11.00




Date: 2.JAN.2017 16:25:44

CH60



Date: 2.JAN.2017 16:26:54


CH64



Date: 2.JAN.2017 16:39:22


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.77	0.14	3.91	11.00
CH60	5300	3.48	0.14	3.62	11.00
CH64	5320	3.93	0.14	4.07	11.00




Date: 2.JAN.2017 16:31:43

CH60



Date: 2.JAN.2017 16:32:38

CH64




Date: 2.JAN.2017 16:38:39

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.21	11.00
CH60	5300	9.05	11.00
CH64	5320	9.54	11.00


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.29	0.06	2.35	11.00
CH60	5300	3.31	0.06	3.37	11.00
CH64	5320	2.82	0.06	2.88	11.00




Date: 2.JAN.2017 16:51:47

CH60



Date: 2.JAN.2017 16:53:19


CH64



Date: 2.JAN.2017 16:54:05


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.74	0.06	2.80	11.00
CH60	5300	3.80	0.06	3.86	11.00
CH64	5320	3.30	0.06	3.36	11.00




Date: 2.JAN.2017 16:57:45

CH60



Date: 2.JAN.2017 16:58:39


CH64



Date: 2.JAN.2017 16:59:40


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.59	0.06	2.65	11.00
CH60	5300	3.52	0.06	3.58	11.00
CH64	5320	3.13	0.06	3.19	11.00




Date: 2.JAN.2017 17:03:42

CH60



Date: 2.JAN.2017 17:04:43


CH64



Date: 2.JAN.2017 17:05:27


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.47	0.06	3.53	11.00
CH60	5300	4.37	0.06	4.43	11.00
CH64	5320	3.79	0.06	3.85	11.00




Date: 2.JAN.2017 17:09:09

CH60



Date: 2.JAN.2017 17:09:55

CH64



Date: 2.JAN.2017 17:10:52


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.88	11.00
CH60	5300	9.85	11.00
CH64	5320	9.36	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.36	0.11	3.47	11.00
CH62	5310	-3.54	0.11	-3.43	11.00

CH54



Date: 2.JAN.2017 18:44:06

CH62




Date: 2.JAN.2017 18:45:05

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.82	0.11	3.93	11.00
CH62	5310	-3.10	0.11	-2.99	11.00

CH54



Date: 2.JAN.2017 18:49:23

CH62




Date: 2.JAN.2017 18:50:27

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.25	0.11	3.36	11.00
CH62	5310	-3.38	0.11	-3.27	11.00

CH54



Date: 2.JAN.2017 18:54:23

CH62




Date: 2.JAN.2017 18:55:15

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.23	0.11	4.34	11.00
CH62	5310	-2.72	0.11	-2.61	11.00

CH54



Date: 2.JAN.2017 18:59:40

CH62




Date: 2.JAN.2017 19:00:42

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	9.81	11.00
CH62	5310	2.95	11.00


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.98	0.06	2.04	11.00
CH60	5300	2.13	0.06	2.19	11.00
CH64	5320	1.55	0.06	1.61	11.00




Date: 2.JAN.2017 18:13:18

CH60



Date: 2.JAN.2017 18:25:02


CH64



Date: 2.JAN.2017 18:15:12


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.61	0.06	3.67	11.00
CH60	5300	3.71	0.06	3.77	11.00
CH64	5320	3.31	0.06	3.37	11.00




Date: 2.JAN.2017 18:19:13

CH60



Date: 2.JAN.2017 18:24:31


CH64



Date: 2.JAN.2017 18:21:10


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.20	0.06	2.26	11.00
CH60	5300	2.22	0.06	2.28	11.00
CH64	5320	1.70	0.06	1.76	11.00




Date: 2.JAN.2017 18:26:28

CH60



Date: 2.JAN.2017 18:27:20


CH64



Date: 2.JAN.2017 18:28:05


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.24	0.06	3.30	11.00
CH60	5300	3.27	0.06	3.33	11.00
CH64	5320	2.42	0.06	2.48	11.00




Date: 2.JAN.2017 18:32:39

CH60



Date: 2.JAN.2017 18:33:38

CH64



Date: 2.JAN.2017 18:34:34


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.89	11.00
CH60	5300	8.97	11.00
CH64	5320	8.38	11.00

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.77	0.11	2.88	11.00
CH62	5310	-3.85	0.11	-3.74	11.00

CH54



Date: 2.JAN.2017 19:06:51

CH62




Date: 2.JAN.2017 19:08:07

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.96	0.11	4.07	11.00
CH62	5310	-3.23	0.11	-3.12	11.00

CH54



Date: 2.JAN.2017 19:12:17

CH62




Date: 2.JAN.2017 19:14:06

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.62	0.11	2.73	11.00
CH62	5310	-4.02	0.11	-3.91	11.00

CH54



Date: 2.JAN.2017 19:19:15

CH62




Date: 2.JAN.2017 19:20:19

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.78	0.11	3.89	11.00
CH62	5310	-3.51	0.11	-3.40	11.00

CH54



Date: 2.JAN.2017 19:27:33

CH62




Date: 2.JAN.2017 19:28:33

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	8.04	11.00
CH62	5310	1.19	11.00

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-8.01	0.22	-7.79	11.00



Date: 2.JAN.2017 19:44:25

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.17	0.22	-6.95	11.00



Date: 2.JAN.2017 19:47:23

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-8.08	0.22	-7.86	11.00



Date: 2.JAN.2017 19:51:13

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.13	0.22	-6.91	11.00




Date: 2.JAN.2017 19:54:23

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.33	11.00


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.15	0.14	-2.01	11.00
CH116	5580	3.06	0.14	3.20	11.00
CH140	5700	3.18	0.14	3.32	11.00




Date: 2.JAN.2017 16:13:26

CH116



Date: 2.JAN.2017 16:14:13


CH140



Date: 2.JAN.2017 16:42:29


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.58	0.14	-3.44	11.00
CH116	5580	2.48	0.14	2.62	11.00
CH140	5700	1.99	0.14	2.13	11.00




Date: 2.JAN.2017 16:22:03

CH116



Date: 2.JAN.2017 16:23:26


CH140



Date: 2.JAN.2017 16:41:02


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.96	0.14	-1.82	11.00
CH116	5580	3.57	0.14	3.71	11.00
CH140	5700	3.06	0.14	3.20	11.00




Date: 2.JAN.2017 16:28:36

CH116



Date: 2.JAN.2017 16:29:31


CH140



Date: 2.JAN.2017 16:39:45


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.55	0.14	-2.41	11.00
CH116	5580	3.76	0.14	3.90	11.00
CH140	5700	3.81	0.14	3.95	11.00




Date: 2.JAN.2017 16:34:55

CH116



Date: 2.JAN.2017 16:35:48

CH140




Date: 2.JAN.2017 16:37:24

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.65	11.00
CH116	5580	9.41	11.00
CH140	5700	9.22	11.00


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.29	0.06	-2.23	11.00
CH116	5580	2.97	0.06	3.03	11.00
CH140	5700	3.07	0.06	3.13	11.00

CH100



Date: 2.JAN.2017 16:54:54

CH116



Date: 2.JAN.2017 16:55:40


CH140



Date: 2.JAN.2017 16:56:28


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-3.67	0.06	-3.61	11.00
CH116	5580	2.22	0.06	2.28	11.00
CH140	5700	2.03	0.06	2.09	11.00

CH100



Date: 2.JAN.2017 17:00:28

CH116



Date: 2.JAN.2017 17:01:20


CH140



Date: 2.JAN.2017 17:02:26


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.99	0.06	-1.93	11.00
CH116	5580	3.40	0.06	3.46	11.00
CH140	5700	2.92	0.06	2.98	11.00

CH100



Date: 2.JAN.2017 17:06:13

CH116



Date: 2.JAN.2017 17:07:05


CH140



Date: 2.JAN.2017 17:08:03


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.63	0.06	-2.57	11.00
CH116	5580	3.70	0.06	3.76	11.00
CH140	5700	3.55	0.06	3.61	11.00




Date: 2.JAN.2017 17:11:39

CH116



Date: 2.JAN.2017 17:12:25

CH140




Date: 2.JAN.2017 17:13:14

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.48	11.00
CH116	5580	9.19	11.00
CH140	5700	9.01	11.00


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.71	0.11	-3.60	11.00
CH110	5550	3.49	0.11	3.60	11.00
CH134	5670	2.40	0.11	2.51	11.00




Date: 2.JAN.2017 18:45:57

CH110



Date: 2.JAN.2017 18:47:01


CH134



Date: 2.JAN.2017 18:47:55


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-5.12	0.11	-5.01	11.00
CH110	5550	2.10	0.11	2.21	11.00
CH134	5670	1.47	0.11	1.58	11.00




Date: 2.JAN.2017 18:51:20

CH110



Date: 2.JAN.2017 18:52:16


CH134



Date: 2.JAN.2017 18:53:12


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.60	0.11	-3.49	11.00
CH110	5550	3.74	0.11	3.85	11.00
CH134	5670	2.02	0.11	2.13	11.00




Date: 2.JAN.2017 18:56:13

CH110



Date: 2.JAN.2017 18:57:15


CH134



Date: 2.JAN.2017 18:58:22


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.17	0.11	-4.06	11.00
CH110	5550	3.33	0.11	3.44	11.00
CH134	5670	2.84	0.11	2.95	11.00




Date: 2.JAN.2017 19:01:34

CH110



Date: 2.JAN.2017 19:02:31

CH134




Date: 2.JAN.2017 19:03:31

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.02	11.00
CH110	5550	9.34	11.00
CH134	5670	8.34	11.00


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.35	0.06	3.41	11.00
CH116	5580	2.59	0.06	2.65	11.00
CH140	5700	3.12	0.06	3.18	11.00




Date: 2.JAN.2017 18:16:02

CH116



Date: 2.JAN.2017 18:16:55


CH140



Date: 2.JAN.2017 18:17:52


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.49	0.06	3.55	11.00
CH116	5580	2.98	0.06	3.04	11.00
CH140	5700	2.73	0.06	2.79	11.00




Date: 2.JAN.2017 18:21:56

CH116



Date: 2.JAN.2017 18:22:45


CH140



Date: 2.JAN.2017 18:23:37


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.71	0.06	3.77	11.00
CH116	5580	2.92	0.06	2.98	11.00
CH140	5700	2.64	0.06	2.70	11.00




Date: 2.JAN.2017 18:28:53

CH116



Date: 2.JAN.2017 18:30:01


CH140



Date: 2.JAN.2017 18:30:55


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.23	0.06	3.29	11.00
CH116	5580	3.65	0.06	3.71	11.00
CH140	5700	3.23	0.06	3.29	11.00




Date: 2.JAN.2017 18:35:28

CH116



Date: 2.JAN.2017 18:36:21

CH140




Date: 2.JAN.2017 18:37:14

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.53	11.00
CH116	5580	9.13	11.00
CH140	5700	9.02	11.00


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.39	0.11	-3.28	11.00
CH110	5550	2.88	0.11	2.99	11.00
CH134	5670	1.23	0.11	1.34	11.00




Date: 2.JAN.2017 19:08:58

CH110



Date: 2.JAN.2017 19:09:48


CH134



Date: 2.JAN.2017 19:10:49


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-5.02	0.11	-4.91	11.00
CH110	5550	2.54	0.11	2.65	11.00
CH134	5670	1.54	0.11	1.65	11.00




Date: 2.JAN.2017 19:15:01

CH110



Date: 2.JAN.2017 19:15:55


CH134



Date: 2.JAN.2017 19:17:58


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.63	0.11	-3.52	11.00
CH110	5550	3.01	0.11	3.12	11.00
CH134	5670	1.19	0.11	1.30	11.00




Date: 2.JAN.2017 19:21:16

CH110



Date: 2.JAN.2017 19:25:27


CH134



Date: 2.JAN.2017 19:26:22


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.50	0.11	-4.39	11.00
CH110	5550	2.89	0.11	3.00	11.00
CH134	5670	2.52	0.11	2.63	11.00




Date: 2.JAN.2017 19:29:29

CH110



Date: 2.JAN.2017 19:30:25

CH134



Date: 2.JAN.2017 19:31:29


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.92	11.00
CH110	5550	7.69	11.00
CH134	5670	6.20	11.00

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.23	0.22	-9.01	11.00
CH122	5610	0.60	0.22	0.82	11.00

CH106



Date: 2.JAN.2017 19:45:25

CH122




Date: 2.JAN.2017 19:46:04

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-10.51	0.22	-10.29	11.00
CH122	5610	-0.96	0.22	-0.74	11.00

CH106



Date: 2.JAN.2017 19:48:32

CH122




Date: 2.JAN.2017 19:49:55

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.47	0.22	-9.25	11.00
CH122	5610	0.12	0.22	0.34	11.00

CH106



Date: 2.JAN.2017 19:52:12

CH122




Date: 2.JAN.2017 19:53:05

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.62	0.22	-9.40	11.00
CH122	5610	0.27	0.22	0.49	11.00

CH106



Date: 2.JAN.2017 19:55:18

CH122



Date: 2.JAN.2017 19:56:26


Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.44	11.00
CH122	5610	6.28	11.00

For 2TX Beamforming


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.94	0.06	5.00	9.18
CH60	5300	5.57	0.06	5.63	9.18
CH64	5320	4.89	0.06	4.95	9.18




Date: 3.JAN.2017 10:38:12

CH60



Date: 3.JAN.2017 10:19:55


CH64



Date: 3.JAN.2017 10:20:44


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.25	0.06	5.31	9.18
CH60	5300	5.31	0.06	5.37	9.18
CH64	5320	4.67	0.06	4.73	9.18




Date: 3.JAN.2017 10:37:36

CH60



Date: 3.JAN.2017 10:33:20

CH64



Date: 3.JAN.2017 10:34:32


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.17	9.18
CH60	5300	8.51	9.18
CH64	5320	7.85	9.18

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.37	0.11	3.48	9.18
CH62	5310	4.19	0.11	4.30	9.18

CH54



Date: 3.JAN.2017 11:12:56

CH62




Date: 3.JAN.2017 11:13:54

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.69	0.11	3.80	9.18
CH62	5310	4.59	0.11	4.70	9.18

CH54



Date: 3.JAN.2017 11:18:57

CH62




Date: 3.JAN.2017 11:19:58

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.65	9.18
CH62	5310	7.51	9.18


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.11	0.06	5.17	9.18
CH60	5300	5.00	0.06	5.06	9.18
CH64	5320	5.42	0.06	5.48	9.18




Date: 3.JAN.2017 10:51:16

CH60



Date: 3.JAN.2017 10:52:11


CH64



Date: 3.JAN.2017 10:54:05


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.44	0.06	5.50	9.18
CH60	5300	5.44	0.06	5.50	9.18
CH64	5320	5.72	0.06	5.78	9.18




Date: 3.JAN.2017 11:00:23

CH60



Date: 3.JAN.2017 11:01:06

CH64



Date: 3.JAN.2017 11:01:53


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.35	9.18
CH60	5300	8.30	9.18
CH64	5320	8.64	9.18

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.94	0.11	3.05	9.18
CH62	5310	4.06	0.11	4.17	9.18

CH54



Date: 3.JAN.2017 11:32:01

CH62




Date: 3.JAN.2017 11:32:42

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.74	0.11	3.85	9.18
CH62	5310	4.83	0.11	4.94	9.18

CH54



Date: 3.JAN.2017 14:04:09

CH62




Date: 3.JAN.2017 14:05:21

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.48	9.18
CH62	5310	7.58	9.18

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.01	0.22	0.21	9.18



Date: 3.JAN.2017 14:21:39

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.63	0.22	0.85	9.18



Date: 3.JAN.2017 14:18:24

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	3.55	9.18