


**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-5.18	0.19	-4.99	28.00
CH159	5795	-5.78	0.19	-5.59	28.00

**TX CH151**



Date: 1.APR.2015 19:58:45

**TX CH159**




Date: 1.APR.2015 19:59:40



# For 2TX


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.38	0.03	0.41	15.00
CH40	5200	0.69	0.03	0.72	15.00
CH48	5240	0.27	0.03	0.30	15.00




Date: 1.APR.2015 21:25:08

### CH40



Date: 1.APR.2015 20:33:33


### CH48



Date: 1.APR.2015 20:34:11




### CH40



Date: 1.APR.2015 21:30:05

### CH48




Date: 1.APR.2015 21:30:43

**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.91	0.03	3.91	15.00
CH40	5200	4.20	0.03	4.20	15.00
CH48	5240	3.62	0.03	3.62	15.00


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.45	0.10	0.55	15.00
CH40	5200	0.59	0.10	0.69	15.00
CH48	5240	0.01	0.10	0.11	15.00




Date: 1.APR.2015 20:41:55

### CH40




Date: 1.APR.2015 20:42:30

### CH48




Date: 1.APR.2015 20:42:50



**CH40**

Date: 1.APR.2015 21:38:23

**CH48**

Date: 1.APR.2015 21:38:49


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.93	0.10	3.93	15.00
CH40	5200	4.34	0.10	4.34	15.00
CH48	5240	3.54	0.10	3.54	15.00

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.48	0.13	-2.35	15.00
CH46	5230	-2.45	0.13	-2.32	15.00

### CH38



Date: 1.APR.2015 20:53:10

### CH46




Date: 1.APR.2015 20:53:39

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.18	0.13	-4.05	15.00
CH46	5230	-2.27	0.13	-2.14	15.00

### CH38



Date: 1.APR.2015 21:48:07

### CH46




Date: 1.APR.2015 21:48:38

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.10	0.13	-0.10	15.00
CH46	5230	0.78	0.13	0.78	15.00


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.10	0.03	0.13	9.00
CH60	5300	0.16	0.03	0.19	9.00
CH64	5320	-0.14	0.03	-0.11	9.00




Date: 1.APR.2015 20:35:12

### CH60



Date: 1.APR.2015 20:35:57


### CH64



Date: 1.APR.2015 20:36:34


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.82	0.03	0.85	9.00
CH60	5300	1.34	0.03	1.37	9.00
CH64	5320	1.54	0.03	1.57	9.00




Date: 1.APR.2015 21:31:22

### CH60



Date: 1.APR.2015 21:32:16

### CH64




Date: 1.APR.2015 21:32:52

**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.52	0.03	3.52	9.00
CH60	5300	3.83	0.03	3.83	9.00
CH64	5320	3.82	0.03	3.82	9.00


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.16	0.10	0.26	9.00
CH60	5300	0.06	0.10	0.16	9.00
CH64	5320	-0.32	0.10	-0.22	9.00




Date: 1.APR.2015 20:43:16

### CH60



Date: 1.APR.2015 20:43:53

### CH64




Date: 1.APR.2015 20:44:12

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.51	0.10	0.61	9.00
CH60	5300	1.55	0.10	1.65	9.00
CH64	5320	1.36	0.10	1.46	9.00

### CH52




Date: 1.APR.2015 21:39:13

### CH60



Date: 1.APR.2015 21:39:39

### CH64



Date: 1.APR.2015 21:39:57


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.45	0.10	3.45	9.00
CH60	5300	3.98	0.10	3.98	9.00
CH64	5320	3.71	0.10	3.71	9.00

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.80	0.13	-2.67	9.00
CH62	5310	-2.72	0.13	-2.59	9.00

### CH54



Date: 1.APR.2015 20:54:07

### CH62




Date: 1.APR.2015 20:54:34

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.76	0.13	-4.63	9.00
CH62	5310	-4.57	0.13	-4.44	9.00

### CH54



Date: 1.APR.2015 21:49:03

### CH62



Date: 1.APR.2015 21:49:31


**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.53	0.13	-0.53	9.00
CH62	5310	-0.41	0.13	-0.41	9.00

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.19	0.03	0.22	9.00
CH116	5580	-0.65	0.03	-0.62	9.00
CH140	5700	-0.07	0.03	-0.04	9.00

**CH100**




Date: 1.APR.2015 20:37:14

### CH116



Date: 1.APR.2015 20:38:00


### CH140




Date: 1.APR.2015 20:38:35

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.36	0.03	1.39	9.00
CH116	5580	0.06	0.03	0.09	9.00
CH140	5700	0.26	0.03	0.29	9.00



Date: 1.APR.2015 21:33:34

**CH116**

Date: 1.APR.2015 21:34:19

**CH140**

Date: 1.APR.2015 21:34:55


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.85	0.03	3.85	9.00
CH116	5580	2.76	0.03	2.76	9.00
CH140	5700	3.14	0.03	3.14	9.00

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.02	0.10	0.12	9.00
CH116	5580	-0.51	0.10	-0.41	9.00
CH140	5700	-0.30	0.10	-0.20	9.00

**CH100**




Date: 1.APR.2015 20:44:36

### CH116



Date: 1.APR.2015 20:45:16


### CH140



Date: 1.APR.2015 20:45:47




**CH116**



Date: 1.APR.2015 21:40:50

**CH140**




Date: 1.APR.2015 21:41:06

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.81	0.10	3.81	9.00
CH116	5580	2.86	0.10	2.86	9.00
CH140	5700	3.14	0.10	3.14	9.00


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.07	0.13	-2.94	9.00
CH110	5550	-3.45	0.13	-3.32	9.00
CH134	5670	-4.05	0.13	-3.92	9.00




Date: 1.APR.2015 20:55:01

**CH110**



Date: 1.APR.2015 20:55:27


**CH134**



Date: 1.APR.2015 20:55:45


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.34	0.13	-3.21	9.00
CH110	5550	-3.70	0.13	-3.57	9.00
CH134	5670	-4.24	0.13	-4.11	9.00




Date: 1.APR.2015 21:50:05

### CH110



Date: 1.APR.2015 21:50:37

### CH134



Date: 1.APR.2015 21:50:55

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.06	0.13	-0.06	9.00
CH110	5550	-0.44	0.13	-0.44	9.00
CH134	5670	-1.00	0.13	-1.00	9.00






**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.04	0.03	-2.01	28.00
CH157	5785	-2.20	0.03	-2.17	28.00
CH165	5825	-1.52	0.03	-1.49	28.00

**TX CH149**




Date: 1.APR.2015 21:35:38

### TX CH157



Date: 1.APR.2015 21:36:22

### TX CH165



Date: 1.APR.2015 21:36:59


**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.58	0.03	0.58	28.00
CH157	5785	0.70	0.03	0.70	28.00
CH165	5825	1.16	0.03	1.16	28.00

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.17	0.10	-3.07	28.00
CH157	5785	-2.81	0.10	-2.71	28.00
CH165	5825	-2.43	0.10	-2.33	28.00

**TX CH149**




Date: 1.APR.2015 20:46:14




**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.38	0.10	-2.28	28.00
CH157	5785	-2.31	0.10	-2.21	28.00
CH165	5825	-1.76	0.10	-1.66	28.00


**TX CH149**



Date: 1.APR.2015 21:41:31

**TX CH157**

Date: 1.APR.2015 21:41:55

**TX CH165**

Date: 1.APR.2015 21:42:15


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.35	0.10	0.35	28.00
CH157	5785	0.55	0.10	0.55	28.00
CH165	5825	1.03	0.10	1.03	28.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.10	0.13	-5.97	28.00
CH159	5795	-5.70	0.13	-5.57	28.00

### TX CH151



Date: 1.APR.2015 20:56:12

### TX CH159




Date: 1.APR.2015 20:56:41

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.13	0.13	-6.00	28.00
CH159	5795	-6.32	0.13	-6.19	28.00

### TX CH151



Date: 1.APR.2015 21:51:28

### TX CH159




Date: 1.APR.2015 21:51:56

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.97	0.13	-2.97	28.00
CH159	5795	-2.86	0.13	-2.86	28.00




### CH40



Date: 1.APR.2015 20:48:32


### CH48



Date: 1.APR.2015 20:48:51


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.10	0.16	2.26	15.00
CH40	5200	2.41	0.16	2.57	15.00
CH48	5240	1.66	0.16	1.82	15.00




Date: 1.APR.2015 21:42:50

### CH40



Date: 1.APR.2015 21:43:18

### CH48



Date: 1.APR.2015 21:43:37


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.91	0.16	4.91	15.00
CH40	5200	5.31	0.16	5.31	15.00
CH48	5240	4.61	0.16	4.61	15.00

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.90	0.19	-1.71	15.00
CH46	5230	-1.78	0.19	-1.59	15.00

### CH38



Date: 1.APR.2015 20:57:13

### CH46




Date: 1.APR.2015 20:57:46

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.86	0.19	-3.67	15.00
CH46	5230	-1.98	0.19	-1.79	15.00

### CH38



Date: 1.APR.2015 21:52:32

### CH46



Date: 1.APR.2015 21:53:06


**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.43	0.19	0.43	15.00
CH46	5230	1.32	0.19	1.32	15.00

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-11.31	0.48	-10.83	15.00


**CH42**



Date: 1.APR.2015 21:15:16

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-8.90	0.48	-8.42	15.00




Date: 1.APR.2015 21:58:09

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.45	0.48	-6.45	15.00




### CH60



Date: 1.APR.2015 20:49:44


### CH64



Date: 1.APR.2015 20:50:07


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.58	0.16	1.74	9.00
CH60	5300	1.24	0.16	1.40	9.00
CH64	5320	1.11	0.16	1.27	9.00




Date: 1.APR.2015 21:44:02

### CH60



Date: 1.APR.2015 21:44:37

### CH64



Date: 1.APR.2015 21:44:54


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.55	0.16	4.55	9.00
CH60	5300	4.25	0.16	4.25	9.00
CH64	5320	4.08	0.16	4.08	9.00

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.09	0.19	-1.90	9.00
CH62	5310	-2.25	0.19	-2.06	9.00

### CH54



Date: 1.APR.2015 20:58:14

### CH62




Date: 1.APR.2015 20:59:01

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.21	0.19	-2.02	9.00
CH62	5310	-1.77	0.19	-1.58	9.00

### CH54



Date: 1.APR.2015 21:53:38

### CH62



Date: 1.APR.2015 21:54:06

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.05	0.19	1.05	9.00
CH62	5310	1.20	0.19	1.20	9.00






**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.76	0.48	-6.76	9.00




### CH116



Date: 1.APR.2015 20:50:59


### CH140




Date: 1.APR.2015 20:51:17

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.52	0.16	1.68	9.00
CH116	5580	-0.44	0.16	-0.28	9.00
CH140	5700	0.60	0.16	0.76	9.00



Date: 1.APR.2015 21:45:18

**CH116**

Date: 1.APR.2015 21:45:44

**CH140**

Date: 1.APR.2015 21:46:00


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.51	0.16	4.51	9.00
CH116	5580	2.91	0.16	2.91	9.00
CH140	5700	3.80	0.16	3.80	9.00

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.52	0.19	-2.33	9.00
CH110	5550	-3.70	0.19	-3.51	9.00
CH134	5670	-5.44	0.19	-5.25	9.00

**CH102**




Date: 1.APR.2015 20:59:29

### CH110



Date: 1.APR.2015 21:02:54

### CH134




Date: 1.APR.2015 21:03:14

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.86	0.19	-1.67	9.00
CH110	5550	-3.04	0.19	-2.85	9.00
CH134	5670	-3.86	0.19	-3.67	9.00

**CH102**




Date: 1.APR.2015 21:54:31

### CH110



Date: 1.APR.2015 21:55:43

### CH134




Date: 1.APR.2015 21:56:07

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.02	0.19	1.02	9.00
CH110	5550	-0.16	0.19	-0.16	9.00
CH134	5670	-1.38	0.19	-1.38	9.00

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.96	0.48	-9.48	9.00
CH122	5610	-5.43	0.48	-4.95	9.00

**CH106**

Date: 1.APR.2015 21:16:53


**CH122**

Date: 1.APR.2015 21:18:34

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.97	0.48	-9.49	9.00
CH122	5610	-6.88	0.48	-6.40	9.00

### CH106



Date: 1.APR.2015 21:59:31

### CH122




Date: 1.APR.2015 22:00:06

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.48	0.48	-6.48	9.00
CH122	5610	-2.60	0.48	-2.60	9.00




### TX CH157



Date: 1.APR.2015 20:52:11

### TX CH165




Date: 1.APR.2015 20:52:31

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.27	0.16	-2.11	28.00
CH157	5785	-2.25	0.16	-2.09	28.00
CH165	5825	-1.58	0.16	-1.42	28.00

**TX CH149**



Date: 1.APR.2015 21:46:25




**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.91	0.16	0.91	28.00
CH157	5785	1.25	0.16	1.25	28.00
CH165	5825	1.58	0.16	1.58	28.00

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-5.61	0.19	-5.42	28.00
CH159	5795	-5.03	0.19	-4.84	28.00

### TX CH151



Date: 1.APR.2015 21:03:48

### TX CH159




Date: 1.APR.2015 21:05:55

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.38	0.19	-6.19	28.00
CH159	5795	-5.18	0.19	-4.99	28.00

### TX CH151



Date: 1.APR.2015 21:56:40

### TX CH159



Date: 1.APR.2015 21:57:22

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.77	0.19	-2.77	28.00
CH159	5795	-1.91	0.19	-1.91	28.00



**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-13.00	0.48	-12.52	28.00

**TX CH155**



Date: 1.APR.2015 22:00:58


**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-9.33	0.48	-9.33	28.00

# For 3TX


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.26	0.03	-1.23	15.00
CH40	5200	-1.49	0.03	-1.46	15.00
CH48	5240	-0.89	0.03	-0.86	15.00




Date: 2.APR.2015 16:36:21

### CH40



Date: 2.APR.2015 16:37:11


### CH48




Date: 2.APR.2015 16:37:47

**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.07	0.03	-0.04	15.00
CH40	5200	-0.17	0.03	-0.14	15.00
CH48	5240	0.00	0.03	0.03	15.00



Date: 2.APR.2015 17:29:42

**CH40**


Date: 2.APR.2015 17:30:33

**CH48**

Date: 2.APR.2015 17:31:16


**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.08	0.03	0.11	15.00
CH40	5200	0.06	0.03	0.09	15.00
CH48	5240	0.38	0.03	0.41	15.00




Date: 2.APR.2015 18:18:42

### CH40



Date: 2.APR.2015 18:20:00

### CH48




Date: 2.APR.2015 18:21:22

**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.42	0.03	4.42	15.00
CH40	5200	4.32	0.03	4.32	15.00
CH48	5240	4.66	0.03	4.66	15.00


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.90	0.10	-0.80	15.00
CH40	5200	-1.26	0.10	-1.16	15.00
CH48	5240	-1.04	0.10	-0.94	15.00




Date: 2.APR.2015 16:48:59

### CH40



Date: 2.APR.2015 16:53:34

### CH48




Date: 2.APR.2015 17:00:13

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.14	0.10	-0.04	15.00
CH40	5200	0.08	0.10	0.18	15.00
CH48	5240	0.45	0.10	0.55	15.00

**CH36**




Date: 2.APR.2015 17:46:06

### CH40



Date: 2.APR.2015 17:46:50

### CH48




Date: 2.APR.2015 17:47:08

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.56	0.10	0.66	15.00
CH40	5200	0.51	0.10	0.61	15.00
CH48	5240	0.85	0.10	0.95	15.00

### CH36




Date: 2.APR.2015 20:38:45

### CH40



Date: 2.APR.2015 20:39:17

### CH48



Date: 2.APR.2015 20:39:35


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.75	0.10	4.75	15.00
CH40	5200	4.71	0.10	4.71	15.00
CH48	5240	5.03	0.10	5.03	15.00

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.33	0.13	-7.20	15.00
CH46	5230	-3.97	0.13	-3.84	15.00

### CH38



Date: 2.APR.2015 17:10:28

### CH46




Date: 2.APR.2015 17:11:04

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.60	0.13	-6.47	15.00
CH46	5230	-3.63	0.13	-3.50	15.00

### CH38



Date: 2.APR.2015 17:56:03

### CH46




Date: 2.APR.2015 17:56:36

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.45	0.13	-6.32	15.00
CH46	5230	-3.06	0.13	-2.93	15.00

### CH38



Date: 2.APR.2015 20:48:43

### CH46




Date: 2.APR.2015 20:50:25

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.88	0.13	-1.88	15.00
CH46	5230	1.36	0.13	1.36	15.00


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.43	0.03	-0.40	9.00
CH60	5300	-1.35	0.03	-1.32	9.00
CH64	5320	-1.64	0.03	-1.61	9.00




Date: 2.APR.2015 16:38:30

### CH60



Date: 2.APR.2015 16:42:08


### CH64



Date: 2.APR.2015 16:42:46


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.43	0.03	0.46	9.00
CH60	5300	-0.66	0.03	-0.63	9.00
CH64	5320	-0.75	0.03	-0.72	9.00




Date: 2.APR.2015 17:31:58

### CH60



Date: 2.APR.2015 17:39:49


### CH64



Date: 2.APR.2015 17:40:59


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.41	0.03	0.44	9.00
CH60	5300	-0.54	0.03	-0.51	9.00
CH64	5320	-0.56	0.03	-0.53	9.00




Date: 2.APR.2015 18:22:04

**CH60**



Date: 2.APR.2015 18:23:33

**CH64**



Date: 2.APR.2015 18:24:12


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.96	0.03	4.96	9.00
CH60	5300	3.96	0.03	3.96	9.00
CH64	5320	3.84	0.03	3.84	9.00

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.56	0.10	-0.46	9.00
CH60	5300	-1.42	0.10	-1.32	9.00
CH64	5320	-1.46	0.10	-1.36	9.00

**CH52**




Date: 2.APR.2015 17:00:44

### CH60



Date: 2.APR.2015 17:01:13

### CH64




Date: 2.APR.2015 17:01:32


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.77	0.10	0.87	9.00
CH60	5300	-0.48	0.10	-0.38	9.00
CH64	5320	-0.30	0.10	-0.20	9.00


**CH52**



Date: 2.APR.2015 17:47:35

**CH60**

Date: 2.APR.2015 17:48:02


**CH64**

Date: 2.APR.2015 17:48:22

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.00	0.10	1.10	9.00
CH60	5300	-0.17	0.10	-0.07	9.00
CH64	5320	-0.44	0.10	-0.34	9.00

**CH52**




Date: 2.APR.2015 20:40:02

### CH60



Date: 2.APR.2015 20:40:29

### CH64



Date: 2.APR.2015 20:40:48

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.33	0.10	5.33	9.00
CH60	5300	4.21	0.10	4.21	9.00
CH64	5320	4.17	0.10	4.17	9.00

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.99	0.13	-3.86	9.00
CH62	5310	-8.35	0.13	-8.22	9.00



**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.65	0.13	-3.52	9.00
CH62	5310	-7.42	0.13	-7.29	9.00

### CH54



Date: 2.APR.2015 17:57:10

### CH62




Date: 2.APR.2015 17:57:37

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.05	0.13	-2.92	9.00
CH62	5310	-7.36	0.13	-7.23	9.00

### CH54



Date: 2.APR.2015 20:51:07

### CH62




Date: 2.APR.2015 20:51:39

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.36	0.13	1.36	9.00
CH62	5310	-2.79	0.13	-2.79	9.00


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.78	0.03	-1.75	9.00
CH116	5580	-2.29	0.03	-2.26	9.00
CH140	5700	-2.28	0.03	-2.25	9.00




Date: 2.APR.2015 16:43:30

### CH116



Date: 2.APR.2015 16:44:15


### CH140




Date: 2.APR.2015 16:44:50

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.48	0.03	-0.45	9.00
CH116	5580	-1.46	0.03	-1.43	9.00
CH140	5700	-1.52	0.03	-1.49	9.00



Date: 2.APR.2015 17:41:41

**CH116**


Date: 2.APR.2015 17:42:24

**CH140**

Date: 2.APR.2015 17:42:57


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.48	0.03	-0.45	9.00
CH116	5580	-0.58	0.03	-0.55	9.00
CH140	5700	-0.13	0.03	-0.10	9.00




Date: 2.APR.2015 18:24:54

### CH116



Date: 2.APR.2015 20:35:02

### CH140



Date: 2.APR.2015 20:35:39


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.93	0.03	3.93	9.00
CH116	5580	3.42	0.03	3.42	9.00
CH140	5700	3.59	0.03	3.59	9.00


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.92	0.10	-1.82	9.00
CH116	5580	-2.35	0.10	-2.25	9.00
CH140	5700	-2.13	0.10	-2.03	9.00


**CH100**



Date: 2.APR.2015 17:01:56

**CH116**

Date: 2.APR.2015 17:02:21


**CH140**

Date: 2.APR.2015 17:02:38

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.67	0.10	-0.57	9.00
CH116	5580	-1.44	0.10	-1.34	9.00
CH140	5700	-1.29	0.10	-1.19	9.00

**CH100**




Date: 2.APR.2015 17:48:45

### CH116



Date: 2.APR.2015 17:49:12

### CH140




Date: 2.APR.2015 17:49:28

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.12	0.10	-0.02	9.00
CH116	5580	-0.33	0.10	-0.23	9.00
CH140	5700	-0.20	0.10	-0.10	9.00

**CH100**



Date: 2.APR.2015 20:41:14




**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.03	0.10	4.03	9.00
CH116	5580	3.58	0.10	3.58	9.00
CH140	5700	3.74	0.10	3.74	9.00




### CH110



Date: 2.APR.2015 17:13:04


### CH134




Date: 2.APR.2015 17:13:22

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.88	0.13	-4.75	9.00
CH110	5550	-4.46	0.13	-4.33	9.00
CH134	5670	-5.69	0.13	-5.56	9.00



Date: 2.APR.2015 17:58:04

**CH110**


Date: 2.APR.2015 17:58:33

**CH134**

Date: 2.APR.2015 17:58:53


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.55	0.13	-4.42	9.00
CH110	5550	-7.59	0.13	-7.46	9.00
CH134	5670	-5.01	0.13	-4.88	9.00




Date: 2.APR.2015 20:52:04

### CH110



Date: 2.APR.2015 20:52:31

### CH134



Date: 2.APR.2015 20:53:09


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.14	0.13	0.14	9.00
CH110	5550	-1.53	0.13	-1.53	9.00
CH134	5670	-0.56	0.13	-0.56	9.00

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-5.09	0.03	-5.06	28.00
CH157	5785	-4.82	0.03	-4.79	28.00
CH165	5825	-4.62	0.03	-4.59	28.00

**TX CH149**




Date: 2.APR.2015 16:45:36

**TX CH157**



Date: 2.APR.2015 16:46:25


**TX CH165**



Date: 2.APR.2015 16:47:06




### TX CH157



Date: 2.APR.2015 17:44:26

### TX CH165




Date: 2.APR.2015 17:45:06

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.25	0.03	-3.22	28.00
CH157	5785	-2.80	0.03	-2.77	28.00
CH165	5825	-3.89	0.03	-3.86	28.00

**TX CH149**




Date: 2.APR.2015 20:36:23

### TX CH157



Date: 2.APR.2015 20:37:06

### TX CH165



Date: 2.APR.2015 20:37:44


**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.70	0.03	0.70	28.00
CH157	5785	1.17	0.03	1.17	28.00
CH165	5825	0.67	0.03	0.67	28.00

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-5.12	0.10	-5.02	28.00
CH157	5785	-4.70	0.10	-4.60	28.00
CH165	5825	-4.67	0.10	-4.57	28.00

**TX CH149**




Date: 2.APR.2015 17:03:05

### TX CH157



Date: 2.APR.2015 17:03:39

### TX CH165




Date: 2.APR.2015 17:03:57

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-4.16	0.10	-4.06	28.00
CH157	5785	-3.49	0.10	-3.39	28.00
CH165	5825	-3.76	0.10	-3.66	28.00

**TX CH149**




Date: 2.APR.2015 17:49:52

### TX CH157



Date: 2.APR.2015 17:50:19

### TX CH165




Date: 2.APR.2015 17:50:37

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.16	0.10	-3.06	28.00
CH157	5785	-3.02	0.10	-2.92	28.00
CH165	5825	-4.31	0.10	-4.21	28.00

**TX CH149**




Date: 2.APR.2015 20:42:23

### TX CH157



Date: 2.APR.2015 20:42:47

### TX CH165



Date: 2.APR.2015 20:43:06


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.80	0.10	0.80	28.00
CH157	5785	1.19	0.10	1.19	28.00
CH165	5825	0.64	0.10	0.64	28.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-11.15	0.13	-11.02	28.00
CH159	5795	-7.57	0.13	-7.44	28.00

### TX CH151



Date: 2.APR.2015 17:13:47


### TX CH159




Date: 2.APR.2015 17:14:19

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.79	0.13	-7.66	28.00
CH159	5795	-7.53	0.13	-7.40	28.00

**TX CH151**

Date: 2.APR.2015 17:59:20


**TX CH159**

Date: 2.APR.2015 17:59:45

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.59	0.13	-7.46	28.00
CH159	5795	-7.32	0.13	-7.19	28.00

**TX CH151**



Date: 2.APR.2015 20:53:38

**TX CH159**




Date: 2.APR.2015 20:54:08

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-3.67	0.13	-3.67	28.00
CH159	5795	-2.57	0.13	-2.57	28.00

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.06	0.16	0.10	15.00
CH40	5200	0.03	0.16	0.19	15.00
CH48	5240	-0.14	0.16	0.02	15.00



Date: 2.APR.2015 17:04:40

**CH40**


Date: 2.APR.2015 17:05:14

**CH48**

Date: 2.APR.2015 17:05:34


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.33	0.16	0.49	15.00
CH40	5200	0.81	0.16	0.97	15.00
CH48	5240	0.19	0.16	0.35	15.00




Date: 2.APR.2015 17:51:23

### CH40



Date: 2.APR.2015 17:51:52


### CH48



Date: 2.APR.2015 17:52:11


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.94	0.16	1.10	15.00
CH40	5200	0.31	0.16	0.47	15.00
CH48	5240	0.68	0.16	0.84	15.00




Date: 2.APR.2015 20:43:36

### CH40



Date: 2.APR.2015 20:44:03

### CH48



Date: 2.APR.2015 20:44:24


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.35	0.16	5.35	15.00
CH40	5200	5.33	0.16	5.33	15.00
CH48	5240	5.19	0.16	5.19	15.00

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.08	0.19	-5.89	15.00
CH46	5230	-3.06	0.19	-2.87	15.00

### CH38



Date: 2.APR.2015 17:14:59


### CH46




Date: 2.APR.2015 17:15:33

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.32	0.19	-6.13	15.00
CH46	5230	-3.24	0.19	-3.05	15.00

**CH38**

Date: 2.APR.2015 18:00:19


**CH46**

Date: 2.APR.2015 18:00:53

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.43	0.19	-5.24	15.00
CH46	5230	-2.36	0.19	-2.17	15.00

### CH38



Date: 2.APR.2015 20:54:42

### CH46




Date: 2.APR.2015 20:55:17

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.96	0.19	-0.96	15.00
CH46	5230	2.09	0.19	2.09	15.00

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-13.05	0.48	-12.57	15.00




Date: 2.APR.2015 17:20:04

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-12.38	0.48	-11.90	15.00

**CH42**




Date: 2.APR.2015 18:07:24

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-11.90	0.48	-11.42	15.00

**CH42**




Date: 2.APR.2015 20:59:48


**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-7.17	0.48	-7.17	15.00



**CH60**


Date: 2.APR.2015 17:06:25

**CH64**

Date: 2.APR.2015 17:06:56




### CH60



Date: 2.APR.2015 17:53:01


### CH64



Date: 2.APR.2015 17:53:18


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.34	0.16	1.50	9.00
CH60	5300	0.02	0.16	0.18	9.00
CH64	5320	-0.26	0.16	-0.10	9.00




Date: 2.APR.2015 20:44:52

### CH60



Date: 2.APR.2015 20:45:18

### CH64




Date: 2.APR.2015 20:45:40

**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.72	0.16	5.72	9.00
CH60	5300	4.55	0.16	4.55	9.00
CH64	5320	4.45	0.16	4.45	9.00

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.92	0.19	-2.73	9.00
CH62	5310	-9.00	0.19	-8.81	9.00

**CH54**

Date: 2.APR.2015 17:16:04


**CH62**

Date: 2.APR.2015 17:16:33

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.97	0.19	-2.78	9.00
CH62	5310	-7.20	0.19	-7.01	9.00

### CH54



Date: 2.APR.2015 18:01:21

### CH62




Date: 2.APR.2015 18:01:49

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.09	0.19	-1.90	9.00
CH62	5310	-6.76	0.19	-6.57	9.00

### CH54



Date: 2.APR.2015 20:56:09

### CH62




Date: 2.APR.2015 20:56:38

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.32	0.19	2.32	9.00
CH62	5310	-2.59	0.19	-2.59	9.00

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-12.93	0.48	-12.45	9.00




Date: 2.APR.2015 17:21:06



**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-9.73	0.48	-9.25	9.00




Date: 2.APR.2015 21:00:26

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.31	0.48	-6.31	9.00




### CH116



Date: 2.APR.2015 17:07:46


### CH140



Date: 2.APR.2015 17:08:20


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.13	0.16	0.03	9.00
CH116	5580	-1.58	0.16	-1.42	9.00
CH140	5700	-0.76	0.16	-0.60	9.00




Date: 2.APR.2015 17:53:41

### CH116



Date: 2.APR.2015 17:54:06


### CH140



Date: 2.APR.2015 17:54:22




### CH116



Date: 2.APR.2015 20:46:33

### CH140




Date: 2.APR.2015 20:46:50

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.82	0.16	4.82	9.00
CH116	5580	4.04	0.16	4.04	9.00
CH140	5700	4.22	0.16	4.22	9.00


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.74	0.19	-3.55	9.00
CH110	5550	-3.75	0.19	-3.56	9.00
CH134	5670	-4.38	0.19	-4.19	9.00




Date: 2.APR.2015 17:17:23

**CH110**



Date: 2.APR.2015 17:17:57

**CH134**




Date: 2.APR.2015 17:18:22

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.40	0.19	-4.21	9.00
CH110	5550	-4.14	0.19	-3.95	9.00
CH134	5670	-8.38	0.19	-8.19	9.00

**CH102**




Date: 2.APR.2015 18:02:21

### CH110




Date: 2.APR.2015 18:02:55

### CH134




Date: 2.APR.2015 18:03:13



**CH110**

Date: 2.APR.2015 20:57:39

**CH134**

Date: 2.APR.2015 20:57:58


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.93	0.19	0.93	9.00
CH110	5550	1.06	0.19	1.06	9.00
CH134	5670	-0.53	0.19	-0.53	9.00

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-13.65	0.48	-13.17	9.00
CH122	5610	-5.46	0.48	-4.98	9.00

### CH106



Date: 2.APR.2015 17:21:42

### CH122



Date: 2.APR.2015 17:22:17


**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-12.11	0.48	-11.63	9.00
CH122	5610	-5.57	0.48	-5.09	9.00




**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-12.15	0.48	-11.67	9.00
CH122	5610	-5.72	0.48	-5.24	9.00

**CH106**

Date: 2.APR.2015 21:01:40

**CH122**


Date: 2.APR.2015 21:02:13

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.33	0.48	-7.33	9.00
CH122	5610	-0.33	0.48	-0.33	9.00




### TX CH157



Date: 2.APR.2015 17:09:11


### TX CH165



Date: 2.APR.2015 17:09:28




### TX CH157



Date: 2.APR.2015 17:55:12

### TX CH165




Date: 2.APR.2015 17:55:31


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.72	0.16	-3.56	28.00
CH157	5785	-2.99	0.16	-2.83	28.00
CH165	5825	-3.44	0.16	-3.28	28.00


**TX CH149**



Date: 2.APR.2015 20:47:14

**TX CH157**

Date: 2.APR.2015 20:47:39

**TX CH165**


Date: 2.APR.2015 20:47:56

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	1.21	0.16	1.21	28.00
CH157	5785	1.92	0.16	1.92	28.00
CH165	5825	1.62	0.16	1.62	28.00

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.04	0.19	-6.85	28.00
CH159	5795	-6.73	0.19	-6.54	28.00

**TX CH151**

Date: 2.APR.2015 17:19:00


**TX CH159**

Date: 2.APR.2015 17:19:25

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.90	0.19	-6.71	28.00
CH159	5795	-7.13	0.19	-6.94	28.00

### TX CH151



Date: 2.APR.2015 18:03:40

### TX CH159




Date: 2.APR.2015 18:06:00

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 3**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.07	0.19	-6.88	28.00
CH159	5795	-6.46	0.19	-6.27	28.00

### TX CH151



Date: 2.APR.2015 20:58:24

### TX CH159



Date: 2.APR.2015 20:59:04

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.04	0.19	-2.04	28.00
CH159	5795	-1.80	0.19	-1.80	28.00



**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-11.44	0.48	-10.96	28.00

**TX CH155**




Date: 2.APR.2015 18:14:29

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 3**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-9.97	0.48	-9.49	28.00

**TX CH155**



Date: 2.APR.2015 21:02:45

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-5.20	0.48	-5.20	28.00

## ATTACHMENTI-FREQUENCY STABILITY

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0150
120	5180.0140
108	5180.0150
Max. Deviation (MHz)	0.0150
Max. Deviation (ppm)	2.8958

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0130
5	5180.0180
15	5180.0120
25	5180.0150
35	5180.0130
45	5180.0150
50	5180.0160
Max. Deviation (MHz)	0.0180
Max. Deviation (ppm)	3.4749

<b>Test Mode:</b>	<b>UNII-2A</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9950
120	5259.9953
108	5259.9951
Max. Deviation (MHz)	0.0050
Max. Deviation (ppm)	0.9471

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9953
5	5259.9951
15	5259.9949
25	5259.9950
35	5259.9950
45	5259.9939
50	5259.9952
Max. Deviation (MHz)	0.0061
Max. Deviation (ppm)	1.1597

<b>Test Mode:</b>	<b>UNII-2C</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0000
120	5500.0000
108	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0023

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0000
5	5500.0000
15	5500.0013
25	5500.0000
35	5500.0012
45	5500.0000
50	5500.0000
Max. Deviation (MHz)	0.0013
Max. Deviation (ppm)	0.2364

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9799
120	5744.9795
108	5744.9796
Max. Deviation (MHz)	0.0205
Max. Deviation (ppm)	3.5683

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9793
5	5744.9796
15	5744.9798
25	5744.9799
35	5744.9798
45	5744.9798
50	5744.9793
Max. Deviation (MHz)	0.0207
Max. Deviation (ppm)	3.6031