


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5240MHz




### Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5232.900	50.19	38.26	88.45	60.00	28.45	AVG	No Limit
2	X	5236.800	60.75	38.28	99.03	80.00	19.03	peak	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5240MHz

### Vertical



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5240MHz




### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5244.800	50.46	38.31	88.77	60.00	28.77	AVG	No Limit
2	X	5245.200	60.69	38.31	99.00	80.00	19.00	peak	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX A Mode 5240MHz

### Horizontal



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	14.70	37.89	52.59	68.30	-15.71	peak	
2		5150.000	3.42	37.89	41.31	54.00	-12.69	AVG	
3	X	5187.100	60.89	38.06	98.95	68.30	30.65	peak	No Limit
4	*	5187.600	50.37	38.06	88.43	54.00	34.43	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10360.00	41.99	13.85	55.84	74.30	-18.46	peak	
2 *	15540.00	42.50	16.85	59.35	74.30	-14.95	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26134.50	48.19	7.63	55.82	74.30	-18.48	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39959.50	48.01	17.50	65.51	74.30	-8.79	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	14.31	37.89	52.20	68.30	-16.10	peak	
2		5150.000	3.55	37.89	41.44	54.00	-12.56	AVG	
3	*	5172.500	51.23	38.00	89.23	54.00	35.23	AVG	No Limit
4	X	5175.000	60.91	38.00	98.91	68.30	30.61	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5180MHz

### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10360.00	39.65	13.85	53.50	74.30	-20.80	peak	
2	*	15540.00	41.81	16.85	58.66	74.30	-15.64	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	25726.50	47.45	7.35	54.80	74.30	-19.50	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	39824.50	47.48	17.17	64.65	74.30	-9.65	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5200MHz




**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5192.500	50.88	38.08	88.96	54.00	34.96	AVG	No Limit
2	X	5195.700	60.98	38.09	99.07	68.30	30.77	peak	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5200MHz

### Vertical



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5200MHz




### Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5192.500	50.97	38.08	89.05	54.00	35.05	AVG	No Limit
2	X	5195.200	60.92	38.09	99.01	68.30	30.71	peak	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5200MHz

### Horizontal



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5245.700	60.98	38.31	99.29	68.30	30.99	peak	No Limit
2	*	5247.500	50.58	38.32	88.90	54.00	34.90	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10480.00	42.62	13.69	56.31	74.30	-17.99	peak	
2 *	15720.00	42.15	17.78	59.93	74.30	-14.37	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26491.50	45.89	8.62	54.51	74.30	-19.79	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39932.50	46.78	17.43	64.21	74.30	-10.09	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5232.500	51.50	38.25	89.75	54.00	35.75	AVG	No Limit
2	X	5244.700	61.67	38.31	99.98	68.30	31.68	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N20 Mode 5240MHz

### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10480.00	40.16	13.69	53.85	74.30	-20.45	peak	
2 *	15720.00	42.14	17.78	59.92	74.30	-14.38	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25879.50	47.79	7.29	55.08	74.30	-19.22	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39797.50	48.02	17.11	65.13	74.30	-9.17	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	13.94	37.89	51.83	68.30	-16.47	peak	
2		5150.000	1.80	37.89	39.69	54.00	-14.31	AVG	
3	*	5178.200	40.57	38.02	78.59	54.00	24.59	AVG	No Limit
4	X	5179.800	52.36	38.02	90.38	68.30	22.08	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10380.00	41.48	13.83	55.31	74.30	-18.99	peak	
2 *	15570.00	42.24	17.00	59.24	74.30	-15.06	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26466.00	46.67	8.54	55.21	74.30	-19.09	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39851.50	47.00	17.23	64.23	74.30	-10.07	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	15.73	37.89	53.62	68.30	-14.68	peak	
2		5150.000	4.31	37.89	42.20	54.00	-11.80	AVG	
3	X	5175.200	55.94	38.01	93.95	68.30	25.65	peak	No Limit
4	*	5178.200	45.41	38.02	83.43	54.00	29.43	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


### Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10380.00	40.48	13.83	54.31	74.30	-19.99	peak	
2	*	15570.00	42.57	17.00	59.57	74.30	-14.73	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	25344.00	47.11	7.12	54.23	74.30	-20.07	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39730.00	46.82	16.94	63.76	74.30	-10.54	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


**Vertical**




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5241.600	40.33	38.30	78.63	54.00	24.63	AVG	No Limit
2	X	5242.400	51.43	38.30	89.73	68.30	21.43	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10460.00	41.13	13.71	54.84	74.30	-19.46	peak	
2 *	15690.00	42.32	17.63	59.95	74.30	-14.35	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26500.00	46.81	8.64	55.45	74.30	-18.85	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39851.50	47.06	17.23	64.29	74.30	-10.01	peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5222.400	44.40	38.22	82.62	54.00	28.62	AVG	No Limit
2	X	5234.600	55.99	38.27	94.26	68.30	25.96	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10460.00	41.80	13.71	55.51	74.30	-18.79	peak	
2 *	15690.00	42.66	17.63	60.29	74.30	-14.01	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25998.50	47.36	7.26	54.62	74.30	-19.68	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39851.50	47.37	17.23	64.60	74.30	-9.70	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5252.800	49.78	38.35	88.13	60.00	28.13	AVG	No Limit
2	X	5263.700	59.91	38.39	98.30	80.00	18.30	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz

### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10520.00	43.38	13.75	57.13	74.30	-17.17	peak	
2 *	15780.00	42.74	18.10	60.84	74.30	-13.46	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25990.00	47.93	7.26	55.19	74.30	-19.11	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39811.00	47.78	17.13	64.91	74.30	-9.39	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5258.000	60.74	38.37	99.11	80.00	19.11	peak	No Limit
2	*	5264.500	50.86	38.40	89.26	60.00	29.26	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10520.00	41.03	13.75	54.78	74.30	-19.52	peak	
2 *	15780.00	42.01	18.10	60.11	74.30	-14.19	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26483.00	46.07	8.60	54.67	74.30	-19.63	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39946.00	48.12	17.47	65.59	74.30	-8.71	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5295.800	60.69	38.53	99.22	80.00	19.22	peak	No Limit
2	*	5304.200	49.47	38.58	88.05	60.00	28.05	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10600.00	45.67	14.08	59.75	74.30	-14.55	peak	
2 *	15900.00	42.79	18.73	61.52	74.30	-12.78	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25879.50	47.54	7.29	54.83	74.30	-19.47	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39797.50	47.73	17.11	64.84	74.30	-9.46	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5292.800	60.10	38.52	98.62	80.00	18.62	peak	No Limit
2	*	5292.800	50.35	38.52	88.87	60.00	28.87	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10600.00	40.63	14.08	54.71	74.30	-19.59	peak	
2 *	15900.00	43.30	18.73	62.03	74.30	-12.27	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26219.50	46.77	7.87	54.64	74.30	-19.66	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39932.50	47.01	17.43	64.44	74.30	-9.86	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5324.200	60.50	38.66	99.16	80.00	19.16	peak	No Limit
2	*	5327.000	49.96	38.67	88.63	60.00	28.63	AVG	No Limit
3		5350.000	22.44	38.78	61.22	80.00	-18.78	peak	
4		5350.000	12.15	38.78	50.93	60.00	-9.07	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10640.00	41.69	14.25	55.94	74.30	-18.36	peak	
2 *	15960.00	44.34	19.04	63.38	74.30	-10.92	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26321.50	46.93	8.15	55.08	74.30	-19.22	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39811.00	47.18	17.13	64.31	74.30	-9.99	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5313.900	59.94	38.61	98.55	80.00	18.55	peak	No Limit
2	*	5325.100	49.76	38.67	88.43	60.00	28.43	AVG	No Limit
3		5350.000	20.84	38.78	59.62	80.00	-20.38	peak	
4		5350.000	12.05	38.78	50.83	60.00	-9.17	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10640.00	40.23	14.25	54.48	74.30	-19.82	peak	
2 *	15960.00	42.87	19.04	61.91	74.30	-12.39	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25862.50	47.45	7.31	54.76	74.30	-19.54	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39919.00	47.80	17.40	65.20	74.30	-9.10	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5252.400	50.28	38.35	88.63	54.00	34.63	AVG	No Limit
2	X	5254.000	60.30	38.36	98.66	68.30	30.36	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10520.00	44.63	13.75	58.38	74.30	-15.92	peak	
2 *	15780.00	42.38	18.10	60.48	74.30	-13.82	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26491.50	46.21	8.62	54.83	74.30	-19.47	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39811.00	47.97	17.13	65.10	74.30	-9.20	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5267.000	61.67	38.41	100.08	68.30	31.78	peak	No Limit
2	*	5267.600	51.39	38.42	89.81	54.00	35.81	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz

### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10520.00	39.67	13.75	53.42	74.30	-20.88	peak	
2 *	15780.00	42.74	18.10	60.84	74.30	-13.46	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25624.50	47.31	7.38	54.69	74.30	-19.61	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39892.00	47.46	17.34	64.80	74.30	-9.50	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5292.500	51.82	38.52	90.34	54.00	36.34	AVG	No Limit
2	X	5294.100	61.81	38.53	100.34	68.30	32.04	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10600.00	44.06	14.08	58.14	74.30	-16.16	peak	
2 *	15900.00	43.90	18.73	62.63	74.30	-11.67	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25990.00	47.70	7.26	54.96	74.30	-19.34	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39797.50	47.34	17.11	64.45	74.30	-9.85	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz




### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5292.300	61.43	38.52	99.95	68.30	31.65	peak	No Limit
2	*	5292.500	50.55	38.52	89.07	54.00	35.07	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz

### Horizontal



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


### Vertical




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5325.100	52.25	38.67	90.92	54.00	36.92	AVG	No Limit
2	X	5326.900	62.82	38.67	101.49	68.30	33.19	peak	No Limit
3		5350.000	19.83	38.78	58.61	68.30	-9.69	peak	
4		5350.000	5.96	38.78	44.74	54.00	-9.26	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.00	42.06	14.25	56.31	74.30	-17.99	peak	
2	*	15960.00	42.78	19.04	61.82	74.30	-12.48	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26100.50	47.31	7.54	54.85	74.30	-19.45	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	39797.50	47.94	17.11	65.05	74.30	-9.25	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


### Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5312.700	50.91	38.61	89.52	54.00	35.52	AVG	No Limit
2	X	5313.900	61.69	38.61	100.30	68.30	32.00	peak	No Limit
3		5350.000	15.06	38.78	53.84	68.30	-14.46	peak	
4		5350.000	4.03	38.78	42.81	54.00	-11.19	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10640.00	40.21	14.25	54.46	74.30	-19.84	peak	
2 *	15960.00	43.55	19.04	62.59	74.30	-11.71	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25658.50	47.53	7.37	54.90	74.30	-19.40	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39878.50	46.54	17.30	63.84	74.30	-10.46	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5278.400	50.94	38.46	89.40	68.30	21.10	peak	No Limit
2	*	5282.000	39.72	38.47	78.19	54.00	24.19	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10540.00	41.56	13.84	55.40	74.30	-18.90	peak	
2 *	15810.00	44.25	18.25	62.50	74.30	-11.80	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25658.50	47.21	7.37	54.58	74.30	-19.72	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39811.00	47.14	17.13	64.27	74.30	-10.03	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5257.200	55.51	38.37	93.88	68.30	25.58	peak	No Limit
2	*	5261.600	44.62	38.38	83.00	54.00	29.00	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10540.00	40.42	13.84	54.26	74.30	-20.04	peak	
2 *	15810.00	43.34	18.25	61.59	74.30	-12.71	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26202.50	46.78	7.82	54.60	74.30	-19.70	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39959.50	47.19	17.50	64.69	74.30	-9.61	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5323.000	52.90	38.66	91.56	68.30	23.26	peak	No Limit
2	*	5323.200	40.80	38.66	79.46	54.00	25.46	AVG	No Limit
3		5350.000	16.19	38.78	54.97	68.30	-13.33	peak	
4		5350.000	3.04	38.78	41.82	54.00	-12.18	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.00	40.83	14.17	55.00	74.30	-19.30	peak	
2	*	15930.00	43.70	18.89	62.59	74.30	-11.71	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26134.50	47.31	7.63	54.94	74.30	-19.36	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	39797.50	47.48	17.11	64.59	74.30	-9.71	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5307.000	55.79	38.59	94.38	68.30	26.08	peak	No Limit
2	*	5313.000	43.79	38.61	82.40	54.00	28.40	AVG	No Limit
3		5350.000	15.57	38.78	54.35	68.30	-13.95	peak	
4		5350.000	4.20	38.78	42.98	54.00	-11.02	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	10620.00	41.34	14.17	55.51	74.30	-18.79	peak	
2 *	15930.00	43.33	18.89	62.22	74.30	-12.08	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26092.00	47.47	7.52	54.99	74.30	-19.31	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39838.00	47.25	17.21	64.46	74.30	-9.84	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	22.23	39.27	61.50	80.00	-18.50	peak	
2		5460.000	12.54	39.27	51.81	60.00	-8.19	AVG	
3		5470.000	22.89	39.31	62.20	80.00	-17.80	peak	
4		5470.000	12.86	39.31	52.17	60.00	-7.83	AVG	
5	X	5495.200	62.56	39.42	101.98	80.00	21.98	peak	No Limit
6	*	5504.900	52.34	39.46	91.80	60.00	31.80	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


### Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	42.08	15.75	57.83	74.30	-16.47	peak	
2	*	16500.00	43.67	20.37	64.04	74.30	-10.26	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	25675.50	47.41	7.36	54.77	74.30	-19.53	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39932.50	47.26	17.43	64.69	74.30	-9.61	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	23.16	39.27	62.43	80.00	-17.57	peak	
2		5460.000	12.52	39.27	51.79	60.00	-8.21	AVG	
3		5470.000	23.22	39.31	62.53	80.00	-17.47	peak	
4		5470.000	12.70	39.31	52.01	60.00	-7.99	AVG	
5	X	5492.600	59.89	39.41	99.30	80.00	19.30	peak	No Limit
6	*	5492.900	49.84	39.41	89.25	60.00	29.25	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11000.00	39.85	15.75	55.60	74.30	-18.70	peak	
2 *	16500.00	43.05	20.37	63.42	74.30	-10.88	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26500.00	46.90	8.64	55.54	74.30	-18.76	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39932.50	47.68	17.43	65.11	74.30	-9.19	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz

**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5572.900	52.38	39.82	92.20	60.00	32.20	AVG	No Limit
2	X	5575.000	62.15	39.82	101.97	80.00	21.97	peak	No Limit