


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.97	-13	Pass	401
0.15	30	0.01	Peak	0.3	-54.01	-13	Pass	2985
30	500	0.1	Peak	348.168	-44.3	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.23	-13	N/A	5000
1000	10000	1	Peak	7225.76	-22.69	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.2	-13	Pass	401
0.15	30	0.01	Peak	0.19	-55.2	-13	Pass	2985
30	500	0.1	Peak	367.372	-43.89	-13	Pass	4700
500	1000	0.1	Peak	836.667	32.39	-13	N/A	5000
1000	10000	1	Peak	7179.754	-22.52	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.75	-13	Pass	2985
30	500	0.1	Peak	422.383	-43.42	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.3	-13	N/A	5000
1000	10000	1	Peak	7216.759	-22.71	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.21	-13	Pass	2985
30	1000	0.1	Peak	844.699	-49.43	-13	Pass	9699
1000	3000	1	Peak	1849.425	24.53	-13	N/A	2000
3000	20000	1	Peak	19427.07	-20.4	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.3	-13	Pass	401
0.15	30	0.01	Peak	0.23	-61.42	-13	Pass	2985
30	1000	0.1	Peak	992.49	-49.68	-13	Pass	9699
1000	3000	1	Peak	1880.44	27.33	-13	N/A	2000
3000	20000	1	Peak	19650.433	-19.72	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.64	-13	Pass	401
0.15	30	0.01	Peak	0.16	-60.21	-13	Pass	2985
30	1000	0.1	Peak	692.681	-49.51	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.61	-13	N/A	2000
3000	20000	1	Peak	19854.764	-20.26	-13	Pass	17000




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.28	-13	Pass	401
0.15	30	0.01	Peak	0.26	-54.58	-13	Pass	2985
30	500	0.1	Peak	346.867	-43.98	-13	Pass	4700
500	1000	0.1	Peak	824.265	29.57	-13	N/A	5000
1000	10000	1	Peak	6937.725	-22.52	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.66	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.42	-13	Pass	2985
30	500	0.1	Peak	460.492	-44.39	-13	Pass	4700
500	1000	0.1	Peak	836.567	30.2	-13	N/A	5000
1000	10000	1	Peak	7311.77	-23.09	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-55.32	-13	Pass	2985
30	500	0.1	Peak	297.957	-44.06	-13	Pass	4700
500	1000	0.1	Peak	848.77	28.69	-13	N/A	5000
1000	10000	1	Peak	7218.759	-22.33	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-62.59	-13	Pass	401
0.15	30	0.01	Peak	0.2	-60.74	-13	Pass	2985
30	1000	0.1	Peak	838.299	-48.81	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.35	-13	N/A	2000
3000	20000	1	Peak	19645.424	-19.92	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.35	-13	Pass	401
0.15	30	0.01	Peak	0.18	-60.15	-13	Pass	2985
30	1000	0.1	Peak	818.896	-49.41	-13	Pass	9699
1000	3000	1	Peak	1879.44	27.62	-13	N/A	2000
3000	20000	1	Peak	19631.402	-20.27	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.57	-13	Pass	401
0.15	30	0.01	Peak	0.23	-59.8	-13	Pass	2985
30	1000	0.1	Peak	793.393	-49.59	-13	Pass	9699
1000	3000	1	Peak	1909.455	25.88	-13	N/A	2000
3000	20000	1	Peak	19183.976	-20.16	-13	Pass	17000




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.8	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.65	-13	Pass	2985
30	1000	0.1	Peak	949.733	-53.84	-13	Pass	9699
1000	3000	1	Peak	1853.427	23.23	-13	N/A	2000
3000	20000	1	Peak	19650.433	-24.89	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.02	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.02	-13	Pass	2985
30	1000	0.1	Peak	848.8	-53.54	-13	Pass	9699
1000	3000	1	Peak	1881.441	23.25	-13	N/A	2000
3000	20000	1	Peak	19655.441	-24.94	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.32	-13	Pass	401
0.15	30	0.01	Peak	0.47	-65.73	-13	Pass	2985
30	1000	0.1	Peak	869.927	-53.46	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.58	-13	N/A	2000
3000	20000	1	Peak	19642.42	-24.12	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.09	-13	Pass	401
0.15	30	0.01	Peak	0.26	-64.09	-13	Pass	2985
30	1000	0.1	Peak	820.697	-53.83	-13	Pass	9699
1000	3000	1	Peak	1713.357	23.4	-13	N/A	2000
3000	20000	1	Peak	19406.036	-24.86	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.06	-13	Pass	401
0.15	30	0.01	Peak	0.29	-65.01	-13	Pass	2985
30	1000	0.1	Peak	547.563	-53.43	-13	Pass	9699
1000	3000	1	Peak	1733.367	23.35	-13	N/A	2000
3000	20000	1	Peak	19652.436	-25.18	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.86	-13	Pass	401
0.15	30	0.01	Peak	0.66	-64.59	-13	Pass	2985
30	1000	0.1	Peak	929.106	-53.49	-13	Pass	9699
1000	3000	1	Peak	1753.377	23.3	-13	N/A	2000
3000	20000	1	Peak	19452.111	-24.53	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.02	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.49	-13	Pass	2985
30	500	0.1	Peak	403.279	-54.29	-13	Pass	4700
500	1000	0.1	Peak	825.965	18.15	-13	N/A	5000
1000	10000	1	Peak	7525.797	-32.3	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.78	-13	Pass	401
0.15	30	0.01	Peak	0.4	-65.05	-13	Pass	2985
30	500	0.1	Peak	495.199	-53.79	-13	Pass	4700
500	1000	0.1	Peak	836.967	19.88	-13	N/A	5000
1000	10000	1	Peak	7391.78	-32.52	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.69	-13	Pass	401
0.15	30	0.01	Peak	0.77	-64.07	-13	Pass	2985
30	500	0.1	Peak	439.587	-53.89	-13	Pass	4700
500	1000	0.1	Peak	845.669	19.06	-13	N/A	5000
1000	10000	1	Peak	6958.727	-33.16	-13	Pass	9000




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	1000	0.1	RMS	843.699	-64.75	-13	Pass	9699
1000	1840	1	RMS	1840	-50.96	-13	Pass	840
1840	1920	1	RMS	1850.2	22.92	60	Pass	401
1920	3000	1	RMS	2954.958	-49.98	-13	Pass	1080
3000	12000	1	RMS	11790.741	-44.2	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.84	-13	Pass	8000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.83	-13	Pass	2985
30	1000	0.1	RMS	811.895	-64.69	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.09	-13	Pass	840
1840	1920	1	RMS	1850.2	21.97	60	Pass	401
1920	3000	1	RMS	2963.967	-49.93	-13	Pass	1080
3000	12000	1	RMS	11785.735	-44.27	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.91	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2985
30	1000	0.1	RMS	862.017	-64.49	-13	Pass	9699
1000	1840	1	RMS	1840	-53.22	-13	Pass	840
1840	1920	1	RMS	1879.4	22.94	60	Pass	401
1920	3000	1	RMS	2952.956	-49.92	-13	Pass	1080
3000	12000	1	RMS	11785.735	-44.21	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.95	-13	Pass	8000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	859.313	-64.48	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.21	-13	Pass	840
1840	1920	1	RMS	1879.4	22.03	60	Pass	401
1920	3000	1	RMS	2952.956	-49.97	-13	Pass	1080
3000	12000	1	RMS	11790.741	-44.22	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.95	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	Pass	2985
30	1000	0.1	RMS	815.696	-64.67	-13	Pass	9699
1000	1840	1	RMS	1835.995	-53.31	-13	Pass	840
1840	1920	1	RMS	1908.8	22.97	60	Pass	401
1920	3000	1	RMS	2951.956	-49.93	-13	Pass	1080
3000	12000	1	RMS	11787.737	-44.21	-13	Pass	9000
12000	20000	1	RMS	19650.956	-35.87	-13	Pass	8000




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2985
30	1000	0.1	RMS	847	-64.54	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.33	-13	Pass	840
1840	1920	1	RMS	1908.8	22.15	60	Pass	401
1920	3000	1	RMS	2954.958	-49.94	-13	Pass	1080
3000	12000	1	RMS	11790.741	-44.23	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.94	-13	Pass	8000




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	Pass	2985
30	1000	0.1	RMS	834.398	-64.53	-13	Pass	9699
1000	1840	1	RMS	1840	-51.07	-13	Pass	840
1840	1920	1	RMS	1850.2	22.99	60	Pass	401
1920	3000	1	RMS	2949.954	-49.92	-13	Pass	1080
3000	12000	1	RMS	11788.739	-44.28	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.96	-13	Pass	8000




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.04	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.53	-13	Pass	2985
30	1000	0.1	RMS	864.42	-64.72	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.16	-13	Pass	840
1840	1920	1	RMS	1850.2	22.16	60	Pass	401
1920	3000	1	RMS	2954.958	-49.98	-13	Pass	1080
3000	12000	1	RMS	11791.742	-44.2	-13	Pass	9000
12000	20000	1	RMS	19650.956	-35.93	-13	Pass	8000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	856.81	-64.6	-13	Pass	9699
1000	1840	1	RMS	1840	-53.14	-13	Pass	840
1840	1920	1	RMS	1878.6	23.05	60	Pass	401
1920	3000	1	RMS	2954.958	-49.95	-13	Pass	1080
3000	12000	1	RMS	11789.74	-44.13	-13	Pass	9000
12000	20000	1	RMS	19643.955	-35.97	-13	Pass	8000




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	Pass	2985
30	1000	0.1	RMS	806.195	-64.66	-13	Pass	9699
1000	1840	1	RMS	1840	-53.23	-13	Pass	840
1840	1920	1	RMS	1878.6	22.17	60	Pass	401
1920	3000	1	RMS	2958.962	-49.96	-13	Pass	1080
3000	12000	1	RMS	11787.737	-44.17	-13	Pass	9000
12000	20000	1	RMS	19645.956	-35.94	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	874.834	-64.6	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.29	-13	Pass	840
1840	1920	1	RMS	1907.2	23.04	60	Pass	401
1920	3000	1	RMS	2958.962	-49.91	-13	Pass	1080
3000	12000	1	RMS	11789.74	-44.22	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.92	-13	Pass	8000




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.59	-13	Pass	2985
30	1000	0.1	RMS	834.598	-64.78	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.3	-13	Pass	840
1840	1920	1	RMS	1907.2	22.17	60	Pass	401
1920	3000	1	RMS	2945.95	-49.93	-13	Pass	1080
3000	12000	1	RMS	11788.739	-44.24	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.93	-13	Pass	8000




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	856.41	-64.54	-13	Pass	9699
1000	1840	1	RMS	1840	-50.98	-13	Pass	840
1840	1920	1	RMS	1850.2	23.01	60	Pass	401
1920	3000	1	RMS	2955.959	-49.93	-13	Pass	1080
3000	12000	1	RMS	11790.741	-44.26	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.83	-13	Pass	8000




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	Pass	2985
30	1000	0.1	RMS	846.4	-64.75	-13	Pass	9699
1000	1840	1	RMS	1837.998	-51.35	-13	Pass	840
1840	1920	1	RMS	1850.2	22.16	60	Pass	401
1920	3000	1	RMS	2954.958	-49.9	-13	Pass	1080
3000	12000	1	RMS	11788.739	-44.15	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.92	-13	Pass	8000




8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	Pass	2985
30	1000	0.1	RMS	853.005	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.12	-13	Pass	840
1840	1920	1	RMS	1877.8	23.04	60	Pass	401
1920	3000	1	RMS	2949.954	-49.98	-13	Pass	1080
3000	12000	1	RMS	11781.73	-44.21	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.99	-13	Pass	8000




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	Pass	2985
30	1000	0.1	RMS	834.998	-64.71	-13	Pass	9699
1000	1840	1	RMS	1840	-53.14	-13	Pass	840
1840	1920	1	RMS	1877.8	22.3	60	Pass	401
1920	3000	1	RMS	2950.955	-49.94	-13	Pass	1080
3000	12000	1	RMS	11790.741	-44.23	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.92	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2985
30	1000	0.1	RMS	849.5	-64.7	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.26	-13	Pass	840
1840	1920	1	RMS	1905.2	22.98	60	Pass	401
1920	3000	1	RMS	2949.954	-49.97	-13	Pass	1080
3000	12000	1	RMS	11789.74	-44.19	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.93	-13	Pass	8000




8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	1000	0.1	RMS	837.799	-64.76	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.33	-13	Pass	840
1840	1920	1	RMS	1905.2	22.49	60	Pass	401
1920	3000	1	RMS	2947.952	-49.94	-13	Pass	1080
3000	12000	1	RMS	11787.737	-44.25	-13	Pass	9000
12000	20000	1	RMS	19646.956	-35.98	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	Pass	2985
30	1000	0.1	RMS	844.299	-64.59	-13	Pass	9699
1000	1840	1	RMS	1840	-50.68	-13	Pass	840
1840	1920	1	RMS	1850.6	22.9	60	Pass	401
1920	3000	1	RMS	2946.951	-49.94	-13	Pass	1080
3000	12000	1	RMS	11788.739	-44.22	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.98	-13	Pass	8000




8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2985
30	1000	0.1	RMS	837.299	-64.79	-13	Pass	9699
1000	1840	1	RMS	1840	-51.08	-13	Pass	840
1840	1920	1	RMS	1850.4	22.19	60	Pass	401
1920	3000	1	RMS	2947.952	-49.94	-13	Pass	1080
3000	12000	1	RMS	11789.74	-44.15	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.85	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	Pass	2985
30	1000	0.1	RMS	847.1	-64.62	-13	Pass	9699
1000	1840	1	RMS	1840	-53.09	-13	Pass	840
1840	1920	1	RMS	1875.4	22.96	60	Pass	401
1920	3000	1	RMS	2948.953	-49.97	-13	Pass	1080
3000	12000	1	RMS	11788.739	-44.27	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.89	-13	Pass	8000




8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	846.9	-64.64	-13	Pass	9699
1000	1840	1	RMS	1840	-53.1	-13	Pass	840
1840	1920	1	RMS	1875.4	22.19	60	Pass	401
1920	3000	1	RMS	2944.949	-49.92	-13	Pass	1080
3000	12000	1	RMS	11788.739	-44.27	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.91	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.42	-13	Pass	2985
30	1000	0.1	RMS	837.199	-64.64	-13	Pass	9699
1000	1840	1	RMS	1840	-53.24	-13	Pass	840
1840	1920	1	RMS	1900.4	22.93	60	Pass	401
1920	3000	1	RMS	2956.96	-49.93	-13	Pass	1080
3000	12000	1	RMS	11789.74	-44.24	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.95	-13	Pass	8000




8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.7	-13	Pass	2985
30	1000	0.1	RMS	838.399	-64.71	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.27	-13	Pass	840
1840	1920	1	RMS	1900.6	22.08	60	Pass	401
1920	3000	1	RMS	2948.953	-49.94	-13	Pass	1080
3000	12000	1	RMS	11788.739	-44.16	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.99	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	Pass	2985
30	1000	0.1	RMS	838.299	-64.58	-13	Pass	9699
1000	1840	1	RMS	1837.998	-39.84	-13	Pass	840
1840	1920	1	RMS	1850.8	23.26	60	Pass	401
1920	3000	1	RMS	2956.96	-49.92	-13	Pass	1080
3000	12000	1	RMS	11785.735	-44.2	-13	Pass	9000
12000	20000	1	RMS	19650.956	-35.89	-13	Pass	8000




8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	1000	0.1	RMS	829.498	-64.44	-13	Pass	9699
1000	1840	1	RMS	1837.998	-40.55	-13	Pass	840
1840	1920	1	RMS	1850.8	22.37	60	Pass	401
1920	3000	1	RMS	2950.955	-49.95	-13	Pass	1080
3000	12000	1	RMS	11790.741	-44.24	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.95	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	Pass	2985
30	1000	0.1	RMS	854.407	-64.66	-13	Pass	9699
1000	1840	1	RMS	1840	-53.24	-13	Pass	840
1840	1920	1	RMS	1873.2	23.37	60	Pass	401
1920	3000	1	RMS	2956.96	-49.91	-13	Pass	1080
3000	12000	1	RMS	11605.512	-44.23	-13	Pass	9000
12000	20000	1	RMS	19650.956	-35.95	-13	Pass	8000




8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	1000	0.1	RMS	836.698	-64.66	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.2	-13	Pass	840
1840	1920	1	RMS	1873.2	22.54	60	Pass	401
1920	3000	1	RMS	2956.96	-49.97	-13	Pass	1080
3000	12000	1	RMS	11792.743	-44.26	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.92	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2985
30	1000	0.1	RMS	844.299	-64.68	-13	Pass	9699
1000	1840	1	RMS	1840	-53.33	-13	Pass	840
1840	1920	1	RMS	1895.8	23.17	60	Pass	401
1920	3000	1	RMS	2948.953	-49.92	-13	Pass	1080
3000	12000	1	RMS	11789.74	-44.18	-13	Pass	9000
12000	20000	1	RMS	19650.956	-35.93	-13	Pass	8000




8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	Pass	2985
30	1000	0.1	RMS	842.499	-64.8	-13	Pass	9699
1000	1840	1	RMS	1840	-53.27	-13	Pass	840
1840	1920	1	RMS	1895.8	22.36	60	Pass	401
1920	3000	1	RMS	2951.956	-49.93	-13	Pass	1080
3000	12000	1	RMS	11788.739	-44.11	-13	Pass	9000
12000	20000	1	RMS	19643.955	-35.97	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	1000	0.1	RMS	851.103	-64.64	-13	Pass	9699
1000	1840	1	RMS	1840	-48.68	-13	Pass	840
1840	1920	1	RMS	1851	23.31	60	Pass	401
1920	3000	1	RMS	2956.96	-49.93	-13	Pass	1080
3000	12000	1	RMS	11789.74	-44.15	-13	Pass	9000
12000	20000	1	RMS	19647.956	-35.91	-13	Pass	8000




8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	1000	0.1	RMS	851.904	-64.71	-13	Pass	9699
1000	1840	1	RMS	1840	-49.22	-13	Pass	840
1840	1920	1	RMS	1851	22.46	60	Pass	401
1920	3000	1	RMS	2946.951	-49.97	-13	Pass	1080
3000	12000	1	RMS	11610.518	-44.22	-13	Pass	9000
12000	20000	1	RMS	19650.956	-35.81	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	Pass	2985
30	1000	0.1	RMS	836.098	-64.69	-13	Pass	9699
1000	1840	1	RMS	1840	-53.02	-13	Pass	840
1840	1920	1	RMS	1871	23.29	60	Pass	401
1920	3000	1	RMS	2951.956	-49.93	-13	Pass	1080
3000	12000	1	RMS	11789.74	-44.17	-13	Pass	9000
12000	20000	1	RMS	19647.956	-35.95	-13	Pass	8000




8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2985
30	1000	0.1	RMS	854.407	-64.64	-13	Pass	9699
1000	1840	1	RMS	1840	-53.15	-13	Pass	840
1840	1920	1	RMS	1871	22.46	60	Pass	401
1920	3000	1	RMS	2945.95	-49.91	-13	Pass	1080
3000	12000	1	RMS	11788.739	-44.2	-13	Pass	9000
12000	20000	1	RMS	19652.957	-35.98	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	821.997	-64.78	-13	Pass	9699
1000	1840	1	RMS	1840	-53.3	-13	Pass	840
1840	1920	1	RMS	1891	23.22	60	Pass	401
1920	3000	1	RMS	2956.96	-49.9	-13	Pass	1080
3000	12000	1	RMS	11787.737	-44.25	-13	Pass	9000
12000	20000	1	RMS	19650.956	-35.89	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	Pass	2985
30	1000	0.1	RMS	849.1	-64.67	-13	Pass	9699
1000	1840	1	RMS	1840	-53.27	-13	Pass	840
1840	1920	1	RMS	1891	22.46	60	Pass	401
1920	3000	1	RMS	2946.951	-49.92	-13	Pass	1080
3000	12000	1	RMS	11600.506	-44.2	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.97	-13	Pass	8000



9. LTE_Band4


**9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.59	-13	Pass	2985
30	1000	0.1	RMS	854.207	-64.73	-13	Pass	9699
1000	1700	1	RMS	1697.997	-51.25	-13	Pass	700
1700	1765	1	RMS	1710.238	22.92	60	Pass	401
1765	3000	1	RMS	2951.961	-49.92	-13	Pass	1235
3000	12000	1	RMS	11788.739	-44.16	-13	Pass	9000
12000	20000	1	RMS	19646.956	-35.92	-13	Pass	8000




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	Pass	2985
30	1000	0.1	RMS	857.711	-64.61	-13	Pass	9699
1000	1700	1	RMS	1700	-51.84	-13	Pass	700
1700	1765	1	RMS	1710.238	22.04	60	Pass	401
1765	3000	1	RMS	2952.962	-49.93	-13	Pass	1235
3000	12000	1	RMS	11789.74	-44.05	-13	Pass	9000
12000	20000	1	RMS	19646.956	-35.92	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	1000	0.1	RMS	836.298	-64.69	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.5	-13	Pass	700
1700	1765	1	RMS	1732.013	23	60	Pass	401
1765	3000	1	RMS	2961.969	-49.94	-13	Pass	1235
3000	12000	1	RMS	11791.742	-44.22	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.86	-13	Pass	8000




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	Pass	2985
30	1000	0.1	RMS	840.099	-64.66	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.51	-13	Pass	700
1700	1765	1	RMS	1732.013	22.15	60	Pass	401
1765	3000	1	RMS	2950.96	-49.94	-13	Pass	1235
3000	12000	1	RMS	11786.736	-44.25	-13	Pass	9000
12000	20000	1	RMS	19646.956	-35.93	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2985
30	1000	0.1	RMS	844.699	-64.58	-13	Pass	9699
1000	1700	1	RMS	1700	-53.67	-13	Pass	700
1700	1765	1	RMS	1753.788	23.15	60	Pass	401
1765	3000	1	RMS	2945.956	-49.93	-13	Pass	1235
3000	12000	1	RMS	11789.74	-44.21	-13	Pass	9000
12000	20000	1	RMS	19650.956	-35.92	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	Pass	2985
30	1000	0.1	RMS	815.996	-64.61	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.65	-13	Pass	700
1700	1765	1	RMS	1753.788	22.3	60	Pass	401
1765	3000	1	RMS	2949.959	-49.97	-13	Pass	1235
3000	12000	1	RMS	11788.739	-44.25	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.9	-13	Pass	8000




9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2985
30	1000	0.1	RMS	846.4	-64.72	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.37	-13	Pass	700
1700	1765	1	RMS	1710.238	22.98	60	Pass	401
1765	3000	1	RMS	2955.964	-49.94	-13	Pass	1235
3000	12000	1	RMS	11786.736	-44.22	-13	Pass	9000
12000	20000	1	RMS	19645.956	-35.92	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2985
30	1000	0.1	RMS	839.099	-64.66	-13	Pass	9699
1000	1700	1	RMS	1697.997	-51.85	-13	Pass	700
1700	1765	1	RMS	1710.075	22.19	60	Pass	401
1765	3000	1	RMS	2949.959	-49.94	-13	Pass	1235
3000	12000	1	RMS	11789.74	-44.18	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.93	-13	Pass	8000




9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2985
30	1000	0.1	RMS	847.1	-64.73	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.44	-13	Pass	700
1700	1765	1	RMS	1731.2	23.06	60	Pass	401
1765	3000	1	RMS	2944.955	-49.89	-13	Pass	1235
3000	12000	1	RMS	11788.739	-44.23	-13	Pass	9000
12000	20000	1	RMS	19647.956	-35.92	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.05	-13	Pass	2985
30	1000	0.1	RMS	842.099	-64.6	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.52	-13	Pass	700
1700	1765	1	RMS	1731.2	22.15	60	Pass	401
1765	3000	1	RMS	2950.96	-49.95	-13	Pass	1235
3000	12000	1	RMS	11789.74	-44.24	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.99	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	971.162	-64.78	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.67	-13	Pass	700
1700	1765	1	RMS	1752.163	23.26	60	Pass	401
1765	3000	1	RMS	2948.959	-49.96	-13	Pass	1235
3000	12000	1	RMS	11789.74	-44.12	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.87	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	836.398	-64.71	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.65	-13	Pass	700
1700	1765	1	RMS	1752.163	22.36	60	Pass	401
1765	3000	1	RMS	2943.955	-49.98	-13	Pass	1235
3000	12000	1	RMS	11786.736	-44.23	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.9	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	Pass	2985
30	1000	0.1	RMS	819.996	-64.7	-13	Pass	9699
1000	1700	1	RMS	1700	-51.43	-13	Pass	700
1700	1765	1	RMS	1710.238	23.02	60	Pass	401
1765	3000	1	RMS	2949.959	-49.93	-13	Pass	1235
3000	12000	1	RMS	11790.741	-44.21	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.95	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	Pass	2985
30	1000	0.1	RMS	837.099	-64.63	-13	Pass	9699
1000	1700	1	RMS	1700	-51.26	-13	Pass	700
1700	1765	1	RMS	1710.238	22.19	60	Pass	401
1765	3000	1	RMS	2951.961	-49.93	-13	Pass	1235
3000	12000	1	RMS	11789.74	-44.16	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.86	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	1000	0.1	RMS	839.199	-64.62	-13	Pass	9699
1000	1700	1	RMS	1700	-53.47	-13	Pass	700
1700	1765	1	RMS	1730.225	23.08	60	Pass	401
1765	3000	1	RMS	2937.95	-49.96	-13	Pass	1235
3000	12000	1	RMS	11790.741	-44.17	-13	Pass	9000
12000	20000	1	RMS	19646.956	-35.94	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	1000	0.1	RMS	860.014	-64.71	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.5	-13	Pass	700
1700	1765	1	RMS	1730.225	22.37	60	Pass	401
1765	3000	1	RMS	2953.963	-49.95	-13	Pass	1235
3000	12000	1	RMS	11785.735	-44.22	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.96	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2985
30	1000	0.1	RMS	989.987	-64.75	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.63	-13	Pass	700
1700	1765	1	RMS	1750.213	23.11	60	Pass	401
1765	3000	1	RMS	2952.962	-49.97	-13	Pass	1235
3000	12000	1	RMS	11787.737	-44.29	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.93	-13	Pass	8000




9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2985
30	1000	0.1	RMS	841.399	-64.63	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.62	-13	Pass	700
1700	1765	1	RMS	1750.213	22.44	60	Pass	401
1765	3000	1	RMS	2944.955	-49.9	-13	Pass	1235
3000	12000	1	RMS	11788.739	-44.22	-13	Pass	9000
12000	20000	1	RMS	19646.956	-35.96	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2985
30	1000	0.1	RMS	843.099	-64.63	-13	Pass	9699
1000	1700	1	RMS	1700	-50.88	-13	Pass	700
1700	1765	1	RMS	1710.563	23.05	60	Pass	401
1765	3000	1	RMS	2947.958	-49.97	-13	Pass	1235
3000	12000	1	RMS	11790.741	-44.2	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.98	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	837.699	-64.62	-13	Pass	9699
1000	1700	1	RMS	1700	-50.95	-13	Pass	700
1700	1765	1	RMS	1710.4	22.32	60	Pass	401
1765	3000	1	RMS	2943.955	-49.9	-13	Pass	1235
3000	12000	1	RMS	11789.74	-44.23	-13	Pass	9000
12000	20000	1	RMS	19646.956	-35.94	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	Pass	2985
30	1000	0.1	RMS	843.599	-64.57	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.42	-13	Pass	700
1700	1765	1	RMS	1727.95	23.2	60	Pass	401
1765	3000	1	RMS	2950.96	-49.97	-13	Pass	1235
3000	12000	1	RMS	11790.741	-44.25	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.96	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	Pass	2985
30	1000	0.1	RMS	822.197	-64.72	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.43	-13	Pass	700
1700	1765	1	RMS	1727.95	22.12	60	Pass	401
1765	3000	1	RMS	2951.961	-49.93	-13	Pass	1235
3000	12000	1	RMS	11788.739	-44.27	-13	Pass	9000
12000	20000	1	RMS	19647.956	-35.9	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	Pass	2985
30	1000	0.1	RMS	830.198	-64.75	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.55	-13	Pass	700
1700	1765	1	RMS	1745.5	23.27	60	Pass	401
1765	3000	1	RMS	2949.959	-50	-13	Pass	1235
3000	12000	1	RMS	11791.742	-44.23	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.9	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	1000	0.1	RMS	840.599	-64.68	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.58	-13	Pass	700
1700	1765	1	RMS	1745.5	22.29	60	Pass	401
1765	3000	1	RMS	2950.96	-49.94	-13	Pass	1235
3000	12000	1	RMS	11788.739	-44.24	-13	Pass	9000
12000	20000	1	RMS	19646.956	-35.89	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2985
30	1000	0.1	RMS	844.999	-64.46	-13	Pass	9699
1000	1700	1	RMS	1696.996	-38.43	-13	Pass	700
1700	1765	1	RMS	1710.725	23.55	60	Pass	401
1765	3000	1	RMS	2960.968	-49.93	-13	Pass	1235
3000	12000	1	RMS	11788.739	-44.21	-13	Pass	9000
12000	20000	1	RMS	19650.956	-35.89	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2985
30	1000	0.1	RMS	853.305	-64.58	-13	Pass	9699
1000	1700	1	RMS	1697.997	-40.71	-13	Pass	700
1700	1765	1	RMS	1710.725	22.54	60	Pass	401
1765	3000	1	RMS	2953.963	-49.91	-13	Pass	1235
3000	12000	1	RMS	11787.737	-44.26	-13	Pass	9000
12000	20000	1	RMS	19647.956	-35.99	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2985
30	1000	0.1	RMS	835.498	-64.66	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.69	-13	Pass	700
1700	1765	1	RMS	1725.675	23.37	60	Pass	401
1765	3000	1	RMS	2948.959	-49.92	-13	Pass	1235
3000	12000	1	RMS	11788.739	-44.22	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.92	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	1000	0.1	RMS	846	-64.8	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.57	-13	Pass	700
1700	1765	1	RMS	1725.838	22.65	60	Pass	401
1765	3000	1	RMS	2950.96	-49.94	-13	Pass	1235
3000	12000	1	RMS	11789.74	-44.17	-13	Pass	9000
12000	20000	1	RMS	19649.956	-36.01	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	844.699	-64.72	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.59	-13	Pass	700
1700	1765	1	RMS	1740.788	23.23	60	Pass	401
1765	3000	1	RMS	1767.002	-48.45	-13	Pass	1235
3000	12000	1	RMS	11786.736	-44.18	-13	Pass	9000
12000	20000	1	RMS	19648.956	-35.92	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	1000	0.1	RMS	865.522	-64.68	-13	Pass	9699
1000	1700	1	RMS	1700	-53.59	-13	Pass	700
1700	1765	1	RMS	1740.788	22.68	60	Pass	401
1765	3000	1	RMS	1767.002	-48.89	-13	Pass	1235
3000	12000	1	RMS	11790.741	-44.2	-13	Pass	9000
12000	20000	1	RMS	19646.956	-35.98	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2985
30	1000	0.1	RMS	826.897	-64.56	-13	Pass	9699
1000	1700	1	RMS	1692.99	-38.79	-13	Pass	700
1700	1765	1	RMS	1711.05	23.29	60	Pass	401
1765	3000	1	RMS	2951.961	-49.97	-13	Pass	1235
3000	12000	1	RMS	11787.737	-44.2	-13	Pass	9000
12000	20000	1	RMS	19651.956	-35.95	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-13	Pass	2985
30	1000	0.1	RMS	866.623	-64.77	-13	Pass	9699
1000	1700	1	RMS	1692.99	-41.47	-13	Pass	700
1700	1765	1	RMS	1711.213	22.7	60	Pass	401
1765	3000	1	RMS	2950.96	-49.91	-13	Pass	1235
3000	12000	1	RMS	11787.737	-44.22	-13	Pass	9000
12000	20000	1	RMS	19649.956	-36.02	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	Pass	2985
30	1000	0.1	RMS	845.5	-64.7	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.91	-13	Pass	700
1700	1765	1	RMS	1723.563	23.44	60	Pass	401
1765	3000	1	RMS	2956.965	-49.93	-13	Pass	1235
3000	12000	1	RMS	6955.483	-44.23	-13	Pass	9000
12000	20000	1	RMS	19644.956	-35.93	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.94	-13	Pass	2985
30	1000	0.1	RMS	841.899	-64.54	-13	Pass	9699
1000	1700	1	RMS	1687.983	-53.13	-13	Pass	700
1700	1765	1	RMS	1723.563	22.51	60	Pass	401
1765	3000	1	RMS	2952.962	-49.98	-13	Pass	1235
3000	12000	1	RMS	11791.742	-44.22	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.95	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2985
30	1000	0.1	RMS	838.799	-64.66	-13	Pass	9699
1000	1700	1	RMS	1700	-52.41	-13	Pass	700
1700	1765	1	RMS	1736.075	23.52	60	Pass	401
1765	3000	1	RMS	1772.006	-49.18	-13	Pass	1235
3000	12000	1	RMS	11790.741	-44.17	-13	Pass	9000
12000	20000	1	RMS	19648.956	-36.01	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2985
30	1000	0.1	RMS	840.199	-64.65	-13	Pass	9699
1000	1700	1	RMS	1700	-52.73	-13	Pass	700
1700	1765	1	RMS	1736.075	22.71	60	Pass	401
1765	3000	1	RMS	1772.006	-49.77	-13	Pass	1235
3000	12000	1	RMS	11790.741	-44.16	-13	Pass	9000
12000	20000	1	RMS	19647.956	-35.91	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	Pass	2985
30	814	0.1	RMS	809.299	-62.2	-13	Pass	7840
814	860	0.1	RMS	824.222	20.14	60	Pass	460
860	1000	0.1	RMS	860.3	-64.79	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.28	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.33	-13	Pass	7000




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-13	Pass	2985
30	814	0.1	RMS	809.199	-62.58	-13	Pass	7840
814	860	0.1	RMS	824.222	20.1	60	Pass	460
860	1000	0.1	RMS	950.365	-64.86	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.71	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.37	-13	Pass	7000




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.42	-13	Pass	7840
814	860	0.1	RMS	836.048	20.45	60	Pass	460
860	1000	0.1	RMS	869.407	-64.94	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.93	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.34	-13	Pass	7000




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.47	-13	Pass	7840
814	860	0.1	RMS	836.048	20.5	60	Pass	460
860	1000	0.1	RMS	868.706	-64.81	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.42	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.33	-13	Pass	7000




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.07	-13	Pass	2985
30	814	0.1	RMS	758.393	-64.87	-13	Pass	7840
814	860	0.1	RMS	847.874	20.23	60	Pass	460
860	1000	0.1	RMS	861.001	-64.8	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.26	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.33	-13	Pass	7000




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	Pass	2985
30	814	0.1	RMS	814	-64.71	-13	Pass	7840
814	860	0.1	RMS	847.874	20.29	60	Pass	460
860	1000	0.1	RMS	862.102	-64.82	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.61	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.4	-13	Pass	7000




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2985
30	814	0.1	RMS	809.299	-62.68	-13	Pass	7840
814	860	0.1	RMS	824.222	20.34	60	Pass	460
860	1000	0.1	RMS	862.202	-64.9	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.25	-13	Pass	2000
3000	10000	1	RMS	6946.564	-44.38	-13	Pass	7000




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2985
30	814	0.1	RMS	809.499	-63.15	-13	Pass	7840
814	860	0.1	RMS	824.222	20.53	60	Pass	460
860	1000	0.1	RMS	860.3	-64.85	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.58	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.36	-13	Pass	7000




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	814	0.1	RMS	813	-64.36	-13	Pass	7840
814	860	0.1	RMS	835.246	20.57	60	Pass	460
860	1000	0.1	RMS	972.881	-64.9	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.98	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.36	-13	Pass	7000




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.28	-13	Pass	2985
30	814	0.1	RMS	813	-64.24	-13	Pass	7840
814	860	0.1	RMS	835.246	20.66	60	Pass	460
860	1000	0.1	RMS	870.508	-64.78	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.45	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.33	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	814	0.1	RMS	811.2	-64.96	-13	Pass	7840
814	860	0.1	RMS	846.27	20.27	60	Pass	460
860	1000	0.1	RMS	947.362	-64.79	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.84	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.4	-13	Pass	7000




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.94	-13	Pass	7840
814	860	0.1	RMS	846.27	20.39	60	Pass	460
860	1000	0.1	RMS	862.502	-64.82	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.15	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.36	-13	Pass	7000




10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.72	-13	Pass	2985
30	814	0.1	RMS	809.499	-63.23	-13	Pass	7840
814	860	0.1	RMS	824.322	20.26	60	Pass	460
860	1000	0.1	RMS	860.2	-64.85	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.69	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.4	-13	Pass	7000




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-13	Pass	2985
30	814	0.1	RMS	809.599	-63.19	-13	Pass	7840
814	860	0.1	RMS	824.322	20.53	60	Pass	460
860	1000	0.1	RMS	861.101	-64.81	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.98	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.37	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.9	-13	Pass	2985
30	814	0.1	RMS	812.7	-64.37	-13	Pass	7840
814	860	0.1	RMS	834.344	20.55	60	Pass	460
860	1000	0.1	RMS	865.604	-64.91	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.48	-13	Pass	2000
3000	10000	1	RMS	6948.564	-44.43	-13	Pass	7000




10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	Pass	2985
30	814	0.1	RMS	812.7	-64.28	-13	Pass	7840
814	860	0.1	RMS	834.344	20.74	60	Pass	460
860	1000	0.1	RMS	869.407	-64.88	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.77	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.36	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	Pass	2985
30	814	0.1	RMS	813.8	-64.86	-13	Pass	7840
814	860	0.1	RMS	844.366	20.19	60	Pass	460
860	1000	0.1	RMS	871.808	-64.91	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.14	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.34	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	Pass	2985
30	814	0.1	RMS	810.4	-64.85	-13	Pass	7840
814	860	0.1	RMS	844.366	20.63	60	Pass	460
860	1000	0.1	RMS	877.613	-64.92	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.19	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.32	-13	Pass	7000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	814	0.1	RMS	809.599	-63.27	-13	Pass	7840
814	860	0.1	RMS	824.623	20.17	60	Pass	460
860	1000	0.1	RMS	862.802	-64.79	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.31	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.29	-13	Pass	7000




10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2985
30	814	0.1	RMS	808.699	-59.44	-13	Pass	7840
814	860	0.1	RMS	824.623	20.38	60	Pass	460
860	1000	0.1	RMS	947.262	-64.87	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.55	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.35	-13	Pass	7000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.49	-13	Pass	7840
814	860	0.1	RMS	832.139	19.8	60	Pass	460
860	1000	0.1	RMS	863.302	-64.85	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.19	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.31	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.46	-13	Pass	2985
30	814	0.1	RMS	812.9	-64.46	-13	Pass	7840
814	860	0.1	RMS	832.139	19.84	60	Pass	460
860	1000	0.1	RMS	868.706	-64.9	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.66	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.41	-13	Pass	7000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.84	-13	Pass	7840
814	860	0.1	RMS	839.556	20.27	60	Pass	460
860	1000	0.1	RMS	866.505	-64.83	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.75	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.38	-13	Pass	7000



10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	814	0.1	RMS	814	-64.67	-13	Pass	7840
814	860	0.1	RMS	839.556	20.2	60	Pass	460
860	1000	0.1	RMS	875.611	-64.8	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.34	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.33	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.43	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.38	-25	Pass	2985
30	1000	0.1	RMS	830.998	-64.73	-25	Pass	9699
1000	2480	1	RMS	2480	-51.67	-25	Pass	1480
2480	2590	1	RMS	2500.075	19.22	60	Pass	401
2590	3000	1	RMS	2948.875	-49.97	-25	Pass	410
3000	12000	1	RMS	11606.513	-53.78	-25	Pass	9000
12000	26000	1	RMS	25812.968	-41.72	-25	Pass	14000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-25	Pass	2985
30	1000	0.1	RMS	868.325	-64.75	-25	Pass	9699
1000	2480	1	RMS	2472.995	-51.74	-25	Pass	1480
2480	2590	1	RMS	2500.075	19.41	60	Pass	401
2590	3000	1	RMS	2950.88	-49.97	-25	Pass	410
3000	12000	1	RMS	11609.517	-53.78	-25	Pass	9000
12000	26000	1	RMS	25795.965	-41.69	-25	Pass	14000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.51	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.27	-25	Pass	2985
30	1000	0.1	RMS	830.198	-64.74	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.64	-25	Pass	1480
2480	2590	1	RMS	2532.8	19.29	60	Pass	401
2590	3000	1	RMS	2951.883	-49.94	-25	Pass	410
3000	12000	1	RMS	11605.512	-53.7	-25	Pass	9000
12000	26000	1	RMS	25740.955	-41.81	-25	Pass	14000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.1	-25	Pass	2985
30	1000	0.1	RMS	835.498	-64.75	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.75	-25	Pass	1480
2480	2590	1	RMS	2532.8	19.54	60	Pass	401
2590	3000	1	RMS	2951.883	-49.97	-25	Pass	410
3000	12000	1	RMS	11605.512	-53.8	-25	Pass	9000
12000	26000	1	RMS	25795.965	-41.75	-25	Pass	14000




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-25	Pass	2985
30	1000	0.1	RMS	604.67	-64.6	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.76	-25	Pass	1480
2480	2590	1	RMS	2565.25	19.21	60	Pass	401
2590	3000	1	RMS	2953.888	-49.99	-25	Pass	410
3000	12000	1	RMS	11608.515	-53.75	-25	Pass	9000
12000	26000	1	RMS	25794.965	-41.77	-25	Pass	14000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73	-25	Pass	2985
30	1000	0.1	RMS	604.67	-64.27	-25	Pass	9699
1000	2480	1	RMS	2480	-51.74	-25	Pass	1480
2480	2590	1	RMS	2565.25	19.61	60	Pass	401
2590	3000	1	RMS	2950.88	-49.97	-25	Pass	410
3000	12000	1	RMS	11610.518	-53.81	-25	Pass	9000
12000	26000	1	RMS	25998	-41.76	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.84	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.87	-25	Pass	2985
30	1000	0.1	RMS	836.298	-64.67	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.74	-25	Pass	1480
2480	2590	1	RMS	2500.35	19.22	60	Pass	401
2590	3000	1	RMS	2946.87	-49.99	-25	Pass	410
3000	12000	1	RMS	11607.514	-53.67	-25	Pass	9000
12000	26000	1	RMS	25750.957	-41.75	-25	Pass	14000




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.33	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.94	-25	Pass	2985
30	1000	0.1	RMS	853.205	-64.69	-25	Pass	9699
1000	2480	1	RMS	2480	-51.69	-25	Pass	1480
2480	2590	1	RMS	2500.35	19.45	60	Pass	401
2590	3000	1	RMS	2950.88	-49.96	-25	Pass	410
3000	12000	1	RMS	11609.517	-53.78	-25	Pass	9000
12000	26000	1	RMS	25767.96	-41.79	-25	Pass	14000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.73	-25	Pass	2985
30	1000	0.1	RMS	858.012	-64.77	-25	Pass	9699
1000	2480	1	RMS	2480	-51.71	-25	Pass	1480
2480	2590	1	RMS	2530.325	19.24	60	Pass	401
2590	3000	1	RMS	2948.875	-49.98	-25	Pass	410
3000	12000	1	RMS	11606.513	-53.8	-25	Pass	9000
12000	26000	1	RMS	25798.965	-41.79	-25	Pass	14000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-25	Pass	2985
30	1000	0.1	RMS	829.598	-64.6	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.69	-25	Pass	1480
2480	2590	1	RMS	2530.325	19.29	60	Pass	401
2590	3000	1	RMS	2943.863	-49.97	-25	Pass	410
3000	12000	1	RMS	11602.508	-53.7	-25	Pass	9000
12000	26000	1	RMS	25990.998	-41.74	-25	Pass	14000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.2	-25	Pass	2985
30	1000	0.1	RMS	841.399	-64.65	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.73	-25	Pass	1480
2480	2590	1	RMS	2560.3	19.1	60	Pass	401
2590	3000	1	RMS	2956.895	-49.97	-25	Pass	410
3000	12000	1	RMS	11612.52	-53.72	-25	Pass	9000
12000	26000	1	RMS	25789.964	-41.79	-25	Pass	14000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-25	Pass	401
0.15	30	0.01	RMS	0.26	-73.41	-25	Pass	2985
30	1000	0.1	RMS	599.87	-64.18	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.72	-25	Pass	1480
2480	2590	1	RMS	2560.575	19.37	60	Pass	401
2590	3000	1	RMS	2953.888	-50	-25	Pass	410
3000	12000	1	RMS	11600.506	-53.72	-25	Pass	9000
12000	26000	1	RMS	25788.964	-41.77	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.71	-25	Pass	2985
30	1000	0.1	RMS	842.199	-64.59	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.77	-25	Pass	1480
2480	2590	1	RMS	2500.625	19.54	60	Pass	401
2590	3000	1	RMS	2956.895	-49.97	-25	Pass	410
3000	12000	1	RMS	11608.515	-53.71	-25	Pass	9000
12000	26000	1	RMS	25791.964	-41.83	-25	Pass	14000




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.98	-25	Pass	2985
30	1000	0.1	RMS	844.099	-64.72	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.68	-25	Pass	1480
2480	2590	1	RMS	2500.625	19.86	60	Pass	401
2590	3000	1	RMS	2949.878	-50	-25	Pass	410
3000	12000	1	RMS	11606.513	-53.77	-25	Pass	9000
12000	26000	1	RMS	25778.962	-41.77	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.86	-25	Pass	2985
30	1000	0.1	RMS	826.397	-64.75	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.69	-25	Pass	1480
2480	2590	1	RMS	2528.125	19.49	60	Pass	401
2590	3000	1	RMS	2954.89	-50.01	-25	Pass	410
3000	12000	1	RMS	11610.518	-53.76	-25	Pass	9000
12000	26000	1	RMS	25797.965	-41.81	-25	Pass	14000




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-25	Pass	2985
30	1000	0.1	RMS	844.399	-64.58	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.78	-25	Pass	1480
2480	2590	1	RMS	2528.125	19.59	60	Pass	401
2590	3000	1	RMS	2956.895	-49.99	-25	Pass	410
3000	12000	1	RMS	11604.511	-53.77	-25	Pass	9000
12000	26000	1	RMS	25760.959	-41.78	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-25	Pass	2985
30	1000	0.1	RMS	595.169	-64.3	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.77	-25	Pass	1480
2480	2590	1	RMS	2555.625	19.46	60	Pass	401
2590	3000	1	RMS	2949.878	-49.96	-25	Pass	410
3000	12000	1	RMS	11611.519	-53.72	-25	Pass	9000
12000	26000	1	RMS	25774.961	-41.83	-25	Pass	14000




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.06	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.67	-25	Pass	2985
30	1000	0.1	RMS	595.169	-64.61	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.75	-25	Pass	1480
2480	2590	1	RMS	2555.625	19.95	60	Pass	401
2590	3000	1	RMS	2947.873	-49.96	-25	Pass	410
3000	12000	1	RMS	11610.518	-53.7	-25	Pass	9000
12000	26000	1	RMS	25708.95	-41.75	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.88	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.58	-25	Pass	2985
30	1000	0.1	RMS	855.709	-64.59	-25	Pass	9699
1000	2480	1	RMS	2480	-51.74	-25	Pass	1480
2480	2590	1	RMS	2500.9	19.69	60	Pass	401
2590	3000	1	RMS	2953.888	-49.98	-25	Pass	410
3000	12000	1	RMS	11602.508	-53.77	-25	Pass	9000
12000	26000	1	RMS	25737.955	-41.78	-25	Pass	14000




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.93	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.57	-25	Pass	2985
30	1000	0.1	RMS	842.499	-64.53	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.72	-25	Pass	1480
2480	2590	1	RMS	2500.9	20.02	60	Pass	401
2590	3000	1	RMS	2950.88	-49.97	-25	Pass	410
3000	12000	1	RMS	11609.517	-53.67	-25	Pass	9000
12000	26000	1	RMS	25796.965	-41.69	-25	Pass	14000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-25	Pass	401
0.15	30	0.01	RMS	0.22	-73.21	-25	Pass	2985
30	1000	0.1	RMS	868.125	-64.68	-25	Pass	9699
1000	2480	1	RMS	2480	-51.61	-25	Pass	1480
2480	2590	1	RMS	2525.925	19.69	60	Pass	401
2590	3000	1	RMS	2949.878	-49.98	-25	Pass	410
3000	12000	1	RMS	11607.514	-53.74	-25	Pass	9000
12000	26000	1	RMS	25791.964	-41.7	-25	Pass	14000




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-25	Pass	2985
30	1000	0.1	RMS	830.598	-64.73	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.73	-25	Pass	1480
2480	2590	1	RMS	2525.925	19.69	60	Pass	401
2590	3000	1	RMS	2954.89	-49.96	-25	Pass	410
3000	12000	1	RMS	11610.518	-53.77	-25	Pass	9000
12000	26000	1	RMS	25799.966	-41.78	-25	Pass	14000



**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-25	Pass	2985
30	1000	0.1	RMS	590.368	-64.59	-25	Pass	9699
1000	2480	1	RMS	2480	-51.67	-25	Pass	1480
2480	2590	1	RMS	2550.95	19.59	60	Pass	401
2590	3000	1	RMS	2947.873	-49.96	-25	Pass	410
3000	12000	1	RMS	11610.518	-53.69	-25	Pass	9000
12000	26000	1	RMS	25814.968	-41.76	-25	Pass	14000



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-25	Pass	2985
30	1000	0.1	RMS	590.368	-64.21	-25	Pass	9699
1000	2480	1	RMS	2480	-51.75	-25	Pass	1480
2480	2590	1	RMS	2550.95	19.67	60	Pass	401
2590	3000	1	RMS	2954.89	-49.98	-25	Pass	410
3000	12000	1	RMS	11606.513	-53.72	-25	Pass	9000
12000	26000	1	RMS	25723.952	-41.73	-25	Pass	14000

