




Band38_5MHz_64QAM_LCH_2572.5MHz_RB_1_0_NTNV



Band38_5MHz_64QAM_LCH_2572.5MHz_RB_1_0_NTNV




Band38_5MHz_64QAM_LCH_2572.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result.
2485	2490.5	1	CHP	1	2486.100	-53.95	-25	Pass
2490.5	2496	1	CHP	2	2495.250	-54.04	-13	Pass
2496	2564	1	CHP	3	2564.000	-39.83	-25	Pass
2564	2565	1	CHP	4	2565.000	-36.77	-13	Pass
2565	2569	1	CHP	5	2568.250	-29.82	-10	Pass
2569	2570	0.106	CHP	6	2569.950	-29.85	-10	Pass
2570	2575	0.106	CHP	/	/	/	/	/


Band38_5MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_5MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_5MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_5MHz_64QAM_HCH_2617.5MHz_RB_1_0_NTNV




Band38_5MHz_64QAM_HCH_2617.5MHz_RB_1_0_NTNV



Band38_5MHz_64QAM_HCH_2617.5MHz_RB_1_0_NTNV




Band38_5MHz_64QAM_HCH_2617.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2615	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-26.04	-10	Pass
2621	2625	1	CHP	2	2621.500	-34.24	-10	Pass
2625	2626	1	CHP	3	2625.005	-43.16	-13	Pass
2626	2630	1	CHP	4	2626.035	-44.95	-25	Pass

Band38_5MHz_64QAM_HCH_2617.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2615	2620	0.109	CHP	/	/	/	/	/
2620	2621	0.109	CHP	1	2620.010	-27.89	-10	Pass
2621	2625	1	CHP	2	2621.600	-28.83	-10	Pass
2625	2626	1	CHP	3	2625.005	-38.21	-13	Pass
2626	2630	1	CHP	4	2626.445	-40.12	-25	Pass

Band38_5MHz_256QAM_LCH_2572.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.030	-54.43	-25	Pass
2490.5	2496	1	CHP	2	2490.820	-54.30	-13	Pass
2496	2563.836	1	CHP	3	2563.835	-44.37	-25	Pass
2563.836	2565	1	CHP	4	2564.950	-40.22	-13	Pass
2565	2569	1	CHP	5	2568.500	-30.26	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-27.08	-10	Pass
2570	2575	0.02	CHP	/	/	/	/	/


Band38_5MHz_256QAM_LCH_2572.5MHz_RB_1_0_NTNV




Band38_5MHz_256QAM_LCH_2572.5MHz_RB_1_0_NTNV



Band38_5MHz_256QAM_LCH_2572.5MHz_RB_1_0_NTNV




Band38_5MHz_256QAM_LCH_2572.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.450	-54.37	-25	Pass
2490.5	2496	1	CHP	2	2492.550	-54.30	-13	Pass
2496	2563.836	1	CHP	3	2563.800	-41.57	-25	Pass
2563.836	2565	1	CHP	4	2565.000	-39.09	-13	Pass
2565	2569	1	CHP	5	2568.100	-29.11	-10	Pass
2569	2570	0.123	CHP	6	2569.950	-27.52	-10	Pass
2570	2575	0.123	CHP	/	/	/	/	/


Band38_5MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_5MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_5MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_5MHz_256QAM_HCH_2617.5MHz_RB_1_0_NTNV




Band38_5MHz_256QAM_HCH_2617.5MHz_RB_1_0_NTNV



Band38_5MHz_256QAM_HCH_2617.5MHz_RB_1_0_NTNV




Band38_5MHz_256QAM_HCH_2617.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2615	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-28.23	-10	Pass
2621	2625	1	CHP	2	2621.500	-30.49	-10	Pass
2625	2626	1	CHP	3	2625.010	-40.87	-13	Pass
2626	2630	1	CHP	4	2626.020	-44.53	-25	Pass


Band38_5MHz_256QAM_HCH_2617.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2615	2620	0.118	CHP	/	/	/	/	/
2620	2621	0.118	CHP	1	2620.040	-31.91	-10	Pass
2621	2625	1	CHP	2	2621.510	-31.46	-10	Pass
2625	2626	1	CHP	3	2625.005	-37.44	-13	Pass
2626	2630	1	CHP	4	2626.235	-39.67	-25	Pass


5.2.2 B38_10MHz

Band38_10MHz_QPSK_LCH_2575MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.800	-53.99	-25	Pass
2490.5	2496	1	CHP	2	2495.805	-53.90	-13	Pass
2496	2559.089	1	CHP	3	2559.075	-48.69	-25	Pass
2559.089	2565	1	CHP	4	2564.920	-37.71	-13	Pass
2565	2569	1	CHP	5	2568.425	-29.94	-10	Pass
2569	2570	0.02	CHP	6	2569.990	-27.18	-10	Pass
2570	2580	0.02	CHP	/	/	/	/	/


Band38_10MHz_QPSK_LCH_2575MHz_RB_1_0_NTNV




Band38_10MHz_QPSK_LCH_2575MHz_RB_1_0_NTNV



Band38_10MHz_QPSK_LCH_2575MHz_RB_1_0_NTNV




Band38_10MHz_QPSK_LCH_2575MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result.
2485	2490.5	1	CHP	1	2486.850	-53.93	-25	Pass
2490.5	2496	1	CHP	2	2495.800	-53.68	-13	Pass
2496	2559.089	1	CHP	3	2555.900	-43.68	-25	Pass
2559.089	2565	1	CHP	4	2565.000	-37.12	-13	Pass
2565	2569	1	CHP	5	2568.500	-32.03	-10	Pass
2569	2570	0.218	CHP	6	2569.950	-32.48	-10	Pass
2570	2580	0.218	CHP	/	/	/	/	/


Band38_10MHz_QPSK_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_QPSK_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_QPSK_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_QPSK_HCH_2615MHz_RB_1_0_NTNV




Band38_10MHz_QPSK_HCH_2615MHz_RB_1_0_NTNV



Band38_10MHz_QPSK_HCH_2615MHz_RB_1_0_NTNV




Band38_10MHz_QPSK_HCH_2615MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2610	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.020	-28.73	-10	Pass
2621	2625	1	CHP	2	2621.510	-29.12	-10	Pass
2625	2631.493	1	CHP	3	2625.005	-37.56	-13	Pass
2631.493	2635	1	CHP	4	2631.495	-49.12	-25	Pass

Band38_10MHz_QPSK_HCH_2615MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2610	2620	0.23	CHP	/	/	/	/	/
2620	2621	0.23	CHP	1	2620.350	-28.05	-10	Pass
2621	2625	1	CHP	2	2622.025	-29.52	-10	Pass
2625	2631.493	1	CHP	3	2625.025	-36.83	-13	Pass
2631.493	2635	1	CHP	4	2632.250	-41.31	-25	Pass

Band38_10MHz_16QAM_LCH_2575MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.125	-54.15	-25	Pass
2490.5	2496	1	CHP	2	2491.615	-54.17	-13	Pass
2496	2558.979	1	CHP	3	2558.960	-49.15	-25	Pass
2558.979	2565	1	CHP	4	2564.930	-37.28	-13	Pass
2565	2569	1	CHP	5	2568.500	-29.07	-10	Pass
2569	2570	0.02	CHP	6	2569.975	-28.05	-10	Pass
2570	2580	0.02	CHP	/	/	/	/	/


Band38_10MHz_16QAM_LCH_2575MHz_RB_1_0_NTV




Band38_10MHz_16QAM_LCH_2575MHz_RB_1_0_NTV



Band38_10MHz_16QAM_LCH_2575MHz_RB_1_0_NTNV




Band38_10MHz_16QAM_LCH_2575MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.050	-54.14	-25	Pass
2490.5	2496	1	CHP	2	2494.550	-53.90	-13	Pass
2496	2558.979	1	CHP	3	2558.950	-44.50	-25	Pass
2558.979	2565	1	CHP	4	2564.100	-34.32	-13	Pass
2565	2569	1	CHP	5	2568.500	-30.47	-10	Pass
2569	2570	0.22	CHP	6	2569.950	-32.49	-10	Pass
2570	2580	0.22	CHP	/	/	/	/	/


Band38_10MHz_16QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_16QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_16QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_16QAM_HCH_2615MHz_RB_1_0_NTNV




Band38_10MHz_16QAM_HCH_2615MHz_RB_1_0_NTNV



Band38_10MHz_16QAM_HCH_2615MHz_RB_1_0_NTNV




Band38_10MHz_16QAM_HCH_2615MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2610	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.055	-29.13	-10	Pass
2621	2625	1	CHP	2	2621.510	-29.14	-10	Pass
2625	2631.633	1	CHP	3	2625.060	-37.88	-13	Pass
2631.633	2635	1	CHP	4	2631.720	-50.48	-25	Pass

Band38_10MHz_16QAM_HCH_2615MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2610	2620	0.233	CHP	/	/	/	/	/
2620	2621	0.233	CHP	1	2620.025	-33.08	-10	Pass
2621	2625	1	CHP	2	2621.725	-31.48	-10	Pass
2625	2631.633	1	CHP	3	2625.025	-36.01	-13	Pass
2631.633	2635	1	CHP	4	2631.650	-41.92	-25	Pass

Band38_10MHz_64QAM_LCH_2575MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result.
2485	2490.5	1	CHP	1	2487.950	-54.24	-25	Pass
2490.5	2496	1	CHP	2	2495.615	-54.03	-13	Pass
2496	2557.216	1	CHP	3	2557.210	-50.15	-25	Pass
2557.216	2565	1	CHP	4	2564.635	-43.42	-13	Pass
2565	2569	1	CHP	5	2568.500	-35.77	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-30.53	-10	Pass
2570	2580	0.02	CHP	/	/	/	/	/


Band38_10MHz_64QAM_LCH_2575MHz_RB_1_0_NTNV




Band38_10MHz_64QAM_LCH_2575MHz_RB_1_0_NTNV



Band38_10MHz_64QAM_LCH_2575MHz_RB_1_0_NTNV




Band38_10MHz_64QAM_LCH_2575MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result.
2485	2490.5	1	CHP	1	2489.900	-54.41	-25	Pass
2490.5	2496	1	CHP	2	2492.500	-54.24	-13	Pass
2496	2557.216	1	CHP	3	2556.600	-43.95	-25	Pass
2557.216	2565	1	CHP	4	2563.500	-35.60	-13	Pass
2565	2569	1	CHP	5	2567.200	-29.89	-10	Pass
2569	2570	0.256	CHP	6	2569.950	-34.22	-10	Pass
2570	2580	0.256	CHP	/	/	/	/	/


Band38_10MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_64QAM_HCH_2615MHz_RB_1_0_NTNV




Band38_10MHz_64QAM_HCH_2615MHz_RB_1_0_NTNV



Band38_10MHz_64QAM_HCH_2615MHz_RB_1_0_NTNV




Band38_10MHz_64QAM_HCH_2615MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2610	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-31.19	-10	Pass
2621	2625	1	CHP	2	2621.515	-35.40	-10	Pass
2625	2632.816	1	CHP	3	2625.005	-43.57	-13	Pass
2632.816	2635	1	CHP	4	2632.935	-50.32	-25	Pass

Band38_10MHz_64QAM_HCH_2615MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2610	2620	0.256	CHP	/	/	/	/	/
2620	2621	0.256	CHP	1	2620.025	-32.89	-10	Pass
2621	2625	1	CHP	2	2621.575	-31.34	-10	Pass
2625	2632.816	1	CHP	3	2625.025	-35.81	-13	Pass
2632.816	2635	1	CHP	4	2632.875	-45.22	-25	Pass

Band38_10MHz_256QAM_LCH_2575MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.045	-54.23	-25	Pass
2490.5	2496	1	CHP	2	2495.640	-54.34	-13	Pass
2496	2559.371	1	CHP	3	2559.290	-50.95	-25	Pass
2559.371	2565	1	CHP	4	2564.700	-38.66	-13	Pass
2565	2569	1	CHP	5	2568.480	-31.28	-10	Pass
2569	2570	0.02	CHP	6	2569.905	-30.23	-10	Pass
2570	2580	0.02	CHP	/	/	/	/	/


Band38_10MHz_256QAM_LCH_2575MHz_RB_1_0_NTNV




Band38_10MHz_256QAM_LCH_2575MHz_RB_1_0_NTNV



Band38_10MHz_256QAM_LCH_2575MHz_RB_1_0_NTNV




Band38_10MHz_256QAM_LCH_2575MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.750	-54.36	-25	Pass
2490.5	2496	1	CHP	2	2491.100	-54.26	-13	Pass
2496	2559.371	1	CHP	3	2559.350	-43.75	-25	Pass
2559.371	2565	1	CHP	4	2565.000	-37.79	-13	Pass
2565	2569	1	CHP	5	2568.400	-33.67	-10	Pass
2569	2570	0.213	CHP	6	2569.950	-34.92	-10	Pass
2570	2580	0.213	CHP	/	/	/	/	/


Band38_10MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_10MHz_256QAM_HCH_2615MHz_RB_1_0_NTNV




Band38_10MHz_256QAM_HCH_2615MHz_RB_1_0_NTNV



Band38_10MHz_256QAM_HCH_2615MHz_RB_1_0_NTNV




Band38_10MHz_256QAM_HCH_2615MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2610	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.035	-32.88	-10	Pass
2621	2625	1	CHP	2	2621.500	-31.04	-10	Pass
2625	2630.544	1	CHP	3	2625.025	-39.80	-13	Pass
2630.544	2635	1	CHP	4	2630.545	-51.44	-25	Pass


Band38_10MHz_256QAM_HCH_2615MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2610	2620	0.211	CHP	/	/	/	/	/
2620	2621	0.211	CHP	1	2620.025	-35.81	-10	Pass
2621	2625	1	CHP	2	2621.500	-33.46	-10	Pass
2625	2630.544	1	CHP	3	2625.025	-36.07	-13	Pass
2630.544	2635	1	CHP	4	2630.825	-41.42	-25	Pass


5.2.3 B38_15MHz

Band38_15MHz_QPSK_LCH_2577.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.060	-54.11	-25	Pass
2490.5	2496	1	CHP	2	2493.940	-53.93	-13	Pass
2496	2552.774	1	CHP	3	2552.760	-50.91	-25	Pass
2552.774	2565	1	CHP	4	2564.705	-36.89	-13	Pass
2565	2569	1	CHP	5	2568.315	-30.60	-10	Pass
2569	2570	0.02	CHP	6	2569.980	-29.54	-10	Pass
2570	2585	0.02	CHP	/	/	/	/	/


Band38_15MHz_QPSK_LCH_2577.5MHz_RB_1_0_NTNV




Band38_15MHz_QPSK_LCH_2577.5MHz_RB_1_0_NTNV



Band38_15MHz_QPSK_LCH_2577.5MHz_RB_1_0_NTNV




Band38_15MHz_QPSK_LCH_2577.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result.
2485	2490.5	1	CHP	1	2487.200	-54.40	-25	Pass
2490.5	2496	1	CHP	2	2493.600	-54.50	-13	Pass
2496	2552.774	1	CHP	3	2551.500	-42.22	-25	Pass
2552.774	2565	1	CHP	4	2561.500	-33.56	-13	Pass
2565	2569	1	CHP	5	2568.500	-35.48	-10	Pass
2569	2570	0.345	CHP	6	2569.900	-38.15	-10	Pass
2570	2585	0.345	CHP	/	/	/	/	/


Band38_15MHz_QPSK_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_QPSK_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_QPSK_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_QPSK_HCH_2612.5MHz_RB_1_0_NTNV




Band38_15MHz_QPSK_HCH_2612.5MHz_RB_1_0_NTNV



Band38_15MHz_QPSK_HCH_2612.5MHz_RB_1_0_NTNV




Band38_15MHz_QPSK_HCH_2612.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.025	-30.81	-10	Pass
2621	2625	1	CHP	2	2621.515	-29.50	-10	Pass
2625	2640	1	CHP	3	2625.520	-36.48	-13	Pass

Band38_15MHz_QPSK_HCH_2612.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.424	CHP	/	/	/	/	/
2620	2621	0.424	CHP	1	2620.015	-32.04	-10	Pass
2621	2625	1	CHP	2	2621.520	-32.42	-10	Pass
2625	2640	1	CHP	3	2625.020	-35.74	-13	Pass

Band38_15MHz_16QAM_LCH_2577.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.740	-54.25	-25	Pass
2490.5	2496	1	CHP	2	2492.915	-54.16	-13	Pass
2496	2552.677	1	CHP	3	2552.595	-51.50	-25	Pass
2552.677	2565	1	CHP	4	2564.830	-36.12	-13	Pass
2565	2569	1	CHP	5	2568.465	-29.30	-10	Pass
2569	2570	0.02	CHP	6	2569.680	-34.57	-10	Pass
2570	2585	0.02	CHP	/	/	/	/	/


Band38_15MHz_16QAM_LCH_2577.5MHz_RB_1_0_NTNV




Band38_15MHz_16QAM_LCH_2577.5MHz_RB_1_0_NTNV



Band38_15MHz_16QAM_LCH_2577.5MHz_RB_1_0_NTNV




Band38_15MHz_16QAM_LCH_2577.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.700	-54.30	-25	Pass
2490.5	2496	1	CHP	2	2494.900	-54.29	-13	Pass
2496	2552.677	1	CHP	3	2552.600	-44.77	-25	Pass
2552.677	2565	1	CHP	4	2563.900	-36.72	-13	Pass
2565	2569	1	CHP	5	2566.200	-34.22	-10	Pass
2569	2570	0.346	CHP	6	2569.700	-33.39	-10	Pass
2570	2585	0.346	CHP	/	/	/	/	/


Band38_15MHz_16QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_16QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_16QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_16QAM_HCH_2612.5MHz_RB_1_0_NTNV




Band38_15MHz_16QAM_HCH_2612.5MHz_RB_1_0_NTNV



Band38_15MHz_16QAM_HCH_2612.5MHz_RB_1_0_NTNV




Band38_15MHz_16QAM_HCH_2612.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.070	-31.82	-10	Pass
2621	2625	1	CHP	2	2621.500	-29.74	-10	Pass
2625	2637.871	1	CHP	3	2625.400	-37.17	-13	Pass
2637.871	2640	1	CHP	4	2637.875	-52.06	-25	Pass

Band38_15MHz_16QAM_HCH_2612.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.357	CHP	/	/	/	/	/
2620	2621	0.357	CHP	1	2620.015	-31.74	-10	Pass
2621	2625	1	CHP	2	2621.520	-33.46	-10	Pass
2625	2637.871	1	CHP	3	2625.020	-35.33	-13	Pass
2637.871	2640	1	CHP	4	2638.145	-44.86	-25	Pass


Band38_15MHz_64QAM_LCH_2577.5MHz_RB_1_0_NTNV




Band38_15MHz_64QAM_LCH_2577.5MHz_RB_1_0_NTNV




Band38_15MHz_64QAM_LCH_2577.5MHz_RB_1_0_NTNV



Band38_15MHz_64QAM_LCH_2577.5MHz_RB_1_0_NTNV




Band38_15MHz_64QAM_LCH_2577.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result.
2485	2490.5	1	CHP	1	2485.500	-54.37	-25	Pass
2490.5	2496	1	CHP	2	2493.700	-54.20	-13	Pass
2496	2549.637	1	CHP	3	2549.400	-46.89	-25	Pass
2549.637	2565	1	CHP	4	2564.200	-36.45	-13	Pass
2565	2569	1	CHP	5	2566.300	-31.90	-10	Pass
2569	2570	0.407	CHP	6	2569.900	-31.45	-10	Pass
2570	2585	0.407	CHP	/	/	/	/	/


Band38_15MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_64QAM_HCH_2612.5MHz_RB_1_0_NTNV




Band38_15MHz_64QAM_HCH_2612.5MHz_RB_1_0_NTNV



Band38_15MHz_64QAM_HCH_2612.5MHz_RB_1_0_NTNV




Band38_15MHz_64QAM_HCH_2612.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-34.93	-10	Pass
2621	2625	1	CHP	2	2621.500	-38.14	-10	Pass
2625	2640	1	CHP	3	2625.470	-41.19	-13	Pass

Band38_15MHz_64QAM_HCH_2612.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.401	CHP	/	/	/	/	/
2620	2621	0.401	CHP	1	2620.015	-34.38	-10	Pass
2621	2625	1	CHP	2	2621.835	-32.77	-10	Pass
2625	2640	1	CHP	3	2625.020	-35.60	-13	Pass

Band38_15MHz_256QAM_LCH_2577.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.340	-54.39	-25	Pass
2490.5	2496	1	CHP	2	2494.345	-54.29	-13	Pass
2496	2550.394	1	CHP	3	2550.385	-53.84	-25	Pass
2550.394	2565	1	CHP	4	2564.390	-38.36	-13	Pass
2565	2569	1	CHP	5	2568.435	-30.44	-10	Pass
2569	2570	0.02	CHP	6	2569.620	-34.93	-10	Pass
2570	2585	0.02	CHP	/	/	/	/	/


Band38_15MHz_256QAM_LCH_2577.5MHz_RB_1_0_NTNV




Band38_15MHz_256QAM_LCH_2577.5MHz_RB_1_0_NTNV



Band38_15MHz_256QAM_LCH_2577.5MHz_RB_1_0_NTNV




Band38_15MHz_256QAM_LCH_2577.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.600	-54.51	-25	Pass
2490.5	2496	1	CHP	2	2492.500	-54.29	-13	Pass
2496	2550.394	1	CHP	3	2550.300	-46.83	-25	Pass
2550.394	2565	1	CHP	4	2561.800	-37.82	-13	Pass
2565	2569	1	CHP	5	2568.200	-35.98	-10	Pass
2569	2570	0.392	CHP	6	2569.900	-39.33	-10	Pass
2570	2585	0.392	CHP	/	/	/	/	/


Band38_15MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_15MHz_256QAM_HCH_2612.5MHz_RB_1_0_NTNV




Band38_15MHz_256QAM_HCH_2612.5MHz_RB_1_0_NTNV



Band38_15MHz_256QAM_HCH_2612.5MHz_RB_1_0_NTNV




Band38_15MHz_256QAM_HCH_2612.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.010	-34.97	-10	Pass
2621	2625	1	CHP	2	2621.500	-31.44	-10	Pass
2625	2639.19	1	CHP	3	2625.005	-38.94	-13	Pass
2639.19	2640	1	CHP	4	2639.195	-53.36	-25	Pass


Band38_15MHz_256QAM_HCH_2612.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.384	CHP	/	/	/	/	/
2620	2621	0.384	CHP	1	2620.015	-36.15	-10	Pass
2621	2625	1	CHP	2	2621.555	-34.72	-10	Pass
2625	2639.19	1	CHP	3	2625.195	-37.10	-13	Pass
2639.19	2640	1	CHP	4	2639.475	-44.95	-25	Pass


5.2.4 B38_20MHz

Band38_20MHz_QPSK_LCH_2580MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.255	-53.99	-25	Pass
2490.5	2496	1	CHP	2	2492.130	-53.97	-13	Pass
2496	2545.772	1	CHP	3	2544.330	-52.73	-25	Pass
2545.772	2565	1	CHP	4	2564.860	-36.59	-13	Pass
2565	2569	1	CHP	5	2568.500	-30.94	-10	Pass
2569	2570	0.02	CHP	6	2569.985	-35.41	-10	Pass
2570	2590	0.02	CHP	/	/	/	/	/


Band38_20MHz_QPSK_LCH_2580MHz_RB_1_0_NTNV




Band38_20MHz_QPSK_LCH_2580MHz_RB_1_0_NTNV



Band38_20MHz_QPSK_LCH_2580MHz_RB_1_0_NTNV




Band38_20MHz_QPSK_LCH_2580MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result.
2485	2490.5	1	CHP	1	2487.940	-53.56	-25	Pass
2490.5	2496	1	CHP	2	2495.920	-53.36	-13	Pass
2496	2545.772	1	CHP	3	2542.855	-45.36	-25	Pass
2545.772	2565	1	CHP	4	2564.800	-39.39	-13	Pass
2565	2569	1	CHP	5	2566.690	-31.76	-10	Pass
2569	2570	0.485	CHP	6	2569.945	-34.55	-10	Pass
2570	2590	0.485	CHP	/	/	/	/	/


Band38_20MHz_QPSK_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_QPSK_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_QPSK_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_QPSK_HCH_2610MHz_RB_1_0_NTNV




Band38_20MHz_QPSK_HCH_2610MHz_RB_1_0_NTNV



Band38_20MHz_QPSK_HCH_2610MHz_RB_1_0_NTNV




Band38_20MHz_QPSK_HCH_2610MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2600	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.085	-35.58	-10	Pass
2621	2625	1	CHP	2	2621.500	-30.79	-10	Pass
2625	2643.883	1	CHP	3	2625.400	-36.57	-13	Pass
2643.883	2645	1	CHP	4	2643.885	-52.18	-25	Pass

Band38_20MHz_QPSK_HCH_2610MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2600	2620	0.478	CHP	/	/	/	/	/
2620	2621	0.478	CHP	1	2620.025	-34.70	-10	Pass
2621	2625	1	CHP	2	2621.870	-32.78	-10	Pass
2625	2643.883	1	CHP	3	2628.935	-34.35	-13	Pass
2643.883	2645	1	CHP	4	2644.145	-45.97	-25	Pass

Band38_20MHz_16QAM_LCH_2580MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.070	-54.26	-25	Pass
2490.5	2496	1	CHP	2	2495.685	-54.15	-13	Pass
2496	2541.439	1	CHP	3	2540.385	-53.37	-25	Pass
2541.439	2565	1	CHP	4	2564.835	-36.37	-13	Pass
2565	2569	1	CHP	5	2568.485	-30.25	-10	Pass
2569	2570	0.02	CHP	6	2569.630	-35.91	-10	Pass
2570	2590	0.02	CHP	/	/	/	/	/


Band38_20MHz_16QAM_LCH_2580MHz_RB_1_0_NTNV




Band38_20MHz_16QAM_LCH_2580MHz_RB_1_0_NTNV



Band38_20MHz_16QAM_LCH_2580MHz_RB_1_0_NTNV




Band38_20MHz_16QAM_LCH_2580MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.990	-53.75	-25	Pass
2490.5	2496	1	CHP	2	2495.710	-53.35	-13	Pass
2496	2541.439	1	CHP	3	2540.440	-46.61	-25	Pass
2541.439	2565	1	CHP	4	2561.650	-34.58	-13	Pass
2565	2569	1	CHP	5	2568.475	-35.05	-10	Pass
2569	2570	0.571	CHP	6	2569.945	-35.31	-10	Pass
2570	2590	0.571	CHP	/	/	/	/	/


Band38_20MHz_16QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_16QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_16QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_16QAM_HCH_2610MHz_RB_1_0_NTNV




Band38_20MHz_16QAM_HCH_2610MHz_RB_1_0_NTNV




Band38_20MHz_16QAM_HCH_2610MHz_RB_1_0_NTNV




Band38_20MHz_16QAM_HCH_2610MHz_RB_1_99_NTNV



Band38_20MHz_16QAM_HCH_2610MHz_RB_100_0_NTNV




Band38_20MHz_64QAM_LCH_2580MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result.
2485	2490.5	1	CHP	1	2488.815	-54.09	-25	Pass
2490.5	2496	1	CHP	2	2495.725	-53.99	-13	Pass
2496	2546.703	1	CHP	3	2546.630	-52.94	-25	Pass
2546.703	2565	1	CHP	4	2564.450	-42.16	-13	Pass
2565	2569	1	CHP	5	2568.500	-37.59	-10	Pass
2569	2570	0.02	CHP	6	2569.995	-36.18	-10	Pass
2570	2590	0.02	CHP	/	/	/	/	/


Band38_20MHz_64QAM_LCH_2580MHz_RB_1_0_NTNV




Band38_20MHz_64QAM_LCH_2580MHz_RB_1_0_NTNV



Band38_20MHz_64QAM_LCH_2580MHz_RB_1_0_NTNV




Band38_20MHz_64QAM_LCH_2580MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result.
2485	2490.5	1	CHP	1	2487.835	-53.58	-25	Pass
2490.5	2496	1	CHP	2	2491.195	-53.75	-13	Pass
2496	2546.703	1	CHP	3	2544.010	-45.56	-25	Pass
2546.703	2565	1	CHP	4	2564.800	-33.66	-13	Pass
2565	2569	1	CHP	5	2565.010	-35.31	-10	Pass
2569	2570	0.466	CHP	6	2569.945	-34.68	-10	Pass
2570	2590	0.466	CHP	/	/	/	/	/


Band38_20MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_64QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_64QAM_HCH_2610MHz_RB_1_0_NTNV




Band38_20MHz_64QAM_HCH_2610MHz_RB_1_0_NTNV



Band38_20MHz_64QAM_HCH_2610MHz_RB_1_0_NTNV




Band38_20MHz_64QAM_HCH_2610MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2600	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.030	-37.84	-10	Pass
2621	2625	1	CHP	2	2621.505	-38.06	-10	Pass
2625	2643.064	1	CHP	3	2627.480	-42.17	-13	Pass
2643.064	2645	1	CHP	4	2643.245	-52.66	-25	Pass

Band38_20MHz_64QAM_HCH_2610MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2600	2620	0.461	CHP	/	/	/	/	/
2620	2621	0.461	CHP	1	2620.025	-35.00	-10	Pass
2621	2625	1	CHP	2	2621.510	-34.63	-10	Pass
2625	2643.064	1	CHP	3	2625.065	-36.29	-13	Pass
2643.064	2645	1	CHP	4	2643.830	-45.93	-25	Pass

Band38_20MHz_256QAM_LCH_2580MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.455	-54.28	-25	Pass
2490.5	2496	1	CHP	2	2492.425	-54.32	-13	Pass
2496	2548.457	1	CHP	3	2548.455	-53.68	-25	Pass
2548.457	2565	1	CHP	4	2564.655	-38.20	-13	Pass
2565	2569	1	CHP	5	2568.455	-32.57	-10	Pass
2569	2570	0.02	CHP	6	2569.860	-35.75	-10	Pass
2570	2590	0.02	CHP	/	/	/	/	/


Band38_20MHz_256QAM_LCH_2580MHz_RB_1_0_NTNV




Band38_20MHz_256QAM_LCH_2580MHz_RB_1_0_NTNV



Band38_20MHz_256QAM_LCH_2580MHz_RB_1_0_NTNV




Band38_20MHz_256QAM_LCH_2580MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.410	-54.43	-25	Pass
2490.5	2496	1	CHP	2	2494.030	-53.93	-13	Pass
2496	2548.457	1	CHP	3	2548.420	-45.59	-25	Pass
2548.457	2565	1	CHP	4	2563.120	-35.23	-13	Pass
2565	2569	1	CHP	5	2568.475	-31.63	-10	Pass
2569	2570	0.431	CHP	6	2569.945	-33.92	-10	Pass
2570	2590	0.431	CHP	/	/	/	/	/


Band38_20MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_256QAM_MCH_2595MHz_RB_1_0_NTNV




Band38_20MHz_256QAM_HCH_2610MHz_RB_1_0_NTNV




Band38_20MHz_256QAM_HCH_2610MHz_RB_1_0_NTNV



Band38_20MHz_256QAM_HCH_2610MHz_RB_1_0_NTNV




Band38_20MHz_256QAM_HCH_2610MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2600	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.030	-38.18	-10	Pass
2621	2625	1	CHP	2	2621.515	-32.22	-10	Pass
2625	2641.765	1	CHP	3	2625.250	-39.11	-13	Pass
2641.765	2645	1	CHP	4	2642.105	-53.45	-25	Pass

Band38_20MHz_256QAM_HCH_2610MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2600	2620	0.435	CHP	/	/	/	/	/
2620	2621	0.435	CHP	1	2620.025	-38.24	-10	Pass
2621	2625	1	CHP	2	2622.185	-37.46	-10	Pass
2625	2641.765	1	CHP	3	2625.020	-38.65	-13	Pass
2641.765	2645	1	CHP	4	2642.435	-46.12	-25	Pass

6. Field Strength of Spurious Radiation

LTE Band 38 ANT11-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5142.0	-57.7	-25	-32.7	-63.31	4.62	10.23	Horizontal	Pass
7713.0	-48.63	-25	-23.63	-55.66	4.96	11.99	Horizontal	Pass
10284.0	-56.8	-25	-31.8	-64.37	5.51	13.08	Horizontal	Pass
5142.0	-63.04	-25	-38.04	-68.65	4.62	10.23	Vertical	Pass
7713.0	-43.8	-25	-18.8	-50.83	4.96	11.99	Vertical	Pass
10284.0	-56.69	-25	-31.69	-64.26	5.51	13.08	Vertical	Pass

LTE Band 38 ANT11-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5172.0	-57.95	-25	-32.95	-63.57	4.63	10.25	Horizontal	Pass
7758.0	-49.08	-25	-24.08	-56.16	4.96	12.04	Horizontal	Pass
10344.0	-56.3	-25	-31.3	-63.87	5.52	13.09	Horizontal	Pass
5172.0	-62.51	-25	-37.51	-68.13	4.63	10.25	Vertical	Pass
7758.0	-44.86	-25	-19.86	-51.94	4.96	12.04	Vertical	Pass
10344.0	-56.58	-25	-31.58	-64.15	5.52	13.09	Vertical	Pass

LTE Band 38 ANT11-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5202.0	-56.21	-25	-31.21	-61.85	4.63	10.27	Horizontal	Pass
7803.0	-48.0	-25	-23.0	-55.14	4.96	12.1	Horizontal	Pass
10404.0	-56.11	-25	-31.11	-63.69	5.52	13.1	Horizontal	Pass
5202.0	-60.0	-25	-35.0	-65.64	4.63	10.27	Vertical	Pass
7803.0	-40.5	-25	-15.5	-47.64	4.96	12.1	Vertical	Pass
10404.0	-56.11	-25	-31.11	-63.69	5.52	13.1	Vertical	Pass