


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_PCS


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-59.27	-13	Pass	401
0.15	30	0.01	Peak	0.6	-59.88	-13	Pass	2986
30	1000	0.1	Peak	935.057	-48.46	-13	Pass	9701
1000	3000	1	Peak	1851	29.34	-13	N/A	2001
3000	20000	1	Peak	19733	-37.81	-13	Pass	17003




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.37	-13	Pass	401
0.15	30	0.01	Peak	0.2	-59.14	-13	Pass	2986
30	1000	0.1	Peak	885.924	-48.75	-13	Pass	9701
1000	3000	1	Peak	1880	29.98	-13	N/A	2001
3000	20000	1	Peak	19916	-37.97	-13	Pass	17003



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.98	-13	Pass	401
0.15	30	0.01	Peak	0.55	-60.97	-13	Pass	2986
30	1000	0.1	Peak	825	-47.82	-13	Pass	9701
1000	3000	1	Peak	1910	29.65	-13	N/A	2001
3000	20000	1	Peak	19922	-38.23	-13	Pass	17003



2. GSM_GSM850


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.96	-13	Pass	401
0.15	30	0.01	Peak	0.25	-52.77	-13	Pass	2986
30	500	0.1	Peak	492.2	-43.34	-13	Pass	4701
500	1000	0.1	Peak	824.2	33.03	-13	N/A	5001
1000	10000	1	Peak	6967	-19.78	-13	Pass	9002




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.68	-13	Pass	401
0.15	30	0.01	Peak	0.27	-54.38	-13	Pass	2986
30	500	0.1	Peak	484.6	-42.49	-13	Pass	4701
500	1000	0.1	Peak	836.7	33.21	-13	N/A	5001
1000	10000	1	Peak	9210	-19.66	-13	Pass	9002



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.71	-13	Pass	401
0.15	30	0.01	Peak	0.28	-54.69	-13	Pass	2986
30	500	0.1	Peak	394.3	-43.11	-13	Pass	4701
500	1000	0.1	Peak	848.9	33.27	-13	N/A	5001
1000	10000	1	Peak	7752	-20	-13	Pass	9002



1. EGPRS_PCS


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.61	-13	Pass	401
0.15	30	0.01	Peak	0.22	-60.12	-13	Pass	2986
30	1000	0.1	Peak	850.901	-48.86	-13	Pass	9701
1000	3000	1	Peak	1850	29.88	-13	N/A	2001
3000	20000	1	Peak	19793	-38.18	-13	Pass	17003




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.95	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.68	-13	Pass	2986
30	1000	0.1	Peak	753.4	-48.54	-13	Pass	9701
1000	3000	1	Peak	1880	29.6	-13	N/A	2001
3000	20000	1	Peak	19798	-38.06	-13	Pass	17003



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-60	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.85	-13	Pass	2986
30	1000	0.1	Peak	976.484	-48.84	-13	Pass	9701
1000	3000	1	Peak	1910	29.42	-13	N/A	2001
3000	20000	1	Peak	19696	-37.94	-13	Pass	17003



2. EGPRS_GSM850


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.18	-13	Pass	401
0.15	30	0.01	Peak	0.33	-53.66	-13	Pass	2986
30	500	0.1	Peak	493.7	-43.51	-13	Pass	4701
500	1000	0.1	Peak	824.3	28.1	-13	N/A	5001
1000	10000	1	Peak	7170	-19.54	-13	Pass	9002




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.14	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.94	-13	Pass	2986
30	500	0.1	Peak	420.3	-43.08	-13	Pass	4701
500	1000	0.1	Peak	836.6	30.61	-13	N/A	5001
1000	10000	1	Peak	6971	-19.93	-13	Pass	9002



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.55	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.39	-13	Pass	2986
30	500	0.1	Peak	483.1	-43.41	-13	Pass	4701
500	1000	0.1	Peak	848.9	25.88	-13	N/A	5001
1000	10000	1	Peak	7036	-19.14	-13	Pass	9002



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.87	-13	Pass	401
0.15	30	0.01	Peak	0.38	-63.92	-13	Pass	2986
30	1000	0.1	Peak	609.1	-52.39	-13	Pass	9701
1000	3000	1	Peak	1854	24.97	-13	N/A	2001
3000	20000	1	Peak	19738	-19.27	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.59	-13	Pass	2986
30	1000	0.1	Peak	539.9	-52.73	-13	Pass	9701
1000	3000	1	Peak	1879	24.86	-13	N/A	2001
3000	20000	1	Peak	19417	-18.86	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.53	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.39	-13	Pass	2986
30	1000	0.1	Peak	848	-52.36	-13	Pass	9701
1000	3000	1	Peak	1906	25.18	-13	N/A	2001
3000	20000	1	Peak	19979	-19.68	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.5	-13	Pass	401
0.15	30	0.01	Peak	0.41	-63.04	-13	Pass	2986
30	1000	0.1	Peak	904.437	-52.17	-13	Pass	9701
1000	3000	1	Peak	1714	25.18	-13	N/A	2001
3000	20000	1	Peak	19454	-18.37	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.75	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.39	-13	Pass	2986
30	1000	0.1	Peak	871.115	-52.61	-13	Pass	9701
1000	3000	1	Peak	1734	25.07	-13	N/A	2001
3000	20000	1	Peak	19668	-19.63	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.19	-13	Pass	2986
30	1000	0.1	Peak	971.781	-51.98	-13	Pass	9701
1000	3000	1	Peak	1754	24.88	-13	N/A	2001
3000	20000	1	Peak	19990	-18.76	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-57.28	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.27	-13	Pass	2986
30	500	0.1	Peak	393.4	-53.37	-13	Pass	4701
500	1000	0.1	Peak	827.5	18.47	-13	N/A	5001
1000	10000	1	Peak	6972	-29.81	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-63.22	-13	Pass	401
0.15	30	0.01	Peak	0.39	-64.34	-13	Pass	2986
30	500	0.1	Peak	493.2	-54.07	-13	Pass	4701
500	1000	0.1	Peak	835.5	18.97	-13	N/A	5001
1000	10000	1	Peak	7263	-30	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.98	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.19	-13	Pass	2986
30	500	0.1	Peak	394.4	-53.12	-13	Pass	4701
500	1000	0.1	Peak	845.8	19.05	-13	N/A	5001
1000	10000	1	Peak	7423	-29.96	-13	Pass	9002




Annex C. LTE Spurious Emission at Antenna Terminals_Part22-24-27

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	1000	0.1	RMS	871.715	-63.91	-13	Pass	9701
1000	1840	1	RMS	1840	-51.05	-13	Pass	841
1840	1920	1	RMS	1850.2	23.84	60	Pass	401
1920	3000	1	RMS	2945	-48.9	-13	Pass	1081
3000	12000	1	RMS	11852	-40.25	-13	Pass	9002
12000	20000	1	RMS	19402	-31.18	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.93	-13	Pass	9701
1000	1840	1	RMS	1840	-51.39	-13	Pass	841
1840	1920	1	RMS	1850.2	23.11	60	Pass	401
1920	3000	1	RMS	2953	-48.93	-13	Pass	1081
3000	12000	1	RMS	11944	-40.24	-13	Pass	9002
12000	20000	1	RMS	19403	-31.18	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	845.4	-63.92	-13	Pass	9701
1000	1840	1	RMS	1812	-52.28	-13	Pass	841
1840	1920	1	RMS	1879.4	23.88	60	Pass	401
1920	3000	1	RMS	2947	-48.91	-13	Pass	1081
3000	12000	1	RMS	11952	-40.18	-13	Pass	9002
12000	20000	1	RMS	19711	-31.2	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.96	-13	Pass	9701
1000	1840	1	RMS	1806	-52.29	-13	Pass	841
1840	1920	1	RMS	1879.4	22.85	60	Pass	401
1920	3000	1	RMS	2961	-48.87	-13	Pass	1081
3000	12000	1	RMS	11842	-40.24	-13	Pass	9002
12000	20000	1	RMS	19399	-31.09	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2986
30	1000	0.1	RMS	852.903	-63.93	-13	Pass	9701
1000	1840	1	RMS	1807	-52.29	-13	Pass	841
1840	1920	1	RMS	1908.8	23.74	60	Pass	401
1920	3000	1	RMS	2956	-48.87	-13	Pass	1081
3000	12000	1	RMS	11854	-40.22	-13	Pass	9002
12000	20000	1	RMS	19411	-31.14	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.15	-13	Pass	2986
30	1000	0.1	RMS	861.008	-63.92	-13	Pass	9701
1000	1840	1	RMS	1840	-52.27	-13	Pass	841
1840	1920	1	RMS	1908.8	22.83	60	Pass	401
1920	3000	1	RMS	2949	-48.91	-13	Pass	1081
3000	12000	1	RMS	11854	-40.27	-13	Pass	9002
12000	20000	1	RMS	19401	-31.19	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.06	-13	Pass	401
0.15	30	0.01	RMS	0.34	-72.71	-13	Pass	2986
30	1000	0.1	RMS	860.407	-63.98	-13	Pass	9701
1000	1840	1	RMS	1840	-50.06	-13	Pass	841
1840	1920	1	RMS	1850.2	23.82	60	Pass	401
1920	3000	1	RMS	2958	-48.9	-13	Pass	1081
3000	12000	1	RMS	11952	-40.24	-13	Pass	9002
12000	20000	1	RMS	19400	-31.11	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	Pass	2986
30	1000	0.1	RMS	841.7	-63.93	-13	Pass	9701
1000	1840	1	RMS	1840	-51.21	-13	Pass	841
1840	1920	1	RMS	1850.2	22.73	60	Pass	401
1920	3000	1	RMS	2955	-48.92	-13	Pass	1081
3000	12000	1	RMS	11949	-40.24	-13	Pass	9002
12000	20000	1	RMS	19401	-31.13	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.55	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.29	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.81	-13	Pass	9701
1000	1840	1	RMS	1813	-52.29	-13	Pass	841
1840	1920	1	RMS	1878.6	23.78	60	Pass	401
1920	3000	1	RMS	2963	-48.88	-13	Pass	1081
3000	12000	1	RMS	11837	-40.22	-13	Pass	9002
12000	20000	1	RMS	19711	-31.16	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.79	-13	Pass	9701
1000	1840	1	RMS	1806	-52.28	-13	Pass	841
1840	1920	1	RMS	1878.6	22.89	60	Pass	401
1920	3000	1	RMS	2955	-48.93	-13	Pass	1081
3000	12000	1	RMS	11850	-40.24	-13	Pass	9002
12000	20000	1	RMS	19399	-31.18	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	Pass	2986
30	1000	0.1	RMS	854.103	-63.8	-13	Pass	9701
1000	1840	1	RMS	1814	-52.29	-13	Pass	841
1840	1920	1	RMS	1907.2	23.73	60	Pass	401
1920	3000	1	RMS	2951	-48.83	-13	Pass	1081
3000	12000	1	RMS	11950	-40.27	-13	Pass	9002
12000	20000	1	RMS	19400	-31.19	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.25	-13	Pass	2986
30	1000	0.1	RMS	846.5	-63.74	-13	Pass	9701
1000	1840	1	RMS	1805	-52.33	-13	Pass	841
1840	1920	1	RMS	1907.2	22.91	60	Pass	401
1920	3000	1	RMS	2953	-48.87	-13	Pass	1081
3000	12000	1	RMS	11941	-40.24	-13	Pass	9002
12000	20000	1	RMS	19401	-31.13	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2986
30	1000	0.1	RMS	849.8	-63.79	-13	Pass	9701
1000	1840	1	RMS	1840	-51	-13	Pass	841
1840	1920	1	RMS	1850.2	23.78	60	Pass	401
1920	3000	1	RMS	2959	-48.88	-13	Pass	1081
3000	12000	1	RMS	11951	-40.18	-13	Pass	9002
12000	20000	1	RMS	19397	-31.11	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2986
30	1000	0.1	RMS	856.805	-63.86	-13	Pass	9701
1000	1840	1	RMS	1840	-51.23	-13	Pass	841
1840	1920	1	RMS	1850.2	22.81	60	Pass	401
1920	3000	1	RMS	2948	-48.88	-13	Pass	1081
3000	12000	1	RMS	11847	-40.23	-13	Pass	9002
12000	20000	1	RMS	19405	-31.08	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	1000	0.1	RMS	846.7	-63.85	-13	Pass	9701
1000	1840	1	RMS	1810	-52.27	-13	Pass	841
1840	1920	1	RMS	1877.8	23.76	60	Pass	401
1920	3000	1	RMS	2950	-48.87	-13	Pass	1081
3000	12000	1	RMS	11957	-40.15	-13	Pass	9002
12000	20000	1	RMS	19405	-31.13	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2986
30	1000	0.1	RMS	855.905	-63.91	-13	Pass	9701
1000	1840	1	RMS	1814	-52.31	-13	Pass	841
1840	1920	1	RMS	1877.8	22.83	60	Pass	401
1920	3000	1	RMS	2955	-48.9	-13	Pass	1081
3000	12000	1	RMS	11951	-40.21	-13	Pass	9002
12000	20000	1	RMS	19397	-31.15	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2986
30	1000	0.1	RMS	857.606	-63.95	-13	Pass	9701
1000	1840	1	RMS	1817	-52.3	-13	Pass	841
1840	1920	1	RMS	1905.2	23.95	60	Pass	401
1920	3000	1	RMS	2957	-48.89	-13	Pass	1081
3000	12000	1	RMS	11949	-40.21	-13	Pass	9002
12000	20000	1	RMS	19699	-31.13	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.43	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.32	-13	Pass	2986
30	1000	0.1	RMS	843.5	-63.75	-13	Pass	9701
1000	1840	1	RMS	1837	-52.29	-13	Pass	841
1840	1920	1	RMS	1905.2	22.92	60	Pass	401
1920	3000	1	RMS	2955	-48.93	-13	Pass	1081
3000	12000	1	RMS	11952	-40.24	-13	Pass	9002
12000	20000	1	RMS	19399	-31.08	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.96	-13	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	Pass	841
1840	1920	1	RMS	1850.4	23.77	60	Pass	401
1920	3000	1	RMS	2952	-48.91	-13	Pass	1081
3000	12000	1	RMS	11945	-40.21	-13	Pass	9002
12000	20000	1	RMS	19395	-31.17	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	Pass	2986
30	1000	0.1	RMS	833.2	-63.88	-13	Pass	9701
1000	1840	1	RMS	1840	-50.72	-13	Pass	841
1840	1920	1	RMS	1850.4	22.83	60	Pass	401
1920	3000	1	RMS	2957	-48.87	-13	Pass	1081
3000	12000	1	RMS	11954	-40.22	-13	Pass	9002
12000	20000	1	RMS	19397	-31.14	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.86	-13	Pass	9701
1000	1840	1	RMS	1840	-52.25	-13	Pass	841
1840	1920	1	RMS	1875.4	23.85	60	Pass	401
1920	3000	1	RMS	2949	-48.85	-13	Pass	1081
3000	12000	1	RMS	11950	-40.28	-13	Pass	9002
12000	20000	1	RMS	19402	-31.14	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	Pass	2986
30	1000	0.1	RMS	852.602	-63.91	-13	Pass	9701
1000	1840	1	RMS	1788	-52.27	-13	Pass	841
1840	1920	1	RMS	1875.4	22.91	60	Pass	401
1920	3000	1	RMS	2952	-48.88	-13	Pass	1081
3000	12000	1	RMS	11850	-40.21	-13	Pass	9002
12000	20000	1	RMS	19403	-31.17	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	Pass	2986
30	1000	0.1	RMS	955.871	-63.84	-13	Pass	9701
1000	1840	1	RMS	1840	-52.27	-13	Pass	841
1840	1920	1	RMS	1900.4	23.73	60	Pass	401
1920	3000	1	RMS	2950	-48.84	-13	Pass	1081
3000	12000	1	RMS	11847	-40.22	-13	Pass	9002
12000	20000	1	RMS	19402	-31.02	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	Pass	2986
30	1000	0.1	RMS	851.702	-63.84	-13	Pass	9701
1000	1840	1	RMS	1810	-52.25	-13	Pass	841
1840	1920	1	RMS	1900.4	22.83	60	Pass	401
1920	3000	1	RMS	2957	-48.87	-13	Pass	1081
3000	12000	1	RMS	11947	-40.21	-13	Pass	9002
12000	20000	1	RMS	19401	-31.13	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-13	Pass	2986
30	1000	0.1	RMS	857.606	-63.77	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1850.8	23.6	60	Pass	401
1920	3000	1	RMS	2959	-48.82	-13	Pass	1081
3000	12000	1	RMS	11852	-40.19	-13	Pass	9002
12000	20000	1	RMS	19405	-31.15	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2986
30	1000	0.1	RMS	860.407	-63.91	-13	Pass	9701
1000	1840	1	RMS	1840	-50.98	-13	Pass	841
1840	1920	1	RMS	1850.8	22.7	60	Pass	401
1920	3000	1	RMS	2945	-48.89	-13	Pass	1081
3000	12000	1	RMS	11948	-40.18	-13	Pass	9002
12000	20000	1	RMS	19720	-31.12	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	1000	0.1	RMS	847.1	-63.86	-13	Pass	9701
1000	1840	1	RMS	1787	-52.34	-13	Pass	841
1840	1920	1	RMS	1873.2	23.65	60	Pass	401
1920	3000	1	RMS	2956	-48.85	-13	Pass	1081
3000	12000	1	RMS	11951	-40.18	-13	Pass	9002
12000	20000	1	RMS	19400	-31.11	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-13	Pass	2986
30	1000	0.1	RMS	855.804	-63.99	-13	Pass	9701
1000	1840	1	RMS	1814	-52.23	-13	Pass	841
1840	1920	1	RMS	1873.2	22.88	60	Pass	401
1920	3000	1	RMS	2949	-48.89	-13	Pass	1081
3000	12000	1	RMS	11953	-40.23	-13	Pass	9002
12000	20000	1	RMS	19401	-31.1	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.89	-13	Pass	9701
1000	1840	1	RMS	1811	-52.26	-13	Pass	841
1840	1920	1	RMS	1895.8	23.91	60	Pass	401
1920	3000	1	RMS	2954	-48.92	-13	Pass	1081
3000	12000	1	RMS	11945	-40.23	-13	Pass	9002
12000	20000	1	RMS	19401	-31.16	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2986
30	1000	0.1	RMS	848.9	-63.91	-13	Pass	9701
1000	1840	1	RMS	1804	-52.33	-13	Pass	841
1840	1920	1	RMS	1895.8	22.87	60	Pass	401
1920	3000	1	RMS	2956	-48.9	-13	Pass	1081
3000	12000	1	RMS	11946	-40.22	-13	Pass	9002
12000	20000	1	RMS	19700	-31.21	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	Pass	2986
30	1000	0.1	RMS	846	-63.96	-13	Pass	9701
1000	1840	1	RMS	1840	-50.89	-13	Pass	841
1840	1920	1	RMS	1851	23.58	60	Pass	401
1920	3000	1	RMS	2954	-48.92	-13	Pass	1081
3000	12000	1	RMS	11947	-40.22	-13	Pass	9002
12000	20000	1	RMS	19408	-31.19	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.86	-13	Pass	9701
1000	1840	1	RMS	1840	-51.16	-13	Pass	841
1840	1920	1	RMS	1851	22.68	60	Pass	401
1920	3000	1	RMS	2960	-48.88	-13	Pass	1081
3000	12000	1	RMS	11951	-40.23	-13	Pass	9002
12000	20000	1	RMS	19398	-31.18	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.99	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.96	-13	Pass	9701
1000	1840	1	RMS	1806	-52.28	-13	Pass	841
1840	1920	1	RMS	1871	23.63	60	Pass	401
1920	3000	1	RMS	2944	-48.91	-13	Pass	1081
3000	12000	1	RMS	11947	-40.16	-13	Pass	9002
12000	20000	1	RMS	19404	-31.2	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	Pass	2986
30	1000	0.1	RMS	843.3	-63.99	-13	Pass	9701
1000	1840	1	RMS	1810	-52.31	-13	Pass	841
1840	1920	1	RMS	1871	22.86	60	Pass	401
1920	3000	1	RMS	2955	-48.85	-13	Pass	1081
3000	12000	1	RMS	11838	-40.23	-13	Pass	9002
12000	20000	1	RMS	19404	-31.12	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	1000	0.1	RMS	826.9	-63.87	-13	Pass	9701
1000	1840	1	RMS	1814	-52.32	-13	Pass	841
1840	1920	1	RMS	1891	23.7	60	Pass	401
1920	3000	1	RMS	2953	-48.89	-13	Pass	1081
3000	12000	1	RMS	11849	-40.23	-13	Pass	9002
12000	20000	1	RMS	19397	-31.16	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-13	Pass	2986
30	1000	0.1	RMS	860.107	-63.69	-13	Pass	9701
1000	1840	1	RMS	1840	-52.3	-13	Pass	841
1840	1920	1	RMS	1891	22.79	60	Pass	401
1920	3000	1	RMS	2958	-48.87	-13	Pass	1081
3000	12000	1	RMS	11951	-40.22	-13	Pass	9002
12000	20000	1	RMS	19408	-31.14	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	1000	0.1	RMS	855.204	-64	-13	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	Pass	701
1700	1765	1	RMS	1710.075	24.78	60	Pass	401
1765	3000	1	RMS	2958	-48.8	-13	Pass	1236
3000	12000	1	RMS	11848	-40.22	-13	Pass	9002
12000	20000	1	RMS	19407	-31.13	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2986
30	1000	0.1	RMS	859.207	-63.92	-13	Pass	9701
1000	1700	1	RMS	1700	-51.34	-13	Pass	701
1700	1765	1	RMS	1710.075	23.92	60	Pass	401
1765	3000	1	RMS	2957	-48.9	-13	Pass	1236
3000	12000	1	RMS	11947	-40.22	-13	Pass	9002
12000	20000	1	RMS	19402	-31.17	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.77	-13	Pass	9701
1000	1700	1	RMS	1697	-52.58	-13	Pass	701
1700	1765	1	RMS	1732.013	24.78	60	Pass	401
1765	3000	1	RMS	2947	-48.88	-13	Pass	1236
3000	12000	1	RMS	11846	-40.19	-13	Pass	9002
12000	20000	1	RMS	19414	-31.22	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2986
30	1000	0.1	RMS	863.51	-64	-13	Pass	9701
1000	1700	1	RMS	1700	-52.58	-13	Pass	701
1700	1765	1	RMS	1732.013	23.89	60	Pass	401
1765	3000	1	RMS	2960	-48.89	-13	Pass	1236
3000	12000	1	RMS	11845	-40.2	-13	Pass	9002
12000	20000	1	RMS	19401	-31.08	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	Pass	2986
30	1000	0.1	RMS	865.511	-63.96	-13	Pass	9701
1000	1700	1	RMS	1695	-52.61	-13	Pass	701
1700	1765	1	RMS	1753.788	24.72	60	Pass	401
1765	3000	1	RMS	2963	-48.9	-13	Pass	1236
3000	12000	1	RMS	11853	-40.25	-13	Pass	9002
12000	20000	1	RMS	19401	-31.1	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	857.406	-63.91	-13	Pass	9701
1000	1700	1	RMS	1698	-52.58	-13	Pass	701
1700	1765	1	RMS	1753.788	23.91	60	Pass	401
1765	3000	1	RMS	2955	-48.94	-13	Pass	1236
3000	12000	1	RMS	11950	-40.23	-13	Pass	9002
12000	20000	1	RMS	19403	-31.18	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2986
30	1000	0.1	RMS	856.505	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-50.06	-13	Pass	701
1700	1765	1	RMS	1710.238	24.82	60	Pass	401
1765	3000	1	RMS	2957	-48.91	-13	Pass	1236
3000	12000	1	RMS	11847	-40.18	-13	Pass	9002
12000	20000	1	RMS	19404	-31.02	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2986
30	1000	0.1	RMS	845.8	-63.76	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1765	1	RMS	1710.075	24.01	60	Pass	401
1765	3000	1	RMS	2946	-48.8	-13	Pass	1236
3000	12000	1	RMS	11953	-40.25	-13	Pass	9002
12000	20000	1	RMS	19708	-31.16	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	1000	0.1	RMS	845	-63.73	-13	Pass	9701
1000	1700	1	RMS	1695	-52.54	-13	Pass	701
1700	1765	1	RMS	1731.2	24.64	60	Pass	401
1765	3000	1	RMS	2954	-48.85	-13	Pass	1236
3000	12000	1	RMS	11850	-40.22	-13	Pass	9002
12000	20000	1	RMS	19399	-30.98	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.67	-13	Pass	9701
1000	1700	1	RMS	1693	-52.51	-13	Pass	701
1700	1765	1	RMS	1731.2	23.79	60	Pass	401
1765	3000	1	RMS	2961	-48.9	-13	Pass	1236
3000	12000	1	RMS	11954	-40.24	-13	Pass	9002
12000	20000	1	RMS	19407	-31.16	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	Pass	2986
30	1000	0.1	RMS	824.6	-63.98	-13	Pass	9701
1000	1700	1	RMS	1699	-52.6	-13	Pass	701
1700	1765	1	RMS	1752.163	24.73	60	Pass	401
1765	3000	1	RMS	2957	-48.83	-13	Pass	1236
3000	12000	1	RMS	11840	-40.21	-13	Pass	9002
12000	20000	1	RMS	19401	-31.1	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	Pass	2986
30	1000	0.1	RMS	851.802	-63.94	-13	Pass	9701
1000	1700	1	RMS	1699	-52.52	-13	Pass	701
1700	1765	1	RMS	1752.163	24.01	60	Pass	401
1765	3000	1	RMS	2954	-48.88	-13	Pass	1236
3000	12000	1	RMS	11952	-40.23	-13	Pass	9002
12000	20000	1	RMS	19392	-31.09	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.92	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1765	1	RMS	1710.238	24.86	60	Pass	401
1765	3000	1	RMS	2957	-48.89	-13	Pass	1236
3000	12000	1	RMS	11947	-40.21	-13	Pass	9002
12000	20000	1	RMS	19393	-31.17	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	Pass	701
1700	1765	1	RMS	1710.238	24.13	60	Pass	401
1765	3000	1	RMS	2947	-48.9	-13	Pass	1236
3000	12000	1	RMS	11848	-40.3	-13	Pass	9002
12000	20000	1	RMS	19407	-31.12	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	Pass	2986
30	1000	0.1	RMS	852.903	-63.83	-13	Pass	9701
1000	1700	1	RMS	1692	-52.54	-13	Pass	701
1700	1765	1	RMS	1730.225	24.72	60	Pass	401
1765	3000	1	RMS	2944	-48.86	-13	Pass	1236
3000	12000	1	RMS	11950	-40.21	-13	Pass	9002
12000	20000	1	RMS	19401	-31.1	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.96	-13	Pass	2986
30	1000	0.1	RMS	852.602	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-52.5	-13	Pass	701
1700	1765	1	RMS	1730.225	23.75	60	Pass	401
1765	3000	1	RMS	2960	-48.89	-13	Pass	1236
3000	12000	1	RMS	11952	-40.19	-13	Pass	9002
12000	20000	1	RMS	19401	-31.22	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2986
30	1000	0.1	RMS	843.2	-63.91	-13	Pass	9701
1000	1700	1	RMS	1697	-52.6	-13	Pass	701
1700	1765	1	RMS	1750.213	24.72	60	Pass	401
1765	3000	1	RMS	2950	-48.93	-13	Pass	1236
3000	12000	1	RMS	11950	-40.03	-13	Pass	9002
12000	20000	1	RMS	19402	-31.14	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.66	-13	Pass	2986
30	1000	0.1	RMS	850.501	-63.82	-13	Pass	9701
1000	1700	1	RMS	1694	-52.63	-13	Pass	701
1700	1765	1	RMS	1750.213	23.99	60	Pass	401
1765	3000	1	RMS	2950	-48.86	-13	Pass	1236
3000	12000	1	RMS	11849	-40.23	-13	Pass	9002
12000	20000	1	RMS	19401	-31.11	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	Pass	2986
30	1000	0.1	RMS	856.205	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-50.48	-13	Pass	701
1700	1765	1	RMS	1710.563	24.83	60	Pass	401
1765	3000	1	RMS	2948	-48.91	-13	Pass	1236
3000	12000	1	RMS	11949	-40.19	-13	Pass	9002
12000	20000	1	RMS	19402	-31.11	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	Pass	2986
30	1000	0.1	RMS	835.8	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1765	1	RMS	1710.563	23.96	60	Pass	401
1765	3000	1	RMS	2959	-48.9	-13	Pass	1236
3000	12000	1	RMS	11848	-40.25	-13	Pass	9002
12000	20000	1	RMS	19395	-31.14	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.94	-13	Pass	2986
30	1000	0.1	RMS	850.301	-63.92	-13	Pass	9701
1000	1700	1	RMS	1699	-52.51	-13	Pass	701
1700	1765	1	RMS	1727.95	24.79	60	Pass	401
1765	3000	1	RMS	2962	-48.9	-13	Pass	1236
3000	12000	1	RMS	11850	-40.19	-13	Pass	9002
12000	20000	1	RMS	19403	-31.17	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	859.307	-63.79	-13	Pass	9701
1000	1700	1	RMS	1700	-52.51	-13	Pass	701
1700	1765	1	RMS	1727.95	23.89	60	Pass	401
1765	3000	1	RMS	2954	-48.85	-13	Pass	1236
3000	12000	1	RMS	11950	-40.19	-13	Pass	9002
12000	20000	1	RMS	19401	-30.96	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	1000	0.1	RMS	855.204	-63.7	-13	Pass	9701
1000	1700	1	RMS	1696	-52.59	-13	Pass	701
1700	1765	1	RMS	1745.5	24.86	60	Pass	401
1765	3000	1	RMS	2959	-48.9	-13	Pass	1236
3000	12000	1	RMS	11851	-40.2	-13	Pass	9002
12000	20000	1	RMS	19405	-31.15	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	Pass	2986
30	1000	0.1	RMS	846.7	-63.79	-13	Pass	9701
1000	1700	1	RMS	1700	-52.57	-13	Pass	701
1700	1765	1	RMS	1745.5	24.05	60	Pass	401
1765	3000	1	RMS	2956	-48.9	-13	Pass	1236
3000	12000	1	RMS	11948	-40.2	-13	Pass	9002
12000	20000	1	RMS	19400	-31.15	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2986
30	1000	0.1	RMS	850.801	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-49.96	-13	Pass	701
1700	1765	1	RMS	1710.725	24.72	60	Pass	401
1765	3000	1	RMS	2957	-48.78	-13	Pass	1236
3000	12000	1	RMS	11848	-40.23	-13	Pass	9002
12000	20000	1	RMS	19403	-31.1	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	855.404	-63.81	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1765	1	RMS	1710.725	24.09	60	Pass	401
1765	3000	1	RMS	2955	-48.89	-13	Pass	1236
3000	12000	1	RMS	11844	-40.26	-13	Pass	9002
12000	20000	1	RMS	19400	-31.12	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2986
30	1000	0.1	RMS	861.508	-63.86	-13	Pass	9701
1000	1700	1	RMS	1700	-52.42	-13	Pass	701
1700	1765	1	RMS	1725.838	24.57	60	Pass	401
1765	3000	1	RMS	2946	-48.88	-13	Pass	1236
3000	12000	1	RMS	11850	-40.18	-13	Pass	9002
12000	20000	1	RMS	19409	-31.13	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	Pass	2986
30	1000	0.1	RMS	832.1	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-52.47	-13	Pass	701
1700	1765	1	RMS	1725.838	23.78	60	Pass	401
1765	3000	1	RMS	2954	-48.85	-13	Pass	1236
3000	12000	1	RMS	11850	-40.21	-13	Pass	9002
12000	20000	1	RMS	19397	-31.16	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	Pass	2986
30	1000	0.1	RMS	845.3	-63.76	-13	Pass	9701
1000	1700	1	RMS	1689	-52.59	-13	Pass	701
1700	1765	1	RMS	1740.788	24.57	60	Pass	401
1765	3000	1	RMS	2944	-48.92	-13	Pass	1236
3000	12000	1	RMS	11951	-40.22	-13	Pass	9002
12000	20000	1	RMS	19407	-31.14	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.23	-13	Pass	2986
30	1000	0.1	RMS	848	-63.92	-13	Pass	9701
1000	1700	1	RMS	1697	-52.58	-13	Pass	701
1700	1765	1	RMS	1740.788	23.8	60	Pass	401
1765	3000	1	RMS	2949	-48.91	-13	Pass	1236
3000	12000	1	RMS	11954	-40.33	-13	Pass	9002
12000	20000	1	RMS	19404	-31.14	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1765	1	RMS	1711.05	24.79	60	Pass	401
1765	3000	1	RMS	2956	-48.9	-13	Pass	1236
3000	12000	1	RMS	11948	-40.22	-13	Pass	9002
12000	20000	1	RMS	19397	-31.17	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.39	-13	Pass	701
1700	1765	1	RMS	1711.05	24.04	60	Pass	401
1765	3000	1	RMS	2955	-48.91	-13	Pass	1236
3000	12000	1	RMS	11844	-40.25	-13	Pass	9002
12000	20000	1	RMS	19706	-31.13	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	Pass	2986
30	1000	0.1	RMS	840.4	-63.92	-13	Pass	9701
1000	1700	1	RMS	1699	-52.46	-13	Pass	701
1700	1765	1	RMS	1723.563	24.65	60	Pass	401
1765	3000	1	RMS	2949	-48.85	-13	Pass	1236
3000	12000	1	RMS	11944	-40.2	-13	Pass	9002
12000	20000	1	RMS	19702	-31.14	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	1000	0.1	RMS	840.8	-63.85	-13	Pass	9701
1000	1700	1	RMS	1698	-51.49	-13	Pass	701
1700	1765	1	RMS	1723.563	23.95	60	Pass	401
1765	3000	1	RMS	2952	-48.85	-13	Pass	1236
3000	12000	1	RMS	11847	-40.26	-13	Pass	9002
12000	20000	1	RMS	19407	-31.16	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	1000	0.1	RMS	844.8	-63.73	-13	Pass	9701
1000	1700	1	RMS	1697	-52.6	-13	Pass	701
1700	1765	1	RMS	1736.075	24.57	60	Pass	401
1765	3000	1	RMS	2949	-48.87	-13	Pass	1236
3000	12000	1	RMS	11854	-40.23	-13	Pass	9002
12000	20000	1	RMS	19400	-31.12	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	1000	0.1	RMS	844.8	-63.76	-13	Pass	9701
1000	1700	1	RMS	1700	-52.53	-13	Pass	701
1700	1765	1	RMS	1736.075	23.92	60	Pass	401
1765	3000	1	RMS	2946	-48.89	-13	Pass	1236
3000	12000	1	RMS	11950	-40.22	-13	Pass	9002
12000	20000	1	RMS	19402	-31.12	-13	Pass	8001



3. LTE_Band7


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	Pass	2986
30	1000	0.1	RMS	848.6	-63.93	-25	Pass	9701
1000	2490	1	RMS	2490	-49.19	-25	Pass	1491
2490	2580	1	RMS	2500.125	24.5	60	Pass	401
2580	3000	1	RMS	2957	-48.9	-25	Pass	421
3000	12000	1	RMS	7501	-54.83	-25	Pass	9002
12000	26000	1	RMS	26000	-44.14	-25	Pass	14002




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.64	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.82	-25	Pass	2986
30	1000	0.1	RMS	860.908	-63.92	-25	Pass	9701
1000	2490	1	RMS	2490	-49.38	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.61	60	Pass	401
2580	3000	1	RMS	2957	-48.89	-25	Pass	421
3000	12000	1	RMS	7501	-55.96	-25	Pass	9002
12000	26000	1	RMS	25999	-43.77	-25	Pass	14002




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-25	Pass	2986
30	1000	0.1	RMS	572.1	-62.77	-25	Pass	9701
1000	2490	1	RMS	2482	-50.57	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.69	60	Pass	401
2580	3000	1	RMS	2958	-48.9	-25	Pass	421
3000	12000	1	RMS	7599	-57.16	-25	Pass	9002
12000	26000	1	RMS	25999	-43.75	-25	Pass	14002




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	Pass	2986
30	1000	0.1	RMS	572.1	-62.88	-25	Pass	9701
1000	2490	1	RMS	2487	-50.54	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.7	60	Pass	401
2580	3000	1	RMS	2957	-48.91	-25	Pass	421
3000	12000	1	RMS	7599	-58.3	-25	Pass	9002
12000	26000	1	RMS	25985	-43.83	-25	Pass	14002




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-25	Pass	2986
30	1000	0.1	RMS	604.6	-61.9	-25	Pass	9701
1000	2490	1	RMS	2489	-50.4	-25	Pass	1491
2490	2580	1	RMS	2565.15	24.48	60	Pass	401
2580	3000	1	RMS	2954	-48.91	-25	Pass	421
3000	12000	1	RMS	5131	-59.89	-25	Pass	9002
12000	26000	1	RMS	25996	-43.72	-25	Pass	14002




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.3	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.16	-25	Pass	2986
30	1000	0.1	RMS	604.6	-62.94	-25	Pass	9701
1000	2490	1	RMS	2489	-50.45	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.8	60	Pass	401
2580	3000	1	RMS	2957	-48.89	-25	Pass	421
3000	12000	1	RMS	7696	-59.8	-25	Pass	9002
12000	26000	1	RMS	26000	-43.76	-25	Pass	14002




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.4	-25	Pass	2986
30	1000	0.1	RMS	849.901	-63.94	-25	Pass	9701
1000	2490	1	RMS	2490	-49.11	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.46	60	Pass	401
2580	3000	1	RMS	2953	-48.93	-25	Pass	421
3000	12000	1	RMS	7502	-55.24	-25	Pass	9002
12000	26000	1	RMS	25997	-43.77	-25	Pass	14002




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-25	Pass	2986
30	1000	0.1	RMS	845.7	-63.99	-25	Pass	9701
1000	2490	1	RMS	2490	-49.43	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.66	60	Pass	401
2580	3000	1	RMS	2945	-48.9	-25	Pass	421
3000	12000	1	RMS	7502	-56.62	-25	Pass	9002
12000	26000	1	RMS	25980	-43.81	-25	Pass	14002



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-25	Pass	2986
30	1000	0.1	RMS	569.9	-62.48	-25	Pass	9701
1000	2490	1	RMS	2488	-50.55	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.51	60	Pass	401
2580	3000	1	RMS	2957	-48.9	-25	Pass	421
3000	12000	1	RMS	7592	-56.81	-25	Pass	9002
12000	26000	1	RMS	25996	-43.84	-25	Pass	14002



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.84	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-25	Pass	2986
30	1000	0.1	RMS	569.9	-63.28	-25	Pass	9701
1000	2490	1	RMS	2490	-50.54	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.69	60	Pass	401
2580	3000	1	RMS	2946	-48.87	-25	Pass	421
3000	12000	1	RMS	7592	-57.63	-25	Pass	9002
12000	26000	1	RMS	25992	-43.79	-25	Pass	14002



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-25	Pass	2986
30	1000	0.1	RMS	599.9	-61.1	-25	Pass	9701
1000	2490	1	RMS	2484	-50.34	-25	Pass	1491
2490	2580	1	RMS	2560.425	24.58	60	Pass	401
2580	3000	1	RMS	2953	-48.92	-25	Pass	421
3000	12000	1	RMS	7682	-55.81	-25	Pass	9002
12000	26000	1	RMS	25991	-43.63	-25	Pass	14002



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.4	-25	Pass	2986
30	1000	0.1	RMS	599.9	-61.41	-25	Pass	9701
1000	2490	1	RMS	2484	-50.45	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.76	60	Pass	401
2580	3000	1	RMS	2948	-48.93	-25	Pass	421
3000	12000	1	RMS	7682	-56.99	-25	Pass	9002
12000	26000	1	RMS	25983	-43.69	-25	Pass	14002



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.62	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-25	Pass	2986
30	1000	0.1	RMS	851.001	-63.89	-25	Pass	9701
1000	2490	1	RMS	2490	-48.96	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.18	60	Pass	401
2580	3000	1	RMS	2949	-48.92	-25	Pass	421
3000	12000	1	RMS	7503	-56.9	-25	Pass	9002
12000	26000	1	RMS	26000	-43.64	-25	Pass	14002



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.6	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.43	-25	Pass	2986
30	1000	0.1	RMS	847.8	-63.96	-25	Pass	9701
1000	2490	1	RMS	2490	-49.33	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.42	60	Pass	401
2580	3000	1	RMS	2953	-48.9	-25	Pass	421
3000	12000	1	RMS	7503	-57.64	-25	Pass	9002
12000	26000	1	RMS	25997	-43.82	-25	Pass	14002



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72	-25	Pass	2986
30	1000	0.1	RMS	871.815	-63.91	-25	Pass	9701
1000	2490	1	RMS	2488	-50.51	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.32	60	Pass	401
2580	3000	1	RMS	2957	-48.9	-25	Pass	421
3000	12000	1	RMS	7585	-56.99	-25	Pass	9002
12000	26000	1	RMS	25996	-43.79	-25	Pass	14002



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-25	Pass	2986
30	1000	0.1	RMS	849.2	-63.88	-25	Pass	9701
1000	2490	1	RMS	2488	-50.52	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.54	60	Pass	401
2580	3000	1	RMS	2955	-48.9	-25	Pass	421
3000	12000	1	RMS	7585	-58.02	-25	Pass	9002
12000	26000	1	RMS	26000	-43.74	-25	Pass	14002



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-25	Pass	2986
30	1000	0.1	RMS	595.1	-61.7	-25	Pass	9701
1000	2490	1	RMS	2479	-50.56	-25	Pass	1491
2490	2580	1	RMS	2555.7	24.46	60	Pass	401
2580	3000	1	RMS	2955	-48.9	-25	Pass	421
3000	12000	1	RMS	7668	-57.73	-25	Pass	9002
12000	26000	1	RMS	26000	-43.8	-25	Pass	14002



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.73	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.41	-25	Pass	2986
30	1000	0.1	RMS	595.1	-61.82	-25	Pass	9701
1000	2490	1	RMS	2479	-50.53	-25	Pass	1491
2490	2580	1	RMS	2555.7	23.61	60	Pass	401
2580	3000	1	RMS	2952	-48.93	-25	Pass	421
3000	12000	1	RMS	7668	-58.2	-25	Pass	9002
12000	26000	1	RMS	25998	-43.8	-25	Pass	14002



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-25	Pass	2986
30	1000	0.1	RMS	843.6	-63.86	-25	Pass	9701
1000	2490	1	RMS	2490	-49.13	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.43	60	Pass	401
2580	3000	1	RMS	2953	-48.92	-25	Pass	421
3000	12000	1	RMS	7503	-55.83	-25	Pass	9002
12000	26000	1	RMS	25999	-43.76	-25	Pass	14002



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.15	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.47	-25	Pass	2986
30	1000	0.1	RMS	856.405	-63.88	-25	Pass	9701
1000	2490	1	RMS	2490	-49.56	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.41	60	Pass	401
2580	3000	1	RMS	2954	-48.9	-25	Pass	421
3000	12000	1	RMS	7503	-57.05	-25	Pass	9002
12000	26000	1	RMS	25994	-43.72	-25	Pass	14002



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-25	Pass	2986
30	1000	0.1	RMS	848.9	-63.94	-25	Pass	9701
1000	2490	1	RMS	2485	-50.53	-25	Pass	1491
2490	2580	1	RMS	2526	24.32	60	Pass	401
2580	3000	1	RMS	2955	-48.93	-25	Pass	421
3000	12000	1	RMS	7578	-57.91	-25	Pass	9002
12000	26000	1	RMS	25998	-43.84	-25	Pass	14002



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-25	Pass	2986
30	1000	0.1	RMS	847.8	-63.79	-25	Pass	9701
1000	2490	1	RMS	2484	-50.53	-25	Pass	1491
2490	2580	1	RMS	2526	23.47	60	Pass	401
2580	3000	1	RMS	2955	-48.96	-25	Pass	421
3000	12000	1	RMS	5052	-58.72	-25	Pass	9002
12000	26000	1	RMS	26000	-43.87	-25	Pass	14002



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.55	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.13	-25	Pass	2986
30	1000	0.1	RMS	590.4	-60.17	-25	Pass	9701
1000	2490	1	RMS	2488	-50.5	-25	Pass	1491
2490	2580	1	RMS	2550.975	24.67	60	Pass	401
2580	3000	1	RMS	2957	-48.92	-25	Pass	421
3000	12000	1	RMS	7653	-56.24	-25	Pass	9002
12000	26000	1	RMS	25993	-43.78	-25	Pass	14002



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-25	Pass	2986
30	1000	0.1	RMS	590.4	-60.8	-25	Pass	9701
1000	2490	1	RMS	2485	-50.59	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.69	60	Pass	401
2580	3000	1	RMS	2953	-48.92	-25	Pass	421
3000	12000	1	RMS	7653	-57.02	-25	Pass	9002
12000	26000	1	RMS	25995	-43.75	-25	Pass	14002



4. LTE_Band66


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1790	1	RMS	1710.125	25.01	60	Pass	401
1790	3000	1	RMS	2949	-48.91	-13	Pass	1211
3000	12000	1	RMS	11954	-40.25	-13	Pass	9002
12000	20000	1	RMS	19724	-31.19	-13	Pass	8001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	Pass	2986
30	1000	0.1	RMS	839.3	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1790	1	RMS	1710.125	24.14	60	Pass	401
1790	3000	1	RMS	2952	-48.84	-13	Pass	1211
3000	12000	1	RMS	11847	-40.24	-13	Pass	9002
12000	20000	1	RMS	19398	-31.21	-13	Pass	8001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	1000	0.1	RMS	981.688	-63.87	-13	Pass	9701
1000	1700	1	RMS	1695	-52.61	-13	Pass	701
1700	1790	1	RMS	1744.325	24.64	60	Pass	401
1790	3000	1	RMS	2955	-48.86	-13	Pass	1211
3000	12000	1	RMS	11949	-40.23	-13	Pass	9002
12000	20000	1	RMS	19413	-31.1	-13	Pass	8001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	Pass	2986
30	1000	0.1	RMS	838.8	-63.87	-13	Pass	9701
1000	1700	1	RMS	1699	-52.59	-13	Pass	701
1700	1790	1	RMS	1744.55	24.02	60	Pass	401
1790	3000	1	RMS	2944	-48.89	-13	Pass	1211
3000	12000	1	RMS	11946	-40.24	-13	Pass	9002
12000	20000	1	RMS	19402	-31.15	-13	Pass	8001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	Pass	2986
30	1000	0.1	RMS	827.5	-63.93	-13	Pass	9701
1000	1700	1	RMS	1693	-52.63	-13	Pass	701
1700	1790	1	RMS	1778.75	24.76	60	Pass	401
1790	3000	1	RMS	2961	-48.85	-13	Pass	1211
3000	12000	1	RMS	11954	-40.21	-13	Pass	9002
12000	20000	1	RMS	19398	-31.12	-13	Pass	8001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	Pass	2986
30	1000	0.1	RMS	863.409	-63.88	-13	Pass	9701
1000	1700	1	RMS	1700	-52.56	-13	Pass	701
1700	1790	1	RMS	1778.75	23.94	60	Pass	401
1790	3000	1	RMS	2957	-48.91	-13	Pass	1211
3000	12000	1	RMS	11950	-40.25	-13	Pass	9002
12000	20000	1	RMS	19398	-31.18	-13	Pass	8001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1790	1	RMS	1710.125	24.86	60	Pass	401
1790	3000	1	RMS	2958	-48.84	-13	Pass	1211
3000	12000	1	RMS	11949	-40.24	-13	Pass	9002
12000	20000	1	RMS	19410	-31.18	-13	Pass	8001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.78	-13	Pass	9701
1000	1700	1	RMS	1700	-51.11	-13	Pass	701
1700	1790	1	RMS	1710.125	24.13	60	Pass	401
1790	3000	1	RMS	2945	-48.8	-13	Pass	1211
3000	12000	1	RMS	11943	-40.23	-13	Pass	9002
12000	20000	1	RMS	19403	-31.15	-13	Pass	8001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2986
30	1000	0.1	RMS	830.8	-63.9	-13	Pass	9701
1000	1700	1	RMS	1699	-52.57	-13	Pass	701
1700	1790	1	RMS	1743.65	24.76	60	Pass	401
1790	3000	1	RMS	2943	-48.87	-13	Pass	1211
3000	12000	1	RMS	11847	-40.24	-13	Pass	9002
12000	20000	1	RMS	19399	-31.12	-13	Pass	8001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-52.56	-13	Pass	701
1700	1790	1	RMS	1743.65	23.89	60	Pass	401
1790	3000	1	RMS	2956	-48.9	-13	Pass	1211
3000	12000	1	RMS	11949	-40.2	-13	Pass	9002
12000	20000	1	RMS	19399	-31.12	-13	Pass	8001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.91	-13	Pass	9701
1000	1700	1	RMS	1700	-52.48	-13	Pass	701
1700	1790	1	RMS	1777.175	24.65	60	Pass	401
1790	3000	1	RMS	2954	-48.89	-13	Pass	1211
3000	12000	1	RMS	11949	-40.22	-13	Pass	9002
12000	20000	1	RMS	19408	-31.13	-13	Pass	8001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2986
30	1000	0.1	RMS	841.5	-63.93	-13	Pass	9701
1000	1700	1	RMS	1700	-52.62	-13	Pass	701
1700	1790	1	RMS	1777.175	23.75	60	Pass	401
1790	3000	1	RMS	2947	-48.84	-13	Pass	1211
3000	12000	1	RMS	11952	-40.23	-13	Pass	9002
12000	20000	1	RMS	19399	-31.13	-13	Pass	8001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.82	-13	Pass	2986
30	1000	0.1	RMS	941.761	-64	-13	Pass	9701
1000	1700	1	RMS	1700	-50.63	-13	Pass	701
1700	1790	1	RMS	1710.125	24.74	60	Pass	401
1790	3000	1	RMS	2946	-48.87	-13	Pass	1211
3000	12000	1	RMS	11848	-40.24	-13	Pass	9002
12000	20000	1	RMS	19399	-31.12	-13	Pass	8001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2986
30	1000	0.1	RMS	870.514	-63.86	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1790	1	RMS	1710.125	23.95	60	Pass	401
1790	3000	1	RMS	2952	-48.83	-13	Pass	1211
3000	12000	1	RMS	11950	-40.21	-13	Pass	9002
12000	20000	1	RMS	19398	-31.06	-13	Pass	8001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.77	-13	Pass	9701
1000	1700	1	RMS	1699	-52.59	-13	Pass	701
1700	1790	1	RMS	1742.75	24.94	60	Pass	401
1790	3000	1	RMS	2949	-48.82	-13	Pass	1211
3000	12000	1	RMS	11850	-40.23	-13	Pass	9002
12000	20000	1	RMS	19402	-31.17	-13	Pass	8001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	1000	0.1	RMS	857.806	-63.85	-13	Pass	9701
1000	1700	1	RMS	1697	-52.6	-13	Pass	701
1700	1790	1	RMS	1742.75	24.04	60	Pass	401
1790	3000	1	RMS	2947	-48.89	-13	Pass	1211
3000	12000	1	RMS	11958	-40.28	-13	Pass	9002
12000	20000	1	RMS	19406	-31.17	-13	Pass	8001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	1000	0.1	RMS	841	-63.79	-13	Pass	9701
1000	1700	1	RMS	1699	-52.58	-13	Pass	701
1700	1790	1	RMS	1775.15	24.65	60	Pass	401
1790	3000	1	RMS	2962	-48.84	-13	Pass	1211
3000	12000	1	RMS	11855	-40.19	-13	Pass	9002
12000	20000	1	RMS	19401	-31.18	-13	Pass	8001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.9	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	Pass	2986
30	1000	0.1	RMS	854.103	-63.87	-13	Pass	9701
1000	1700	1	RMS	1698	-52.47	-13	Pass	701
1700	1790	1	RMS	1775.15	23.75	60	Pass	401
1790	3000	1	RMS	2949	-48.9	-13	Pass	1211
3000	12000	1	RMS	11950	-40.26	-13	Pass	9002
12000	20000	1	RMS	19416	-31.15	-13	Pass	8001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.79	-13	Pass	9701
1000	1700	1	RMS	1700	-50.27	-13	Pass	701
1700	1790	1	RMS	1710.575	24.71	60	Pass	401
1790	3000	1	RMS	2959	-48.83	-13	Pass	1211
3000	12000	1	RMS	11853	-40.27	-13	Pass	9002
12000	20000	1	RMS	19401	-31.14	-13	Pass	8001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.12	-13	Pass	2986
30	1000	0.1	RMS	840.4	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-50.81	-13	Pass	701
1700	1790	1	RMS	1710.575	23.87	60	Pass	401
1790	3000	1	RMS	2958	-48.88	-13	Pass	1211
3000	12000	1	RMS	11950	-40.2	-13	Pass	9002
12000	20000	1	RMS	19405	-31.2	-13	Pass	8001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.92	-13	Pass	9701
1000	1700	1	RMS	1697	-52.55	-13	Pass	701
1700	1790	1	RMS	1740.5	24.81	60	Pass	401
1790	3000	1	RMS	2957	-48.92	-13	Pass	1211
3000	12000	1	RMS	11845	-40.22	-13	Pass	9002
12000	20000	1	RMS	19400	-31.18	-13	Pass	8001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2986
30	1000	0.1	RMS	854.203	-63.89	-13	Pass	9701
1000	1700	1	RMS	1700	-52.5	-13	Pass	701
1700	1790	1	RMS	1740.5	23.89	60	Pass	401
1790	3000	1	RMS	2957	-48.82	-13	Pass	1211
3000	12000	1	RMS	11950	-40.21	-13	Pass	9002
12000	20000	1	RMS	19400	-31.13	-13	Pass	8001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	1000	0.1	RMS	837.6	-63.94	-13	Pass	9701
1000	1700	1	RMS	1694	-52.49	-13	Pass	701
1700	1790	1	RMS	1770.425	24.59	60	Pass	401
1790	3000	1	RMS	2957	-48.87	-13	Pass	1211
3000	12000	1	RMS	11942	-40.26	-13	Pass	9002
12000	20000	1	RMS	19417	-31.16	-13	Pass	8001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.82	-13	Pass	9701
1000	1700	1	RMS	1699	-52.56	-13	Pass	701
1700	1790	1	RMS	1770.425	23.85	60	Pass	401
1790	3000	1	RMS	2951	-48.85	-13	Pass	1211
3000	12000	1	RMS	11851	-40.22	-13	Pass	9002
12000	20000	1	RMS	19403	-31.19	-13	Pass	8001



4.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	1000	0.1	RMS	853.503	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-50.06	-13	Pass	701
1700	1790	1	RMS	1710.8	24.71	60	Pass	401
1790	3000	1	RMS	2957	-48.83	-13	Pass	1211
3000	12000	1	RMS	11947	-40.19	-13	Pass	9002
12000	20000	1	RMS	19411	-31.17	-13	Pass	8001



4.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	1000	0.1	RMS	843.8	-63.79	-13	Pass	9701
1000	1700	1	RMS	1700	-50.79	-13	Pass	701
1700	1790	1	RMS	1710.8	23.73	60	Pass	401
1790	3000	1	RMS	2950	-48.87	-13	Pass	1211
3000	12000	1	RMS	11842	-40.22	-13	Pass	9002
12000	20000	1	RMS	19400	-31.07	-13	Pass	8001



4.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.86	-13	Pass	9701
1000	1700	1	RMS	1696	-52.6	-13	Pass	701
1700	1790	1	RMS	1738.25	24.69	60	Pass	401
1790	3000	1	RMS	2951	-48.82	-13	Pass	1211
3000	12000	1	RMS	11858	-40.22	-13	Pass	9002
12000	20000	1	RMS	19401	-31.08	-13	Pass	8001



4.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.15	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.19	-13	Pass	2986
30	1000	0.1	RMS	841.3	-63.88	-13	Pass	9701
1000	1700	1	RMS	1700	-52.61	-13	Pass	701
1700	1790	1	RMS	1738.25	23.68	60	Pass	401
1790	3000	1	RMS	2959	-48.8	-13	Pass	1211
3000	12000	1	RMS	11847	-40.27	-13	Pass	9002
12000	20000	1	RMS	19406	-31.14	-13	Pass	8001



4.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2986
30	1000	0.1	RMS	843.6	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-52.58	-13	Pass	701
1700	1790	1	RMS	1765.7	24.69	60	Pass	401
1790	3000	1	RMS	2956	-48.87	-13	Pass	1211
3000	12000	1	RMS	11950	-40.21	-13	Pass	9002
12000	20000	1	RMS	19407	-31.16	-13	Pass	8001



4.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	1000	0.1	RMS	855.504	-63.79	-13	Pass	9701
1000	1700	1	RMS	1698	-52.57	-13	Pass	701
1700	1790	1	RMS	1765.7	23.63	60	Pass	401
1790	3000	1	RMS	2959	-48.87	-13	Pass	1211
3000	12000	1	RMS	11833	-40.25	-13	Pass	9002
12000	20000	1	RMS	19414	-31.15	-13	Pass	8001



4.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	1000	0.1	RMS	856.305	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-50.8	-13	Pass	701
1700	1790	1	RMS	1711.025	24.93	60	Pass	401
1790	3000	1	RMS	2957	-48.86	-13	Pass	1211
3000	12000	1	RMS	11848	-40.19	-13	Pass	9002
12000	20000	1	RMS	19398	-31.13	-13	Pass	8001



4.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	849.7	-63.78	-13	Pass	9701
1000	1700	1	RMS	1700	-51.43	-13	Pass	701
1700	1790	1	RMS	1711.025	23.84	60	Pass	401
1790	3000	1	RMS	2959	-48.86	-13	Pass	1211
3000	12000	1	RMS	11951	-40.17	-13	Pass	9002
12000	20000	1	RMS	19401	-31.13	-13	Pass	8001



4.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	868.613	-63.92	-13	Pass	9701
1000	1700	1	RMS	1696	-52.56	-13	Pass	701
1700	1790	1	RMS	1736	24.59	60	Pass	401
1790	3000	1	RMS	2961	-48.88	-13	Pass	1211
3000	12000	1	RMS	11951	-40.21	-13	Pass	9002
12000	20000	1	RMS	19403	-31.15	-13	Pass	8001



4.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2986
30	1000	0.1	RMS	866.812	-63.97	-13	Pass	9701
1000	1700	1	RMS	1698	-52.51	-13	Pass	701
1700	1790	1	RMS	1736	23.61	60	Pass	401
1790	3000	1	RMS	2955	-48.84	-13	Pass	1211
3000	12000	1	RMS	11850	-40.23	-13	Pass	9002
12000	20000	1	RMS	19401	-31.14	-13	Pass	8001



4.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.5	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.47	-13	Pass	2986
30	1000	0.1	RMS	986.491	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-52.6	-13	Pass	701
1700	1790	1	RMS	1760.975	24.55	60	Pass	401
1790	3000	1	RMS	2957	-48.84	-13	Pass	1211
3000	12000	1	RMS	11947	-40.25	-13	Pass	9002
12000	20000	1	RMS	19403	-31.06	-13	Pass	8001



4.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2986
30	1000	0.1	RMS	856.205	-63.84	-13	Pass	9701
1000	1700	1	RMS	1700	-52.57	-13	Pass	701
1700	1790	1	RMS	1760.975	23.72	60	Pass	401
1790	3000	1	RMS	2951	-48.88	-13	Pass	1211
3000	12000	1	RMS	11853	-40.26	-13	Pass	9002
12000	20000	1	RMS	19400	-31.18	-13	Pass	8001



5. LTE_Band38


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.84	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.54	-25	Pass	2986
30	1000	0.1	RMS	609.7	-59.64	-25	Pass	9701
1000	2560	1	RMS	2560	-44.55	-25	Pass	1561
2560	2630	1	RMS	2570.325	25.13	60	Pass	401
2630	3000	1	RMS	2959.3	-44.89	-25	Pass	401
3000	12000	1	RMS	11854	-45.91	-25	Pass	9002
12000	26500	1	RMS	26001	-40.09	-25	Pass	14502




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.55	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.47	-25	Pass	2986
30	1000	0.1	RMS	609.6	-59.84	-25	Pass	9701
1000	2560	1	RMS	2560	-45.11	-25	Pass	1561
2560	2630	1	RMS	2570.15	24.14	60	Pass	401
2630	3000	1	RMS	2960.225	-44.87	-25	Pass	401
3000	12000	1	RMS	11851	-45.89	-25	Pass	9002
12000	26500	1	RMS	26003	-39.98	-25	Pass	14502




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	Pass	2986
30	1000	0.1	RMS	864.71	-59.86	-25	Pass	9701
1000	2560	1	RMS	2554	-45.63	-25	Pass	1561
2560	2630	1	RMS	2592.725	24.57	60	Pass	401
2630	3000	1	RMS	2954.675	-44.91	-25	Pass	401
3000	12000	1	RMS	11850	-45.9	-25	Pass	9002
12000	26500	1	RMS	25993	-40.1	-25	Pass	14502




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.96	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.27	-25	Pass	2986
30	1000	0.1	RMS	843.1	-59.93	-25	Pass	9701
1000	2560	1	RMS	2555	-45.73	-25	Pass	1561
2560	2630	1	RMS	2592.725	24.68	60	Pass	401
2630	3000	1	RMS	2956.525	-44.89	-25	Pass	401
3000	12000	1	RMS	11852	-45.87	-25	Pass	9002
12000	26500	1	RMS	26009	-40.13	-25	Pass	14502




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.61	-25	Pass	2986
30	1000	0.1	RMS	853.003	-59.84	-25	Pass	9701
1000	2560	1	RMS	2560	-46.27	-25	Pass	1561
2560	2630	1	RMS	2615.3	25.41	60	Pass	401
2630	3000	1	RMS	2951.9	-44.89	-25	Pass	401
3000	12000	1	RMS	11849	-45.88	-25	Pass	9002
12000	26500	1	RMS	26001	-40.01	-25	Pass	14502




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.44	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.75	-25	Pass	2986
30	1000	0.1	RMS	846.1	-59.96	-25	Pass	9701
1000	2560	1	RMS	2538	-46.21	-25	Pass	1561
2560	2630	1	RMS	2615.125	24.36	60	Pass	401
2630	3000	1	RMS	2951.9	-44.89	-25	Pass	401
3000	12000	1	RMS	11849	-45.89	-25	Pass	9002
12000	26500	1	RMS	26005	-40.13	-25	Pass	14502




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-25	Pass	2986
30	1000	0.1	RMS	609.9	-59.28	-25	Pass	9701
1000	2560	1	RMS	2559	-45.29	-25	Pass	1561
2560	2630	1	RMS	2570.675	25.31	60	Pass	401
2630	3000	1	RMS	2953.75	-44.87	-25	Pass	401
3000	12000	1	RMS	11845	-45.93	-25	Pass	9002
12000	26500	1	RMS	26000	-40.11	-25	Pass	14502




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.24	-25	Pass	2986
30	1000	0.1	RMS	609.9	-59.81	-25	Pass	9701
1000	2560	1	RMS	2559	-45.45	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.2	60	Pass	401
2630	3000	1	RMS	2956.525	-44.88	-25	Pass	401
3000	12000	1	RMS	11850	-45.87	-25	Pass	9002
12000	26500	1	RMS	26004	-40.07	-25	Pass	14502



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.22	-25	Pass	2986
30	1000	0.1	RMS	858.106	-59.77	-25	Pass	9701
1000	2560	1	RMS	2552	-45.54	-25	Pass	1561
2560	2630	1	RMS	2590.625	25.33	60	Pass	401
2630	3000	1	RMS	2955.6	-44.9	-25	Pass	401
3000	12000	1	RMS	11848	-45.95	-25	Pass	9002
12000	26500	1	RMS	25998	-40	-25	Pass	14502



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.69	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.11	-25	Pass	2986
30	1000	0.1	RMS	859.207	-59.77	-25	Pass	9701
1000	2560	1	RMS	2552	-45.98	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.69	60	Pass	401
2630	3000	1	RMS	2950.975	-44.93	-25	Pass	401
3000	12000	1	RMS	11854	-45.85	-25	Pass	9002
12000	26500	1	RMS	25998	-40.09	-25	Pass	14502



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.89	-25	Pass	2986
30	1000	0.1	RMS	860.207	-59.81	-25	Pass	9701
1000	2560	1	RMS	2560	-46.34	-25	Pass	1561
2560	2630	1	RMS	2610.4	24.8	60	Pass	401
2630	3000	1	RMS	2953.75	-44.92	-25	Pass	401
3000	12000	1	RMS	11850	-45.84	-25	Pass	9002
12000	26500	1	RMS	26000	-40.06	-25	Pass	14502



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.73	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.15	-25	Pass	2986
30	1000	0.1	RMS	852.702	-59.86	-25	Pass	9701
1000	2560	1	RMS	2557	-46.36	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.56	60	Pass	401
2630	3000	1	RMS	2949.125	-44.94	-25	Pass	401
3000	12000	1	RMS	11845	-45.88	-25	Pass	9002
12000	26500	1	RMS	25992	-40.08	-25	Pass	14502



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.95	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.47	-25	Pass	2986
30	1000	0.1	RMS	610.2	-59.25	-25	Pass	9701
1000	2560	1	RMS	2560	-44.58	-25	Pass	1561
2560	2630	1	RMS	2570.675	24.94	60	Pass	401
2630	3000	1	RMS	2955.6	-44.9	-25	Pass	401
3000	12000	1	RMS	11848	-45.85	-25	Pass	9002
12000	26500	1	RMS	26004	-39.96	-25	Pass	14502



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.62	-25	Pass	401
0.15	30	0.01	RMS	0.31	-68.42	-25	Pass	2986
30	1000	0.1	RMS	610.2	-59.83	-25	Pass	9701
1000	2560	1	RMS	2558	-45.37	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.81	60	Pass	401
2630	3000	1	RMS	2953.75	-44.89	-25	Pass	401
3000	12000	1	RMS	11852	-45.87	-25	Pass	9002
12000	26500	1	RMS	25995	-40.11	-25	Pass	14502



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.16	-25	Pass	2986
30	1000	0.1	RMS	849.1	-59.82	-25	Pass	9701
1000	2560	1	RMS	2558	-46.29	-25	Pass	1561
2560	2630	1	RMS	2588.175	24.61	60	Pass	401
2630	3000	1	RMS	2948.2	-44.9	-25	Pass	401
3000	12000	1	RMS	11850	-45.9	-25	Pass	9002
12000	26500	1	RMS	26001	-40.05	-25	Pass	14502



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.25	-25	Pass	2986
30	1000	0.1	RMS	855.905	-59.77	-25	Pass	9701
1000	2560	1	RMS	2560	-46.32	-25	Pass	1561
2560	2630	1	RMS	2588.35	23.85	60	Pass	401
2630	3000	1	RMS	2950.975	-44.93	-25	Pass	401
3000	12000	1	RMS	11848	-45.93	-25	Pass	9002
12000	26500	1	RMS	25998	-40.11	-25	Pass	14502



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.54	-25	Pass	2986
30	1000	0.1	RMS	852.502	-59.77	-25	Pass	9701
1000	2560	1	RMS	2513	-46.33	-25	Pass	1561
2560	2630	1	RMS	2605.675	24.45	60	Pass	401
2630	3000	1	RMS	2956.525	-44.88	-25	Pass	401
3000	12000	1	RMS	11850	-45.8	-25	Pass	9002
12000	26500	1	RMS	26004	-40.09	-25	Pass	14502



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.55	-25	Pass	2986
30	1000	0.1	RMS	851.402	-59.99	-25	Pass	9701
1000	2560	1	RMS	2559	-46.29	-25	Pass	1561
2560	2630	1	RMS	2605.675	23.65	60	Pass	401
2630	3000	1	RMS	2953.75	-44.85	-25	Pass	401
3000	12000	1	RMS	11851	-45.96	-25	Pass	9002
12000	26500	1	RMS	25990	-40.1	-25	Pass	14502



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.54	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.27	-25	Pass	2986
30	1000	0.1	RMS	610.4	-58.95	-25	Pass	9701
1000	2560	1	RMS	2560	-44.98	-25	Pass	1561
2560	2630	1	RMS	2570.85	25.29	60	Pass	401
2630	3000	1	RMS	2950.05	-44.92	-25	Pass	401
3000	12000	1	RMS	11851	-45.86	-25	Pass	9002
12000	26500	1	RMS	25996	-40.08	-25	Pass	14502



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.87	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.56	-25	Pass	2986
30	1000	0.1	RMS	847.2	-59.95	-25	Pass	9701
1000	2560	1	RMS	2559	-45.43	-25	Pass	1561
2560	2630	1	RMS	2571.025	24.32	60	Pass	401
2630	3000	1	RMS	2957.45	-44.91	-25	Pass	401
3000	12000	1	RMS	11849	-45.89	-25	Pass	9002
12000	26500	1	RMS	26005	-40.08	-25	Pass	14502



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.39	-25	Pass	2986
30	1000	0.1	RMS	838.6	-59.92	-25	Pass	9701
1000	2560	1	RMS	2560	-46.13	-25	Pass	1561
2560	2630	1	RMS	2586.075	25.28	60	Pass	401
2630	3000	1	RMS	2956.525	-44.9	-25	Pass	401
3000	12000	1	RMS	11851	-45.9	-25	Pass	9002
12000	26500	1	RMS	25999	-40.12	-25	Pass	14502



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.21	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.98	-25	Pass	2986
30	1000	0.1	RMS	857.706	-59.82	-25	Pass	9701
1000	2560	1	RMS	2559	-46.18	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.82	60	Pass	401
2630	3000	1	RMS	2956.525	-44.85	-25	Pass	401
3000	12000	1	RMS	11848	-45.88	-25	Pass	9002
12000	26500	1	RMS	25996	-40.07	-25	Pass	14502



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	Pass	2986
30	1000	0.1	RMS	865.411	-59.88	-25	Pass	9701
1000	2560	1	RMS	2560	-46.33	-25	Pass	1561
2560	2630	1	RMS	2601.125	24.87	60	Pass	401
2630	3000	1	RMS	2949.125	-44.9	-25	Pass	401
3000	12000	1	RMS	11852	-45.88	-25	Pass	9002
12000	26500	1	RMS	25985	-40.09	-25	Pass	14502



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.65	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.74	-25	Pass	2986
30	1000	0.1	RMS	850.501	-59.79	-25	Pass	9701
1000	2560	1	RMS	2559	-46.33	-25	Pass	1561
2560	2630	1	RMS	2600.95	24.2	60	Pass	401
2630	3000	1	RMS	2954.675	-44.9	-25	Pass	401
3000	12000	1	RMS	11850	-45.83	-25	Pass	9002
12000	26500	1	RMS	26003	-40.01	-25	Pass	14502



6. LTE_Band41 full


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.53	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.58	-25	Pass	2986
30	1000	0.1	RMS	842.1	-59.93	-25	Pass	9701
1000	2486	1	RMS	2486	-45.33	-25	Pass	1487
2486	2700	1	RMS	2496.165	25.02	60	Pass	401
2700	3000	1	RMS	2952.75	-44.92	-25	Pass	401
3000	12000	1	RMS	11846	-55.91	-25	Pass	9002
12000	27000	1	RMS	25997	-39.77	-25	Pass	15002




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-61.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.78	-25	Pass	2986
30	1000	0.1	RMS	849.7	-59.69	-25	Pass	9701
1000	2486	1	RMS	2485	-46.22	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.85	60	Pass	401
2700	3000	1	RMS	2952	-44.96	-25	Pass	401
3000	12000	1	RMS	9985	-55.48	-25	Pass	9002
12000	27000	1	RMS	26009	-41.6	-25	Pass	15002




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.44	-25	Pass	2986
30	1000	0.1	RMS	842.1	-59.86	-25	Pass	9701
1000	2486	1	RMS	2481	-46.66	-25	Pass	1487
2486	2700	1	RMS	2590.325	23.14	60	Pass	401
2700	3000	1	RMS	2956.5	-44.94	-25	Pass	401
3000	12000	1	RMS	11847	-57.15	-25	Pass	9002
12000	27000	1	RMS	26005	-41.56	-25	Pass	15002




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.48	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.36	-25	Pass	2986
30	1000	0.1	RMS	855.304	-59.92	-25	Pass	9701
1000	2486	1	RMS	2482	-46.73	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.01	60	Pass	401
2700	3000	1	RMS	2956.5	-44.94	-25	Pass	401
3000	12000	1	RMS	11850	-57.19	-25	Pass	9002
12000	27000	1	RMS	26007	-41.58	-25	Pass	15002




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-61.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.28	-25	Pass	2986
30	1000	0.1	RMS	724.7	-59.31	-25	Pass	9701
1000	2486	1	RMS	2485	-46.75	-25	Pass	1487
2486	2700	1	RMS	2685.02	24.18	60	Pass	401
2700	3000	1	RMS	2957.25	-44.95	-25	Pass	401
3000	12000	1	RMS	8056	-56.83	-25	Pass	9002
12000	27000	1	RMS	25984	-41.63	-25	Pass	15002




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.2	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.75	-25	Pass	2986
30	1000	0.1	RMS	724.6	-58.77	-25	Pass	9701
1000	2486	1	RMS	2466	-46.68	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.51	60	Pass	401
2700	3000	1	RMS	2956.5	-44.94	-25	Pass	401
3000	12000	1	RMS	5370	-56.26	-25	Pass	9002
12000	27000	1	RMS	26006	-41.63	-25	Pass	15002




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-62.02	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.37	-25	Pass	2986
30	1000	0.1	RMS	860.808	-59.93	-25	Pass	9701
1000	2486	1	RMS	2486	-45.4	-25	Pass	1487
2486	2700	1	RMS	2496.165	24.6	60	Pass	401
2700	3000	1	RMS	2956.5	-44.95	-25	Pass	401
3000	12000	1	RMS	11847	-57.16	-25	Pass	9002
12000	27000	1	RMS	26002	-41.53	-25	Pass	15002




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-59.45	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.75	-25	Pass	2986
30	1000	0.1	RMS	845.9	-59.83	-25	Pass	9701
1000	2486	1	RMS	2484	-45.91	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.82	60	Pass	401
2700	3000	1	RMS	2955	-44.95	-25	Pass	401
3000	12000	1	RMS	11851	-57.21	-25	Pass	9002
12000	27000	1	RMS	26001	-41.6	-25	Pass	15002



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-61.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.06	-25	Pass	2986
30	1000	0.1	RMS	842.2	-59.82	-25	Pass	9701
1000	2486	1	RMS	2481	-46.69	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.94	60	Pass	401
2700	3000	1	RMS	2955	-44.97	-25	Pass	401
3000	12000	1	RMS	11849	-57.13	-25	Pass	9002
12000	27000	1	RMS	25999	-41.6	-25	Pass	15002



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-62.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.45	-25	Pass	2986
30	1000	0.1	RMS	865.011	-59.75	-25	Pass	9701
1000	2486	1	RMS	2483	-46.73	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.64	60	Pass	401
2700	3000	1	RMS	2956.5	-44.94	-25	Pass	401
3000	12000	1	RMS	11853	-57.1	-25	Pass	9002
12000	27000	1	RMS	26007	-41.56	-25	Pass	15002



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.06	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.7	-25	Pass	2986
30	1000	0.1	RMS	719.8	-59.63	-25	Pass	9701
1000	2486	1	RMS	2482	-46.69	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.63	60	Pass	401
2700	3000	1	RMS	2954.25	-44.95	-25	Pass	401
3000	12000	1	RMS	8042	-57.01	-25	Pass	9002
12000	27000	1	RMS	26002	-41.51	-25	Pass	15002



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.06	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.31	-25	Pass	2986
30	1000	0.1	RMS	719.9	-58.9	-25	Pass	9701
1000	2486	1	RMS	2483	-46.73	-25	Pass	1487
2486	2700	1	RMS	2680.205	24.33	60	Pass	401
2700	3000	1	RMS	2948.25	-44.98	-25	Pass	401
3000	12000	1	RMS	8042	-56.27	-25	Pass	9002
12000	27000	1	RMS	25996	-41.6	-25	Pass	15002



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.62	-25	Pass	2986
30	1000	0.1	RMS	851.001	-59.88	-25	Pass	9701
1000	2486	1	RMS	2486	-45.79	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.57	60	Pass	401
2700	3000	1	RMS	2956.5	-44.96	-25	Pass	401
3000	12000	1	RMS	9987	-55.78	-25	Pass	9002
12000	27000	1	RMS	25999	-41.59	-25	Pass	15002



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.23	-25	Pass	401
0.15	30	0.01	RMS	0.34	-68.29	-25	Pass	2986
30	1000	0.1	RMS	820.7	-59.89	-25	Pass	9701
1000	2486	1	RMS	2485	-46.22	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.48	60	Pass	401
2700	3000	1	RMS	2956.5	-44.95	-25	Pass	401
3000	12000	1	RMS	9987	-54.58	-25	Pass	9002
12000	27000	1	RMS	25998	-41.56	-25	Pass	15002



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.3	-25	Pass	2986
30	1000	0.1	RMS	854.504	-59.87	-25	Pass	9701
1000	2486	1	RMS	2481	-46.7	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.37	60	Pass	401
2700	3000	1	RMS	2949.75	-44.94	-25	Pass	401
3000	12000	1	RMS	11847	-57.09	-25	Pass	9002
12000	27000	1	RMS	26001	-41.55	-25	Pass	15002



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-62.41	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.53	-25	Pass	2986
30	1000	0.1	RMS	851.402	-59.82	-25	Pass	9701
1000	2486	1	RMS	2486	-46.64	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.45	60	Pass	401
2700	3000	1	RMS	2949.75	-44.95	-25	Pass	401
3000	12000	1	RMS	11859	-57.11	-25	Pass	9002
12000	27000	1	RMS	26000	-41.6	-25	Pass	15002



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-62.02	-25	Pass	401
0.15	30	0.01	RMS	0.54	-68.98	-25	Pass	2986
30	1000	0.1	RMS	849	-59.93	-25	Pass	9701
1000	2486	1	RMS	2484	-46.65	-25	Pass	1487
2486	2700	1	RMS	2675.39	23.64	60	Pass	401
2700	3000	1	RMS	2955	-44.98	-25	Pass	401
3000	12000	1	RMS	8027	-56.64	-25	Pass	9002
12000	27000	1	RMS	26011	-41.58	-25	Pass	15002



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.28	-25	Pass	2986
30	1000	0.1	RMS	853.403	-59.83	-25	Pass	9701
1000	2486	1	RMS	2484	-46.52	-25	Pass	1487
2486	2700	1	RMS	2675.925	23.67	60	Pass	401
2700	3000	1	RMS	2955.75	-44.96	-25	Pass	401
3000	12000	1	RMS	11847	-57.11	-25	Pass	9002
12000	27000	1	RMS	26008	-41.63	-25	Pass	15002



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-63.09	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.5	-25	Pass	2986
30	1000	0.1	RMS	839.3	-59.86	-25	Pass	9701
1000	2486	1	RMS	2486	-45.17	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.22	60	Pass	401
2700	3000	1	RMS	2953.5	-44.95	-25	Pass	401
3000	12000	1	RMS	11847	-57.16	-25	Pass	9002
12000	27000	1	RMS	25997	-41.49	-25	Pass	15002



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-61.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.47	-25	Pass	2986
30	1000	0.1	RMS	828.4	-59.73	-25	Pass	9701
1000	2486	1	RMS	2485	-45.85	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.27	60	Pass	401
2700	3000	1	RMS	2955.75	-44.96	-25	Pass	401
3000	12000	1	RMS	9988	-57.02	-25	Pass	9002
12000	27000	1	RMS	25995	-41.57	-25	Pass	15002



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.25	-25	Pass	2986
30	1000	0.1	RMS	853.203	-59.83	-25	Pass	9701
1000	2486	1	RMS	2476	-46.7	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.53	60	Pass	401
2700	3000	1	RMS	2946	-44.97	-25	Pass	401
3000	12000	1	RMS	11848	-57.11	-25	Pass	9002
12000	27000	1	RMS	26002	-41.48	-25	Pass	15002



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-61.33	-25	Pass	401
0.15	30	0.01	RMS	0.31	-68.13	-25	Pass	2986
30	1000	0.1	RMS	848.4	-59.81	-25	Pass	9701
1000	2486	1	RMS	2481	-46.74	-25	Pass	1487
2486	2700	1	RMS	2583.905	24.19	60	Pass	401
2700	3000	1	RMS	2957.25	-44.95	-25	Pass	401
3000	12000	1	RMS	11850	-57	-25	Pass	9002
12000	27000	1	RMS	26002	-41.58	-25	Pass	15002



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.26	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.5	-25	Pass	2986
30	1000	0.1	RMS	835.4	-59.93	-25	Pass	9701
1000	2486	1	RMS	2485	-46.65	-25	Pass	1487
2486	2715	1	RMS	2670.918	24.4	60	Pass	401
2715	3000	1	RMS	2957.25	-44.96	-25	Pass	401
3000	12000	1	RMS	11847	-57.17	-25	Pass	9002
12000	27000	1	RMS	26003	-41.65	-25	Pass	15002



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-62.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.81	-25	Pass	2986
30	1000	0.1	RMS	861.908	-59.92	-25	Pass	9701
1000	2486	1	RMS	2486	-46.67	-25	Pass	1487
2486	2715	1	RMS	2670.918	24.09	60	Pass	401
2715	3000	1	RMS	2957.25	-44.95	-25	Pass	401
3000	12000	1	RMS	11842	-57.2	-25	Pass	9002
12000	27000	1	RMS	25999	-41.57	-25	Pass	15002



7. LTE_Band5


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	814	0.1	RMS	810.2	-51.71	-13	Pass	7841
814	860	0.1	RMS	824.2	21.62	60	Pass	461
860	1000	0.1	RMS	897.5	-64.05	-13	Pass	1401
1000	3000	1	RMS	1648	-45.64	-13	Pass	2001
3000	10000	1	RMS	6960	-41.18	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2986
30	814	0.1	RMS	810.2	-51.96	-13	Pass	7841
814	860	0.1	RMS	824.2	21.64	60	Pass	461
860	1000	0.1	RMS	995.7	-64.01	-13	Pass	1401
1000	3000	1	RMS	1648	-45.29	-13	Pass	2001
3000	10000	1	RMS	6961	-41.3	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.57	-13	Pass	7841
814	860	0.1	RMS	836	21.48	60	Pass	461
860	1000	0.1	RMS	863	-64	-13	Pass	1401
1000	3000	1	RMS	1672	-46.79	-13	Pass	2001
3000	10000	1	RMS	6961	-41.26	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.01	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.08	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.69	-13	Pass	7841
814	860	0.1	RMS	836	21.62	60	Pass	461
860	1000	0.1	RMS	870.6	-64	-13	Pass	1401
1000	3000	1	RMS	1672	-45.74	-13	Pass	2001
3000	10000	1	RMS	6960	-41.26	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2986
30	814	0.1	RMS	811.3	-63.52	-13	Pass	7841
814	860	0.1	RMS	847.9	21.42	60	Pass	461
860	1000	0.1	RMS	970.3	-64.02	-13	Pass	1401
1000	3000	1	RMS	1695	-46.31	-13	Pass	2001
3000	10000	1	RMS	6962	-41.22	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2986
30	814	0.1	RMS	811.3	-63.68	-13	Pass	7841
814	860	0.1	RMS	847.9	21.64	60	Pass	461
860	1000	0.1	RMS	866	-64	-13	Pass	1401
1000	3000	1	RMS	1695	-45.72	-13	Pass	2001
3000	10000	1	RMS	6961	-41.22	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2986
30	814	0.1	RMS	810.2	-52.56	-13	Pass	7841
814	860	0.1	RMS	824.2	21.78	60	Pass	461
860	1000	0.1	RMS	973	-63.92	-13	Pass	1401
1000	3000	1	RMS	1648	-45.76	-13	Pass	2001
3000	10000	1	RMS	6961	-41.31	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	814	0.1	RMS	810.1	-52.37	-13	Pass	7841
814	860	0.1	RMS	824.2	21.75	60	Pass	461
860	1000	0.1	RMS	950.6	-63.96	-13	Pass	1401
1000	3000	1	RMS	1648	-45.56	-13	Pass	2001
3000	10000	1	RMS	6963	-41.27	-13	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	814	0.1	RMS	812.6	-63.72	-13	Pass	7841
814	860	0.1	RMS	835.2	21.83	60	Pass	461
860	1000	0.1	RMS	861.7	-63.85	-13	Pass	1401
1000	3000	1	RMS	1670	-46.06	-13	Pass	2001
3000	10000	1	RMS	6962	-41.17	-13	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2986
30	814	0.1	RMS	812.7	-63.47	-13	Pass	7841
814	860	0.1	RMS	835.2	21.65	60	Pass	461
860	1000	0.1	RMS	860.8	-63.9	-13	Pass	1401
1000	3000	1	RMS	1670	-45.03	-13	Pass	2001
3000	10000	1	RMS	6960	-41.12	-13	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	814	0.1	RMS	812.4	-63.87	-13	Pass	7841
814	860	0.1	RMS	846.2	21.63	60	Pass	461
860	1000	0.1	RMS	865.4	-63.82	-13	Pass	1401
1000	3000	1	RMS	1692	-46.13	-13	Pass	2001
3000	10000	1	RMS	6962	-41.12	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	Pass	2986
30	814	0.1	RMS	812.4	-63.62	-13	Pass	7841
814	860	0.1	RMS	846.2	21.93	60	Pass	461
860	1000	0.1	RMS	972.5	-63.97	-13	Pass	1401
1000	3000	1	RMS	1692	-45.87	-13	Pass	2001
3000	10000	1	RMS	6959	-41.22	-13	Pass	7001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	814	0.1	RMS	810.2	-52.09	-13	Pass	7841
814	860	0.1	RMS	824.3	21.8	60	Pass	461
860	1000	0.1	RMS	860.5	-63.98	-13	Pass	1401
1000	3000	1	RMS	1648	-45.98	-13	Pass	2001
3000	10000	1	RMS	6959	-41.18	-13	Pass	7001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	814	0.1	RMS	810.2	-52.27	-13	Pass	7841
814	860	0.1	RMS	824.3	21.91	60	Pass	461
860	1000	0.1	RMS	862.4	-63.88	-13	Pass	1401
1000	3000	1	RMS	1648	-45.51	-13	Pass	2001
3000	10000	1	RMS	6962	-41.14	-13	Pass	7001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	814	0.1	RMS	812.6	-63.63	-13	Pass	7841
814	860	0.1	RMS	834.3	21.86	60	Pass	461
860	1000	0.1	RMS	860.4	-63.8	-13	Pass	1401
1000	3000	1	RMS	1668	-46.44	-13	Pass	2001
3000	10000	1	RMS	6960	-41.11	-13	Pass	7001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	814	0.1	RMS	813.4	-63.61	-13	Pass	7841
814	860	0.1	RMS	834.3	22.01	60	Pass	461
860	1000	0.1	RMS	860.1	-63.89	-13	Pass	1401
1000	3000	1	RMS	1668	-45.7	-13	Pass	2001
3000	10000	1	RMS	6960	-41.16	-13	Pass	7001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	Pass	2986
30	814	0.1	RMS	813.2	-63.85	-13	Pass	7841
814	860	0.1	RMS	844.3	21.67	60	Pass	461
860	1000	0.1	RMS	861	-63.86	-13	Pass	1401
1000	3000	1	RMS	1688	-45.57	-13	Pass	2001
3000	10000	1	RMS	6960	-41.23	-13	Pass	7001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	814	0.1	RMS	810.6	-63.86	-13	Pass	7841
814	860	0.1	RMS	844.3	21.79	60	Pass	461
860	1000	0.1	RMS	869.6	-63.87	-13	Pass	1401
1000	3000	1	RMS	1688	-45.05	-13	Pass	2001
3000	10000	1	RMS	6960	-41.19	-13	Pass	7001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	Pass	2986
30	814	0.1	RMS	810.5	-52.03	-13	Pass	7841
814	860	0.1	RMS	824.6	22.18	60	Pass	461
860	1000	0.1	RMS	877.1	-63.88	-13	Pass	1401
1000	3000	1	RMS	1649	-46.37	-13	Pass	2001
3000	10000	1	RMS	6961	-41.19	-13	Pass	7001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	Pass	2986
30	814	0.1	RMS	810.5	-52.35	-13	Pass	7841
814	860	0.1	RMS	824.6	22.26	60	Pass	461
860	1000	0.1	RMS	875.5	-63.96	-13	Pass	1401
1000	3000	1	RMS	1649	-46.1	-13	Pass	2001
3000	10000	1	RMS	6959	-41.22	-13	Pass	7001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2986
30	814	0.1	RMS	812.2	-63.49	-13	Pass	7841
814	860	0.1	RMS	832.1	21.98	60	Pass	461
860	1000	0.1	RMS	865.8	-63.89	-13	Pass	1401
1000	3000	1	RMS	1664	-47.25	-13	Pass	2001
3000	10000	1	RMS	6962	-41.2	-13	Pass	7001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-13	Pass	2986
30	814	0.1	RMS	812.4	-63.35	-13	Pass	7841
814	860	0.1	RMS	832.1	22.54	60	Pass	461
860	1000	0.1	RMS	861.7	-63.75	-13	Pass	1401
1000	3000	1	RMS	1664	-46.72	-13	Pass	2001
3000	10000	1	RMS	6960	-41.15	-13	Pass	7001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.36	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.24	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.72	-13	Pass	7841
814	860	0.1	RMS	839.6	22.28	60	Pass	461
860	1000	0.1	RMS	979.6	-63.94	-13	Pass	1401
1000	3000	1	RMS	1679	-45.56	-13	Pass	2001
3000	10000	1	RMS	6961	-41.23	-13	Pass	7001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2986
30	814	0.1	RMS	812.2	-63.59	-13	Pass	7841
814	860	0.1	RMS	839.6	22.26	60	Pass	461
860	1000	0.1	RMS	870.5	-63.94	-13	Pass	1401
1000	3000	1	RMS	1679	-43.84	-13	Pass	2001
3000	10000	1	RMS	6962	-41.15	-13	Pass	7001



8. LTE_Band12


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.27	-13	Pass	6591
689	726	0.1	RMS	699.268	22.17	60	Pass	401
726	1000	0.1	RMS	953.6	-63.46	-13	Pass	2741
1000	3000	1	RMS	1398	-44	-13	Pass	2001
3000	10000	1	RMS	6964	-41.17	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.03	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.96	-13	Pass	6591
689	726	0.1	RMS	699.268	21.41	60	Pass	401
726	1000	0.1	RMS	823.3	-63.64	-13	Pass	2741
1000	3000	1	RMS	1398	-44.85	-13	Pass	2001
3000	10000	1	RMS	6961	-41.15	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	Pass	2986
30	689	0.1	RMS	488.8	-64.39	-13	Pass	6591
689	726	0.1	RMS	707.038	22.35	60	Pass	401
726	1000	0.1	RMS	947.6	-63.64	-13	Pass	2741
1000	3000	1	RMS	1414	-45.77	-13	Pass	2001
3000	10000	1	RMS	6961	-41.25	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.7	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.32	-13	Pass	2986
30	689	0.1	RMS	485.6	-64.64	-13	Pass	6591
689	726	0.1	RMS	707.038	21.23	60	Pass	401
726	1000	0.1	RMS	846.3	-63.68	-13	Pass	2741
1000	3000	1	RMS	1414	-46.66	-13	Pass	2001
3000	10000	1	RMS	6961	-41.18	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2986
30	689	0.1	RMS	495.9	-64.57	-13	Pass	6591
689	726	0.1	RMS	714.808	21.63	60	Pass	401
726	1000	0.1	RMS	925.4	-63.62	-13	Pass	2741
1000	3000	1	RMS	1429	-40.36	-13	Pass	2001
3000	10000	1	RMS	6960	-41.22	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.46	-13	Pass	2986
30	689	0.1	RMS	496.8	-64.49	-13	Pass	6591
689	726	0.1	RMS	714.808	20.58	60	Pass	401
726	1000	0.1	RMS	838.7	-63.63	-13	Pass	2741
1000	3000	1	RMS	1429	-41.82	-13	Pass	2001
3000	10000	1	RMS	6961	-41.15	-13	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.75	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.45	-13	Pass	2986
30	689	0.1	RMS	688.5	-61.98	-13	Pass	6591
689	726	0.1	RMS	699.268	22.01	60	Pass	401
726	1000	0.1	RMS	879.3	-63.46	-13	Pass	2741
1000	3000	1	RMS	1398	-43.93	-13	Pass	2001
3000	10000	1	RMS	6960	-41.13	-13	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.3	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.23	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.68	-13	Pass	6591
689	726	0.1	RMS	699.268	21.09	60	Pass	401
726	1000	0.1	RMS	852.2	-63.64	-13	Pass	2741
1000	3000	1	RMS	1398	-45.17	-13	Pass	2001
3000	10000	1	RMS	6961	-41.26	-13	Pass	7001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.23	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.41	-13	Pass	2986
30	689	0.1	RMS	619.9	-64.49	-13	Pass	6591
689	726	0.1	RMS	706.205	21.95	60	Pass	401
726	1000	0.1	RMS	850.2	-63.54	-13	Pass	2741
1000	3000	1	RMS	1412	-42.59	-13	Pass	2001
3000	10000	1	RMS	6963	-41.16	-13	Pass	7001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.62	-13	Pass	2986
30	689	0.1	RMS	497.1	-64.54	-13	Pass	6591
689	726	0.1	RMS	706.205	20.83	60	Pass	401
726	1000	0.1	RMS	853.8	-63.53	-13	Pass	2741
1000	3000	1	RMS	1412	-43.56	-13	Pass	2001
3000	10000	1	RMS	6962	-41.21	-13	Pass	7001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2986
30	689	0.1	RMS	525	-64.61	-13	Pass	6591
689	726	0.1	RMS	713.235	22.13	60	Pass	401
726	1000	0.1	RMS	831.7	-63.6	-13	Pass	2741
1000	3000	1	RMS	1426	-41.26	-13	Pass	2001
3000	10000	1	RMS	6960	-41.18	-13	Pass	7001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	Pass	2986
30	689	0.1	RMS	686.7	-64.54	-13	Pass	6591
689	726	0.1	RMS	713.235	21.08	60	Pass	401
726	1000	0.1	RMS	845.7	-63.54	-13	Pass	2741
1000	3000	1	RMS	1426	-43.22	-13	Pass	2001
3000	10000	1	RMS	6962	-41.18	-13	Pass	7001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.92	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.75	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.18	-13	Pass	6591
689	726	0.1	RMS	699.36	22.09	60	Pass	401
726	1000	0.1	RMS	924.8	-63.54	-13	Pass	2741
1000	3000	1	RMS	1398	-44.38	-13	Pass	2001
3000	10000	1	RMS	6961	-41.27	-13	Pass	7001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.33	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.35	-13	Pass	6591
689	726	0.1	RMS	699.36	21.14	60	Pass	401
726	1000	0.1	RMS	854.8	-63.56	-13	Pass	2741
1000	3000	1	RMS	1398	-45.35	-13	Pass	2001
3000	10000	1	RMS	6963	-41.24	-13	Pass	7001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2986
30	689	0.1	RMS	501.6	-64.46	-13	Pass	6591
689	726	0.1	RMS	705.373	21.86	60	Pass	401
726	1000	0.1	RMS	850.1	-63.52	-13	Pass	2741
1000	3000	1	RMS	1410	-41.12	-13	Pass	2001
3000	10000	1	RMS	6962	-41.25	-13	Pass	7001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.64	-13	Pass	2986
30	689	0.1	RMS	499.2	-64.56	-13	Pass	6591
689	726	0.1	RMS	705.373	20.92	60	Pass	401
726	1000	0.1	RMS	827.5	-63.61	-13	Pass	2741
1000	3000	1	RMS	1410	-42.29	-13	Pass	2001
3000	10000	1	RMS	6960	-41.11	-13	Pass	7001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2986
30	689	0.1	RMS	498.9	-64.5	-13	Pass	6591
689	726	0.1	RMS	711.385	21.58	60	Pass	401
726	1000	0.1	RMS	846.9	-63.45	-13	Pass	2741
1000	3000	1	RMS	1422	-44.54	-13	Pass	2001
3000	10000	1	RMS	6963	-41.17	-13	Pass	7001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.61	-13	Pass	2986
30	689	0.1	RMS	621.1	-64.54	-13	Pass	6591
689	726	0.1	RMS	711.385	20.74	60	Pass	401
726	1000	0.1	RMS	846.1	-63.56	-13	Pass	2741
1000	3000	1	RMS	1422	-45.88	-13	Pass	2001
3000	10000	1	RMS	6959	-41.15	-13	Pass	7001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	Pass	2986
30	689	0.1	RMS	688.9	-61.38	-13	Pass	6591
689	726	0.1	RMS	699.638	21.7	60	Pass	401
726	1000	0.1	RMS	842.6	-63.63	-13	Pass	2741
1000	3000	1	RMS	1399	-45.42	-13	Pass	2001
3000	10000	1	RMS	6960	-41.2	-13	Pass	7001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2986
30	689	0.1	RMS	688.9	-61.97	-13	Pass	6591
689	726	0.1	RMS	699.638	20.67	60	Pass	401
726	1000	0.1	RMS	849.2	-63.47	-13	Pass	2741
1000	3000	1	RMS	1399	-46.44	-13	Pass	2001
3000	10000	1	RMS	6960	-41.12	-13	Pass	7001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	689	0.1	RMS	689	-64.15	-13	Pass	6591
689	726	0.1	RMS	703.06	22.02	60	Pass	401
726	1000	0.1	RMS	856.3	-63.4	-13	Pass	2741
1000	3000	1	RMS	1406	-42.33	-13	Pass	2001
3000	10000	1	RMS	6963	-41.18	-13	Pass	7001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.64	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.08	-13	Pass	2986
30	689	0.1	RMS	689	-64.3	-13	Pass	6591
689	726	0.1	RMS	703.06	20.9	60	Pass	401
726	1000	0.1	RMS	867.2	-63.67	-13	Pass	2741
1000	3000	1	RMS	1406	-43.09	-13	Pass	2001
3000	10000	1	RMS	6961	-41.22	-13	Pass	7001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	689	0.1	RMS	483.1	-64.54	-13	Pass	6591
689	726	0.1	RMS	706.575	22.19	60	Pass	401
726	1000	0.1	RMS	852.3	-63.67	-13	Pass	2741
1000	3000	1	RMS	1413	-44.77	-13	Pass	2001
3000	10000	1	RMS	6963	-41.2	-13	Pass	7001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.42	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.38	-13	Pass	2986
30	689	0.1	RMS	486.9	-64.53	-13	Pass	6591
689	726	0.1	RMS	706.575	21.17	60	Pass	401
726	1000	0.1	RMS	863.1	-63.61	-13	Pass	2741
1000	3000	1	RMS	1413	-45.42	-13	Pass	2001
3000	10000	1	RMS	6961	-41.16	-13	Pass	7001



9. LTE_Band13


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	Pass	2986
30	767	0.1	RMS	766.6	-61.65	-13	Pass	7371
767	797	0.1	RMS	777.35	22.11	60	Pass	401
797	1000	0.1	RMS	848.9	-63.69	-13	Pass	2031
1000	3000	1	RMS	1554	-45.39	-13	Pass	2001
3000	10000	1	RMS	6960	-41.24	-13	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2986
30	767	0.1	RMS	766.6	-62.73	-13	Pass	7371
767	797	0.1	RMS	777.35	21.11	60	Pass	401
797	1000	0.1	RMS	947.6	-63.68	-13	Pass	2031
1000	3000	1	RMS	1554	-46.66	-13	Pass	2001
3000	10000	1	RMS	6961	-41.17	-13	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.18	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.96	-13	Pass	2986
30	767	0.1	RMS	730.6	-64.24	-13	Pass	7371
767	797	0.1	RMS	779.825	22.1	60	Pass	401
797	1000	0.1	RMS	837.5	-63.68	-13	Pass	2031
1000	3000	1	RMS	1559	-46.49	-13	Pass	2001
3000	10000	1	RMS	6962	-41.18	-13	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	767	0.1	RMS	735.7	-64.35	-13	Pass	7371
767	797	0.1	RMS	779.825	21.15	60	Pass	401
797	1000	0.1	RMS	852.1	-63.56	-13	Pass	2031
1000	3000	1	RMS	1559	-47.35	-13	Pass	2001
3000	10000	1	RMS	6961	-41.16	-13	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	Pass	2986
30	767	0.1	RMS	749.3	-64.27	-13	Pass	7371
767	797	0.1	RMS	782.3	21.91	60	Pass	401
797	1000	0.1	RMS	799.3	-62.65	-13	Pass	2031
1000	3000	1	RMS	1564	-46.28	-13	Pass	2001
3000	10000	1	RMS	6960	-41.13	-13	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	767	0.1	RMS	759.2	-64.33	-13	Pass	7371
767	797	0.1	RMS	782.375	20.98	60	Pass	401
797	1000	0.1	RMS	799.2	-62.78	-13	Pass	2031
1000	3000	1	RMS	1564	-47.32	-13	Pass	2001
3000	10000	1	RMS	6961	-41.18	-13	Pass	7001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2986
30	767	0.1	RMS	766.9	-61.47	-13	Pass	7371
767	797	0.1	RMS	777.575	22.16	60	Pass	401
797	1000	0.1	RMS	843	-63.78	-13	Pass	2031
1000	3000	1	RMS	1555	-46.54	-13	Pass	2001
3000	10000	1	RMS	6960	-41.23	-13	Pass	7001



9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2986
30	767	0.1	RMS	766.9	-62.1	-13	Pass	7371
767	797	0.1	RMS	777.575	21.27	60	Pass	401
797	1000	0.1	RMS	838.5	-63.77	-13	Pass	2031
1000	3000	1	RMS	1555	-47.11	-13	Pass	2001
3000	10000	1	RMS	6962	-41.22	-13	Pass	7001



10. LTE_Band17


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.91	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.74	-13	Pass	2986
30	694	0.1	RMS	693	-59.14	-13	Pass	6641
694	726	0.1	RMS	704.32	22.04	60	Pass	401
726	1000	0.1	RMS	873.4	-63.57	-13	Pass	2741
1000	3000	1	RMS	1408	-42.91	-13	Pass	2001
3000	10000	1	RMS	6960	-41.12	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.77	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-13	Pass	2986
30	694	0.1	RMS	693	-59.87	-13	Pass	6641
694	726	0.1	RMS	704.32	21.23	60	Pass	401
726	1000	0.1	RMS	846.5	-63.47	-13	Pass	2741
1000	3000	1	RMS	1408	-44.19	-13	Pass	2001
3000	10000	1	RMS	6961	-41.16	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.33	-13	Pass	2986
30	694	0.1	RMS	693.7	-53.86	-13	Pass	6641
694	726	0.1	RMS	707.84	22.27	60	Pass	401
726	1000	0.1	RMS	974.8	-63.52	-13	Pass	2741
1000	3000	1	RMS	1415	-45.63	-13	Pass	2001
3000	10000	1	RMS	6963	-41.23	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.13	-13	Pass	2986
30	694	0.1	RMS	693.7	-55.4	-13	Pass	6641
694	726	0.1	RMS	707.84	21.22	60	Pass	401
726	1000	0.1	RMS	926.7	-63.56	-13	Pass	2741
1000	3000	1	RMS	1415	-46.66	-13	Pass	2001
3000	10000	1	RMS	6961	-41.18	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.34	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.39	-13	Pass	2986
30	694	0.1	RMS	693.7	-64.43	-13	Pass	6641
694	726	0.1	RMS	711.36	22.18	60	Pass	401
726	1000	0.1	RMS	846.8	-63.57	-13	Pass	2741
1000	3000	1	RMS	1422	-44.76	-13	Pass	2001
3000	10000	1	RMS	6965	-41.22	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.46	-13	Pass	2986
30	694	0.1	RMS	693.8	-64.5	-13	Pass	6641
694	726	0.1	RMS	711.36	21.16	60	Pass	401
726	1000	0.1	RMS	834.2	-63.67	-13	Pass	2741
1000	3000	1	RMS	1422	-45.59	-13	Pass	2001
3000	10000	1	RMS	6964	-41.17	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.24	-13	Pass	2986
30	694	0.1	RMS	693.3	-57.33	-13	Pass	6641
694	726	0.1	RMS	704.56	21.87	60	Pass	401
726	1000	0.1	RMS	852.3	-63.69	-13	Pass	2741
1000	3000	1	RMS	1409	-42.02	-13	Pass	2001
3000	10000	1	RMS	6962	-41.15	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	Pass	2986
30	694	0.1	RMS	693.3	-58.47	-13	Pass	6641
694	726	0.1	RMS	704.56	21.01	60	Pass	401
726	1000	0.1	RMS	848.6	-63.6	-13	Pass	2741
1000	3000	1	RMS	1409	-43.43	-13	Pass	2001
3000	10000	1	RMS	6960	-41.2	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	Pass	2986
30	694	0.1	RMS	691.5	-61.47	-13	Pass	6641
694	726	0.1	RMS	705.6	22.23	60	Pass	401
726	1000	0.1	RMS	857.6	-63.58	-13	Pass	2741
1000	3000	1	RMS	1411	-42.33	-13	Pass	2001
3000	10000	1	RMS	6963	-41.2	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	Pass	2986
30	694	0.1	RMS	691.5	-61.58	-13	Pass	6641
694	726	0.1	RMS	705.6	21.33	60	Pass	401
726	1000	0.1	RMS	934.8	-63.62	-13	Pass	2741
1000	3000	1	RMS	1411	-43.07	-13	Pass	2001
3000	10000	1	RMS	6961	-41.2	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	Pass	2986
30	694	0.1	RMS	692.5	-58.45	-13	Pass	6641
694	726	0.1	RMS	706.56	21.88	60	Pass	401
726	1000	0.1	RMS	850.2	-63.41	-13	Pass	2741
1000	3000	1	RMS	1413	-44.69	-13	Pass	2001
3000	10000	1	RMS	6960	-41.12	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.07	-13	Pass	2986
30	694	0.1	RMS	692.5	-59.31	-13	Pass	6641
694	726	0.1	RMS	706.56	20.99	60	Pass	401
726	1000	0.1	RMS	833.8	-63.45	-13	Pass	2741
1000	3000	1	RMS	1413	-45.22	-13	Pass	2001
3000	10000	1	RMS	6962	-41.16	-13	Pass	7001



11. LTE_Band26(part22)


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-66.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	Pass	2986
30	814	0.1	RMS	810.2	-54.44	-13	Pass	7841
814	860	0.1	RMS	824.2	21.31	60	Pass	461
860	1000	0.1	RMS	864.6	-63.79	-13	Pass	1401
1000	3000	1	RMS	1648	-45.7	-13	Pass	2001
3000	10000	1	RMS	6961	-41.17	-13	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-66.72	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.8	-13	Pass	2986
30	814	0.1	RMS	810.2	-55.16	-13	Pass	7841
814	860	0.1	RMS	824.3	20.43	60	Pass	461
860	1000	0.1	RMS	860	-63.96	-13	Pass	1401
1000	3000	1	RMS	1648	-46.47	-13	Pass	2001
3000	10000	1	RMS	6960	-41.28	-13	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.66	-13	Pass	7841
814	860	0.1	RMS	836	21.55	60	Pass	461
860	1000	0.1	RMS	864.6	-63.81	-13	Pass	1401
1000	3000	1	RMS	1672	-46.37	-13	Pass	2001
3000	10000	1	RMS	6963	-41.2	-13	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-65.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.69	-13	Pass	7841
814	860	0.1	RMS	836	20.47	60	Pass	461
860	1000	0.1	RMS	862.3	-63.78	-13	Pass	1401
1000	3000	1	RMS	1672	-47.32	-13	Pass	2001
3000	10000	1	RMS	6962	-41.17	-13	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-64.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	Pass	2986
30	814	0.1	RMS	809.5	-63.58	-13	Pass	7841
814	860	0.1	RMS	847.9	21.38	60	Pass	461
860	1000	0.1	RMS	860.6	-63.78	-13	Pass	1401
1000	3000	1	RMS	1695	-46.29	-13	Pass	2001
3000	10000	1	RMS	6961	-41.25	-13	Pass	7001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-66.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	814	0.1	RMS	809.4	-63.76	-13	Pass	7841
814	860	0.1	RMS	847.9	20.66	60	Pass	461
860	1000	0.1	RMS	865.4	-63.92	-13	Pass	1401
1000	3000	1	RMS	1695	-47.22	-13	Pass	2001
3000	10000	1	RMS	6961	-41.24	-13	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-65.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2986
30	814	0.1	RMS	810.2	-55.38	-13	Pass	7841
814	860	0.1	RMS	824.2	21.57	60	Pass	461
860	1000	0.1	RMS	868.7	-63.81	-13	Pass	1401
1000	3000	1	RMS	1648	-45.76	-13	Pass	2001
3000	10000	1	RMS	6962	-41.22	-13	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-66.53	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.12	-13	Pass	2986
30	814	0.1	RMS	810.2	-55.99	-13	Pass	7841
814	860	0.1	RMS	824.2	20.86	60	Pass	461
860	1000	0.1	RMS	961.2	-63.8	-13	Pass	1401
1000	3000	1	RMS	1648	-46.46	-13	Pass	2001
3000	10000	1	RMS	6960	-41.17	-13	Pass	7001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-66.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2986
30	814	0.1	RMS	812.7	-63.66	-13	Pass	7841
814	860	0.1	RMS	835.2	21.56	60	Pass	461
860	1000	0.1	RMS	963.1	-63.89	-13	Pass	1401
1000	3000	1	RMS	1670	-45.77	-13	Pass	2001
3000	10000	1	RMS	6963	-41.32	-13	Pass	7001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-66.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	814	0.1	RMS	812.4	-63.79	-13	Pass	7841
814	860	0.1	RMS	835.2	20.68	60	Pass	461
860	1000	0.1	RMS	865.7	-63.79	-13	Pass	1401
1000	3000	1	RMS	1670	-46.87	-13	Pass	2001
3000	10000	1	RMS	6960	-41.24	-13	Pass	7001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-66.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.85	-13	Pass	7841
814	860	0.1	RMS	846.2	21.76	60	Pass	461
860	1000	0.1	RMS	961	-63.86	-13	Pass	1401
1000	3000	1	RMS	1692	-45.98	-13	Pass	2001
3000	10000	1	RMS	6962	-41.3	-13	Pass	7001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-66.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2986
30	814	0.1	RMS	807.8	-63.77	-13	Pass	7841
814	860	0.1	RMS	846.2	20.83	60	Pass	461
860	1000	0.1	RMS	964.7	-63.86	-13	Pass	1401
1000	3000	1	RMS	1692	-46.88	-13	Pass	2001
3000	10000	1	RMS	6961	-41.22	-13	Pass	7001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-66.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.29	-13	Pass	2986
30	814	0.1	RMS	810.3	-55.71	-13	Pass	7841
814	860	0.1	RMS	824.3	21.76	60	Pass	461
860	1000	0.1	RMS	886.4	-63.91	-13	Pass	1401
1000	3000	1	RMS	1648	-45.76	-13	Pass	2001
3000	10000	1	RMS	6960	-41.15	-13	Pass	7001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	814	0.1	RMS	810.3	-56.5	-13	Pass	7841
814	860	0.1	RMS	824.3	20.86	60	Pass	461
860	1000	0.1	RMS	861.4	-63.74	-13	Pass	1401
1000	3000	1	RMS	1648	-46.76	-13	Pass	2001
3000	10000	1	RMS	6961	-41.19	-13	Pass	7001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	Pass	2986
30	814	0.1	RMS	811.7	-63.73	-13	Pass	7841
814	860	0.1	RMS	834.3	21.76	60	Pass	461
860	1000	0.1	RMS	873.9	-63.85	-13	Pass	1401
1000	3000	1	RMS	1668	-46.34	-13	Pass	2001
3000	10000	1	RMS	6960	-41.22	-13	Pass	7001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	814	0.1	RMS	810.7	-63.82	-13	Pass	7841
814	860	0.1	RMS	834.3	20.75	60	Pass	461
860	1000	0.1	RMS	860.1	-63.81	-13	Pass	1401
1000	3000	1	RMS	1668	-47.42	-13	Pass	2001
3000	10000	1	RMS	6960	-41.25	-13	Pass	7001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-66.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.63	-13	Pass	7841
814	860	0.1	RMS	844.3	21.66	60	Pass	461
860	1000	0.1	RMS	863.3	-63.89	-13	Pass	1401
1000	3000	1	RMS	1688	-45.33	-13	Pass	2001
3000	10000	1	RMS	6960	-41.28	-13	Pass	7001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-66.21	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.36	-13	Pass	2986
30	814	0.1	RMS	810.7	-63.8	-13	Pass	7841
814	860	0.1	RMS	844.3	20.82	60	Pass	461
860	1000	0.1	RMS	862.4	-63.85	-13	Pass	1401
1000	3000	1	RMS	1688	-46.12	-13	Pass	2001
3000	10000	1	RMS	6959	-41.19	-13	Pass	7001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	814	0.1	RMS	810.5	-55.69	-13	Pass	7841
814	860	0.1	RMS	824.6	21.99	60	Pass	461
860	1000	0.1	RMS	893	-61.18	-13	Pass	1401
1000	3000	1	RMS	1649	-46.21	-13	Pass	2001
3000	10000	1	RMS	6963	-41.23	-13	Pass	7001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-67.08	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-13	Pass	2986
30	814	0.1	RMS	810.5	-56.13	-13	Pass	7841
814	860	0.1	RMS	824.6	21.17	60	Pass	461
860	1000	0.1	RMS	872.2	-63.74	-13	Pass	1401
1000	3000	1	RMS	1649	-47.04	-13	Pass	2001
3000	10000	1	RMS	6960	-41.2	-13	Pass	7001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-65.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.52	-13	Pass	7841
814	860	0.1	RMS	832.1	21.98	60	Pass	461
860	1000	0.1	RMS	991.7	-63.82	-13	Pass	1401
1000	3000	1	RMS	1664	-46.84	-13	Pass	2001
3000	10000	1	RMS	6963	-41.16	-13	Pass	7001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.46	-13	Pass	7841
814	860	0.1	RMS	832.1	21.31	60	Pass	461
860	1000	0.1	RMS	898.4	-59.31	-13	Pass	1401
1000	3000	1	RMS	1664	-47.88	-13	Pass	2001
3000	10000	1	RMS	6960	-41.23	-13	Pass	7001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	814	0.1	RMS	811.4	-63.3	-13	Pass	7841
814	860	0.1	RMS	839.6	22.18	60	Pass	461
860	1000	0.1	RMS	864.1	-63.85	-13	Pass	1401
1000	3000	1	RMS	1679	-45.22	-13	Pass	2001
3000	10000	1	RMS	6961	-41.25	-13	Pass	7001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-67.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2986
30	814	0.1	RMS	808.6	-63.74	-13	Pass	7841
814	860	0.1	RMS	839.6	21.31	60	Pass	461
860	1000	0.1	RMS	861.6	-63.77	-13	Pass	1401
1000	3000	1	RMS	1679	-46.34	-13	Pass	2001
3000	10000	1	RMS	6962	-41.17	-13	Pass	7001



11.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-66.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2986
30	814	0.1	RMS	810.7	-56.61	-13	Pass	7841
814	860	0.1	RMS	824.8	21.44	60	Pass	461
860	1000	0.1	RMS	862.8	-63.76	-13	Pass	1401
1000	3000	1	RMS	1649	-46.48	-13	Pass	2001
3000	10000	1	RMS	6960	-41.21	-13	Pass	7001



11.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.89	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-13	Pass	2986
30	814	0.1	RMS	810.7	-57.25	-13	Pass	7841
814	860	0.1	RMS	824.8	20.77	60	Pass	461
860	1000	0.1	RMS	874	-63.81	-13	Pass	1401
1000	3000	1	RMS	1649	-47.25	-13	Pass	2001
3000	10000	1	RMS	6960	-41.24	-13	Pass	7001



11.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-66.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	814	0.1	RMS	812.9	-58.06	-13	Pass	7841
814	860	0.1	RMS	829.8	21.31	60	Pass	461
860	1000	0.1	RMS	862.6	-63.92	-13	Pass	1401
1000	3000	1	RMS	1659	-47.55	-13	Pass	2001
3000	10000	1	RMS	6963	-41.27	-13	Pass	7001



11.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-66.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-13	Pass	2986
30	814	0.1	RMS	812.9	-59.04	-13	Pass	7841
814	860	0.1	RMS	829.8	20.55	60	Pass	461
860	1000	0.1	RMS	864.5	-63.88	-13	Pass	1401
1000	3000	1	RMS	1659	-48.38	-13	Pass	2001
3000	10000	1	RMS	6960	-41.27	-13	Pass	7001



11.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-67.01	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.13	-13	Pass	2986
30	814	0.1	RMS	811.4	-63.33	-13	Pass	7841
814	860	0.1	RMS	834.8	21.35	60	Pass	461
860	1000	0.1	RMS	992.8	-63.92	-13	Pass	1401
1000	3000	1	RMS	1669	-46.35	-13	Pass	2001
3000	10000	1	RMS	6960	-41.2	-13	Pass	7001



11.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	Pass	2986
30	814	0.1	RMS	809.2	-62.97	-13	Pass	7841
814	860	0.1	RMS	834.8	20.51	60	Pass	461
860	1000	0.1	RMS	861.3	-63.82	-13	Pass	1401
1000	3000	1	RMS	1669	-46.98	-13	Pass	2001
3000	10000	1	RMS	6961	-41.25	-13	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-56.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.42	-13	Pass	2986
30	809	0.1	Peak	808.6	-45.33	-13	Pass	7791
809	829	0.1	Peak	814.3	27.11	60	Pass	401
829	1000	0.1	Peak	831.1	-51.43	-13	Pass	1711
1000	3000	1	Peak	1629	-34.62	-13	Pass	2001
3000	10000	1	Peak	7184	-29.83	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-58.85	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.77	-13	Pass	2986
30	809	0.1	Peak	808.6	-45.38	-13	Pass	7791
809	829	0.1	Peak	814.2	26.99	60	Pass	401
829	1000	0.1	Peak	831.1	-51.53	-13	Pass	1711
1000	3000	1	Peak	1629	-34.23	-13	Pass	2001
3000	10000	1	Peak	6961	-29.95	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.02	-58.98	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.96	-13	Pass	2986
30	809	0.1	Peak	807.2	-51.9	-13	Pass	7791
809	829	0.1	Peak	818.5	26.86	60	Pass	401
829	1000	0.1	Peak	835.4	-50.19	-13	Pass	1711
1000	3000	1	Peak	1637	-32.91	-13	Pass	2001
3000	10000	1	Peak	9654	-29.68	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-59.55	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.3	-13	Pass	2986
30	809	0.1	Peak	807.4	-51.19	-13	Pass	7791
809	829	0.1	Peak	818.6	27.23	60	Pass	401
829	1000	0.1	Peak	829.8	-50.01	-13	Pass	1711
1000	3000	1	Peak	1637	-33.43	-13	Pass	2001
3000	10000	1	Peak	6973	-30.1	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-59.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.33	-13	Pass	2986
30	809	0.1	Peak	808.8	-50.08	-13	Pass	7791
809	829	0.1	Peak	822.8	26.76	60	Pass	401
829	1000	0.1	Peak	831.3	-46.9	-13	Pass	1711
1000	3000	1	Peak	1646	-35.75	-13	Pass	2001
3000	10000	1	Peak	6970	-29.44	-13	Pass	7001



1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-58.55	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.77	-13	Pass	2986
30	809	0.1	Peak	808.8	-51.65	-13	Pass	7791
809	829	0.1	Peak	822.8	26.98	60	Pass	401
829	1000	0.1	Peak	831.3	-46.82	-13	Pass	1711
1000	3000	1	Peak	1646	-35.82	-13	Pass	2001
3000	10000	1	Peak	7089	-29.74	-13	Pass	7001



1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-57.13	-13	Pass	401
0.15	30	0.01	Peak	0.34	-63.7	-13	Pass	2986
30	809	0.1	Peak	809	-31.79	-13	Pass	7791
809	829	0.1	Peak	814.2	26.88	60	Pass	401
829	1000	0.1	Peak	829.5	-43.93	-13	Pass	1711
1000	3000	1	Peak	1628	-35.21	-13	Pass	2001
3000	10000	1	Peak	7077	-29.95	-13	Pass	7001

